Centre for Entomological Studies Ankara

Memoirs

ISSN 1015-8227 13 01 2020 Volume 9

http://zoobank.org/References/C1AB026C-F6C9-4F41-8168-5DC347CA3C13

Preliminary list of the Heterocera species of Africa continent based upon the info-system of the Cesa, with a new name in Pyraloidea (Lepidoptera)

Ahmet Ömer Koçak Muhabbet Kemal

2020

http://zoobank.org/References/C1AB026C-F6C9-4F41-8168-5DC347CA3C13

Preliminary list of the Heterocera species of Africa continent based upon the info-system of the Cesa, with a new name in Pyraloidea (Lepidoptera)

Ahmet Ömer Koçak [1] Muhabbet Kemal

Abstract: Preliminary list of the Heterocera species of Africa continent based upon the info-system of the Cesa, with a new name in Pyraloidea (Lepidoptera). Cent. ent. Stud., *Memoirs* 9: 1-804, 20 maps.
In this paper, a preliminary synonymic list of the Heterocera of Africa. Distributional information for each species are given as codes. Totally 18505 species of 79 families of the following 55 countries are given: Algeria, Angola, Benin, Botswana, Burkino-Faso, Burundi, Cameroon, Canary Islands, Cape de Verde, Central African Republic, Congo, Comoros, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, Gabon, Ghana, Gambia, Guinea, Ivory Coast, Kenya, Leshoto, Liberia, Libya, Madagascar, Malawi, Mali, Marocco, Mauritania, Mauritius, Mozambique, Namibia, Niger, Nigeria, Reunion, Rwanda, Sao Tome, Senegal, Sierra Leone, Sokotra, Somalia, South Africa, Sudan, South Sudan, Swaziland, Tanzania, Tschad, Togo, Tunis, Uganda, Democratic Republic of Congo, Zambia, and Zimbabwe. Nomenclaturally, a replacement name, *Cryptosara snelleni* **nom. nov**. (Pyraloidea, Spilomelinae) is proposed from Guinea. A selected bibliography for the whole Lepidoptera of Africa are given as author index. Totally 20 maps are prepared for various species.
Key words: Heterocera, Adelidae, Aganaidae, Agonoxenidae, Alucitidae, Arctiidae, Autostichidae, Batrachedridae, Blastobasidae, Bombycidae, Brachodidae, Brahmaeidae, Bucculatricidae, Callidulidae, Carposinidae, Choreutidae, Cimeliidae, Coleophoridae, Copromorphidae, Cosmopterigidae, Cossidae, Ctenuchidae, Douglasiidae, Drepanidae, Dudgeonidae, Elachistidae, Epermeniidae, Epipyropidae, Eriocottidae, Ethmiidae, Eupterotidae, Galacticidae, Gelechiidae, Geometridae, Glyphipterygidae, Gracillariidae, Hepialidae, Heterogynidae, Himantopteridae, Hyblaeidae, Lacturidae, Lasiocampidae, Lecithoceridae, Lemoniidae, Limacodidae, Lymantriidae, Lyonetiidae, Metarbelidae, Micropterigidae, Momphidae, Nepticulidae, Noctuidae, Notodontidae, Oecophoridae, Opostegidae, Prodidactidae, Prototheoridae, Psychidae, Pterolonchidae, Pterophoridae, Pyralidae, Roeslerstammiidae, Saturniidae, Scythridae, Sesiidae, Somabrachyidae, Sphingidae, Stathmopodidae, Stenomidae, Thaumetopoeidae, Thyatiridae, Thyretidae, Thyridae, Tineidae, Tischeriidae, Tortricidae, Uraniidae, Xyloryctidae, Yponomeutidae, Zygaenidae, Lepidoptera, fauna, Africa.

The present list of the Heterocera of Africa covers the species of our interest. Totally 18505 species of 79 families are listed alphabetically. The synonymous names are given in chronological order. The distributions of the species are mentioned as codes. This information is extracted from our database program, and presented here as an annotated list of the species from the following countries (with codes and number of the species): Algeria (DZ) [2093], Angola (AO) [474], Benin (BJ) [20], Botswana (BW) [174], Burkino-Faso (BF) [51], Burundi (BI) [70], Cameroon (CM) [1179], Canary Islands (Cn) [410], Cape de Verde (CV) [50], Central African Republic (CF) [143], Congo (CG) [224], Comoros (KM) [118], Djibouti (DJ) [32], Egypt (EG) [591], Equatorial Guinea (GO) [162], Eritrea (ER) [119], Ethiopia (ET) [1434], Gabon (GA) [460], Ghana (GH) [518], Gambia (GM) [199], Guinea (GN) [154], Ivory Coast (CI) [368], Kenya (KE) [1679], Leshoto (LS) [58], Liberia (LR) [98], Libya (LY) [533], Madagascar (MG) [1490], Malawi (MW) [678], Mali (ML) [94], Marocco (MA) [1465], Mauritania (MR) [130], Mauritius (MU) [143], Mozambique (MZ) [574], Namibia (NA) [435], Niger (NE) [112], Nigeria (NG) [949], Reunion (RE) [173], Rwanda

[1] Prof. em Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Faculty of Science, Dept. of Biology., Van / Turkey.
e-mail: cesa_tr@yahoo.com.tr
Dr Muhabbet Kemal - Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey.
e-mails: muhabbet_kemal@yahoo.com.tr

(RW) [276], Sao Tome (ST) [100], Senegal (SN) [156], Sierra Leone (SL) [567], Sokotra (Sk) [112], Somalia (SO) [268], South Africa (ZA) [7100], Sudan (SD) [374], South Sudan (SU) [14], Swaziland (SZ) [84], Tanzania (TZ) [1435], Tschad (TD) [43], Togo (TG) [105], Tunis (TN) [1205], Uganda (UG) [1160], Democratic Republic of Congo (ZR) [1676], Zambia (ZM) [438], and Zimbabwe (ZW) [1230].

A replacement name for the 14264 numbered taxon is proposed here on page 519.

Selected bibliography of more than 2500 items are added after the list of the species.

Totally 20 maps are prepared here based upon the range code mentioned in the related species. For the explanation of the codes used in this publication, *vide*, Koçak & Kemal (2019).[2]

List of the species

Below, 18505 species are listed alphabetically according to their families. Synonymic names are added to each species. They are arranged chronologically. For the range information, codes are used. The symbol # denotes nomenclaturally unavailable names, lapsus calami, etc.

Adelidae

1. **Adela cuneella Walsingham,1891** (Adelidae) Synonymy: cuneella Walsingham,1891 Range (as code): **ZA Nta Kzu Est**
2. **Adela droseropa Meyrick,1921** (Adelidae) Synonymy: droseropa Meyrick,1921 Range (as code): **ZA Wca Grg**
3. **Adela electella (Walker,[1863])** (Adelidae) Synonymy: electella Walker,[1863] Range (as code): **ZA Tva Lpo Hae**
4. **Adela natalensis Stainton,1860** (Adelidae) Synonymy: natalensis Stainton,1860; albicornis Walker,1863 Range (as code): **ZA Nta Kzu**
5. **Adela pantherella (Guenée,1848)** (Adelidae) Synonymy: pantherella Guenée,1848 Range (as code): **AET DZ Clo ES**
6. **Ceromitia albosparsa Janse,1945** (Adelidae) Synonymy: albosparsa Janse,1945 Range (as code): **ZA**
7. **Ceromitia alternipunctella (Walsingham,1881)** (Adelidae) Synonymy: alternipunctella Walsingham,1881 Range (as code): **ZA**
8. **Ceromitia amphichroa Meyrick,1908** (Adelidae) Synonymy: amphichroa Meyrick,1908 Range (as code): **ZA Gau Pre Tva Lpo Pot Buf Pie Spb Nel**
9. **Ceromitia arata Meyrick,1920** (Adelidae) Synonymy: arata Meyrick,1920 Range (as code): **ZA Wca Pra**
10. **Ceromitia bipartita (Janse,1945)** (Adelidae) Synonymy: bipartita Janse,1945 Range (as code): **ZA**
11. **Ceromitia bipectinifera Janse,1945** (Adelidae) Synonymy: bipectinifera Janse,1945 Range (as code): **ZA**
12. **Ceromitia brevilobata (Janse,1945)** (Adelidae) Synonymy: brevilobata Janse,1945 Range (as code): **ZA Nta Kzu Kkf Rie Ec Tva Lpo Nha**
13. **Ceromitia centrologa Meyrick,1937** (Adelidae) Synonymy: centrologa Meyrick,1937 Range (as code): **ZA**
14. **Ceromitia cerochlora Meyrick,1921** (Adelidae) Synonymy: cerochlora Meyrick,1921 Range (as code): **ZA Tva Lpo Hae**
15. **Ceromitia crinigerella (Zeller,1850)** (Adelidae) Synonymy: crinigerella Zeller,1850 Range (as code): **ZA**
16. **Ceromitia decepta Janse,1945** (Adelidae) Synonymy: decepta Janse,1945 Range (as code): **ZA Tva Lpo Spb Ltr**
17. **Ceromitia delta Janse,1945** (Adelidae) Synonymy: delta Janse,1945 Range (as code): **ZA**
18. **Ceromitia descripta Meyrick,1924** (Adelidae) Synonymy: descripta Meyrick,1924 Range (as code): **ZA Tva Gau Rtb**
19. **Ceromitia devia (Janse,1945)** (Adelidae) Synonymy: devia Janse,1945 Range (as code): **ZA**

[2] **Koçak, A.Ö. & M. Kemal,** 2019. First updated geographical codes used in the publications of the Cesa. *Priamus* 17 (4): 319-360.

20. **Ceromitia dicksoni (Janse,1945)** (Adelidae) Synonymy: dicksoni Janse,1945 Range (as code): **ZA**
21. **Ceromitia durbanica (Janse,1945)** (Adelidae) Synonymy: durbanica Janse,1945 Range (as code): **ZA Nta Dbn**
22. **Ceromitia elongatella (Walsingham,1881)** (Adelidae) Synonymy: elongatella Walsingham,1881; somphodes Meyrick,1912 Range (as code): **ZA**
23. **Ceromitia fuscipunctella (Janse,1945)** (Adelidae) Synonymy: fuscipunctella Janse,1945 Range (as code): **ZA**
24. **Ceromitia geminata Meyrick,1914** (Adelidae) Synonymy: geminata Meyrick,1914 Range (as code): **ZA**
25. **Ceromitia gigantea Janse,1945** (Adelidae) Synonymy: gigantea Janse,1945 Range (as code): **ZA**
26. **Ceromitia graptosema Meyrick,1914** (Adelidae) Synonymy: graptosema Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
27. **Ceromitia grisata (Janse,1945)** (Adelidae) Synonymy: grisata Janse,1945 Range (as code): **ZA**
28. **Ceromitia heteroloba (Janse,1945)** (Adelidae) Synonymy: heteroloba Janse,1945 Range (as code): **ZA Tva Lpo Spb**
29. **Ceromitia holosticta Meyrick,1918** (Adelidae) Synonymy: holosticta Meyrick,1918 Range (as code): **ZA Tva Gau Pre ZW Bul**
30. **Ceromitia impura (Janse,1945)** (Adelidae) Synonymy: impura Janse,1945 Range (as code): **ZA**
31. **Ceromitia indigna (Meyrick,1912)** (Adelidae) Synonymy: indigna Meyrick,1912 Range (as code): **ZA Tva Mpu Brb**
32. **Ceromitia intermedia (Janse,1945)** (Adelidae) Synonymy: intermedia Janse,1945 Range (as code): **ZA**
33. **Ceromitia laureata Meyrick,1911** (Adelidae) Synonymy: laureata Meyrick,1911 Range (as code): **ZA Tva Lpo Hae Wo Spb**
34. **Ceromitia libropis Meyrick,1908** (Adelidae) Synonymy: libropis Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
35. **Ceromitia melanodesma Meyrick,1914** (Adelidae) Synonymy: melanodesma Meyrick,1914 Range (as code): **ZA**
36. **Ceromitia melanostrota Meyrick,1912** (Adelidae) Synonymy: melanostrota Meyrick,1912 Range (as code): **ZA**
37. **Ceromitia mellicoma Meyrick,1912** (Adelidae) Synonymy: mellicoma Meyrick,1912 Range (as code): **ZA Nta Kzu Nel Tva Lpo Spb Srn Tst Mdt**
38. **Ceromitia mioclina Meyrick,1921** (Adelidae) Synonymy: mioclina Meyrick,1921 Range (as code): **ZA Tva Mdt**
39. **Ceromitia mitrata Meyrick,1917** (Adelidae) Synonymy: mitrata Meyrick,1917 Range (as code): **ZA**
40. **Ceromitia monopectinifera Janse,1945** (Adelidae) Synonymy: monopectinifera Janse,1945 Range (as code): **ZA**
41. **Ceromitia multipunctata Janse,1945** (Adelidae) Synonymy: multipunctata Janse,1945 Range (as code): **ZA**
42. **Ceromitia nerina Meyrick,1912** (Adelidae) Synonymy: nerina Meyrick,1912 Range (as code): **ZA Tva Mpu Brb Tst**
43. **Ceromitia ochrotricha Meyrick,1912** (Adelidae) Synonymy: ochrotricha Meyrick,1912 Range (as code): **ZA Brb Mpu Tva Tst**
44. **Ceromitia palyntis Meyrick,1908** (Adelidae) Synonymy: palyntis Meyrick,1908 Range (as code): **ZA Tva Gau Pre Buf Pin Wm Ly Mpu**
45. **Ceromitia phaeocoma Meyrick,1912** (Adelidae) Synonymy: phaeocoma Meyrick,1912; mesosema Meyrick,1921 Range (as code): **ZA Mpu Brb Srn Tva Lpo Spb Wo**
46. **Ceromitia phaeocomoides Janse,1945** (Adelidae) Synonymy: phaeocomoides Janse,1945 Range (as code): **ZA Tva Lpo Wo**
47. **Ceromitia phyrsima Meyrick,1911** (Adelidae) Synonymy: phyrsima Meyrick,1911 Range (as code): **ZA Gau Pre Wo Tva Lpo Nta Kzu**
48. **Ceromitia pilularis Meyrick,1921** (Adelidae) Synonymy: pilularis Meyrick,1921; rixata Meyrick,1924 Range (as code): **ZW Har**
49. **Ceromitia praetexta Meyrick,1924** (Adelidae) Synonymy: praetexta Meyrick,1924 Range (as code): **ZA**
50. **Ceromitia punctulata Janse,1945** (Adelidae) Synonymy: punctulata Janse,1945 Range (as code): **ZA Tva Lpo Spb Wp**
51. **Ceromitia resonans Meyrick,1918** (Adelidae) Synonymy: resonans Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**

52. **Ceromitia simpliciella (Janse,1945)** (Adelidae) Synonymy: simpliciella Janse,1945 Range (as code): **ZA**
53. **Ceromitia spatalodes Meyrick,1920** (Adelidae) Synonymy: spatalodes Meyrick,1920 Range (as code): **ZA Ou**
54. **Ceromitia spilodesma Meyrick,1908** (Adelidae) Synonymy: spilodesma Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
55. **Ceromitia sporaea Meyrick,1908** (Adelidae) Synonymy: sporaea Meyrick,1908 Range (as code): **ZA Tva Lpo Pie**
56. **Ceromitia stathmodes Meyrick,1908** (Adelidae) Synonymy: stathmodes Meyrick,1908 Range (as code): **ZA Tva Gau Pre Buf Nbs Wm Mpu**
57. **Ceromitia synchroma (Janse,1945)** (Adelidae) Synonymy: synchroma Janse,1945 Range (as code): **ZA**
58. **Ceromitia synneura Meyrick,1921** (Adelidae) Synonymy: synneura Meyrick,1921 Range (as code): **ZW ZA Mpu Tva Lpo Hfo Ltr Spb Tz Wp**
59. **Ceromitia systelitis Meyrick,1921** (Adelidae) Synonymy: systelitis Meyrick,1921 Range (as code): **ZA Tva Lpo Spb Wp MZ Mag**
60. **Ceromitia transtrifera Meyrick,1912** (Adelidae) Synonymy: transtrifera Meyrick,1912 Range (as code): **ZA Tva Lpo Nkw Umk Brb Mpu Tst**
61. **Ceromitia trigoniferella (Walsingham,1881)** (Adelidae) Synonymy: trigoniferella Walsingham,1881; ? brevipalpa Janse,1942. Range (as code): **ZA Nta Kzu Tva Lpo ZW KE**
62. **Ceromitia trilobata (Janse,1945)** (Adelidae) Synonymy: trilobata Janse,1945 Range (as code): **ZA Tva Lpo Spb Ltr**
63. **Ceromitia turpisella (Walker,1863)** (Adelidae) Synonymy: turpisella Walker,1863; caffrariella Möschler,1883; turpis Meyrick,1912; flavicoma Meyrick,1937. Range (as code): **ZA Nta Kzu Ptb Kkf Tva Lpo ZW**
64. **Ceromitia tyrochlora Meyrick,1908** (Adelidae) Synonymy: tyrochlora Meyrick,1908; benedicta Meyrick,1918 Range (as code): **ZW ZA Tva Gau Pre Jh Swe Hfo Umv Nta Kzu**
65. **Ceromitia unguiphora (Janse,1945)** (Adelidae) Synonymy: unguiphora Janse,1945 Range (as code): **ZA Tva Lpo Spb Tsh**
66. **Ceromitia vansoni Janse,1945** (Adelidae) Synonymy: vansoni Janse,1945 Range (as code): **ZA Tva Lpo Spb**
67. **Ceromitia wahlbergi Zeller,1852** (Adelidae) Synonymy: wahlbergi Zeller,1852 Range (as code): **ZA Nta Tva Lpo MZ ZW**
68. **Ceromitia xanthocoma Meyrick,1917** (Adelidae) Synonymy: xanthocoma Meyrick,1917 Range (as code): **ZA**
69. **Nematopogon robertella (Clerck,1759)** (Adelidae) Synonymy: #robertella Clerck,1759; pilulella Hübner,[1813]. Range (as code): **AET DZ Clo FR IT BE NL LU DE CH AT Vor Trl Et Krt Stm Slz UAT LAT Wn Bgl PL CZ SK HU YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 61**
70. **Nemophora barbatella (Zeller,1847)** (Adelidae) Synonymy: barbatellus Zeller,1847; chalcochrysellus Mann,1855; constantinella Baker,1888; demaisoni Ragonot,1889; #padrejusto Agenjo,1965 Range (as code): **AET DZ Cst ES FR Co Sa Si IT YU AL BG GR Rd Cr TR 16**
71. **Nemophora humilis (Walsingham,1891)** (Adelidae) Synonymy: humilis Walsingham,1891 Range (as code): **ZA**
72. **Nemophora minimella ([Denis & Schiffermüller],1775)** (Adelidae) Synonymy: minimella [Denis & Schiffermüller],1775; lenellus Zeller,1853 Range (as code): **AET DZ Anna FR IT IE GB BE NL DE AT PL CZ SK YU AL BG GR DK NO SE LV LT RU MD UA BY**
73. **Nemophora raddella (Hübner,1793)** (Adelidae) Synonymy: raddella Hübner,1793; latreillella Fabricius,1798; raddaellus Wocke,1871; algeriensis Walsingham,1907 Range (as code): **AET DZ Clo Cst PT ES FR Si IT MT CH CZ SK HU RO YU AL BG GR TR RU MD UA BY 45 46**

Aganaidae

74. **Asota borbonica (Boisduval,1833)** (Aganaidae) Synonymy: borbonica Boisduval,1833; insularis Boisduval,1833; antica Walker,1856; stipata Walker,1864 Range (as code): **MG Myt ZA RE MU**
75. **Asota speciosa (Drury,1773)** (Aganaidae) Synonymy: speciosa Drury,1773; aphidas Hopffer,1858; conspicua Swinhoe,1903 Range (as code): **ZA Nta Kzu Tva AO BJ CM CF ZR DJ GO ER ET GA GM GH GN CI KE LR MW MZ NG SC SL TZ TG UG ZM ZW**
76. **Carpostalagma chalybeata Talbot,1929** (Aganaidae) Synonymy: chalybeata Talbot,1929 Range (as code): **ZR RW ZA TZ UG**

77. **Carpostalagma pulverulentus Talbot,1929** (Aganaidae) Synonymy: pulverulentus Talbot,1929 Range (as code): **KE UG**
78. **Carpostalagma signata Talbot,1932** (Aganaidae) Synonymy: signata Talbot,1932 Range (as code): **ZM**
79. **Carpostalagma viridis (Plötz,1880)** (Aganaidae) Synonymy: viridis Plötz,1880 Range (as code): **CM CF ZR GO GA UG**
80. **Digama africana Swinhoe,1907** (Aganaidae) Synonymy: africana Swinhoe,1907 Range (as code): **KE TZ**
81. **Digama aganais (R.Felder,1874)** (Aganaidae) Synonymy: aganais R.Felder,1874 Range (as code): **ZA Nta Kzu ZW TG MW ER ET KE TG ZM**
82. **Digama budonga (Bethune-Baker,1913)** (Aganaidae) Synonymy: budonga Bethune-Baker,1913 Range (as code): **ZA CI**
83. **Digama daressalamica Strand,1911** (Aganaidae) Synonymy: daressalamica Strand,1911 Range (as code): **TZ Dss**
84. **Digama lithosioides (Swinhoe,1907)** (Aganaidae) Synonymy: lithosioides Swinhoe,1907 Range (as code): **ZA TZ ET ZW**
85. **Digama meridionalis (Swinhoe,1907)** (Aganaidae) Synonymy: meridionalis Swinhoe,1907 Range (as code): **ZA Tva Gau Jh ZR ER ET MW MZ NA TZ ZM ZW**
86. **Digama ostentata (Distant,1899)** (Aganaidae) Synonymy: ostentata Distant,1899 Range (as code): **ZA Ec Tva Lpo BW MZ NA ZW**
87. **Digama pandaensis Romieux,1935** (Aganaidae) Synonymy: pandaensis Romieux,1935 Range (as code): **KE ZR**
88. **Digama rileyi Kiriakoff,1958** (Aganaidae) Synonymy: rileyi Kiriakoff,1958 Range (as code): **UG**
89. **Digama sagittata (Gaede,1926)** (Aganaidae) Synonymy: sagittata Gaede,1926 Range (as code): **MG KM Myt**
90. **Digama serratula Talbot,1932** (Aganaidae) Synonymy: serratula Talbot,1932 Range (as code): **KE**
91. **Digama spilleri (Bethune-Baker,1908)** (Aganaidae) Synonymy: spilleri Bethune-Baker,1908 Range (as code): **ZA**
92. **Phaegorista agaristoides Boisduval,1836** (Aganaidae) Synonymy: agaristoides Boisduval,1836; interrupta Strand,1909; albomacula Strand,1909 Range (as code): **SN ZA**
93. **Phaegorista bicurvata Gaede,1926** (Aganaidae) Synonymy: bicurvata Gaede,1926 Range (as code): **CM**
94. **Phaegorista bisignibasis L.B.Prout,1918** (Aganaidae) Synonymy: bisignibasis L.B.Prout,1918 Range (as code): **TZ**
95. **Phaegorista enarges Tams,1930** (Aganaidae) Synonymy: enarges Tams,1930 Range (as code): **KE**
96. **Phaegorista formosa Butler,1877** (Aganaidae) Synonymy: formosa Butler,1877 Range (as code): **TZ MW MZ**
97. **Phaegorista prouti Joicey & Talbot,1921** (Aganaidae) Synonymy: prouti Joicey & Talbot,1921 Range (as code): **ZR**
98. **Phaegorista rubriventris Aurivillius,1925** (Aganaidae) Synonymy: rubriventris Aurivillius,1925 Range (as code): **CM**
99. **Phaegorista similis Walker,1869** (Aganaidae) Synonymy: similis Walker,1869; helcitoides Dewitz,1879 Range (as code): **ZR AO**
100. **Phaegorista trialbata L.B.Prout,1918** (Aganaidae) Synonymy: trialbata L.B.Prout,1918 Range (as code): **UG**
101. **Phaegorista xanthosoma Hampson,1910** (Aganaidae) Synonymy: xanthosoma Hampson,1910; #nyassae Talbot,1929 Range (as code): **ZA ZM ZW MW**
102. **Soloe fumipennis Hampson,1910** (Aganaidae) Synonymy: fumipennis Hampson,1910 Range (as code): **ZA**
103. **Soloe tripunctata Druce,1896** (Aganaidae) Synonymy: tripunctata Druce,1896 Range (as code): **ZA**
104. **Sommeria culta Hübner,[1831]** (Aganaidae) Synonymy: culta Hübner,[1831]; marmorata Walker,1865 Range (as code): **ZA**
105. **Sommeria nepheloptera (Hampson,1910)** (Aganaidae) Synonymy: nepheloptera Hampson,1910 Range (as code): **ZA Tva Lpo Spb Mdk ZW BW**
106. **Sommeria sinuosa (Hampson,1905)** (Aganaidae) Synonymy: sinuosa Hampson,1905 Range (as code): **ZA Nta Kzu**

107. **Sommeria spilosoma (R.Felder & Rogenhofer,1874)** (Aganaidae) Synonymy: spilosoma R.Felder & Rogenhofer,1874 Range (as code): **ZA Cap Ec Nta Kzu Tva Lpo**
108. **Sommeria spilosomoides (Walker,1865)** (Aganaidae) Synonymy: spilosomoides Walker,1865 Range (as code): **ZA**
109. **Sommeria strabonis (Hampson,1910)** (Aganaidae) Synonymy: strabonis Hampson,1910 Range (as code): **ZA Ec Tva Lpo**

Agonoxenidae

110. **Microcolona lychnacma (Meyrick,1927)** (Agonoxenidae) Synonymy: lychnacma Meyrick,1927 Range (as code): **ZA**
111. **Microcolona omphalias Meyrick,1913** (Agonoxenidae) Synonymy: omphalias Meyrick,1913 Range (as code): **ZA**
112. **Microcolona pantomima Meyrick,1917** (Agonoxenidae) Synonymy: pantomima Meyrick,1917 Range (as code): **ZA**
113. **Microcolona trichodora (Meyrick,1909)** (Agonoxenidae) Synonymy: trichodora Meyrick,1909 Range (as code): **ZA**
114. **Platybathra ganota Meyrick,1911** (Agonoxenidae) Synonymy: ganota Meyrick,1911 Range (as code): **ZA**
115. **Platybathra hysterota Meyrick,1918** (Agonoxenidae) Synonymy: hysterota Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
116. **Platybathra picropa Meyrick,1921** (Agonoxenidae) Synonymy: picropa Meyrick,1921 Range (as code): **ZA**

Alucitidae

117. **Alucita acalyptra (Meyrick,1913)** (Alucitidae) Synonymy: acalyptra Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
118. **Alucita brachyzona (Meyrick,1920)** (Alucitidae) Synonymy: brachyzona Meyrick,1920 Range (as code): **ZA Ec**
119. **Alucita capensis R.Felder & Rogenhofer,1875** (Alucitidae) Synonymy: capensis R.Felder & Rogenhofer,1875 Range (as code): **ZA**
120. **Alucita certifica (Meyrick,1909)** (Alucitidae) Synonymy: certifica Meyrick,1909 Range (as code): **ZA Tva Lpo Spb Wmb**
121. **Alucita compsoxantha (Meyrick,1924)** (Alucitidae) Synonymy: compsoxantha Meyrick,1924 Range (as code): **ZA**
122. **Alucita crococyma (Meyrick,1937)** (Alucitidae) Synonymy: crococyma Meyrick,1937 Range (as code): **ZA**
123. **Alucita debilella Scholz & Jäckh,1994** (Alucitidae) Synonymy: debilella Scholz & Jäckh,1994 Range (as code): **ES An Grn Mlg Alc Vcl Mu MA IR Gls Kh**
124. **Alucita desmodactyla Zeller,1847** (Alucitidae) Synonymy: desmodactyla Zeller,1847 Range (as code): **AET DZ Anna TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU GR Cr TR RU MD UA BY IR Elb Mz Plr Dam Es Cc AM Eri 42 46**
125. **Alucita endophaea Meyrick,1930** (Alucitidae) Synonymy: endophaea Meyrick,1930 Range (as code): **ZA**
126. **Alucita ferruginea Walsingham,1881** (Alucitidae) Synonymy: ferruginea Walsingham,1881 Range (as code): **ZA**
127. **Alucita flaviserta (Meyrick,1921)** (Alucitidae) Synonymy: flaviserta Meyrick,1921 Range (as code): **MZ Mag**
128. **Alucita granata (Meyrick,1921)** (Alucitidae) Synonymy: granata Meyrick,1921 Range (as code): **MZ Mag**
129. **Alucita habrophila (Meyrick,1920)** (Alucitidae) Synonymy: habrophila Meyrick,1920 Range (as code): **ZA Nta Kzu Esw Ptw**
130. **Alucita hexadactyla Linnaeus,1758** (Alucitidae) Synonymy: hexadactyla Linnaeus,1758; polydactyla Hübner,[1813]; poecilodactyla Stephens,1835; #cartereaui Jourdheuille,1883 Range (as code): **MA TN Dhm PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR Cr TR DK NO SE FI LV LT RU Cc AZ Len KG Uk 05 31 46**

131. **Alucita homotrocha (Meyrick,1921)** (Alucitidae) Synonymy: homotrocha Meyrick,1921 Range (as code): **ZW Swm**
132. **Alucita iberica Scholz & Jäckh,1994** (Alucitidae) Synonymy: iberica Scholz & Jäckh,1994 Range (as code): **ES An Grn Si MA**
133. **Alucita ithycypha (Meyrick,1927)** (Alucitidae) Synonymy: ithycypha Meyrick,1927 Range (as code): **ZA**
134. **Alucita libraria (Meyrick,1911)** (Alucitidae) Synonymy: libraria Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
135. **Alucita palodactyla Zeller,1847** (Alucitidae) Synonymy: palodactyla Zeller,1847; perittodactyla Staudinger,1859; parthenodactyla Chrétien,1915 Range (as code): **AET DZ Bsk Cst TN Tun PT ES FR Co Sa Si IT DE CH YU GR Cr TR RU MD UA BY IL Pa IR LB Bei 05 16 34**
136. **Alucita pectinata Scholz & Jäckh,1994** (Alucitidae) Synonymy: pectinata Scholz & Jäckh,1994 Range (as code): **GR TN Gf LY Cy**
137. **Alucita phanerarcha (Meyrick,1924)** (Alucitidae) Synonymy: phanerarcha Meyrick,1924 Range (as code): **ZA**
138. **Alucita photaula (Meyrick,1918)** (Alucitidae) Synonymy: photaula Meyrick,1918 Range (as code): **ZA Tva Gau Pre Jh**
139. **Alucita spicifera (Meyrick,1911)** (Alucitidae) Synonymy: spicifera Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
140. **Alucita tesserata (Meyrick,1918)** (Alucitidae) Synonymy: tesserata Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
141. **Microschismus antennatus T.B.Fletcher,1909** (Alucitidae) Synonymy: antennatus T.B.Fletcher,1909 Range (as code): **ZA**
142. **Microschismus cato Meyrick,1927** (Alucitidae) Synonymy: cato Meyrick,1927 Range (as code): **ZA**
143. **Microschismus columella Meyrick,1927** (Alucitidae) Synonymy: columella Meyrick,1927 Range (as code): **ZA**
144. **Microschismus ctenias Meyrick,1911** (Alucitidae) Synonymy: fortis Meyrick,1910 nec Walsingh.,1881; ctenias Meyrick,1911. Range (as code): **ZA Nta Kzu Ec Tra Ngg**
145. **Microschismus cymatias Meyrick,1918** (Alucitidae) Synonymy: cymatias Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
146. **Microschismus fortis Walsingham,1881** (Alucitidae) Synonymy: fortis Walsingham,1881 Range (as code): **ZA Tva Gau Pre**
147. **Microschismus premnias Meyrick,1913** (Alucitidae) Synonymy: premnias Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Nta Kzu Ptw**
148. **Microschismus sceletias Meyrick,1911** (Alucitidae) Synonymy: sceletias Meyrick,1911 Range (as code): **ZA Tva Wo**
149. **Microschismus serricornis Meyrick,1914** (Alucitidae) Synonymy: serricornis Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
150. **Pterotopteryx dodecadactyla (Hübner,1813)** (Alucitidae) Synonymy: dodecadactyla Hübner,1813; dorcadius Hering,1917 Range (as code): **FR Si IT LU DE CH AT PL CZ SK HU SL NO SE FI EE LV LT RU GG Cc GA Ogo**

Arctiidae

151. **Acantharctia atriramosa Hampson,1907** (Arctiidae) Synonymy: atriramosa Hampson,1907 Range (as code): **UG KE ZM**
152. **Acantharctia aurivillii Bartel,1903** (Arctiidae) Synonymy: aurivillii Bartel,1903 Range (as code): **UG MW TZ**
153. **Acantharctia bivittata (Butler,1898)** (Arctiidae) Synonymy: bivittata Butler,1898. Range (as code): **KE UG**
154. **Acantharctia flavicosta (Hampson,1900)** (Arctiidae) Synonymy: flavicosta Hampson,1900 Range (as code): **ZW UG MW ZA**
155. **Acantharctia lacteata Rothschild,1933** (Arctiidae) Synonymy: lacteata Rothschild,1933 Range (as code): **CI MW SG MW**
156. **Acantharctia latifasciata Hampson,1909** (Arctiidae) Synonymy: latifasciata Hampson,1909 Range (as code): **ZA Tva Lpo**

157. **Acantharctia latifusca (Hampson,1907)** (Arctiidae) Synonymy: latifusca Hampson,1907; #aurantiaca Rothschild,1935; flavimarginata Rothschild,1935; #suffusa Rothschild,1935; tenebrosa Rothschild,1935. Range (as code): **UG KE**
158. **Acantharctia metaleuca Hampson,1901** (Arctiidae) Synonymy: metaleuca Hampson,1901 Range (as code): **UG KE Nai SD**
159. **Acantharctia mundata (Walker,[1865])** (Arctiidae) Synonymy: mundata Walker,[1865] Range (as code): **SL CI NG**
160. **Acantharctia nigrivena Rothschild,1935** (Arctiidae) Synonymy: nigrivena Rothschild,1935 Range (as code): **KE ET TZ MW**
161. **Acantharctia nivea Aurivillius,1900** (Arctiidae) Synonymy: nivea Aurivillius,1900 Range (as code): **ZR**
162. **Acantharctia tenuifasciata Hampson,1910** (Arctiidae) Synonymy: tenuifasciata Hampson,1910 Range (as code): **ZR KE MW TZ**
163. **Acantharctia vittata Aurivillius,1900** (Arctiidae) Synonymy: vittata Aurivillius,1900 Range (as code): **ZA Nta Kzu Wnn**
164. **Acanthofrontia dicycla Hampson,1918** (Arctiidae) Synonymy: dicycla Hampson,1918 Range (as code): **ZA**
165. **Acanthofrontia lithosiana Hampson,1910** (Arctiidae) Synonymy: lithosiana Hampson,1910 Range (as code): **ZA**
166. **Afraloa bifurca (Walker,1855)** (Arctiidae) Synonymy: bifurca Walker,1855; radiosa Druce,1898 Range (as code): **SL GH NG UG**
167. **Afrasura aetheria Durante,2012** (Arctiidae) Synonymy: aetheria Durante,2012 q Range (as code): **GA**
168. **Afrasura amaniensis (Cieslak & Häuser,2006)** (Arctiidae) Synonymy: amaniensis Cieslak & Häuser,2006 Range (as code): **TZ Ani KE Nai**
169. **Afrasura camilla Durante,2012** (Arctiidae) Synonymy: camilla Durante,2012 Range (as code): **GA**
170. **Afrasura crenulata (Bethune-Baker,1911)** (Arctiidae) Synonymy: crenulata Bethune-Baker,1911 Range (as code): **AO**
171. **Afrasura discocellularis (Strand,1912)** (Arctiidae) Synonymy: discocellularis Strand,1912 Range (as code): **CI GH GA CM**
172. **Afrasura discreta Durante,2009** (Arctiidae) Synonymy: discreta Durante,2009 Range (as code): **GN**
173. **Afrasura dubitabilis Durante,2009** (Arctiidae) Synonymy: dubitabilis Durante,2009 Range (as code): **NG**
174. **Afrasura duplex Durante,2012** (Arctiidae) Synonymy: duplex Durante,2012 q Range (as code): **GA**
175. **Afrasura emma Durante,2009** (Arctiidae) Synonymy: emma Durante,2009 Range (as code): **GA NG**
176. **Afrasura fracta Durante,2012** (Arctiidae) Synonymy: fracta Durante,2012 Range (as code): **GA**
177. **Afrasura hieroglypha (Bethune-Baker,1911)** (Arctiidae) Synonymy: hieroglypha Bethune-Baker,1911 Range (as code): **AO GN UG CM**
178. **Afrasura hyporhoda (Hampson,1900)** (Arctiidae) Synonymy: hyporhoda Hampson,1900 q Range (as code): **SL KE UG CM**
179. **Afrasura ichorina (Butler,1877)** (Arctiidae) Synonymy: ichorina Butler,1877 Range (as code): **ZA Nta Kzu Dbn**
180. **Afrasura indecisa (Walker,[1865])** (Arctiidae) Synonymy: indecisa Walker,[1865]; rufostria Plötz,1880; xantha Bethune-Baker,1911; guenteri Strand,1912 Range (as code): **AO CM ZR GO ET GA GH KE NG UG ZW**
181. **Afrasura neavi (Hampson,1914)** (Arctiidae) Synonymy: neavi Hampson,1914 q Range (as code): **UG**
182. **Afrasura numida (Holland,1893)** (Arctiidae) Synonymy: numida Holland,1893 Range (as code): **GA Ogo NG CM ZR GH**
183. **Afrasura obliterata (Walker,1864)** (Arctiidae) Synonymy: obliterata Walker,1864 Range (as code): **TD SL GH TG NG CM GA Ogo UG AO ZA**
184. **Afrasura pallescens Durante,2009** (Arctiidae) Synonymy: pallescens Durante,2009 q Range (as code): **GN**
185. **Afrasura periferica Strand,1912** (Arctiidae) Synonymy: periferica Strand,1912 q Range (as code): **Rz UG ZR RW**
186. **Afrasura rivulosa (Walker,1854)** (Arctiidae) Synonymy: rivulosa Walker,1854; fulvia Hampson,1900; obsolescens Hampson,1914 Range (as code): **ZA Nta Kzu Dbn NG ET ZR UG**

187. **Afrasura submarmorata (Kiriakoff,1958)** (Arctiidae) Synonymy: submarmorata Kiriakoff,1958 Range (as code): **UG Rz**
188. **Afrasura terlineata Durante,2009** (Arctiidae) Synonymy: terlineata Durante,2009 Range (as code): **ET**
189. **Afrasura trunca Durante,2012** (Arctiidae) Synonymy: trunca Durante,2012 Range (as code): **GA**
190. **Afrasura violacea (Cieslak & Häuser,2006)** (Arctiidae) Synonymy: violacea Cieslak & Häuser,2006 Range (as code): **KE UG RW ZR**
191. **Afroarctia bergeri Toulgoet,1978** (Arctiidae) Synonymy: bergeri Toulgoet,1978. Range (as code): **ZR RW GA CM**
192. **Afroarctia dargeri Toulgoet,1976** (Arctiidae) Synonymy: dargeri Toulgoet,1976 Range (as code): **CM**
193. **Afroarctia histrionica Toulgoet,1978** (Arctiidae) Synonymy: histrionica Toulgoet,1978 Range (as code): **RW**
194. **Afroarctia kenyana (Rothschild,1933)** (Arctiidae) Synonymy: kenyana Rothschild,1933; leopoldi Debauche,1942. Range (as code): **KE ZR CM UG RW**
195. **Afroarctia mamfei Toulgoet,1978** (Arctiidae) Synonymy: mamfei Toulgoet,1978 Range (as code): **CM**
196. **Afroarctia nebulosa Toulgoet,1980** (Arctiidae) Synonymy: nebulosa Toulgoet,1980 Range (as code): **CM**
197. **Afroarctia sjostedti Aurivillius,1900** (Arctiidae) Synonymy: sjostedti Aurivillius,1900 Range (as code): **CI NG CM**
198. **Afrojavanica kostlani (Gaede,1923)** (Arctiidae) Synonymy: kostlani Gaede,1923 Range (as code): **ET Sw ET09**
199. **Afromurzinia fletcheri (Kiriakoff,1958)** (Arctiidae) Synonymy: fletcheri Kiriakoff,1958 Range (as code): **TZ UG ZR CM**
200. **Afromurzinia lutescens (Walker,1855)** (Arctiidae) Synonymy: lutescens Walker,1855 Range (as code): **SL GH CM KE MW TZ ZA Nta Kzu Drb Tva MZ ZW ZM AO ZR**
201. **Afromurzinia sublutescens (Kiriakoff,1958)** (Arctiidae) Synonymy: sublutescens Kiriakoff,1958 Range (as code): **UG Rz**
202. **Afrospilarctia dissimilis (Distant,1897)** (Arctiidae) Synonymy: dissimilis Distant,1897 Range (as code): **ZA Nta Kzu Gre Tva Gau Pre**
203. **Afrospilarctia lucida (Druce,1898)** (Arctiidae) Synonymy: lucida Druce,1898; steudeli Bartel,1903 Range (as code): **KE RW UG TZ ZW ZA**
204. **Afrowatsonius burgeoni (Talbot,1928)** (Arctiidae) Synonymy: burgeoni Talbot,1928 Range (as code): **ZR**
205. **Afrowatsonius fulvomarginalis (Wichgraf,1921)** (Arctiidae) Synonymy: fulvomarginalis Wichgraf,1921; #fuscomarginalis Gaede,1926. Range (as code): **SD**
206. **Afrowatsonius marginalis (Walker,1855)** (Arctiidae) Synonymy: marginalis Walker,1855 Range (as code): **SL GH NG GN CI**
207. **Afrowatsonius sudanicus (Rothschild,1933)** (Arctiidae) Synonymy: sudanicus Rothschild,1933 Range (as code): **SD**
208. **Agaltara nebulosa Toulgoet,1979** (Arctiidae) Synonymy: nebulosa Toulgoet,1979 Range (as code): **RW**
209. **Aglossosia flavimarginata Hampson,1900** (Arctiidae) Synonymy: flavimarginata Hampson,1900 Range (as code): **ZA Nta Kzu**
210. **Aloa moloneyi (Druce,1887)** (Arctiidae) Synonymy: moloneyi Druce,1887; hampsoni Rothschild,1910; senegalensis Rothshcild,1933. Range (as code): **GM NG SD GH SN**
211. **Alpenus affiniola (Strand,1919)** (Arctiidae) Synonymy: affinis Rothschild,1910 nec Bartel,1903; affiniola Strand,1919; homaema Hampson,1920; tristicta Hampson,1920; diffinis Jordan,1033. Range (as code): **SN GH NG**
212. **Alpenus auriculatus A.Watson,1988** (Arctiidae) Synonymy: auriculatus A.Watson,1988 Range (as code): **ZA**
213. **Alpenus diversatus (Hampson,1916)** (Arctiidae) Synonymy: diversatus Hampson,1916 Range (as code): **SO**
214. **Alpenus dollmani (Hampson,1920)** (Arctiidae) Synonymy: dollmani Hampson,1920 Range (as code): **ZM ZR**
215. **Alpenus geminipuncta (Hampson,1916)** (Arctiidae) Synonymy: geminipuncta Hampson,1916 Range (as code): **ET**

216. **Alpenus intactus (Hampson,1916)** (Arctiidae) Synonymy: intactus Hampson,1916 Range (as code): **NG**
217. **Alpenus investigatorum (Karsch,1898)** (Arctiidae) Synonymy: investigatorum Karsch,1898; cribraria Bartel,1903; mhondana Bartel,1903; nigropunctata Bethune-Baker,1908; #extrema Dufrane,1953. Range (as code): **TZ ET SO KE UG SD MZ MW AO GH ZR ZA Tva ZW ZM**
218. **Alpenus maculosus (Stoll,[1781])** (Arctiidae) Synonymy: maculosus Stoll,[1781]; assimilis Hübner,[1820]; aequalis Walker,1855; indeterminata Walker,1855; macularia Walker,[1865]; eyralpenus Plötz,1880. Range (as code): **SL ML SN GM GN LR CI GH TG NG CM GO AO CF ZA**
219. **Alpenus microstictus (Hampson,1920)** (Arctiidae) Synonymy: microstictus Hampson,1920 Range (as code): **NG**
220. **Alpenus nigropunctatus (Bethune-Baker,1908)** (Arctiidae) Synonymy: nigropunctatus Bethune-Baker,1908; jacksoni Rothschild,1910 nec jacksoni Rothschild,1901; cincticorpus Hampson,1920; oligosticta Hampson,1920; antemediata Rothschild,1933. Range (as code): **UG GH NG SD SO ET KE ZR RW ZW MW CF AO ZA**
221. **Alpenus pardalina (Rothschild,1910)** (Arctiidae) Synonymy: pardalina Rothschild,1910 Range (as code): **TZ KE**
222. **Alpenus schraderi (Rothschild,1910)** (Arctiidae) Synonymy: schraderi Rothschild,1910 Range (as code): **UG SD KE TZ ER**
223. **Alpenus thomasi A.Watson,1988** (Arctiidae) Synonymy: thomasi A.Watson,1988 Range (as code): **CM NG CF**
224. **Alpenus whalleyi A.Watson,1988** (Arctiidae) Synonymy: whalleyi A.Watson,1988 Range (as code): **ZA**
225. **Alpenus wichgrafi A.Watson,1988** (Arctiidae) Synonymy: wichgrafi A.Watson,1988 Range (as code): **SD**
226. **Amerila accra Strand,1919** (Arctiidae) Synonymy: accra Strand,1919 Range (as code): **GH**
227. **Amerila affinis (Rothschild,1910)** (Arctiidae) Synonymy: affinis Rothschild,1910; pallens Bethune-Baker,1925 Range (as code): **ZA ZM ZR ET KE TZ MW ZW**
228. **Amerila androfusca (Pinhey,1952)** (Arctiidae) Synonymy: androfusca Pinhey,1952 Range (as code): **KE Nai TZ**
229. **Amerila astreus (Drury,1773)** (Arctiidae) Synonymy: astreus Drury,1773; melanthus Cramer,1780; hainana Rothschild,1910 Range (as code): **PK IN Ben Mh Nsk Bor MY ID Sum Ja PH Luz Pq Mar Sam Ceb Boh Cmt Mno Neg Knl Mpl Pal Olg PG BD CN Hn SZ Yu Kwa TW MM**
230. **Amerila atrivena (Hampson,1907)** (Arctiidae) Synonymy: atrivena Hampson,1907 Range (as code): **UG CM CF ZR**
231. **Amerila bauri Möschler,1884** (Arctiidae) Synonymy: bauri Möschler,1884 Range (as code): **ZA Lpo Tva Spb Lj Mdk Nta Kzu Dbn Grh Ptb MZ ZW**
232. **Amerila bipartita (Rothschild,1910)** (Arctiidae) Synonymy: bipartita Rothschild,1910 Range (as code): **TZ ZA KE MZ MW ZW**
233. **Amerila brunnea (Hampson,1901)** (Arctiidae) Synonymy: brunnea Hampson,1901; subvitrea Bartel,1903 Range (as code): **NG SL ZA LR CI GH TG CM GA ZR UG KE TZ AO MZ ZW**
234. **Amerila bubo (Walker,1855)** (Arctiidae) Synonymy: bubo Walker,1855 Range (as code): **ZR UG MW ZW ZA RW ET KE Nai TZ AO ZM MW NA ZW**
235. **Amerila castanea (Hampson,1911)** (Arctiidae) Synonymy: castanea Hampson,1911 Range (as code): **NG**
236. **Amerila femina (Berio,1935)** (Arctiidae) Synonymy: femina Berio,1935 Range (as code): **CM**
237. **Amerila fennia (Druce,1887)** (Arctiidae) Synonymy: fennia Druce,1887; metasarca Hampson,1911 Range (as code): **GM CI GH NG CM ZR LR ZR UG**
238. **Amerila fuscivena (Hampson,1916)** (Arctiidae) Synonymy: fuscivena Hampson,1916 Range (as code): **UG**
239. **Amerila howardi (Pinhey,1955)** (Arctiidae) Synonymy: howardi Pinhey,1955 Range (as code): **TZ MW**
240. **Amerila kiellandi Häuser & Boppré,1997** (Arctiidae) Synonymy: kiellandi Häuser & Boppré,1997 Range (as code): **TZ**
241. **Amerila leucoptera (Hampson,1901)** (Arctiidae) Synonymy: leucoptera Hampson,1901; pannosa Grünberg,1908; sarconota Hampson,1911 Range (as code): **SL SN GH CI NG BJ CM ZR UG TZ ZM**
242. **Amerila lineolata (Kiriakoff,1954)** (Arctiidae) Synonymy: lineolata Kiriakoff,1954 Range (as code): **ZR**
243. **Amerila lupia (Druce,1887)** (Arctiidae) Synonymy: lupia Druce,1887; nivaria Weymer,1892; sanguinota Strand,1911. Range (as code): **MZ TZ ZM ZW ZA KE**

244. **Amerila luteibarba (Hampson,1901)** (Arctiidae) Synonymy: luteibarba Hampson,1901 Range (as code): **NG SL CI GH LR BJ CM GA ZR RW UG TZ KE AO**
245. **Amerila madagascariensis (Boisduval,1847)** (Arctiidae) Synonymy: madagascariensis Boisduval,1847; vitripennis Blanchard,1849; radama Mabille,1879. Range (as code): **MG**
246. **Amerila magnifica (Rothschild,1910)** (Arctiidae) Synonymy: magnifica Rothschild,1910 Range (as code): **KE MZ ZA**
247. **Amerila mulleri Häuser & Boppré,1997** (Arctiidae) Synonymy: mulleri Häuser & Boppré,1997 Range (as code): **SZ ZW ZR KE**
248. **Amerila nigrivenosa (Grünberg,1910)** (Arctiidae) Synonymy: nigrivenosa Grünberg,1910 Range (as code): **RW**
249. **Amerila nigroapicalis (Aurivillius,1900)** (Arctiidae) Synonymy: nigroapicalis Aurivillius,1900 Range (as code): **NG CM ZR**
250. **Amerila niveivitrea (Bartel,1903)** (Arctiidae) Synonymy: niveivitrea Bartel,1903; subleucoptera Strand,1911. Range (as code): **TZ CM CI BF GH TG BJ NG ZR UG ET KE AO**
251. **Amerila phaedra (Weymer,1892)** (Arctiidae) Synonymy: phaedra Weymer,1892; subleucoptera Strand,1911 Range (as code): **KE TZ ZW MZ**
252. **Amerila puella (Fabricius,1794)** (Arctiidae) Synonymy: puella Fabricius,1794; uniformis Berio,1935 Range (as code): **ST UG TZ MW Zom ZR NG CI SL**
253. **Amerila roseomarginata (Rothschild,1910)** (Arctiidae) Synonymy: roseomarginata Rothschild,1910 Range (as code): **NG KE ER GH CI BJ GA ZR TZ**
254. **Amerila rufifemur (Walker,1855)** (Arctiidae) Synonymy: rufifemur Walker,1855 Range (as code): **ZR AO**
255. **Amerila shimbaensis Häuser & Boppré,1997** (Arctiidae) Synonymy: shimbaensis Häuser & Boppré,1997 Range (as code): **KE**
256. **Amerila thermochroa (Hampson,1916)** (Arctiidae) Synonymy: thermochroa Hampson,1916 Range (as code): **KE TZ UG RW**
257. **Amerila vidua (Cramer,[1780])** (Arctiidae) Synonymy: vidua Cramer,[1780] Range (as code): **LR GH CM ZR KE TZ MU**
258. **Amerila vitrea (Plötz,1880)** (Arctiidae) Synonymy: vitrea Plötz,1880 Range (as code): **SN GA LR BJ BF CM NG CI MG ZA ZR RW UG SD ET KE ZM MZ NA ZW ZA SA YE ER SZ**
259. **Amphicallia bellatrix (Dalman,1823)** (Arctiidae) Synonymy: bellatrix Dalman,1823; pardalina Herrich-Schäffer,1854. Range (as code): **ZA Cto Cap Wca Tva Lpo Spb Lj Mpu Brb Nta Kzu MZ ZW ZM MW KE UG**
260. **Amphicallia kostlani Strand,1911** (Arctiidae) Synonymy: kostlani Strand,1911 Range (as code): **ET**
261. **Amphicallia pactolicus (Butler,1888)** (Arctiidae) Synonymy: pactolicus Butler,1888 Range (as code): **SD KE UG ZR CM NG**
262. **Amphicallia pratti (Kenrick,1914)** (Arctiidae) Synonymy: pratti Kenrick,1914 Range (as code): **MG**
263. **Amphicallia quagga Strand,1909** (Arctiidae) Synonymy: quagga Strand,1909 Range (as code): **TZ**
264. **Amphicallia solai Druce,1907** (Arctiidae) Synonymy: solai Druce,1907; piceosignata Bartel,1903. Range (as code): **ET KE**
265. **Amphicallia thelwalli (Druce,1882)** (Arctiidae) Synonymy: thelwalli Druce,1882; incomparabilis Mabille,1891. Range (as code): **MW Zom KE UG TZ**
266. **Amsacta (s.l.) aureolimbata Rothschild,1910** (Arctiidae) Synonymy: aureolimbata Rothschild,1910 Range (as code): **AO ZR ZM**
267. **Amsacta (s.l.) bicoloria (Gaede,1916)** (Arctiidae) Synonymy: bicoloria Gaede,1916 Range (as code): **CM NG GH**
268. **Amsacta (s.l.) duberneti (Toulgoet,1968)** (Arctiidae) Synonymy: duberneti Toulgoet,1968 Range (as code): **MG**
269. **Amsacta (s.l.) flavicostata (Gaede,1916)** (Arctiidae) Synonymy: flavicostata Gaede,1916 Range (as code): **CM TG**
270. **Amsacta (s.l.) grammiphlebia Hampson,1901** (Arctiidae) Synonymy: grammiphlebia Hampson,1901 Range (as code): **ZW MW ZM**
271. **Amsacta (s.l.) melanogastra (Holland,1897)** (Arctiidae) Synonymy: melanogastra Holland,1897; occidentalis Bartel,1903; epicaste Fawcett,1915. Range (as code): **ET SO KE NA ZA**
272. **Amsacta (s.l.) nigrisignata Gaede,1923** (Arctiidae) Synonymy: nigrisignata Gaede,1923 Range (as code): **ET**
273. **Amsacta (s.l.) nivea Hampson,1916** (Arctiidae) Synonymy: nivea Hampson,1916 Range (as code): **ZA Tva Lpo**

274. **Amsacta (s.l.) paolii Berio,1936** (Arctiidae) Synonymy: paolii Berio,1936 Range (as code): **SO**
275. **Amsacta fuscosa (Bartel,1903)** (Arctiidae) Synonymy: fuscosa Bartel,1903 Range (as code): **GH TG**
276. **Amsacta grammiphlebia Hampson,1901** (Arctiidae) Synonymy: grammiphlebia Hampson,1901 Range (as code): **ZA**
277. **Amsacta latimarginalis Rothschild,1933** (Arctiidae) Synonymy: latimarginalis Rothschild,1933 Range (as code): **SD CF MW**
278. **Amsactarctia pulchra (Rothschild,1933)** (Arctiidae) Synonymy: pulchra Rothschild,1933 Range (as code): **KE**
279. **Amsactarctia radiosa (Pagenstecher,1903)** (Arctiidae) Synonymy: radiosa Pagenstecher,1903 Range (as code): **ET SO**
280. **Amsactarctia venusta (Toulgoet,1980)** (Arctiidae) Synonymy: venusta Toulgoet,1980 Range (as code): **ET SO**
281. **Anaphosia astrigata Hampson,1910** (Arctiidae) Synonymy: astrigata Hampson,1910 Range (as code): **ZA**
282. **Anaphosia aurantiaca Hampson,1909** (Arctiidae) Synonymy: aurantiaca Hampson,1909 Range (as code): **ZA**
283. **Anaphosia cyanogramma Hampson,1903** (Arctiidae) Synonymy: cyanogramma Hampson,1903 Range (as code): **ZA**
284. **Apaidia mesogona (Godart,[1824])** (Arctiidae) Synonymy: mesogona Godart,[1824]; dentula Lederer,1869 Range (as code): **MA Tgr ES FR Co Sa**
285. **Apaidia rufeola (Rambur,1832)** (Arctiidae) Synonymy: rufeola Rambur,1832; vaulogeri Legrand,1938; barbarica Legrand,1939 Range (as code): **AET DZ Gue Agi TN ES Co Sa IT Si**
286. **Arctia (Epicallia) angelica (Boisduval,1829)** (Arctiidae) Synonymy: angelica Boisduval,1829; arabum Oberthür,1910 Range (as code): **AET DZ Hrh Dzc Blid ES**
287. **Argina amanda (Boisduval,1847)** (Arctiidae) Synonymy: amanda Boisduval,1847; cingulifera Walker,1854; ocellina Walker,1854; albocincta Rambur,[1866]; serrata Mabille,1879. Range (as code): **GN ZA MG ZR Nta Kzu**
288. **Argina astrea (Drury,[1773])** (Arctiidae) Synonymy: #cribraria Clerck,1764 nec Linn.,1758; astrea Drury,[1773]; pylotis Fabricius,1775; dulcis Walker,1854; guttata Rambur,1866; notata Butler,1877; pylotes Butler,1877;multiguttatus Swinhoe,1892; #perforata Seitz,1914; #detersa Hulstaert,1923;#astraea auct. Range (as code): **CN Yu Kwa Hn TW BD IR Hz IN Adm Nk LK Cob Kndy Tcm NP MM PH Luz Pan Mdo Boh Neg Mno JP Ri TH Nrt Pkk Bnk Sbu Lop Chc PG ID AU PW GU MU GH MG SC Myt NC ZA KE OQ NC FJ**
289. **Argina leonina (Walker,[1865])** (Arctiidae) Synonymy: leonina Walker,[1865] Range (as code): **SL NG ZR UG MW ZA**
290. **Asparus bicolor (Walker,1855)** (Arctiidae) Synonymy: bicolor Walker,1855 Range (as code): **ZA**
291. **Asura camerunensis Strand,1912** (Arctiidae) Synonymy: camerunensis Strand,1912 Range (as code): **CM**
292. **Asura fulvia Hampson,1900** (Arctiidae) Synonymy: fulvia Hampson,1900 Range (as code): **ZA Nta Kzu Ver**
293. **Asura russula Kiriakoff,1963** (Arctiidae) Synonymy: russula Kiriakoff,1963 Range (as code): **ZR**
294. **Asura thumataeformis Strand,1912** (Arctiidae) Synonymy: thumataeformis Strand,1912 Range (as code): **ZA**
295. **Atlantarctia dido (Wagner,1841)** (Arctiidae) Synonymy: dido Wagner,1841 Range (as code): **AET DZ Dhm TN Tun**
296. **Atlantarctia oberthueri (Oberthür,1890)** (Arctiidae) Synonymy: oberthueri Oberthür,1890; else Nissen,1917. Range (as code): **AET DZ TN Lbs Blid**
297. **Atlantarctia ungemachi (Le Cerf,1924)** (Arctiidae) Synonymy: ungemachi Le Cerf,1924 Range (as code): **MA Ifr**
298. **Binna pencillata Walker,[1865]** (Arctiidae) Synonymy: pencillata Walker,[1865] Range (as code): **SL GH**
299. **Binna scita (Walker,[1865])** (Arctiidae) Synonymy: scita Walker,[1865] Range (as code): **SL SN GH NG**
300. **Boadicea flavimacula Pinhey,1968** (Arctiidae) Synonymy: flavimacula Pinhey,1968 Range (as code): **ZA**
301. **Canararctia rufescens (Brullé,1836)** (Arctiidae) Synonymy: rufescens Brullé,1836 Range (as code): **Cn**
302. **Carcinarctia kivuensis Joicey & Talbot,1924** (Arctiidae) Synonymy: kivuensis Joicey & Talbot,1924 Range (as code): **ZR**

303. **Carcinarctia laeliodes Hampson,1916** (Arctiidae) Synonymy: laeliodes Hampson,1916; clarissima Gaede,1926. Range (as code): **KE RW ZR**
304. **Carcinarctia metamelaena Hampson,1901** (Arctiidae) Synonymy: metamelaena Hampson,1901 Range (as code): **KE**
305. **Carcinarctia rougeoti Toulgoet,1977** (Arctiidae) Synonymy: rougeoti Toulgoet,1977 Range (as code): **ET**
306. **Carcinarctia rufa Joicey & Talbot,1921** (Arctiidae) Synonymy: rufa Joicey & Talbot,1921; xanthica Joicey & Talbot,1924; kivuensis Debauche,1942. Range (as code): **ZR UG**
307. **Carcinopodia argentata (Distant,1897)** (Arctiidae) Synonymy: argentata Distant,1897 Range (as code): **ZA Tva Gau Pre**
308. **Caripodia chrysargyria Hampson,1900** (Arctiidae) Synonymy: chrysargyria Hampson,1900 Range (as code): **ZA ZW Har TZ**
309. **Caripodia consimilis Hampson,1918** (Arctiidae) Synonymy: consimilis Hampson,1918 Range (as code): **ZA**
310. **Caryatis hersilia Druce,1887** (Arctiidae) Synonymy: hersilia Druce,1887 Range (as code): **CM NG ZA**
311. **Caryatis phileta (Drury,[1782])** (Arctiidae) Synonymy: phileta Drury,[1782] Range (as code): **SL GH NG GA**
312. **Caryatis stenoperas Hampson,1910** (Arctiidae) Synonymy: stenoperas Hampson,1910 Range (as code): **UG CG**
313. **Caryatis syntomina Butler,1878** (Arctiidae) Synonymy: syntomina Butler,1878 Range (as code): **SL NG**
314. **Chiromachla insulare (Boisduval,1833)** (Arctiidae) Synonymy: insulare Boisduval,1833; consors Butler,1879; rasana Mabille,[1880]; howa Strand,1909; madagascarica Strand,1909; pauli Strand,1909 Range (as code): **MG RE**
315. **Coscinia (s.str.) cribraria (Linnaeus,1758)** (Arctiidae) Synonymy: cribraria Linnaeus,1758; cribrum Linnaeus,1761; chrysocephala Hübner,[1804]; punctigera Freyer,1834; sibirica Staudinger,1892; bivittata South,1900; fumidaria O.Bang-Haas,1927; arenaria Lempke,1937; nikitini O.Bang-Haas,1938; pannonica Daniel,1955; benderi Marten,1957 Range (as code): **AET DZ TN Dhm MA Agi BSa PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD Cm UA BY KG Ssn Sb Ya MN Ui At Mc CY 16**
316. **Coscinia (s.str.) libyssa (Püngeler,1907)** (Arctiidae) Synonymy: libyssa Püngeler,1907 Range (as code): **AET Si DZ Mage Sbd Ges**
317. **Creatonotos brunnipennis Bartel,1903** (Arctiidae) Synonymy: brunnipennis Bartel,1903 Range (as code): **SL AO UG TZ**
318. **Creatonotos flavidus Bartel,1903** (Arctiidae) Synonymy: flavidus Bartel,1903 Range (as code): **NA ZA AO**
319. **Creatonotos leucanioides Holland,1893** (Arctiidae) Synonymy: leucanioides Holland,1893; defasciata Strand,1919. Range (as code): **SL GA NG CM**
320. **Creatonotos marginalis (Walker,1855)** (Arctiidae) Synonymy: marginalis Walker,1855; ramivitta Walker,1869. Range (as code): **SL GH CI NG ZR SN**
321. **Creatonotos neurophaea Hampson,1911** (Arctiidae) Synonymy: neurophaea Hampson,1911 Range (as code): **GH CM AO ZR UG**
322. **Creatonotos perineti Rothschild,1933** (Arctiidae) Synonymy: perineti Rothschild,1933 Range (as code): **MG**
323. **Creatonotos punctivitta Walker,1855** (Arctiidae) Synonymy: punctivitta Walker,1855; nitivitta Strand,1915. Range (as code): **ZA Nta Kzu ZW MZ ZM MW AO TZ SD**
324. **Ctenosia psectriphora (Distant,1899)** (Arctiidae) Synonymy: psectriphora Distant,1899 Range (as code): **ZA Tva Gau Pre**
325. **Cyana aarviki Karisch,2013** (Arctiidae) Synonymy: aarviki Karisch,2013 Range (as code): **MW**
326. **Cyana aberrans Karisch,2013** (Arctiidae) Synonymy: aberrans Karisch,2013 Range (as code): **TZ**
327. **Cyana abyssinica Karisch,2003** (Arctiidae) Synonymy: abyssinica Karisch,2003 Range (as code): **ET**
328. **Cyana africana (Holland,1893)** (Arctiidae) Synonymy: africana Holland,1893 Range (as code): **GA Ogo GH NG ZR**
329. **Cyana amatura (Walker,1863)** (Arctiidae) Synonymy: amatura Walker,1863; hova Guenée,1865 Range (as code): **MG**
330. **Cyana arenbergeri Karisch,2003** (Arctiidae) Synonymy: arenbergeri Karisch,2003 Range (as code): **TZ Ani**

331. **Cyana basisticta (Hampson,1914)** (Arctiidae) Synonymy: basisticta Hampson,1914; addicta A.E.Prout,1919 Range (as code): **SL GH GN CI**
332. **Cyana bigutta Karisch,[2006]** (Arctiidae) Synonymy: bigutta Karisch,[2006] Range (as code): **KE**
333. **Cyana capensis (Hampson,1903)** (Arctiidae) Synonymy: capensis Hampson,1903 Range (as code): **ZA Ec Nta Kzu Tra**
334. **Cyana delicata (Walker,1854)** (Arctiidae) Synonymy: delicata Walker,1854; shakalesha Roesler,1990 Range (as code): **AO ZR GH SL TG GN CI NG CM GA**
335. **Cyana ellipsis Karisch & Dall'Asta,2010** (Arctiidae) Synonymy: ellipsis Karisch & Dall'Asta,2010 Range (as code): **ZR**
336. **Cyana ethiopica Karisch,2013** (Arctiidae) Synonymy: ethiopica Karisch,2013 Range (as code): **ET**
337. **Cyana exprimata Karisch,2013** (Arctiidae) Synonymy: exprimata Karisch,2013 Range (as code): **ZM**
338. **Cyana farquharsoni (Bethune-Baker,1922)** (Arctiidae) Synonymy: farquharsoni Bethune-Baker,1922 Range (as code): **NG**
339. **Cyana fasciata Karisch,2013** (Arctiidae) Synonymy: fasciata Karisch,2013 Range (as code): **CM NG**
340. **Cyana flammeostrigata Karisch,2003** (Arctiidae) Synonymy: flammeostrigata Karisch,2003 Range (as code): **UG NG KE GO Bio CM**
341. **Cyana fulvia (Linnaeus,1758)** (Arctiidae) Synonymy: fulvia Linnaeus,1758; liboria Stoll,1782 Range (as code): **SL**
342. **Cyana grandis (Mabille,1879)** (Arctiidae) Synonymy: grandis Mabille,1879 Range (as code): **MG**
343. **Cyana hecqi Karisch & Dall'Asta,2010** (Arctiidae) Synonymy: hecqi Karisch & Dall'Asta,2010 Range (as code): **ZR RW**
344. **Cyana heidrunae (Hoppe,2004)** (Arctiidae) Synonymy: heidrunae (Hoppe,2004 Range (as code): **CM GO Bio**
345. **Cyana ignifera Karisch,2013** (Arctiidae) Synonymy: ignifera Karisch,2013 Range (as code): **NA AO ZM ZW ZA Tva Spb Suw Rtb Nel Mpu Gau Pre**
346. **Cyana innocua Karisch,2013** (Arctiidae) Synonymy: innocua Karisch,2013 Range (as code): **MW TZ**
347. **Cyana klausruedigerbecki Karisch,[2006]** (Arctiidae) Synonymy: klausruedigerbecki Karisch,[2006] Range (as code): **BF NG GN CI**
348. **Cyana klohsi Karisch,2003** (Arctiidae) Synonymy: klohsi Karisch,2003 Range (as code): **ZR**
349. **Cyana lobata Karisch,2013** (Arctiidae) Synonymy: lobata Karisch,2013; comorana Karisch,2013 [ssp.] Range (as code): **MG KM**
350. **Cyana loloana (Strand,1912)** (Arctiidae) Synonymy: loloana Strand,1912 Range (as code): **CM**
351. **Cyana luchoana Karisch,2003** (Arctiidae) Synonymy: luchoana Karisch,2003 Range (as code): **ZR**
352. **Cyana magnitrigutta Karisch,2013** (Arctiidae) Synonymy: magnitrigutta Karisch,2013 Range (as code): **CM**
353. **Cyana margarethae (Kiriakoff,1958)** (Arctiidae) Synonymy: margarethae Kiriakoff,1958 Range (as code): **UG KE MW**
354. **Cyana marshallii Hampson,1900** (Arctiidae) Synonymy: marshallii Hampson,1900 Range (as code): **SZ ZA Nta Kzu Est Mv**
355. **Cyana meyi Karisch,2013** (Arctiidae) Synonymy: meyi Karisch,2013 Range (as code): **MW**
356. **Cyana natalensis Karisch,2013** (Arctiidae) Synonymy: natalensis Karisch,2013 Range (as code): **ZA Nta Kzu**
357. **Cyana nemasisha Roesler,1990** (Arctiidae) Synonymy: nemasisha Roesler,1990 Range (as code): **TZ KE MZ RW ZA Tva UG ZM ZW**
358. **Cyana nussi Karisch,2013** (Arctiidae) Synonymy: nussi Karisch,2013 Range (as code): **MW**
359. **Cyana nyasica (Hampson,1918)** (Arctiidae) Synonymy: nyasica Hampson,1918 Range (as code): **MW Mje**
360. **Cyana ochrata Karisch,2013** (Arctiidae) Synonymy: ochrata Karisch,2013 Range (as code): **TZ**
361. **Cyana pallida Karisch,2013** (Arctiidae) Synonymy: pallida Karisch,2013 Range (as code): **BF**
362. **Cyana pallidilinea Karisch,2003** (Arctiidae) Synonymy: pallidilinea Karisch,2003 Range (as code): **ZR CM CG**
363. **Cyana paramargarethae Karisch & Dall'Asta,2010** (Arctiidae) Synonymy: paramargarethae Karisch & Dall'Asta,2010 Range (as code): **ZR RW**
364. **Cyana pretoriae (Distant,1897)** (Arctiidae) Synonymy: pretoriae Distant,1897 Range (as code): **ZA Tva Gau Pre Nta Kzu Est ZR LS KE MW MZ SO TZ ZM UG ZW**
365. **Cyana puella (Drury,1773)** (Arctiidae) Synonymy: puella Drury,1773 Range (as code): **PK IN Hp NP Mh Bba Nl LK MG ER ET CM ZR UG TZ KE**

366. **Cyana quentini Karisch,2013** (Arctiidae) Synonymy: quentini Karisch,2013 Range (as code): **GO CG ZR UG**
367. **Cyana rawlinsi Karisch,2013** (Arctiidae) Synonymy: rawlinsi Karisch,2013 Range (as code): **CM**
368. **Cyana rejecta (Walker,1854)** (Arctiidae) Synonymy: rejecta Walker,1854; bipunctigera Wallengren,1860 Range (as code): **AO ZA Nta Kzu Kkf SL TZ GM UG MW KE Nai ET ZR MG**
369. **Cyana rhodostriata Hampson,1914** (Arctiidae) Synonymy: rhodostriata Hampson,1914 Range (as code): **ZA Nta Kzu**
370. **Cyana rubristriga (Holland,1893)** (Arctiidae) Synonymy: rubristriga Holland,1893 Range (as code): **GA Ogo CF ZR CI GH NG CM GA CG UG KE RW BI**
371. **Cyana rubritermina (Bethune-Baker,1911)** (Arctiidae) Synonymy: rubritermina Bethune-Baker,1911 Range (as code): **GH NG CG CM**
372. **Cyana rubriterminalis (Strand,1912)** (Arctiidae) Synonymy: rubriterminalis Strand,1912 Range (as code): **CM**
373. **Cyana rufeola Karisch & Dall'Asta,2010** (Arctiidae) Synonymy: rufeola Karisch & Dall'Asta,2010 Range (as code): **ZR CF CM**
374. **Cyana rufifrons (Rothschild,1912)** (Arctiidae) Synonymy: rufifrons Rothschild,1912 Range (as code): **ST**
375. **Cyana ruwenzoriana Karisch,2003** (Arctiidae) Synonymy: ruwenzoriana Karisch,2003 Range (as code): **UG Rz**
376. **Cyana rwandana Karisch,2013** (Arctiidae) Synonymy: rwandana Karisch,2013 Range (as code): **RW ZR**
377. **Cyana saalmuelleri (Butler,1882)** (Arctiidae) Synonymy: saalmuelleri Butler,1882 Range (as code): **MG**
378. **Cyana smithi Volynkin & Laszlo,2019** (Arctiidae) Synonymy: smithi Volynkin & Laszlo,2019 Range (as code): **LR**
379. **Cyana speideli Karisch,2013** (Arctiidae) Synonymy: speideli Karisch,2013 Range (as code): **KE Elg**
380. **Cyana squalida Karisch,2013** (Arctiidae) Synonymy: squalida Karisch,2013 Range (as code): **SO ER**
381. **Cyana suessmuthi Karisch,2013** (Arctiidae) Synonymy: suessmuthi Karisch,2013 Range (as code): **GN CI**
382. **Cyana togoana (Strand,1912)** (Arctiidae) Synonymy: togoana Strand,1912 Range (as code): **TG SL CI GH NG CM CF ZR UG BI**
383. **Cyana torrida (Holland,1893)** (Arctiidae) Synonymy: torrida Holland,1893 Range (as code): **RW GO**
384. **Cyana trigutta (Walker,1854)** (Arctiidae) Synonymy: trigutta Walker,1854; atrigutta Walker,1862 Range (as code): **CI GH NG SL CM NE SL GN**
385. **Cyana tripuncta (Tougoet,1980)** (Arctiidae) Synonymy: tripuncta Tougoet,1980 Range (as code): **KM**
386. **Cyana ueleana Karisch,2003** (Arctiidae) Synonymy: ueleana Karisch,2003 Range (as code): **ZR UG**
387. **Cyana ugandana (Strand,1912)** (Arctiidae) Synonymy: ugandana Strand,1912 Range (as code): **KE ZR UG**
388. **Cyana usambara Karisch,2013** (Arctiidae) Synonymy: usambara Karisch,2013 Range (as code): **TZ Usa**
389. **Cyana venusta Karisch,2013** (Arctiidae) Synonymy: venusta Karisch,2013 Range (as code): **MW Mje MZ**
390. **Cyana yaseminae Baron & Karisch,2016** (Arctiidae) Synonymy: yaseminae Baron & Karisch,2016 Range (as code): **UG**
391. **Cymaroa grisea (Thunberg,1784)** (Arctiidae) Synonymy: grisea Thunberg,1784 Range (as code): **ZA Wca**
392. **Cymaroa leptopepla Hampson,1905** (Arctiidae) Synonymy: leptopepla Hampson,1905 Range (as code): **LS ZA Wca**
393. **Cymbalophora haroldi Oberthür,1911** (Arctiidae) Synonymy: haroldi Oberthür,1911 Range (as code): **AET MA DZ Afl Ges**
394. **Cymbalophora powelli Oberthür,1910** (Arctiidae) Synonymy: powelli Oberthür,1910 Range (as code): **AET MA DZ Eba Ges**
395. **Cymbalophora pudica (Esper,[1784])** (Arctiidae) Synonymy: pudica Esper,[1784]; tessellata De Villers,1789 nec Goeze,1781 Range (as code): **AET TN Dhm MA Rbt DZ Agi Orn Ges Abe PT ES FR Co Sa Si IT MT CH? YU AL GR**
396. **Dasyarctia grisea Gaede,1923** (Arctiidae) Synonymy: grisea Gaede,1923 Range (as code): **ZA**

397. **Detoulgoetia aspersa (Mabille,1878)** (Arctiidae) Synonymy: aspersa Mabille,1878; virginalis Butler,1878 Range (as code): **MG**
398. **Detoulgoetia comorensis (Rothschild,1933)** (Arctiidae) Synonymy: comorensis Rothschild,1933 Range (as code): **KM**
399. **Detoulgoetia pseudosparsata (Rothschild,1933)** (Arctiidae) Synonymy: pseudosparsata Rothschild,1933 Range (as code): **KM**
400. **Didymonyx infumata Hampson,1900** (Arctiidae) Synonymy: infumata Hampson,1900 Range (as code): **ZA Ec Ans**
401. **Dionychoscelis venata Aurivillius,1922** (Arctiidae) Synonymy: venata Aurivillius,1922; lactea Talbot,1929. Range (as code): **AO ZA**
402. **Diota rostrata (Wallengren,1860)** (Arctiidae) Synonymy: rostrata Wallengren,1860 Range (as code): **ZA**
403. **Disparctia thomensis (Joicey & Talbot,1926)** (Arctiidae) Synonymy: thomensis Joicey & Talbot,1926 Range (as code): **ST**
404. **Disparctia varicolor Toulgoet,1978** (Arctiidae) Synonymy: varicolor Toulgoet,1978 Range (as code): **RW UG**
405. **Disparctia vittata (Druce,1898)** (Arctiidae) Synonymy: vittata Druce,1898 Range (as code): **NG SL CM**
406. **Eilema (s.str.) caniolum (Hübner,[1808])** (Arctiidae) Synonymy: caniola Hübner,[1808] Range (as code): **AET DZ BSa Gue PT ES FR Co Sa Si IT MT IE GB BE DE CH AT SK HU RO YU AL BG GR Cr Rd TR RU MD UA BY 05 07 10 16 17 26 28 30 34 42 48 53 55 57 62 71**
407. **Eilema achrosis Hampson,1918** (Arctiidae) Synonymy: achrosis Hampson,1918 Range (as code): **ZA**
408. **Eilema bifasciata Hampson,1900** (Arctiidae) Synonymy: bifasciata Hampson,1900 Range (as code): **ZA Ec Tva Gau Jh MZ Del**
409. **Eilema brunneotincta Rothschild,1912** (Arctiidae) Synonymy: brunneotincta Rothschild,1912 Range (as code): **ZA**
410. **Eilema caffrana Strand,1912** (Arctiidae) Synonymy: caffrana Strand,1912 Range (as code): **ZA**
411. **Eilema catenata (Mabille,1900)** (Arctiidae) Synonymy: catenata Mabille,1900; curvilinea Aurivillius,1909 Range (as code): **MG**
412. **Eilema comorensis Toulgoet,1955** (Arctiidae) Synonymy: comorensis Toulgoet,1955 Range (as code): **KM Myt**
413. **Eilema creatoplaga Hampson,1901** (Arctiidae) Synonymy: creatoplaga Hampson,1901 Range (as code): **ZA**
414. **Eilema discifera Hampson,1900** (Arctiidae) Synonymy: discifera Hampson,1900 Range (as code): **ZA Nta Kzu Kkf**
415. **Eilema distigmata Hampson,1901** (Arctiidae) Synonymy: distigmata Hampson,1901 Range (as code): **ZA**
416. **Eilema flavibasis Hampson,1900** (Arctiidae) Synonymy: flavibasis Hampson,1900 Range (as code): **ZA ZW Har ET**
417. **Eilema goniophora Hampson,1900** (Arctiidae) Synonymy: goniophora Hampson,1900 Range (as code): **ZA Ec Tra**
418. **Eilema gracilipennis (Wallengren,1860)** (Arctiidae) Synonymy: gracilipennis Wallengren,1860; planissima Wallengren,1876 Range (as code): **ZA Tva Nta Kzu Est**
419. **Eilema griveaudi Toulgoet,1959** (Arctiidae) Synonymy: griveaudi Toulgoet,1959 Range (as code): **MG**
420. **Eilema humbloti Toulgoet,1956** (Arctiidae) Synonymy: humbloti Toulgoet,1956 Range (as code): **Myt KM**
421. **Eilema interposita (Rothschild,1914)** (Arctiidae) Synonymy: interposita Rothschild,1914 Range (as code): **AET DZ Ges**
422. **Eilema leia Hampson,1901** (Arctiidae) Synonymy: leia Hampson,1901 Range (as code): **ZA**
423. **Eilema mesosticta (Hampson,1911)** (Arctiidae) Synonymy: mesosticta Hampson,1911 Range (as code): **AET NG**
424. **Eilema minutissima Bethune-Baker,1911** (Arctiidae) Synonymy: minutissimum Bethune-Baker,1911 Range (as code): **ZA**
425. **Eilema monochroma (Holland,1893)** (Arctiidae) Synonymy: monochroma Holland,1893 Range (as code): **ZA Ec Ans SL**

426. **Eilema phaeopera Hampson,1900** (Arctiidae) Synonymy: phaeopera Hampson,1900 Range (as code): **ZA Ec Ans**
427. **Eilema punctilineata Hampson,1901** (Arctiidae) Synonymy: punctilineatum Hampson,1901 Range (as code): **ZA**
428. **Eilema pustulatum Wallengren,1860** (Arctiidae) Synonymy: pustulatum Wallengren,1860 Range (as code): **ZA**
429. **Eilema sanguicosta Hampson,1901** (Arctiidae) Synonymy: sanguicostum Hampson,1901 Range (as code): **ZA**
430. **Eilema sarceola Hampson,1900** (Arctiidae) Synonymy: sarceola Hampson,1900 Range (as code): **ZA Ec**
431. **Eilema similipuncta Hampson,1914** (Arctiidae) Synonymy: similipunctum Hampson,1914 Range (as code): **ZA Lpo Tva Spb Mdk**
432. **Eilema simulans (Mabille,1878)** (Arctiidae) Synonymy: simulans Mabille,1878 Range (as code): **ZA**
433. **Eilema trispilota Saalmüller,1880** (Arctiidae) Synonymy: trispilota Saalmüller,1880 Range (as code): **MG Myt**
434. **Eilema uniola (Rambur,1866)** (Arctiidae) Synonymy: uniola Rambur,1866 Range (as code): **TN Dhm PT ES An FR**
435. **Eilema virgineola Hampson,1900** (Arctiidae) Synonymy: virgineola Hampson,1900 Range (as code): **ZA Wca Cto**
436. **Epilacydes bayoni (Berio,1935)** (Arctiidae) Synonymy: bayoni Berio,1935 Range (as code): **UG**
437. **Epilacydes pseudoscita Dubatolov,2006** (Arctiidae) Synonymy: pseudoscita Dubatolov,2006 Range (as code): **CI**
438. **Epilacydes simulans Butler,1875** (Arctiidae) Synonymy: simulans Butler,1875 Range (as code): **ZA**
439. **Epilacydes unilinea (Rothschild,1910)** (Arctiidae) Synonymy: unilinea Rothschild,1910 Range (as code): **SL SN GM NG NE**
440. **Estigmene acrea (Drury,1773)** (Arctiidae) Synonymy: acrea Drury,1773; caprotina Drury,1773; acria Fabricius,1793; pseudoerminea Harris,1823; californica Packard,1864; mexicana Walker,1865; packardii Schaupp,1882; rickseckeri Behr,1893; klagesii Ehrmann,1894; arizonensis Rothschild,1910; columbiana Rothschild,1910; mombasana Rothschild,1910 Range (as code): **CA US Arz Cf Ny Vi Mrl MX CO KE Mb**
441. **Estigmene atrifascia (Hampson,1907)** (Arctiidae) Synonymy: atrifascia Hampson,1907 Range (as code): **KE**
442. **Estigmene flaviceps Hampson,1907** (Arctiidae) Synonymy: flaviceps Hampson,1907; aureocosta Bethune-Baker,1911 Range (as code): **SN SL GH**
443. **Estigmene griseata Hampson,1916** (Arctiidae) Synonymy: griseata Hampson,1916 Range (as code): **SO**
444. **Estigmene internigralis Hampson,1905** (Arctiidae) Synonymy: internigralis Hampson,1905 Range (as code): **ZA Cto Nta Kzu Fs Tva**
445. **Estigmene laglaizei Rothschild,1910** (Arctiidae) Synonymy: laglaizei Rothschild,1910 Range (as code): **SN**
446. **Estigmene multivittata Rothschild,1910** (Arctiidae) Synonymy: multivittata Rothschild,1910 Range (as code): **ZA KE Nai**
447. **Estigmene neuriastis Hampson,1907** (Arctiidae) Synonymy: neuriastis Hampson,1907 Range (as code): **AO ZM**
448. **Estigmene ochreolutescens Kiriakoff,1954** (Arctiidae) Synonymy: ansorgei Rothschild,1910 nec Roths.,1910; ochreolutescens Kiriakoff,1954 Range (as code): **UG ZM ZR**
449. **Estigmene ochreomarginata Bethune-Baker,1909** (Arctiidae) Synonymy: ochreomarginata Bethune-Baker,1909; ansorgei Rothschild,1910 Range (as code): **ZR UG TZ SL**
450. **Estigmene rothi Rothschild,1910** (Arctiidae) Synonymy: rothi Rothschild,1910 Range (as code): **NG**
451. **Estigmene sabulosa Romieux,1943** (Arctiidae) Synonymy: sabulosa Romieux,1943 Range (as code): **ZR ZM**
452. **Estigmene senegalensis Rothschild,1933** (Arctiidae) Synonymy: senegalensis Rothschild,1933 Range (as code): **SN**
453. **Estigmene similis Rothschild,1910** (Arctiidae) Synonymy: similis Rothschild,1910 Range (as code): **TZ**

454. **Estigmene tenuistrigata Hampson,1900** (Arctiidae) Synonymy: tenuistrigata Hampson,1900 Range (as code): **KE Nai UG ZW ZA**
455. **Estigmene testaceoflava Rothschild,1933** (Arctiidae) Synonymy: testaceoflava Rothschild,1933 Range (as code): **SN**
456. **Estigmene trivitta (Walker,1855)** (Arctiidae) Synonymy: trivitta Walker,1855 Range (as code): **ZA Tva Gau Pre Nta Kzu MZ ZW ZM MW AO ZR TZ KE**
457. **Eucreagra arculifera Felder,1874** (Arctiidae) Synonymy: arculifera Felder,1874 Range (as code): **ZA Nta Kzu**
458. **Eugoa africana Hampson,1900** (Arctiidae) Synonymy: africana Hampson,1900 Range (as code): **ZA KE**
459. **Eurosia fuliginea Hampson,1903** (Arctiidae) Synonymy: fuliginea Hampson,1903 Range (as code): **ZA**
460. **Eurosia lineata Hampson,1900** (Arctiidae) Synonymy: lineata Hampson,1900 Range (as code): **ZA Ec Tra**
461. **Eyralpenus (Pareyralpenus) quadrilunata (Hampson,1901)** (Arctiidae) Synonymy: quadrilunata Hampson,1901 Range (as code): **SL SN GH ZR**
462. **Eyralpenus (s.str.) atricures (Hampson,1916)** (Arctiidae) Synonymy: atricures Hampson,1916 Range (as code): **TZ**
463. **Eyralpenus (s.str.) diplosticta (Hampson,1900)** (Arctiidae) Synonymy: diplosticta Hampson,1900; #diplosticha Hampson,1901 Range (as code): **ZA Nta Kzu ZM MW MZ**
464. **Eyralpenus (s.str.) inconspicua (Rothschild,1910)** (Arctiidae) Synonymy: inconspicua Rothschild,1910 Range (as code): **TZ MW AO**
465. **Eyralpenus (s.str.) meinhofi (Bartel,1903)** (Arctiidae) Synonymy: meinhofi Bartel,1903 Range (as code): **ZA TZ ZM**
466. **Eyralpenus (s.str.) melanocera (Hampson,1916)** (Arctiidae) Synonymy: melanocera Hampson,1916 Range (as code): **MW**
467. **Eyralpenus (s.str.) metaxantha (Hampson,1920)** (Arctiidae) Synonymy: metaxantha Hampson,1920 Range (as code): **ZM AO ZR ZA Tva MZ ZW**
468. **Eyralpenus (s.str.) postflavida (Rothschild,1933)** (Arctiidae) Synonymy: postflavida Rothschild,1933 Range (as code): **ZR**
469. **Eyralpenus (s.str.) scioana (Oberthür,1880)** (Arctiidae) Synonymy: scioana Oberthür,1880; abbotti Holland,1892; multipicta Strand,1921 Range (as code): **ZA ET AO ZR**
470. **Eyralpenus (s.str.) sublutea (Bartel,1903)** (Arctiidae) Synonymy: sublutea Bartel,1903 Range (as code): **ZA MZ ZW MW ZM TZ KE**
471. **Eyralpenus (s.str.) testacea (Walker,1855)** (Arctiidae) Synonymy: testacea Walker,1855; subflavescens Walker,1865 Range (as code): **ZA Kzu Nta Tva Mpu Brb Ec MW KE**
472. **Eyralpenus (s.str.) trifasciata (Holland,1892)** (Arctiidae) Synonymy: trifasciata Holland,1892 Range (as code): **TZ**
473. **Fodinoidea formosa Toulgoet,1984** (Arctiidae) Synonymy: formosa Toulgoet,1984 Range (as code): **MG**
474. **Fodinoidea pluto Toulgoet,1961** (Arctiidae) Synonymy: pluto Toulgoet,1961 Range (as code): **MG**
475. **Fodinoidea pulchra Toulgoet,1971** (Arctiidae) Synonymy: pulchra Toulgoet,1971 Range (as code): **MG**
476. **Fodinoidea pupieri Toulgoet,1972** (Arctiidae) Synonymy: pupieri Toulgoet,1972 Range (as code): **KM**
477. **Fodinoidea rectifascia Collenette,1930** (Arctiidae) Synonymy: rectifascia Collenette,1930 Range (as code): **MG**
478. **Fodinoidea staudingeri Saalmüller,1884** (Arctiidae) Synonymy: staudingeri Saalmüller,1884 Range (as code): **MG**
479. **Fodinoidea vectigera Mabille,1882** (Arctiidae) Synonymy: vectigera Mabille,1882; maculata Butler,1885; #sanguinea Toulgoet,1954 Range (as code): **MG**
480. **Galtara aurivillii (Pagenstecher,1901)** (Arctiidae) Synonymy: fasciata Aurivillius,1897 (homonym); aurivillii Pagenstecher,1901 Range (as code): **KE RW MW CM**
481. **Galtara colletae Toulgoet,1976** (Arctiidae) Synonymy: colletae Toulgoet,1976 Range (as code): **KM**
482. **Galtara convergens Toulgoet,1979** (Arctiidae) Synonymy: convergens Toulgoet,1979 Range (as code): **RW**
483. **Galtara doriae (Oberthür,1879)** (Arctiidae) Synonymy: doriae Oberthür,1879 Range (as code): **ET TZ UG**

484. **Galtara elongata (Swinhoe,1907)** (Arctiidae) Synonymy: elongata Swinhoe,1907 Range (as code): **ET KE RW ZR**
485. **Galtara extensa (Butler,1880)** (Arctiidae) Synonymy: extensa Butler,1880 Range (as code): **MG**
486. **Galtara laportei Toulgoet,1979** (Arctiidae) Synonymy: laportei Toulgoet,1979 Range (as code): **RW**
487. **Galtara nepheloptera (Hampson,1910)** (Arctiidae) Synonymy: nepheloptera Hampson,1910 Range (as code): **ZA Lpo Tva Spb Mdk AO NA**
488. **Galtara notabilis Toulgoet,1980** (Arctiidae) Synonymy: notabilis Toulgoet,1980 Range (as code): **ZR**
489. **Galtara pulverata (Hampson,1900)** (Arctiidae) Synonymy: pulverata Hampson,1900 Range (as code): **ZA Kzu Nta Kkf**
490. **Galtara purata Walker,[1863]** (Arctiidae) Synonymy: purata Walker,[1863]; basifurca Walker,1865 Range (as code): **ZA**
491. **Galtara reticulata (Hampson,1909)** (Arctiidae) Synonymy: reticulata Hampson,1909 Range (as code): **UG RW ZR**
492. **Galtara somaliensis (Hampson,1916)** (Arctiidae) Synonymy: somaliensis Hampson,1916 Range (as code): **SO SA**
493. **Galtara turlini Toulgoet,1979** (Arctiidae) Synonymy: turlini Toulgoet,1979 Range (as code): **RW**
494. **Hypagoptera rufeola Hampson,1900** (Arctiidae) Synonymy: rufeola Hampson,1900 Range (as code): **ZA Nta Kzu Est**
495. **Ilemodes astriga Hampson,1916** (Arctiidae) Synonymy: astriga Hampson,1916 Range (as code): **KE UG ZA Nta Kzu Ptb**
496. **Ilemodes heterogyna Hampson,1900** (Arctiidae) Synonymy: heterogyna Hampson,1900 Range (as code): **ZA Nta Elo UG MW KE ET**
497. **Ilemodes isogyna Romieux,1935** (Arctiidae) Synonymy: isogyna Romieux,1935 Range (as code): **ZR TZ**
498. **Ischnarctia brunnescens Bartel,1903** (Arctiidae) Synonymy: brunnescens Bartel,1903 Range (as code): **ZR TZ**
499. **Ischnarctia cinerea (Pagenstecher,1903)** (Arctiidae) Synonymy: cinerea Pagenstecher,1903 Range (as code): **ET KE ZR TZ**
500. **Ischnarctia oberthueri (Rothschild,1910)** (Arctiidae) Synonymy: oberthueri Rothschild,1910 Range (as code): **AO**
501. **Karschiola holoclera (Karsch,1894)** (Arctiidae) Synonymy: holoclera Karsch,1894 Range (as code): **TZ MW ZA**
502. **Katha rungsi (De Toulgoet,1960)** (Arctiidae) Synonymy: rungsi De Toulgoet,1960 Range (as code): **AET DZ ES IT GR**
503. **Kiriakoffalia costimacula (Joicey & Talbot,1924)** (Arctiidae) Synonymy: costimacula Joicey & Talbot,1924 Range (as code): **RW UG**
504. **Kiriakoffalia guineae (Strand,1912)** (Arctiidae) Synonymy: guineae Strand,1912 Range (as code): **GO**
505. **Kiriakoffalia lemairei (Toulgoet,1976)** (Arctiidae) Synonymy: lemairei Toulgoet,1976 Range (as code): **ZR GA CM**
506. **Lamprosiella eborella (Boisduval,1847)** (Arctiidae) Synonymy: eborella Boisduval,184; pygmaea Walker,1854 Range (as code): **ZA Ec Ans**
507. **Lepista pandula (Boisduval,1847)** (Arctiidae) Synonymy: pandula Boisduval,1847; trimenii R.Felder & Rogenhofer,1874; limbata Butler,1888 Range (as code): **ZA Ec Nta Kzu Kkf Mv MZ Del KE**
508. **Lepista semiochracea (R.Felder & Rogenhofer,1874)** (Arctiidae) Synonymy: semiochracea R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu Kkf Ec**
509. **Leucaloa eugraphica (Walker,[1865])** (Arctiidae) Synonymy: eugraphica Walker,[1865]; undistriga R.Felder & Rogenhofer,1874; #engraphica Rothschild,1910. Range (as code): **ZA Tra Ec Grh Nta Kzu Wnn Fs Tva**
510. **Lexis bipunctigera (Wallengren,1860)** (Arctiidae) Synonymy: bipunctigera Wallengren,1860; quadrinotata Walker,1864 Range (as code): **ZA Nta Kzu KE**
511. **Logunovium nigricostum (Holland,1893)** (Arctiidae) Synonymy: nigricosta Holland,1893 Range (as code): **GA ZR NG GH GM SN**
512. **Logunovium scortillum (Wallengren,1875)** (Arctiidae) Synonymy: scortillum Wallengren,1875 Range (as code): **ZA Nta Kzu Wnn Tva AO MW ZR CM**
513. **Lysceia bigutta Walker,1854** (Arctiidae) Synonymy: bigutta Walker,1854 Range (as code): **ZA Nta Kzu Kkf Ec**

514. **Macrosia chalybeata Hampson,1901** (Arctiidae) Synonymy: chalybeata Hampson,1901 Range (as code): **ZA**
515. **Macrosia fumeola (Walker,1854)** (Arctiidae) Synonymy: fumeola Walker,1854 Range (as code): **ZA Ec Wca Kny Ans**
516. **Madagascarctia cellularis (Toulgoet,1954)** (Arctiidae) Synonymy: cellularis Toulgoet,1954 Range (as code): **MG**
517. **Madagascarctia madagascariensis (Butler,1882)** (Arctiidae) Synonymy: madagascariensis Butler,1882 Range (as code): **MG**
518. **Madagascarctia sparsipuncta (Hampson,1901)** (Arctiidae) Synonymy: sparsipuncta Hampson,1901 Range (as code): **MG**
519. **Manulea (Agenjoa) lurideola ([Zincken],1817)** (Arctiidae) Synonymy: lurideolum [Zincken],1817; complanula Boisduval,1834; plumbeolana Herrich-Schäffer,1852. Range (as code): **AET DZ Lbs PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Lvv BY 05 06 08 14 16 25 34 36 39 53 60 75 81**
520. **Manulea (s.str.) marcida (Mann,1859)** (Arctiidae) Synonymy: marcida Mann,1859 Range (as code): **MA TN ES Co IT Sa Si MT**
521. **Manulea (s.str.) palliatella (Scopoli,1763)** (Arctiidae) Synonymy: palliatella Scopoli,1763; unita [Denis & Schiffermüller],1775; palleola Hübner,[1808]; gilveola Ochsenheimer,1810; vitellina Treitschke,1834; flaveola Rambur,1866. Range (as code): **AET DZ Bsk ES FR Sa Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb IQ Brs Cc GG Bjo Smt Da Der LT RU MD UA BY KG Lps AF Nu 01 06 10 12 13 14 24 25 39 45 60 62 65 71 81**
522. **Manulea (s.str.) pygmaeola (Doubleday,1847)** (Arctiidae) Synonymy: pygmaeolum Doubleday,1847 Range (as code): **AET DZ TN Dhm PT ES FR GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo DK SE FI EE LV LT RU MD UA Cm BY IR Mz Gls TM Kp 06 07 08 10 25 34 35 36 57 60 76**
523. **Maurica breveti (Oberthür,1882)** (Arctiidae) Synonymy: breveti Oberthür,1882; occidentalis Rothschild,1910; flava Rothschild,1917; nisseni Lucas,1920; emmanueli Oberthür,1922; meridionalis Rungs,1942 Range (as code): **AET MA DZ Tlm BSa Bsk Ktr Afl Eba**
524. **Maurica joiceyi (Talbot,1928)** (Arctiidae) Synonymy: joiceyi Talbot,1928 Range (as code): **MA TN**
525. **Meneclia pallidula Grünberg,1910** (Arctiidae) Synonymy: pallidula Grünberg,1910 Range (as code): **ZA**
526. **Menegites nivea Kiriakoff,1954** (Arctiidae) Synonymy: nivea Kiriakoff,1954 Range (as code): **ZR**
527. **Micralarctia australis A.Watson,1988** (Arctiidae) Synonymy: australis A.Watson,1988 Range (as code): **NA**
528. **Micralarctia punctulata (Wallengren,1860)** (Arctiidae) Synonymy: punctulata Wallengren,1860 Range (as code): **ZA NA ZW BW KE MW AO MZ UG ZM ZR TZ SN GH NG CM ER**
529. **Micralarctia semipura (Bartel,1903)** (Arctiidae) Synonymy: semipura Bartel,1903; nigripunctata Bartel,1903 Range (as code): **TZ**
530. **Micralarctia toulgoeti A.Watson,1988** (Arctiidae) Synonymy: toulgoeti A.Watson,1988 Range (as code): **SO**
531. **Micrilema crawshayi Hampson,1903** (Arctiidae) Synonymy: crawshayi Hampson,1903 Range (as code): **ZA**
532. **Miltochrista rivulosa (Walker,1854)** (Arctiidae) Synonymy: rivulosa Walker,1854 Range (as code): **ZA Nta Kzu**
533. **Monstruncusarctia aurantiaca (Holland,1893)** (Arctiidae) Synonymy: aurantiaca Holland,1893 Range (as code): **GN CM**
534. **Monstruncusarctia decemmaculata (Rothschild,1916)** (Arctiidae) Synonymy: decemmaculata Rothschild,1916 Range (as code): **ZR**
535. **Nanna broetheri Kühne,2014** (Arctiidae) Synonymy: broetheri Kühne,2014 Range (as code): **RW**
536. **Nanna ceratopygia Birket-Smith,1965** (Arctiidae) Synonymy: ceratopygia Birket-Smith,1965 Range (as code): **CM Bit**
537. **Nanna collinsi Kühne,2007** (Arctiidae) Synonymy: collinsi Kühne,2007 Range (as code): **ZR CM KE**
538. **Nanna colonoides (Kiriakoff,1963)** (Arctiidae) Synonymy: colonoides Kiriakoff,1963 Range (as code): **CG AO UG ZR**
539. **Nanna diplistica (Bethune-Baker,1911)** (Arctiidae) Synonymy: diplistica Bethune-Baker,1911 Range (as code): **MZ**
540. **Nanna distyi Kühne,2014** (Arctiidae) Synonymy: distyi Kühne,2014 Range (as code): **CM**
541. **Nanna enignae (Plötz,1880)** (Arctiidae) Synonymy: enignae Plötz,1880; montana Birket-Smith,1965 Range (as code): **AO GA Eni CM Bit GH NG SO UG TG KE RW ZR CG**
542. **Nanna falcata Kühne,2014** (Arctiidae) Synonymy: falcata Kühne,2014 Range (as code): **RW**

543. **Nanna griseata Kühne,2007** (Arctiidae) Synonymy: griseata Kühne,2007 Range (as code): **CI CM NG**
544. **Nanna griseoides Kühne,2014** (Arctiidae) Synonymy: griseoides Kühne,2014 Range (as code): **CM**
545. **Nanna hoppei Kühne,2014** (Arctiidae) Synonymy: hoppei Kühne,2014 Range (as code): **CG KE**
546. **Nanna kamerunica Kühne,2007** (Arctiidae) Synonymy: kamerunica Kühne,2007 Range (as code): **CM**
547. **Nanna loloana (Strand,1912)** (Arctiidae) Synonymy: loloana Strand,1912 Range (as code): **CM**
548. **Nanna luteolata Kühne,2014** (Arctiidae) Synonymy: luteolata Kühne,2014 Range (as code): **NG GN**
549. **Nanna melanosticta (Bethune-Baker,1911)** (Arctiidae) Synonymy: melanosticta Bethune-Baker,1911 Range (as code): **AO**
550. **Nanna naumanni Kühne,2005** (Arctiidae) Synonymy: naumanni Kühne,2005 Range (as code): **KE**
551. **Nanna pia (Strand,1912)** (Arctiidae) Synonymy: pia Strand,1912; magna Birket-Smith,1965 Range (as code): **CM**
552. **Nanna tanzaniae Kühne,2014** (Arctiidae) Synonymy: tanzaniae Kühne,2014 Range (as code): **TZ**
553. **Neuroxena aberrans Bethune-Baker,1927** (Arctiidae) Synonymy: aberrans Bethune-Baker,1927 Range (as code): **CM Bit**
554. **Neuroxena albofasciata (Druce,1910)** (Arctiidae) Synonymy: albofasciata Druce,1910 Range (as code): **CM Bit**
555. **Neuroxena ansorgei Kirby,1896** (Arctiidae) Synonymy: ansorgei Kirby,1896 Range (as code): **KE UG ZR**
556. **Neuroxena auremaculatus (Rothschild,1933)** (Arctiidae) Synonymy: auremaculatus Rothschild,1933 Range (as code): **MG**
557. **Neuroxena biplagiata (Gaede,1926)** (Arctiidae) Synonymy: biplagiata Gaede,1926 Range (as code): **MG**
558. **Neuroxena flammea (Gaede,1926)** (Arctiidae) Synonymy: flammea Gaede,1926 Range (as code): **LR SL GH**
559. **Neuroxena fulleri (Druce,1883)** (Arctiidae) Synonymy: fulleri Druce,1883 Range (as code): **CM NG**
560. **Neuroxena funereus (Rothschild,1933)** (Arctiidae) Synonymy: funereus Rothschild,1933 Range (as code): **NG Wrr**
561. **Neuroxena lasti (Rothschild,1910)** (Arctiidae) Synonymy: lasti Rothschild,1910 Range (as code): **MG**
562. **Neuroxena medioflavus (Rothschild,1935)** (Arctiidae) Synonymy: medioflavus Rothschild,1935 Range (as code): **GH NG**
563. **Neuroxena obscurascens (Strand,1909)** (Arctiidae) Synonymy: obscurascens Strand,1909 Range (as code): **CM ZA**
564. **Neuroxena postrubidus (Rothschild,1933)** (Arctiidae) Synonymy: postrubidus Rothschild,1933 Range (as code): **ZR**
565. **Neuroxena rectilineata (Toulgoet,1972)** (Arctiidae) Synonymy: rectilineata Toulgoet,1972 Range (as code): **KM**
566. **Neuroxena rubriceps (Mabille,1878)** (Arctiidae) Synonymy: rubriceps Mabille,1878 Range (as code): **MG**
567. **Neuroxena simulans (Toulgoet,1971)** (Arctiidae) Synonymy: simulans Toulgoet,1971 Range (as code): **MG**
568. **Neuroxena sulphureovitta (Strand,1909)** (Arctiidae) Synonymy: sulphureovitta Strand,1909 Range (as code): **MG**
569. **Neuroxena truncatus (Rothschild,1933)** (Arctiidae) Synonymy: truncatus Rothschild,1933 Range (as code): **GH**
570. **Nyctemera acraeina Druce,1882** (Arctiidae) Synonymy: acraeina Druce,1882 Range (as code): **GH CM**
571. **Nyctemera apicalis Walker,1854** (Arctiidae) Synonymy: apicalis Walker,1854 Range (as code): **SL ZA Nta Kzu TZ CM NG**
572. **Nyctemera arieticornis (Strand,1909)** (Arctiidae) Synonymy: arieticornis Strand,1909 Range (as code): **CM**
573. **Nyctemera biformis Mabille,1878** (Arctiidae) Synonymy: biformis Mabille,1878; mabillei Butler,1882; infumata Oberthür,1916 Range (as code): **MG**
574. **Nyctemera chalcosidia (Hampson,1910)** (Arctiidae) Synonymy: chalcosidia Hampson,1910 Range (as code): **ZR UG**

575. **Nyctemera chromis (Druce,1882)** (Arctiidae) Synonymy: chromis Druce,1882 Range (as code): **CM**
576. **Nyctemera crassiantennata Oberthür,1916** (Arctiidae) Synonymy: crassiantennata Oberthür,1916 Range (as code): **MG**
577. **Nyctemera druna (Swinhoe,1904)** (Arctiidae) Synonymy: druna Swinhoe,1904 Range (as code): **GH CM GA**
578. **Nyctemera glauce (Fawcett,1916)** (Arctiidae) Synonymy: glauce Fawcett,1916 Range (as code): **KE UG**
579. **Nyctemera gracilis Saalmüller,1884** (Arctiidae) Synonymy: gracilis Saalmüller,1884 Range (as code): **MG**
580. **Nyctemera hemixantha (Aurivillius,1904)** (Arctiidae) Synonymy: hemixantha Aurivillius,1904; anomala Holland,1920 Range (as code): **CM GA ZR**
581. **Nyctemera insulare (Boisduval,1833)** (Arctiidae) Synonymy: insulare Boisduval,1833; consors Butler,1879; rasana Mabille,1879; howa Strand,1909; madagascarica Strand,1909; pauli Strand,1909. Range (as code): **MG KM RE MU**
582. **Nyctemera insularis (Talbot,1929)** (Arctiidae) Synonymy: insularis Talbot,1929; insulana Bryk,1937 Range (as code): **ST**
583. **Nyctemera itokina (Aurivillius,1904)** (Arctiidae) Synonymy: itokina Aurivillius,1904; marcida Swinhoe,1906; camerunica Strand,1909; plana Wichgraf,1921 Range (as code): **CM NG AO ZR TZ ZM MW UG ZA**
584. **Nyctemera leuconoe Hopffer,1857** (Arctiidae) Synonymy: leuconoe Hopffer,1857; fuscipennis Wallengren,1860; limbalis Strand,1909 Range (as code): **TZ MW MZ ZA Tva Spb Mdk Nta Kzu ZW AO ZM ET UG ZR SD**
585. **Nyctemera pallescens Oberthür,1890** (Arctiidae) Synonymy: pallescens Oberthür,1890 Range (as code): **KM**
586. **Nyctemera perspicua Walker,1854** (Arctiidae) Synonymy: perspicua Walker,1854; fallax Holland,1893 Range (as code): **SL GA**
587. **Nyctemera rattrayi (Swinhoe,1904)** (Arctiidae) Synonymy: rattrayi Swinhoe,1904 Range (as code): **UG Kmp KE AO ZR**
588. **Nyctemera restrictum (Butler,1894)** (Arctiidae) Synonymy: restrictum Butler,1894; #ottonis Strand,1909; #subhyalina Strand,1909 Range (as code): **ET KE UG TZ ZR GH NG**
589. **Nyctemera transitella (Strand,1909)** (Arctiidae) Synonymy: transitella Strand,1909 Range (as code): **TZ**
590. **Nyctemera ugandicola (Strand,1909)** (Arctiidae) Synonymy: ugandicola Strand,1909 Range (as code): **UG**
591. **Nyctemera usambarae (Oberthür,1893)** (Arctiidae) Synonymy: usambarae Oberthür,1893 Range (as code): **TZ Tnga Usa**
592. **Nyctemera virgo (Strand,1909)** (Arctiidae) Synonymy: virgo Strand,1909 Range (as code): **MG**
593. **Nyctemera xanthura (Plötz,1880)** (Arctiidae) Synonymy: simplex Walker,1869 nec Walk.,1864; xanthura Plötz,1880; #paucipunctis Strand,1909; #serrimargo Strand,1909; Range (as code): **ZR CM GA NG GH**
594. **Ochrota bipuncta (Hampson,1900)** (Arctiidae) Synonymy: bipuncta Hampson,1900 Range (as code): **ZA**
595. **Ochrota unicolor (Hopffer,1857)** (Arctiidae) Synonymy: unicolor Hopffer,1857 Range (as code): **ZA**
596. **Ocnogyna (s.str.) advena (Fabricius,1787)** (Arctiidae) Synonymy: advena Fabricius,1787; ?pierreti Rambur,1841; mauretanica Lucas,1848; atlanticum Lucas,1853; huguenini Oberthür,1878; gandolphei Oberthür,1881; pallida Rothschild,1917; massoueroi Turati,1930 Range (as code): **AET ES An MA DZ Agi Méd Anna TN**
597. **Ocnogyna (s.str.) baetica (Rambur,1836)** (Arctiidae) Synonymy: baetica Rambur,1836; meridionalis Seitz,1910; ramburi Oberthür,1911; albescens Oberthür,1917. Range (as code): **AET MA DZ Btna Sbd Agi Dhm Lbs Cst TN PT ES Si IT**
598. **Ocnogyna (s.str.) loewii (Zeller,1846)** (Arctiidae) Synonymy: #löwii Zeller,1846; loewii Zeller,1846; clathrata Lederer,1855; andresi Draudt,1931. Range (as code): **GR Rd TR LB Bei IL Pa Hf EG LY Cy IR Ak Tbz Ke AF IQ 01 04 07 13 15 21 27 30 31 32 33 56 65 72 80**
599. **Ocnogyna (s.str.) mutabilis Turati,1924** (Arctiidae) Synonymy: mutabilis Turati,1924 Range (as code): **LY Cy EG**
600. **Ocnogyna (s.str.) pudens (Lucas,1853)** (Arctiidae) Synonymy: pudens Lucas,1853; vallantini Austaut,1894. Range (as code): **AET DZ Anna Agi Blid BSa Phv**
601. **Opsaroa fulvinota Hampson,1905** (Arctiidae) Synonymy: fulvinota Hampson,1905 Range (as code): **ZA**

602. **Ovenna agonchae (Plötz,1880)** (Arctiidae) Synonymy: agonchae Plötz,1880; subgriseola Strand,1912; callidescens Hampson,1914; heringi Kiriakoff,1954 Range (as code): **CM Agn ZR EG GH NG ZA UG**
603. **Ovenna guineacola Strand,1912** (Arctiidae) Synonymy: guineacola Strand,1912 Range (as code): **GN**
604. **Ovenna hailesellassiei Birket-Smith,1965** (Arctiidae) Synonymy: hailesellassiei Birket-Smith,1965 Range (as code): **ET**
605. **Ovenna simplex Birket-Smith,1965** (Arctiidae) Synonymy: simplex Birket-Smith,1965 Range (as code): **ET**
606. **Ovenna subgriseola (Strand,1912)** (Arctiidae) Synonymy: subgriseola Strand,1912; callidescens Hampson,1914; heringi Kiriakoff,1954 Range (as code): **ZA GO CI CG**
607. **Ovenna vicaria (Walker,1854)** (Arctiidae) Synonymy: vicaria Walker,1854; imitans Mabille,1879; simulans Mabille,1879; desiccata Kiriakoff,1954 Range (as code): **ZA Nta Kzu NG Caa ZR UG Rz RU Am CN HK IN SI Ass Clc Bba Adm LK ID Ja MY Bor Swk**
608. **Paidia (Conjuncta) conjuncta (Staudinger,1892)** (Arctiidae) Synonymy: conjuncta Staudinger,1892 Range (as code): **AET DZ Agi Cc TR AF Pag Slg PK Gg Ch IR Elb Th Fa IQ Dk 04 08 23 24 25 30 47 58 63 73**
609. **Paidia (s.str.) griseola (Rothschild,1933)** (Arctiidae) Synonymy: griseola Rothschild,1933 Range (as code): **MA Si IT**
610. **Paidia (s.str.) rica (Freyer,[1855])** (Arctiidae) Synonymy: murina Hübner,1790 (preocc.); rica Freyer,[1855] Range (as code): **AET DZ Orn Sbd PT ES FR IT BE DE CH AT CZ SK HU GR Cr TR 08 13 30 44 56 65 72 73**
611. **Paralacydes arborifera (Butler,1875)** (Arctiidae) Synonymy: arborifera Butler,1875; scapulosa Wallengren,1875; wallengreni Aurivillius,1879; smithii Holland,1897; gracilis Butler,1898; impia Strand,1909. Range (as code): **AO ZA Tva MZ BW ZW KE SD TZ**
612. **Paralacydes bivittata (Bartel,1903)** (Arctiidae) Synonymy: bivittata Bartel,1903; fuscovenata Bartel,1903 Range (as code): **KE TZ**
613. **Paralacydes bomfordi (Pinhey,1968)** (Arctiidae) Synonymy: bomfordi Pinhey,1968 Range (as code): **ZW ZA**
614. **Paralacydes decemmaculata (Rothschild,1916)** (Arctiidae) Synonymy: decemmaculata Rothschild,1916 Range (as code): **ZR**
615. **Paralacydes fiorii (Berio,1937)** (Arctiidae) Synonymy: fiorii Berio,1937 Range (as code): **SO KE TZ**
616. **Paralacydes flavizonata (Hampson,1911)** (Arctiidae) Synonymy: flavizonata Hampson,1911 Range (as code): **AET NG**
617. **Paralacydes jeskei (Grünberg,1911)** (Arctiidae) Synonymy: jeskei Grünberg,1911 Range (as code): **NA ZA BW**
618. **Paralacydes minorata (Berio,1935)** (Arctiidae) Synonymy: minorata Berio,1935 Range (as code): **SO ET KE**
619. **Paralacydes ramosa (Hampson,1907)** (Arctiidae) Synonymy: ramosa Hampson,1907 Range (as code): **TZ ZW ZA**
620. **Paralacydes ugandae (Hampson,1916)** (Arctiidae) Synonymy: ugandae Hampson,1916 Range (as code): **AET UG**
621. **Paralacydes vocula (Stoll,[1790])** (Arctiidae) Synonymy: vocula Stoll,[1790] Range (as code): **ZA Ec TZ**
622. **Paralacydes witgensi (Strand,1909)** (Arctiidae) Synonymy: witgensi Strand,1909; nigrilinea Joicey & Talbot,1921; paucipuncta Joicey & Talbot,1921; eborina Debauche,1942 Range (as code): **AET RW ZR**
623. **Paralpenus atripes (Hampson,1909)** (Arctiidae) Synonymy: atripes Hampson,1909 Range (as code): **GH**
624. **Paralpenus flavicosta (Hampson,1909)** (Arctiidae) Synonymy: flavicosta Hampson,1909 Range (as code): **SL CM**
625. **Paralpenus flavizonatus (Hampson,1911)** (Arctiidae) Synonymy: flavizonatus Hampson,1911 Range (as code): **NG GH**
626. **Paralpenus strigulosa (Hampson,1901)** (Arctiidae) Synonymy: strigulosa Hampson,1901; atropunctata Fawcett,1903 Range (as code): **ZA Nta Kzu Tva**
627. **Paralpenus ugandae (Hampson,1916)** (Arctiidae) Synonymy: ugandae Hampson,1916 Range (as code): **UG**
628. **Paralpenus wintgensi (Strand,1909)** (Arctiidae) Synonymy: wintgensi Strand,1909; nigrilinea Joicey & Talbot,1921; paucipuncta Joicey & Talbot,1921; eborina Debauche,1942 Range (as code): **RW ZR**

629. **Paramaenas affinis (Rothschild,1933)** (Arctiidae) Synonymy: affinis Rothschild,1933 Range (as code): **ZA NA**
630. **Paramaenas nephelitis (Hampson,1907)** (Arctiidae) Synonymy: nephelitis Hampson,1907 Range (as code): **AO KE ZA**
631. **Paramaenas strigosus Grünberg,1911** (Arctiidae) Synonymy: strigosus Grünberg,1911 Range (as code): **NA ZA Cto Ec KE**
632. **Paramsacta collaris (Hampson,1891)** (Arctiidae) Synonymy: collaris Hampson,1891 Range (as code): **IN Nl Cn Hn**
633. **Paraona interjecta Strand,1912** (Arctiidae) Synonymy: interjecta Strand,1912 Range (as code): **ZA Nta Kzu Tva Lpo Spb Lj**
634. **Pareuchaetes aurata (Butler,1875)** (Arctiidae) Synonymy: aurata Butler,1875 Range (as code): **BR ZA**
635. **Pareuchaetes pseudoinsulata Rego-Barros,1956** (Arctiidae) Synonymy: pseudoinsulata Rego-Barros,1956 Range (as code): **VE Crc TT ZA LK TH Bor GU PH Luz Mar Mdo Pan Ley Mno Pal**
636. **Pasteosia irrorata Hampson,1900** (Arctiidae) Synonymy: irrorata Hampson,1900 Range (as code): **ZA Ec Ans**
637. **Pasteosia plumbea Hampson,1900** (Arctiidae) Synonymy: plumbea Hampson,1900 Range (as code): **ZA Ec Tra**
638. **Paurophleps minuta Hampson,1900** (Arctiidae) Synonymy: minuta Hampson,1900 Range (as code): **ZA**
639. **Paurophleps reducta (Janse,1964)** (Arctiidae) Synonymy: reducta Janse,1964 Range (as code): **ZA**
640. **Pelosia hampsoni (Toulgoet,1959)** (Arctiidae) Synonymy: hampsoni Toulgoet,1959 Range (as code): **MG**
641. **Pelosia obtusoides (Toulgoet,1954)** (Arctiidae) Synonymy: obtusoides Toulgoet,1954 Range (as code): **MG Myt SC**
642. **Pelosia plumosa (Mabille,[1900])** (Arctiidae) Synonymy: plumosa Mabille,[1900]; unipuncta Hampson,1905; hispanica Witt,1979. Range (as code): **AET MA DZ Bsk Hes ES Mu IT ZR MG MW NG**
643. **Pericaliella melanodisca (Hampson,1907)** (Arctiidae) Synonymy: melanodisca Hampson,1907 Range (as code): **CM ZR UG RW**
644. **Phlyctaenogastra rangei Gaede,1915** (Arctiidae) Synonymy: rangei Gaede,1915 Range (as code): **ZA NA**
645. **Phragmatobia fuliginosa (Linnaeus,1758)** (Arctiidae) Synonymy: fuliginosa Linnaeus,1758; fervida Staudinger,1871 nec Walk.,1855; lurida Rothschild,1910; monticola Daniel,1970 nec Reiss.,1934 Range (as code): **AET DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Th Mz Kdj GG AZ Kir AM LB Bei IQ JO IL Hf DK NO SE FI EE LV LT RU Sr MD UA BY AF Bark TJ KK Ik KG Ssn CN Ts Kno Gn Ti Ui Ku Kön UZ Fe Bd Hr Gbh Fz Srb Pli Dw Cc Smt Bjo Tbl Mng Da Der IQ SY Sc CA On Mai Wc BCo NCa Mnt Ssk Vc Yuk Ts B-B Ab Khy Oru Ak Aha Gh Mz Gls Kh Kd Bne Km Fa Pag Kön PK Gg Hu Psu Khh Dhm Anna Lvv 01 05 06 07 12 13 14 16 19 22 24 26 30 31 32 33 34 35 36 42 44 46 50 52 53 55 56 61 65 71 72 76**
646. **Phragmatobia parvula (R.Felder & Rogenhofer,1874)** (Arctiidae) Synonymy: parvula R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec**
647. **Phryganopsis asperatella (Walker,1864)** (Arctiidae) Synonymy: asperatella Walker,1864; sordida R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Ans**
648. **Phryganopsis atrescens Hampson,1903** (Arctiidae) Synonymy: atrescens Hampson,1903 Range (as code): **ZA**
649. **Phryganopsis cinerella (Wallengren,1860)** (Arctiidae) Synonymy: cinerella Wallengren,1860; zelleri Wallengren,1863 Range (as code): **ZW Har MZ Del ZA Nta Kzu Ec Ans**
650. **Phryganopsis interstiteola Hampson,1914** (Arctiidae) Synonymy: interstiteola Hampson,1914 Range (as code): **ZA**
651. **Phryganopsis plumosa Mabille,1899** (Arctiidae) Synonymy: plumosa Mabille,1899 Range (as code): **ZA**
652. **Phryganopsis sordida R.Felder & Rogenhofer,1874** (Arctiidae) Synonymy: sordida R.Felder & Rogenhofer,1874 Range (as code): **ZA**
653. **Phryganopsis subasperatella Strand,1912** (Arctiidae) Synonymy: subasperatella Strand,1912 Range (as code): **ZA**
654. **Poecilarctia venata Aurivillius,1921** (Arctiidae) Synonymy: venata Aurivillius,1921; rubricosta Talbot,1929 Range (as code): **MW ZA**
655. **Popoudina (Pseudopopoudina) brosi (Toulgoet,1986)** (Arctiidae) Synonymy: brosi Toulgoet,1986 Range (as code): **TZ**

656. **Popoudina aliena (Kiriakoff,1954)** (Arctiidae) Synonymy: aliena Kiriakoff,1954 Range (as code): **ZR**
657. **Popoudina dorsalis (Walker,1855)** (Arctiidae) Synonymy: dorsalis Walker,1855 Range (as code): **ZA**
658. **Popoudina griseipennis (Bartel,1903)** (Arctiidae) Synonymy: griseipennis Bartel,1903 Range (as code): **ZA**
659. **Popoudina lemniscata (Distant,1898)** (Arctiidae) Synonymy: lemniscata Distant,1898 Range (as code): **ZA Tva Lpo Mpu Brb Jh Gau**
660. **Popoudina linea (Walker,1855)** (Arctiidae) Synonymy: linea Walker,1855; truncatum Walker,1856; strigatum Wallengren,1860 Range (as code): **ZA Tra Ec Nta Kzu Tva Lpo Spb Mdk Ly Wnn Brb Mpu Grh Dbn Ptb Ans Suw Wca Kny Gau Pre**
661. **Popoudina pamphilia (Kiriakoff,1958)** (Arctiidae) Synonymy: pamphilia Kiriakoff,1958 Range (as code): **KE UG RW**
662. **Pseudogaltara inexpectata Toulgoet,1978** (Arctiidae) Synonymy: inexpectata Toulgoet,1978 Range (as code): **RW**
663. **Pusiola flavicosta (Wallengren,1860)** (Arctiidae) Synonymy: flavicosta Wallengren,1860 Range (as code): **ZA Ec**
664. **Pusiola verulama (Strand,1912)** (Arctiidae) Synonymy: verulama Strand,1912 Range (as code): **ZA**
665. **Radiarctia jacksoni (Rothschild,1910)** (Arctiidae) Synonymy: jacksoni Rothschild,1910 Range (as code): **KE Nai ET TZ**
666. **Radiarctia melanochoria (M.Hering,1932)** (Arctiidae) Synonymy: melanochoria M.Hering,1932 Range (as code): **ZR RW**
667. **Radiarctia rhodesiana (Hampson,1900)** (Arctiidae) Synonymy: rhodesiana Hampson,1900 Range (as code): **ZW KE UG TZ ZA Nta Kzu Drb**
668. **Rhodogastria amasis (Cramer,[1779])** (Arctiidae) Synonymy: amasis Cramer,[1779]; serici Thunberg,1781; erythronota Boisduval,1847; delineata Walker,1855; callipyga Wallengren,1860; thunbergii Guérin-Méneville,1862 Range (as code): **ZA Tva Lpo Ltr Spb Lj Gau Pre Nta Kzu MZ ZW LS**
669. **Rhodogastria similis (Möschler,1884)** (Arctiidae) Synonymy: similis Möschler,1884 Range (as code): **ZA Ec ZW**
670. **Saenura flava Wallengren,1858** (Arctiidae) Synonymy: flava Wallengren,1858; oriens Rothschild,1917 Range (as code): **NA ZA Cto Nta Kzu Tva ZW MW ZM**
671. **Secusio ansorgei Rothschild,1933** (Arctiidae) Synonymy: ansorgei Rothschild,1933 Range (as code): **AO**
672. **Secusio atrizonata Hampson,1910** (Arctiidae) Synonymy: atrizonata Hampson,1910 Range (as code): **ZM**
673. **Secusio deilemera Talbot,1929** (Arctiidae) Synonymy: deilemera Talbot,1929 Range (as code): **AO ZR UG ZA**
674. **Secusio discoidalis Talbot,1929** (Arctiidae) Synonymy: discoidalis Talbot,1929 Range (as code): **AO KE ZA**
675. **Secusio drucei Rothschild,1933** (Arctiidae) Synonymy: drucei Rothschild,1933 Range (as code): **AO UG**
676. **Secusio gaetana Oberthür,1923** (Arctiidae) Synonymy: gaetana Oberthür,1923 Range (as code): **MG**
677. **Secusio mania Druce,1887** (Arctiidae) Synonymy: mania Druce,1887 Range (as code): **MZ MW UG ZA**
678. **Secusio monteironis Rothschild,1933** (Arctiidae) Synonymy: monteironis Rothschild,1933 Range (as code): **AO MZ ZA**
679. **Secusio sansibarensis Strand,1909** (Arctiidae) Synonymy: sansibarensis Strand,1909 Range (as code): **TZ**
680. **Secusio strigata Walker,1854** (Arctiidae) Synonymy: strigata Walker,1854; hymenaea Gerstaecker,1871; parvipuncta Hampson,1901 Range (as code): **ZA Nta Kzu KE UG MW TZ YE Ad IN SO Zai**
681. **Setina atroradiata Walker,1865** (Arctiidae) Synonymy: atroradiata Walker,1865 Range (as code): **ZA**
682. **Seydelia ellioti (Butler,1896)** (Arctiidae) Synonymy: ellioti Butler,1896 Range (as code): **ZA MZ ZW ZM KE UG**
683. **Seydelia geometrica (Oberthür,1883)** (Arctiidae) Synonymy: geometrica Oberthür,1883; #intermedia Berio,1943 Range (as code): **ET**
684. **Seydelia turlini Toulgoet,1976** (Arctiidae) Synonymy: turlini Toulgoet,1976 Range (as code): **RW**
685. **Siccia adiaphora Kiriakoff,1958** (Arctiidae) Synonymy: adiaphora Kiriakoff,1958 Range (as code): **UG Rz**

686. **Siccia altiguttata Hampson,1909** (Arctiidae) Synonymy: altiguttata Hampson,1909 Range (as code): **ZA AO**
687. **Siccia butvilai Saldaitis & Ivinskis,2008** (Arctiidae) Synonymy: butvilai Saldaitis & Ivinskis,2008 Range (as code): **Sk**
688. **Siccia caffra Walker,1854** (Arctiidae) Synonymy: caffra Walker,1854; nigropunctata Wallengren,1860; punctigera R.Felder & Rogenhofer,1874 Range (as code): **ZA Tva Gau Pre Nta Kzu Est Wca Kny**
689. **Siccia chogoriae Kühne,2007** (Arctiidae) Synonymy: chogoriae Kühne,2007 Range (as code): **KE**
690. **Siccia conformis Hampson,1914** (Arctiidae) Synonymy: conformis Hampson,1914 Range (as code): **NG**
691. **Siccia eberti Kühne,2007** (Arctiidae) Synonymy: eberti Kühne,2007 Range (as code): **KE**
692. **Siccia elgona Kühne,2007** (Arctiidae) Synonymy: elgona Kühne,2007 Range (as code): **KE**
693. **Siccia gypsia Hampson,1914** (Arctiidae) Synonymy: gypsia Hampson,1914 Range (as code): **GH**
694. **Siccia melanospila Hampson,1911** (Arctiidae) Synonymy: melanospila Hampson,1911 Range (as code): **AET ZA KE Kky**
695. **Siccia paucipuncta Hampson,1918** (Arctiidae) Synonymy: paucipuncta Hampson,1918 Range (as code): **SL**
696. **Siccia punctipennis (Wallengren,1860)** (Arctiidae) Synonymy: punctipennis Wallengren,1860; nigropunctana Saalmüller,1884 Range (as code): **ZA Ec MG KE**
697. **Sozusa despecta Walker,1862** (Arctiidae) Synonymy: despecta Walker,1862 Range (as code): **ZA**
698. **Sozusa heterocera Walker,1865** (Arctiidae) Synonymy: heterocera Walker,1865 Range (as code): **ZA**
699. **Sozusa scutellata (Wallengren,1860)** (Arctiidae) Synonymy: scutellata Wallengren,1860; dorsiglauca Walker,1864; natalica Möschler,1872 Range (as code): **ZA Lpo Tva Spb Mdk Nta Kzu Est**
700. **Spilosoma affinis Bartel,1903** (Arctiidae) Synonymy: affinis Bartel,1903 Range (as code): **TZ**
701. **Spilosoma albiventre Kiriakoff,1963** (Arctiidae) Synonymy: albiventre Kiriakoff,1963 Range (as code): **ZR TZ**
702. **Spilosoma angolensis Bartel,1903** (Arctiidae) Synonymy: angolensis Bartel,1903 Range (as code): **AO**
703. **Spilosoma atridorsium (Hampson,1920)** (Arctiidae) Synonymy: rattrayi Rothschild,1910 nec Roths.,1910; atridorsia Hampson,1920 Range (as code): **KE UG**
704. **Spilosoma atrivenatum Rothschild,1933** (Arctiidae) Synonymy: atrivenata Rothschild,1933 Range (as code): **TZ**
705. **Spilosoma aurantiacum (Holland,1893)** (Arctiidae) Synonymy: aurantiaca Holland,1893; multiscripta Holland,1893 Range (as code): **LR SL GH NG GA**
706. **Spilosoma batesi (Rothschild,1910)** (Arctiidae) Synonymy: batesi Rothschild,1910 Range (as code): **NG CM ZR**
707. **Spilosoma baxteri (Rothschild,1910)** (Arctiidae) Synonymy: baxteri Rothschild,1910 Range (as code): **TZ MW KE**
708. **Spilosoma bipartitum Rothschild,1933** (Arctiidae) Synonymy: bipartitum Rothschild,1933 Range (as code): **ZA**
709. **Spilosoma brunneomixtum Tougoet,1971** (Arctiidae) Synonymy: brunneomixta Tougoet,1971 Range (as code): **MG**
710. **Spilosoma buryi (Rothschild,1910)** (Arctiidae) Synonymy: buryi Rothschild,1910 Range (as code): **GH NG**
711. **Spilosoma butti (Rothschild,1910)** (Arctiidae) Synonymy: butti Rothschild,1910 Range (as code): **ZA Nta Kzu Wnn**
712. **Spilosoma castelli Rothschild,1933** (Arctiidae) Synonymy: castelli Rothschild,1933 Range (as code): **SN NG**
713. **Spilosoma chioneum (Hampson,1900)** (Arctiidae) Synonymy: chionea Hampson,1900 Range (as code): **ZA Nta Kzu Wnn**
714. **Spilosoma crossi (Rothschild,1910)** (Arctiidae) Synonymy: crossi Rothschild,1910 Range (as code): **GM NG**
715. **Spilosoma curvilineum Walker,1855** (Arctiidae) Synonymy: curvilinea Walker,1855 Range (as code): **ZR SD UG TZ GM CI NG**
716. **Spilosoma dissimilis Distant,1897** (Arctiidae) Synonymy: dissimilis Distant,1897 Range (as code): **ZA Nta Ca Kzu Tra Ec Wnn Tva Pre**

717. **Spilosoma dufranei Kiriakoff,1965** (Arctiidae) Synonymy: dufranei Kiriakoff,1965 Range (as code): **ZR**
718. **Spilosoma euryphlebium (Hampson,1903)** (Arctiidae) Synonymy: euryphlebia Hampson,1903 Range (as code): **ZA Kzu Nta Tva**
719. **Spilosoma femininum Rothschild,1933** (Arctiidae) Synonymy: feminina Rothschild,1933 Range (as code): **MG**
720. **Spilosoma flavidior Gaede,1923** (Arctiidae) Synonymy: flavidior Gaede,1923 Range (as code): **AET**
721. **Spilosoma gynephaeum (Hampson,1901)** (Arctiidae) Synonymy: gynephaea Hampson,1901 Range (as code): **ZW ZA**
722. **Spilosoma hercules (Toulgoet,1956)** (Arctiidae) Synonymy: hercules Toulgoet,1956 Range (as code): **MG**
723. **Spilosoma heterogeneum Bartel,1903** (Arctiidae) Synonymy: heterogenea Bartel,1903 Range (as code): **AO**
724. **Spilosoma holoxanthum (Hampson,1907)** (Arctiidae) Synonymy: holoxantha Hampson,1907 Range (as code): **NG**
725. **Spilosoma immaculatum Bartel,1903** (Arctiidae) Synonymy: immaculata Bartel,1903 Range (as code): **SL CI NG CM ZR**
726. **Spilosoma jordani Debauche,1938** (Arctiidae) Synonymy: jordani Debauche,1938 Range (as code): **CF**
727. **Spilosoma karschi Bartel,1903** (Arctiidae) Synonymy: karschi Bartel,1903 Range (as code): **TG GH NG**
728. **Spilosoma latiradiatum (Hampson,1901)** (Arctiidae) Synonymy: latiradiata Hampson,19011 Range (as code): **ZA MW**
729. **Spilosoma leighi (Rothschild,1910)** (Arctiidae) Synonymy: leighi Rothschild,1910 Range (as code): **ZA Nta Kzu Dbn**
730. **Spilosoma lentifasciatum (Hampson,1916)** (Arctiidae) Synonymy: lentifasciata Hampson,1916 Range (as code): **ZA ZW ZM**
731. **Spilosoma lineatum Walker,1855** (Arctiidae) Synonymy: lineata Walker,1855; simplex Walker,1855; alba Wallengren,1860; puella Druce,1898; albida Bartel,1903 Range (as code): **ZA Nta Kzu Tra Ec TZ ET KE**
732. **Spilosoma lubricipedum (Linnaeus,1758)** (Arctiidae) Synonymy: lubricipeda Linnaeus,1758; menthastri [Denis & Schiffermüller],1775; ? sangaica Walker,[1865]; chishimana Matsumura,1929; masuensis Matsumura,1930; elegans Bryk,1938; sotiriadis Koutsaftikis,1973; #lubrecipeda De Freina,1981. Range (as code): **AET DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR TR GG Smt Bjo Lag AM AZ Kir Da Der Cc DK NO SE FI EE LV LT RU MD UA Lvv BY CN Sz Stg TW Yu Mc Hun IMn PK Haz Mre 08 14 16 22 34 52 53 55 61**
733. **Spilosoma maniemae Kiriakoff,1965** (Arctiidae) Synonymy: maniemae Kiriakoff,1965 Range (as code): **ZR**
734. **Spilosoma mediocinereum (Toulgoet,1956)** (Arctiidae) Synonymy: mediocinerea Toulgoet,1956 Range (as code): **MG**
735. **Spilosoma mediopunctatum (Pagenstecher,1903)** (Arctiidae) Synonymy: mediopunctata Pagenstecher,1903 Range (as code): **SO ET**
736. **Spilosoma melanimon Mabille,1880** (Arctiidae) Synonymy: melanimon Mabille,1880; robleti Mabille,1893 Range (as code): **MG**
737. **Spilosoma metaleucum (Hampson,1905)** (Arctiidae) Synonymy: metaleuca Hampson,1905 Range (as code): **NG SD**
738. **Spilosoma milloti Toulgoet,1954** (Arctiidae) Synonymy: milloti Toulgoet,1954 Range (as code): **MG**
739. **Spilosoma nigrocastaneum (Rothschild,1917)** (Arctiidae) Synonymy: nigrocastanea Rothschild,1917 Range (as code): **MW**
740. **Spilosoma nigrocinctum Kenrick,1914** (Arctiidae) Synonymy: nigrocincta Kenrick,1914 Range (as code): **MG**
741. **Spilosoma nyasanum Rothschild,1933** (Arctiidae) Synonymy: nyasana Rothschild,1933 Range (as code): **MW**
742. **Spilosoma nyasicum (Hampson,1911)** (Arctiidae) Synonymy: nyasica Hampson,1911 Range (as code): **AET MW Zom ZA**
743. **Spilosoma occidens (Rothschild,1910)** (Arctiidae) Synonymy: occidens Rothschild,1910 Range (as code): **SN SL GH NG ZR**
744. **Spilosoma pales (Druce,1910)** (Arctiidae) Synonymy: pales Druce,1910 Range (as code): **KE UG TZ**

745. **Spilosoma pauliani (Toulgoet,1956)** (Arctiidae) Synonymy: pauliani Toulgoet,1956 Range (as code): **MG**
746. **Spilosoma pellucidum (Rothschild,1910)** (Arctiidae) Synonymy: pellucida Rothschild,1910 Range (as code): **GH**
747. **Spilosoma penultimum Kiriakoff,1965** (Arctiidae) Synonymy: penultimum Kiriakoff,1965 Range (as code): **ZR**
748. **Spilosoma pseudambrensis (Toulgoet,1961)** (Arctiidae) Synonymy: pseudambrensis Toulgoet,1961 Range (as code): **MG**
749. **Spilosoma quadrimaculum Toulgoet,1977** (Arctiidae) Synonymy: quadrimacula Toulgoet,1977 Range (as code): **ET**
750. **Spilosoma rava (Druce,1898)** (Arctiidae) Synonymy: rava Druce,1898 Range (as code): **ZR GM SN GH**
751. **Spilosoma scitum (Walker,[1865])** (Arctiidae) Synonymy: scita Walker,[1865] Range (as code): **ZA Nta Kzu ZM**
752. **Spilosoma semihyalinum Bartel,1903** (Arctiidae) Synonymy: semihyalina Bartel,1903 Range (as code): **TG**
753. **Spilosoma sinefascium (Hampson,1916)** (Arctiidae) Synonymy: sinefascia Hampson,1916 Range (as code): **ZA**
754. **Spilosoma sulphureum Bartel,1903** (Arctiidae) Synonymy: sulphurea Bartel,1903 Range (as code): **CM**
755. **Spilosoma tenuivena Kiriakoff,1965** (Arctiidae) Synonymy: tenuivena Kiriakoff,1965 Range (as code): **ZR**
756. **Spilosoma togoensis Bartel,1903** (Arctiidae) Synonymy: togoensis Bartel,1903; impunctata Rothschild,1933 Range (as code): **TG NG CM CF**
757. **Spilosoma turlini Toulgoet,1973** (Arctiidae) Synonymy: turlini Toulgoet,1973 Range (as code): **MG**
758. **Spilosoma unimaculatum Bartel,1903** (Arctiidae) Synonymy: unimaculata Bartel,1903; bipartita Rothschild,1933 Range (as code): **AO MW TZ KE ZW**
759. **Spilosoma unipunctum (Hampson,1905)** (Arctiidae) Synonymy: unipuncta Hampson,1905 Range (as code): **ZA KE TZ ZW AO**
760. **Stenarctia abdominalis (Rothschild,1910)** (Arctiidae) Synonymy: abdominalis Rothschild,1910 Range (as code): **SL CM AO**
761. **Stenarctia quadripunctata Aurivillius,1900** (Arctiidae) Synonymy: quadripunctata Aurivillius,1900 Range (as code): **CM AO ZR UG?**
762. **Stenarctia rothi (Rothschild,1933)** (Arctiidae) Synonymy: rothi Rothschild,1933 Range (as code): **NG**
763. **Teracotona abyssinica (Rothschild,1933)** (Arctiidae) Synonymy: abyssinica Rothschild,1933 Range (as code): **ET KE**
764. **Teracotona alicia (Hampson,1911)** (Arctiidae) Synonymy: alicia Hampson,1911 Range (as code): **KE**
765. **Teracotona approximans (Rothschild,1917)** (Arctiidae) Synonymy: approximans Rothschild,1917 Range (as code): **TZ KE UG**
766. **Teracotona buryi Rothschild,1910** (Arctiidae) Synonymy: buryi Rothschild,1910 Range (as code): **GH NG**
767. **Teracotona clara Holland,1892** (Arctiidae) Synonymy: clara Holland,1892 Range (as code): **ET TZ KE**
768. **Teracotona euprepia Hampson,1900** (Arctiidae) Synonymy: euprepia Hampson,1900 Range (as code): **MW TZ AO ZA ZW MZ ZM**
769. **Teracotona euprepioides Wichgraf,1921** (Arctiidae) Synonymy: euprepioides Wichgraf,1921 Range (as code): **AO**
770. **Teracotona homeyeri Rothschild,1910** (Arctiidae) Synonymy: homeyeri Rothschild,1910 Range (as code): **AO TZ**
771. **Teracotona immaculata Wichgraf,1921** (Arctiidae) Synonymy: immaculata Wichgraf,1921 Range (as code): **AO**
772. **Teracotona jacksoni (Rothschild,1910)** (Arctiidae) Synonymy: jacksoni Rothschild,1910 Range (as code): **KE Nai**
773. **Teracotona latifasciata Carcasson,1965** (Arctiidae) Synonymy: latifasciata Carcasson,1965 Range (as code): **TZ**

774. **Teracotona melanocera (Hampson,1920)** (Arctiidae) Synonymy: melanocera Hampson,1920 Range (as code): **TZ KE UG**
775. **Teracotona metaxantha (Hampson,1909)** (Arctiidae) Synonymy: metaxantha Hampson,1909 Range (as code): **ZW ZA Tva**
776. **Teracotona mirabilis Bartel,1903** (Arctiidae) Synonymy: mirabilis Bartel,1903 Range (as code): **MW**
777. **Teracotona multistrigata Joicey & Talbot,1924** (Arctiidae) Synonymy: multistrigata Joicey & Talbot,1924 Range (as code): **ZR RW**
778. **Teracotona neumanni Rothschild,1933** (Arctiidae) Synonymy: neumanni Rothschild,1933 Range (as code): **ET**
779. **Teracotona pallida Joicey & Talbot,1924** (Arctiidae) Synonymy: pallida Joicey & Talbot,1924 Range (as code): **RW**
780. **Teracotona pardalina Bartel,1903** (Arctiidae) Synonymy: pardalina Bartel,1903; flavipennis Bartel,1903; rufipennis Strand,1909 Range (as code): **UG ZR KE TZ ZA**
781. **Teracotona pitmanni Rothschild,1933** (Arctiidae) Synonymy: pitmanni Rothschild,1933 Range (as code): **KE Nai**
782. **Teracotona proditrix (Berio,1939)** (Arctiidae) Synonymy: proditrix Berio,1939 Range (as code): **ER**
783. **Teracotona pruinosa Joannis,1912** (Arctiidae) Synonymy: pruinosa Joannis,1912 Range (as code): **ER**
784. **Teracotona rhodophaea (Walker,[1865])** (Arctiidae) Synonymy: rhodophaea Walker,[1865]; debilis R.Felder & Rogenhofer,1874 Range (as code): **BW NA ZA**
785. **Teracotona seminigra (Hampson,1905)** (Arctiidae) Synonymy: seminigra Hampson,1905 Range (as code): **ET**
786. **Teracotona senegalensis Rothschild,1933** (Arctiidae) Synonymy: senegalensis Rothschild,1933 Range (as code): **SN**
787. **Teracotona subapproximans Rothschild,1933** (Arctiidae) Synonymy: subapproximans Rothschild,1933 Range (as code): **TZ Mgr**
788. **Teracotona submacula Walker,1855** (Arctiidae) Synonymy: submacula Walker,1855; roseata Butler,1878 Range (as code): **ZA Cto Nta Kzu Tva NA**
789. **Teracotona subterminata Hampson,1901** (Arctiidae) Synonymy: subterminata Hampson,1901; sordida Rothschild,1917 Range (as code): **ET KE**
790. **Teracotona translucens (Grünberg,1907)** (Arctiidae) Synonymy: translucens Grünberg,1907; subflava Joicey & Talbot,1924 Range (as code): **ZR UG RW**
791. **Teracotona trifasciata Bartel,1903** (Arctiidae) Synonymy: trifasciata Bartel,1903 Range (as code): **AO**
792. **Teracotona uhrikmeszarosi Szent-Ivany,1942** (Arctiidae) Synonymy: uhrikmeszarosi Szent-Ivany,1942 Range (as code): **TZ**
793. **Teracotona wittei (Debauche,1942)** (Arctiidae) Synonymy: wittei Debauche,1942 Range (as code): **ZR UG RW**
794. **Thumatha fuscescens Walker,1866** (Arctiidae) Synonymy: fuscescens Walker,1866; infantula Saalmüller,1879; rava Lucas,1890 Range (as code): **AU ZA**
795. **Thumatha inconstans Butler,1896** (Arctiidae) Synonymy: inconstans Butler,1896 Range (as code): **ZA**
796. **Tigrioides quadrinotata (Walker,1864)** (Arctiidae) Synonymy: quadrinotata Walker,1864 Range (as code): **ZA**
797. **Toulgarctia griveaudi (Toulgoet,1956)** (Arctiidae) Synonymy: griveaudi Toulgoet,1956 Range (as code): **MG**
798. **Toulgarctia luteoradians (Toulgoet,1954)** (Arctiidae) Synonymy: luteoradians Toulgoet,1954 Range (as code): **MG**
799. **Toulgarctia milloti (Toulgoet,1954)** (Arctiidae) Synonymy: milloti Toulgoet,1954 Range (as code): **MG**
800. **Toulgarctia viettei (Toulgoet,1954)** (Arctiidae) Synonymy: viettei Toulgoet,1954 Range (as code): **MG**
801. **Toulgarctia vieui (Toulgoet,1956)** (Arctiidae) Synonymy: vieui Toulgoet,1956 Range (as code): **MG**
802. **Tumicla atricraspeda (Hampson,1914)** (Arctiidae) Synonymy: atricraspeda Hampson,1914 Range (as code): **GH CM NG CI CG ZR UG AO**

803.Tumicla calimerae (Durante,2008) (Arctiidae) Synonymy: calimerae Durante,2008 Range (as code): **SN**
804.Tumicla dimidiata (Durante,2008) (Arctiidae) Synonymy: dimidiata Durante,2008 Range (as code): **ZR**
805.Tumicla fasciata (Durante,2008) (Arctiidae) Synonymy: fasciata Durante,2008 Range (as code): **CG**
806.Tumicla retromaculata (Durante,2008) (Arctiidae) Synonymy: retromaculata Durante,2008 Range (as code): **GN**
807.Tumicla rosea (Durante,2008) (Arctiidae) Synonymy: rosea Durante,2008 Range (as code): **MW Zom**
808.Tumicla rubea (Durante,2008) (Arctiidae) Synonymy: rubea Durante,2008 Range (as code): **ZA Gau Jh**
809.Tumicla sagenaria (Wallengren,1860) (Arctiidae) Synonymy: sagenaria Wallengren,1860; natalensis Walker,1864 Range (as code): **ZA Nta Kzu**
810.Tumicla similis (Durante,2008) (Arctiidae) Synonymy: similis Durante,2008 Range (as code): **MW Zom KE**
811.Utetheisa (s.str.) amhara Jordan,1939 (Arctiidae) Synonymy: amhara Jordan,1939 Range (as code): **ET**
812.Utetheisa (s.str.) cruentata (Butler,1881) (Arctiidae) Synonymy: cruentata Butler,1881 Range (as code): **MU**
813.Utetheisa (s.str.) elata (Fabricius,1798) (Arctiidae) Synonymy: elata Fabricius,1798 Range (as code): **TZ SC MG MU**
814.Utetheisa (s.str.) lotrix (Cramer,[1777]) (Arctiidae) Synonymy: lotrix Cramer,[1777]; indica Roepke,1941 Range (as code): **Sk RE SA Sk YE ZA IN SC LK JP PG AU QAu NZ NC LO NH FJ SB WS TO CN Sz Yu Fkn TW NP MM TH PH Luz Pal Ceb Mdo Mno Pan PK AF IR Hz Ss**
815.Utetheisa (s.str.) pulchella (Linnaeus,1758) (Arctiidae) Synonymy: pulchella Linnaeus,1758; pulchra [Denis & Schiffermüller],1775; thyter Butler,1877; shyama Bhattacherjee & Gupta,1969; menoni Bhattacherjee & Gupta,1969. Range (as code): **CV Az PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg Ui GP IQ Agh TH CMa Knc Sbu Ab Oru Gh Mz Kh Gls Se Th Qz Kd Bne Mrv Snj Lo Km Il Es Yz By Bk Fa Ke Ss Hz Bu Kz Tbl Bjo Smt Lag Der Da Bak Len PK Nwf Pes Bt Skd Bl Cp SO IN Cn Md ID Ja VN LK Cob Pdy Dck AU Bhh SO Zai YE Ad MA DZ TN Afl Ess Tun Tgr Khh Btna Ktr BSa Gha Dje Ges Agi Gle Hdd Bsk Ah Ajj 01 05 07 13 16 21 30 31 33 36 44 46 47 48 56 58 63 65 72 73 80**
816.Utetheisa (s.str.) pulchelloides Hampson,1907 (Arctiidae) Synonymy: pulchelloides Hampson,1907 Range (as code): **SC GU CC PG WS FJ TV TO MH CN Yu Ti TH PH Pal Luz Neg Knl Mpl Sul TW LK MG ID Mlc AU NZ NH LO SB MY IN PK**
817.Xylecata uniformis (Plötz,1880) (Arctiidae) Synonymy: uniformis Plötz,1880 Range (as code): **GA Eni**
818.Zadadrina metallica Kiriakoff,1954 (Arctiidae) Synonymy: metallica Kiriakoff,1954 Range (as code): **ZA**
819.Zobida bipuncta (Hübner,[1824]) (Arctiidae) Synonymy: bipuncta Hübner,[1824] Range (as code): **AET DZ PT ES NL**
820.Zobida colon (Möschler,1872) (Arctiidae) Synonymy: colon Möschler,1872 Range (as code): **ZA Nta Kzu Est Ec Ans**
821.Zobida trinitas (Strand,1912) (Arctiidae) Synonymy: trinitas Strand,1912; jacobsi Hampson,1914 Range (as code): **TG**

Autostichidae

822.Acrosyntaxis angustipennis (Rebel,1927) (Autostichidae) Synonymy: angustipennis Rebel,1927 Range (as code): **EG**
823.Acrosyntaxis decipiens Gozmany,1967 (Autostichidae) Synonymy: decipiens Gozmany,1967 Range (as code): **AET DZ Bsk**
824.Acrosyntaxis deserticolella (Turati,1924) (Autostichidae) Synonymy: deserticolella Turati,1924 Range (as code): **LY Cy**
825.Acrosyntaxis pharaoh (Gozmany,1963) (Autostichidae) Synonymy: pharaoh Gozmany,1963 Range (as code): **AET DZ Lgt Bsk TN**
826.Acrosyntaxis walsinghami (Gozmany,1967) (Autostichidae) Synonymy: walsinghami Gozmany,1967 Range (as code): **AET DZ Ktr**

827. **Afrosymmoca seydeli Gozmany,1966** (Autostichidae) Synonymy: seydeli Gozmany,1966 Range (as code): **ZR**
828. **Afrosymmoca straminea Gozmany,1966** (Autostichidae) Synonymy: straminea Gozmany,1966 Range (as code): **ZR**
829. **Ambloma brachyptera Walsingham,[1908]** (Autostichidae) Synonymy: brachyptera Walsingham,[1908] Range (as code): **Cn**
830. **Ambloma klimeschi Gozmany,1975** (Autostichidae) Synonymy: klimeschi Gozmany,1975 Range (as code): **Cn**
831. **Amselina africana Gozmany,2008** (Autostichidae) Synonymy: africana Gozmany,2008 Range (as code): **TN Tun**
832. **Apatema fasciatum (Stainton,1859)** (Autostichidae) Synonymy: fasciata Stainton,1859; coarctella Rebel,1896; mediopallidum Walsingham,1900; minor Rebel,1916; proteroclina Meyrick,1938; impunctella Amsel,1940; melitensis Amsel,1942 Range (as code): **FR MT CY Cn IT Sa HV IL Pa Js**
833. **Apatema inexpectatum Gozmany,1988** (Autostichidae) Synonymy: inexpectatum Gozmany,1988 Range (as code): **MA TN Dhm**
834. **Apatema lucidum Walsingham,[1908]** (Autostichidae) Synonymy: lucidum Walsingham,[1908] Range (as code): **Cn**
835. **Apatema mediopallidum Walsingham,1900** (Autostichidae) Synonymy: mediopallidum Walsingham,1900; minor Rebel,1916; bifasciatum Chrétien,1922; phanerodoxa Meyrick,1926; proteroclina Meyrick,19238; melitensis Amsel,1952 Range (as code): **AET MA Rf Tgr DZ Anna Bsk TN Dhm Tun PT ES FR Co Sa Si IT MT AT HU RO YU AL BG GR Rd Cr JO Amm SY Dms Ltk TR CY AF 06 19 29 33 34 42 55**
836. **Apiletria luella Lederer,1855** (Autostichidae) Synonymy: luella Lederer,1855 Range (as code): **AET DZ Agi LY Cy JO IL Pa Hf EG CY TR LB Bei Bsa Bmm 33**
837. **Apiletria nervosa Stainton,1867** (Autostichidae) Synonymy: nervosa Stainton,1867 Range (as code): **LY IQ Bgd Agh IL Pa Hf JO**
838. **Aprominta africana Gozmany,1961** (Autostichidae) Synonymy: africana Gozmany,1961 Range (as code): **MA**
839. **Aprominta afrogypsa Gozmnay,1988** (Autostichidae) Synonymy: afrogypsa Gozmnay,1988 Range (as code): **MA Ifr**
840. **Arragonia punctivittella (Zerny,1927)** (Autostichidae) Synonymy: punctivittella Zerny,1927 Range (as code): **AET ES MA DZ Orn Lbs Afl TN**
841. **Arragonia tunesiella Amsel,1942** (Autostichidae) Synonymy: tunesiella Amsel,1942 Range (as code): **AET DZ Lgt TN LY BH**
842. **Autosticha emmetra Meyrick,1921** (Autostichidae) Synonymy: emmetra Meyrick,1921 Range (as code): **ZW Har**
843. **Autosticha nothropis Meyrick,1921** (Autostichidae) Synonymy: nothropis Meyrick,1921 Range (as code): **ZW Uma**
844. **Charadraula parcella (Lederer,1855)** (Autostichidae) Synonymy: parcella Lederer,1855; chersopsamma Meyrick,1931. Range (as code): **SY Dms Ltk LB Bmm Bei IL Hf Js Car EG**
845. **Chersogenes victimella Walsingham,[1908]** (Autostichidae) Synonymy: victimella Walsingham,[1908] Range (as code): **Cn**
846. **Dysspastus gracilellus (Turati,1922)** (Autostichidae) Synonymy: gracilellus Turati,1922; desertella Turati,1924; mediterraceus Gozmany,1957 Range (as code): **LY Cy IT Si**
847. **Epanastasis arenbergerorum Gozmany,1988** (Autostichidae) Synonymy: arenbergerorum Gozmany,1988 Range (as code): **TN**
848. **Epanastasis canariensis (Rebel,1906)** (Autostichidae) Synonymy: canariensis Rebel,1906; aegrella Walsingham,1907; extricata Gozmany,1964 Range (as code): **Cn**
849. **Epanastasis enigmatica Gozmany,1964** (Autostichidae) Synonymy: enigmatica Gozmany,1964 Range (as code): **AET DZ Ges**
850. **Epanastasis eremicola Gozmany,1988** (Autostichidae) Synonymy: eremicola Gozmany,1988 Range (as code): **LY**
851. **Epanastasis erroris (Gozmany,1962)** (Autostichidae) Synonymy: erroris Gozmany,1962 Range (as code): **AET DZ Ktr**
852. **Epanastasis eupracta Gozmany,1988** (Autostichidae) Synonymy: eupracta Gozmany,1988 Range (as code): **Cn**
853. **Epanastasis excellens Gozmany,1977** (Autostichidae) Synonymy: excellens Gozmany,1977 Range (as code): **Cn**

854.Epanastasis friedeli Gozmany,1988 (Autostichidae) Synonymy: friedeli Gozmany,1988 Range (as code): **MA**

855.Epanastasis tunesica Gozmany,1988 (Autostichidae) Synonymy: tunesica Gozmany,1988 Range (as code): **TN**

856.Epanastasis venustella (Zerny,1935) (Autostichidae) Synonymy: venustella Zerny,1935 Range (as code): **MA Fez**

857.Eremica saharae Walsingham,1904 (Autostichidae) Synonymy: saharae Walsingham,1904 Range (as code): **AET MA Tez DZ Bsk Hes TN**

858.Heringita dentulata (Gozmany,1867) (Autostichidae) Synonymy: dentulata Gozmany,1867 Range (as code): **AET DZ Orn Afl Lgt**

859.Heringita perarmata Gozmany,2000 (Autostichidae) Synonymy: perarmata Gozmany,2000 Range (as code): **TN LY Cy**

860.Hesperesta achromatella (Turati,1930) (Autostichidae) Synonymy: achromatella Turati,1930 Range (as code): **LY**

861.Hesperesta geminella (Chrétien,1915) (Autostichidae) Synonymy: geminella Chrétien,1915; perstriellus Amsel,1942. Range (as code): **AET ES DZ Ges Bsk MA Agd TN**

862.Hesperesta hartigi (Turati,1934) (Autostichidae) Synonymy: hartigi Turati,1934 Range (as code): **MA TN Gab Sfx LY**

863.Holcopogon bubulcellus (Staudinger,1859) (Autostichidae) Synonymy: bubulcellus Staudinger,1859; pulverulellus Constant,1865; barbata Walsingham,1900. Range (as code): **AET MA Rbt DZ TN Dhm PT ES FR Co Sa Si IT MT AT HU RO YU AL BG MK GR Cr TR SE RU MD UA BY LB IL KG Uk 01 05 16 42 46 65 70**

864.Holcopogon rhyodes (Meyrick,1909) (Autostichidae) Synonymy: rhyodes Meyrick,1909; amphicentra Meyrick,1913 Range (as code): **ZA Tva Gau Pre**

865.Holcopogon scaeocentra Meyrick,1921 (Autostichidae) Synonymy: scaeocentra Meyrick,1921 Range (as code): **MZ Blv**

866.Holcopogon tucki Vives Moreno,1999 (Autostichidae) Synonymy: tucki Vives Moreno,1999 Range (as code): **ZA**

867.Leilaptera lithochroma (Walsingham,1904) (Autostichidae) Synonymy: lithochroma Walsingham,1904; longicornella Chrétien,1915 Range (as code): **AET DZ Bsk Hes TN Gf LY**

868.Metaxitagma mauricum Gozmany,2008 (Autostichidae) Synonymy: mauricum Gozmany,2008 Range (as code): **AET DZ Orn**

869.Oecia oecophila (Staudinger,1876) (Autostichidae) Synonymy: oecophila Staudinger,1876; maculata Walsingham,1897; husadeli Rebel,1910. Range (as code): **Cn MA LY ES Si MT GR Cr Rd EG LB Bei PK JP Hw ST BR TW MY ID Jv AU ZA**

870.Oegoconia caradjai Popescu-Gorj & Capuse,1965 (Autostichidae) Synonymy: caradjai Popescu-Gorj & Capuse,1965 Range (as code): **AET MA DZ Hsb TN Sfx Gf LY PT ES Mu FR Co Si BE IT GB DE CH CZ HU RO YU BG GR Cr Rd TR RU EG SA As UZ TJ IR Elb Mz Dam Plr Shh Srd Gls AZ AM GG Cc IQ LB Bsa NZ 05 06 42 50 65 71 76**

871.Oegoconia meladantis (Meyrick,1921) (Autostichidae) Synonymy: meladantis Meyrick,1921; cyrota Meyrick,1921 Range (as code): **ZA**

872.Oegoconia novimundi (Busck,1915) (Autostichidae) Synonymy: novimundi Busck,1915 Range (as code): **TN FR DE AT ES IT HV YU BG MZ GR GG Cc AZ AM Az US Cf CA**

873.Oegoconia parodia Gozmany,1988 (Autostichidae) Synonymy: parodia Gozmany,1988 Range (as code): **MA ES An**

874.Oegoconia quadripuncta (Haworth,[1828]) (Autostichidae) Synonymy: quadripuncta Haworth,[1828]; deauratella Stainton,1849; #quadripunctata Noack,1960. Range (as code): **AET DZ Anna Bsk TN Gf GB FR DE ES An Mu PT YE**

875.Oegoconia syndesma Meyrick,1926 (Autostichidae) Synonymy: syndesma Meyrick,1926 Range (as code): **ZA**

876.Orpecovalva kasyi Gozmany,1988 (Autostichidae) Synonymy: kasyi Gozmany,1988 Range (as code): **MA Azr**

877.Orpecovalva molitor (Walsingham,1905) (Autostichidae) Synonymy: molitor Walsingham,1905 Range (as code): **AET DZ Ktr**

878.Orpecovalva obliterata (Walsingham,1905) (Autostichidae) Synonymy: obliterata Walsingham,1905 Range (as code): **AET DZ Hes Bsk**

879.Pachnistis craniota (Meyrick,1913) (Autostichidae) Synonymy: craniota Meyrick,1913; propitia Meyrick,1913; consors Meyrick,1921 Range (as code): **ZA Tva Mpu Brb Nel MZ Mag**

880. **Pantacordis pallidum (Staudinger,1876)** (Autostichidae) Synonymy: pallida Staudinger,1876; saharae Oberthür,1888; exiguella Chrétien,1915; minutella Chrétien,1922; klimeschi Gozmany,1957 Range (as code): **AET MA Fez DZ Cst Agi Elt Méd TN Dhm Sfx LY Tun Si IT MT**
881. **Procometis (Hyostola) acharma Meyrick,1908** (Autostichidae) Synonymy: acharma Meyrick,1908 Range (as code): **ZA Nta Kzu Wnn**
882. **Procometis (Hyostola) oxypora Meyrick,1908** (Autostichidae) Synonymy: oxypora Meyrick,1908 Range (as code): **ZA Nta Kzu Wnn**
883. **Procometis (Hyostola) terrena Meyrick,1908** (Autostichidae) Synonymy: terrena Meyrick,1908 Range (as code): **ZA TZ**
884. **Procometis (s.str.) limitata Meyrick,1911** (Autostichidae) Synonymy: limitata Meyrick,1911 Range (as code): **ZA Wb Tva**
885. **Procometis (s.str.) milvina Meyrick,1914** (Autostichidae) Synonymy: milvina Meyrick,1914 Range (as code): **ZA**
886. **Procometis (s.str.) ochricilia Meyrick,1921** (Autostichidae) Synonymy: ochricilia Meyrick,1921 Range (as code): **ZA**
887. **Sagarancona sericiella (Walsingham,1904)** (Autostichidae) Synonymy: sericiella Walsingham,1904 Range (as code): **MA DZ Ktr Hes TN**
888. **Stibaromacha ratella (Herrich-Schäffer,1854)** (Autostichidae) Synonymy: ratella Herrich-Schäffer,1854; sericeella Rebel,1917; sebdorella Chrétien,1922; #viettei Agenjo,1952 Range (as code): **MA Tgr Azr Ouk DZ Sbd Tni Tis Blid Gue Anna TN Dhm PT ES Mu FR CY TR 05 06**
889. **Symmoca (s.str.) calidella Walsingham,1905** (Autostichidae) Synonymy: calidella Walsingham,1905 Range (as code): **DZ Bsk Hes TN Sfx**
890. **Symmoca (s.str.) candidella Chrétien,1922** (Autostichidae) Synonymy: candidella Chrétien,1922; gypsomorpha Meyrick,1928; colluellum Chrétien,1922 Range (as code): **MA LY**
891. **Symmoca (s.str.) longipalpella Rebel,1914** (Autostichidae) Synonymy: longipalpella Rebel,1914 Range (as code): **EG EG61 TR 46**
892. **Symmoca (s.str.) mobilella Zerny,1935** (Autostichidae) Synonymy: mobilella Zerny,1935 Range (as code): **MA**
893. **Symmoca (s.str.) nivalis Gozmany,1988** (Autostichidae) Synonymy: nivalis Gozmany,1988 Range (as code): **MA Ifr**
894. **Symmoca (s.str.) petrogenes Walsingham,1907** (Autostichidae) Synonymy: petrogenes Walsingham,1907; hispanella Rebel,1917 Range (as code): **ES An Mu MA Tgr**
895. **Symmoca (s.str.) ponerias Walsingham,1905** (Autostichidae) Synonymy: ponerias Walsingham,1905 Range (as code): **MA Ouk LY DZ Agi Hes ES An**
896. **Symmoca (s.str.) profanella Zerny,1935** (Autostichidae) Synonymy: profanella Zerny,1935 Range (as code): **MA Rf**
897. **Symmoca (s.str.) rifella (Zerny,1932)** (Autostichidae) Synonymy: rifella Zerny,1932; bomalodoxa Meyrick,1935 Range (as code): **MA Rf**
898. **Symmoca (s.str.) salem Gozmany,1963** (Autostichidae) Synonymy: salem Gozmany,1963 Range (as code): **CY EG EG11**
899. **Symmoca (s.str.) senorita Gozmany,1988** (Autostichidae) Synonymy: senorita Gozmany,1988 Range (as code): **MA Ess**
900. **Symmoca (s.str.) serrata Gozmany,1985** (Autostichidae) Synonymy: serrata Gozmany,1985 Range (as code): **PT ES TN**
901. **Symmoca (s.str.) signatella Herrich-Schäffer,1854** (Autostichidae) Synonymy: signatella Herrich-Schäffer,1854; rosmarinella Walsingham,1901; melitensis Amsel,1954 Range (as code): **MA DZ Phv Tou PT ES FR IT MT GB DE CH YU HV GR Rd RU MD EG UA Cc**
902. **Symmoca (s.str.) solanella Amsel,1953** (Autostichidae) Synonymy: solanella Amsel,1953 Range (as code): **MA**
903. **Symmoca (s.str.) sparsella (De Joannis,1891)** (Autostichidae) Synonymy: sparsella De Joannis,1891; ratellina Turati,1919 Range (as code): **ES Mu LB Bei IL Pa Hf Js JO Amm EG Cr TR SY Dms IQ Shq Rwz Dia**
904. **Symmoca (s.str.) stigmaphora Gozmany,2008** (Autostichidae) Synonymy: stigmaphora Gozmany,2008 Range (as code): **TN Sfx LY Cy**
905. **Symmoca (s.str.) thyrota Meyrick,1929** (Autostichidae) Synonymy: thyrota Meyrick,1929 Range (as code): **SD**
906. **Symmoca (s.str.) tunesica Gozmany,1988** (Autostichidae) Synonymy: tunesica Gozmany,1988 Range (as code): **TN Sfx**

907. **Symmoca crocodesma Meyrick,1911** (Autostichidae) Synonymy: crocodesma Meyrick,1911 Range (as code): **ZA Tva Lpo Wo**
908. **Symmocoides margaritis Gozmany,2008** (Autostichidae) Synonymy: margaritis Gozmany,2008 Range (as code): **MA Tgr**
909. **Symmocoides oxybiellus (Millière,1872)** (Autostichidae) Synonymy: oxybiellus Millière,1872; astuta Gozmany,1961 Range (as code): **DZ Agi TN Gf PT ES An FR IT**
910. **Tenieta albidella (Rebel,1901)** (Autostichidae) Synonymy: albidella Rebel,1901; kebillilla Lucas,1945; evae Gozmany,1967 Range (as code): **DZ Tni Tis TN Méd MA**
911. **Turatia argillacea Gozmany,2000** (Autostichidae) Synonymy: argillacea Gozmany,2000 Range (as code): **TZ**
912. **Turatia chretieni Gozmany,2000** (Autostichidae) Synonymy: chretieni Gozmany,2000 Range (as code): **TN**
913. **Turatia cinerascens (Turati,1926)** (Autostichidae) Synonymy: cinerascens Turati,1926 Range (as code): **LY Cy**
914. **Turatia foeldvarii (Gozmany,1959)** (Autostichidae) Synonymy: foeldvarii Gozmany,1959 Range (as code): **EG**
915. **Turatia morettii (Turati,1926)** (Autostichidae) Synonymy: morettii Turati,1926. Range (as code): **TN LY Cy**
916. **Turatia psameticella (Rebel,1914)** (Autostichidae) Synonymy: psameticella Rebel,1914 Range (as code): **LY EG BH**
917. **Turatia psammella (Amsel,1935)** (Autostichidae) Synonymy: psammella Amsel,1935 Range (as code): **EG IL Pa**
918. **Turatia rhyodes (Meyrick,1909)** (Autostichidae) Synonymy: rhyodes Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
919. **Turatia scaeocentra (Meyrick,1921)** (Autostichidae) Synonymy: scaeocentra Meyrick,1921 Range (as code): **MZ**
920. **Turatia scioneura (Meyrick,1929)** (Autostichidae) Synonymy: scioneura Meyrick,1929 Range (as code): **SD**
921. **Turatia scutigera Gozmany,2000** (Autostichidae) Synonymy: scutigera Gozmany,2000 Range (as code): **TN**
922. **Turatia serratina (Gozmany,1967)** (Autostichidae) Synonymy: serratina Gozmany,1967 Range (as code): **DZ Afl Lbs Orn TN**
923. **Turatia tenebrata Gozmany,2000** (Autostichidae) Synonymy: tenebrata Gozmany,2000 Range (as code): **MA Agd**
924. **Turatia turpicula Gozmany,2000** (Autostichidae) Synonymy: turpicula Gozmany,2000 Range (as code): **NA**

Batrachedridae

925. **Batrachedra atomosella Walsingham,1900** (Batrachedridae) Synonymy: atomosella Walsingham,1900 Range (as code): **YE Sk**
926. **Batrachedra epombra Meyrick,1914** (Batrachedridae) Synonymy: epombra Meyrick,1914 Range (as code): **ZA**
927. **Batrachedra granosa Meyrick,1911** (Batrachedridae) Synonymy: granosa Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
928. **Batrachedra halans Meyrick,1924** (Batrachedridae) Synonymy: halans Meyrick,1924 Range (as code): **ZA**
929. **Batrachedra heliota Meyrick,1913** (Batrachedridae) Synonymy: heliota Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
930. **Batrachedra isochtha Meyrick,1914** (Batrachedridae) Synonymy: isochtha Meyrick,1914 Range (as code): **ZA Nta Kzu Srn**
931. **Batrachedra microbias Meyrick,1914** (Batrachedridae) Synonymy: microbias Meyrick,1914 Range (as code): **ZA Tva Mpu Tst**
932. **Batrachedra oemias Meyrick,1909** (Batrachedridae) Synonymy: oemias Meyrick,1909 Range (as code): **ZA**

933. **Batrachedra parvulipunctella Chrétien,1915** (Batrachedridae) Synonymy: parvulipunctella Chrétien,1915; phragmitidella Mariani,1936 Range (as code): **TN Gf PT ES FR Sa Si IT MT GB GR Cr**
934. **Batrachedra phaneropa Meyrick,1914** (Batrachedridae) Synonymy: phaneropa Meyrick,1914 Range (as code): **ZA**
935. **Batrachedra saurota Meyrick,1911** (Batrachedridae) Synonymy: saurota Meyrick,1911 Range (as code): **ZA Tva Wo**

Blastobasidae

936. **Blastobasis acirfa Adamski,2010** (Blastobasidae) Synonymy: acirfa Adamski,2010 Range (as code): **KE**
937. **Blastobasis albidella Rebel,1928** (Blastobasidae) Synonymy: albidella Rebel,1928 Range (as code): **MA**
938. **Blastobasis arguta Meyrick,1918** (Blastobasidae) Synonymy: arguta Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
939. **Blastobasis aynekiella Adamski,2010** (Blastobasidae) Synonymy: aynekiella Adamski,2010 Range (as code): **KE**
940. **Blastobasis byrsodepta Meyrick,1913** (Blastobasidae) Synonymy: byrsodepta Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
941. **Blastobasis catappaella Adamski,2010** (Blastobasidae) Synonymy: catappaella Adamski,2010 Range (as code): **KE**
942. **Blastobasis chuka Adamski,2010** (Blastobasidae) Synonymy: chuka Adamski,2010 Range (as code): **KE**
943. **Blastobasis determinata Meyrick,1921** (Blastobasidae) Synonymy: determinata Meyrick,1921 Range (as code): **ZA Tva Mdt**
944. **Blastobasis egens Meyrick,1918** (Blastobasidae) Synonymy: egens Meyrick,1918 Range (as code): **ZA Nta Kzu Srn Umk Nha Esw Ver**
945. **Blastobasis elgonae Adamski,2010** (Blastobasidae) Synonymy: elgonae Adamski,2010 Range (as code): **KE**
946. **Blastobasis eridryas Meyrick,1932** (Blastobasidae) Synonymy: eridryas Meyrick,1932 Range (as code): **ET ET70 Sw**
947. **Blastobasis extensa Meyrick,1918** (Blastobasidae) Synonymy: extensa Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
948. **Blastobasis fatigata Meyrick,1914** (Blastobasidae) Synonymy: fatigata Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
949. **Blastobasis glauconotata Adamski,2010** (Blastobasidae) Synonymy: glauconotata Adamski,2010 Range (as code): **KE**
950. **Blastobasis indigesta Meyrick,1931** (Blastobasidae) Synonymy: indigesta Meyrick,1931 Range (as code): **ZW**
951. **Blastobasis industria Meyrick,1913** (Blastobasidae) Synonymy: industria Meyrick,1913 Range (as code): **ZA Tva Mpu Brb ET Sw ET88**
952. **Blastobasis irroratella Walsingham,1891** (Blastobasidae) Synonymy: irroratella Walsingham,1891 Range (as code): **ZA**
953. **Blastobasis kenya Adamski,2010** (Blastobasidae) Synonymy: kenya Adamski,2010 Range (as code): **KE**
954. **Blastobasis maroccanella Amsel,1952** (Blastobasidae) Synonymy: maroccanella Amsel,1952 Range (as code): **MA PT ES US Cf**
955. **Blastobasis millicentae Adamski,2010** (Blastobasidae) Synonymy: millicentae Adamski,2010 Range (as code): **KE**
956. **Blastobasis mpala Adamski,2010** (Blastobasidae) Synonymy: mpala Adamski,2010 Range (as code): **KE**
957. **Blastobasis phycidella (Zeller,1839)** (Blastobasidae) Synonymy: phycidella Zeller,1839; roscidella Zeller,1847 Range (as code): **DZ TN Gf Cn PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR LT RU MD UA BY LB Bsa Bmm IR Mz Gls 05 16**
958. **Blastobasis taricheuta Meyrick,1909** (Blastobasidae) Synonymy: taricheuta Meyrick,1909 Range (as code): **ZA**

959. **Blastobasis trachelista Meyrick,1921** (Blastobasidae) Synonymy: trachelista Meyrick,1921 Range (as code): **ZW Uma**
960. **Homothamnis litholeuca Meyrick,1921** (Blastobasidae) Synonymy: litholeuca Meyrick,1921 Range (as code): **MZ Mag**
961. **Neoblastobasis laikipiae Adamski,2010** (Blastobasidae) Synonymy: laikipiae Adamski,2010 Range (as code): **KE**
962. **Neoblastobasis perisella Adamski,2010** (Blastobasidae) Synonymy: perisella Adamski,2010 Range (as code): **KE**
963. **Neoblastobasis wangithiae Adamski,2010** (Blastobasidae) Synonymy: wangithiae Adamski,2010 Range (as code): **KE**
964. **Neoblastobasis ximeniaella Adamski,2010** (Blastobasidae) Synonymy: ximeniaella Adamski,2010 Range (as code): **KE**

Bombycidae

965. **Amusaron kolga (Druce,1887)** (Bombycidae) Synonymy: kolga Druce,1887 Range (as code): **CM**
966. **Bombyx mori (Linnaeus,1758)** (Bombycidae) Synonymy: mori Linnaeus,1758; sinensis Moore & Hutton,1862; croesi Moore & Hutton,1862; fortunatus Moore & Hutton,1862; arracanensis Moore & Hutton,1862; textor Moore & Hutton,1862. Range (as code): **ES FR BG TR ZA TH CN 16 46**
967. **Ocinara ficicola (Westwood & Ormerod,1889)** (Bombycidae) Synonymy: ficicola Westwood & Ormerod,1889; obliquisignata Hampson,1910; #ficicolor Janse,1917. Range (as code): **ZA**
968. **Ocinara ianthe (Druce,1888)** (Bombycidae) Synonymy: ianthe Druce,1888; #janthe Gaede,1927 Range (as code): **ZA**
969. **Ocinara pallicornis Strand,1910** (Bombycidae) Synonymy: pallicornis Strand,1910 Range (as code): **ZA**
970. **Ocinara signicosta Strand,1910** (Bombycidae) Synonymy: signicosta Strand,1910; fuscocervina Strand,1910 Range (as code): **ZA Lpo Tva Spb Mdk**

Brachodidae

971. **Atractoceros albiciliatus (Walsingham,1891)** (Brachodidae) Synonymy: albiciliatus Walsingham,1891 Range (as code): **ZA**
972. **Atractoceros xanthoprocta (Meyrick,1914)** (Brachodidae) Synonymy: xanthoprocta Meyrick,1914 Range (as code): **ZA**
973. **Brachodes infandus (Meyrick,1920)** (Brachodidae) Synonymy: infandus Meyrick,1920 Range (as code): **ZA Ec Wth**
974. **Brachodes metaspilus (Meyrick,1926)** (Brachodidae) Synonymy: metaspilus Meyrick,1926 Range (as code): **ZA**
975. **Brachodes nanettus (Oberthür,1922)** (Brachodidae) Synonymy: nanetta Oberthür,1922 Range (as code): **MA PT ES**
976. **Brachodes nycteropis (Meyrick,1920)** (Brachodidae) Synonymy: nycteropis Meyrick,1920 Range (as code): **ZA Ec Wth**
977. **Brachodes powelli (Oberthür,1922)** (Brachodidae) Synonymy: powelli Oberthür,1922 Range (as code): **IT ES MA TN Tun DZ Lbs**
978. **Brachodes quiris (R.Felder & Rogenhofer,1875)** (Brachodidae) Synonymy: quiris R.Felder & Rogenhofer,1875 Range (as code): **ZA**
979. **Nigilgia adjectella Walker,1863** (Brachodidae) Synonymy: adjectella Walker,1863 Range (as code): **SL IN LK CN VN Ton JP**
980. **Nigilgia albitogata (Walsingham,1891)** (Brachodidae) Synonymy: albitogata Walsingham,1891 Range (as code): **ZA**
981. **Nigilgia eucallynta (Meyrick,1937)** (Brachodidae) Synonymy: eucallynta Meyrick,1937 Range (as code): **ZA**
982. **Nigilgia mochlophanes (Meyrick,1921)** (Brachodidae) Synonymy: mochlophanes Meyrick,1921 Range (as code): **ZA**

983. **Nigilgia pseliota (Meyrick,1920)** (Brachodidae) Synonymy: pseliota Meyrick,1920 Range (as code): **ZA Nta Kzu Dbn**
984. **Phycodes minor Moore,1881** (Brachodidae) Synonymy: minor Moore,1881; lucasseni Snellen,1901; cymineuta Meyrick,1909; omnimicans Diakonoff,1978 Range (as code): **SA PK Cp IN Ben LK CN ID Ja NP VN Ton CI KH TH Cbi PH Luz**
985. **Phycodes punctata Walsingham,1891** (Brachodidae) Synonymy: punctata Walsingham,1891 Range (as code): **ZA**

Brahmaeidae

986. **Dactyloceras widenmanni (Karsch,1895)** (Brahmaeidae) Synonymy: widenmanni Karsch,1895 Range (as code): **ZA**
987. **Spiramiopsis comma Hampson,1901** (Brahmaeidae) Synonymy: comma Hampson,1901 Range (as code): **ZA Ec Grh**

Bucculatricidae

988. **Bucculatrix agilis Meyrick,1920** (Bucculatricidae) Synonymy: agilis Meyrick,1920 Range (as code): **ZA Nca Kim**
989. **Bucculatrix amara Meyrick,1913** (Bucculatricidae) Synonymy: amara Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
990. **Bucculatrix anticolona Meyrick,1913** (Bucculatricidae) Synonymy: anticolona Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
991. **Bucculatrix bicolorella Chrétien,1915** (Bucculatricidae) Synonymy: bicolorella Chrétien,1915 Range (as code): **TN Gf IT**
992. **Bucculatrix damarana Mey,2004** (Bucculatricidae) Synonymy: damarana Mey,2004 Range (as code): **NA Dmr Bnd**
993. **Bucculatrix daures Mey,2004** (Bucculatricidae) Synonymy: daures Mey,2004 Range (as code): **NA Dmr Bnd**
994. **Bucculatrix dulcis Meyrick,1913** (Bucculatricidae) Synonymy: dulcis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst**
995. **Bucculatrix edocta Meyrick,1921** (Bucculatricidae) Synonymy: edocta Meyrick,1921 Range (as code): **ZA Wca Cto Tva Gau Pre**
996. **Bucculatrix eugenmaraisi Mey,2004** (Bucculatricidae) Synonymy: eugenmaraisi Mey,2004 Range (as code): **NA Dmr Bnd**
997. **Bucculatrix facilis Meyrick,1911** (Bucculatricidae) Synonymy: facilis Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
998. **Bucculatrix galeodes Meyrick,1913** (Bucculatricidae) Synonymy: galeodes Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
999. **Bucculatrix herbalbella Chrétien,1915** (Bucculatricidae) Synonymy: herbalbella Chrétien,1915 Range (as code): **TN Gf IT AT YU**
1000. **Bucculatrix hobohmi Mey,2004** (Bucculatricidae) Synonymy: hobohmi Mey,2004 Range (as code): **NA Dmr Bnd**
1001. **Bucculatrix inchoata Meyrick,1913** (Bucculatricidae) Synonymy: inchoata Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
1002. **Bucculatrix kirkspriggsi Mey,2004** (Bucculatricidae) Synonymy: kirkspriggsi Mey,2004 Range (as code): **NA Dmr Bnd**
1003. **Bucculatrix lenis Meyrick,1913** (Bucculatricidae) Synonymy: lenis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst Wv**
1004. **Bucculatrix lutaria Mey,2004** (Bucculatricidae) Synonymy: lutaria Mey,2004 Range (as code): **NA Dmr Bnd**
1005. **Bucculatrix melipecta Meyrick,1914** (Bucculatricidae) Synonymy: melipecta Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
1006. **Bucculatrix monelpis Meyrick,1928** (Bucculatricidae) Synonymy: monelpis Meyrick,1928 Range (as code): **ZA**

1007. **Bucculatrix ochromeris Meyrick,1928** (Bucculatricidae) Synonymy: ochromeris Meyrick,1928 Range (as code): **ZA**
1008. **Bucculatrix porthmis Meyrick,1908** (Bucculatricidae) Synonymy: porthmis Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
1009. **Bucculatrix praecipua Meyrick,1918** (Bucculatricidae) Synonymy: praecipua Meyrick,1918 Range (as code): **ZA Kzu Nta Esw**
1010. **Bucculatrix quieta Meyrick,1913** (Bucculatricidae) Synonymy: quieta Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
1011. **Bucculatrix wittnebeni Mey,2004** (Bucculatricidae) Synonymy: wittnebeni Mey,2004 Range (as code): **NA Dmr Bnd**
1012. **Bucculatrix zizyphella Chrétien,1907** (Bucculatricidae) Synonymy: zizyphella Chrétien,1907 Range (as code): **YU DZ IL Pa TN Gf**
1013. **Leucoedemia ingens Scoble & Scholtz,1984** (Bucculatricidae) Synonymy: ingens Scoble & Scholtz,1984 Range (as code): **ZA**

Callidulidae

1014. **Caloschemia monolifera Mabille,1878** (Callidulidae) Synonymy: monolifera Mabille,1878; pulchra Butler,1878 Range (as code): **MG**

Carposinidae

1015. **Carposina autologa Meyrick,1910** (Carposinidae) Synonymy: autologa Meyrick,1910; sysciodes Turner,1947 Range (as code): **ZA**
1016. **Carposina brachycentra Meyrick,1914** (Carposinidae) Synonymy: brachycentra Meyrick,1914 Range (as code): **ZA Nta Kzu Srn**
1017. **Carposina candace Meyrick,1932** (Carposinidae) Synonymy: candace Meyrick,1932 Range (as code): **ET ET88 SW**
1018. **Carposina cinderella Diakonoff,1988** (Carposinidae) Synonymy: cinderella Diakonoff,1988 Range (as code): **Cn**
1019. **Carposina conobathra Meyrick,1928** (Carposinidae) Synonymy: conobathra Meyrick,1928 Range (as code): **ZA**
1020. **Carposina exsanguis Meyrick,1918** (Carposinidae) Synonymy: exsanguis Meyrick,1918 Range (as code): **ZA Tva Mpu Brb**
1021. **Carposina gigantella Rebel,1917** (Carposinidae) Synonymy: gigantella Rebel,1917 Range (as code): **Cn**
1022. **Carposina impavida Meyrick,1913** (Carposinidae) Synonymy: impavida Meyrick,1913 Range (as code): **ZA**
1023. **Carposina irata Meyrick,1914** (Carposinidae) Synonymy: irata Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
1024. **Carposina proconsularis Meyrick,1921** (Carposinidae) Synonymy: proconsularis Meyrick,1921 Range (as code): **ZA Wca Cto**
1025. **Carposina siturga Meyrick,1912** (Carposinidae) Synonymy: siturga Meyrick,1912 Range (as code): **ZA**
1026. **Carposina socors Meyrick,1928** (Carposinidae) Synonymy: socors Meyrick,1928 Range (as code): **ZA**
1027. **Carposina sublucida Diakonoff,1988** (Carposinidae) Synonymy: sublucida Diakonoff,1988 Range (as code): **Cn**
1028. **Carposina subselliata Meyrick,1921** (Carposinidae) Synonymy: subselliata Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
1029. **Carposina thermurga Meyrick,1929** (Carposinidae) Synonymy: thermurga Meyrick,1929; ferruginea Meyrick,1925. Range (as code): **ZA**

Choreutidae

1030. **Brenthia leucatoma Meyrick,1918** (Choreutidae) Synonymy: leucatoma Meyrick,1918 Range (as code): **ZA Nta Kzu Dbn ET ET09 Sw**
1031. **Choreutis aegyptiaca (Zeller,1867)** (Choreutidae) Synonymy: aegyptiaca Zeller,1867; hypocroca Diakonoff,1978; latarniki Guilermet,2010 Range (as code): **EG IL Jf Pa SA SA39 IN UG Sk NP RE**
1032. **Choreutis agelasta Bradley,1965** (Choreutidae) Synonymy: agelasta Bradley,1965 Range (as code): **UG Rz**
1033. **Choreutis argyrastra Meyrick,1932** (Choreutidae) Synonymy: argyrastra Meyrick,1932 Range (as code): **ET**
1034. **Choreutis ialeura (Meyrick,1912)** (Choreutidae) Synonymy: ialeura Meyrick,1912 Range (as code): **IN Nl NP LK CN Yu MU**
1035. **Choreutis inspirata Meyrick,1916** (Choreutidae) Synonymy: inspirata Meyrick,1916 Range (as code): **NG**
1036. **Choreutis nemorana (Hübner,[1799])** (Choreutidae) Synonymy: nemorana Hübner,[1799]; incisalis Treitschke,1828; nemoranalis Treitschke,1829; nemorella Herrich-Schäffer,1862 Range (as code): **Md Cn DZ Anna MA PT ES Co MT AT GR Cr CY TR IQ Shq IR Gh Tgo Ak Qm RU MD UA Cm Cc GG AZ AM TM CN Yu 05 13 16 17 44 46 47 48 56**
1037. **Choreutis pariana (Clerck,1759)** (Choreutidae) Synonymy: #pariana Clerck,1759; lutosa Haworth,1811; parialis Treitschke,1828; pariella Herrich-Schäffer,1862 Range (as code): **Cn DZ ES FR GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Sh Krl SA JP CA US Col 16**
1038. **Choreutis pentacyba Meyrick,1925** (Choreutidae) Synonymy: pentacyba Meyrick,1925 Range (as code): **EG**
1039. **Choreutis pychnomochla Bradley,1965** (Choreutidae) Synonymy: pychnomochla Bradley,1965 Range (as code): **UG Rz**
1040. **Millieria dolosana (Herrich-Schäffer,[1854])** (Choreutidae) Synonymy: #dolosalis Heydenreich,1851; dolosana Herrich-Schäffer,[1854]; #dolasana Desmarest,[1857] Range (as code): **DZ MA PT ES FR Co IT DE AT PL CZ SK HU RO YU HV MK AL TR LB Bei IL Js Pa SY Dms UA Cm RU Sr 05 16 42**
1041. **Niveas agassizi Rota,2013** (Choreutidae) Synonymy: agassizi Rota,2013 Range (as code): **KE**
1042. **Tebenna bjerkandrella (Borgström,1784)** (Choreutidae) Synonymy: cardui Ström,1783; bjerkandrella Borgström,1784; prunnerella Rossi,1794; vibrana Hübner,[1813]; fibrana Hübner,[1825]; pretiosana Duponchel,1842; vibralis Treitschke,1835; australis Zeller,1857; kawabei Arita,1975 Range (as code): **TN Gf PT ES FR Co Si MT DE CH AT PL CZ SK DK SE FI EE LV RU MD UA BY TR Cc IL ZA Tva Gau Pre JP Hkk Sb Krl 01 16 46 76**
1043. **Tebenna micalis (Mann,1857)** (Choreutidae) Synonymy: micalis Mann,1857; isshikii Matsumura,1931; bradleyi Clarke,1971; hypocroca Diakonoff,1978 Range (as code): **Cn Md MA DZ TN Gf PT ES FR Sa IT MT IE GB SK HU YU MK AL HV GR TR Cc AZ IR Fa Ha Kz Gls Th Ak AF Srb Dwe Pag Blh Gbh NP Kdu CN Tkg JP Hkk Ri SA As YE Sk RE ID Ja AU NZ 17 34 76**

Cimeliidae

1044. **Axia (s.str.) margarita (Hübner,[1813])** (Cimeliidae) Synonymy: margarita Hübner,[1813] Range (as code): **MA ES An Cz Hv Svl Mlg Grn Alm Jae Cd Cl Nrr Ag Vcl Cs Mdr FR IT YU**
1045. **Axia (s.str.) vaulogeri (Staudinger,1892)** (Cimeliidae) Synonymy: vaulogeri Staudinger,1892 Range (as code): **TN**
1046. **Ussara semicoronis Meyrick,1932** (Cimeliidae) Synonymy: semicoronis Meyrick,1932 Range (as code): **ET ET88 Sw**

Coleophoridae

1047. **Amblyxena pilifera Meyrick,1921** (Coleophoridae) Synonymy: pilifera Meyrick,1921 Range (as code): **ZA Tva Lpo Wo**
1048. **Augasma nidifica Meyrick,1912** (Coleophoridae) Synonymy: nidifica Meyrick,1912 Range (as code): **ZA**
1049. **Coleophora aarviki Baldizzone & Wolf,2011** (Coleophoridae) Synonymy: aarviki Baldizzone & Wolf,2011 Range (as code): **ZA**
1050. **Coleophora acanthyllidis Walsingham,1907** (Coleophoridae) Synonymy: acanthyllidis Walsingham,1907; radiosella Toll,1952; tozeurensis Toll,1956 Range (as code): **DZ Bsk Hes TN Gf**

1051. **Coleophora acmura Meyrick,1914** (Coleophoridae) Synonymy: acmura Meyrick,1914 Range (as code): **MW Mje**
1052. **Coleophora aegyptiacae Walsingham,1907** (Coleophoridae) Synonymy: aegyptiacae Walsingham,1907 Range (as code): **Cn MA DZ Hes TN Gf LY IL Pa EG SA IR Hz B-A**
1053. **Coleophora aeneostrigella Turati,1930** (Coleophoridae) Synonymy: aeneostrigella Turati,1930 Range (as code): **LY**
1054. **Coleophora aestuariella Bradley,1984** (Coleophoridae) Synonymy: aestuariella Bradley,1984; tanasella Nemeş,2003 Range (as code): **PT ES FR GB BG GR RO RU TN**
1055. **Coleophora afrosarda Baldizzone & Kaltenbach,1983** (Coleophoridae) Synonymy: afrosarda Baldizzone & Kaltenbach,1983 Range (as code): **ES Sa FR GR TN**
1056. **Coleophora afrotropicalis Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: afrotropicalis Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1057. **Coleophora agadirensis Baldizzone,2001** (Coleophoridae) Synonymy: agadirensis Baldizzone,2001 Range (as code): **MA Agd**
1058. **Coleophora agassizi Baldizzone & Wolf,2011** (Coleophoridae) Synonymy: agassizi Baldizzone & Wolf,2011 Range (as code): **UG KE TZ Rz**
1059. **Coleophora aglabitella Chrétien,1915** (Coleophoridae) Synonymy: aglabitella Chrétien,1915 Range (as code): **TN**
1060. **Coleophora agnatella Toll,1960** (Coleophoridae) Synonymy: agnatella Toll,1960 Range (as code): **MA ES IQ Rba LY TN**
1061. **Coleophora albadomina Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: albadomina Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1062. **Coleophora alcyonipennella (Kollar,1832)** (Coleophoridae) Synonymy: alcyonipennella Kollar,1832; cuprariella Zeller,1847; praticolella Zeller,1849; cuprifulgella Toll,1962 Range (as code): **MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Ghz IQ Hjo Ry IR Elb Th Kh Msh Ab Mak AF Nu Pag Kab Bd PK Swa Mdy DK NO SE FI EE LV LT RU MD UA BY JP NZ AU NSw Syd KK Ui Ku Um 05 06 12 14 16 33 34 36 41 46 53 55 76**
1063. **Coleophora alticolella Zeller,1849** (Coleophoridae) Synonymy: alticolella Zeller,1849 Range (as code): **TN ES FR Sa IT IS IE GB BE NL DE CH AT PL CZ SK HU YU GR BG IR Mz Clu DK NO SE FI LV LT RU MD UA BY RO US**
1064. **Coleophora amethystinella Ragonot,1885** (Coleophoridae) Synonymy: amethystinella Ragonot,1885; metallica Toll,1961 Range (as code): **ES An TR IL Pa PT FR MK IQ Agh MA Azr Ifr 35 44 65**
1065. **Coleophora anguliferella Turati,1934** (Coleophoridae) Synonymy: anguliferella Turati,1934 Range (as code): **LY**
1066. **Coleophora aphanombra Meyrick,1913** (Coleophoridae) Synonymy: aphanombra Meyrick,1913 Range (as code): **ZA Tva Gau Pre Mpu Tst**
1067. **Coleophora aquaecadentis Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: aquaecadentis Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1068. **Coleophora arens Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: arens Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1069. **Coleophora argenteonivea Walsingham,1907** (Coleophoridae) Synonymy: argenteonivea Walsingham,1907; nivea Toll,1952 Range (as code): **DZ MA PT ES FR Sa IT**
1070. **Coleophora asthenella Constant,1893** (Coleophoridae) Synonymy: asthenella Constant,1893 Range (as code): **DZ Bsk TN Gf ES FR Sa Si IT TR 33**
1071. **Coleophora atlanticolella Zerny,1935** (Coleophoridae) Synonymy: atlanticolella Zerny,1935 Range (as code): **MA**
1072. **Coleophora aularia Meyrick,1924** (Coleophoridae) Synonymy: aularia Meyrick,1924; haplopennella Toll,1956 Range (as code): **SA EG EG07**
1073. **Coleophora austrina Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: austrina Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1074. **Coleophora bantuella Baldizzone & Wolf,2005** (Coleophoridae) Synonymy: bantuella Baldizzone & Wolf,2005 Range (as code): **ZR**
1075. **Coleophora basimaculella Mann,1864** (Coleophoridae) Synonymy: basimaculella Mann,1864 Range (as code): **GR Rd TR LB Ghz EG 09 16**
1076. **Coleophora beduina Baldizzone,1987** (Coleophoridae) Synonymy: beduina Baldizzone,1987 Range (as code): **DZ Bsk LY TN EG IR Hz B-A**
1077. **Coleophora berbera Baldizzone,1998** (Coleophoridae) Synonymy: berbera Baldizzone,1998 Range (as code): **TN ES**

1078. **Coleophora berlandella Toll,1956** (Coleophoridae) Synonymy: berlandella Toll,1956 Range (as code): **MA DZ TN LY Cy ES TR**
1079. **Coleophora bilineella Herrich-Schäffer,1855** (Coleophoridae) Synonymy: bilineella Herrich-Schäffer,1855; argentilimbella Millière,1875; zonatella Toll,1960 Range (as code): **PT ES FR Co Sa IT AT HU RO GR Cr TR CY LY 38**
1080. **Coleophora biseriatella Staudinger,1859** (Coleophoridae) Synonymy: biseriatella Staudinger,1859 Range (as code): **MA ES**
1081. **Coleophora brandbergella Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: brandbergella Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1082. **Coleophora calandrella Baldizzone,1982** (Coleophoridae) Synonymy: calandrella Baldizzone,1982 Range (as code): **MA**
1083. **Coleophora calycotomella Stainton,1869** (Coleophoridae) Synonymy: calycotomella Stainton,1869; sarothamni Rössler,1877; oranella Toll,1952; afra Toll,1952; paraobviella Toll,1961 Range (as code): **MA LY DZ PT ES FR Sa Si BE IT MT NL DE YU AL GR Cr TR SY Dms LB Bei Say 01 27 33**
1084. **Coleophora capricornis Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: capricornis Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1085. **Coleophora chamaedriella Bruand,1852** (Coleophoridae) Synonymy: chamaedriella Bruand,1852; setipalpella Staudinger,1879. Range (as code): **MA ES FR Sa IT BE CH AT PL CZ SK HU RO YU AL GR TR IQ Mos 05**
1086. **Coleophora chretienella Oudejans,1971** (Coleophoridae) Synonymy: bipunctella Chrét.,1915 nec Walsh.,1882; chretienella Oudejans,1971 Range (as code): **DZ TN Gf**
1087. **Coleophora colutella (Fabricius,1794)** (Coleophoridae) Synonymy: colutella Fabricius,1794, serenella Duponchel,1843; crocinella Tengström,1848; stanoiuii Nemeş,2004 Range (as code): **TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU GR TR Cc AM Eri DK NO SE FI EE LV LT RU MD UA BY IR Gls 06**
1088. **Coleophora congeriella Staudinger,1859** (Coleophoridae) Synonymy: congeriella Staudinger,1859; suboriolella Toll,1944 Range (as code): **LY ES An Grn FR IT AT CZ SK HU BG GR TR 55**
1089. **Coleophora crepidinella Zeller,1847** (Coleophoridae) Synonymy: crepidinella Zeller,1847 Range (as code): **DZ TN PT ES Sa Si IT MT GR TR IL Pa 06**
1090. **Coleophora crexella Baldizzone,1987** (Coleophoridae) Synonymy: crexella Baldizzone,1987 Range (as code): **DZ Bsk LY TN**
1091. **Coleophora crossanthes Meyrick,1938** (Coleophoridae) Synonymy: crossanthes Meyrick,1938 Range (as code): **ZR**
1092. **Coleophora cycnea Baldizzone,1995** (Coleophoridae) Synonymy: cycnea Baldizzone,1995 Range (as code): **MA**
1093. **Coleophora cyrniella Rebel,1926** (Coleophoridae) Synonymy: cyrniella Rebel,1926; dylineella Amsel,1935; simulatella Baldizzone,1979 Range (as code): **ES FR Co Sa IT IL Pa LY SA**
1094. **Coleophora cytisivora Baldizzone,1995** (Coleophoridae) Synonymy: cytisivora Baldizzone,1995 Range (as code): **MA**
1095. **Coleophora damarella Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: damarella Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1096. **Coleophora deviella Zeller,1847** (Coleophoridae) Synonymy: deviella Zeller,1847; leucophaeella Caradja,1920; suaedivora Meyrick,1928 Range (as code): **TN ES FR Sa Si IT GB BE NL DE BG GR DK RU RO**
1097. **Coleophora diffusa Meyrick,1913** (Coleophoridae) Synonymy: diffusa Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
1098. **Coleophora diffusa Meyrick,1913** (Coleophoridae) Synonymy: diffusa Meyrick,1913 Range (as code): **ZA**
1099. **Coleophora discopunctata Baldizzone & Wolf,2005** (Coleophoridae) Synonymy: discopunctata Baldizzone & Wolf,2005 Range (as code): **ZR**
1100. **Coleophora discordella Zeller,1849** (Coleophoridae) Synonymy: discordella Zeller,1849; dorycniella Hartig,1939 Range (as code): **MA PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU GR TR DK NO SE FI EE LV RU MD UA BY 06**
1101. **Coleophora echinopsilonella Chrétien,1915** (Coleophoridae) Synonymy: echinopsilonella Chrétien,1915; icarella Toll,1957 Range (as code): **MA DZ TN Gf LY**
1102. **Coleophora efflua Meyrick,1911** (Coleophoridae) Synonymy: efflua Meyrick,1911 Range (as code): **ZA Tva Wo**
1103. **Coleophora eilatica Baldizzone,1994** (Coleophoridae) Synonymy: eilatica Baldizzone,1994 Range (as code): **MA IR Es IL Pa AE**

1104. **Coleophora elegans Baldizzone & Wolf,2015** (Coleophoridae) Synonymy: elegans Baldizzone & Wolf,2015 Range (as code): **ZA**
1105. **Coleophora enchitis Meyrick,1920** (Coleophoridae) Synonymy: enchitis Meyrick,1920 Range (as code): **KE**
1106. **Coleophora epiphanopa Meyrick,1937** (Coleophoridae) Synonymy: epiphanopa Meyrick,1937 Range (as code): **ZR**
1107. **Coleophora eremodes Meyrick,1912** (Coleophoridae) Synonymy: eremodes Meyrick,1912 Range (as code): **ZA**
1108. **Coleophora etoshae Baldizzone & Wolf,2011** (Coleophoridae) Synonymy: etoshae Baldizzone & Wolf,2011 Range (as code): **NA**
1109. **Coleophora eupreta Walsingham,1907** (Coleophoridae) Synonymy: eupreta Walsingham,1907; nageli Rebel,1910; circumdatella Turati,1934; argentariella Klimesch,1952; africana Toll,1957; gozmanyi Toll,1960; betica Glaser,1981 Range (as code): **DZ Bsk TN Gf LY PT ES FR IT AT YU TR IR Fa Hz B-A 58**
1110. **Coleophora euryaula Meyrick,1925** (Coleophoridae) Synonymy: euryaula Meyrick,1925 Range (as code): **EG**
1111. **Coleophora flaviella Mann,1857** (Coleophoridae) Synonymy: flaviella Mann,1857; infibulatella Hofmann,1874 Range (as code): **LY PT ES FR Si IT DE AT CZ SK HU YU GR RO TR IR Elb Th 06 29**
1112. **Coleophora fragilella Baldizzone & Wolf,2005** (Coleophoridae) Synonymy: fragilella Baldizzone & Wolf,2005 Range (as code): **ZR**
1113. **Coleophora fretella Zeller,1847** (Coleophoridae) Synonymy: fretella Zeller,1847; pabulella Zeller,1847; marianii Toll,1942; gilveolella Toll,1954 Range (as code): **DZ TN ES Si AT IT GR TR 09 16 35**
1114. **Coleophora frischella (Linnaeus,1758)** (Coleophoridae) Synonymy: frischella Linnaeus,1758; dannehli Toll,1952; auronitella Toll,1962 Range (as code): **MA ES FR IT IE GB BE LU DE CH AT CZ SK HU GR TR IL AF Slg DK NO SE FI EE LV LT RU RO KG Uk 05 35 44 46**
1115. **Coleophora frivolella Baldizzone & Wolf,2005** (Coleophoridae) Synonymy: frivolella Baldizzone & Wolf,2005 Range (as code): **ZR**
1116. **Coleophora fulvociliella Chrétien,1915** (Coleophoridae) Synonymy: fulvociliella Chrétien,1915; argentulella Turati,1924 Range (as code): **DZ Bsk LY**
1117. **Coleophora fuscicornis Zeller,1847** (Coleophoridae) Synonymy: fuscicornis Zeller,1847 Range (as code): **MA LY PT ES FR IT Sa Si GB HU YU GR Cr TR LB SY IL Pa IR 09 42 77**
1118. **Coleophora fuscinervella Toll,1956** (Coleophoridae) Synonymy: fuscinervella Toll,1956 Range (as code): **TN IR**
1119. **Coleophora fuscoaenea Toll,1952** (Coleophoridae) Synonymy: fuscoaenea Toll,1952 Range (as code): **MA TN EG IL Pa**
1120. **Coleophora fuscopictella Toll,1957** (Coleophoridae) Synonymy: fuscopictella Toll,1957 Range (as code): **DZ TN**
1121. **Coleophora gielisi Baldizzone,1985** (Coleophoridae) Synonymy: gielisi Baldizzone,1985 Range (as code): **MA ES**
1122. **Coleophora gracilella Toll,1952** (Coleophoridae) Synonymy: gracilella Toll,1952 Range (as code): **DZ Bsk TN Gab**
1123. **Coleophora guttiferella Toll,1960** (Coleophoridae) Synonymy: guttiferella Toll,1960 Range (as code): **LY**
1124. **Coleophora gymnocarpella Walsingham,1907** (Coleophoridae) Synonymy: gymnocarpella Walsingham,1907 Range (as code): **MA DZ Bsk Hes TN Gf IR Hz B-A AE**
1125. **Coleophora gypsella Baldizzone,1982** (Coleophoridae) Synonymy: gypsella Baldizzone,1982 Range (as code): **MA**
1126. **Coleophora hadrocerella Toll,1952** (Coleophoridae) Synonymy: hadrocerella Toll,1952 Range (as code): **LY TN MA DZ**
1127. **Coleophora halmodes Meyrick,1911** (Coleophoridae) Synonymy: halmodes Meyrick,1911 Range (as code): **ZA Gau Pre Tva**
1128. **Coleophora halmodes Meyrick,1911** (Coleophoridae) Synonymy: halmodes Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
1129. **Coleophora haloxylonella Chrétien,1915** (Coleophoridae) Synonymy: haloxylonella Chrétien,1915 Range (as code): **MA DZ Bsk TN Gf LY**
1130. **Coleophora helianthemella Millière,1870** (Coleophoridae) Synonymy: helianthemella Millière,1870 Range (as code): **DZ LY PT ES FR Sa Si IT GR Cr TR CY LY 63**

1131. **Coleophora hieronella Zeller,1849** (Coleophoridae) Synonymy: hieronella Zeller,1849 Range (as code): **DZ MA TN PT ES Sa Si IT HU YU GR Cr TR IR Mz Clu LB Ghz SY Dms 06 16 41 55**
1132. **Coleophora hinnula Baldizzone,1995** (Coleophoridae) Synonymy: hinnula Baldizzone,1995 Range (as code): **MA**
1133. **Coleophora hippodromica Walsingham,1907** (Coleophoridae) Synonymy: hippodromica Walsingham,1907 Range (as code): **DZ Bsk Hes TN LY**
1134. **Coleophora hololeucella Toll,1952** (Coleophoridae) Synonymy: hololeucella Toll,1952 Range (as code): **DZ TN EG**
1135. **Coleophora hospitiella Chrétien,1915** (Coleophoridae) Synonymy: hospitiella Chrétien,1915; fuscostraminella Toll,1956; richteri Toll,1959 Range (as code): **Cn DZ Bsk LY TN Gf SA IR Kz Elb Th AF Kab Pag UZ**
1136. **Coleophora hystricella Toll,1957** (Coleophoridae) Synonymy: hystricella Toll,1957 Range (as code): **DZ TN TR 06**
1137. **Coleophora illustrata Meyrick,1913** (Coleophoridae) Synonymy: illustrata Meyrick,1913 Range (as code): **ZA Gau Tva Pre**
1138. **Coleophora infolliculella Chrétien,1915** (Coleophoridae) Synonymy: infolliculella Chrétien,1915; espunaella Glaser,1978 Range (as code): **ES DZ Bsk ES Mu TN Gf**
1139. **Coleophora intensa Meyrick,1913** (Coleophoridae) Synonymy: intensa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst**
1140. **Coleophora internitens Baldizzone & Wolf,1999** (Coleophoridae) Synonymy: internitens Baldizzone & Wolf,1999 Range (as code): **PT ES TN**
1141. **Coleophora involucrella Chrétien,1905** (Coleophoridae) Synonymy: involucrella Chrétien,1905; praeposita Toll,1952 Range (as code): **Cn PT ES FR MA**
1142. **Coleophora islamella Toll,1960** (Coleophoridae) Synonymy: islamella Toll,1960 Range (as code): **LY**
1143. **Coleophora isomoera (Falkovitsh,1972)** (Coleophoridae) Synonymy: isomoera Falkovitsh,1972 Range (as code): **MA ES TR UZ MN Ui 03 11 32 35 42 50**
1144. **Coleophora jefreniensis Toll,1954** (Coleophoridae) Synonymy: incanella Toll,1952 (preocc.); jefreniensis Toll,1954; percanella Oudejans,1971 Range (as code): **LY**
1145. **Coleophora jurateella Bandizzone & Wolf,2011** (Coleophoridae) Synonymy: jurateella Bandizzone & Wolf,2011 Range (as code): **NA**
1146. **Coleophora karischella Baldizzone & Wolf,2011** (Coleophoridae) Synonymy: karischella Baldizzone & Wolf,2011 Range (as code): **NA**
1147. **Coleophora karsholti Baldizzone,1987** (Coleophoridae) Synonymy: karsholti Baldizzone,1987 Range (as code): **LY**
1148. **Coleophora katangica Baldizzone & Wolf,2005** (Coleophoridae) Synonymy: katangica Baldizzone & Wolf,2005 Range (as code): **ZR**
1149. **Coleophora kenyanensis Baldizzone & Wolf,2015** (Coleophoridae) Synonymy: kenyanensis Baldizzone & Wolf,2015 Range (as code): **KE**
1150. **Coleophora kruegeri Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: kruegeri Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1151. **Coleophora kruegeri Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: kruegeri Baldizzone & Wolf,2004 Range (as code): **NA**
1152. **Coleophora lasloella Baldizzone,1982** (Coleophoridae) Synonymy: lasloella Baldizzone,1982 Range (as code): **DZ Bsk TN SA SA63 IR Hz B-A AE**
1153. **Coleophora lassella Staudinger,1859** (Coleophoridae) Synonymy: lassella Staudinger,1859; teidensis Walsingham,1908; gotlandica Benander,1939; telavivella Toll,1942 Range (as code): **Cn MA PT ES FR Co Sa Si IT IE GB BE NL DE PL GR TR CY IL DK NO SE FI LV RU MD UA BY RO 01 12 33 41**
1154. **Coleophora leucaula Meyrick,1911** (Coleophoridae) Synonymy: leucaula Meyrick,1911 Range (as code): **ZA Tva Wo**
1155. **Coleophora leucopodella Turati,1930** (Coleophoridae) Synonymy: leucopodella Turati,1930 Range (as code): **LY**
1156. **Coleophora linoplecta Meyrick,1924** (Coleophoridae) Synonymy: linoplecta Meyrick,1924 Range (as code): **EG CY**
1157. **Coleophora liriophorella Baldizzone,1982** (Coleophoridae) Synonymy: #linifoliella Toll,1962; liriophorella Baldizzone,1982 Range (as code): **MA**
1158. **Coleophora luteolella Staudinger,1880** (Coleophoridae) Synonymy: luteolella Staudinger,1880; mendosella Toll,1960 Range (as code): **MA PT ES FR Sa Si IT MT GR Cr AM Di Cc TR IR Mz Clu Gls AF Kab Pag CY 01 05 06 11 34 41 42 50 70**

1159. **Coleophora maghrebina Baldizzone,1982** (Coleophoridae) Synonymy: maghrebina Baldizzone,1982 Range (as code): **MA**
1160. **Coleophora maritimella Newman,1863** (Coleophoridae) Synonymy: maritimella Newman,1863; obtusella Stainton,1874 Range (as code): **TN ES FR Sa Si IT IE GB NL YU AL BG GR Cr CY IR Hz B-A DK**
1161. **Coleophora maroccana Baldizzone,1995** (Coleophoridae) Synonymy: maroccana Baldizzone,1995 Range (as code): **MA**
1162. **Coleophora mausolella Chrétien,1908** (Coleophoridae) Synonymy: mausolella Chrétien,1908; thermoleuca Meyrick,1922; palaestinella Toll,1942 Range (as code): **MA DZ LY Cy PT ES Co Si IT GR TR CY IL Pa AE**
1163. **Coleophora mediterranea Baldizzone,1990** (Coleophoridae) Synonymy: mediterranea Baldizzone,1990 Range (as code): **ES Sa Si TN**
1164. **Coleophora megaloptila Meyrick,1909** (Coleophoridae) Synonymy: megaloptila Meyrick,1909 Range (as code): **ZA**
1165. **Coleophora meyi Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: meyi Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1166. **Coleophora microalbella Amsel,1935** (Coleophoridae) Synonymy: microalbella Amsel,1935; sabulella Toll,1952 Range (as code): **Cn DZ TN ES DZ TN IL Pa SY Dms**
1167. **Coleophora micromeriae Walsingham,[1908]** (Coleophoridae) Synonymy: micromeriae Walsingham,[1908] Range (as code): **Cn**
1168. **Coleophora micronotella Toll,1956** (Coleophoridae) Synonymy: micronotella Toll,1956 Range (as code): **DZ TN ES Sa Si IT IR Elb Th Hz B-A**
1169. **Coleophora mirabibella Baldizzone,1983** (Coleophoridae) Synonymy: mirabibella Baldizzone,1983 Range (as code): **NA**
1170. **Coleophora molesta Meyrick,1921** (Coleophoridae) Synonymy: molesta Meyrick,1921 Range (as code): **ZW**
1171. **Coleophora molesta Meyrick,1921** (Coleophoridae) Synonymy: molesta Meyrick,1921 Range (as code): **ZW Uma**
1172. **Coleophora monticola Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: monticola Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1173. **Coleophora namella Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: namella Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1174. **Coleophora namibiae Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: namibiae Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1175. **Coleophora niphocrossa Meyrick,1920** (Coleophoridae) Synonymy: niphocrossa Meyrick,1920 Range (as code): **ZA Wca Cto**
1176. **Coleophora niveicostella Zeller,1839** (Coleophoridae) Synonymy: niveicostella Zeller,1839; longicostella Stainton,1867 Range (as code): **TN Gf ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Cc LB Bro IL Pa DK SE LV 55**
1177. **Coleophora nurmahal Toll,1957** (Coleophoridae) Synonymy: nurmahal Toll,1957 Range (as code): **SA LY DZ TN IR Hz B-A IL Pa AE**
1178. **Coleophora ordinaria Meyrick,1913** (Coleophoridae) Synonymy: ordinaria Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
1179. **Coleophora orotavensis Rebel,1896** (Coleophoridae) Synonymy: orotavensis Rebel,1896 Range (as code): **Cn**
1180. **Coleophora orphnoceros Meyrick,1937** (Coleophoridae) Synonymy: orphnoceros Meyrick,1937 Range (as code): **ZA**
1181. **Coleophora oxyphaea Meyrick,1913** (Coleophoridae) Synonymy: oxyphaea Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1182. **Coleophora parthenica Meyrick,1891** (Coleophoridae) Synonymy: parthenica Meyrick,1891; cygnipennella Toll,1959; candidella Toll,1959; transcaspica Toll,1959; lashkarella Toll & Amsel,1967; hilmendella Amsel,1968. Range (as code): **MA DZ Bsk TN Gf RO GR Cr TR LB JO IR Kh Elb Th Msh Hz B-A Fa Es IQ Bgd CY PK Sd Krc RU 06 33 42**
1183. **Coleophora pauperculella Toll,1956** (Coleophoridae) Synonymy: pauperculella Toll,1956 Range (as code): **TN IR Hz B-A**
1184. **Coleophora pennella ([Denis & Schiffermüller],1775)** (Coleophoridae) Synonymy: pennella [Denis & Schiffermüller],1775; borowskiella Goeze,1783; mucosa Fourcroy,1785; mucosella De Villers,1789; onosmella Brahm,1791; struthionipennella Hübner,1796; cornuum Vallot,1818; hispanicella Möschler,1866; diffinis Staudinger,1880; nervosella Müller-Rutz,1927; flavilineella Toll,1952; gogovi Capuse,1971 Range (as code): **MA PT**

ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG Cr TR Cc IR Gor DK SE LV LT RU MD UA BY 05 06 16 29 33 46 50 58

1185. **Coleophora plurifoliella Chrétien,1896** (Coleophoridae) Synonymy: plurifoliella Chrétien,1896 Range (as code): **DZ Bsk TN Gf**

1186. **Coleophora poecilella Walsingham,1907** (Coleophoridae) Synonymy: poecilella Walsingham,1907 Range (as code): **DZ Bsk Hes TN IR Hz B-A JO**

1187. **Coleophora praecipua Walsingham,1907** (Coleophoridae) Synonymy: praecipua Walsingham,1907 Range (as code): **DZ Bsk Hes TN Gf LY SA IR Ke Hz B-A IQ**

1188. **Coleophora presbytica Meyrick,1921** (Coleophoridae) Synonymy: presbytica Meyrick,1921 Range (as code): **ZA Tva Gau Pre**

1189. **Coleophora protecta Walsingham,1907** (Coleophoridae) Synonymy: protecta Walsingham,1907 Range (as code): **TM LB TN Gf DZ Bsk Hes Ktr MA IR Elb Th Ke Fa IQ TR 61**

1190. **Coleophora pseudofuscoaenea Stübner,2007** (Coleophoridae) Synonymy: pseudofuscoaenea Stübner,2007 Range (as code): **TN Dhm**

1191. **Coleophora punica Baldizzone,1985** (Coleophoridae) Synonymy: punica Baldizzone,1985 Range (as code): **ES TN DZ Bsk**

1192. **Coleophora purifica Meyrick,1921** (Coleophoridae) Synonymy: purifica Meyrick,1921 Range (as code): **ZW Hfo Ema**

1193. **Coleophora quadristraminella Toll,1961** (Coleophoridae) Synonymy: quadristraminella Toll,1961; pontica Reznik,1984 Range (as code): **FR IT MK HV YU GR TR EG Cc AM UA Cm 42 ?65**

1194. **Coleophora reisseri Rebel,1926** (Coleophoridae) Synonymy: reisseri Rebel,1926 Range (as code): **FR ES DZ TN LY TR**

1195. **Coleophora rhanteriella Chrétien,1915** (Coleophoridae) Synonymy: rhanteriella Chrétien,1915; excellens Toll,1952; semistriatella Toll,1962; subexcellens Toll,1962 Range (as code): **LY TN DZ Bsk**

1196. **Coleophora romieuxi Baldizzone & Wolf,2005** (Coleophoridae) Synonymy: romieuxi Baldizzone & Wolf,2005 Range (as code): **ZR**

1197. **Coleophora salicorniae Heinemann & Wocke,1877** (Coleophoridae) Synonymy: salicorniae Heinemann & Wocke,1877; cypriacella Rebel,1928. Range (as code): **Cn PT ES FR Sa Si IT GB BE NL AT HU RO YU GR TR TM IR Fa Shr CY EG DK SE FI RU MD UA BY Ui UZ 01 06**

1198. **Coleophora salviella Chrétien,1917** (Coleophoridae) Synonymy: salviella Chrétien,1917; pagmana Toll,1962; gomerella Falkovitish,1978 Range (as code): **Cn DZ AF Kab Sfk TM PK Qu**

1199. **Coleophora sanella Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: sanella Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**

1200. **Coleophora sarehma Toll,1956** (Coleophoridae) Synonymy: sarehma Toll,1956; exasperatella Toll,1957; #sarhema Baldizzone,1982 Range (as code): **Cn DZ MA TN TR IR Hz B-A SA 33**

1201. **Coleophora satellitella Toll,1960** (Coleophoridae) Synonymy: satellitella Toll,1960 Range (as code): **LY**

1202. **Coleophora scaleuta Meyrick,1911** (Coleophoridae) Synonymy: scaleuta Meyrick,1911 Range (as code): **ZA Nta Kzu Dbn Tva Gau Pre**

1203. **Coleophora scariphota Meyrick,1911** (Coleophoridae) Synonymy: scariphota Meyrick,1911 Range (as code): **ZA Lpo Tva Hae**

1204. **Coleophora serinipennella Christoph,1872** (Coleophoridae) Synonymy: serinipennella Christoph,1872; stefanii Joannis,1899; novella Chrétien,1926; caliacraella Caradja,1931; lucidella Caradja,1932; jerichoella Amsel,1935; jordanella Amsel,1935; deserticola Toll,1944; soffneri Toll,1944. Range (as code): **DZ Bsk Gf TN LY Cy PT ES FR Si IT RO BG GR JO IL Pa EG RU MD UA BY JP**

1205. **Coleophora solidaginella Staudinger,1859** (Coleophoridae) Synonymy: solidaginella Staudinger,1859 Range (as code): **MA DZ TN PT ES**

1206. **Coleophora sudanella Rebel,1916** (Coleophoridae) Synonymy: sudanella Rebel,1916 Range (as code): **AE SA SD SD95**

1207. **Coleophora terenaula Meyrick,1927** (Coleophoridae) Synonymy: terenaula Meyrick,1927 Range (as code): **ZA**

1208. **Coleophora textoria Meyrick,1921** (Coleophoridae) Synonymy: textoria Meyrick,1921 Range (as code): **ZA Tva Gau Pre**

1209. **Coleophora traganella Chrétien,1915** (Coleophoridae) Synonymy: traganella Chrétien,1915 Range (as code): **DZ TN Bsk Gf EG**

1210. **Coleophora triflua Meyrick,1911** (Coleophoridae) Synonymy: triflua Meyrick,1911 Range (as code): **ZA Tva Gau Pre**

1211. **Coleophora tripolitana Toll,1960** (Coleophoridae) Synonymy: tripolitana Toll,1960 Range (as code): **LY Cy**
1212. **Coleophora tunisiae Stübner & Baldizzone,2007** (Coleophoridae) Synonymy: tunisiae Stübner & Baldizzone,2007 Range (as code): **TN Dhm DZ Ahr**
1213. **Coleophora ugabensis Baldizzone & Wolf,2004** (Coleophoridae) Synonymy: ugabensis Baldizzone & Wolf,2004 Range (as code): **NA Dmr Bnd**
1214. **Coleophora versurella Zeller,1849** (Coleophoridae) Synonymy: versurella Zeller,1849; tardipennella Zeller,1849; miserella Staudinger,1880; agricolella Fuchs,1886; atlanticella Rebel,1896; enchorda Meyrick,1931; pallorella Benander,1939; thalassella McDunnough,1940; constanti Hering,1942; pisella Amsel,1953; saccharella Amsel,1953; amaranthivora Oku,1965 Range (as code): **AE LY MA PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL IR Hz B-A Elb Th AF Kab IN Bi Pus NZ CA US AR CL DK NO SE FI EE LV LT RU Cc AM MD UA BY 07 33**
1215. **Coleophora viettella Toll,1942** (Coleophoridae) Synonymy: viettella Toll,1942; arabica Amsel,1958 Range (as code): **AE TN SA**
1216. **Coleophora zernyi Toll,1944** (Coleophoridae) Synonymy: zernyi Toll,1944 Range (as code): **MA ES Co Sa IQ Hjo Ry IR Fa LB Bei Bsa SY Dms CY**
1217. **Enscepastra longirostris Meyrick,1926** (Coleophoridae) Synonymy: longirostris Meyrick,1926 Range (as code): **ZA**
1218. **Enscepastra plagiopa Meyrick,1920** (Coleophoridae) Synonymy: plagiopa Meyrick,1920 Range (as code): **ZA Wca Tmo**
1219. **Goniodoma millierella Ragonot,1882** (Coleophoridae) Synonymy: millierella Ragonot,1882 Range (as code): **TN Gf FR IT**
1220. **Iriothyrsa melanogma Meyrick,1908** (Coleophoridae) Synonymy: melanogma Meyrick,1908 Range (as code): **ZA Tva Lpo Pie Nta Kzu ZW**
1221. **Ischnophanes canariella Baldizzone,1984** (Coleophoridae) Synonymy: canariella Baldizzone,1984 Range (as code): **Cn**
1222. **Ischnophanes monocentra Meyrick,1891** (Coleophoridae) Synonymy: monocentra Meyrick,1891 Range (as code): **DZ TN**
1223. **Ischnopsis angustella Walsingham,1881** (Coleophoridae) Synonymy: angustella Walsingham,1881 Range (as code): **ZA**
1224. **Porotica astragalis Meyrick,1913** (Coleophoridae) Synonymy: astragalis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1225. **Sandaloeca lathraea Meyrick,1920** (Coleophoridae) Synonymy: lathraea Meyrick,1920 Range (as code): **ZA Wca Cld**

Copromorphidae

1226. **Copromorpha aeruginea Meyrick,1917** (Copromorphidae) Synonymy: aeruginea Meyrick,1917 Range (as code): **ZA**
1227. **Sisyroxena syncentra Meyrick,1916** (Copromorphidae) Synonymy: syncentra Meyrick,1916 Range (as code): **ZA**

Cosmopterigidae

1228. **Alloclita brachygrapta Meyrick,1925** (Cosmopterigidae) Synonymy: brachygrapta Meyrick,1925 Range (as code): **EG Sn**
1229. **Alloclita delozona Meyrick,1919** (Cosmopterigidae) Synonymy: delozona Meyrick,1919 Range (as code): **EG IN SA OM**
1230. **Alloclita francoeuriae Walsingham,1905** (Cosmopterigidae) Synonymy: francoeuriae Walsingham,1905 Range (as code): **DZ Bsk Hes MA TN Gf**
1231. **Alloclita gambiella (Walsingham,1891)** (Cosmopterigidae) Synonymy: gambiella Walsingham,1891 Range (as code): **GM SA**
1232. **Alloclita paraphracta (Meyrick,1914)** (Cosmopterigidae) Synonymy: paraphracta Meyrick,1914 Range (as code): **ZA**
1233. **Alloclita plumbaria (Meyrick,1921)** (Cosmopterigidae) Synonymy: plumbaria Meyrick,1921 Range (as code): **ZW**

1234. **Alloclita xylodesma Meyrick,1911** (Cosmopterigidae) Synonymy: xylodesma Meyrick,1911 Range (as code): **ZA Wb**
1235. **Alloclita zelotypa (Meyrick,1918)** (Cosmopterigidae) Synonymy: zelotypa Meyrick,1918 Range (as code): **MZ Blv**
1236. **Allotalanta clonomicta Meyrick,1927** (Cosmopterigidae) Synonymy: clonomicta Meyrick,1927 Range (as code): **ZA Nta Kzu**
1237. **Allotalanta ochrotoma Meyrick,1930** (Cosmopterigidae) Synonymy: ochrotoma Meyrick,1930 Range (as code): **CM**
1238. **Allotalanta tephroclystis Meyrick,1930** (Cosmopterigidae) Synonymy: tephroclystis Meyrick,1930 Range (as code): **CM**
1239. **Anatrachyntis badia (Hodges,1962)** (Cosmopterigidae) Synonymy: badia Hodges,1962 Range (as code): **ES Cn FR US NL PL GB IT Si GR TR**
1240. **Anatrachyntis bicincta (Ghesquière,1940)** (Cosmopterigidae) Synonymy: bicincta Ghesquière,1940 Range (as code): **ZR**
1241. **Anatrachyntis carpophila (Ghesquière,1940)** (Cosmopterigidae) Synonymy: carpophila Ghesquière,1940 Range (as code): **ZR**
1242. **Anatrachyntis cecidicida (Ghesquière,1940)** (Cosmopterigidae) Synonymy: cecidicida Ghesquière,1940 Range (as code): **ZR**
1243. **Anatrachyntis coridophaga (Meyrick,1925)** (Cosmopterigidae) Synonymy: coridophaga Meyrick,1925; pygmaella Turati,1927 Range (as code): **EG LY**
1244. **Anatrachyntis coridophaga (Meyrick,1925)** (Cosmopterigidae) Synonymy: choridophaga Meyrick,1925 Range (as code): **EG EG11**
1245. **Anatrachyntis gymnocentra (Meyrick,1937)** (Cosmopterigidae) Synonymy: gymnocentra Meyrick,1937 Range (as code): **ZR**
1246. **Anatrachyntis holotherma (Meyrick,1936)** (Cosmopterigidae) Synonymy: holoterma Meyrick,1936 Range (as code): **ZR**
1247. **Anatrachyntis orphnographa (Meyrick,1936)** (Cosmopterigidae) Synonymy: orphnographa Meyrick,1936 Range (as code): **ZR**
1248. **Anatrachyntis palmicola (Ghesquière,1940)** (Cosmopterigidae) Synonymy: palmicola Ghesquière,1940 Range (as code): **ZR**
1249. **Anatrachyntis philogeorga (Meyrick,1933)** (Cosmopterigidae) Synonymy: philogeorga Meyrick,1933 Range (as code): **TZ**
1250. **Anatrachyntis rileyi (Walsingham,1882)** (Cosmopterigidae) Synonymy: rileyi Walsingham,1882; stigmatophora Walsingham,1882 Range (as code): **Cn FR TH US Hw AU PH ID IN ZA IQ AF TR**
1251. **Anatrachyntis risbeci (Ghesquière,1940)** (Cosmopterigidae) Synonymy: risbeci Ghesquière,1940 Range (as code): **SN**
1252. **Anatrachyntis simplex (Walsingham,1891)** (Cosmopterigidae) Synonymy: simplex Walsingham,1891; gossypiella Walsingham,1906; hemizopha Meyrick,1916; repandatella Legrand,1965; flexiloquella Riedl,1994 Range (as code): **MA ES PT EG GB MW SC SN KE CY GM IN MM ID Ja TW MU PH Luz Mno**
1253. **Ascalenia acaciella Chrétien,1915** (Cosmopterigidae) Synonymy: acaciella Chrétien,1915; tergipunctella Turati,1924; maculatella Lucas,1937 nec Chrétien,1915; noviciata Gozmany,1960. Range (as code): **Cn DZ Bsk TN LY Cy IR Hz B-A AF Kab PK Bl Qu LB Bei EG**
1254. **Ascalenia albitergis Meyrick,1926** (Cosmopterigidae) Synonymy: albitergis Meyrick,1926 Range (as code): **ZA**
1255. **Ascalenia antiqua Meyrick,1925** (Cosmopterigidae) Synonymy: antiqua Meyrick,1925 Range (as code): **EG EG11 IL Pa JO**
1256. **Ascalenia beieri Kasy,1968** (Cosmopterigidae) Synonymy: beieri Kasy,1968 Range (as code): **SD SD91**
1257. **Ascalenia bifasciella Chrétien,1915** (Cosmopterigidae) Synonymy: bifasciella Chrétien,1915; bizonatella Turati,1930 Range (as code): **DZ Bsk EG**
1258. **Ascalenia callynella Kasy,1968** (Cosmopterigidae) Synonymy: callynella Kasy,1968 Range (as code): **EG EG11 IR Hz B-A AE SD SD91 IL Pa PK Lh**
1259. **Ascalenia cardinata (Meyrick,1918)** (Cosmopterigidae) Synonymy: cardinata Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
1260. **Ascalenia conformata Meyrick,1921** (Cosmopterigidae) Synonymy: conformata Meyrick,1921 Range (as code): **ZA Nta Kzu Dbn**

1261. **Ascalenia echidnias (Meyrick,1891)** (Cosmopterigidae) Synonymy: echidnias Meyrick,1891; signatella Chrétien,1915; oranella Lucas,1939; satellita Gozmany,1960. Range (as code): **Md DZ Bsk Agi Gf TN TR B-A EG SA SA63 IR Ss Hz AF Hr Ca PK Bl Qu IN Bba**
1262. **Ascalenia melanogastra (Meyrick,1918)** (Cosmopterigidae) Synonymy: melanogastra Meyrick,1918 Range (as code): **ZA Nta Kzu Nkw**
1263. **Ascalenia nudicornis (Meyrick,1913)** (Cosmopterigidae) Synonymy: nudicornis Meyrick,1913 Range (as code): **ZA Tva Gau Pre Mpu Brb Tst**
1264. **Ascalenia pachnodes (Meyrick,1917)** (Cosmopterigidae) Synonymy: pachnodes Meyrick,1917 Range (as code): **IR Hz B-A IN Ben SD SD91**
1265. **Ascalenia phaneracma Meyrick,1921** (Cosmopterigidae) Synonymy: phaneracma Meyrick,1921 Range (as code): **ZW Har Uma**
1266. **Ascalenia pulverata Meyrick,1913** (Cosmopterigidae) Synonymy: pulverata Meyrick,1913 Range (as code): **ZA Tva Mpu Wv Brb Tst**
1267. **Ascalenia sclerodes (Meyrick,1909)** (Cosmopterigidae) Synonymy: sclerodes Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
1268. **Ascalenia secretifera Meyrick,1932** (Cosmopterigidae) Synonymy: secretifera Meyrick,1932 Range (as code): **ET ET70 Sw**
1269. **Ascalenia stagnans Meyrick,1921** (Cosmopterigidae) Synonymy: stagnans Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
1270. **Ascalenia staurocentra (Meyrick,1915)** (Cosmopterigidae) Synonymy: staurocentra Meyrick,1915 Range (as code): **ZA**
1271. **Ascalenia vanella (Frey,1860)** (Cosmopterigidae) Synonymy: vanella Frey,1860; seeboldiella Ragonot,1882. Range (as code): **Cn ES FR Si DE CH AT SK HU GR Cr TR RU MD UA BY 23 29**
1272. **Axiarcha disconema Meyrick,1921** (Cosmopterigidae) Synonymy: disconema Meyrick,1921 Range (as code): **ZA**
1273. **Calanesia karsholti Sinev,1990** (Cosmopterigidae) Synonymy: karsholti Sinev,1990 Range (as code): **TN**
1274. **Calycobathra acarpa Meyrick,1891** (Cosmopterigidae) Synonymy: acarpa Meyrick,1891; pinguescentella Chrétien,1915; sublineatella Lucas,1933 Range (as code): **DZ Bsk Gf TN IL Pa**
1275. **Coccidiphila danilevskyi Sinev,1997** (Cosmopterigidae) Synonymy: danilevskyi Sinev,1997 Range (as code): **FR Co ES MA TN**
1276. **Coccidiphila gerasimovi Danilevsky,1950** (Cosmopterigidae) Synonymy: gerasimovi Danilevsky,1950 Range (as code): **Cn PT ES Co IT? GR TR IL Pa GG Aj Btm Abk Sok Cc RU Kr Soc**
1277. **Coccidiphila kasypinkeri Traugott-Olsen,1986** (Cosmopterigidae) Synonymy: kasypinkeri Traugott-Olsen,1986 Range (as code): **Cn**
1278. **Coccidiphila ledereriella (Zeller,1850)** (Cosmopterigidae) Synonymy: ledereriella Zeller,1850; unedella Millière,1876; rungsella Nel & Brusseaux,1997 Range (as code): **Cn MA DZ TN PT ES FR Co Si YU TR 16**
1279. **Coccidiphila particiae J.Nel & A.Nel,2000** (Cosmopterigidae) Synonymy: particiae J.Nel & A.Nel,2000 Range (as code): **Cn**
1280. **Coccidiphila riedli Traugott-Olsen,1986** (Cosmopterigidae) Synonymy: riedli Traugott-Olsen,1986 Range (as code): **Cn**
1281. **Coccidiphila stegodyphobius (Walsingham,1903)** (Cosmopterigidae) Synonymy: stegodyphobia Walsingham,1903 Range (as code): **ZA Fs**
1282. **Colonophora ictifera Meyrick,1937** (Cosmopterigidae) Synonymy: ictifera Meyrick,1937 Range (as code): **ZA**
1283. **Cosmopterix ancistraea Meyrick,1913** (Cosmopterigidae) Synonymy: ancistraea Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1284. **Cosmopterix antichorda Meyrick,1909** (Cosmopterigidae) Synonymy: antichorda Meyrick,1909 Range (as code): **ZA Ec Cto**
1285. **Cosmopterix athesiae Huemer & Koster,2006** (Cosmopterigidae) Synonymy: athesiae Huemer & Koster,2006 Range (as code): **IT ES GR TZ Mgr CM**
1286. **Cosmopterix attenuatella (Walker,1864)** (Cosmopterigidae) Synonymy: attenuatella Walker,1864; flavofasciata Wollaston,1879; lepidezae Walsingham,1882; mimetis Meyrick,1897; venefica Meyrick,1915; apiculata Meyrick,1922; melanarches Meyrick,1929; antillia Forbes,1931; luteoapicalis Ghesquière,1942; superba Gozmany,1960 Range (as code): **SH Cn Md MA DZ TN Gf EG IR IN MY Bor CN Fkn JP PG AU NSw FJ SC PR US Fl Tx Lou SN BR PE Lma JM MX**
1287. **Cosmopterix bactrophora Meyrick,1908** (Cosmopterigidae) Synonymy: bactrophora Meyrick,1908 Range (as code): **ZA Tva Gau Pre**

1288. **Cosmopterix callinympha Meyrick,1913** (Cosmopterigidae) Synonymy: callinympha Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
1289. **Cosmopterix circe Meyrick,1921** (Cosmopterigidae) Synonymy: circe Meyrick,1921 Range (as code): **ZA Cto Ec Elo**
1290. **Cosmopterix cleophanes Meyrick,1937** (Cosmopterigidae) Synonymy: cleophanes Meyrick,1937 Range (as code): **ZA Ec**
1291. **Cosmopterix cognita Walsingham,1891** (Cosmopterigidae) Synonymy: cognita Walsingham,1891 Range (as code): **ZA Nta Kzu**
1292. **Cosmopterix coryphaea Walsingham,1908** (Cosmopterigidae) Synonymy: coryphaea Walsingham,1908; donatellae Mariani,1932; formosa Amsel,1935; coryphae Agenjo,1952 Range (as code): **DZ Cn ES Si IT MT YU GR CY IL Pa**
1293. **Cosmopterix crassicervicella Chrétien,1896** (Cosmopterigidae) Synonymy: crassicervicella Chrétien,1896; flavipes Turati,1930; superba Gozmany,1960; dalii Agenjo,1981 Range (as code): **MR DZ ES PT EG GR TR GG Cc**
1294. **Cosmopterix dacryodes Meyrick,1910** (Cosmopterigidae) Synonymy: dacryodes Meyrick,1910 Range (as code): **MU**
1295. **Cosmopterix diplozona Meyrick,1921** (Cosmopterigidae) Synonymy: diplozona Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
1296. **Cosmopterix emmolybda Meyrick,1914** (Cosmopterigidae) Synonymy: emmolybda Meyrick,1914 Range (as code): **ZA MW**
1297. **Cosmopterix epismaragda Meyrick,1932** (Cosmopterigidae) Synonymy: epismaragda Meyrick,1932 Range (as code): **ET ET88 Sw**
1298. **Cosmopterix flavipes Turati,1930** (Cosmopterigidae) Synonymy: flavipes Turati,1930 Range (as code): **LY Cy**
1299. **Cosmopterix labathiella Viette,1956** (Cosmopterigidae) Synonymy: labathiella Viette,1956 Range (as code): **MG**
1300. **Cosmopterix luteoapicalis Sinev,2002** (Cosmopterigidae) Synonymy: #luteoapicalis Ghesquière,1942; luteoapicalis Sinev,2002 Range (as code): **SN**
1301. **Cosmopterix macroglossa Meyrick,1913** (Cosmopterigidae) Synonymy: macroglossa Meyrick,1913 Range (as code): **ZA Tva Mpu Wv Gau Pre**
1302. **Cosmopterix oxyglossa Meyrick,1909** (Cosmopterigidae) Synonymy: oxyglossa Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
1303. **Cosmopterix pararufella Riedl,1976** (Cosmopterigidae) Synonymy: pararufella Riedl,1976 Range (as code): **DZ TN EG ES Co CY**
1304. **Cosmopterix pulcherimella Chambers,1875** (Cosmopterigidae) Synonymy: pulcherimella Chambers,1875; parietariae M.Hering,1931 Range (as code): **Az Cn Md GB PT ES FR Co Sa Si IT MT CH YU GR Cc GG US**
1305. **Cosmopterix rhabdophanes Meyrick,1928** (Cosmopterigidae) Synonymy: rhabdophanes Meyrick,1928 Range (as code): **UG**
1306. **Cosmopterix salahinella Chrétien,1907** (Cosmopterigidae) Synonymy: salahinella Chrétien,1907; rufella Turati,1927; phragmitidis Amsel,1935 Range (as code): **DZ Bsk Hes TN LY IL Pa SA IR**
1307. **Cosmopterix scaligera Meyrick,1909** (Cosmopterigidae) Synonymy: scaligera Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
1308. **Cosmopterix tabellaria Meyrick,1908** (Cosmopterigidae) Synonymy: tabellaria Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
1309. **Cosmopterix tetrophthalma Meyrick,1921** (Cosmopterigidae) Synonymy: tetrophthalma Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
1310. **Cosmopterix transcissa Meyrick,1914** (Cosmopterigidae) Synonymy: transcissa Meyrick,1914 Range (as code): **MW**
1311. **Cosmopterix trilopha Meyrick,1922** (Cosmopterigidae) Synonymy: trilopha Meyrick,1922 Range (as code): **UG**
1312. **Cosmopterix turbidella Rebel,1896** (Cosmopterigidae) Synonymy: turbidella Rebel,1896 Range (as code): **Cn**
1313. **Diophila bathrota (Meyrick,1911)** (Cosmopterigidae) Synonymy: bathrota Meyrick,1911; claricoma Meyrick,1937 Range (as code): **ZA Tva Lpo Hae**
1314. **Dorodoca eometalla Meyrick,1926** (Cosmopterigidae) Synonymy: eometalla Meyrick,1926 Range (as code): **ZA NA**

1315. **Erechthiodes audax Meyrick,1914** (Cosmopterigidae) Synonymy: audax Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
1316. **Eteobalea aglaopa (Meyrick,1928)** (Cosmopterigidae) Synonymy: aglaopa Meyrick,1928 Range (as code): **UG**
1317. **Eteobalea alypella (Klimesch,1946)** (Cosmopterigidae) Synonymy: alypella Klimesch,1946 Range (as code): **MA ES FR IT**
1318. **Eteobalea isabellella (Costa,1836)** (Cosmopterigidae) Synonymy: isabellella Costa,1836; opulentella Herrich-Schäffer,1853; rutilella Chrétien,1896. Range (as code): **DZ TN ES Co Si IT HU RO YU B-H HV MK AL BG GR TR 70**
1319. **Eteobalea klisieckii (Riedl,1966)** (Cosmopterigidae) Synonymy: klisieckii Riedl,1966 Range (as code): **MA**
1320. **Eteobalea pentagama (Meyrick,1928)** (Cosmopterigidae) Synonymy: pentagama Meyrick,1928 Range (as code): **ZA ZW**
1321. **Eteobalea planoptila (Meyrick,1911)** (Cosmopterigidae) Synonymy: planoptila Meyrick,1911 Range (as code): **ZA Tva Lpo**
1322. **Eteobalea quinquecristata (Walsingham,1891)** (Cosmopterigidae) Synonymy: quinquecristata Walsingham,1891 Range (as code): **ZA Nta Kzu**
1323. **Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) Synonymy: serratella Treitschke,1833; sareptensis Walsingham,1907; cinereocapitella Caradja,1920 Range (as code): **MA Rbt DZ Agi Phv PT ES FR Co Si IT CH CZ SK AT HU HV SS YU MK DE PL RU BG GR TR UA Cc AM AZ MT YU LB Bsa SY Hal IL Pa RU Sr KG Uk 05 06 16 31 38 42 46 76**
1324. **Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonymy: sumptuosella Lederer,1855; amseli Osthelder,1940 Range (as code): **MA DZ Eba TN ES FR Co IT YU HV MK AL BG GR TR RU Cc MD UA BY LB Bei CY IL Js SY Hal TM AF Pag Kab KG Uk 05 06 16 42 46 58 65**
1325. **Eteobalea teucrii (Walsingham,1907)** (Cosmopterigidae) Synonymy: teucrii Walsingham,1907 Range (as code): **MA ES**
1326. **Eteobalea thaumatella (Walsingham,1907)** (Cosmopterigidae) Synonymy: thaumatella Walsingham,1907; lactipunctella Turati,1924. Range (as code): **Cn DZ Bsk Hes TN Gf LY Cy SA IR Kz SA SA63**
1327. **Eteobalea vinsoni (Viette,1953)** (Cosmopterigidae) Synonymy: vinsoni Viette,1953 Range (as code): **MU RE**
1328. **Gisilia stereodoxa (Meyrick,1925)** (Cosmopterigidae) Synonymy: stereodoxa Meyrick,1925; evitans Meyrick,1925; alfieriella Rebel,1926. Range (as code): **PT ES Sa MT MK EG SD SD91 IR IN PK**
1329. **Ischnobathra balanobola Meyrick,1937** (Cosmopterigidae) Synonymy: balanobola Meyrick,1937 Range (as code): **ZA**
1330. **Ischnobathra dormiens Meyrick,1937** (Cosmopterigidae) Synonymy: dormiens Meyrick,1937 Range (as code): **ZA**
1331. **Labdia caulota Meyrick,1918** (Cosmopterigidae) Synonymy: caulota Meyrick,1918 Range (as code): **ZA Nta Kzu Esw Ptw**
1332. **Labdia diophanes Meyrick,1927** (Cosmopterigidae) Synonymy: diophanes Meyrick,1927 Range (as code): **ZA**
1333. **Labdia macrobela Meyrick,1918** (Cosmopterigidae) Synonymy: macrobela Meyrick,1918; #macobela Vari,1958 Range (as code): **MZ Blv**
1334. **Labdia narcota (Meyrick,1909)** (Cosmopterigidae) Synonymy: narcota Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
1335. **Labdia oxychlora Meyrick,1932** (Cosmopterigidae) Synonymy: oxychlora Meyrick,1932 Range (as code): **SL IN LK TH MY BN Bor Sbh**
1336. **Limnaecia antidesma Meyrick,1913** (Cosmopterigidae) Synonymy: antidesma Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
1337. **Limnaecia chlorodeta Meyrick,1928** (Cosmopterigidae) Synonymy: chlorodeta Meyrick,1928 Range (as code): **ZA**
1338. **Limnaecia chloronephes Meyrick,1924** (Cosmopterigidae) Synonymy: chloronephes Meyrick,1924 Range (as code): **ZA**
1339. **Limnaecia conjuncta Meyrick,1921** (Cosmopterigidae) Synonymy: conjuncta Meyrick,1921 Range (as code): **MZ Mag**
1340. **Limnaecia effulgens Meyrick,1918** (Cosmopterigidae) Synonymy: effulgens Meyrick,1918; #effluens Vari,1958 Range (as code): **ZA Nta Kzu Esw**
1341. **Limnaecia eretmota Meyrick,1909** (Cosmopterigidae) Synonymy: eretmota Meyrick,1909 Range (as code): **ZA Tva Gau Pre**

1342. **Limnaecia explanata Meyrick,1921** (Cosmopterigidae) Synonymy: explanata Meyrick,1921 Range (as code): **ZW Har**
1343. **Limnaecia ichnographa Meyrick,1908** (Cosmopterigidae) Synonymy: ichnographa Meyrick,1908 Range (as code): **ZA Tva Gau Lpo Pre Pie**
1344. **Limnaecia neurogramma Meyrick,1909** (Cosmopterigidae) Synonymy: neurogramma Meyrick,1909 Range (as code): **ZA Tva Lpo Spb Wm**
1345. **Limnaecia phragmitella Stainton,1851** (Cosmopterigidae) Synonymy: phragmitella Stainton,1851 Range (as code): **MA DZ TN PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY US AU NZ ZA Tva Gau Pre**
1346. **Limnaecia recidiva Meyrick,1911** (Cosmopterigidae) Synonymy: recidiva Meyrick,1911 Range (as code): **ZA Wb**
1347. **Limnaecia sarcanthes Meyrick,1921** (Cosmopterigidae) Synonymy: sarcanthes Meyrick,1921 Range (as code): **ZW Uma**
1348. **Limnaecia semisecta Meyrick,1928** (Cosmopterigidae) Synonymy: semisecta Meyrick,1928 Range (as code): **ZA**
1349. **Macrobathra anisodora Meyrick,1924** (Cosmopterigidae) Synonymy: anisodora Meyrick,1924 Range (as code): **ZA**
1350. **Macrobathra genitrix Meyrick,1927** (Cosmopterigidae) Synonymy: genitrix Meyrick,1927 Range (as code): **ZA**
1351. **Macrobathra peraeota Meyrick,1921** (Cosmopterigidae) Synonymy: peraeota Meyrick,1921 Range (as code): **ZA**
1352. **Macrobathra recrepans Meyrick,1926** (Cosmopterigidae) Synonymy: recrepans Meyrick,1926 Range (as code): **ZA**
1353. **Melanozestis heterodesma Meyrick,1930** (Cosmopterigidae) Synonymy: heterodesma Meyrick,1930 Range (as code): **ZA**
1354. **Parathystas porphyrantha Meyrick,1913** (Cosmopterigidae) Synonymy: porphyrantha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1355. **Pauroptila galenitis Meyrick,1913** (Cosmopterigidae) Synonymy: galenitis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1356. **Phosphaticola gemmatella Viette,1951** (Cosmopterigidae) Synonymy: gemmatella Viette,1951 Range (as code): **TN**
1357. **Pycnagorastis tanyopa Meyrick,1937** (Cosmopterigidae) Synonymy: tanyopa Meyrick,1937 Range (as code): **ZA**
1358. **Pyroderces apicinotella (Chrétien,1915)** (Cosmopterigidae) Synonymy: apicinotella Chrétien,1915; simplicella Amsel,1959 Range (as code): **TN Gf IQ**
1359. **Pyroderces argyrogrammos (Zeller,1847)** (Cosmopterigidae) Synonymy: argyrogrammos Zeller,1847; goldeggiella Herrich-Schäffer,[1853] Range (as code): **MR MA DZ Cn PT ES FR Co Sa Si IT MT CH AT CZ SK HU RO YU AL BG GR Cr CY TR KG Uk LB Bei Bsa RU MD UA BY SY IL Pa IR Elb Dam Gor Gls Kh 05 16 22 31 48 58 75**
1360. **Pyroderces cinnamomina (Turati,1930)** (Cosmopterigidae) Synonymy: cinnamomina Turati,1930 Range (as code): **LY Cy**
1361. **Pyroderces embrochota Meyrick,1914** (Cosmopterigidae) Synonymy: embrochota Meyrick,1914 Range (as code): **MW**
1362. **Pyroderces ocreella Viette,1955** (Cosmopterigidae) Synonymy: ocreella Viette,1955 Range (as code): **MG**
1363. **Pyroderces tethysella Koster & Sinev,2003** (Cosmopterigidae) Synonymy: tethysella Koster & Sinev,2003 Range (as code): **ES TN TJ**
1364. **Pyroderces tripola (Meyrick,1909)** (Cosmopterigidae) Synonymy: tripola Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
1365. **Pyroderces wolschrijni Koster & Sinev,2003** (Cosmopterigidae) Synonymy: wolschrijni Koster & Sinev,2003 Range (as code): **PT ES Mu MA MT**
1366. **Stagmatophora auriferella (Walker,1864)** (Cosmopterigidae) Synonymy: auriferella Walker,1864 Range (as code): **SL IL Pa**
1367. **Stagmatophora basanistis Meyrick,1909** (Cosmopterigidae) Synonymy: basanistis Meyrick,1909 Range (as code): **ZA**
1368. **Stagmatophora beata Walsingham,1907** (Cosmopterigidae) Synonymy: beata Walsingham,1907 Range (as code): **MA DZ ES FR IT HU GR Cr TR LB Bei SY Hal IR Kh KuB Th RU MD UA BY 58**

1369. **Stagmatophora chopardella Viette,1954** (Cosmopterigidae) Synonymy: chopardella Viette,1954 Range (as code): **MG**
1370. **Stagmatophora diakonoffi Viette,1968** (Cosmopterigidae) Synonymy: diakonoffi Viette,1968 Range (as code): **MG**
1371. **Stagmatophora divitella Constant,1885** (Cosmopterigidae) Synonymy: divitella Constant,1885 Range (as code): **ZA**
1372. **Stagmatophora phalacra Meyrick,1909** (Cosmopterigidae) Synonymy: phalacra Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
1373. **Stagmatophora phanoptila Meyrick,1911** (Cosmopterigidae) Synonymy: phanoptila Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**
1374. **Stagmatophora pilana Meyrick,1913** (Cosmopterigidae) Synonymy: pilana Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1375. **Stagmatophora trimitra Meyrick,1913** (Cosmopterigidae) Synonymy: trimitra Meyrick,1913; #trimetra Vari,1958 Range (as code): **ZA Tva Mpu Brb**
1376. **Strenophila hyptiota Meyrick,1913** (Cosmopterigidae) Synonymy: hyptiota Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
1377. **Streptothyris tanyacta Meyrick,1918** (Cosmopterigidae) Synonymy: tanyacta Meyrick,1918 Range (as code): **ZA**
1378. **Trachydora iocharis Meyrick,1918** (Cosmopterigidae) Synonymy: iocharis Meyrick,1918 Range (as code): **ZA Nta Kzu Esw Dmm**
1379. **Trachydora rhachitis Meyrick,1897** (Cosmopterigidae) Synonymy: rhachitis Meyrick,1897 Range (as code): **ZA**
1380. **Trachydora scandalotis Meyrick,1921** (Cosmopterigidae) Synonymy: scandalotis Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
1381. **Vulcaniella fiordalisa (Petry,1904)** (Cosmopterigidae) Synonymy: fiordalisa Petry,1904; gnaphaliella Chrétien,1922. Range (as code): **MA PT ES Mu FR Co Sa IT HV TR LB Bsa 06**
1382. **Vulcaniella grabowiella (Staudinger,1859)** (Cosmopterigidae) Synonymy: grabowiella Staudinger,1859 Range (as code): **TN Gf PT ES FR Sa IT YU MK GR TR 06**

Cossidae

1383. **Acosma gurkoi Yakovlev,2011** (Cossidae) Synonymy: gurkoi Yakovlev,2011 Range (as code): **SU**
1384. **Aethalopteryx anikini Yakovlev,2011** (Cossidae) Synonymy: anikini Yakovlev,2011 Range (as code): **ZA Fs**
1385. **Aethalopteryx atrireta (Hampson,1910)** (Cossidae) Synonymy: atrireta Hampson,1910 Range (as code): **BW**
1386. **Aethalopteryx dictyotephra (Clench,1959)** (Cossidae) Synonymy: dictyotephra Clench,1959 Range (as code): **NA**
1387. **Aethalopteryx diksami Yakovlev & Saldaitis,2010** (Cossidae) Synonymy: diksami Yakovlev & Saldaitis,2010 Range (as code): **Sk**
1388. **Aethalopteryx elf Yakovlev,2011** (Cossidae) Synonymy: elf Yakovlev,2011 Range (as code): **SO**
1389. **Aethalopteryx forsteri (Clench,1959)** (Cossidae) Synonymy: forsteri Clench,1959 Range (as code): **NA**
1390. **Aethalopteryx gazelle Yakovlev,2011** (Cossidae) Synonymy: gazelle Yakovlev,2011 Range (as code): **KE**
1391. **Aethalopteryx grandiplaga (Gaede,1930)** (Cossidae) Synonymy: grandiplaga Gaede,1930 Range (as code): **TD CF CG**
1392. **Aethalopteryx gyldenstolpei (Aurivillis,1925)** (Cossidae) Synonymy: gyldenstolpei Aurivillis,1925 Range (as code): **CG**
1393. **Aethalopteryx kisangani Yakovlev,2011** (Cossidae) Synonymy: kisangani Yakovlev,2011 Range (as code): **ZR**
1394. **Aethalopteryx masai Yakovlev,2011** (Cossidae) Synonymy: masai Yakovlev,2011 Range (as code): **KE**
1395. **Aethalopteryx mesosticta (Hampson,1916)** (Cossidae) Synonymy: mesosticta Hampson,1916 Range (as code): **SO**

1396. **Aethalopteryx nilotica Yakovlev,2011** (Cossidae) Synonymy: nilotica Yakovlev,2011 Range (as code): **SD**
1397. **Aethalopteryx obscurascens (Gaede,1930)** (Cossidae) Synonymy: obscurascens Gaede,1930 Range (as code): **ET**
1398. **Aethalopteryx obsolete (Gaede,1930)** (Cossidae) Synonymy: obsolete Gaede,1930 Range (as code): **SD TZ SZ**
1399. **Aethalopteryx pindarus (Fawcett,1916)** (Cossidae) Synonymy: pindarus Fawcett,1916 Range (as code): **KE UG**
1400. **Aethalopteryx politzari Yakovlev,2011** (Cossidae) Synonymy: politzari Yakovlev,2011 Range (as code): **SO KE TZ**
1401. **Aethalopteryx rudloffi Yakovlev,2011** (Cossidae) Synonymy: rudloffi Yakovlev,2011 Range (as code): **SZ**
1402. **Aethalopteryx simillima (Hampson,1916)** (Cossidae) Synonymy: simillima Hampson,1916 Range (as code): **SO ET**
1403. **Aethalopteryx squameus (Distant,1902)** (Cossidae) Synonymy: squameus Distant,1902; atriplaga Le Cerf,1919 Range (as code): **AO ZA Tva Pre BW MZ MW GH TZ**
1404. **Aethalopteryx steniptera (Hampson,1916)** (Cossidae) Synonymy: steniptera Hampson,1916 Range (as code): **SO**
1405. **Aethalopteryx sulaki Yakovlev,2011** (Cossidae) Synonymy: sulaki Yakovlev,2011 Range (as code): **KE**
1406. **Aethalopteryx tristis (Gaede,1915)** (Cossidae) Synonymy: tristis Gaede,1915 Range (as code): **NA KE ZA**
1407. **Afroarabiella (Meyoarabiella) meyi Yakovlev,2008** (Cossidae) Synonymy: meyi Yakovlev,2008 Range (as code): **ZA**
1408. **Afroarabiella (s.str.) buchanani (Rothschild,1921)** (Cossidae) Synonymy: buchanani Rothschild,1921 Range (as code): **NE**
1409. **Afroarabiella (s.str.) fanti (Hampson,1910)** (Cossidae) Synonymy: fanti Hampson,1910 Range (as code): **GH**
1410. **Afroarabiella (s.str.) namaquensis Yakovlev,2014** (Cossidae) Synonymy: namaquensis Yakovlev,2014 Range (as code): **ZA**
1411. **Afroarabiella (s.str.) ochracea (Gaede,1930)** (Cossidae) Synonymy: ochracea Gaede,1930 Range (as code): **ZR TZ**
1412. **Afroarabiella (s.str.) politzari Yakovlev,2008** (Cossidae) Synonymy: politzari Yakovlev,2008 Range (as code): **KE**
1413. **Afroarabiella (s.str.) tanzaniae Yakovlev,2011** (Cossidae) Synonymy: tanzaniae Yakovlev,2011 Range (as code): **TZ**
1414. **Afroarabiella (s.str.) ukambani Yakovlev,2008** (Cossidae) Synonymy: ukambani Yakovlev,2008 Range (as code): **KE**
1415. **Alophonotus rauana (Strand,1909)** (Cossidae) Synonymy: rauana Strand,1909; langi Holland,1920 Range (as code): **AO SN UG ZW KE MW**
1416. **Azygophleps aburae (Plötz,1880)** (Cossidae) Synonymy: aburae Plötz,1880 Range (as code): **TZ GH ZW KE SD CM**
1417. **Azygophleps albovittata Bethune-Baker,1908** (Cossidae) Synonymy: albovittata Bethune-Baker,1908 Range (as code): **NG GH UG CG KE GN ZW**
1418. **Azygophleps asylas (Cramer,[1777])** (Cossidae) Synonymy: asylas Cramer,[1777]; canadensis Herrich-Schäffer,[1854]; strigulosa Walker,1856 Range (as code): **SA Hj SA74 ZA**
1419. **Azygophleps atrifasciata Hampson,1910** (Cossidae) Synonymy: atrifasciata Hampson,1910 Range (as code): **ZM ZW UG KE AO MW ZA**
1420. **Azygophleps boisduvalii (Herrich-Schäffer,[1854])** (Cossidae) Synonymy: boisduvalii Herrich-Schäffer,[1854] Range (as code): **SL GN GH CM NG SD ET KE UG CG ZM ZW SN MW CI**
1421. **Azygophleps brehmi Yakovlev & Witt,2015** (Cossidae) Synonymy: brehmi Yakovlev & Witt,2015 Range (as code): **ET Ble Oro**
1422. **Azygophleps cooksoni Pinhey,1968** (Cossidae) Synonymy: cooksoni Pinhey,1968 Range (as code): **ZA Nta Kzu**
1423. **Azygophleps equatorialis Yakovlev,2011** (Cossidae) Synonymy: equatorialis Yakovlev,2011 Range (as code): **CG**

1424. **Azygophleps ganzelkozikmundi Yakovlev,2009** (Cossidae) Synonymy: ganzelkozikmundi Yakovlev,2009 Range (as code): **CM CG**
1425. **Azygophleps godswindow Yakovlev & Saldaitis,2011** (Cossidae) Synonymy: godswindow Yakovlev & Saldaitis,2011 Range (as code): **ZA Tva Mpu**
1426. **Azygophleps inclusa (Walker,1856)** (Cossidae) Synonymy: inclusa Walker,1856 Range (as code): **ZA Nta Kzu Dbn KE TZ ZM AO MW MZ BW ZA LS UG CG GH SL GN CI SA Hj SA74 AE OM YE Sk**
1427. **Azygophleps kovtunovitchi Yakovlev,2011** (Cossidae) Synonymy: kovtunovitchi Yakovlev,2011 Range (as code): **LS**
1428. **Azygophleps larseni Yakovlev & Saldaitis,2011** (Cossidae) Synonymy: larseni Yakovlev & Saldaitis,2011 Range (as code): **OM IQ IR YE Sk**
1429. **Azygophleps legraini Yakovlev & Saldaitis,2011** (Cossidae) Synonymy: legraini Yakovlev & Saldaitis,2011 Range (as code): **CM**
1430. **Azygophleps leopardina Distant,1902** (Cossidae) Synonymy: leopardina Distant,1902; borchmanni Grünberg,1910; #leopardinae Dalla-Torre,1923 Range (as code): **ZA Tva Gau Pre Lpo ZM NA KE**
1431. **Azygophleps lilyae Yakovlev,2011** (Cossidae) Synonymy: lilyae Yakovlev,2011 Range (as code): **TZ**
1432. **Azygophleps liturata (Aurivillius,1879)** (Cossidae) Synonymy: liturata Aurivillius,1879; aurivillii Kirby,1892 Range (as code): **NA BW ZA**
1433. **Azygophleps melanophele Hampson,1910** (Cossidae) Synonymy: melanophele Hampson,1910 Range (as code): **NG CF**
1434. **Azygophleps nubilosa Hampson,1910** (Cossidae) Synonymy: nubilosa Hampson,1910 Range (as code): **UG TZ ZA MW**
1435. **Azygophleps otello Yakovlev,2011** (Cossidae) Synonymy: otello Yakovlev,2011 Range (as code): **MR**
1436. **Azygophleps pallens (Herrich-Schäffer,[1854])** (Cossidae) Synonymy: pallens Herrich-Schäffer,[1854] Range (as code): **GN SL UG NG CM KE SD**
1437. **Azygophleps scalaris (Fabricius,1775)** (Cossidae) Synonymy: scalaris Fabricius,1775; bivittata Walker,1865 Range (as code): **TH Cph PK Krc Sd MM KH CN IN LK BD MR SO SN CI GH NG CG KE AO NA TZ SD**
1438. **Azygophleps simplex Aurivillius,1905** (Cossidae) Synonymy: simplex Aurivillius,1905 Range (as code): **NG**
1439. **Azygophleps sponda (Wallengren,1875)** (Cossidae) Synonymy: sponda Wallengren,1875 Range (as code): **ZA Tva Lpo**
1440. **Brachygystia mauretanica (Lucas,1907)** (Cossidae) Synonymy: mauretanica Lucas,1907; powelli Oberthür,1911 Range (as code): **MA DZ Eba Ges TN**
1441. **Brachylia nussi Yakovlev,2011** (Cossidae) Synonymy: nussi Yakovlev,2011 Range (as code): **MW**
1442. **Brachylia vukutu Yakovlev & Lenz,2013** (Cossidae) Synonymy: vukutu Yakovlev & Lenz,2013 Range (as code): **ZW**
1443. **Camellocossus abyssinica (Hampson,1910)** (Cossidae) Synonymy: abyssinica Hampson,1910 Range (as code): **ET MR YE**
1444. **Camellocossus henleyi (W.Warren & Rothschild,1905)** (Cossidae) Synonymy: henleyi W.Warren & Rothschild,1905; niloticus de Joannis,1909; pharaonis A.Bang-Haas,1910 Range (as code): **MA ET MR SD SD08 DZ Ajj EG EG11 EG05**
1445. **Camellocossus osmanya Yakovlev,2011** (Cossidae) Synonymy: osmanya Yakovlev,2011 Range (as code): **SO**
1446. **Cecryphalus helenae (Le Cerf,1927)** (Cossidae) Synonymy: helenae Le Cerf,1927 Range (as code): **MA DZ**
1447. **Dyspessa algeriensis (Rambur,1858)** (Cossidae) Synonymy: algeriensis Rambur,1858 Range (as code): **MA DZ Ges Khh BSa Ktr TN**
1448. **Dyspessa bianchii (C.G.Krüger,1934)** (Cossidae) Synonymy: bianchii C.G.Krüger,1934 Range (as code): **LY Cy**
1449. **Dyspessa cyrenaica Turati,1919** (Cossidae) Synonymy: cyrenaica Turati,1919 Range (as code): **LY Cy**
1450. **Dyspessa delrei Turati,1936** (Cossidae) Synonymy: delrei Turati,1936 Range (as code): **LY Cy**
1451. **Dyspessa fantolii C.G.Krüger,1934** (Cossidae) Synonymy: fantolii C.G.Krüger,1934 Range (as code): **LY Cy**
1452. **Dyspessa fuscula (Staudinger,1892)** (Cossidae) Synonymy: fuscula Staudinger,1892 Range (as code): **DZ Bsk Khh Ges TN**

1453. **Dyspessa kabylaria A.Bang-Haas,1906** (Cossidae) Synonymy: kabylaria A.Bang-Haas,1906; turbinans Turati,1926. Range (as code): **DZ Khh Bsk TN Gab Gf EG Sn EG11 IL Pa TR? JO SA IR Fa**
1454. **Dyspessa maroccana Rothschild,1917** (Cossidae) Synonymy: maroccana Rothschild,1917 Range (as code): **MA DZ Ges BSa Agi**
1455. **Dyspessa suavis (Staudinger,1900)** (Cossidae) Synonymy: suavis Staudinger,1900 Range (as code): **MR DZ Bsk BSa Ear Ogl Gle**
1456. **Dyspessa syrtica Krüger,1932** (Cossidae) Synonymy: syrtica Krüger,1932 Range (as code): **LY**
1457. **Dyspessa turbinans Turati,1926** (Cossidae) Synonymy: turbinans Turati,1926 Range (as code): **LY**
1458. **Eremocossus nubicus Yakovlev,2008** (Cossidae) Synonymy: nubica Yakovlev,2008 Range (as code): **SD**
1459. **Eremocossus vaulogeri (Staudinger,1897)** (Cossidae) Synonymy: vaulogeri Staudinger,1897; saharae Lucas,1907; hartigi Rebel,1935. Range (as code): **SN MR MA DZ Bsk BSa Ela Ogl TN ES LY Cy EG IL Jt Pa JO Cc SY AM SA PK Krc IR Ss IQ Bsy Kbl BH OM AE**
1460. **Eulophonotus armstrongi (Hampson,1914)** (Cossidae) Synonymy: armstrongi Hampson,1914 Range (as code): **GH SL**
1461. **Eulophonotus elegans (Aurivillius,1910)** (Cossidae) Synonymy: elegans Aurivillius,1910 Range (as code): **CI SL ZR CM GO TZ**
1462. **Eulophonotus hyalinipennis (Strand,1910)** (Cossidae) Synonymy: hyalinipennis Strand,1910 Range (as code): **ZA ZW TZ MZ**
1463. **Eulophonotus myrmeleon (R.Felder,1874)** (Cossidae) Synonymy: myrmeleon R.Felder,1874; obesus Karsch,1900 Range (as code): **GH GN TG ST CM ZR UG ZA Nta Dbn ZW CI KE MZ ET NA NG**
1464. **Eulophonotus nigrodiscalis Yakovlev,2011** (Cossidae) Synonymy: nigrodiscalis Yakovlev,2011 Range (as code): **ST**
1465. **Eulophonotus obesus (Karsch,1900)** (Cossidae) Synonymy: obesus Karsch,1900 Range (as code): **TG**
1466. **Eulophonotus stephania (Druce,1887)** (Cossidae) Synonymy: stephania Druce,1887; hyalinipennis Strand,1910 Range (as code): **MW CI TW**
1467. **Hirtocossus cirrilator (Le Cerf,1919)** (Cossidae) Synonymy: cirrilator Le Cerf,1919 Range (as code): **MG**
1468. **Holcocerus desioi Turati,1936** (Cossidae) Synonymy: desioi Turati,1936 Range (as code): **LY**
1469. **Holcocerus gloriosus (Erschoff,1874)** (Cossidae) Synonymy: gloriosus Erschoff,1874; puengeleri Rothschild,1912 Range (as code): **SA OM YE AE LY Cy IQ Kbl Amr Bsr Mnd kut BH IR Gls Kh Ss Ahz IL Jer Js Pa SA UZ TJ Pm KG TM Kp Rpt Mrw AF Srb**
1470. **Holcocerus holosericeus (Staudinger,1884)** (Cossidae) Synonymy: holosericeus Staudinger,1884; persicus Austaut,1897. Range (as code): **DZ Cst TN LY Cy EG IL Pa UZ Fe Man IR Ss Kh TM Kp Mrw AF Kab Hr**
1471. **Isoceras kruegeri (Turati,1924)** (Cossidae) Synonymy: kruegeri Turati,1924; silvicola C.G.Krüger,1934. Range (as code): **LY**
1472. **Koboldocossus nigrostriatus Yakovlev,2011** (Cossidae) Synonymy: nigrostriatus Yakovlev,2011 Range (as code): **TZ**
1473. **Macrocossus caduchus Clench,1959** (Cossidae) Synonymy: caduchus Clench,1959 Range (as code): **LR**
1474. **Macrocossus coelebs Clench,1959** (Cossidae) Synonymy: coelebs Clench,1959 Range (as code): **NA**
1475. **Macrocossus grebennikovi Yakovlev,2013** (Cossidae) Synonymy: grebennikovi Yakovlev,2013 Range (as code): **MW**
1476. **Macrocossus sidamo (Rougeot,1977)** (Cossidae) Synonymy: sidamo Rougeot,1977 Range (as code): **ET**
1477. **Macrocossus toluminus (Druce,1887)** (Cossidae) Synonymy: toluminus Druce,1887; rudis Aurivillius,1900 Range (as code): **MW GM TZ ZA SL NA CI ZR CM**
1478. **Mahommedella rungsi (Daniel & Witt,1974)** (Cossidae) Synonymy: rungsi Daniel & Witt,1974 Range (as code): **MA**
1479. **Meharia fischeri Yakovlev & Saldaitis,2008** (Cossidae) Synonymy: fischeri Yakovlev & Saldaitis,2008 Range (as code): **MA**
1480. **Meharia ganslmeieri Yakovlev & Witt,2015** (Cossidae) Synonymy: ganslmeieri Yakovlev & Witt,2015 Range (as code): **ZM**
1481. **Meharia hackeri Saldaitis, Ivinskis & Yakovlev,2011** (Cossidae) Synonymy: hackeri Saldaitis, Ivinskis & Yakovlev,2011 Range (as code): **Sk**

1482. **Meharia incurvariella Chrétien,1915** (Cossidae) Synonymy: incurvariella Chrétien,1915; vittata Rungs,[1943] Range (as code): **MA DZ Bsk IR Fa Shr AF Ca PK Bl Qu**
1483. **Meharia murphyi Yakovlev & Saldaitis,2013** (Cossidae) Synonymy: murphyi Yakovlev & Saldaitis,2013 Range (as code): **MW**
1484. **Meharia ostrauskasi Ivinskis & Saldaitis,2013** (Cossidae) Synonymy: ostrauskasi Ivinskis & Saldaitis,2013 Range (as code): **KE**
1485. **Meharia pulcher (Rungs,[1943])** (Cossidae) Synonymy: pulcher Rungs,[1943] Range (as code): **MA**
1486. **Meharia semilactea (W.Warren & Rothschild,1905)** (Cossidae) Synonymy: semilactea W.Warren & Rothschild,1905; incurvariella Chrétien,1915; vittata Rungs,1942; persica Wiltshire,1946 Range (as code): **MR MA DZ Bsk SD SA OM AE YE IL Pa JO EG Sn IR Fa Shr**
1487. **Meharia tanganyikae Bradley,1952** (Cossidae) Synonymy: tanganyikae Bradley,1952 Range (as code): **TZ**
1488. **Meharia yakovlevi Saldaitis & Ivınskis,2010** (Cossidae) Synonymy: yakovlevi Saldaitis & Ivınskis,2010 Range (as code): **Sk**
1489. **Melisomimas metallica Hampson,1914** (Cossidae) Synonymy: grandis Jordan,1907 nec Holl.; metallica Hampson,1914 Range (as code): **SL NG**
1490. **Mormogystia brandstetteri Saldaitis, Ivinskis & Yakovlev,2011** (Cossidae) Synonymy: brandstetteri Saldaitis, Ivinskis & Yakovlev,2011 Range (as code): **Sk**
1491. **Mormogystia equatorialis (Le Cerf,1933)** (Cossidae) Synonymy: equatorialis Le Cerf,1933 Range (as code): **KE**
1492. **Mormogystia proleuca (Hampson,1896)** (Cossidae) Synonymy: proleuca Hampson,1896 Range (as code): **DZ Ajj NE SA As OM Df YE Ad**
1493. **Mormogystia reibellii (Oberthür,1876)** (Cossidae) Synonymy: reibellii Oberthür,1876; mussolinii Turati,1927; cognata Krüger,1939; #reibelli Wiltshire,1980 Range (as code): **YE Ad Sk Sn KE MA SA OM AE IL Pa EG DZ Bsk LY TN MR NE TD**
1494. **Oreocossus grzimeki Yakovlev,2011** (Cossidae) Synonymy: grzimeki Yakovlev,2011 Range (as code): **KE**
1495. **Oreocossus gurkoi Yakovlev,2011** (Cossidae) Synonymy: gurkoi Yakovlev,2011 Range (as code): **SU**
1496. **Oreocossus kilimanjarensis (Holland,1892)** (Cossidae) Synonymy: kilimanjarensis Holland,1892 Range (as code): **ET KE TZ ZA**
1497. **Oreocossus occidentalis Strand,1912** (Cossidae) Synonymy: occidentalis Strand,1912 Range (as code): **ZR UG KE TZ MW MZ ET GO CM AO**
1498. **Oreocossus politzari Yakovlev,2011** (Cossidae) Synonymy: politzari Yakovlev,2011 Range (as code): **KE**
1499. **Oreocossus ungemachi Rougeot,1977** (Cossidae) Synonymy: ungemachi Rougeot,1977 Range (as code): **ET**
1500. **Paralophonotus auroguttatus (Herrich-Schäffer,[1854])** (Cossidae) Synonymy: auroguttatus Herrich-Schäffer,[1854] Range (as code): **GH SL CM ZR AO**
1501. **Paropta paradoxus (Herrich-Schäffer,1851)** (Cossidae) Synonymy: paradoxus Herrich-Schäffer,1851; l-nigrum Bethune-Baker,1894; pharaonis A.Bang-Haas,1910 Range (as code): **CY GR Rd TR LB SY Ltk IL Js Hf Jf Pa EG EG05 YE OM SA IR 31 33 35**
1502. **Phragmacossia territa Staudinger,1878** (Cossidae) Synonymy: territa Staudinger,1878; transcaspica Grum-Grshimailo,1895 Range (as code): **TR IQ Bsy LB Bsa SY Cc AM TM Rpt UZ Smk TJ IR Elb Dam AF Slg PK Nwf IL Pa EG 05 42 46 51 65**
1503. **Phragmataecia andarana Clench,1959** (Cossidae) Synonymy: andarana Clench,1959 Range (as code): **NA ZA**
1504. **Phragmataecia brunni Pagenstecher,1892** (Cossidae) Synonymy: brunni Pagenstecher,1892 Range (as code): **TZ**
1505. **Phragmataecia castaneae (Hübner,1790)** (Cossidae) Synonymy: castaneae Hübner,1790; arundinis Hübner,[1808]; minor Moore,1879; pygmaea Graeser,1888; minima Hampson,1891 Range (as code): **MA TN ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Kz Mz DK SE FI EE LV LT RU Vv Sb Am MD UA BY IQ Ama Da Der TM GG Pti AZ Kir Cc LB SY EG BD IN Ui JP 04 36 42 46 48**
1506. **Phragmataecia fuscifusa Hampson,1910** (Cossidae) Synonymy: fuscifusa Hampson,1910 Range (as code): **SL NG**
1507. **Phragmataecia innominata Dalla Torre,1923** (Cossidae) Synonymy: reticulata Hampson,1910 nec Püng.,1900; innominata Dalla Torre,1923 Range (as code): **ZA MZ MW**

1508. **Phragmataecia irrorata Hampson,1910** (Cossidae) Synonymy: irrorata Hampson,1910 Range (as code): **ZW ZA NA BW MW MZ ZM**
1509. **Phragmataecia itremo Viette,1974** (Cossidae) Synonymy: itremo Viette,1974 Range (as code): **MG**
1510. **Phragmataecia okovangae Clench,1959** (Cossidae) Synonymy: okovangae Clench,1959 Range (as code): **NA ZA**
1511. **Phragmataecia pectinicornis (Strand,1914)** (Cossidae) Synonymy: pectinicornis Strand,1914 Range (as code): **SD**
1512. **Phragmataecia pelostema (M.Hering,1923)** (Cossidae) Synonymy: pelostema M.Hering,1923 Range (as code): **TG CM NG**
1513. **Phragmataecia psyche (Le Cerf,1919)** (Cossidae) Synonymy: psyche Le Cerf,1919 Range (as code): **BJ**
1514. **Phragmataecia sericeata Hampson,1910** (Cossidae) Synonymy: sericeata Hampson,1910 Range (as code): **GH NG**
1515. **Planctogystia breviculus (Mabille,1879)** (Cossidae) Synonymy: breviculus Mabille,1879 Range (as code): **MG**
1516. **Pseudozeuzera biatra (Hampson,1910)** (Cossidae) Synonymy: biatra Hampson,1910 Range (as code): **SL NG UG GH CI**
1517. **Rambuasalama augustasi Yakovlev & Saldaitis,2008** (Cossidae) Synonymy: augustasi Yakovlev & Saldaitis,2008 Range (as code): **MG**
1518. **Strigocossus ambahona (Viette,1954)** (Cossidae) Synonymy: ambahona Viette,1954 Range (as code): **MG**
1519. **Strigocossus capensis (Walker,1856)** (Cossidae) Synonymy: capensis Walker,1856; sjostedti Aurivillius,1910; flavitincta Hampson,1910; kilimandjarae Le Cerf,1914 Range (as code): **ZA TZ MW UG KE ZR**
1520. **Strigocossus capensis (Walker,1856)** (Cossidae) Synonymy: capensis Walker,1856; sjoestedti Aurivillius,1910; flavicincta Hampson,1910 Range (as code): **ZA KE UG TZ**
1521. **Strigocossus crassus (Drury,[1782])** (Cossidae) Synonymy: crassa Drury,[1782]; lunifera Hampson,1910; polioplaga Hampson,1910; speciosus Houlbert,1916 Range (as code): **CM ZR GH NG SL ZA**
1522. **Strigocossus cretacea (Butler,1878)** (Cossidae) Synonymy: cretacea Butler,1878; malgacica Houlbert,1916 Range (as code): **MG**
1523. **Strigocossus elephas Yakovlev,2013** (Cossidae) Synonymy: elephas Yakovlev,2013 Range (as code): **MW**
1524. **Strigocossus guillemei (Houlbert,1916)** (Cossidae) Synonymy: guillemei Houlbert,1916 Range (as code): **ZR**
1525. **Strigocossus hepialoides Yakovlev,2011** (Cossidae) Synonymy: hepialoides Yakovlev,2011 Range (as code): **TZ**
1526. **Strigocossus kilimandjarae (Le Cerf,1914)** (Cossidae) Synonymy: kilimandjarae Le Cerf,1914 Range (as code): **KE Kmj TZ**
1527. **Strigocossus kushit Yakovlev,2011** (Cossidae) Synonymy: kushit Yakovlev,2011 Range (as code): **ET Ble**
1528. **Strigocossus leucopteris Houlbert,1916** (Cossidae) Synonymy: leucopteris Houlbert,1916 Range (as code): **CM**
1529. **Strigocossus mediopallens (D.S.Fletcher,1968)** (Cossidae) Synonymy: mediopallens D.S.Fletcher,1968 Range (as code): **UG Rz KE ET**
1530. **Strigocossus moderatus (Walker,1856)** (Cossidae) Synonymy: moderatus Walker,1856 Range (as code): **SL**
1531. **Strigocossus ochricosta (D.S.Fletcher,1968)** (Cossidae) Synonymy: ochricosta D.S.Fletcher,1968 Range (as code): **ZR GN KE MW RW ZA TZ UG ZW Vum BW**
1532. **Strigocossus tandoensis (Bethune-Baker,1927)** (Cossidae) Synonymy: tandoensis Bethune-Baker,1927 Range (as code): **AO KE MW ZR**
1533. **Strigocossus vosseleri (Gaede,1930)** (Cossidae) Synonymy: vosseleri Gaede,1930 Range (as code): **TZ MZ ZA ZM MW KE CM GA**
1534. **Stygia nilssoni Saldaitis & Yakovlev,2008** (Cossidae) Synonymy: nilssoni Saldaitis & Yakovlev,2008 Range (as code): **Cn**
1535. **Tarsozeuzera livingstoni Yakovlev,2006** (Cossidae) Synonymy: livingstoni Yakovlev,2006 Range (as code): **ZR CM CI TZ**

1536. **Tarsozeuzera ustjuzhanini Yakovlev,2011** (Cossidae) Synonymy: ustjuzhanini Yakovlev,2011 Range (as code): **ZA Nta Kzu Dbn**
1537. **Wiltshirocossus aries (Püngeler,1902)** (Cossidae) Synonymy: aries Püngeler,1902; aegyptiaca Hampson,1910; cheesmani Tams,1925; tahlai Dumont,1932; bongiovannii Krüger,1939; pulcher Rungs,1956; #aegiptiaca Yakovlev,2011 Range (as code): **Cn MA DZ Agi Cst Onç Bsk Kdr Ajj TN LY EG Sn IL Js Pa SA YE AE OM ES**
1538. **Xyleutes pindarus (Fawcett,1916)** (Cossidae) Synonymy: pindarus Fawcett,1916 Range (as code): **SO SA**
1539. **Zeuzera pyrina (Linnaeus,1761)** (Cossidae) Synonymy: pyrina Linnaeus,1761; hypocastani Poda,1761; aesuli Linnaeus,1767; hilaris Fourcroy,1785; octopunctata Boisduval,1832; decipiens Kirby,1892 Range (as code): **MA DZ Khh Anna LY EG PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Bjo Tbl Lag Smg Smt Akh Abk Sok Aj Cc IQ DK NO SE EE LV LT RU MD UA BY IL Pa Hf LB Bsa IR Mz Us Vv CN US Ny TW LK KP KR JP IN 06 07 08 14 31 34 38 42 45 46 50 56 61 65**
1540. **Zeuzeropecten altitudinis Viette,1957** (Cossidae) Synonymy: altitudinis Viette,1957 Range (as code): **MG**
1541. **Zeuzeropecten argillosa (Le Cerf,1919)** (Cossidae) Synonymy: argillosa Le Cerf,1919 Range (as code): **MG**
1542. **Zeuzeropecten castaneus (Kenrick,1913)** (Cossidae) Synonymy: castaneus Kenrick,1913 Range (as code): **MG**
1543. **Zeuzeropecten combustus (Kenrick,1913)** (Cossidae) Synonymy: combustus Kenrick,1913 Range (as code): **MG**
1544. **Zeuzeropecten lactescens Gaede,1930** (Cossidae) Synonymy: lactescens Gaede,1930 Range (as code): **MG**
1545. **Zeuzeropecten lecerfi (Viette,1957)** (Cossidae) Synonymy: lecerfi Viette,1957 Range (as code): **MG**
1546. **Zeuzeropecten occultoides (Kenrick,1913)** (Cossidae) Synonymy: occultoides Kenrick,1913 Range (as code): **MG**

Ctenuchidae

1547. **Amata alicia (Butler,1876)** (Ctenuchidae) Synonymy: alicia Butler,1876 Range (as code): **NA ZA AO SO ET CM Ada BW BI ZR GA KE MZ RW TZ ZM ZW**
1548. **Amata atricornis (Wallengren,1863)** (Ctenuchidae) Synonymy: atricornis Wallengren,1863; sirius Distant,1897 Range (as code): **ZA Pie Tva Lpo Spb ZW Ec**
1549. **Amata bifasciata (Hopffer,1857)** (Ctenuchidae) Synonymy: bifasciata Hopffer,1857 Range (as code): **MZ ZA**
1550. **Amata borguensis (Hampson,1901)** (Ctenuchidae) Synonymy: borguensis Hampson,1901 Range (as code): **NG CM Ada**
1551. **Amata burtti Distant,1900** (Ctenuchidae) Synonymy: burtti Distant,1900 Range (as code): **TZ Pb Zz**
1552. **Amata caerulescens (Druce,1898)** (Ctenuchidae) Synonymy: caerulescens Druce,1898 Range (as code): **MZ Del**
1553. **Amata cerbera (Linnaeus,1764)** (Ctenuchidae) Synonymy: cerbera Linnaeus,1764; fantasia Butler,1876; francisca Butler,1876; curtiplaga Mabille,1890 Range (as code): **ZR Kga ZW ZA Nta Kzu Ec MZ Del SO**
1554. **Amata ceres (Oberthür,1878)** (Ctenuchidae) Synonymy: ceres Oberthür,1878 Range (as code): **TZ Zz**
1555. **Amata chloroscia (Hampson,1901)** (Ctenuchidae) Synonymy: chloroscia Hampson,1901 Range (as code): **TZ KE**
1556. **Amata cholmlei (Hampson,1907)** (Ctenuchidae) Synonymy: cholmlei Hampson,1907 Range (as code): **KE**
1557. **Amata chrysozona (Hampson,1898)** (Ctenuchidae) Synonymy: chrysozona Hampson,1898 Range (as code): **TZ SO**
1558. **Amata congener (Hampson,1901)** (Ctenuchidae) Synonymy: congener Hampson,1901; congenera Zerny,1912 Range (as code): **KE**
1559. **Amata consimilis (Hampson,1901)** (Ctenuchidae) Synonymy: consimilis Hampson,1901 Range (as code): **TZ KE**
1560. **Amata creobota (Holland,1893)** (Ctenuchidae) Synonymy: creobota Holland,1893 Range (as code): **GH CG GA**
1561. **Amata croceizona (Hampson,1910)** (Ctenuchidae) Synonymy: croceizona Hampson,1910 Range (as code): **ZW**

1562. **Amata cuprizonata (Hampson,1901)** (Ctenuchidae) Synonymy: cuprizonata Hampson,1901 Range (as code): **KE ZA**
1563. **Amata dilateralis (Hampson,1898)** (Ctenuchidae) Synonymy: dilateralis Hampson,1898 Range (as code): **TZ**
1564. **Amata discata (Druce,1898)** (Ctenuchidae) Synonymy: discata Druce,1898 Range (as code): **TZ Dss**
1565. **Amata dissimilis (Bethune-Baker,1911)** (Ctenuchidae) Synonymy: dissimilis Bethune-Baker,1911 Range (as code): **GO**
1566. **Amata divalis (Schaus & Clements,1893)** (Ctenuchidae) Synonymy: divalis Schaus & Clements,1893 Range (as code): **SL**
1567. **Amata endocrocis (Hampson,1903)** (Ctenuchidae) Synonymy: endocrocis Hampson,1903 Range (as code): **BW ZA ZR Kga**
1568. **Amata goodii (Holland,1893)** (Ctenuchidae) Synonymy: goodii Holland,1893; reutlingeri Holland,1893 Range (as code): **GA Ogo ZR KE**
1569. **Amata hemiphoenica (Hampson,1910)** (Ctenuchidae) Synonymy: hemiphoenica Hampson,1910 Range (as code): **ZR**
1570. **Amata interniplaga (Mabille,1890)** (Ctenuchidae) Synonymy: interniplaga Mabille,1890 Range (as code): **NG GA ZR**
1571. **Amata jacksoni Rothschild,1910** (Ctenuchidae) Synonymy: jacksoni Rothschild,1910 Range (as code): **UG**
1572. **Amata johanna (Butler,1876)** (Ctenuchidae) Synonymy: johanna Butler,1876; anna Butler,1876 Range (as code): **ZA Wca Kny CM Ada**
1573. **Amata kenredi Rothschild,1910** (Ctenuchidae) Synonymy: kenredi Rothschild,1910 Range (as code): **ZR**
1574. **Amata kuhlweini (Lefèbvre,1831)** (Ctenuchidae) Synonymy: kuhlweini Lefèbvre,1831; natalii Boisduval,1847 Range (as code): **ZA Nta Kzu Dbn Tva Lpo Spb Ec TZ**
1575. **Amata lagosensis (Hampson,1907)** (Ctenuchidae) Synonymy: lagosensis Hampson,1907 Range (as code): **NG Lgo**
1576. **Amata lateralis (Boisduval,1858)** (Ctenuchidae) Synonymy: marginalis Walker,1854; lateralis Boisduval,1858 Range (as code): **SN**
1577. **Amata leimacis (Holland,1893)** (Ctenuchidae) Synonymy: leimacis Holland,1893; limacis Zerny,1912 Range (as code): **GA CG**
1578. **Amata leucerythra (Holland,1893)** (Ctenuchidae) Synonymy: leucerythra Holland,1893; rubicunda Mabille,1892 Range (as code): **GA Ogo CM**
1579. **Amata magretti Berio,1937** (Ctenuchidae) Synonymy: magretti Berio,1937 Range (as code): **AET ER**
1580. **Amata marina (Butler,1876)** (Ctenuchidae) Synonymy: marina Butler,1876; negretina Plötz,1880; ogovensis Holland,1893 Range (as code): **SL UG ZW**
1581. **Amata miozona (Hampson,1910)** (Ctenuchidae) Synonymy: miozona Hampson,1910 Range (as code): **ZW TZ ZA**
1582. **Amata mogadorensis Blachier,1908** (Ctenuchidae) Synonymy: mogadorensis Blachier,1908 Range (as code): **MA DZ Idl Ah Ajj**
1583. **Amata monticola (Aurivillius,1909)** (Ctenuchidae) Synonymy: monticola Aurivillius,1909 Range (as code): **TZ**
1584. **Amata nigricilia (Strand,1912)** (Ctenuchidae) Synonymy: nigricilia Strand,1912 Range (as code): **TZ**
1585. **Amata nigrobasalis Rothschild,1910** (Ctenuchidae) Synonymy: nigrobasalis Rothschild,1910 Range (as code): **CI UG**
1586. **Amata ntebi (Bethune-Baker,1911)** (Ctenuchidae) Synonymy: ntebi Bethune-Baker,1911 Range (as code): **UG**
1587. **Amata obraztsovi Kiriakoff,1954** (Ctenuchidae) Synonymy: obraztsovi Kiriakoff,1954 Range (as code): **ZR AET**
1588. **Amata pembertoni Rothschild,1910** (Ctenuchidae) Synonymy: pembertoni Rothschild,1910 Range (as code): **AO**
1589. **Amata phaeobasis (Hampson,1907)** (Ctenuchidae) Synonymy: phaeobasis Hampson,1907 Range (as code): **UG**
1590. **Amata phaeozona (Zerny,1912)** (Ctenuchidae) Synonymy: phaeozona Zerny,1912 Range (as code): **TZ**

1591. **Amata phoenicia (Hampson,1898)** (Ctenuchidae) Synonymy: phoenicia Hampson,1898 Range (as code): **ZA KE**
1592. **Amata polidamon (Cramer,1779)** (Ctenuchidae) Synonymy: polidamon Cramer,1779 Range (as code): **ZA**
1593. **Amata rendalli (Distant,1897)** (Ctenuchidae) Synonymy: rendalli Distant,1897 Range (as code): **ZA Tva Mpu Brb**
1594. **Amata rubritincta (Hampson,1903)** (Ctenuchidae) Synonymy: rubritincta Hampson,1903 Range (as code): **KE**
1595. **Amata rufina (Oberthür,1878)** (Ctenuchidae) Synonymy: rufina Oberthür,1878 Range (as code): **ET**
1596. **Amata shoa (Hampson,1898)** (Ctenuchidae) Synonymy: shoa Hampson,1898 Range (as code): **ET SD**
1597. **Amata simplex (Walker,1854)** (Ctenuchidae) Synonymy: simplex Walker,1854; nostalis Walker,1854; corvus Wallengren,1860; monedula Wallengren,1860 Range (as code): **ZA Nta Kzu**
1598. **Amata stenoptera (Zerny,1912)** (Ctenuchidae) Synonymy: attenuata Rothschild,1910 nec Hmps.,1901; stenoptera Zerny,1912 Range (as code): **KE**
1599. **Amata stictoptera Rothschild,1910** (Ctenuchidae) Synonymy: stictoptera Rothschild,1910 Range (as code): **CI**
1600. **Amata tomasina (Butler,1876)** (Ctenuchidae) Synonymy: tomasina Butler,1876; thomasina Zerny,1912 Range (as code): **SL ZR Kga TZ**
1601. **Amata tripunctata (Bethune-Baker,1911)** (Ctenuchidae) Synonymy: tripunctata Bethune-Baker,1911 Range (as code): **AO**
1602. **Amata tritonia (Hampson,1911)** (Ctenuchidae) Synonymy: tritonia Hampson,1911 Range (as code): **NG**
1603. **Amata velatipennis (Walker,[1865])** (Ctenuchidae) Synonymy: velatipennis Walker,[1865] Range (as code): **ET SO**
1604. **Amata veronica (Oberthür,1893)** (Ctenuchidae) Synonymy: veronica Oberthür,1893 Range (as code): **MG**
1605. **Amata waldowi (Grünberg,1907)** (Ctenuchidae) Synonymy: waldowi Grünberg,1907 Range (as code): **CM Ada**
1606. **Amata williami Rothschild,1910** (Ctenuchidae) Synonymy: williami Rothschild,1910 Range (as code): **KE**
1607. **Anapisa crenophylax (Holland,1893)** (Ctenuchidae) Synonymy: crenophylax Holland,1893 Range (as code): **Ogo GA**
1608. **Anapisa holobrunnea (Talbot,1932)** (Ctenuchidae) Synonymy: holobrunnea Talbot,1932; monotonia Kiriakoff,1963 Range (as code): **GN GH**
1609. **Anapisa melaleuca (Holland,1898)** (Ctenuchidae) Synonymy: chrysopyga Plötz,1880; leucogastra Holland,1893; parachoria Holland,1893; kerri Holland,1898; melaleuca Holland,1898; aurantiaca Rothschild,1910; palaemon Druce,1911; ruficilla Strand,1912; albimacula Hampson,1914; mabira Strand,1920;mariae Dufrane,1945; Range (as code): **CM CF GO CG GA Ogo ZR UG KE**
1610. **Apisa canescens Walker,1855** (Ctenuchidae) Synonymy: canescens Walker,1855; pallata Plötz,1880; cana Holland,1893; cinereocostata Holland,1893; subcanescens Rothschild,1910; #homoerotica Strand,1917; #perversa Strand,1917; microcanescens Berio,1935; tamsi Kiriakoff,1957 Range (as code): **SO GA Ogo TZ KE CG SL ZA Tva Nta Kzu BI**
1611. **Apisa chrysopyga (Plötz,1880)** (Ctenuchidae) Synonymy: chrysopyga Plötz,1880 Range (as code): **CM**
1612. **Apisa cinereocostata Holland,1893** (Ctenuchidae) Synonymy: cinereocostata Holland,1893 Range (as code): **GA GN CI NG GH**
1613. **Apisa cleta (Plötz,1880)** (Ctenuchidae) Synonymy: cleta Plötz,1880 Range (as code): **CM**
1614. **Apisa connexa (Walker,1854)** (Ctenuchidae) Synonymy: connexa Walker,1854 Range (as code): **GO Bio**
1615. **Apisa grisescens Dufrane,1945** (Ctenuchidae) Synonymy: grisescens Dufrane,1945 Range (as code): **ZR Kvu MW**
1616. **Apisa kerri (Holland,1898)** (Ctenuchidae) Synonymy: kerri Holland,1898 Range (as code): **CM**
1617. **Apisa metarctioides Hampson,1907** (Ctenuchidae) Synonymy: metarctioides Hampson,1907 Range (as code): **UG**
1618. **Apisa monotica (Holland,1893)** (Ctenuchidae) Synonymy: monotica Holland,1893 Range (as code): **CM**

1619. **Apisa parachoria (Holland,1893)** (Ctenuchidae) Synonymy: parachoria Holland,1893 Range (as code): **ZR CM**
1620. **Apisa perpusilla (Walker,1856)** (Ctenuchidae) Synonymy: perpusilla Walker,1856 Range (as code): **SL**
1621. **Apisa quadrimaculata Zerny,1912** (Ctenuchidae) Synonymy: quadrimaculata Zerny,1912 Range (as code): **ZR**
1622. **Apisa rendalli Rothschild,1910** (Ctenuchidae) Synonymy: rendalli Rothschild,1910 Range (as code): **MW Mje**
1623. **Apisa sjoestedti Aurivillius,1904** (Ctenuchidae) Synonymy: sjoestedti Aurivillius,1904 Range (as code): **CM**
1624. **Apisa tristigma (Mabille,1893)** (Ctenuchidae) Synonymy: tristigma Mabille,1893 Range (as code): **SL**
1625. **Cacosoma gnatulum (Boisduval,1847)** (Ctenuchidae) Synonymy: gnatulum Boisduval,1847 Range (as code): **ZA**
1626. **Ceryx albimacula (Walker,1854)** (Ctenuchidae) Synonymy: albimacula Walker,1854; terminalis Walker,1854; macrospila Walker,1864; constricta Butler,1877; cybelistes Holland,1893 Range (as code): **SL ZR Kga GO Bio**
1627. **Ceryx anthraciformis (Wallengren,1860)** (Ctenuchidae) Synonymy: anthraciformis Wallengren,1860 Range (as code): **ZA Ec**
1628. **Ceryx crawshayi Hampson,1901** (Ctenuchidae) Synonymy: crawshayi Hampson,1901 Range (as code): **KE**
1629. **Ceryx elasson (Holland,1893)** (Ctenuchidae) Synonymy: elasson Holland,1893 Range (as code): **CM**
1630. **Ceryx flava Bethune-Baker,1911** (Ctenuchidae) Synonymy: flava Bethune-Baker,1911 Range (as code): **AO**
1631. **Ceryx fulvescens (Walker,1854)** (Ctenuchidae) Synonymy: fulvescens Walker,1854 Range (as code): **ZA Gau Pre Tva Lpo Spb**
1632. **Ceryx hilda (Ehrmann,1894)** (Ctenuchidae) Synonymy: hilda Ehrmann,1894; seminigra Holland,1898 Range (as code): **LR CM**
1633. **Ceryx longipes (Herrich-Schäffer,1855)** (Ctenuchidae) Synonymy: longipes Herrich-Schäffer,1855 Range (as code): **ZA Nta Kzu Kkf**
1634. **Ceryx nacliodes Hampson,1914** (Ctenuchidae) Synonymy: nacliodes Hampson,1914 Range (as code): **ZA**
1635. **Ceryx resecta (Herrich-Schäffer,1855)** (Ctenuchidae) Synonymy: resecta Herrich-Schäffer,1855 Range (as code): **ZA**
1636. **Ceryx semihyalina (Kirby,1896)** (Ctenuchidae) Synonymy: semihyalina Kirby,1896 Range (as code): **KE**
1637. **Ceryx toxotes Hampson,1898** (Ctenuchidae) Synonymy: toxotes Hampson,1898 Range (as code): **ZA Ec Ans**
1638. **Dysauxes (Adauctis) punctata (Fabricius,1781)** (Ctenuchidae) Synonymy: punctata Fabricius,1781; serva Hübner,[1803]; confamula Hübner,[1803]; ochrea Millière,1876 Range (as code): **MA DZ TN PT ES FR Co Si IT BE LU CH AT PL CZ SK HU RO RU MD UA BY TR AZ Da Nv Ord Kir Der Len Cc GG Tbl Smt Bjo 01 17 25 36 42 55 56 75 76**
1639. **Dysauxes (Adauctis) servula (Berce,1862)** (Ctenuchidae) Synonymy: servula Berce,1862; separata A.Bang-Haas,1906 Range (as code): **FR ES MA DZ Dje Anna Lbs Clo Orn TN Si**
1640. **Dysauxes cambouei (Oberthür,1893)** (Ctenuchidae) Synonymy: cambouei Oberthür,1893 Range (as code): **MG**
1641. **Dysauxes florida De Joannis,1906** (Ctenuchidae) Synonymy: florida De Joannis,1906 Range (as code): **MU**
1642. **Dysauxes lucia (Oberthür,1893)** (Ctenuchidae) Synonymy: lucia Oberthür,1893 Range (as code): **MG**
1643. **Dysauxes quinquemacula (Mabille,1882)** (Ctenuchidae) Synonymy: quinquemacula Mabille,1882; perroti Oberthür,1893 Range (as code): **MG**
1644. **Dysauxes subfenestrata Aurivillius,1899** (Ctenuchidae) Synonymy: subfenestrata Aurivillius,1899 Range (as code): **MG**
1645. **Epitoxis albicincta Hampson,1903** (Ctenuchidae) Synonymy: albicincta Hampson,1903 Range (as code): **KE**
1646. **Epitoxis amazoula (Boisduval,1847)** (Ctenuchidae) Synonymy: amazoula Boisduval,1847; amazonula Zerny,1912 Range (as code): **ZA Nta Kzu Est Dbn**

1647. **Epitoxis ansorgei Rothschild,1910** (Ctenuchidae) Synonymy: ansorgei Rothschild,1910 Range (as code): **KE**
1648. **Epitoxis nigra Hampson,1903** (Ctenuchidae) Synonymy: nigra Hampson,1903 Range (as code): **ZA MZ**
1649. **Epitoxis procridia Hampson,1898** (Ctenuchidae) Synonymy: procridia Hampson,1898 Range (as code): **KE**
1650. **Eressa pleurosticta Hampson,1910** (Ctenuchidae) Synonymy: pleurosticta Hampson,1910 Range (as code): **ZR Kga**
1651. **Eressades flavipunctata Bethune-Baker,1911** (Ctenuchidae) Synonymy: flavipunctata Bethune-Baker,1911 Range (as code): **AO**
1652. **Euchromia amoena (Möschler,1872)** (Ctenuchidae) Synonymy: amoena Möschler,1872; africana Butler,1876 Range (as code): **ZA Tva Nta Kzu Dbn Gau Pre KE MZ Del TZ MG**
1653. **Euchromia formosa (Guérin-Méneville,1829)** (Ctenuchidae) Synonymy: formosa Guérin-Méneville,1829; folletsi Gray,1833 Range (as code): **ZA Tva Lpo Nta Kzu Dbn Ec MG KE SL ZW TZ MZ KM SC**
1654. **Euchromia guineensis (Fabricius,1775)** (Ctenuchidae) Synonymy: guineensis Fabricius,1775; sperchius Cramer,1777; interstans Walker,1854; leonis Butler,1876; bellula Mabille,1890; splendens Butler,1888; interrupta Grünberg,1910 Range (as code): **ZA Nta Kzu SL ZR UG CM AO CG GO GA GM GH NG**
1655. **Euchromia jacksoni Bethune-Baker,1911** (Ctenuchidae) Synonymy: jacksoni Bethune-Baker,1911 Range (as code): **UG**
1656. **Euchromia lethe (Fabricius,1775)** (Ctenuchidae) Synonymy: lethe Fabricius,1775; eumolphus Cramer,1779; fulvida Butler,1888 Range (as code): **MZ ZR AO GO Bio ST**
1657. **Euchromia madagascariensis (Boisduval,1833)** (Ctenuchidae) Synonymy: madagascariensis Boisduval,1833 Range (as code): **MG**
1658. **Eutomis minceus (Stoll,1781)** (Ctenuchidae) Synonymy: minceus Stoll,1781 Range (as code): **ZA Ec**
1659. **Hampsonata natalithala De Freina,2008** (Ctenuchidae) Synonymy: natalithala De Freina,2008 Range (as code): **ZA Kzu Nta**
1660. **Hampsonata phoenicia (Hampson,1898)** (Ctenuchidae) Synonymy: phoenicia Hampson,1898 Range (as code): **TZ Zz**
1661. **Meganaclia carnea Hampson,1898** (Ctenuchidae) Synonymy: carnea Hampson,1898 Range (as code): **GA ZR AO**
1662. **Meganaclia sippia (Plötz,1880)** (Ctenuchidae) Synonymy: sippia Plötz,1880 Range (as code): **SL NG CM UG GH CG ZR GA NE CF**
1663. **Micronaclia bicolor Rothschild,1911** (Ctenuchidae) Synonymy: bicolor Rothschild,1911 Range (as code): **MG**
1664. **Micronaclia leopardina Rothschild,1911** (Ctenuchidae) Synonymy: leopardina Rothschild,1911 Range (as code): **MG**
1665. **Micronaclia muscella (Mabille,1884)** (Ctenuchidae) Synonymy: muscella Mabille,1884; flavia Oberthür,1893 Range (as code): **MG**
1666. **Micronaclia oberthueri Rothschild,1911** (Ctenuchidae) Synonymy: oberthueri Rothschild,1911 Range (as code): **MG**
1667. **Micronaclia simplex (Butler,1879)** (Ctenuchidae) Synonymy: simplex Butler,1879 Range (as code): **MG**
1668. **Micronaclia tenera (Mabille,1878)** (Ctenuchidae) Synonymy: tenera Mabille,1878 Range (as code): **MG**
1669. **Pseudonaclia bifasciata Aurivillius,1909** (Ctenuchidae) Synonymy: bifasciata Aurivillius,1909 Range (as code): **ZA TZ**
1670. **Pseudonaclia puella (Boisduval,1847)** (Ctenuchidae) Synonymy: puella Boisduval,1847; minor Rothschild,1910 Range (as code): **ZA Nta Kzu MZ Del ZW Har KE**
1671. **Psichotoe gnatula (Boisduval,1847)** (Ctenuchidae) Synonymy: gnatula Boisduval,1847; naclioides R.Felder & Rogenhofer,1869 Range (as code): **ZA Tva Lpo Nta WCa**
1672. **Stictonaclia amplificata (Saalmüller,1880)** (Ctenuchidae) Synonymy: amplificata Saalmüller,1880 Range (as code): **MG**
1673. **Stictonaclia anastasia (Oberthür,1893)** (Ctenuchidae) Synonymy: anastasia Oberthür,1893 Range (as code): **MG**
1674. **Stictonaclia maria (Oberthür,1909)** (Ctenuchidae) Synonymy: maria Oberthür,1909 Range (as code): **MG**

1675. **Stictonaclia marietta (Oberthür,1909)** (Ctenuchidae) Synonymy: marietta Oberthür,1909 Range (as code): **MG**
1676. **Stictonaclia myodes (Guérin-Méneville,1829)** (Ctenuchidae) Synonymy: myodes Guérin-Méneville,1829; zygaenoides Mabille,1884; agnes Oberthür,1893 Range (as code): **MG**
1677. **Stictonaclia reducta (Mabille,1878)** (Ctenuchidae) Synonymy: reducta Mabille,1878; anapera Mabille,1878 Range (as code): **MG**
1678. **Thyrogonia efulensis (Holland,1893)** (Ctenuchidae) Synonymy: efulensis Holland,1893 Range (as code): **CM**
1679. **Thyrosticta agatha (Oberthür,1893)** (Ctenuchidae) Synonymy: agatha Oberthür,1893 Range (as code): **MG**
1680. **Thyrosticta butleri (Mabille,1884)** (Ctenuchidae) Synonymy: butleri Mabille,1884; distincta Saalmüller,1884; extensa Saalmüller,1884; expallescens Saalmüller,1884 Range (as code): **MG**
1681. **Thyrosticta contigua (Saalmüller,1884)** (Ctenuchidae) Synonymy: contigua Saalmüller,1884 Range (as code): **MG**
1682. **Thyrosticta luctuosa (Oberthür,1911)** (Ctenuchidae) Synonymy: luctuosa Oberthür,1911 Range (as code): **MG**
1683. **Thyrosticta minuta (Boisduval,1833)** (Ctenuchidae) Synonymy: minuta Boisduval,1833 Range (as code): **MG**
1684. **Thyrosticta moerens (Oberthür,1911)** (Ctenuchidae) Synonymy: moerens Oberthür,1911; sylvicolens Butler,1878; perpetua Oberthür,1893; confluens Oberthür,1893; quadrimacula Oberthür,1893 (hom.); #holoxantha Zerny,1912 Range (as code): **MG**
1685. **Thyrosticta tollini (Keferstein,1870)** (Ctenuchidae) Synonymy: tollini Keferstein,1870; lugens Oberthür,1893 Range (as code): **MG**
1686. **Thyrosticta trimacula (Mabille,1878)** (Ctenuchidae) Synonymy: trimacula Mabille,1878 Range (as code): **MG**
1687. **Trichaeta bivittata (Walker,1864)** (Ctenuchidae) Synonymy: bivittata Walker,1864 Range (as code): **SL**
1688. **Trichaeta fulvescens (Walker,1854)** (Ctenuchidae) Synonymy: fulvescens Walker,1854; thyretiformis Wallengren,1860; molanna Wallengren,1876 Range (as code): **ZA Nta Kzu Tva MZ SO ZW KE ZR**
1689. **Trichaeta parva Aurivillius,1910** (Ctenuchidae) Synonymy: parva Aurivillius,1910 Range (as code): **MZ ZR**
1690. **Trichaeta pterophorina (Mabille,1892)** (Ctenuchidae) Synonymy: pterophorina Mabille,1892 Range (as code): **ZA Tva Spb Mdk Nta Kzu ZW Har MZ BW ZR**
1691. **Trichaeta schultzei Aurivillius,1905** (Ctenuchidae) Synonymy: schultzei Aurivillius,1905 Range (as code): **CM Ada**
1692. **Tritonaclia erubescens Hampson,1901** (Ctenuchidae) Synonymy: erubescens Hampson,1901 Range (as code): **KE**
1693. **Tritonaclia kefersteini (Butler,1882)** (Ctenuchidae) Synonymy: kefersteini Butler,1882 Range (as code): **MG**

Douglasiidae

1694. **Tinagma balteolellum (Fischer v. Röslerstamm,1841)** (Douglasiidae) Synonymy: balteolellum Fischer v. Röslerstamm,1841; borkhauseniella Herrich-Schäffer,1855 Range (as code): **TN Gf PT FR IT GB BE NL DE CH AT PL CZ SK HU RO LT RU MD UA BY LB Bei**
1695. **Tinagma bledellum (Chrétien,1916)** (Douglasiidae) Synonymy: bledellum Chrétien,1916. Range (as code): **DZ TN Gf IR Ss**

Drepanidae

1696. **Archidrepana saturniata W.Warren,1902** (Drepanidae) Synonymy: saturniata W.Warren,1902 Range (as code): **AET MG KM**
1697. **Ausaris macnultyi (Watson,1965)** (Drepanidae) Synonymy: macnultyi Watson,1965 Range (as code): **AET NG ZR CF**
1698. **Ausaris serena (Watson,1965)** (Drepanidae) Synonymy: serena Watson,1965 Range (as code): **AET ZR NG CM CF SL**

1699. **Crocinis (fenestrata-gr.) boboa Watson,1965** (Drepanidae) Synonymy: boboa Watson,1965 Range (as code): **AET MG**
1700. **Crocinis (fenestrata-gr.) canescens Watson,1965** (Drepanidae) Synonymy: canescens Watson,1965 Range (as code): **AET MG**
1701. **Crocinis (fenestrata-gr.) felina Watson,1965** (Drepanidae) Synonymy: felina Watson,1965 Range (as code): **AET MG**
1702. **Crocinis (fenestrata-gr.) fenestrata Butler,1879** (Drepanidae) Synonymy: fenestrata Butler,1879; forata W.Warren,1897 Range (as code): **AET MG**
1703. **Crocinis (fenestrata-gr.) imaitsoana Watson,1965** (Drepanidae) Synonymy: imaitsoana Watson,1965 Range (as code): **AET MG**
1704. **Crocinis (fenestrata-gr.) prolixa Watson,1965** (Drepanidae) Synonymy: prolixa Watson,1965 Range (as code): **AET MG**
1705. **Crocinis (fenestrata-gr.) viettei Watson,1965** (Drepanidae) Synonymy: viettei Watson,1965 Range (as code): **AET MG**
1706. **Crocinis (spicata-gr.) licina Watson,1965** (Drepanidae) Synonymy: licina Watson,1965 Range (as code): **AET MG**
1707. **Crocinis (spicata-gr.) spicata Watson,1965** (Drepanidae) Synonymy: spicata Watson,1965 Range (as code): **AET MG**
1708. **Crocinis (spicata-gr.) tetrathyra (Mabille,1899)** (Drepanidae) Synonymy: tetrathyra Mabille,1899 Range (as code): **AET MG**
1709. **Epicampoptera andersoni (Tams,1925)** (Drepanidae) Synonymy: andersoni Tams,1925 Range (as code): **AET KE Elg UG ZR CF**
1710. **Epicampoptera carnea (Saalmüller,1884)** (Drepanidae) Synonymy: carnea Saalmüller,1884 Range (as code): **AET MG**
1711. **Epicampoptera difficilis M.Hering,1934** (Drepanidae) Synonymy: difficilis M.Hering,1934 Range (as code): **AET GO Bio**
1712. **Epicampoptera efulena Watson,1965** (Drepanidae) Synonymy: efulena Watson,1965 Range (as code): **AET CM**
1713. **Epicampoptera erosa (Holland,1893)** (Drepanidae) Synonymy: erosa Holland,1893 Range (as code): **AET GA**
1714. **Epicampoptera graciosa Watson,1965** (Drepanidae) Synonymy: graciosa Watson,1965 Range (as code): **AET MG**
1715. **Epicampoptera griveaudi Watson,1965** (Drepanidae) Synonymy: griveaudi Watson,1965 Range (as code): **AET MG**
1716. **Epicampoptera heringi Gaede,1927** (Drepanidae) Synonymy: heringi Gaede,1927 Range (as code): **AET CM**
1717. **Epicampoptera heterogyna (Hampson,1914)** (Drepanidae) Synonymy: heterogyna Hampson,1914 Range (as code): **AET UG**
1718. **Epicampoptera ivoirensis Watson,1965** (Drepanidae) Synonymy: ivoirensis Watson,1965 Range (as code): **AET GH CI GN**
1719. **Epicampoptera lumaria Watson,1965** (Drepanidae) Synonymy: lumaria Watson,1965 Range (as code): **AET CM**
1720. **Epicampoptera marantica (Tams,1930)** (Drepanidae) Synonymy: marantica Tams,1930; ignorata M.Hering,1934 Range (as code): **AET GN CI ZR UG CF CM**
1721. **Epicampoptera notialis Watson,1965** (Drepanidae) Synonymy: notialis Watson,1965 Range (as code): **AET ZA Lpo Tva Ltr Spb Nta Kzu Eca**
1722. **Epicampoptera pallida (Tams,1925)** (Drepanidae) Synonymy: pallida Tams,1925 Range (as code): **AET NG**
1723. **Epicampoptera robusta Watson,1965** (Drepanidae) Synonymy: robusta Watson,1965 Range (as code): **AET ZR**
1724. **Epicampoptera seydeli Watson,1965** (Drepanidae) Synonymy: seydeli Watson,1965 Range (as code): **AET ZR Lbu**
1725. **Epicampoptera strandi Bryk,1913** (Drepanidae) Synonymy: strandi Bryk,1913; vulvornata M.Hering,1934 Range (as code): **AET UG GN CM CF CI NG LR SL**
1726. **Epicampoptera tamsi Watson,1965** (Drepanidae) Synonymy: tamsi Watson,1965 Range (as code): **AET AO ZR**

1727. **Epicampoptera tumidula Watson,1965** (Drepanidae) Synonymy: tumidula Watson,1965 Range (as code): **AET ZR CM GA**
1728. **Gonoreta albiapex Watson,1965** (Drepanidae) Synonymy: albiapex Watson,1965 Range (as code): **AET UG ZR TZ Usa**
1729. **Gonoreta angulosa Watson,1965** (Drepanidae) Synonymy: angulosa Watson,1965 Range (as code): **AET UG ZR**
1730. **Gonoreta bispina Watson,1965** (Drepanidae) Synonymy: bispina Watson,1965 Range (as code): **AET MG**
1731. **Gonoreta contracta (W.Warren,1897)** (Drepanidae) Synonymy: contracta W.Warren,1897; ansorgei W.Warren,1902 Range (as code): **AET NG Lgo GA Caa CM**
1732. **Gonoreta cymba Watson,1965** (Drepanidae) Synonymy: cymba Watson,1965 Range (as code): **AET NG UG**
1733. **Gonoreta differenciata (Bryk,1913)** (Drepanidae) Synonymy: differenciata Bryk,1913 Range (as code): **AET CM CI**
1734. **Gonoreta forcipulata Watson,1965** (Drepanidae) Synonymy: forcipulata Watson,1965 Range (as code): **AET ZR ZW UG**
1735. **Gonoreta gonioptera (Hampson,1914)** (Drepanidae) Synonymy: gonioptera Hampson,1914 Range (as code): **AET NG CM**
1736. **Gonoreta opacifinis Watson,1965** (Drepanidae) Synonymy: opacifinis Watson,1965 Range (as code): **AET SL CI NG ZR UG ZW Lgo Kvu Vum**
1737. **Gonoreta subtilis (Bryk,1913)** (Drepanidae) Synonymy: subtilis Bryk,1913 Range (as code): **AET AO ZR Lbu KE CM TZ Usa CI SL**
1738. **Gonoretodes timea Watson,1965** (Drepanidae) Synonymy: timea Watson,1965 Range (as code): **AET MG**
1739. **Isospidia angutipennis (W.Warren,1894)** (Drepanidae) Synonymy: angutipennis W.Warren,1894; glaucinoe Hampson,1914; hylaeina Aurivillius,1925 Range (as code): **AET CI GH NG CM CF Bit UG**
1740. **Isospidia brunneola (Holland,1893)** (Drepanidae) Synonymy: brunneola Holland,1893 Range (as code): **AET SL CM ZR Bit**
1741. **Negera bimaculata (Holland,1893)** (Drepanidae) Synonymy: bimaculata Holland,1893; immaculata Gaede,1927 Range (as code): **AET LR GH CM GA CI**
1742. **Negera clenchi Watson,1965** (Drepanidae) Synonymy: clenchi Watson,1965 Range (as code): **AET CM**
1743. **Negera confusa Walker,1855** (Drepanidae) Synonymy: confusa Walker,1855; lytaea Druce,1896 Range (as code): **AET GM SL GH CI NG CM Lgo Bit**
1744. **Negera disspinosa Watson,1965** (Drepanidae) Synonymy: disspinosa Watson,1965 Range (as code): **AET GA GH NG Caa**
1745. **Negera natalensis (R.Felder,1874)** (Drepanidae) Synonymy: natalensis R.Felder,1874 Range (as code): **AET ZA Nta Kzu Dbn ZW Vum Ptw GH CI NG GA SN CF ZW ZR Lbu CM UG**
1746. **Negera quadricornis Watson,1965** (Drepanidae) Synonymy: quadricornis Watson,1965 Range (as code): **AET UG AO Bit CM KE Elg ZR Kvu**
1747. **Negera ramosa Watson,1965** (Drepanidae) Synonymy: ramosa Watson,1965 Range (as code): **AET ZR UG**
1748. **Negera unispinosa Watson,1965** (Drepanidae) Synonymy: unispinosa Watson,1965 Range (as code): **AET MW Mje**
1749. **Nidara calligola Watson,1965** (Drepanidae) Synonymy: calligola Watson,1965 Range (as code): **AET MG**
1750. **Nidara croceina Mabille,1897** (Drepanidae) Synonymy: croceina Mabille,1897 Range (as code): **AET MG**
1751. **Nidara marcus Watson,1965** (Drepanidae) Synonymy: marcus Watson,1965 Range (as code): **AET MG**
1752. **Nidara multiversa Watson,1965** (Drepanidae) Synonymy: multiversa Watson,1965 Range (as code): **AET MG**
1753. **Nidara pumilla Watson,1965** (Drepanidae) Synonymy: pumilla Watson,1965 Range (as code): **AET MG**
1754. **Oretopsis vohilava (Viette,1954)** (Drepanidae) Synonymy: vohilava Viette,1954 Range (as code): **AET MG**
1755. **Spidia divisa Aurivillius,1906 [sp.rev.]** (Drepanidae) Synonymy: divisa Aurivillius,1906 Range (as code): **AET ZR UG**
1756. **Spidia excentrica Strand,1912** (Drepanidae) Synonymy: excentrica Strand,1912 Range (as code): **AET NG CM GA GO Bia Bit**

1757. **Spidia fenestrata Butler,1878** (Drepanidae) Synonymy: fenestrata Butler,1878; rubrisecta W.Warren,1898; fenestriculata Gaede,1914 Range (as code): **AET GN SL LR CI GH NG AO CM Caa**
1758. **Spidia goniata Waston,1957** (Drepanidae) Synonymy: goniata Waston,1957 Range (as code): **AET UG Rz**
1759. **Spidia inangulata Watson,1965** (Drepanidae) Synonymy: inangulata Watson,1965 Range (as code): **AET CM Bit NG**
1760. **Spidia miserrima (Holland,1893)** (Drepanidae) Synonymy: miserrima Holland,1893 Range (as code): **AET GA**
1761. **Spidia planola Watson,1965** (Drepanidae) Synonymy: planola Watson,1965 Range (as code): **AET CI SL? GH? CF**
1762. **Spidia rufinota Watson,1965** (Drepanidae) Synonymy: rufinota Watson,1965 Range (as code): **AET CM Bit CF**
1763. **Spidia smithi (W.Warren,1902)** (Drepanidae) Synonymy: smithi W.Warren,1902 Range (as code): **AET ZR UG**
1764. **Spidia subviridis (W.Warren,1899)** (Drepanidae) Synonymy: subviridis W.Warren,1899 Range (as code): **AET NG CI CM ZR Bit**
1765. **Uranometra oculata (Holland,1893)** (Drepanidae) Synonymy: oculata Holland,1893; diagonalis Bryk,1913; sulphurea Hampson,1914 Range (as code): **AET GH NG CM Bit ZR Kga Lbu CF UG**
1766. **Watsonalla binaria (Hufnagel,1767)** (Drepanidae) Synonymy: binaria Hufnagel,1767; falcata Fabricius,1775; falculataria De Villers,1789; falcatalis Haworth,1802; uncula Hübner,[1802] Range (as code): **DZ Sbd Agi Ges Dhm TN ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG Lag IQ Brs LB Bsa DK SE FI LV LT RU MD UA BY 01 02 05 06 08 10 12 13 14 16 21 30 31 33 42 46 49 50 53 56 62 65 71 73 75**

Dudgeonidae

1767. **Dudgeonea locuples (Mabille,1879)** (Dudgeonidae) Synonymy: locuples Mabille,1879 Range (as code): **MG**
1768. **Dudgeonea malagassa Viette,1958** (Dudgeonidae) Synonymy: malagassa Viette,1958 Range (as code): **MG**
1769. **Dudgeonea sierraleonensis Strand,1916** (Dudgeonidae) Synonymy: sierraleonensis Strand,1916 Range (as code): **ZA SL**

Elachistidae

1770. **Elachista (Dibrachia) elksourensis Kaila,2005** (Elachistidae) Synonymy: elksourensis Kaila,2005 Range (as code): **TN**
1771. **Elachista (Dibrachia) totalbella Chrétien,1908** (Elachistidae) Synonymy: totalbella Chrétien,1908 Range (as code): **DZ Bsk TN**
1772. **Elachista bledella Chrétien,1915** (Elachistidae) Synonymy: bledella Chrétien,1915 Range (as code): **TN Gf**
1773. **Elachista brevis Sruoga & De Prins,2009** (Elachistidae) Synonymy: brevis Sruoga & De Prins,2009 Range (as code): **KE**
1774. **Elachista bromella Chrétien,1915** (Elachistidae) Synonymy: bromella Chrétien,1915 Range (as code): **TN Gf**
1775. **Elachista chelonitis Meyrick,1909** (Elachistidae) Synonymy: chelonitis Meyrick,1909 Range (as code): **KE**
1776. **Elachista ciliatella Chrétien,1915** (Elachistidae) Synonymy: ciliatella Chrétien,1915 Range (as code): **TN Gf**
1777. **Elachista contaminatella Zeller,1847** (Elachistidae) Synonymy: contaminatella Zeller,1847; fadella Millière,1876; suspectella Chrétien,1896; hypoleuca Walsingham,1907; arzamastsevi Lastukhin,2009 Range (as code): **Cn PT DZ ES FR Sa Si IT AT SK HU YU AL BG TR UA Cm RU Cc Kr Ao Vl Ur TM**
1778. **Elachista crocogastra Meyrick,1908** (Elachistidae) Synonymy: crocogastra Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
1779. **Elachista delocharis Meyrick,1932** (Elachistidae) Synonymy: delocharis Meyrick,1932 Range (as code): **ET ET88 Sw**
1780. **Elachista glaseri Traugott-Olsen,1992** (Elachistidae) Synonymy: glaseri Traugott-Olsen,1992; rikkae Traugott-Olsen,1992; totanaensis Traugott-Olsen,1992; demartini Traugott-Olsen,1992; bengtssoni Traugott-

Olsen,1992; senecai Traugott-Olsen,1992; wadielhiraensis Traugott-Olsen,1992; rissaniensis Traugott-Olsen,1992; michelseni Traugott-Olsen,1992 Range (as code): **ES TN LY MA**

1781. **Elachista gypsophila Meyrick,1911** (Elachistidae) Synonymy: gypsophila Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
1782. **Elachista justificata Meyrick,1926** (Elachistidae) Synonymy: justificata Meyrick,1926 Range (as code): **ZA**
1783. **Elachista kakamegensis Sruoga & De Prins,2009** (Elachistidae) Synonymy: kakamegensis Sruoga & De Prins,2009 Range (as code): **KE**
1784. **Elachista longispina Sruoga & De Prins,2009** (Elachistidae) Synonymy: longispina Sruoga & De Prins,2009 Range (as code): **KE**
1785. **Elachista maboulella Chrétien,1915** (Elachistidae) Synonymy: maboulella Chrétien,1915; catalunella Traugott-Olsen,1992; gerdmaritella Traugott-Olsen,1992; gielisi Traugott-Olsen,1992 Range (as code): **ES An Mu DZ Bsk TN Gf**
1786. **Elachista merimnaea Meyrick,1920** (Elachistidae) Synonymy: merimnaea Meyrick,1920 Range (as code): **ZA**
1787. **Elachista nuraghella Amsel,1951** (Elachistidae) Synonymy: nuraghella Amsel,1951; grotenfelti Kaila,2012 Range (as code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT MK AT YU BG GR TR SY 42**
1788. **Elachista nymphaea Meyrick,1911** (Elachistidae) Synonymy: nymphaea Meyrick,1911 Range (as code): **ZA Gau Tva Pre**
1789. **Elachista planca Sruoga & De Prins,2009** (Elachistidae) Synonymy: planca Sruoga & De Prins,2009 Range (as code): **KE**
1790. **Elachista sparsula Meyrick,1921** (Elachistidae) Synonymy: sparsula Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
1791. **Elachista vartianae Parenti,1981** (Elachistidae) Synonymy: vartianae Parenti,1981 Range (as code): **SY Dms LB MA Ifr**
1792. **Myrrhinitis sporeuta Meyrick,1913** (Elachistidae) Synonymy: sporeuta Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1793. **Perittia aganopa (Meyrick,1911)** (Elachistidae) Synonymy: aganopa Meyrick,1911 Range (as code): **ZA Gau Tva Pre**
1794. **Perittia falciferella Sruoga & De Prins,2009** (Elachistidae) Synonymy: falciferella Sruoga & De Prins,2009 Range (as code): **KE**
1795. **Perittia gnoma Sruoga & De Prins,2009** (Elachistidae) Synonymy: gnoma Sruoga & De Prins,2009 Range (as code): **KE**
1796. **Perittia inscia Meyrick,1913** (Elachistidae) Synonymy: inscia Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
1797. **Perittia nimbifera (Meyrick,1913)** (Elachistidae) Synonymy: nimbifera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Wv**
1798. **Perittia ptychospila (Meyrick,1918)** (Elachistidae) Synonymy: ptychospila Meyrick,1918 Range (as code): **ZA**
1799. **Perittia secutrix Meyrick,1914** (Elachistidae) Synonymy: secutrix Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
1800. **Perittia spatulata Sruoga & De Prins,2009** (Elachistidae) Synonymy: spatulata Sruoga & De Prins,2009 Range (as code): **KE**
1801. **Perittia tantilla Sruoga & De Prins,2009** (Elachistidae) Synonymy: tantilla Sruoga & De Prins,2009 Range (as code): **KE**
1802. **Phthinostoma infumata Meyrick,1914** (Elachistidae) Synonymy: infumata Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
1803. **Phthinostoma pachyzona Meyrick,1921** (Elachistidae) Synonymy: pachyzona Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
1804. **Proterochyta epicoena (Meyrick,1914)** (Elachistidae) Synonymy: epicoena Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
1805. **Stephensia calpella (Walsingham,1908)** (Elachistidae) Synonymy: calpella Walsingham,1908; bullatella Chrétien,1915. Range (as code): **DZ TN Gf ES Gi Mu**
1806. **Stephensia cedronellae (Walsingham,1908)** (Elachistidae) Synonymy: cedronellae Walsingham,1908; lavandulae Walsingham,1908; bystropogonis Walsingham,1908. Range (as code): **Cn**

Epermeniidae

1807. **Africepermenia tanzanica Gaedike,2004** (Epermeniidae) Synonymy: tanzanica Gaedike,2004 Range (as code): **TZ KE Kkm**
1808. **Epermenia (Calotripis) aarviki Gaedike,2013** (Epermeniidae) Synonymy: aarviki Gaedike,2013 Range (as code): **TZ Mgr KE**
1809. **Epermenia (Calotripis) aequidentella (Hofmann,1867)** (Epermeniidae) Synonymy: aequidentella Hofmann,1867; daucellus Peyerimhoff,1870. Range (as code): **Cn DZ Anna ES B-I FR Co Sa Si IT GB DE NO CH AT CZ HU RO YU AL GR TR LB Bei Bsa IR Elb Mz Clu IL Pa EE MN RU Sb Cc 46**
1810. **Epermenia (Calotripis) brevilineolata Gaedike,2004** (Epermeniidae) Synonymy: brevilineolata Gaedike,2004 Range (as code): **MG**
1811. **Epermenia (Calotripis) bulbosa Gaedike,2004** (Epermeniidae) Synonymy: bulbosa Gaedike,2004 Range (as code): **KE ZA**
1812. **Epermenia (Calotripis) conioptila Meyrick,1921** (Epermeniidae) Synonymy: conioptila Meyrick,1921 Range (as code): **ZW Uma KE**
1813. **Epermenia (Calotripis) costomaculata Gaedike,2013** (Epermeniidae) Synonymy: costomaculata Gaedike,2013 Range (as code): **KE**
1814. **Epermenia (Calotripis) criticodes Meyrick,1913** (Epermeniidae) Synonymy: criticodes Meyrick,1913 Range (as code): **ZA Ec Ste Cto Tva Mpu Wv KE Tet**
1815. **Epermenia (Calotripis) dallastai Gaedike,2013** (Epermeniidae) Synonymy: dallastai Gaedike,2013 Range (as code): **KE**
1816. **Epermenia (Calotripis) epirrhicna Meyrick,1938** (Epermeniidae) Synonymy: epirrhicna Meyrick,1938 Range (as code): **ZR**
1817. **Epermenia (Calotripis) formosa Gaedike,2013** (Epermeniidae) Synonymy: formosa Gaedike,2013 Range (as code): **KE**
1818. **Epermenia (Calotripis) griveaudi Gaedike,2004** (Epermeniidae) Synonymy: griveaudi Gaedike,2004 Range (as code): **MG**
1819. **Epermenia (Calotripis) hamata Gaedike,2013** (Epermeniidae) Synonymy: hamata Gaedike,2013 Range (as code): **ZA Nta Kzu**
1820. **Epermenia (Calotripis) karurucola Gaedike,2013** (Epermeniidae) Synonymy: karurucola Gaedike,2013 Range (as code): **KE**
1821. **Epermenia (Calotripis) maculata Gaedike,2004** (Epermeniidae) Synonymy: maculata Gaedike,2004 Range (as code): **MG**
1822. **Epermenia (Calotripis) malawica Gaedike,2004** (Epermeniidae) Synonymy: malawica Gaedike,2004 Range (as code): **MW KE**
1823. **Epermenia (Calotripis) meyi Gaedike,2004** (Epermeniidae) Synonymy: meyi Gaedike,2004 Range (as code): **MW KE ET ETo8 Sw Oro**
1824. **Epermenia (Calotripis) minuta Gaedike,2004** (Epermeniidae) Synonymy: minuta Gaedike,2004 Range (as code): **MG**
1825. **Epermenia (Calotripis) oriplanta Bradley,1965** (Epermeniidae) Synonymy: oriplanta Bradley,1965 Range (as code): **UG**
1826. **Epermenia (Calotripis) paramalawica Gaedike,2013** (Epermeniidae) Synonymy: paramalawica Gaedike,2013 Range (as code): **KE**
1827. **Epermenia (Calotripis) philorites (Bradley,1965)** (Epermeniidae) Synonymy: philorites Bradley,1965 Range (as code): **UG**
1828. **Epermenia (Calotripis) ruwenzorica Gaedike,2013** (Epermeniidae) Synonymy: ruwenzorica Gaedike,2013 Range (as code): **ZR Rz**
1829. **Epermenia (Calotripis) strictella (Wocke,1867)** (Epermeniidae) Synonymy: strictella Wocke,1867; anthracoptila Meyrick,1931. Range (as code): **Cn ES FR Sa IT CH AT PL SK HU RO YU BG GR LV RU MD UA BY TR IR AF Kbb Pnj Bd Pag MN Cc 46**
1830. **Epermenia (Calotripis) tenuipennella Gaedike,2013** (Epermeniidae) Synonymy: tenuipennella Gaedike,2013 Range (as code): **KE**
1831. **Epermenia (Calotripis) turicola Gaedike,2013** (Epermeniidae) Synonymy: turicola Gaedike,2013 Range (as code): **KE TZ**
1832. **Epermenia (Cataplectica) iniquella (Wocke,1867)** (Epermeniidae) Synonymy: dentosella auct. nec Stt.,1851; iniquella Wocke,1867; kruegerella Schawerda,1921; ochrodesma Meyrick,1913 Range (as code): **PT ES FR IT DE CH AT PL SK SS YU GR Cc IR Elb Plr RU ZA Tva Gau Brb KE**

1833. **Epermenia (Cataplectica) kenyacola Gaedike,2013** (Epermeniidae) Synonymy: kenyacola Gaedike,2013 Range (as code): **KE MW**
1834. **Epermenia (Cataplectica) mineti Gaedike,2004** (Epermeniidae) Synonymy: mineti Gaedike,2004 Range (as code): **MG**
1835. **Epermenia (Cataplectica) triacuta Gaedike,2013** (Epermeniidae) Synonymy: triacuta Gaedike,2013 Range (as code): **NA**
1836. **Epermenia (s.str.) agassizi Gaedike,2013** (Epermeniidae) Synonymy: agassizi Gaedike,2013 Range (as code): **KE Kkm**
1837. **Epermenia (s.str.) daucella Peyerimhoff,1870** (Epermeniidae) Synonymy: daucella Peyerimhoff,1870 Range (as code): **Cn ES FR GB Md B-H Co DZ**
1838. **Epermenia bicornis Gaedike,2004** (Epermeniidae) Synonymy: bicornis Gaedike,2004 Range (as code): **ZA Tva Lpo**
1839. **Epermenia bulbosa Gaedike,2004** (Epermeniidae) Synonymy: bulbosa Gaedike,2004 Range (as code): **ZA Tva Lpo**
1840. **Gnathifera proserga (Meyrick,1913)** (Epermeniidae) Synonymy: proserga Meyrick,1913 Range (as code): **ZA Mpu Tva Brb**
1841. **Gnathifera punctata Gaedike,2013** (Epermeniidae) Synonymy: punctata Gaedike,2013 Range (as code): **ZA**
1842. **Inuncus juratae Gaedike,2013** (Epermeniidae) Synonymy: juratae Gaedike,2013 Range (as code): **KE TZ Mgr**
1843. **Mesepermenia malgachica Gaedike,2004** (Epermeniidae) Synonymy: malgachica Gaedike,2004 Range (as code): **MG**
1844. **Ochromolopis cana Gaedike,2013** (Epermeniidae) Synonymy: cana Gaedike,2013 Range (as code): **ZA Ec Ste**
1845. **Ochromolopis ictella (Hübner,[1813])** (Epermeniidae) Synonymy: ictella Hübner,[1813]; ictipennella Treitschke,1833. Range (as code): **MA ES FR Co IT DE CH AT PL CZ SK HU YU HV MK AL FI RU MD UA BY**
1846. **Ochromolopis ithycentra (Meyrick,1926)** (Epermeniidae) Synonymy: ithycentra Meyrick,1926 Range (as code): **ZA Wca Cld**
1847. **Ochromolopis namibica Gaedike,2004** (Epermeniidae) Synonymy: namibica Gaedike,2004 Range (as code): **NA Dmr Bnd**
1848. **Ochromolopis pallida Gaedike,2004** (Epermeniidae) Synonymy: pallida Gaedike,2004 Range (as code): **MG**
1849. **Ochromolopis sagittella Gaedike,2013** (Epermeniidae) Synonymy: sagittella Gaedike,2013 Range (as code): **KE**
1850. **Ochromolopis xeropa (Meyrick,1909)** (Epermeniidae) Synonymy: xeropa Meyrick,1909; praefumata Meyrick,1911 Range (as code): **ZA Gau Tva Pre Wo**
1851. **Phaulernis africana Gaedike,2013** (Epermeniidae) Synonymy: africana Gaedike,2013 Range (as code): **KE Kkm TZ**
1852. **Phaulernis montuosa Gaedike,2013** (Epermeniidae) Synonymy: montuosa Gaedike,2013 Range (as code): **KE Tet MW Mje Mru TZ**

Epipyropidae

1853. **Fulgoraecia cerolestes (Tams,1947)** (Epipyropidae) Synonymy: cerolestes Tams,1947 Range (as code): **KE**
1854. **Fulgoraecia epityraea Scheven,1974** (Epipyropidae) Synonymy: epityraea Scheven,1974 Range (as code): **TZ**
1855. **Fulgoraecia fulvipuncta (Distant,1913)** (Epipyropidae) Synonymy: fulvipuncta Distant,1913 Range (as code): **ZA Nta Kzu Dbn**
1856. **Fulgoraecia gradidieri (Viette,1960)** (Epipyropidae) Synonymy: gradidieri Viette,1960 Range (as code): **MG**
1857. **Fulgoraecia malagassica (Jordan,1928)** (Epipyropidae) Synonymy: malagassica Jordan,1928 Range (as code): **MG**
1858. **Fulgoraecia radama (Viette,1960)** (Epipyropidae) Synonymy: radama Viette,1960 Range (as code): **MG**

Eriocottidae

1859. **Compsoctena aedifica (Meyrick,1908)** (Eriocottidae) Synonymy: aedifica Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
1860. **Compsoctena africanella (Strand,1909)** (Eriocottidae) Synonymy: africanella Strand,1909 Range (as code): **ZA**
1861. **Compsoctena agria (Meyrick,1909)** (Eriocottidae) Synonymy: agria Meyrick,1909 Range (as code): **ZA**
1862. **Compsoctena araeopis (Meyrick,1926)** (Eriocottidae) Synonymy: araeopis Meyrick,1926 Range (as code): **ZA**
1863. **Compsoctena autoderma (Meyrick,1914)** (Eriocottidae) Synonymy: autoderma Meyrick,1914 Range (as code): **ZA**
1864. **Compsoctena brachyctenis (Meyrick,1909)** (Eriocottidae) Synonymy: brachyctenis Meyrick,1909 Range (as code): **ZA**
1865. **Compsoctena connexalis (Walker,1863)** (Eriocottidae) Synonymy: connexalis Walker,1863 Range (as code): **ZA**
1866. **Compsoctena cyclatma (Meyrick,1908)** (Eriocottidae) Synonymy: cyclatma Meyrick,1908 Range (as code): **ZW ZA Tva Lpo Gau Pre MZ**
1867. **Compsoctena delocrossa (Meyrick,1921)** (Eriocottidae) Synonymy: delocrossa Meyrick,1921 Range (as code): **ZW Hfo**
1868. **Compsoctena dermatodes (Meyrick,1914)** (Eriocottidae) Synonymy: dermatodes Meyrick,1914 Range (as code): **TZ ZW**
1869. **Compsoctena expers (Meyrick,1911)** (Eriocottidae) Synonymy: expers Meyrick,1911 Range (as code): **NA ZW ZA Tva Lpo Wb**
1870. **Compsoctena fossoria (Meyrick,1920)** (Eriocottidae) Synonymy: fossoria Meyrick,1920 Range (as code): **ZA Tva**
1871. **Compsoctena furciformis (Meyrick,1921)** (Eriocottidae) Synonymy: furciformis Meyrick,1921; #fruciformis Dierl,1970 Range (as code): **ZW**
1872. **Compsoctena isopetra (Meyrick,1921)** (Eriocottidae) Synonymy: isopetra Meyrick,1921 Range (as code): **ZW Swm**
1873. **Compsoctena lycophanes (Meyrick,1924)** (Eriocottidae) Synonymy: lycophanes Meyrick,1924 Range (as code): **ZA Ec**
1874. **Compsoctena melitoploca (Meyrick,1927)** (Eriocottidae) Synonymy: melitoploca Meyrick,1927 Range (as code): **ZA**
1875. **Compsoctena microctenis (Meyrick,1914)** (Eriocottidae) Synonymy: microctenis Meyrick,1914; tridentifera Meyrick,1914. Range (as code): **ZW Har Hfo TZ**
1876. **Compsoctena montana Dierl,1970** (Eriocottidae) Synonymy: montana Dierl,1970 Range (as code): **TZ KE**
1877. **Compsoctena ochrastis (Meyrick,1937)** (Eriocottidae) Synonymy: ochrastis Meyrick,1937 Range (as code): **ZA**
1878. **Compsoctena ostracitis (Meyrick,1913)** (Eriocottidae) Synonymy: ostracitis Meyrick,1913 Range (as code): **ZA Tva Mpu Noo**
1879. **Compsoctena primella Zeller,[1854]** (Eriocottidae) Synonymy: primella Zeller,[1854]; inquinatalis Walker,1863; natalana Walker,1864; subauratana Walker,1866 Range (as code): **ZA Nta Kzu Ec Dbn**
1880. **Compsoctena psammosticha (Meyrick,1921)** (Eriocottidae) Synonymy: psammosticha Meyrick,1921 Range (as code): **ZW**
1881. **Compsoctena quassa (Meyrick,1921)** (Eriocottidae) Synonymy: quassa Meyrick,1921 Range (as code): **ZW**
1882. **Compsoctena rudis (Meyrick,1921)** (Eriocottidae) Synonymy: rudis Meyrick,1921 Range (as code): **MZ ZW**
1883. **Compsoctena scriba (Meyrick,1921)** (Eriocottidae) Synonymy: scriba Meyrick,1921 Range (as code): **ZW Hfo Bul Har MZ TZ ZM**
1884. **Compsoctena secundella (Walsingham,1897)** (Eriocottidae) Synonymy: secundella Walsingham,1897 Range (as code): **GA SL**
1885. **Compsoctena similis Dierl,1970** (Eriocottidae) Synonymy: similis Dierl,1970 Range (as code): **TZ**

1886. **Compsoctena spilophanes (Meyrick,1921)** (Eriocottidae) Synonymy: spilophanes Meyrick,1921 Range (as code): **ZW**
1887. **Compsoctena talarodes (Meyrick,1914)** (Eriocottidae) Synonymy: talarodes Meyrick,1914 Range (as code): **TZ ZW**
1888. **Compsoctena terrestris (Meyrick,1914)** (Eriocottidae) Synonymy: terrestris Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
1889. **Deuterotinea auronitens Lucas,1956** (Eriocottidae) Synonymy: auronitens Lucas,1956 Range (as code): **MA**
1890. **Eucryptogona secularis Meyrick,1918** (Eriocottidae) Synonymy: secularis Meyrick,1918 Range (as code): **ZA Tva Gau Jh**

Ethmiidae

1891. **Ethmia acutella (Turati,1934)** (Ethmiidae) Synonymy: acutella Turati,1934 Range (as code): **LY Cy SA YE**
1892. **Ethmia alba (Amsel,1949)** (Ethmiidae) Synonymy: alba Amsel,1949 Range (as code): **AE EG IR Kz Ahz**
1893. **Ethmia aurifluella (Hübner,[1810])** (Ethmiidae) Synonymy: aurifluella Hübner,[1810]; albarracinella Ragonot,1882; helvetica Müller-Rutz,1922; cambyses Wiltshire,1947 Range (as code): **MA PT ES FR Sa IT CH AT RO YU AL BG GR Rd TR RU IR Fa Ha SY KG 13 16 35 42 44 48 65**
1894. **Ethmia bipunctella (Fabricius,1775)** (Ethmiidae) Synonymy: bipunctella Fabricius,1775; echiella [Denis & Schiffermüller],1775; hochenwartiella Rossi,1790; griseicostella Wiltshire,1947; euphoria Kun,2007 Range (as code): **Cn MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL GR Cr CY TR DK NO SE FI EE LV LT RU Kb MD UA BY KG Uk IL Pa Hf Js IR Elb Th Km Kd Zj Kh IQ Shq LB Bsa Cc AM 04 05 06 16 20 30 35 36 42 46 56 58 60 65 71 72 76**
1895. **Ethmia candidella (Alpheraky,1908)** (Ethmiidae) Synonymy: candidella Alpheraky,1908; orientella Caradja,1931. Range (as code): **MA DZ TN PT ES FR IT CH AT CZ SK HU RO YU GR TR IL Jt Pa GG AM Cc IQ Bgd IR Fa Shr Elb Mz RU MD UA BY KG Tk KK UZ 13 16 21 30 36 42 46 65 71 73**
1896. **Ethmia circumdatella (Walker,1863)** (Ethmiidae) Synonymy: circumdatella Walker,1863 Range (as code): **ZA Nta Kzu ZW ZM**
1897. **Ethmia coscineutis Meyrick,1911** (Ethmiidae) Synonymy: coscineutis Meyrick,1911 Range (as code): **ZA Wb Nta Kzu Dbn MZ ZW BW**
1898. **Ethmia cyrenaicella Amsel,1955** (Ethmiidae) Synonymy: niveella Turati,1934 (praeocc.); cyrenaicella Amsel,1955 Range (as code): **LY Cy**
1899. **Ethmia dactylia Meyrick,1911** (Ethmiidae) Synonymy: dactylia Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
1900. **Ethmia ditreta Meyrick,1920** (Ethmiidae) Synonymy: ditreta Meyrick,1920; arabica Amsel,1961 Range (as code): **YE Ad TZ**
1901. **Ethmia epiloxa Meyrick,1914** (Ethmiidae) Synonymy: epiloxa Meyrick,1914 Range (as code): **ZA**
1902. **Ethmia glandifera Meyrick,1918** (Ethmiidae) Synonymy: glandifera Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
1903. **Ethmia hamaxastra Meyrick,1930** (Ethmiidae) Synonymy: hamaxastra Meyrick,1930 Range (as code): **ZA**
1904. **Ethmia humiliella (Chrétien,1915)** (Ethmiidae) Synonymy: humiliella Chrétien,1915 q Range (as code): **TN Gf**
1905. **Ethmia humiliella Chrétien,1915** (Ethmiidae) Synonymy: humiliella Chrétien,1915 Range (as code): **TN Gf**
1906. **Ethmia judicialis Meyrick,1921** (Ethmiidae) Synonymy: judicialis Meyrick,1921 Range (as code): **ZW Uma**
1907. **Ethmia lepidella (Chrétien,1907)** (Ethmiidae) Synonymy: lepidella Chrétien,1907; niveella Caradja,1920; minusculella Turati,1929; lactistrigella Turati & Krüger,1936; euphraticella Amsel,1954. Range (as code): **DZ Bsk TN LY Cy ES IL Pa Js SY IQ Dy AE**
1908. **Ethmia leucocirrha Meyrick,1926** (Ethmiidae) Synonymy: leucocirrha Meyrick,1926 Range (as code): **ZA**
1909. **Ethmia livida (Zeller,1852)** (Ethmiidae) Synonymy: livida Zeller,1852 Range (as code): **ZA**
1910. **Ethmia lybiella (Ragonot,1892)** (Ethmiidae) Synonymy: lybiella Ragonot,1892; biskraella Chrétien,1915; trimaculella Lucas,1943. Range (as code): **TN Gab DZ Gha Bsk LY Cy IL Pa**

1911. **Ethmia minusculella (Turati,1929)** (Ethmiidae) Synonymy: minusculella Turati,1929 Range (as code): **LY Cy**
1912. **Ethmia nigroapicella (Saalmüller,1880)** (Ethmiidae) Synonymy: nigroapicella Saalmüller,1880; colonella Walsingham,1907; meteoris Meyrick,1911; systematica Meyrick,1922; apicalis Matsumura,1931. Range (as code): **MG Hw SC MM Shn TH JP Ri TW IN Ass PH WS**
1913. **Ethmia oculigera (Möschler,1883)** (Ethmiidae) Synonymy: oculigera Möschler,1883 Range (as code): **ZA**
1914. **Ethmia pericentrota Meyrick,1926** (Ethmiidae) Synonymy: pericentrota Meyrick,1926 Range (as code): **ZA**
1915. **Ethmia quadrinotella (Mann,1861)** (Ethmiidae) Synonymy: quadrinotella Mann,1861; atticella Caradja,1920; galaxaea Meyrick,1922. Range (as code): **CV MA DZ Bsk EG SA SD LY Cy TN BH IQ Kbl AF Ca Hr PK Gg Ch GR TR Cc AM Eri SY IL Hf Pa Js IR Elb Kdj Th AE 01 05 06 31 42 46 56 71 76**
1916. **Ethmia rhomboidella Walsingham,1897** (Ethmiidae) Synonymy: rhomboidella Walsingham,1897 Range (as code): **ZA MZ ZW ZR KE CG**
1917. **Ethmia sabiella (R.Felder & Rogenhofer,1875)** (Ethmiidae) Synonymy: sabiella R.Felder & Rogenhofer,1875 Range (as code): **ZA Nta Kzu Tva MZ ZW ZM**
1918. **Ethmia tamaridella (Rebel,1907)** (Ethmiidae) Synonymy: tamaridella Rebel,1907 Range (as code): **YE Sk**
1919. **Ethmia terminella T.B.Fletcher,1938** (Ethmiidae) Synonymy: sexpunctella Hübner,[1810] nec Fabr.,1794; terminella T.B.Fletcher,1938. Range (as code): **MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI LV LT RU MD UA BY JO Jt IL Pa 16 34**
1920. **Ethmia variinotella (Chrétien,1915)** (Ethmiidae) Synonymy: variinotella Chrétien,1915 Range (as code): **TN Gf**
1921. **Ethmia vittalbella (Christoph,1877)** (Ethmiidae) Synonymy: vittalbella Christoph,1877; #vittalbata Mabille,1906; radiatella Chrétien,1907; tripolitanella Turati,1929. Range (as code): **MA DZ Bsk TN EG SA IL Jt Pa SY Hms AZ Nv Ord Cc AM IR Kh TM Krn PK Gg Ch IQ KG AF Hr Srb Pli Ca Dwe Ui Ku**

Eupterotidae

1922. **Acrojana rosacea (Butler,1874)** (Eupterotidae) Synonymy: rosacea Butler,1874 Range (as code): **GH**
1923. **Acrojana salmonea Rothschild,1932** (Eupterotidae) Synonymy: salmonea Rothschild,1932 Range (as code): **GH NG**
1924. **Acrojana sciron (Druce,1888)** (Eupterotidae) Synonymy: sciron Druce,1888; ochracea Strand Range (as code): **ZA**
1925. **Acrojana scutaea Strand,1909** (Eupterotidae) Synonymy: scutaea Strand,1909; sanguineipes Strand,1910 Range (as code): **ZA**
1926. **Acrojana simillima Rothschild,1932** (Eupterotidae) Synonymy: simillima Rothschild,1932 Range (as code): **SL**
1927. **Acrojana splendida Rothschild,1917** (Eupterotidae) Synonymy: splendida Rothschild,1917 Range (as code): **SL**
1928. **Apona styx (Bethune-Baker,1908)** (Eupterotidae) Synonymy: styx Bethune-Baker,1908; crenulata Joicey Range (as code): **CI**
1929. **Bantuana cregoei Distant,1906** (Eupterotidae) Synonymy: cregoei Distant,1906 Range (as code): **ZA**
1930. **Camerunia albida Aurivillius,1901** (Eupterotidae) Synonymy: albida Aurivillius,1901 Range (as code): **TZ**
1931. **Camerunia bipartita Rothschild,1917** (Eupterotidae) Synonymy: bipartita Rothschild,1917 Range (as code): **NE**
1932. **Camerunia flava Aurivillius,1904** (Eupterotidae) Synonymy: flava Aurivillius,1904; lactiflora Wichgraf,1914 Range (as code): **ZA**
1933. **Camerunia orphne (Schaus,1893)** (Eupterotidae) Synonymy: orphne Schaus,1893; insignis Aurivillius Range (as code): **SL**
1934. **Catajana bimaculata (Dewitz,1879)** (Eupterotidae) Synonymy: bimaculata Dewitz,1879 Range (as code): **ZA**
1935. **Cyrtojana trilineata Aurivillius,1911** (Eupterotidae) Synonymy: trilineata Aurivillius,1911; apithana Hering,1929 Range (as code): **ZA**

1936. **Drepanojana fasciata Aurivillius,1893** (Eupterotidae) Synonymy: fasciata Aurivillius,1893; apicalis Aurivillius; maeonia Druce Range (as code): **GH NG SL**
1937. **Epijana cosima (Plötz,1880)** (Eupterotidae) Synonymy: cosima Plötz,1880; cinerea Holland,1893; lanosa Holland; velutonia Druce,1896 Range (as code): **CM**
1938. **Epijana latifasciata Dall'Asta & Poncin,1980** (Eupterotidae) Synonymy: latifasciata Dall'Asta & Poncin,1980 Range (as code): **ZR**
1939. **Epijana meridionalis Dall'Asta & Poncin,1980** (Eupterotidae) Synonymy: meridionalis Dall'Asta & Poncin,1980 Range (as code): **ZR**
1940. **Gonojana dimidiata Aurivillius,1893** (Eupterotidae) Synonymy: dimidiata Aurivillius,1893 Range (as code): **GA CM**
1941. **Hemijana griseola Rothschild,1917** (Eupterotidae) Synonymy: griseola Rothschild,1917 Range (as code): **ZA Kzu**
1942. **Hemijana subrosea (Aurivillius,1893)** (Eupterotidae) Synonymy: subrosea Aurivillius,1893; ruberrima Rothschild,1917 Range (as code): **ZA Tva Gau Pre Nta Kzu AO**
1943. **Hemijana variegata Rothschild,1917** (Eupterotidae) Synonymy: variegata Rothschild,1917 Range (as code): **ZA MZ Del**
1944. **Hibrildes crawshayi Butler,1896** (Eupterotidae) Synonymy: crawshayi Butler,1896 Range (as code): **ZA**
1945. **Hibrildes norax Druce,1888** (Eupterotidae) Synonymy: norax Druce,1888 Range (as code): **ZA**
1946. **Hoplojana abyssinica Rothschild,1917** (Eupterotidae) Synonymy: abyssinica Rothschild,1917 Range (as code): **ET**
1947. **Hoplojana distincta Rothschild,1917** (Eupterotidae) Synonymy: distincta Rothschild,1917 Range (as code): **RW**
1948. **Hoplojana insignifica Rothschild,1917** (Eupterotidae) Synonymy: insignifica Rothschild,1917 Range (as code): **ZR**
1949. **Hoplojana rhodoptera (Gerstaecker,1871)** (Eupterotidae) Synonymy: rhodoptera Gerstaecker,1871 Range (as code): **ZA Tva Mpu Brb**
1950. **Hoplojana roseobrunnea Rothschild,1917** (Eupterotidae) Synonymy: roseobrunnea Rothschild,1917 Range (as code): **UG**
1951. **Hoplojana soricis Rothschild,1917** (Eupterotidae) Synonymy: soricis Rothschild,1917 Range (as code): **SL**
1952. **Hoplojana tripunctata (Aurivillius,1897)** (Eupterotidae) Synonymy: tripunctata Aurivillius,1897 Range (as code): **ZA**
1953. **Jana eurymas Herrich-Schäffer,[1854]** (Eupterotidae) Synonymy: eurymas Herrich-Schäffer,[1854]; caesarea Weymer,1909; transvaalica Strand,1911. Range (as code): **ZA Tva Gau Pre Nta Kzu CM**
1954. **Jana nigristriata Janse,1915** (Eupterotidae) Synonymy: nigristriata Janse,1915 Range (as code): **ZA Tva Mpu Wv Nta Kzu Nha**
1955. **Jana tantalus Herrich-Schäffer,[1854]** (Eupterotidae) Synonymy: tantalus Herrich-Schäffer,[1854]; signifera Walker,1855; crepax Wallengren,1860. Range (as code): **ZA**
1956. **Janomima dannfelti (Aurivillius,1893)** (Eupterotidae) Synonymy: dannfelti Aurivillius,1893; claria Strand,1911; mesundulata Gaede,1927 Range (as code): **ZA**
1957. **Janomima mariana (White,1843)** (Eupterotidae) Synonymy: mariana White,1843; westwoodi Aurivillius,1901 Range (as code): **ZA**
1958. **Lichenopteryx despecta C.Felder & R.Felder,1874** (Eupterotidae) Synonymy: despecta C.Felder & R.Felder,1874 Range (as code): **ZA SZ ZW TZ**
1959. **Lichenopteryx scotina M.Hering,1932** (Eupterotidae) Synonymy: scotina M.Hering,1932 Range (as code): **ZR KE**
1960. **Marmaroplegma conspersa Aurivillius,1921** (Eupterotidae) Synonymy: conspersa Aurivillius,1921 Range (as code): **ZA ZW**
1961. **Marmaroplegma paragarda Wallengren,1860** (Eupterotidae) Synonymy: paragarda Wallengren,1860; clio Fawcett,1902 Range (as code): **ZA Tva Gau Pre Ec Nta Kzu ZW MZ**
1962. **Marmaroplegma unicolor Janse,1915** (Eupterotidae) Synonymy: unicolor Janse,1915 Range (as code): **ZA Gau Tva Pre ZW**
1963. **Parajana gabunica (Aurivillius,1892)** (Eupterotidae) Synonymy: gabunica Aurivillius,1892; marmorata Holland,1893; lamani Aurivillius,1906 Range (as code): **GA**
1964. **Paraphyllalia degenera (Walker,1855)** (Eupterotidae) Synonymy: degenera Walker,1855 Range (as code): **ZA**

1965. **Phiala abyssinica Aurivillius,1904** (Eupterotidae) Synonymy: abyssinica Aurivillius,1904 Range (as code): **ET**
1966. **Phiala alba (Aurivillius,1893)** (Eupterotidae) Synonymy: alba Aurivillius,1893 Range (as code): **CF ZR ER ET GA MW MZ TZ ZM ZW**
1967. **Phiala albidorsata Gaede,1927** (Eupterotidae) Synonymy: albidorsata Gaede,1927 Range (as code): **ZA**
1968. **Phiala bistrigata Aurivillius,1901** (Eupterotidae) Synonymy: bistrigata Aurivillius,1901; curvistriga Strand,1911 Range (as code): **ZA**
1969. **Phiala costipuncta (Herrich-Schäffer,[1855])** (Eupterotidae) Synonymy: costipuncta Herrich-Schäffer,[1855]; angola Strand,1911; atomaria Walker,1855; xanthosoma Wallengren,1860; punctilinea Walker,1862. Range (as code): **ZA Tva Mpu Brb Gau Pre Pin Ec AO ZR**
1970. **Phiala crassistriga Strand,1911** (Eupterotidae) Synonymy: crassistriga Strand,1911 Range (as code): **ZA**
1971. **Phiala dasypoda Wallengren,1860** (Eupterotidae) Synonymy: dasypoda Wallengren,1860 Range (as code): **ZA**
1972. **Phiala flavipennis Wallengren,1875** (Eupterotidae) Synonymy: flavipennis Wallengren,1875 Range (as code): **ZA Tva Gau Pre**
1973. **Phiala fuscodorsata Aurivillius,1904** (Eupterotidae) Synonymy: fuscodorsata Aurivillius,1904 Range (as code): **KE Nai**
1974. **Phiala hologramma (Aurivillius,1904)** (Eupterotidae) Synonymy: hologramma Aurivillius,1904 Range (as code): **ZW Uma**
1975. **Phiala incana (Distant,1897)** (Eupterotidae) Synonymy: incana Distant,1897; arrecta Distant,1899 Range (as code): **ZA Tva Gau Pre Mpu Ly**
1976. **Phiala marshalli Aurivillius,1904** (Eupterotidae) Synonymy: marshalli Aurivillius,1904; reussi Strand,1911 Range (as code): **ZW Uma**
1977. **Phiala nigrolineata Aurivillius,1903** (Eupterotidae) Synonymy: nigrolineata Aurivillius,1903; chrysagyra Wichgraf,1914; rubrivena Hampson,1910 Range (as code): **ZA**
1978. **Phiala niveociliata Strand,1911** (Eupterotidae) Synonymy: niveociliata Strand,1911 Range (as code): **ZA**
1979. **Phiala polita Distant,1897** (Eupterotidae) Synonymy: polita Distant,1897 Range (as code): **ZA Tva Mpu Brb**
1980. **Phiala pretoriana Wichgraf,1908** (Eupterotidae) Synonymy: pretoriana Wichgraf,1908 Range (as code): **ZA Tva Gau Pre**
1981. **Phiala pseudatomaria Strand,1911** (Eupterotidae) Synonymy: sigyna Aurivillius,1893; pseudatomaria Strand,1911; sublimballis Strand,1911 Range (as code): **ZA**
1982. **Phiala pulverea Distant,1903** (Eupterotidae) Synonymy: pulverea Distant,1903 Range (as code): **ZA Tva Gau Pre**
1983. **Phiala similis Aurivillius,1911** (Eupterotidae) Synonymy: similis Aurivillius,1911 Range (as code): **ZA**
1984. **Phiala simplex Aurivillius,1904** (Eupterotidae) Synonymy: simplex Aurivillius,1904 Range (as code): **ZW Uma MW Zom**
1985. **Phiala venusta (Walker,1865)** (Eupterotidae) Synonymy: venusta Walker,1865; angulata Gaede,1927 Range (as code): **BF CM GA SL**
1986. **Phiala wichgrafi Strand,1911** (Eupterotidae) Synonymy: wichgrafi Strand,1911 Range (as code): **ZA**
1987. **Phyllalia alboradiata Aurivillius,1911** (Eupterotidae) Synonymy: alboradiata Aurivillius,1911; acuta Strand,1911 Range (as code): **ZA**
1988. **Phyllalia flavicostata Fawcett,1903** (Eupterotidae) Synonymy: flavicostata Fawcett,1903 Range (as code): **ZA**
1989. **Phyllalia patens (Boisduval,1847)** (Eupterotidae) Synonymy: patens Boisduval,1847; concolor Walker,1855 Range (as code): **ZA Tva Gau Jh Mpu Brb Nta Kzu Ec**
1990. **Phyllalia thunbergii (Boisduval,1847)** (Eupterotidae) Synonymy: thunbergii Boisduval,1847; incerta Walker,1855. Range (as code): **ZA**
1991. **Phyllalia umbripennis Strand,1911** (Eupterotidae) Synonymy: umbripennis Strand,1911 Range (as code): **ZA**
1992. **Phyllalia valida (C.Felder & R.Felder,1874)** (Eupterotidae) Synonymy: valida C.Felder & R.Felder,1874 Range (as code): **ZA**
1993. **Phyllalia ziczac Strand,1911** (Eupterotidae) Synonymy: ziczac Strand,1911 Range (as code): **ZA**

1994. **Poloma angulata Walker,1855** (Eupterotidae) Synonymy: angulata Walker,1855; incompta Walker,1865; janula C.Felder & R.Felder,1874 Range (as code): **SZ ZA**
1995. **Poloma castanea Aurivillius,1901** (Eupterotidae) Synonymy: castanea Aurivillius,1901 Range (as code): **ZA Gau Jh Tva Nta Kzu**
1996. **Poloma nigromaculata Aurivillius,1893** (Eupterotidae) Synonymy: nigromaculata Aurivillius,1893; nahor Druce,1896 Range (as code): **ZA**
1997. **Pterocerota virginea Hampson,1905** (Eupterotidae) Synonymy: virginea Hampson,1905 Range (as code): **ZA**
1998. **Rhabdosia patagiata Hübner,[1820]** (Eupterotidae) Synonymy: patagiata Hübner,[1820] Range (as code): **ZA**
1999. **Rhabdosia vaninia (Stoll,[1781])** (Eupterotidae) Synonymy: vaninia Stoll,[1781] Range (as code): **ZA**
2000. **Schistissa uniformis Aurivillius,1901** (Eupterotidae) Synonymy: uniformis Aurivillius,1901 Range (as code): **ZA**
2001. **Stenoglene decellei Dall'Asta & Poncin,1980** (Eupterotidae) Synonymy: decellei Dall'Asta & Poncin,1980 Range (as code): **ZA ZR**
2002. **Stenoglene hilaris C.Felder & R.Felder,1874** (Eupterotidae) Synonymy: hilaris C.Felder & R.Felder,1874; bithynia Druce,1887. Range (as code): **ZA**
2003. **Stenoglene livingstonensis (Strand,1909)** (Eupterotidae) Synonymy: livingstonensis Strand,1909 Range (as code): **ZA**
2004. **Stenoglene obtusa (Walker,1855)** (Eupterotidae) Synonymy: obtusa Walker,1855; tristis C.Felder & R.Felder,1874; labda Druce,1887; subcrocea Distant,1903; evanescens Distant,1903; aequidistans Strand,1912. Range (as code): **ZA Tva Gau Pre Mpu Ly**
2005. **Stenoglene pira Druce,1896** (Eupterotidae) Synonymy: pira Druce,1896 Range (as code): **ZA**
2006. **Stenoglene roseus (Druce,1886)** (Eupterotidae) Synonymy: roseus Druce,1886; gregorii Butler,1894; monteironis Rothschild,1917; similis Rothschild,1917; pulverulentus Joicey & Talbot,1924; elgonae Bethune-Baker,1927. Range (as code): **ZA**
2007. **Striphnopteryx edulis (Boisduval,1847)** (Eupterotidae) Synonymy: edulis Boisduval,1847 Range (as code): **MZ ZW ZA Tva Mpu Brb Nta Kzu Dbn Ec**
2008. **Tissanga pretoriae (Distant,1892)** (Eupterotidae) Synonymy: pretoriae Distant,1892 Range (as code): **ZA Tva Gau Pre Nta Kzu**
2009. **Trichophiala devylderi Aurivillius,1879** (Eupterotidae) Synonymy: devylderi Aurivillius,1879 Range (as code): **NA ZA**
2010. **Urojana eborea Gaede,1915** (Eupterotidae) Synonymy: eborea Gaede,1915 Range (as code): **CI**
2011. **Vianga crowleyi (Aurivillius,1904)** (Eupterotidae) Synonymy: crowleyi Aurivillius,1904 Range (as code): **KE UG SL**
2012. **Vianga dimidiata (Aurivillius,1893)** (Eupterotidae) Synonymy: dimidiata Aurivillius,1893; tenuis Holland,1893 Range (as code): **CM GA**
2013. **Vianga magnifica (Rothschild,1917)** (Eupterotidae) Synonymy: magnifica Rothschild,1917 Range (as code): **NG**
2014. **Vianga tristis (Druce,1896)** (Eupterotidae) Synonymy: tristis Druce,1896 Range (as code): **GA**
2015. **Vianga velutina (Walker,1869)** (Eupterotidae) Synonymy: velutina Walker,1869 Range (as code): **ZR**

Galacticidae

2016. **Galactica inornata (Walsingham,1900)** (Galacticidae) Synonymy: inornata Walsingham,1900 Range (as code): **YE Sk**
2017. **Galactica variinotella (Chrétien,1915)** (Galacticidae) Synonymy: variinotella Chrétien,1915 Range (as code): **TN**
2018. **Homadaula albida Mey,2004** (Galacticidae) Synonymy: albida Mey,2004 Range (as code): **NA Dmr Bnd**
2019. **Homadaula calamitosa (Meyrick,1930)** (Galacticidae) Synonymy: calamitosa Meyrick,1930 Range (as code): **NA Dmr Bnd**
2020. **Homadaula ravula Mey,2004** (Galacticidae) Synonymy: ravula Mey,2004 Range (as code): **NA Dmr Bnd**

Gelechiidae

2021. **Acraeologa delotypa Janse,1963** (Gelechiidae) Synonymy: delotypa Janse,1963 Range (as code): **ZA**
2022. **Acraeologa xanthobasis Janse,1963** (Gelechiidae) Synonymy: xanthobasis Janse,1963 Range (as code): **ZA**
2023. **Acraeologa xerochroa Meyrick,1921** (Gelechiidae) Synonymy: xerochroa Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2024. **Acribologa cymotrocha (Meyrick,1913)** (Gelechiidae) Synonymy: cymotrocha Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Brb**
2025. **Acutitornus kalahariensis Janse,1957** (Gelechiidae) Synonymy: kalahariensis Janse,1957 Range (as code): **ZA**
2026. **Acutitornus leucostola Janse,1957** (Gelechiidae) Synonymy: leucostola Janse,1957 Range (as code): **ZA**
2027. **Acutitornus liebenbergi Janse,1963** (Gelechiidae) Synonymy: liebenbergi Janse,1963 Range (as code): **ZA**
2028. **Acutitornus munda Janse,1951** (Gelechiidae) Synonymy: munda Janse,1951 Range (as code): **ZA Abc BW Klh**
2029. **Acutitornus munroi Janse,1957** (Gelechiidae) Synonymy: munroi Janse,1957 Range (as code): **ZA**
2030. **Aeolotrocha delograpta Janse,1960** (Gelechiidae) Synonymy: delograpta Janse,1960 Range (as code): **ZA**
2031. **Aeolotrocha generosa Meyrick,1921** (Gelechiidae) Synonymy: generosa Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
2032. **Aeolotrocha paroptila Janse,1960** (Gelechiidae) Synonymy: paroptila Janse,1960 Range (as code): **ZA**
2033. **Aeolotrocha phaeoptera Janse,1960** (Gelechiidae) Synonymy: phaeoptera Janse,1960 Range (as code): **ZA**
2034. **Albiflora minor Janse,1960** (Gelechiidae) Synonymy: minor Janse,1960 Range (as code): **ZA**
2035. **Allophlebia hemizancla Janse,1960** (Gelechiidae) Synonymy: hemizancla Janse,1960 Range (as code): **ZA**
2036. **Allotelphusa lathridia (Meyrick,1909)** (Gelechiidae) Synonymy: lathridia Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
2037. **Amblyphylla lophozancla Janse,1960** (Gelechiidae) Synonymy: lophozancla Janse,1960 Range (as code): **ZA**
2038. **Anacampsis cosmia Meyrick,1921** (Gelechiidae) Synonymy: cosmia Meyrick,1921 Range (as code): **ZA Nta Kzu Dbn**
2039. **Anacampsis embrocha Meyrick,1914** (Gelechiidae) Synonymy: embrocha Meyrick,1914 Range (as code): **ZA Nta Kzu Nha**
2040. **Anacampsis scintillella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonymy: scintillella Fischer v. Röslerstamm,1841; brunneella Herrich-Schäffer,1854; contuberniella Staudinger,1859 Range (as code): **TN PT ES FR Sa Si IT BE DE CH AT CZ SK HU RO YU AL BG GR TR SE LT RU UA 05 16**
2041. **Anapatetris crystallista (Meyrick,1911)** (Gelechiidae) Synonymy: crystallista Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
2042. **Anarsia acaciae Walsingham,1896** (Gelechiidae) Synonymy: acaciae Walsingham,1896 Range (as code): **DZ TN KE EG IL Pa JO Zq YE Ad**
2043. **Anarsia agricola Walsingham,1891** (Gelechiidae) Synonymy: agricola Walsingham,1891 Range (as code): **GM ZA Tva Nta Kzu Dmm Nha Umk Ema Kkf Mpu Brb Tst Wv Hei Gau Pre Wo Mag Hfo Swm Abc MZ ZW KE**
2044. **Anarsia albibasella Janse,1963** (Gelechiidae) Synonymy: albibasella Janse,1963 Range (as code): **ZA**
2045. **Anarsia amalleuta Meyrick,1913** (Gelechiidae) Synonymy: amalleuta Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Ptb Nkw Uma ZW**
2046. **Anarsia antisaris (Meyrick,1913)** (Gelechiidae) Synonymy: antisaris Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2047. **Anarsia arachniota Meyrick,1925** (Gelechiidae) Synonymy: arachniota Meyrick,1925 Range (as code): **EG EG31 IL Pa Jer**

2048.Anarsia austerodes (Meyrick,1918) (Gelechiidae) Synonymy: austerodes Meyrick,1918 Range (as code): **ZA BW Klh Tva Gau Pre Mhk NA Abc**

2049.Anarsia balioneura Meyrick,1921 (Gelechiidae) Synonymy: balioneura Meyrick,1921 Range (as code): **ZW Uma IL Pa Jf CY MW UG KE CV LY**

2050.Anarsia callicosma Janse,1960 (Gelechiidae) Synonymy: callicosma Janse,1960 Range (as code): **ZA**

2051.Anarsia carbonaria Meyrick,1913 (Gelechiidae) Synonymy: carbonaria Meyrick,1913 Range (as code): **ZA Mpu Brb Wv Ver Nha Kkf Hei Uma Jh Gau Pre Tva Lpo Tz Buf**

2052.Anarsia citromitra Meyrick,1921 (Gelechiidae) Synonymy: citromitra Meyrick,1921 Range (as code): **MZ Mag**

2053.Anarsia eriozona (Meyrick,1921) (Gelechiidae) Synonymy: eriozona Meyrick,1921 Range (as code): **MZ Blv Mag**

2054.Anarsia gravata Meyrick,1911 (Gelechiidae) Synonymy: gravata Meyrick,1911; ambitiosa Meyrick,1913; #gravate Janse,1954 Range (as code): **ZA Mpu Brb Wv Kkf Gau Pre Wo Don Tva Lpo**

2055.Anarsia inculta Walsingham,1891 (Gelechiidae) Synonymy: inculta Walsingham,1891 Range (as code): **GM ZA Xn**

2056.Anarsia lineatella Zeller,1839 (Gelechiidae) Synonymy: lineatella Zeller,1839; heratella Amsel,1967; tauricella Amsel,1967. Range (as code): **MA DZ Bsk LY TN EG PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB SY Dms DK SE FI LV LT RU MD UA BY Cc AM KG TM TJ UZ IQ IR Gls PK AF Hr IN Ch US Ut Cf CA AU Ui CN She KP KR JP IL Pa 01 05 06 09 16 31 33 35 44 46 71**

2057.Anarsia mitescens Meyrick,1913 (Gelechiidae) Synonymy: mitescens Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2058.Anarsia nigrimacula Janse,1949 (Gelechiidae) Synonymy: nigrimacula Janse,1949 Range (as code): **ZA Umk Nta Kzu**

2059.Anarsia nimbosa Meyrick,1913 (Gelechiidae) Synonymy: nimbosa Meyrick,1913 Range (as code): **ZA Tva Gau Pre Mpu Tst Wv ZW Bul**

2060.Anarsia permissa Meyrick,1926 (Gelechiidae) Synonymy: permissa Meyrick,1926 Range (as code): **ZA Ec Wth**

2061.Anarsia pinnata Meyrick,1931 (Gelechiidae) Synonymy: pinnata Meyrick,1931 Range (as code): **CM**

2062.Anarsia pustulata Janse,1949 (Gelechiidae) Synonymy: pustulata Janse,1949 Range (as code): **ZA Abc**

2063.Anarsia retamella Chrétien,1915 (Gelechiidae) Synonymy: retamella Chrétien,1915 Range (as code): **TN Gf**

2064.Anarsia sciograpta (Meyrick,1921) (Gelechiidae) Synonymy: sciograpta Meyrick,1921 Range (as code): **ZA Tva Gau Pre Nyl**

2065.Anarsia sciotona Meyrick,1927 (Gelechiidae) Synonymy: sciotona Meyrick,1927 Range (as code): **ZA Nta Kzu Elo**

2066.Anarsia semnopa Meyrick,1921 (Gelechiidae) Synonymy: semnopa Meyrick,1921 Range (as code): **MZ ZA Uma Mag Xn Nta Kzu Dbn ZW Bul**

2067.Anarsia spicata Meyrick,1918 (Gelechiidae) Synonymy: spicata Meyrick,1918 Range (as code): **ZA Tva Gau Pre MZ Mag**

2068.Anarsia subfulvescens Meyrick,1918 (Gelechiidae) Synonymy: subfulvescens Meyrick,1918 Range (as code): **ZA Umk Nta Kzu**

2069.Anarsia vectaria Meyrick,1918 (Gelechiidae) Synonymy: vectaria Meyrick,1918 Range (as code): **MZ ZA Xn Mag Nta Kzu Srn**

2070.Anastomopteryx angulata Janse,1951 (Gelechiidae) Synonymy: angulata Janse,1951 Range (as code): **ZA Tva Gau Pre NA Abc**

2071.Angustiphylla hylotropha Janse,1960 (Gelechiidae) Synonymy: hylotropha Janse,1960 Range (as code): **ZA**

2072.Anomologa demens Meyrick,1926 (Gelechiidae) Synonymy: demens Meyrick,1926 Range (as code): **ZA**

2073.Anomologa dispulsa Meyrick,1926 (Gelechiidae) Synonymy: dispulsa Meyrick,1926 Range (as code): **ZA**

2074.Antoniejanse griseoptera (Janse,1958) (Gelechiidae) Synonymy: griseoptera Janse,1958 Range (as code): **ZA**

2075.Antoniejanse reducta (Janse,1958) (Gelechiidae) Synonymy: reducta Janse,1958 Range (as code): **ZA NA Abc**

2076.Apatetris echiochilonella (Chrétien,1908) (Gelechiidae) Synonymy: echiochilonella Chrétien,1908 Range (as code): **DZ Bsk TN Gf**

2077.Aphanostola aarviki Bidzilya,2016 (Gelechiidae) Synonymy: aarviki Bidzilya,2016 Range (as code): **TZ**

2078.Aphanostola acaciae Bidzilya & Mey,2016 (Gelechiidae) Synonymy: acaciae Bidzilya & Mey,2016 Range (as code): **ZA NA ZW KE**

2079.Aphanostola africanella Bidzilya, Agassiz & Mey,2016 (Gelechiidae) Synonymy: africanella Bidzilya, Agassiz & Mey,2016 Range (as code): **NA ZA Gau Pre KE**

2080.Aphanostola alternella Bidzilya & Agassiz,2016 (Gelechiidae) Synonymy: alternella Bidzilya & Agassiz,2016 Range (as code): **KE**

2081.Aphanostola antennata Bidzilya & Mey,2016 (Gelechiidae) Synonymy: antennata Bidzilya & Mey,2016 Range (as code): **NA ZA Mpu**

2082.Aphanostola brandbergensis Bidzilya & Mey,2016 (Gelechiidae) Synonymy: brandbergensis Bidzilya & Mey,2016 Range (as code): **NA**

2083.Aphanostola calderae Bidzilya & Mey,2016 (Gelechiidae) Synonymy: calderae Bidzilya & Mey,2016 Range (as code): **ZA**

2084.Aphanostola centripunctella Bidzilya & Mey,2016 (Gelechiidae) Synonymy: centripunctella Bidzilya & Mey,2016 Range (as code): **NA BW ZA Mpu**

2085.Aphanostola emarginata Bidzilya & Mey,2016 (Gelechiidae) Synonymy: emarginata Bidzilya & Mey,2016 Range (as code): **ZA Nta Kzu**

2086.Aphanostola griseella Bidzilya & Mey,2016 (Gelechiidae) Synonymy: griseella Bidzilya & Mey,2016 Range (as code): **ZA NA KE**

2087.Aphanostola joannoui Bidzilya & Mey,2016 (Gelechiidae) Synonymy: joannoui Bidzilya & Mey,2016 Range (as code): **ZA Mpu**

2088.Aphanostola kenyella Bidzilya & Agassiz,2016 (Gelechiidae) Synonymy: kenyella Bidzilya & Agassiz,2016 Range (as code): **KE**

2089.Aphanostola kruegeri Bidzilya & Mey,2016 (Gelechiidae) Synonymy: kruegeri Bidzilya & Mey,2016 Range (as code): **ZA Gau Pre Tva**

2090.Aphanostola longicornuta Bidzilya, Agassiz & Mey,2016 (Gelechiidae) Synonymy: longicornuta Bidzilya, Agassiz & Mey,2016 Range (as code): **NA KE**

2091.Aphanostola maxima Bidzilya & Mey,2016 (Gelechiidae) Synonymy: maxima Bidzilya & Mey,2016 Range (as code): **ET**

2092.Aphanostola melliferae Bidzilya, Agassiz & Mey,2016 (Gelechiidae) Synonymy: melliferae Bidzilya, Agassiz & Mey,2016 Range (as code): **KE NA**

2093.Aphanostola morogorensis Bidzilya,2016 (Gelechiidae) Synonymy: morogorensis Bidzilya,2016 Range (as code): **TZ**

2094.Aphanostola namibiensis Bidzilya & Mey,2016 (Gelechiidae) Synonymy: namibiensis Bidzilya & Mey,2016 Range (as code): **NA**

2095.Aphanostola pentastigma (Janse,1960) (Gelechiidae) Synonymy: pentastigma Janse,1960 Range (as code): **ZA Gau Pre Tva ZW KE**

2096.Aphanostola rooiklipella Bidzilya & Mey,2016 (Gelechiidae) Synonymy: rooiklipella Bidzilya & Mey,2016 Range (as code): **NA**

2097.Aphnogenes zonaea Meyrick,1921 (Gelechiidae) Synonymy: zonaea Meyrick,1921 Range (as code): **ZW Uma**

2098.Apotactis drimylota Meyrick,1918 (Gelechiidae) Synonymy: drimylota Meyrick,1918 Range (as code): **MZ Blv Mag**

2099.Apotistatus leucostictus Walsingham,1904 (Gelechiidae) Synonymy: leucostictus Walsingham,1904 Range (as code): **DZ Bsk Hes TN Gf**

2100.Aproaerema africanella (Janse,1951) (Gelechiidae) Synonymy: africanella Janse,1951 Range (as code): **ZA Nta Kzu Kkf**

2101.Aproaerema anthyllidella (Hübner,[1813]) (Gelechiidae) Synonymy: anthyllidella Hübner,[1813]; caliginosella Duponchel,1843; psoralella Millière,1865; sparsiciliella Barrett,1891; alfalfella Amsel,1958; aureliana Capuse,1964 Range (as code): **DZ Bsk PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR Cc IR Mz Gls Kh DK NO SE FI EE LV LT RU MD UA BY ZA Nta Kzu Kkf Wca Cto Tva Gau Pre IL Pa Jer 05 16 42 46 71 76**

2102.Aproaerema polychromella (Rebel,1902) (Gelechiidae) Synonymy: polychromella Rebel,1902; faceta Meyrick,1914; rebeliella Caradja,1920; argyrobiella Caradja,1920 Range (as code): **Cn DZ GB PT ES Si IT MT GB YU TR IR Mz LB IL Pa Hf Jer Jf CY JO KW YE PK Gg Cls RU Ur UA Ode MN 12 13 27 30 33 44 46 56 65**

2103. **Araeophalla barbertonensis Janse,1960** (Gelechiidae) Synonymy: barbertonensis Janse,1960 Range (as code): **ZA Tva Mpu Brb**
2104. **Araeophylla spiladias (Meyrick,1921)** (Gelechiidae) Synonymy: spiladias Meyrick,1921 Range (as code): **MZ Mag**
2105. **Araeovalva albiflora (Meyrick,1920)** (Gelechiidae) Synonymy: albiflora Meyrick,1920 Range (as code): **ZA**
2106. **Argophara epaxia Janse,1963** (Gelechiidae) Synonymy: epaxia Janse,1963 Range (as code): **ZA**
2107. **Aristotelia balanocentra Meyrick,1914** (Gelechiidae) Synonymy: balanocentra Meyrick,1914 Range (as code): **ZA Nta Kzu Nha**
2108. **Aristotelia chlorographa Meyrick,1914** (Gelechiidae) Synonymy: chlorographa Meyrick,1914 Range (as code): **ZA Tva Gau Pre MZ Mag**
2109. **Aristotelia comis Meyrick,1913** (Gelechiidae) Synonymy: comis Meyrick,1913 Range (as code): **ZA Mpu Tst Gau Pre Spb Wp Srn Esw Nta Kzu Tva Lpo**
2110. **Aristotelia diversa Janse,1950** (Gelechiidae) Synonymy: diversa Janse,1950 Range (as code): **ZA Abc**
2111. **Aristotelia dryonota Meyrick,1926** (Gelechiidae) Synonymy: dryonota Meyrick,1926 Range (as code): **ZA**
2112. **Aristotelia galeotis Meyrick,1908** (Gelechiidae) Synonymy: galeotis Meyrick,1908 Range (as code): **TH ZA IN LK ID Ja BN Bor Sbh MY PG**
2113. **Aristotelia ptilastis Meyrick,1909** (Gelechiidae) Synonymy: ptilastis Meyrick,1909 Range (as code): **ZA**
2114. **Aristotelia swierstrai Janse,1950** (Gelechiidae) Synonymy: swierstrai Janse,1950; #swierstrae Janse,1950 Range (as code): **MZ Blv**
2115. **Aristotelia trematias Meyrick,1913** (Gelechiidae) Synonymy: trematias Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst Lds Nta Kzu**
2116. **Armatophallus akagericus Bidzilya,2015** (Gelechiidae) Synonymy: akagericus Bidzilya,2015 Range (as code): **RW**
2117. **Armatophallus crudescens (Meyrick,1920)** (Gelechiidae) Synonymy: crudescens Meyrick,1920 Range (as code): **KE TZ YE**
2118. **Armatophallus exoenota (Meyrick,1918)** (Gelechiidae) Synonymy: exoenota Meyrick,1918; xylophaea Meyrick,1921 Range (as code): **ZA ZW Umv NA Tva Lpo TZ KE UG ET GM CM**
2119. **Armatophallus hackeri Bidzilya,2015** (Gelechiidae) Synonymy: hackeri Bidzilya,2015 Range (as code): **YE ET**
2120. **Armatophallus kuehnei Bidzilya,2015** (Gelechiidae) Synonymy: kuehnei Bidzilya,2015 Range (as code): **RW**
2121. **Aroga aristotelis (Millière,[1876])** (Gelechiidae) Synonymy: aristotelis Millière,[1876]; astragali Staudinger,1879; fulminella Millière,1882; lacertella Walsingham,1904; #aplasticella Rebel,1913; hyrcanella Toll,1947 Range (as code): **DZ Bsk Ktr TN Gf ES Grn FR Si IT RO AL BG GR TR GG Cc IR Elb Mz Plr Kdv Kh IQ Ry RU Ur MN 01 05 13 21 33 42 46 65 71**
2122. **Aroga pascuicola (Staudinger,1871)** (Gelechiidae) Synonymy: pascuicola Staudinger,1871; eremella Chrétien,1915 Range (as code): **PT ES Co Sa TN Gf TR 46**
2123. **Asapharcha crateropa Meyrick,1930** (Gelechiidae) Synonymy: crateropa Meyrick,1930 Range (as code): **ZA**
2124. **Asapharcha strigifera Meyrick,1920** (Gelechiidae) Synonymy: strigifera Meyrick,1920 Range (as code): **ZA**
2125. **Aspades armatovalva (Janse,1963)** (Gelechiidae) Synonymy: armatovalva Janse,1963 Range (as code): **ZA**
2126. **Aspades hutchinsonella (Walsingham,1891)** (Gelechiidae) Synonymy: hutchinsonella Walsingham,1891 Range (as code): **ZA**
2127. **Athrips carinata (Meyrick,1911)** (Gelechiidae) Synonymy: carinata Meyrick,1911; emerita Meyrick,1921 Range (as code): **ZA Tva Mdt Gau Pre**
2128. **Athrips carthaginella (D.Lucas,1940)** (Gelechiidae) Synonymy: carthaginella D.Lucas,1940 Range (as code): **TN**
2129. **Athrips exstincta (Meyrick,1911)** (Gelechiidae) Synonymy: exstincta Meyrick,1911; #extincta Janse,1950 Range (as code): **ZA Tva Gau Pre Mpu Wv**
2130. **Athrips fagoniae (Walsingham,1904)** (Gelechiidae) Synonymy: fagoniae Walsingham,1904; cervinella Turati,1934; rosinansella Lucas,1942 Range (as code): **Cn TN Gf DZ Bsk Hes LY**

2131. **Athrips lacunosa (Meyrick,1918)** (Gelechiidae) Synonymy: lacunosa Meyrick,1918 Range (as code): **ZA Tva Gau Pre Nkw**
2132. **Athrips ochrocosma (Meyrick,1911)** (Gelechiidae) Synonymy: ochrocosma Meyrick,1911; #ochrocoma Meyrick,1921 Range (as code): **ZA Mdt Gau Pre Abc Hfo Wnn Nta Kzu Tva Lpo Blu ZW**
2133. **Athrips profusa (Meyrick,1921)** (Gelechiidae) Synonymy: profusa Meyrick,1921 Range (as code): **ZW Hfo**
2134. **Athrips ptychophora (Meyrick,1914)** (Gelechiidae) Synonymy: ptychophora Meyrick,1914 Range (as code): **ZA Cto Wca Kaa Tva**
2135. **Athrips syncopaula (Meyrick,1937)** (Gelechiidae) Synonymy: syncopaula Meyrick,1937 Range (as code): **ZA**
2136. **Athrips thymifoliella (Constant,1893)** (Gelechiidae) Synonymy: thymifoliella Constant,1893; glaucella Chrétien,1915 Range (as code): **ES FR TN Gf**
2137. **Autodectis atelarga Meyrick,1937** (Gelechiidae) Synonymy: atelarga Meyrick,1937 Range (as code): **ZA**
2138. **Belovalva nigripuncta Janse,1963** (Gelechiidae) Synonymy: nigripuncta Janse,1963 Range (as code): **ZA**
2139. **Bilobata argosticha (Janse,1954)** (Gelechiidae) Synonymy: argosticha Janse,1954 Range (as code): **ZA Abc**
2140. **Bilobata subsecivella (Zeller,1852)** (Gelechiidae) Synonymy: subsecivella Zeller,1852; modicella Van Deventer,1904 Range (as code): **ZA Tva Mpu Brb Ec Ron**
2141. **Bilobata torninotella (Janse,1954)** (Gelechiidae) Synonymy: torninotella Janse,1954 Range (as code): **ZA Pel Nta Kzu**
2142. **Blastovalva anisochroa Janse,1960** (Gelechiidae) Synonymy: anisochroa Janse,1960 Range (as code): **ZA**
2143. **Blastovalva haplotypa Janse,1960** (Gelechiidae) Synonymy: haplotypa Janse,1960 Range (as code): **ZA**
2144. **Blastovalva paltobola (Meyrick,1921)** (Gelechiidae) Synonymy: paltobola Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2145. **Brachmia apricata Meyrick,1913** (Gelechiidae) Synonymy: apricata Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Wv**
2146. **Brachmia convolvuli Walsingham,1907** (Gelechiidae) Synonymy: convolvuli Walsingham,1907; crypsilychna Meyrick,1914; effera Meyrick,1918; dryadopa Meyrick,1918; #crysilychna Janse,1954 Range (as code): **Cn ZA Nta Kzu Umk Dbn Pel MG ZW Vf YE**
2147. **Brachmia craticula Meyrick,1921** (Gelechiidae) Synonymy: craticula Meyrick,1921 Range (as code): **ZA Xn MZ Mag**
2148. **Brachmia fiscinata Meyrick,1918** (Gelechiidae) Synonymy: fiscinata Meyrick,1918; #fiscinate Janse,1954 Range (as code): **ZA Nta KZu Nkw**
2149. **Brachmia fuscogramma Janse,1960** (Gelechiidae) Synonymy: fuscogramma Janse,1960 Range (as code): **ZA**
2150. **Brachmia graphicodes Meyrick,1914** (Gelechiidae) Synonymy: graphicodes Meyrick,1914 Range (as code): **ZA Tva Nta Kzu Srn Nha Kkf Umk Esw Mpu ZA14 Imp**
2151. **Brachmia hemiopa Meyrick,1921** (Gelechiidae) Synonymy: nesidias Meyrick,1911; hemiopa Meyrick,1921 Range (as code): **ZA ZW Swm Uma Spb Wp Nyl Pot Tva Lpo Umk Mdp Nta Kzu**
2152. **Brachmia malacogramma Meyrick,1909** (Gelechiidae) Synonymy: malacogramma Meyrick,1909 Range (as code): **ZA Tva Gau Pre Buf Mhk ZW Har Nta Kzu Nha Umk Pnz Ec**
2153. **Brachmia musicopa Meyrick,1908** (Gelechiidae) Synonymy: musicopa Meyrick,1908 Range (as code): **ZA Gau Pre Wv Tva Bf**
2154. **Brachmia neurograpta Meyrick,1921** (Gelechiidae) Synonymy: neurograpta Meyrick,1921 Range (as code): **ZW Swm Uma**
2155. **Brachmia pantheropa Meyrick,1913** (Gelechiidae) Synonymy: pantheropa Meyrick,1913 Range (as code): **ZA Mpu Brb Tst Nta Kzu Ptw Tva Lpo Tz Gau Pre Mhk Kkf Nha Umk ZA14 MZ Mag**
2156. **Brachmia septella (Zeller,1852)** (Gelechiidae) Synonymy: septella Zeller,1852; digitata Meyrick,1914 Range (as code): **ZA Tva Ec Stj Mpu Tst Srn Nta Kzu Ptw Dbn**
2157. **Brachmia spilopis Meyrick,1927** (Gelechiidae) Synonymy: spilopis Meyrick,1927 Range (as code): **ZW Har**
2158. **Brachmia velitalis Meyrick,1913** (Gelechiidae) Synonymy: velitalis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2159.Brachmia verberata Meyrick,1911 (Gelechiidae) Synonymy: verberata Meyrick,1911 Range (as code): **ZA Tva Lpo Mpu ZA14 Pil Wo Brb Kkf Esw Dbn Nha Stj Umk**

2160.Brachyacma palpigera (Walsingham,1891) (Gelechiidae) Synonymy: palpigera Walsingham,1891; adustipennis Walsingham,1897; ioloncha Meyrick,1905; crotalariella Busck,1910; epichorda Turner,1919 Range (as code): **ZA TH MY ID Sum Ja PH PG**

2161.Bryotropha arabica Amsel,1952 (Gelechiidae) Synonymy: arabica Amsel,1952 Range (as code): **MA DZ Ges Hes TN Gf LY Cy ES An Grn Mu FR BG CY Cr GR MK Cc AZ IQ Shq Mos TR SY Dms IR Fa Kd IL Pa Amm LB Bsa JO Pet TM 05 06 15 16 23 26 29 33 42 44 46 47 50 63 71**

2162.Bryotropha desertella (Douglas,1850) (Gelechiidae) Synonymy: desertella Douglas,1850; decrepidella Herrich-Schäffer,1854. Range (as code): **MA PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR AL Cr TR DK NO SE FI EE LV LT RU MD UA BY TM 05 06 16**

2163.Bryotropha domestica (Haworth,1828) (Gelechiidae) Synonymy: domestica Haworth,1828; domesticella Doubleday,1859; domesticella Bruand,1859; salmonis Walsingham,1908; algiricella Chrétien,1917 Range (as code): **MA DZ Cst Hes Bsk TN Gf LY Cy PT Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK HU HV YU AL GR Cr LB Bsa Bei Cc AM Eri CY TR IR Fa Gls Kh IL Pa Js JO Amm SA As YE Sna TM**

2164.Bryotropha figulella (Staudinger,1859) (Gelechiidae) Synonymy: figulella Staudinger,1859; capnella Constant,1865 Range (as code): **MA DZ PT ES FR Si IT GR BG**

2165.Bryotropha pallorella Amsel,1952 (Gelechiidae) Synonymy: pallorella Amsel,1952; mulinoides Amsel,1952; zannonicola Hartig,1953 Range (as code): **PT ES FR Co Sa IT MA**

2166.Bryotropha sutteri Karsholt & Rutten,2005 (Gelechiidae) Synonymy: sutteri Karsholt & Rutten,2005 Range (as code): **GR TR Sa Si ES TN 16 41 59**

2167.Bucolarcha geodes Meyrick,1929 (Gelechiidae) Synonymy: geodes Meyrick,1929 Range (as code): **ZA**

2168.Calliphylla retusa Janse,1963 (Gelechiidae) Synonymy: retusa Janse,1963 Range (as code): **ZA**

2169.Canarischema fuerteventura Karsholt,2017 (Gelechiidae) Synonymy: fuerteventura Karsholt,2017 Range (as code): **Cn**

2170.Capnosema celidota Janse,1958 (Gelechiidae) Synonymy: celidota Janse,1958 Range (as code): **ZA**

2171.Carpatolechia humeralis (Zeller,1839) (Gelechiidae) Synonymy: decorella Haworth,1812 nec Hübn.,[1810]; humeralis Zeller,1839; lyellella Humpreys & Westwood,1845; incretella Duponchel,[1854]; pisticella Nowicki,1860; scabra Staudinger,1870; erschoffii Frey,1880; buckwelli Lucas,1956; dumitrescui Capuse,1964 Range (as code): **Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE RU Ur MD UA BY CY KG 16 33 35 46 65**

2172.Caryocolum alsinellum (Zeller,1868) (Gelechiidae) Synonymy: alsinellum Zeller,1868; albifrontella Heinemann,1870; tristella Heinemann,1870; semidecandriella Tutt,1887; semidecandrella Threlfall & Stainton,1887 Range (as code): **MA ES FR Co IT IE GB BE NL DE AT PL CZ SK HU YU GR Cr TR DK SE EE LV RU Am MD UA BY 06 33**

2173.Caryocolum fibigerium Huemer,1988 (Gelechiidae) Synonymy: fibigerium Huemer,1988 Range (as code): **MA ES FR Si? IT BG GR TR 33**

2174.Caryocolum marmoreum (Haworth,1828) (Gelechiidae) Synonymy: marmoreum Haworth,1828; manniella Zeller,1839; marmorella Herrich-Schäffer,1855 Range (as code): **MA Cn Md PT ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ HU YU AL GR Cr DK NO SE TR CY CA BCo 42**

2175.Caryocolum mucronatellum (Chrétien,1900) (Gelechiidae) Synonymy: mucronatellum Chrétien,1900; poschiavensis Rebel,1936 Range (as code): **PT ES FR IT DE CH AT YU GR TR EG Sn 38**

2176.Caryocolum schleichi (Christoph,1872) (Gelechiidae) Synonymy: schleichi Christoph,1872; syriacum Povolny,1977 Range (as code): **MA DZ ES FR IT DE CH AT CZ SE FI EE LV RU Ur Sb TR MD UA BY JO Amm SY Dms Hal AF Pag MN 58**

2177.Catelaphris torrefacta (Meyrick,1914) (Gelechiidae) Synonymy: torrefacto Meyrick,1914; torrefacta Janse,1954 Range (as code): **ZA Tva Gau Pre Jh**

2178.Cerofrontia griseotincta Janse,1951 (Gelechiidae) Synonymy: griseotincta Janse,1951 Range (as code): **ZA NA Abc Tva Lpo Spb Slp**

2179.Chionodes distinctella (Zeller,1839) (Gelechiidae) Synonymy: distinctella Zeller,1839; striolatella Heinemann,1870; tristella Teich,1889; indistinctella Rebel,1901; latiorella Amsel,1939; unicolor Toll,1948; deserticola Piskunov,1979 Range (as code): **MA DZ Afl Orn PT ES Grn An FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn HV AL BG GR TR Cc SY Hal DK NO SE FI EE LV LT RU MD UA BY KG Uk AF Kab BdA Kbb Slg IR Kh KK MN CN Ti 06 13 16 25 38 58 76**

2180.Chrysoesthia candidella (Chrétien,1915) (Gelechiidae) Synonymy: candidella Chrétien,1915 Range (as code): **TN**

2181.Chrysoesthia compositella (Chrétien,1915) (Gelechiidae) Synonymy: compositella Chrétien,1915 Range (as code): **DZ Bsk TN Gf**

2182.Chrysoesthia gaditella (Staudinger,1859) (Gelechiidae) Synonymy: gaditella Staudinger,1859 Range (as code): **ES DZ Bsk TN Gf**

2183.Chrysoesthia isocharis (Vari,1963) (Gelechiidae) Synonymy: isocharis Vari,1963 Range (as code): **ZA**

2184.Chrysoesthia mimetis (Vari,1963) (Gelechiidae) Synonymy: mimetis Vari,1963 Range (as code): **ZA**

2185.Chrysoesthia stipelloides (Janse,1950) (Gelechiidae) Synonymy: stipelloides Janse,1950 Range (as code): **ZA Nta Kzu Dbn Esw**

2186.Clepsimorpha inconspicua Janse,1960 (Gelechiidae) Synonymy: inconspicua Janse,1960 Range (as code): **ZA**

2187.Coniogyra dilucescens Meyrick,1921 (Gelechiidae) Synonymy: dilucescens Meyrick,1921 Range (as code): **ZW Swm**

2188.Curvisignella leucogaea (Meyrick,1921) (Gelechiidae) Synonymy: leucogaea Meyrick,1921 Range (as code): **ZW Ema**

2189.Cymatoplicella aestuosa (Meyrick,1913) (Gelechiidae) Synonymy: aestuosa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2190.Cymatoplicella aplectodes (Janse,1960) (Gelechiidae) Synonymy: aplectodes Janse,1960 Range (as code): **ZA**

2191.Dactylethrella chionitis (Meyrick,1910) (Gelechiidae) Synonymy: chionitis Meyrick,1910 Range (as code): **ZA Tva Nta Kzu Esw Stj Srn Mpu Nel Brb Wv Rtf Gau Pre ZA14**

2192.Dactylethrella siccifolii (Walsingham,1881) (Gelechiidae) Synonymy: siccifolii Walsingham,1881 Range (as code): **ZA Tva Nta Kzu Mpu Brb Mhk**

2193.Dactylethrella tetramera (Meyrick,1913) (Gelechiidae) Synonymy: tetramera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2194.Daemonarcha amblopis Janse,1954 (Gelechiidae) Synonymy: amblopis Janse,1954 Range (as code): **ZW Uma Hfo Maz Abc**

2195.Daemonarcha atactodes Janse,1954 (Gelechiidae) Synonymy: atactodes Janse,1954 Range (as code): **ZA Tva Mpu ZA14**

2196.Daemonarcha cyprophanes Meyrick,1918 (Gelechiidae) Synonymy: cyprophanes Meyrick,1918 Range (as code): **ZA Nta Kzu Umk Esw Ema ZW Ver Tva Lpo Spb Sdr Dui Pot Nbs**

2197.Daemonarcha hamata Janse,1954 (Gelechiidae) Synonymy: hamata Janse,1954 Range (as code): **ZA Tva Lpo Spb Wp MZ Mag**

2198.Daemonarcha heterobela Janse,1954 (Gelechiidae) Synonymy: heterobela Janse,1954 Range (as code): **ZA Tva Lpo Mdp**

2199.Daemonarcha oncera Janse,1954 (Gelechiidae) Synonymy: oncera Janse,1954 Range (as code): **ZA Sd**

2200.Deltolophos haplopa Janse,1960 (Gelechiidae) Synonymy: haplopa Janse,1960 Range (as code): **ZA**

2201.Deltophora angulella Sattler,1979 (Gelechiidae) Synonymy: angulella Sattler,1979 Range (as code): **KE Kky**

2202.Deltophora diversella Sattler,1979 (Gelechiidae) Synonymy: diversella Sattler,1979 Range (as code): **ZA Tva Lpo MZ KE UG**

2203.Deltophora fasciella Sattler,1979 (Gelechiidae) Synonymy: fasciella Sattler,1979 Range (as code): **SD IL Pa JO SA IR Lo AF Srb**

2204.Deltophora typica Sattler,1979 (Gelechiidae) Synonymy: typica Sattler,1979 Range (as code): **ZA Nta Kzu Wnn Tva Gau NA NG MZ ZW**

2205.Dichomeris acuminata (Staudinger,1876) (Gelechiidae) Synonymy: acuminata Staudinger,1876; ianthes Meyrick,1887; rusticus Walsingham,1892; lotellus Constant,1893; ammoxanthus Meyrick,1904; ochrophanes Meyrick,1907; agathopa Meyrick,1921; #agathope Janse,1950 Range (as code): **PT ES Mu FR Co Sa Si IT MT GR ZA Uma Tva Lpo Buf Mdp Gau Pre Nha Nta Kzu Elo RE SC KE Nai NA MG EG CN TW IN LK JP ID Clb AU Hw US Fl IL Pa**

2206.Dichomeris amblychroa Janse,1954 (Gelechiidae) Synonymy: amblychroa Janse,1954 Range (as code): **ZA Abc**

2207.Dichomeris antizyga Meyrick,1913 (Gelechiidae) Synonymy: antizyga Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Gau Pre NA Abc Wnk**

2208.Dichomeris aphanopa Meyrick,1921 (Gelechiidae) Synonymy: aphanopa Meyrick,1921; #aphanope Janse,1950 Range (as code): **ZW ZA Uma Buf Tva**

2209.Dichomeris arcuata Li, Zhen & Mey, 2013 (Gelechiidae) Synonymy: arcuata Li, Zhen & Mey, 2013 Range (as code): **MW**

2210. **Dichomeris argentaria Meyrick,1913** (Gelechiidae) Synonymy: argentaria Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Nha**
2211. **Dichomeris asteropis (Meyrick,1921)** (Gelechiidae) Synonymy: asteropis Meyrick,1921 Range (as code): **ZW Umv Uma Bul ZA Tva Lpo Kru**
2212. **Dichomeris attenta Meyrick,1921** (Gelechiidae) Synonymy: attenta Meyrick,1921 Range (as code): **ZW Umv ZA**
2213. **Dichomeris basistriata (Walsingham,1897)** (Gelechiidae) Synonymy: basistriata Walsingham,1897 Range (as code): **ZW Bul BW Klh ZA NA Abc Tva Mag Gau Pre Elo Nta Kzu MZ**
2214. **Dichomeris bisignella (Snellen,1885)** (Gelechiidae) Synonymy: bisignella Snellen,1885; deltaspis Meyrick,1905 Range (as code): **IN LK ID Clb KE**
2215. **Dichomeris bodenheimeri (Rebel,1926)** (Gelechiidae) Synonymy: bodenheimeri Rebel,1926 Range (as code): **IL Pa Ngv Sn Jer JO SA YE KE**
2216. **Dichomeris brevicornuta Li, Zhen & Mey, 2013** (Gelechiidae) Synonymy: brevicornuta Li, Zhen & Mey, 2013 Range (as code): **ZA Tva Lpo**
2217. **Dichomeris byrsoxantha (Meyrick,1918)** (Gelechiidae) Synonymy: byrsoxantha Meyrick,1918 Range (as code): **ZA Nta Kzu Umk Srn Kkf**
2218. **Dichomeris claviculata Meyrick,1909** (Gelechiidae) Synonymy: claviculata Meyrick,1909 Range (as code): **ZA Tva Gau Pre MZ Mag**
2219. **Dichomeris coenulenta (Meyrick,1927)** (Gelechiidae) Synonymy: coenulenta Meyrick,1927 Range (as code): **ZW Uma**
2220. **Dichomeris condylodes Meyrick,1921** (Gelechiidae) Synonymy: condylodes Meyrick,1921 Range (as code): **ZW Vf Swm**
2221. **Dichomeris cotifera Meyrick,1913** (Gelechiidae) Synonymy: cotifera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2222. **Dichomeris decusella (Walker,1864)** (Gelechiidae) Synonymy: decusella Walker,1864; alternella Walker,1864; granti Walsingham,1900; thoracella Walsingham,1900 Range (as code): **IN Sk YE KE**
2223. **Dichomeris dentata Li, Zhen & Mey, 2013** (Gelechiidae) Synonymy: dentata Li, Zhen & Mey, 2013 Range (as code): **MW**
2224. **Dichomeris dolichaula Meyrick,1931** (Gelechiidae) Synonymy: dolichaula Meyrick,1931 Range (as code): **CM**
2225. **Dichomeris dysnotata Janse,1954** (Gelechiidae) Synonymy: dysnotata Janse,1954 Range (as code): **NA ZA Abc Tva Slpp Gau**
2226. **Dichomeris erixantha (Meyrick,1914)** (Gelechiidae) Synonymy: erixantha Meyrick,1914 Range (as code): **ZA**
2227. **Dichomeris eustacta Meyrick,1921** (Gelechiidae) Synonymy: eustacta Meyrick,1921 Range (as code): **ZW Uma**
2228. **Dichomeris excepta (Meyrick,1914)** (Gelechiidae) Synonymy: excepta Meyrick,1914 Range (as code): **ZW Maz**
2229. **Dichomeris exsecta Meyrick,1927** (Gelechiidae) Synonymy: exsecta Meyrick,1927 Range (as code): **ZW**
2230. **Dichomeris externella (Zeller,1852)** (Gelechiidae) Synonymy: externella Zeller,1852 Range (as code): **ZA Tva Lpo Ec Stj Nta Kzu Mpu Tst Dbn Mal Pre Gau Buf ZW Maz**
2231. **Dichomeris famosa Meyrick,1914** (Gelechiidae) Synonymy: famosa Meyrick,1914 Range (as code): **ZW Umv**
2232. **Dichomeris fluitans Meyrick,1920** (Gelechiidae) Synonymy: fluitans Meyrick,1920 Range (as code): **ZA Nta Kzu Hwk**
2233. **Dichomeris furvella (Zeller,1852)** (Gelechiidae) Synonymy: furvella Zeller,1852 Range (as code): **ZA Nta Kzu Esw Uma ZW**
2234. **Dichomeris granti Walsingham,1900** (Gelechiidae) Synonymy: granti Walsingham,1900; thoracella Walsingham,1900 Range (as code): **YE Sk**
2235. **Dichomeris hercogramma Meyrick,1921** (Gelechiidae) Synonymy: hercogramma Meyrick,1921 Range (as code): **ZW Uma**
2236. **Dichomeris homaloxesta Meyrick,1921** (Gelechiidae) Synonymy: homaloxesta Meyrick,1921 Range (as code): **ZW Uma**
2237. **Dichomeris hortulana Meyrick,1918** (Gelechiidae) Synonymy: hortulana Meyrick,1918 Range (as code): **ZA Tva Gau Pre**

2238. **Dichomeris hylurga Meyrick,1921** (Gelechiidae) Synonymy: hylurga Meyrick,1921 Range (as code): **ZW Har Uma**
2239. **Dichomeris ianthes (Meyrick,1887)** (Gelechiidae) Synonymy: ianthes Meyrick,1887; ochrophanes Meyrick,1907 Range (as code): **LK RE**
2240. **Dichomeris impigra Meyrick,1913** (Gelechiidae) Synonymy: impigra Meyrick,1913 Range (as code): **ZA Mpu Hae Tva Lpo Brb Tst Mhk Ltr Chp Spb Nta Kzu Umk Lds Mlm**
2241. **Dichomeris inclusa (Meyrick,1927)** (Gelechiidae) Synonymy: inclusa Meyrick,1927 Range (as code): **ZA Buf Tva Lpo**
2242. **Dichomeris introspiciens Meyrick,1926** (Gelechiidae) Synonymy: introspiciens Meyrick,1926 Range (as code): **ZA Nta Kzu Wnn**
2243. **Dichomeris ironica Meyrick,1909** (Gelechiidae) Synonymy: ironica Meyrick,1909 Range (as code): **ZA Tva Lpo Spb Wmb**
2244. **Dichomeris ligulacea Li, Zhen & Mey, 2013** (Gelechiidae) Synonymy: ligulacea Li, Zhen & Mey, 2013 Range (as code): **MW**
2245. **Dichomeris ligyra Meyrick,1913** (Gelechiidae) Synonymy: ligyra Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
2246. **Dichomeris marmorata (Walsingham,1891)** (Gelechiidae) Synonymy: marmorata Walsingham,1891 Range (as code): **GM ZA Tva NA Abc Gau Pre**
2247. **Dichomeris meridionella (Walsingham,1881)** (Gelechiidae) Synonymy: meridionella Walsingham,1881 Range (as code): **ES ZA Tva Nta Kzu Gau Pre Kkf ZA14**
2248. **Dichomeris metrodes Meyrick,1913** (Gelechiidae) Synonymy: metrodes Meyrick,1913 Range (as code): **IN LK ZA Gau Pre Wv Mpu Buf Tva Lpo Mdp Nta Kzu Umk Abc Blu Mdt Rtb ZW Uma Swm Vf**
2249. **Dichomeris molybdea Janse,1954** (Gelechiidae) Synonymy: molybdea Janse,1954 Range (as code): **ZA Tva Lpo Kru**
2250. **Dichomeris monococca Meyrick,1921** (Gelechiidae) Synonymy: monococca Meyrick,1921 Range (as code): **MZ Mpt**
2251. **Dichomeris ochroxesta Meyrick,1921** (Gelechiidae) Synonymy: ochroxesta Meyrick,1921 Range (as code): **ZA Tva Lpo Wo**
2252. **Dichomeris oenombra Meyrick,1921** (Gelechiidae) Synonymy: oenombra Meyrick,1921 Range (as code): **ZA Tz Tva Lpo Spb Dui TZ**
2253. **Dichomeris oleata Meyrick,1913** (Gelechiidae) Synonymy: oleata Meyrick,1913 Range (as code): **ZA Mpu Tst Brb Kkf Umk Nta Kzu Stj Ec Bf Tva**
2254. **Dichomeris opsorrhoa Meyrick,1929** (Gelechiidae) Synonymy: opsorrhoa Meyrick,1929 Range (as code): **ZA Tva Lpo Buf Blau**
2255. **Dichomeris oxygrapha Meyrick,1913** (Gelechiidae) Synonymy: oxygrapha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Gau Pre Slpp MZ Blv Mag Rik Nta Kzu Srn**
2256. **Dichomeris paulidigitata Li, Zhen & Mey, 2013** (Gelechiidae) Synonymy: paulidigitata Li, Zhen & Mey, 2013 Range (as code): **KE Nai**
2257. **Dichomeris physeta Meyrick,1913** (Gelechiidae) Synonymy: physeta Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst Srn Nta Kzu ZW Maz**
2258. **Dichomeris physocoma Meyrick,1926** (Gelechiidae) Synonymy: physocoma Meyrick,1926 Range (as code): **SL**
2259. **Dichomeris pladarota Meyrick,1921** (Gelechiidae) Synonymy: pladarota Meyrick,1921 Range (as code): **ZW Uma**
2260. **Dichomeris pleuropa Meyrick,1921** (Gelechiidae) Synonymy: pleuropa Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
2261. **Dichomeris plumbosa Meyrick,1913** (Gelechiidae) Synonymy: plumbosa Meyrick,1913 Range (as code): **ZA Mpu Brb Tst Tva Lpo Mdp**
2262. **Dichomeris pyrrhitis Meyrick,1911** (Gelechiidae) Synonymy: pyrrhitis Meyrick,1911; #pyrritus Janse,1954 Range (as code): **ZA Tva Lpo Buf Wo Pie ZW Bul Swm**
2263. **Dichomeris quadrifurcata Janse,1954** (Gelechiidae) Synonymy: quadrifurcata Janse,1954 Range (as code): **ZA Tva Lpo Spb Wp**
2264. **Dichomeris rubidula Meyrick,1913** (Gelechiidae) Synonymy: rubidula Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2265. **Dichomeris simplex Walsingham,1900** (Gelechiidae) Synonymy: simplex Walsingham,1900 Range (as code): **YE Sk**

2266.Dichomeris skukuzae Janse,1954 (Gelechiidae) Synonymy: skukuzae Janse,1954 Range (as code): **ZA Tva Mpu Sbe**

2267.Dichomeris stasimopa Meyrick,1937 (Gelechiidae) Synonymy: stasimopa Meyrick,1937 Range (as code): **ZA Tva Blu**

2268.Dichomeris stromatias Meyrick,1918 (Gelechiidae) Synonymy: stromatias Meyrick,1918 Range (as code): **ZA Nkw**

2269.Dichomeris subiridescens Janse,1954 (Gelechiidae) Synonymy: subiridescens Janse,1954 Range (as code): **NA ZA Tva Lpo Nbs Gau Slpp Pre Tva Lpo Nel Mes Abc SZ**

2270.Dichomeris tapinostola Janse,1954 (Gelechiidae) Synonymy: tapinostola Janse,1954 Range (as code): **ZA Tva Gau Pre**

2271.Dichomeris tenextrema Li, Zhen & Mey, 2013 (Gelechiidae) Synonymy: tenextrema Li, Zhen & Mey, 2013 Range (as code): **KE Nai**

2272.Dichomeris tridentata Janse,1954 (Gelechiidae) Synonymy: tridentata Janse,1954 Range (as code): **MZ Mag**

2273.Dichomeris ventosa Meyrick,1913 (Gelechiidae) Synonymy: ventosa Meyrick,1913 Range (as code): **ZA Mpu Tst Brb Kkf ZA14 Nta Kzu Tva Lpo Spb Ltr Wo**

2274.Dichomeris ventriprojecta Li, Zhen & Mey, 2013 (Gelechiidae) Synonymy: ventriprojecta Li, Zhen & Mey, 2013 Range (as code): **NA**

2275.Dichomeris xanthodeta Meyrick,1913 (Gelechiidae) Synonymy: xanthodeta Meyrick,1913 Range (as code): **ZA Tva Mpu Tst ZA14 Kzu Nta Wo Nkw Umk Ec Ste Gin**

2276.Dichomeris xestobyrsa Meyrick,1921 (Gelechiidae) Synonymy: xestobyrsa Meyrick,1921 Range (as code): **ZW Har**

2277.Dicranucha albicincta (Meyrick,1921) (Gelechiidae) Synonymy: albicincta Meyrick,1921 Range (as code): **ZA Ec Stj**

2278.Dicranucha crateropis (Meyrick,1921) (Gelechiidae) Synonymy: crateropis Meyrick,1921 Range (as code): **ZW Uma**

2279.Dicranucha dicksoni Janse,1963 (Gelechiidae) Synonymy: dicksoni Janse,1963 Range (as code): **ZA**

2280.Dicranucha homochroma Janse,1954 (Gelechiidae) Synonymy: homochroma Janse,1954 Range (as code): **ZA Abc Tva NA Gau Pre**

2281.Dicranucha legalis (Meyrick,1921) (Gelechiidae) Synonymy: legalis Meyrick,1921 Range (as code): **MZ Rik**

2282.Dicranucha ochrostoma (Meyrick,1913) (Gelechiidae) Synonymy: ochrostoma Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2283.Dicranucha serialis (Meyrick,1908) (Gelechiidae) Synonymy: serialis Meyrick,1908; ochyrota Meyrick,1920 Range (as code): **ZA Gau Pre Wv Mpu Brb Wp Spb Tva Lpo Ltr Nta Kzu Nha Srn Hwk Dbn Umk Ptw MZ Mag Naa**

2284.Dicranucha sterictis (Meyrick,1908) (Gelechiidae) Synonymy: sterictis Meyrick,1908 Range (as code): **ZA Gau Pre Nbs Rtb Rtf Hfo Tva Lpo Mdp Pot Mpu Brb Dbn Nkw Lds Nha MZ Mag Blv Abc ZW**

2285.Dicranucha strepsgramma (Meyrick,1937) (Gelechiidae) Synonymy: strepsgramma Meyrick,1937 Range (as code): **ZA Nta Kzu Kkf**

2286.Encentrotis catagrapha Meyrick,1921 (Gelechiidae) Synonymy: catagrapha Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**

2287.Encolpotis argyrophanes Meyrick,1937 (Gelechiidae) Synonymy: argyrophanes Meyrick,1937 Range (as code): **ZA**

2288.Encolpotis xanthoria Meyrick,1909 (Gelechiidae) Synonymy: xanthoria Meyrick,1909 Range (as code): **ZA Tva Gau Pre**

2289.Ephysteris (Ochrodia) subdiminutella (Stainton,1867) (Gelechiidae) Synonymy: subdiminutella Stainton,1867; jamaicensis Walsingham,1897; bucolica Meyrick,1904; zygophyllella Rebel,1912; ericnista Meyrick,1914; ochrodeta Meyrick,1923; extorris Meyrick,1923; crocoleuca Meyrick,1923; unitella Turati,1930; tribulivora Dumont,1931; pulverea Janse,1950; turgida Janse,1951; pentamacula Janse,1958; infallax Gozmany,1960; tractatum Gozmany,1960 Range (as code): **AU IR Fa Hz B-A Kaz ES Mu MT Cr IL Pa CY IT SA ZA NA Abc Wca Cto Upi Tva Gau Pre Nta Kzu Rie**

2290.Ephysteris promptella (Staudinger,1859) (Gelechiidae) Synonymy: promptella Staudinger,1859; despectella Walker,1863; petiginella Mann,1867; parvula Staudinger,1879; cacomicra Walsingham,1907; chersaea Meyrick,1908; oschophora Meyrick,1910; fanatica Meyrick,1921; dispensata Meyrick,1921; xanthorhabda Gozmany,1951 australiae Povolny,1977; #promtella Sattler,1978. Range (as code): **ZW Vf PT ES FR Si IT SK HU YU GR TR IL SA IR Elb Th AF PK ZA Wca Ec Fs Tva Mpu Lpo Gau Pre Nta Kzu EG IN LK PG AU QAu 04 27 39 71**

2291. **Epicharta chlorophracta (Meyrick,1921)** (Gelechiidae) Synonymy: chlorophracta Meyrick,1921 Range (as code): **ZW Uma**
2292. **Epidola lilyella Lucas,1945** (Gelechiidae) Synonymy: lilyella Lucas,1945 Range (as code): **TN**
2293. **Epidola stigma Staudinger,1859** (Gelechiidae) Synonymy: stigma Staudinger,1859; flava Amsel,1942 Range (as code): **TN PT ES FR**
2294. **Epimesophleps symmocella Rebel,1907** (Gelechiidae) Synonymy: symmocella Rebel,1907 Range (as code): **YE Sk**
2295. **Eporgastis conclusa (Meyrick,1918)** (Gelechiidae) Synonymy: conclusa Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
2296. **Eporgastis maturata Meyrick,1921** (Gelechiidae) Synonymy: maturata Meyrick,1921 Range (as code): **ZA Umv Nta Kzu**
2297. **Eporgastis syngrapta (Meyrick,1921)** (Gelechiidae) Synonymy: syngrapta Meyrick,1921 Range (as code): **ZA Umv Nta Kzu**
2298. **Eporgastis torrescens Meyrick,1921** (Gelechiidae) Synonymy: torrescens Meyrick,1921 Range (as code): **ZW Swm**
2299. **Ereboscaeas amorpha Meyrick,1937** (Gelechiidae) Synonymy: amorpha Meyrick,1937 Range (as code): **ZA Ec Stj**
2300. **Erikssonella permagna (Meyrick,1920)** (Gelechiidae) Synonymy: permagna Meyrick,1920 Range (as code): **ZA Tva Lpo**
2301. **Euryctista hobohmi Janse,1963** (Gelechiidae) Synonymy: hobohmi Janse,1963 Range (as code): **ZA**
2302. **Euscrobipalpa acutisacca (Povolny,2002)** (Gelechiidae) Synonymy: acutisacca Povolny,2002 Range (as code): **TN**
2303. **Euscrobipalpa algeriensis Povolny & Bradley,1965** (Gelechiidae) Synonymy: algeriensis Povolny & Bradley,1965 Range (as code): **MA TN DZ Hes Bsk ES Grn An CZ**
2304. **Euscrobipalpa bazae Povolny,1977** (Gelechiidae) Synonymy: bazae Povolny,1977 Range (as code): **Cn ES Mu Mo8 FR**
2305. **Euscrobipalpa bigoti Povolny,1973** (Gelechiidae) Synonymy: bigoti Povolny,1973; tunesica Povolny,1979 [ssp.] Range (as code): **ES FR TN IT Si CY GR**
2306. **Euscrobipalpa bradleyi Povolny,1971** (Gelechiidae) Synonymy: bradleyi Povolny,1971; glaserorum Povolny,1977 Range (as code): **DZ Hes Bsk TN ES Si FR**
2307. **Euscrobipalpa chersophila (Meyrick,1909)** (Gelechiidae) Synonymy: chersophila Meyrick,1909 Range (as code): **ZA**
2308. **Euscrobipalpa colasta (Meyrick,1921)** (Gelechiidae) Synonymy: colasta Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2309. **Euscrobipalpa concreta (Meyrick,1914)** (Gelechiidae) Synonymy: concreta Meyrick,1914 Range (as code): **ZA Tva Gau Pre Nta Kzu Ptw**
2310. **Euscrobipalpa costimacula Janse,1960** (Gelechiidae) Synonymy: costimacula Janse,1960 Range (as code): **ZA**
2311. **Euscrobipalpa cretigena (Meyrick,1914)** (Gelechiidae) Synonymy: cretigena Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
2312. **Euscrobipalpa depictata (Povolny,2002)** (Gelechiidae) Synonymy: depictata Povolny,2002 Range (as code): **TN**
2313. **Euscrobipalpa disjectella (Staudinger,1859)** (Gelechiidae) Synonymy: disjectella Staudinger,1859; tridentella Chrétien,1917 Range (as code): **ES DZ TN Lbs Grn An MK AL TJ Ax**
2314. **Euscrobipalpa dispensata (Meyrick,1921)** (Gelechiidae) Synonymy: dispensata Meyrick,1921 Range (as code): **ZA Tva Gau Pre MZ Blv**
2315. **Euscrobipalpa eremica Povolny,1967** (Gelechiidae) Synonymy: eremica Povolny,1967 Range (as code): **MA IR Es SY Dms AF**
2316. **Euscrobipalpa forsteri Povolny,1971** (Gelechiidae) Synonymy: forsteri Povolny,1971 Range (as code): **DZ TN Lbs**
2317. **Euscrobipalpa fraterna (Povolny,1969)** (Gelechiidae) Synonymy: fraterna Povolny,1969 Range (as code): **TN TR RU Sr TM Krn SA KG Tv MN**
2318. **Euscrobipalpa gallincolella (Mann,1872)** (Gelechiidae) Synonymy: gallincolella Mann,1872; eremaula Meyrick,1891; lyciella Walsingham,1900; desertella Rebel,1900; reisseri Gregor & Povolny,1955; philolycii M.Hering,1957 Range (as code): **MA DZ Kdr TN EG IL Pa ES FR Sa Si IT YU TR 46**

2319. **Euscrobipalpa gecko (Walsingham,1911)** (Gelechiidae) Synonymy: gecko Walsingham,1911 Range (as code): **DZ Bsk SA Hes Bsk TN GR IL Pa JO**

2320. **Euscrobipalpa geomicta (Meyrick,1918)** (Gelechiidae) Synonymy: geomicta Meyrick,1918 Range (as code): **ZA Nha**

2321. **Euscrobipalpa halymella (Millière,1864) [see Huemer & Karsholt,2010]** (Gelechiidae) Synonymy: halymella Millière,1864 Range (as code): **DZ Bsk FR IT PT Cn Co MT MA TN IL Pa**

2322. **Euscrobipalpa hartigi (Povolny,1977)** (Gelechiidae) Synonymy: hartigi Povolny,1977 Range (as code): **LY Cy**

2323. **Euscrobipalpa heratella Povolny,1967** (Gelechiidae) Synonymy: heratella Povolny,1967 Range (as code): **DZ Hes Bsk TN SA AF Hr EG JO IR Ss Elb Th Kdj Ss**

2324. **Euscrobipalpa incola (Meyrick,1912)** (Gelechiidae) Synonymy: incola Meyrick,1912; bletrias Meyrick,1913 Range (as code): **ZA Mdd**

2325. **Euscrobipalpa instabilella (Douglas,1846)** (Gelechiidae) Synonymy: instabilella Douglas,1846; lagunella Chrétien,1910; strobilacella Caradja,1920; salsolella Amsel,1933; halymiphaga Amsel,1952 Range (as code): **Cn MA TN DZ PT ES FR Sa Si IT IE GB BE NL DE AT PL DK RU MD UA CY IL Pa**

2326. **Euscrobipalpa kaurii (Povolny,2002)** (Gelechiidae) Synonymy: kaurii Povolny,2002 Range (as code): **TN**

2327. **Euscrobipalpa meyricki Povolny,1971** (Gelechiidae) Synonymy: meyricki Povolny,1971 Range (as code): **DZ Hes Bsk TN LY Cy Sfx ES Mu**

2328. **Euscrobipalpa nitentella (Fuchs,1902)** (Gelechiidae) Synonymy: nitentella Fuchs,1902; seminella Pierce & Metcalfe,1935 Range (as code): **TN ES FR IE GB NL DE AT CZ SK HU RO DK NO SE FI EE LV RU Ur Sb MD UA BY TR MN AF CN Ts Ui KG No**

2329. **Euscrobipalpa nomias (Meyrick,1921)** (Gelechiidae) Synonymy: nomias Meyrick,1921 Range (as code): **ZA Nta Kzu Esw**

2330. **Euscrobipalpa obsoletella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonymy: obsoletella Fischer v. Röslerstamm,1841; miscitalella Clarke,1932; bipunctella Hartig,1941; calaritanella Amsel,1951; hospes Povolny,1964 Range (as code): **ZA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR AF DK NO SE FI EE LV LT RU Ur Sb Cc MN MD UA BY CN IMn Ui ZA US 06**

2331. **Euscrobipalpa ocellatella (Boyd,1858)** (Gelechiidae) Synonymy: ocellatella Boyd,1858; submissella Stainton,1859; portosanctana Stainton,1859; horticolella Rössler,1866; obscurior Rebel,1926; orientale Gregor & Povolny,1954 Range (as code): **DZ Bsk TN PT ES FR Co Sa Si IT MT IE GB BE DE CH AT CZ SK HU RO YU HV AL BG GR TR DK RU IR Th Elb Kdj Dam 05 71**

2332. **Euscrobipalpa ochraceella (Chrétien,1915)** (Gelechiidae) Synonymy: ochraceellum Chrétien,1915 Range (as code): **DZ Bsk TN Gf**

2333. **Euscrobipalpa ocyphanes (Meyrick,1937)** (Gelechiidae) Synonymy: ocyphanes Meyrick,1937 Range (as code): **ZA**

2334. **Euscrobipalpa pendens (Meyrick,1918)** (Gelechiidae) Synonymy: pendens Meyrick,1918 Range (as code): **ZA Nta Kzu Mlm**

2335. **Euscrobipalpa phagnalella (Constant,1895)** (Gelechiidae) Synonymy: phagnalella Constant,1895 Range (as code): **MA DZ Ges TN Gf PT ES GR Cr FR Co Sa**

2336. **Euscrobipalpa phalacrodes (Meyrick,1913)** (Gelechiidae) Synonymy: phalacrodes Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**

2337. **Euscrobipalpa phelotris (Meyrick,1909)** (Gelechiidae) Synonymy: phelotris Meyrick,1909 Range (as code): **ZA**

2338. **Euscrobipalpa richteri Povolny,1968** (Gelechiidae) Synonymy: richteri Povolny,1968 Range (as code): **DZ Bsk TN IR Ss**

2339. **Euscrobipalpa salinella (Zeller,1847)** (Gelechiidae) Synonymy: salinella Zeller,1847; omachella Oberthür,1888; salicorniae F.Hering,1889; spergulariella Chrétien,1910; zernyella Rebel,1918; caliacrae Caradja,1932; thymalaeae Amsel,1939; corsicanum Gregor & Povolny,1954; ignotum Gregor & Povolny,1954 Range (as code): **MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE AT PL CZ HU RO AL BG GR DK SE FI LV RU MD UA BY IR Mz CY TR Cm KG MN**

2340. **Euscrobipalpa selectella (Caradja,1920)** (Gelechiidae) Synonymy: selectella Caradja,1920; fraterna Povolny,1969 Range (as code): **RU UA GR KG Uk MN TR SA TN CN Hph IMn Ui**

2341. **Euscrobipalpa sibila (Meyrick,1921)** (Gelechiidae) Synonymy: sibila Meyrick,1921 Range (as code): **Mag MZ Blv**

2342. **Euscrobipalpa smithi Povolny & Bradley,1965** (Gelechiidae) Synonymy: smithi Povolny & Bradley,1965 Range (as code): **MA DZ ES TR SY LB CN Ui MN UA**

2343.Euscrobipalpa suaedella (Richardson,1893) (Gelechiidae) Synonymy: suaedella Richardson,1893; flavidorsella Amsel,1952; hartigi Povolny,1977 Range (as code): **Cn PT ES Mu Grn An FR Sa Co IT GB LY Cy CY TR 06**

2344.Euscrobipalpa suaedivorella (Chrétien,1915) (Gelechiidae) Synonymy: suaedivorella Chrétien,1915; detersipunctella Toll,1947. Range (as code): **IR Th Elb Kz Mz Kh DZ Bsk TN RU TR 71**

2345.Euscrobipalpa traganella (Chrétien,1915) (Gelechiidae) Synonymy: traganella Chrétien,1915 Range (as code): **CV DZ Bsk MA TN Gf MT LY Cn PT ES FR IL Pa SY LB SA PK**

2346.Euscrobipalpa triloba Janse,1960 (Gelechiidae) Synonymy: triloba Janse,1960 Range (as code): **ZA**

2347.Euscrobipalpa trychnophylla Janse,1960 (Gelechiidae) Synonymy: trychnophylla Janse,1960 Range (as code): **ZA**

2348.Euscrobipalpa vasconiella (Rössler,1877) (Gelechiidae) Synonymy: vasconiella Rössler,1877; drahomirae Povolny,1966 Range (as code): **Cn Md MR DZ PT ES Bq Bb FR Sa Si IT GR RU TR IR AF Hr Cc**

2349.Euscrobipalpa vicaria (Meyrick,1921) (Gelechiidae) Synonymy: vicaria Meyrick,1921; tineiformis Povolny,1967 Range (as code): **ES Cr Cn MT MA LY CY PK Krc Bl Qu IR Fa ZA Gau Pre Tva Nta Kzu Wo SA As**

2350.Euscrobipalpa voltinella (Chrétien,1898) (Gelechiidae) Synonymy: voltinella Chrétien,1898 Range (as code): **MA DZ ES FR IT HV UA YU TR**

2351.Euscrobipalpa wiltshirei Povolny,1966 (Gelechiidae) Synonymy: wiltshirei Povolny,1966 Range (as code): **PT ES IR Th Elb BH SA DZ Cn CY**

2352.Euscrobipalpa xylochroa Janse,1963 (Gelechiidae) Synonymy: xylochroa Janse,1963 Range (as code): **ZA**

2353.Excommatica compsotoma (Meyrick,1921) (Gelechiidae) Synonymy: compsotoma Meyrick,1921 Range (as code): **ZW Uma MZ Mag**

2354.Filisignella cirrhaea (Meyrick,1914) (Gelechiidae) Synonymy: cirrhaea Meyrick,1914 Range (as code): **ZA Tva Gau Pre**

2355.Flexiptera revoluta (Meyrick,1918) (Gelechiidae) Synonymy: revoluta Meyrick,1918 Range (as code): **ZA Nta Kzu**

2356.Frumenta nephelomicta (Meyrick,1930) (Gelechiidae) Synonymy: nephelomicta Meyrick,1930 Range (as code): **ZA US NMx**

2357.Furcaphora caelata (Meyrick,1913) (Gelechiidae) Synonymy: caelata Meyrick,1913; triscelis Meyrick,1917 Range (as code): **ZA Tva Mpu Tst**

2358.Gambrostola imposita Meyrick,1926 (Gelechiidae) Synonymy: imposita Meyrick,1926 Range (as code): **ZA**

2359.Gelechia abjunctella Walker,1864 (Gelechiidae) Synonymy: abjunctella Walker,1864 Range (as code): **ZA**

2360.Gelechia aglossella Walker,1866 (Gelechiidae) Synonymy: aglossella Walker,1866 Range (as code): **ZA**

2361.Gelechia anagramma Meyrick,1921 (Gelechiidae) Synonymy: anagramma Meyrick,1921 Range (as code): **ZA Ec**

2362.Gelechia arotrias Meyrick,1908 (Gelechiidae) Synonymy: arotrias Meyrick,1908 Range (as code): **ZA Nta Kzu Wnn**

2363.Gelechia chionomima Meyrick,1909 (Gelechiidae) Synonymy: chionomima Meyrick,1909 Range (as code): **ZA Kzu Nta Wnn**

2364.Gelechia cretulata Meyrick,1927 (Gelechiidae) Synonymy: cretulata Meyrick,1927 Range (as code): **ZA Ntz Kzu Wnn**

2365.Gelechia cuspidatella Turati,1934 (Gelechiidae) Synonymy: cuspidatella Turati,1934 Range (as code): **LY**

2366.Gelechia epiphloea Meyrick,1913 (Gelechiidae) Synonymy: epiphloea Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2367.Gelechia exoenota Meyrick,1918 (Gelechiidae) Synonymy: exoenota Meyrick,1918 Range (as code): **ZA Tva Gau Pre**

2368.Gelechia fecunda Meyrick,1918 (Gelechiidae) Synonymy: fecunda Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**

2369.Gelechia flavipalpella Walsingham,1881 (Gelechiidae) Synonymy: flavipalpella Walsingham,1881 Range (as code): **ZA**

2370.Gelechia galatea Meyrick,1926 (Gelechiidae) Synonymy: galatea Meyrick,1926 Range (as code): **ZA Nta Kzu Wnn**

2371. **Gelechia hyocyamella (Rebel,1912)** (Gelechiidae) Synonymy: hyocyamella Rebel,1912 Range (as code): **EG**
2372. **Gelechia lactiflora Meyrick,1921** (Gelechiidae) Synonymy: lactiflora Meyrick,1921 Range (as code): **MZ Mag**
2373. **Gelechia liberata Meyrick,1910** (Gelechiidae) Synonymy: liberata Meyrick,1910 Range (as code): **ZA**
2374. **Gelechia nervosella (Zerny,1927)** (Gelechiidae) Synonymy: nervosella Zerny,1927; thuriferella Cleu,1936 Range (as code): **MA ES FR**
2375. **Gelechia ochrocorys Meyrick,1936** (Gelechiidae) Synonymy: ochrocorys Meyrick,1936 Range (as code): **ZR**
2376. **Gelechia omphalopsis Meyrick,1926** (Gelechiidae) Synonymy: omphalopsis Meyrick,1926 Range (as code): **ZA**
2377. **Gelechia rescissella Zeller,1852** (Gelechiidae) Synonymy: rescissella Zeller,1852 Range (as code): **ZA**
2378. **Gelechia resecta Meyrick,1913** (Gelechiidae) Synonymy: resecta Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
2379. **Gelechia sarcochroma Walsingham,1900** (Gelechiidae) Synonymy: sarcochroma Walsingham,1900 Range (as code): **YE Sk**
2380. **Gelechia sematica (Meyrick,1913)** (Gelechiidae) Synonymy: sematica Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2381. **Gelechia senticetella (Staudinger,1859)** (Gelechiidae) Synonymy: senticetella Staudinger,1859; obscuripennis Frey,1880; limitanella Rebel,1904; #senticella Rebel,1932; nigrostriatella Zerny,1936. Range (as code): **MA ES FR Si IT GB NL CH AT SK HU YU GR TR IR Elb Mz 42**
2382. **Gelechia tetraleuca Meyrick,1918** (Gelechiidae) Synonymy: tetraleuca Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
2383. **Gnorimoschema epithymella (Staudinger,1859)** (Gelechiidae) Synonymy: epithymella Staudinger,1859; brunneomaculella Hackman,1946; boernii Amsel,1952 Range (as code): **DZ Anna Bsk TN Gf ES FR Sa IT CH AT NO SE FI EE LV Cc RU KK**
2384. **Gnosimacha caterica Meyrick,1927** (Gelechiidae) Synonymy: caterica Meyrick,1927 Range (as code): **ZA**
2385. **Grandipalpa robusta Janse,1951** (Gelechiidae) Synonymy: robusta Janse,1951 Range (as code): **NA Lü**
2386. **Hedma microcasis (Meyrick,1929)** (Gelechiidae) Synonymy: microcasis Meyrick,1929; abzacella Dumont,1932; hyoscyami Amsel,1933; polioptera Janse,1960; aellographa Janse,1960 Range (as code): **Cn DZ TN FR ES Sa HV SY IL Pa SA BH IR AF ZA**
2387. **Hedma rhamnifoliae (Amsel & M.Hering,1931)** (Gelechiidae) Synonymy: rhamnifoliae Amsel & M.Hering,1931 Range (as code): **IL Pa Js SA ZA Nta Kzu Wnn Cto**
2388. **Helcystogramma convolvuli (Walsingham,1908)** (Gelechiidae) Synonymy: convolvuli Walsingham,1908; crypsilychna Meyrick,1914; effera Meyrick,1918; emigrans Meyrick,1921 Range (as code): **Cn KM ID Ja**
2389. **Helcystogramma hibisci (Stainton,1859)** (Gelechiidae) Synonymy: hibisci Stainton,1859; obseratella Zeller,1877; eudela Turner,1919 Range (as code): **IN Clc CN Kig TW IN TH VN SL ID Sum Ja AU QAu**
2390. **Helcystogramma lamprostoma (Zeller,1847)** (Gelechiidae) Synonymy: lamprostoma Zeller,1847; zulu Walsingham,1881; scutata Meyrick,1894. Range (as code): **Cn MA DZ Anna Ajj PT ES FR Sa Si MT TR IL Pa Js IQ Mos Bgd ZA NA Abc Nta Kzu Umk Gau Pre Tva Lpo Nbs IN ID Ja CM CV ET NG GM TZ ZW MW 16**
2391. **Holaxyra acuta (Meyrick,1927)** (Gelechiidae) Synonymy: acuta Meyrick,1927 Range (as code): **ZA Nta Kzu Imp Ec**
2392. **Holaxyra ithyaula (Meyrick,1926)** (Gelechiidae) Synonymy: ithyaula Meyrick,1926 Range (as code): **ZA Wca Mui Wlg**
2393. **Holaxyra picrophanes (Meyrick,1913)** (Gelechiidae) Synonymy: picrophanes Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2394. **Holcophora obtusipalpis (Walsingham,1905)** (Gelechiidae) Synonymy: obtusipalpis Walsingham,1905; cinerellus Turati,1930 Range (as code): **ES DZ Bsk Hes TN Gf LY Cy**
2395. **Holcophora pruinosella (Chrétien,1915)** (Gelechiidae) Synonymy: pruinosella Chrétien,1915 Range (as code): **TN Gf**
2396. **Hoplovalva ametris (Meyrick,1921)** (Gelechiidae) Synonymy: ametris Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
2397. **Horridivalva tenuiella Sattler,1967** (Gelechiidae) Synonymy: tenuiella Sattler,1967 Range (as code): **DZ TN**

2398.Hyalochna allevata Meyrick,1918 (Gelechiidae) Synonymy: allevata Meyrick,1918 Range (as code): **ZA**
2399.Hypatima albogrisea (Walsingham,1881) (Gelechiidae) Synonymy: albogrisea Walsingham,1881; #albeogrisea Janse,1954 Range (as code): **ZA Tva Mpu Brb Nta Kzu Dbn Spr Esw**
2400.Hypatima binummulata (Meyrick,1929) (Gelechiidae) Synonymy: binummulata Meyrick,1929 Range (as code): **ZA Nta Kzu Wnn**
2401.Hypatima dissidens (Meyrick,1913) (Gelechiidae) Synonymy: dissidens Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
2402.Hypatima formidolosa (Meyrick,1916) (Gelechiidae) Synonymy: formidolosa Meyrick,1916 Range (as code): **ZA Tva Nta Kzu Umk Nkw Mpu Brb Gau Pre Ptw**
2403.Hypatima improba (Meyrick,1913) (Gelechiidae) Synonymy: improba Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2404.Hypatima isosema (Meyrick,1921) (Gelechiidae) Synonymy: isosema Meyrick,1921 Range (as code): **ZW Uma**
2405.Hypatima lecticata (Meyrick,1926) (Gelechiidae) Synonymy: lecticata Meyrick,1926 Range (as code): **ZA Tva Mpu Pil**
2406.Hypatima loxosaris (Meyrick,1918) (Gelechiidae) Synonymy: loxosaris Meyrick,1918 Range (as code): **ZA MZ Blv Umk Nta Kzu**
2407.Hypatima magniferae Sattler & Stride,1989 (Gelechiidae) Synonymy: magniferae Sattler & Stride,1989; #mangiferae Ponomarenko,1997 Range (as code): **KE**
2408.Hypatima mancipata (Meyrick,1913) (Gelechiidae) Synonymy: mancipata Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
2409.Hypatima manjakatompo Viette,1956 (Gelechiidae) Synonymy: manjakatompo Viette,1956 Range (as code): **MG**
2410.Hypatima melanecta (Meyrick,1914) (Gelechiidae) Synonymy: melanecta Meyrick,1914 Range (as code): **ZA Tva Gau Pre Jh**
2411.Hypatima nigrogrisea Janse,1949 (Gelechiidae) Synonymy: nigrogrisea Janse,1949 Range (as code): **ZA Nta Kzu Umk ZW Bul Uma Tva Buf**
2412.Hypatima probolaea (Meyrick,1913) (Gelechiidae) Synonymy: probolaea Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2413.Hypatima solutrix (Meyrick,1911) (Gelechiidae) Synonymy: solutrix Meyrick,1911 Range (as code): **ZA Wo Uma Tva Lpo**
2414.Hypatima stasimodes (Meyrick,1931) (Gelechiidae) Synonymy: stasimodes Meyrick,1931 Range (as code): **ZA**
2415.Hypatima tetraptila (Meyrick,1909) (Gelechiidae) Synonymy: tetraptila Meyrick,1909 Range (as code): **ZA Gau Pre Tva Chp Kra**
2416.Hypatima triannulata (Meyrick,1911) (Gelechiidae) Synonymy: triannulata Meyrick,1911 Range (as code): **MZ ZA Wo Mag Wv Mpu Brb Gau Pre Ec Grh Spb Tva Lpo Tsh**
2417.Ilseopsis peterseni Povolny,1965 (Gelechiidae) Synonymy: peterseni Povolny,1965 Range (as code): **DZ TN Si SA SA63**
2418.Iochares festa Meyrick,1921 (Gelechiidae) Synonymy: festa Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2419.Iochares straminis (Walsingham,1881) (Gelechiidae) Synonymy: straminis Walsingham,1881 Range (as code): **ZA**
2420.Ischnocraspedus peracuta (Meyrick,1920) (Gelechiidae) Synonymy: peracuta Meyrick,1920 Range (as code): **ZA Ec Wth**
2421.Ischnophylla similicolor Janse,1963 (Gelechiidae) Synonymy: similicolor Janse,1963 Range (as code): **ZA**
2422.Isophrictis constantina (Baker,1888) (Gelechiidae) Synonymy: constantina Baker,1888 Range (as code): **DZ Lbs TN Gf ES**
2423.Istrianis brucinella (Mann,1872) (Gelechiidae) Synonymy: brucinella Mann,1872 Range (as code): **Si HV TR EG IN PK 16**
2424.Lacharissa tanyzancla Meyrick,1937 (Gelechiidae) Synonymy: tanyzancla Meyrick,1937; #tanyzanela Janse,1958 Range (as code): **ZA**
2425.Lachnostola amphizeucta Meyrick,1918 (Gelechiidae) Synonymy: amphizeucta Meyrick,1918 Range (as code): **ZA Nta Kzu Umk Nha**

2426. **Lacistodes brunneostola Janse,1960** (Gelechiidae) Synonymy: brunneostola Janse,1960 Range (as code): **ZA**
2427. **Lacistodes tauropis Meyrick,1921** (Gelechiidae) Synonymy: tauropis Meyrick,1921 Range (as code): **ZW Swm**
2428. **Lanceopenna pentastigma Janse,1960** (Gelechiidae) Synonymy: pentastigma Janse,1960 Range (as code): **ZA**
2429. **Lanceopenna prominula (Meyrick,1913)** (Gelechiidae) Synonymy: prominula Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Brb Nta Kzu Umk Dbn Kkf Elo Ec Mdt Gau Pre**
2430. **Lanceopenna pseudogaleotis Janse,1950** (Gelechiidae) Synonymy: pseudogaleotis Janse,1950 Range (as code): **ZA Tva Gau Pre**
2431. **Lanceoptera panochra Janse,1960** (Gelechiidae) Synonymy: panochra Janse,1960 Range (as code): **ZA**
2432. **Lasiarchis hirsuta Janse,1958** (Gelechiidae) Synonymy: hirsuta Janse,1958 Range (as code): **ZA**
2433. **Lasiarchis pycnodes (Meyrick,1909)** (Gelechiidae) Synonymy: pycnodes Meyrick,1909; elaeoxyla Meyrick,1937 Range (as code): **ZA Tva Gau Pre**
2434. **Leucophylla nigribasis Janse,1960** (Gelechiidae) Synonymy: nigribasis Janse,1960 Range (as code): **ZA**
2435. **Leuronoma chlorotoma Meyrick,1918** (Gelechiidae) Synonymy: chlorotoma Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
2436. **Leuronoma eodryas (Meyrick,1918)** (Gelechiidae) Synonymy: eodryas Meyrick,1918 Range (as code): **ZA Nta Kzu Tva Gau Pre**
2437. **Leuronoma magna Janse,1958** (Gelechiidae) Synonymy: magna Janse,1958 Range (as code): **ZA**
2438. **Leuronoma nigridorsis Meyrick,1921** (Gelechiidae) Synonymy: nigridorsis Meyrick,1921 Range (as code): **ZW Uma**
2439. **Leuronoma oenochyta (Meyrick,1921)** (Gelechiidae) Synonymy: oenochyta Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2440. **Leuronoma textifera (Meyrick,1913)** (Gelechiidae) Synonymy: textifera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2441. **Leuronoma veterascens Meyrick,1918** (Gelechiidae) Synonymy: veterascens Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
2442. **Leuronoma zymotis (Meyrick,1909)** (Gelechiidae) Synonymy: zymotis Meyrick,1909 Range (as code): **ZA Tva Lpo Spb Wmb**
2443. **Leuropalpa reducta (Janse,1951)** (Gelechiidae) Synonymy: reducta Janse,1951 Range (as code): **ZA Nta Kzu Esw Umk**
2444. **Machlotricha griseostola Janse,1960** (Gelechiidae) Synonymy: griseostola Janse,1960 Range (as code): **ZA**
2445. **Machlotricha latipalpis (Walsingham,1881)** (Gelechiidae) Synonymy: latipalpis Walsingham,1881; caeca Meyrick,1912 Range (as code): **ZA Tva Kkf Esw Nta Kzu Nha Dmm Nkw Mpu Brb ZA14 Spb Ltr Tsh Ver Mf Mal**
2446. **Macrocalcara sporima Janse,1960** (Gelechiidae) Synonymy: sporima Janse,1960 Range (as code): **ZA**
2447. **Macrocalcara undina (Meyrick,1921)** (Gelechiidae) Synonymy: undina Meyrick,1921 Range (as code): **NA Abc ZW Vf**
2448. **Megacraspedus gibeauxi Huemer & Karsholt,2018** (Gelechiidae) Synonymy: gibeauxi Huemer & Karsholt,2018 Range (as code): **TN DZ Bsk**
2449. **Megacraspedus glaberipalpus Huemer & Karsholt,2018** (Gelechiidae) Synonymy: glaberipalpus Huemer & Karsholt,2018 Range (as code): **MA Ifr**
2450. **Megacraspedus homochroa Le Cerf,1932** (Gelechiidae) Synonymy: homochroa Le Cerf,1932; colminicola Le Cerf,1932 Range (as code): **MA**
2451. **Megacraspedus knudlarseni Huemer & Karsholt,2018** (Gelechiidae) Synonymy: knudlarseni Huemer & Karsholt,2018 Range (as code): **Cn**
2452. **Megacraspedus libycus Huemer & Karsholt,2018** (Gelechiidae) Synonymy: libycus Huemer & Karsholt,2018 Range (as code): **LY MA**
2453. **Megacraspedus longivalvellus Huemer & Karsholt,2018** (Gelechiidae) Synonymy: longivalvellus Huemer & Karsholt,2018 Range (as code): **MA**
2454. **Megacraspedus numidellus (Chrétien,1915)** (Gelechiidae) Synonymy: numidellus Chrétien,1915; mareotidellus Turati,1924 Range (as code): **TN Gf LY Cy MA ES**

2455. **Megacraspedus peyerimhoffi Le Cerf,1925** (Gelechiidae) Synonymy: peyerimhoffi Le Cerf,1925 Range (as code): **DZ TN ES**
2456. **Megacraspedus sericus Meyrick,1909** (Gelechiidae) Synonymy: serica Meyrick,1909 Range (as code): **ZA**
2457. **Megacraspedus squalidus (Meyrick,1926)** (Gelechiidae) Synonymy: squalida Meyrick,1926; escalerellus Schmidt,1941 Range (as code): **ES Alc TN**
2458. **Megacraspedus steineri Huemer & Karsholt,2018** (Gelechiidae) Synonymy: steineri Huemer & Karsholt,2018 Range (as code): **MA**
2459. **Megacraspedus tabelli Huemer & Karsholt,2018** (Gelechiidae) Synonymy: tabelli Huemer & Karsholt,2018 Range (as code): **MA**
2460. **Megacraspedus tenuignathos Huemer & Karsholt,2018** (Gelechiidae) Synonymy: tenuignathos Huemer & Karsholt,2018 Range (as code): **MA**
2461. **Megacraspedus violacellus (Chrétien,1915)** (Gelechiidae) Synonymy: violacellum Chrétien,1915; chretienella Dumont,1928; halfella Dumont,1928; arnaldi Turati & Krüger,1930 Range (as code): **DZ TN Gf LY**
2462. **Melitoxestis centrotypa Meyrick,1921** (Gelechiidae) Synonymy: centrotypa Meyrick,1921 Range (as code): **ZW Swm**
2463. **Melitoxoides cophias (Meyrick,1913)** (Gelechiidae) Synonymy: cophias Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
2464. **Melitoxoides glauca Janse,1960** (Gelechiidae) Synonymy: glauca Janse,1960 Range (as code): **ZA**
2465. **Melitoxoides leucodoxa (Meyrick,1920)** (Gelechiidae) Synonymy: leucodoxa Meyrick,1920 Range (as code): **ZA Wca Cto**
2466. **Melitoxoides panaula (Meyrick,1909)** (Gelechiidae) Synonymy: panaula Meyrick,1909; eusebasta Meyrick,1926 Range (as code): **ZA**
2467. **Mesophleps catericta (Meyrick,1927)** (Gelechiidae) Synonymy: catericta Meyrick,1927 Range (as code): **ZA Gau Tva Pre Mpu NA**
2468. **Mesophleps corsicella (Herrich-Schäffer,[1856])** (Gelechiidae) Synonymy: corsicella Herrich-Schäffer,[1856] Range (as code): **MA ES FR Co Sa Si IT GR IL Pa Hf LB Bei**
2469. **Mesophleps geodes (Meyrick,1929)** (Gelechiidae) Synonymy: geodes Meyrick,1929 Range (as code): **ZA Nta Kzu Wnn MW KE PK IN**
2470. **Mesophleps gigantella Li & Sattler,2012** (Gelechiidae) Synonymy: gigantella Li & Sattler,2012 Range (as code): **KE Nai UG Rz**
2471. **Mesophleps nairobiensis Li & Zheng,1995** (Gelechiidae) Synonymy: nairobiensis Li & Zheng,1995 Range (as code): **KE Nai CI SL MZ UG**
2472. **Mesophleps ochracella (Turati,1926)** (Gelechiidae) Synonymy: ochracella Turati,1926; orientella Nel & Nel,2003; gallicella Varenne & Nel,2011 Range (as code): **LY Cy FR Cr ES Grn Mu GR Sms MT MA DZ Btna TM Krn IL Pa**
2473. **Mesophleps oxycedrella (Millière,1871)** (Gelechiidae) Synonymy: oxycedrella Millière,1871 Range (as code): **Cn PT ES FR Sa Si**
2474. **Mesophleps palpigera (Walsingham,1891)** (Gelechiidae) Synonymy: palpigera Walsingham,1891 Range (as code): **MZ CI NE NG ZR UG Rz KE Nai MW Mje MG ZA Mpu Brb Tva Nta Kzu**
2475. **Mesophleps safranella (Legrand,1965)** (Gelechiidae) Synonymy: safranella Legrand,1965 Range (as code): **SC NE BJ KE MW MG**
2476. **Mesophleps trinotella Herrich-Schäffer,[1856]** (Gelechiidae) Synonymy: trinotella Herrich-Schäffer,[1856]; aurantiella Rebel,1915; barysphena Meyrick,1923; subtilipennis Turati,1924 Range (as code): **DZ Phv MA Tgr LY Cy ES FR Co Sa Si IT MT CH AT CZ SK HU YU MK GR TR RU Ur Cc CY MD UA BY TM IL Pa 05 16 71**
2477. **Mesophleps unguella Li & Sattler,2012** (Gelechiidae) Synonymy: unguella Li & Sattler,2012 Range (as code): **KE**
2478. **Metanarsia alphitodes (Meyrick,1891)** (Gelechiidae) Synonymy: alphitodes Meyrick,1891; gobica Lvovsky & Piskunov,1989 Range (as code): **DZ Bsk TN Gf KG UZ TM MN**
2479. **Metanarsia incertella (Herrich-Schäffer,1861)** (Gelechiidae) Synonymy: incertella Herrich-Schäffer,1861; longivittella Rebel,1914; halmyropis Meyrick,1926; rhamniferella Lucas,1940 Range (as code): **MA DZ ES Grn Hue Zg MA TN KG Uk RU Sr Sb Ur TR UZ MN Ui Ku 06 38 42 65 68**
2480. **Metatactis griseobrunnea Janse,1949** (Gelechiidae) Synonymy: griseobrunnea Janse,1949 Range (as code): **ZA Abc**
2481. **Metzneria acrena (Meyrick,1908)** (Gelechiidae) Synonymy: acrena Meyrick,1908 Range (as code): **ZA Pie Tva Lpo Abc Wmb**

2482.Metzneria aestivella (Zeller,1839) (Gelechiidae) Synonymy: aestivella Zeller,1839; carlinella Stainton,1851; selaginella Mann,1855; torridella Mann. Range (as code): **Cn TN Gf LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV RU MD UA BY IL Pa SY LB Bsa Bmm 05 16**

2483.Metzneria agraphella (Ragonot,1895) (Gelechiidae) Synonymy: agraphella Ragonot,1895; incognita Walsingham,1904. Range (as code): **MA DZ Bsk Hes Ktr TN Gf Sa Cr CY TR IL Pa 31 46**

2484.Metzneria brandbergi Janse,1963 (Gelechiidae) Synonymy: brandbergi Janse,1963 Range (as code): **ZA**

2485.Metzneria castiliella (Möschler,1866) (Gelechiidae) Synonymy: castiliella Möschler,1866; eatoni Walsingham,1899. Range (as code): **DZ Gha Bsk TN Gf PT ES Cn An MT Cr IL IR Fa IQ Njf**

2486.Metzneria clitella Rebel,1903 (Gelechiidae) Synonymy: clitella Rebel,1903; tricoloria Turati,1930 Range (as code): **DZ Ogl Gha TN Gf IR B-A IL Pa**

2487.Metzneria heptacentra Meyrick,1911 (Gelechiidae) Synonymy: heptacentra Meyrick,1911 Range (as code): **ZA Gau Pre Mpu Brb Wo Tva Lpo ZW Bul Hfo Mdt Nyl Wv Sdr**

2488.Metzneria littorella (Douglas,1850) (Gelechiidae) Synonymy: littorella Douglas,1850; quinquepunctella Herrich-Schäffer,1855. Range (as code): **DZ Bsk TN Gf ES FR Co Sa Si IT GB RU IL**

2489.Metzneria paucipunctella (Zeller,1839) (Gelechiidae) Synonymy: paucipunctella Zeller,1839; zimmermanni Hering,1940; confusalis Lucas,1955. Range (as code): **MA Ifr Rbt DZ Lbs PT ES An Grn FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR LT LB Bsa Cc AM Eri KG Uk CN Ui Ku 06 46**

2490.Metzneria portieri Viette,1948 (Gelechiidae) Synonymy: portieri Viette,1948 Range (as code): **ET**

2491.Metzneria tenuiella (Mann,1864) (Gelechiidae) Synonymy: tenuiella Mann,1864; infelix Walsingham,1908; insignificans Walsingham,1908. Range (as code): **PT ES Cn FR HV YU TR IL Pa Js 16**

2492.Metzneria torosulella Rebel,1893 (Gelechiidae) Synonymy: torosulella Rebel,1893; monochroa Walsingham Range (as code): **TN PT ES Cn An Abr Sa HV**

2493.Metzneria tristella Rebel,1901 (Gelechiidae) Synonymy: tristella Rebel,1901 Range (as code): **TN Gf ES An Cue FR**

2494.Microcraspedus aellographa Janse,1960 (Gelechiidae) Synonymy: aellographa Janse,1960 Range (as code): **ZA**

2495.Microcraspedus chersaea Meyrick,1908 (Gelechiidae) Synonymy: chersaea Meyrick,1908; oschophora Meyrick,1910 Range (as code): **ZA Tva Gau Pre**

2496.Microcraspedus curtipennis (Zerny,1936) (Gelechiidae) Synonymy: curtipennis Zerny,1936 Range (as code): **MA**

2497.Microcraspedus cyrenaica (Povolny,1981) (Gelechiidae) Synonymy: cyrenaica Povolny,1981 Range (as code): **LY Cy**

2498.Microcraspedus eremaula (Janse,1960) (Gelechiidae) Synonymy: eremaula Janse,1960 Range (as code): **ZA**

2499.Microcraspedus fuscocrossa Janse,1960 (Gelechiidae) Synonymy: fuscocrossa Janse,1960 Range (as code): **ZA**

2500.Microcraspedus infirma (Meyrick,1912) (Gelechiidae) Synonymy: infirma Meyrick,1912 Range (as code): **ZA Tva Lpo Nta Kzu ZW**

2501.Microcraspedus neosirota (Janse,1950) (Gelechiidae) Synonymy: neosirota Janse,1950 Range (as code): **ZA Abc**

2502.Microcraspedus ornata (Janse,1950) (Gelechiidae) Synonymy: ornata Janse,1950 Range (as code): **ZA Tva Gau Pre NA Abc**

2503.Microcraspedus parasynecta Janse,1963 (Gelechiidae) Synonymy: parasynecta Janse,1963 Range (as code): **ZA**

2504.Microcraspedus pentamacula Janse,1958 (Gelechiidae) Synonymy: pentamacula Janse,1958; #pentamaculata Povolny,1966 Range (as code): **ZA**

2505.Microcraspedus photinopa (Meyrick,1925) (Gelechiidae) Synonymy: photinopa Meyrick,1925 Range (as code): **ZA**

2506.Microcraspedus rachypogon (Meyrick,1937) (Gelechiidae) Synonymy: brachypogon Meyrick,1937; #braucypogon Janse,1960; #brachypodon Povolny,1964 Range (as code): **ZA**

2507.Microcraspedus sirota (Meyrick,1908) (Gelechiidae) Synonymy: sirota Meyrick,1908; fluidescens Meyrick,1914 Range (as code): **ZA Tva Gau Pre**

2508.Microcraspedus synecta (Meyrick,1909) (Gelechiidae) Synonymy: synecta Meyrick,1909 Range (as code): **ZA NA Abc Tva Gau Pre ZW Bul**

2509.Microlechia chretieni Turati,1924 (Gelechiidae) Synonymy: microdelpha Walsingham,1900 nec Low.,1897; chretieni Turati,1924; microcasis Meyrick,1929; abzacella Dumont,1932; hyocyami Amsel,1935; polioptera Janse,1960 Range (as code): **DZ Bsk Cn PT ES FR Sa ZA IR Ss Cr Md**

2510. **Microlechia klimeschi Povolny,1972** (Gelechiidae) Synonymy: klimeschi Povolny,1972 Range (as code): **Cn**
2511. **Microlechia maculata Povolny,1978** (Gelechiidae) Synonymy: maculata Povolny,1978 Range (as code): **ZA**
2512. **Microlechia rhamnifoliae (Amsel & M.Hering,1931)** (Gelechiidae) Synonymy: rhamnifoliae Amsel & M.Hering,1931 Range (as code): **MA ZA IL Pa GR Cn SA CY Larva on Rhamnus (Rhamnaceae) (Amsel & M.Hering,1931).**
2513. **Mirificarma cabezella (Chrétien,1925)** (Gelechiidae) Synonymy: cabezella Chrétien,1925 Range (as code): **MA ES Seg**
2514. **Mirificarma constricta Pitkin,1984** (Gelechiidae) Synonymy: constricta Pitkin,1984 Range (as code): **MA**
2515. **Mirificarma denotata Pitkin,1984** (Gelechiidae) Synonymy: denotata Pitkin,1984 Range (as code): **MA ES An Hv**
2516. **Mirificarma flavella (Duponchel,[1844])** (Gelechiidae) Synonymy: flavella Duponchel,[1844]; segetella Zeller,1847. Range (as code): **DZ Agi Cst TN ES FR Co Sa Si BE RO GR Cr TR IL Pa Hf Js CY LB 16 35**
2517. **Mirificarma interrupta (Curtis,1827)** (Gelechiidae) Synonymy: interuptella Hübner,1793 nec interruptella De Vill.,1789; interrupta Curtis,1827 Range (as code): **DZ MA TN PT ES Av Ter Grn FR IT BE NL LU DE CH AT PL CZ**
2518. **Mirificarma montivaga (Walsingham,1904)** (Gelechiidae) Synonymy: montivaga Walsingham,1904; pulverosella Zerny,1936. Range (as code): **DZ Ktr MA Ifr**
2519. **Mirificarma mulinella (Zeller,1839)** (Gelechiidae) Synonymy: mulinella Zeller,1839; caminariella Fuchs,1902; nigraesilvae Amsel,1950. Range (as code): **DZ Cst TN PT ES Gna FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU GR Cr CY DK NO SE RU MD UA BY**
2520. **Mirificarma ocellinella (Chrétien,1915)** (Gelechiidae) Synonymy: ocellinella Chrétien,1915; aurantiella Chrétien,1915; retamaeofoliella Dumont,1931 Range (as code): **DZ Afl Orn Lbs MA Agd TN Gf LY JO Jt Zq**
2521. **Mirificarma pallidipulchra (Walsingham,1904)** (Gelechiidae) Synonymy: pallidipulchra Walsingham,1904; striolella Turati,1924. Range (as code): **DZ Hes Ktr Hsb Khh TN Gf LY Cy**
2522. **Mometa zemiodes Durrant,1914** (Gelechiidae) Synonymy: zemiodes Durrant,1914 Range (as code): **ZA**
2523. **Monochroa psamathias (Meyrick,1891)** (Gelechiidae) Synonymy: psamathias Meyrick,1891; turkmenica Ivinskis & Piskunov,1980 Range (as code): **TN Gf DZ Bsk UA TM RU**
2524. **Musurga turgida (Meyrick,1918)** (Gelechiidae) Synonymy: turgida Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
2525. **Neopachnistis amblystola Janse,1954** (Gelechiidae) Synonymy: amblystola Janse,1954 Range (as code): **ZA Tva Lpo Gau Pre Spb Wp**
2526. **Neopachnistis autophanta (Meyrick,1921)** (Gelechiidae) Synonymy: autophanta Meyrick,1921 Range (as code): **ZW Uma**
2527. **Neopachnistis finitima (Meyrick,1921)** (Gelechiidae) Synonymy: finitima Meyrick,1921 Range (as code): **ZW Vf**
2528. **Neopachnistis microphanta (Meyrick,1921)** (Gelechiidae) Synonymy: microphanta Meyrick,1921 Range (as code): **ZW Har**
2529. **Neopachnistis parochroma Janse,1954** (Gelechiidae) Synonymy: parochroma Janse,1954 Range (as code): **ZA Tva Lpo Blu**
2530. **Neopachnistis pseudomorpha Janse,1954** (Gelechiidae) Synonymy: pseudomorpha Janse,1954 Range (as code): **ZA Tva Lpo Blu**
2531. **Neopachnistis tephrodes (Meyrick,1909)** (Gelechiidae) Synonymy: tephrodes Meyrick,1909 Range (as code): **ZA Gau Pre Tva Lpo Spb Wmb Wo**
2532. **Neopatetris tenuis Janse,1960** (Gelechiidae) Synonymy: tenuis Janse,1960 Range (as code): **ZA**
2533. **Neotelphusa anisogrisea Janse,1958** (Gelechiidae) Synonymy: anisogrisea Janse,1958 Range (as code): **ZA**
2534. **Neotelphusa bimaculata Janse,1958** (Gelechiidae) Synonymy: bimaculata Janse,1958 Range (as code): **ZA**
2535. **Neotelphusa castrigera (Meyrick,1913)** (Gelechiidae) Synonymy: castrigera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2536. **Neotelphusa cirrhomacula Janse,1958** (Gelechiidae) Synonymy: cirrhomacula Janse,1958 Range (as code): **ZA**

2537. **Neotelphusa craterota (Meyrick,1913)** (Gelechiidae) Synonymy: craterota Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2538. **Neotelphusa ferrugilinea Janse,1958** (Gelechiidae) Synonymy: ferrugilinea Janse,1958 Range (as code): **ZA**
2539. **Neotelphusa flavinotata Janse,1958** (Gelechiidae) Synonymy: flavinotata Janse,1958 Range (as code): **ZA**
2540. **Neotelphusa fuscisparsa Janse,1958** (Gelechiidae) Synonymy: fuscisparsa Janse,1958 Range (as code): **ZA**
2541. **Neotelphusa limenaea (Meyrick,1920)** (Gelechiidae) Synonymy: limenaea Meyrick,1920 Range (as code): **ZA Wca Cto**
2542. **Neotelphusa melicentra (Meyrick,1921)** (Gelechiidae) Synonymy: melicentra Meyrick,1921 Range (as code): **MZ Mag**
2543. **Neotelphusa obliquifascia Janse,1960** (Gelechiidae) Synonymy: obliquifascia Janse,1960 Range (as code): **ZA**
2544. **Neotelphusa pallidistola Janse,1958** (Gelechiidae) Synonymy: pallidistola Janse,1958 Range (as code): **ZA**
2545. **Neotelphusa phaeomacula Janse,1958** (Gelechiidae) Synonymy: phaeomacula Janse,1958 Range (as code): **ZA**
2546. **Neotelphusa similella Janse,1958** (Gelechiidae) Synonymy: similella Janse,1958 Range (as code): **ZA**
2547. **Neotelphusa tapinota Janse,1958** (Gelechiidae) Synonymy: tapinota Janse,1958 Range (as code): **ZA**
2548. **Nothris congressariella (Bruand,1858)** (Gelechiidae) Synonymy: congressariella Bruand,1858; declaratella Staudinger,1859 Range (as code): **Cn TN Gf ES FR Sa Si IT GB CH SS Nno MK HV YU GR Cr IL Pa Hf Js TR 05 31 36 42 66 69**
2549. **Nothris verbascella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonymy: #verbascella [Denis & Schiffermüller],1775; verbascella Brahm,1791; lutarea Haworth,1828; discretella Rebel,1889; clarella Amsel,1935 Range (as code): **MA DZ Anna Lbs PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV TR BG MK GR Sms LB Bsa DK NO SE FI EE LV RU Cc Sb MD UA BY KG Uk IR Elb Dam Shh IQ Dy Hjo IL Pa Hf Jer Jf 02 05 06 07 14 16 22 24 25 32 33 36 38 42 44 46 50 58 65**
2550. **Octonodula binotella Janse,1951** (Gelechiidae) Synonymy: binotella Janse,1951 Range (as code): **ZA Abc**
2551. **Octonodula inumbrata (Meyrick,1914)** (Gelechiidae) Synonymy: inumbrata Meyrick,1914 Range (as code): **ZA Tva Gau Pre Mpu Tst**
2552. **Onebala brunneotincta Janse,1954** (Gelechiidae) Synonymy: brunneotincta Janse,1954 Range (as code): **ZA Gau Pre BW Klh Nta Kzu Tva Lpo Wm**
2553. **Onebala obsoleta Janse,1954** (Gelechiidae) Synonymy: obsoleta Janse,1954 Range (as code): **ZA NA Abc MZ Blv Tva Gau Pre Nkw**
2554. **Onebala probolaspis Meyrick,1929** (Gelechiidae) Synonymy: probolaspis Meyrick,1929 Range (as code): **ZA Nta Kzu Nkw Tva Lpo Spb Sdr**
2555. **Onebala semiluna Janse,1954** (Gelechiidae) Synonymy: semiluna Janse,1954 Range (as code): **ZA Tva Lpo Nbs Gau Pre**
2556. **Onebala septella (Zeller,1852)** (Gelechiidae) Synonymy: septella Zeller,1852; digitata Meyrick,1914 Range (as code): **MW ZA**
2557. **Ornativalva angulatella (Chrétien,1915)** (Gelechiidae) Synonymy: angulatella Chrétien,1915; nigrosubvittatella Lucas,1933. Range (as code): **DZ Ges TN**
2558. **Ornativalva antipyramis (Meyrick,1925)** (Gelechiidae) Synonymy: antipyramis Meyrick,1925 Range (as code): **EG Cn MA DZ TN LY SD Sk SA AE PK JO IR**
2559. **Ornativalva arabica Sattler,1967** (Gelechiidae) Synonymy: arabica Sattler,1967 Range (as code): **SA SA39 SD**
2560. **Ornativalva cerostomatella (Walsingham,1904)** (Gelechiidae) Synonymy: cerostomatella Walsingham,1904; tripartitella Mabille,1907; minutella Turati,1929; biclavata Meyrick,1934. Range (as code): **DZ Bsk TN Gf LY SA IN EG**
2561. **Ornativalva erubescens (Walsingham,1904)** (Gelechiidae) Synonymy: erubescens Walsingham,1904 Range (as code): **MA DZ Bsk TN SD LY EG Pa IL SA IR PK**
2562. **Ornativalva heligmatodes (Walsingham,1904)** (Gelechiidae) Synonymy: heligmatodes Walsingham,1904 Range (as code): **DZ Bsk Ktr Tni Tis TN**

2563.Ornativalva heluanensis (Debski,1913) (Gelechiidae) Synonymy: heluanensis Debski,1913; frankeniivorella Chrétien,1917; oasicolella Turati,1924; siculella Mariani,1937. Range (as code): **DZ Bsk MA TN LY Cy SD EG EG34 ES Mu Si MT HV RU IL Pa SY SA IQ TR IR Gls AF PK UZ MN CN Ts NHu Ui 48**

2564.Ornativalva kalahariensis (Janse,1960) (Gelechiidae) Synonymy: kalahariensis Janse,1960 Range (as code): **ZA**

2565.Ornativalva longiductella Sattler,1967 (Gelechiidae) Synonymy: longiductella Sattler,1967 Range (as code): **DZ Hes TN IQ AF SD MN**

2566.Ornativalva macrosignella Sattler,1967 (Gelechiidae) Synonymy: macrosignella Sattler,1967 Range (as code): **DZ TN EG SD Pa IL IR**

2567.Ornativalva mixolitha (Meyrick,1918) (Gelechiidae) Synonymy: mixolitha Meyrick,1918 Range (as code): **DZ MA TN TR RU IQ SD IN IR PK AF MN CN Ui Pay 06 33 71**

2568.Ornativalva pharaonis Sattler,1967 (Gelechiidae) Synonymy: pharaonis Sattler,1967 Range (as code): **SD EG TN**

2569.Ornativalva plutelliformis (Staudinger,1859) (Gelechiidae) Synonymy: plutelliformis Staudinger,1859; olbiaella Millière,[1861]; siewersiellus Christoph,1867; sinuatella Walsingham,1904 Range (as code): **Cn Md MA DZ Bsk Hes TN Gf LY PT ES An Hv FR Sa Si IT MT HU RO MK GR Cr TR RU MD UA BY KG Uk SD Pa IL Pa Hf LB Bei SA IQ Bgd KW IR Bmp Ana Ke Kh Gls AF PK CY CN IMn Ui 07 17 23 42**

2570.Ornativalva serratisignella Sattler,1967 (Gelechiidae) Synonymy: serratisignella Sattler,1967 Range (as code): **SD IQ IR**

2571.Ornativalva sesostrella (Rebel,1912) (Gelechiidae) Synonymy: sesostrella Rebel,1912 Range (as code): **DZ TN SD EG SA**

2572.Ornativalva triangulella Sattler,1967 (Gelechiidae) Synonymy: triangulella Sattler,1967 Range (as code): **DZ Bsk TN IQ AF KW IR**

2573.Ornativalva zonella (Chrétien,1917) (Gelechiidae) Synonymy: zonella Chrétien,1917; cimelion Amsel,1935; iranella Sattler,1967 Range (as code): **Pa IL SA DZ TN Gf IR Kh Ke Ana AF CN Ui IMn**

2574.Panicotricha prographa Meyrick,1913 (Gelechiidae) Synonymy: prographa Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**

2575.Parabola butyraula (Meyrick,1913) (Gelechiidae) Synonymy: butyraula Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2576.Parabrachmia anomala Janse,1960 (Gelechiidae) Synonymy: anomala Janse,1960 Range (as code): **ZA**

2577.Parabrachmia trisignella Janse,1960 (Gelechiidae) Synonymy: trisignella Janse,1960 Range (as code): **ZA**

2578.Parallactis ochrobyrsa (Meyrick,1921) (Gelechiidae) Synonymy: ochrobyrsa Meyrick,1921 Range (as code): **ZW Hfo Bul ZA Pot Tva Lpo**

2579.Parallactis panchlora (Meyrick,1911) (Gelechiidae) Synonymy: panchlora Meyrick,1911 Range (as code): **ZA Gau Pre Mdt Tva Lpo**

2580.Parallactis plaesiodes (Meyrick,1920) (Gelechiidae) Synonymy: plaesiodes Meyrick,1920; derogata Meyrick,1921 Range (as code): **TZ MZ Blv Mag**

2581.Parallactis zorophanes Janse,1954 (Gelechiidae) Synonymy: zorophanes Janse,1954 Range (as code): **ZA Tva Mpu ZA14**

2582.Parapodia sinaica (Frauenfeld,1859) (Gelechiidae) Synonymy: sinaica Frauenfeld,1859; tamaricicola Joannis,1912; tamariciella Amsel,1958 Range (as code): **DZ Bsk TN Gf FR EG Sn SA IR Qm**

2583.Parapsectris bruneosparsa Janse,1958 (Gelechiidae) Synonymy: bruneosparsa Janse,1958 Range (as code): **ZA**

2584.Parapsectris carinata (Meyrick,1911) (Gelechiidae) Synonymy: carinata Meyrick,1911; emerita Meyrick,1921 Range (as code): **ZA Tva Gau Pre**

2585.Parapsectris fastidiosa Meyrick,1911 (Gelechiidae) Synonymy: fastidiosa Meyrick,1911 Range (as code): **ZA Mdt Tva Lpo**

2586.Parapsectris ferax (Meyrick,1913) (Gelechiidae) Synonymy: ferax Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst**

2587.Parapsectris ferulata Meyrick,1918 (Gelechiidae) Synonymy: ferulata Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**

2588.Parapsectris infricta Meyrick,1916 (Gelechiidae) Synonymy: infricta Meyrick,1916 Range (as code): **MW Mje**

2589.Parapsectris mappigera Meyrick,1914 (Gelechiidae) Synonymy: mappigera Meyrick,1914 Range (as code): **ZA Tva Gau Pre**

2590. **Parapsectris neograpta Meyrick,1914** (Gelechiidae) Synonymy: neograpta Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
2591. **Parapsectris opaula (Meyrick,1911)** (Gelechiidae) Synonymy: opaula Meyrick,1911 Range (as code): **ZA Tva Lpo Wo**
2592. **Parapsectris phoenaula (Meyrick,1913)** (Gelechiidae) Synonymy: phoenaula Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
2593. **Parapsectris tholaea Meyrick,1911** (Gelechiidae) Synonymy: tholaea Meyrick,1911; #tholea Janse,1958 Range (as code): **ZA Tva Gau Pre**
2594. **Parapsectris zetterstedtiella (Zeller,1852)** (Gelechiidae) Synonymy: zetterstedtiella Zeller,1852 Range (as code): **ZA**
2595. **Paraselotis pelochroa Janse,1960** (Gelechiidae) Synonymy: pelochroa Janse,1960 Range (as code): **ZA**
2596. **Parathectis farinata (Meyrick,1913)** (Gelechiidae) Synonymy: farinata Meyrick,1913 Range (as code): **ZA Mpu Brb Tst Tva Lpo Hae**
2597. **Parathectis sordidula (Meyrick,1913)** (Gelechiidae) Synonymy: sordidula Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Wv**
2598. **Paristhmia barathrodes Meyrick,1909** (Gelechiidae) Synonymy: barathrodes Meyrick,1909 Range (as code): **ZA Gau Pre Hei Slpp Tva Lpo Nbs Nel ZW Har Bul MZ Mag Naa**
2599. **Pectinophora gossypiella (Saunders,1844)** (Gelechiidae) Synonymy: gossypiella Saunders,1844; umbripennis Walsingham,1885 Range (as code): **ZA ES Si IT MT YU AL BG GR TR DK RU MD TH MM MY ID Ja PH IN SA**
2600. **Phanerophalla knysnaensis Janse,1960** (Gelechiidae) Synonymy: knysnaensis Janse,1960 Range (as code): **ZA Wca Kny**
2601. **Phloeocecis cherregella Chrétien,1908** (Gelechiidae) Synonymy: cherregella Chrétien,1908; cecidiella Chrétien,1915; fagoniae Meyrick,1925 Range (as code): **DZ Bsk TN Gf**
2602. **Photodotis abachausi Janse,1958** (Gelechiidae) Synonymy: abachausi Janse,1958 Range (as code): **ZA**
2603. **Photodotis pellochroa Janse,1960** (Gelechiidae) Synonymy: pellochroa Janse,1960 Range (as code): **ZA**
2604. **Photodotis prochalina Meyrick,1911** (Gelechiidae) Synonymy: prochalina Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
2605. **Photodotis spilodoma Meyrick,1918** (Gelechiidae) Synonymy: spilodoma Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
2606. **Phthoracma blanda Meyrick,1921** (Gelechiidae) Synonymy: blanda Meyrick,1921 Range (as code): **ZA Tva Gau Pre NA Abc**
2607. **Phthorimaea operculella (Zeller,1873)** (Gelechiidae) Synonymy: terrella Walker,1864; operculella Zeller,1873; piscipellis Zeller,1873; solanella Boisduval,1874; tabacella Ragonot,1879; sedata Butler,1880; #terella Pinhey,1975 Range (as code): **MA DZ TN PT ES FR Co Si IT MT GB BE NL DE HU RO YU BG GR Cr TR DK RU MD UA BY ZA Ec Wca Fs Nta Kzu Tva Lpo Gau Mpu Pre Pie SA YE IN TH US Tx**
2608. **Picroptera aulotoma (Meyrick,1917)** (Gelechiidae) Synonymy: aulotoma Meyrick,1917; interamna Meyrick,1926 Range (as code): **ZA Tva Ec Ron Mpu Brb**
2609. **Picroptera orthacma (Meyrick,1926)** (Gelechiidae) Synonymy: orthacma Meyrick,1926; taphrites Meyrick,1937; #taphritis Janse,1958 Range (as code): **ZA Nta Lds Kzu Wca Wlg**
2610. **Pithanurga chariphila Meyrick,1921** (Gelechiidae) Synonymy: chariphila Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2611. **Platyphalla ochrinotata Janse,1951** (Gelechiidae) Synonymy: ochrinotata Janse,1951 Range (as code): **ZA Tva Gau Pre**
2612. **Polyhymno blastophora Janse,1950** (Gelechiidae) Synonymy: blastophora Janse,1950 Range (as code): **ZA Abc**
2613. **Polyhymno centrophora (Meyrick,1921)** (Gelechiidae) Synonymy: centrophora Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2614. **Polyhymno chionarcha Meyrick,1913** (Gelechiidae) Synonymy: chionarcha Meyrick,1913 Range (as code): **ZA Tva NA Gau Pre Brb Mpu Uma Xn Kkf Umk Stj Abc ZW Bul**
2615. **Polyhymno deuteraula Meyrick,1914** (Gelechiidae) Synonymy: deuteraula Meyrick,1914 Range (as code): **MZ NA ZA Gau Pre Tva Lpo Wo Mag Xn Abc Slpp**
2616. **Polyhymno erratica Janse,1950** (Gelechiidae) Synonymy: erratica Janse,1950 Range (as code): **ZA Tva Mdp**

2617.**Polyhymno eurydoxa Meyrick,1909** (Gelechiidae) Synonymy: eurydoxa Meyrick,1909 Range (as code): **ZA Tva Gau Pre Nyl Mdt Mdp Nel Uma Buf Tva**
2618.**Polyhymno furcatella Janse,1950** (Gelechiidae) Synonymy: furcatella Janse,1950 Range (as code): **ZA Tva Wo Rtb**
2619.**Polyhymno hieracitis Meyrick,1913** (Gelechiidae) Synonymy: hieracitis Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
2620.**Polyhymno hostilis Meyrick,1918** (Gelechiidae) Synonymy: hostilis Meyrick,1918 Range (as code): **ZA Tva Gau Pre Mpu Tst ZW Bul Abc Ptb Nta Kzu**
2621.**Polyhymno inermis Meyrick,1913** (Gelechiidae) Synonymy: inermis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2622.**Polyhymno intorta Meyrick,1918** (Gelechiidae) Synonymy: intorta Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
2623.**Polyhymno intortoides Janse,1950** (Gelechiidae) Synonymy: intortoides Janse,1950 Range (as code): **ZA Tva Gau Pre Fs Rtf Uma Umk Naa**
2624.**Polyhymno lignicolor Janse,1950** (Gelechiidae) Synonymy: lignicolor Janse,1950 Range (as code): **ZA Tva Slpp Gau**
2625.**Polyhymno multifida Meyrick,1917** (Gelechiidae) Synonymy: multifida Meyrick,1917 Range (as code): **ZA Kzu Nta Mf**
2626.**Polyhymno oxystola Meyrick,1913** (Gelechiidae) Synonymy: oxystola Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2627.**Polyhymno palinorsa Meyrick,1909** (Gelechiidae) Synonymy: palinorsa Meyrick,1909 Range (as code): **ZA Gau Pre Wo Tva Slpp Tst**
2628.**Polyhymno paracma Meyrick,1909** (Gelechiidae) Synonymy: paracma Meyrick,1909 Range (as code): **NA MZ ZA Gau Pre Tz Tva Lpo Mag Mpu Brb Abc ZW Bul**
2629.**Polyhymno pausimacha Meyrick,1909** (Gelechiidae) Synonymy: pausimacha Meyrick,1909 Range (as code): **ZA Spb Tva Lpo Lek Gau Pre Mpu Brb Ec Grh**
2630.**Polyhymno pernitida Janse,1950** (Gelechiidae) Synonymy: pernitida Janse,1950 Range (as code): **ZA Abc**
2631.**Polyhymno pleuracma Meyrick,1926** (Gelechiidae) Synonymy: pleuracma Meyrick,1926 Range (as code): **ZA Nta Kzu Wnn**
2632.**Polyhymno tetragrapha Meyrick,1913** (Gelechiidae) Synonymy: tetragrapha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2633.**Polyhymno thinoclasta Meyrick,1926** (Gelechiidae) Synonymy: thinoclasta Meyrick,1926 Range (as code): **ZW Bul**
2634.**Polyhymno tropaea Meyrick,1908** (Gelechiidae) Synonymy: tropaea Meyrick,1908 Range (as code): **ZA Tva Gau Pre Mpu ZA14 Sdr Abc**
2635.**Polyhymno walsinghami Janse,1950** (Gelechiidae) Synonymy: walsinghami Janse,1950 Range (as code): **ZA Mpu Wv Nta Kzu Gau Pre Mdt Umk Abc Lds Tva Nbs**
2636.**Proselotis strictula (Meyrick,1937)** (Gelechiidae) Synonymy: strictula Meyrick,1937 Range (as code): **ZA Stj Ec**
2637.**Psamathocrita doloma Bradley,1965** (Gelechiidae) Synonymy: doloma Bradley,1965 Range (as code): **UG Rz**
2638.**Psamathocrita innotatella (Chrétien,1915)** (Gelechiidae) Synonymy: innotatella Chrétien,1915 Range (as code): **TN Gf**
2639.**Pseudosophronia exustella (Zeller,1847)** (Gelechiidae) Synonymy: exustella Zeller,1847; catharurga Meyrick,1923; parahumerella Amsel,1935; buvati Nel,1998 Range (as code): **TN Gf PT ES FR Si IT IL Pa**
2640.**Pseudotelphusa albisignata Janse,1960** (Gelechiidae) Synonymy: albisignata Janse,1960 Range (as code): **ZA**
2641.**Pseudotelphusa albopasta Janse,1960** (Gelechiidae) Synonymy: albopasta Janse,1960 Range (as code): **ZA**
2642.**Pseudotelphusa confixa (Meyrick,1918)** (Gelechiidae) Synonymy: confixa Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
2643.**Pseudotelphusa devia (Meyrick,1913)** (Gelechiidae) Synonymy: devia Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst**
2644.**Pseudotelphusa griseotincta Janse,1958** (Gelechiidae) Synonymy: griseotincta Janse,1958 Range (as code): **ZA**

2645.Pseudotelphusa occidentella Huemer & Karsholt,1999 (Gelechiidae) Synonymy: occidentella Huemer & Karsholt,1999 Range (as code): **MA PT ES An Grn Ag Ter Abr Mlg FR**
2646.Pseudotelphusa oxychasta (Meyrick,1929) (Gelechiidae) Synonymy: oxychasta Meyrick,1929 Range (as code): **ZA**
2647.Pseudotelphusa paracycota Janse,1958 (Gelechiidae) Synonymy: paracycota Janse,1958 Range (as code): **ZA**
2648.Pseudotelphusa probata (Meyrick,1909) (Gelechiidae) Synonymy: probata Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
2649.Pseudotelphusa tornimacula Janse,1958 (Gelechiidae) Synonymy: tornimacula Janse,1958 Range (as code): **ZA**
2650.Pseudotelphusa trinephela (Meyrick,1929) (Gelechiidae) Synonymy: trinephela Meyrick,1929 Range (as code): **ZA**
2651.Ptocheuusa albiramis (Meyrick,1923) (Gelechiidae) Synonymy: albiramis Meyrick,1923 Range (as code): **EG**
2652.Ptocheuusa dresnayella Lucas,1945 (Gelechiidae) Synonymy: dresnayella Lucas,1945 Range (as code): **TN**
2653.Ptocheuusa multistrigella Ragonot,1892 (Gelechiidae) Synonymy: multistrigella Ragonot,1892 Range (as code): **DZ Gha Bsk TN Gab**
2654.Ptychovalva obruta (Meyrick,1921) (Gelechiidae) Synonymy: obruta Meyrick,1921; galatea Meyrick,1926 Range (as code): **ZA Nta Kzu Kkf**
2655.Ptychovalva trigella (Zeller,1852) (Gelechiidae) Synonymy: trigella Zeller,1852 Range (as code): **ZA**
2656.Ptychovalva trimaculata Janse,1960 (Gelechiidae) Synonymy: trimaculata Janse,1960 Range (as code): **ZA**
2657.Pycnodytis erebaula Meyrick,1918 (Gelechiidae) Synonymy: erebaula Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
2658.Pyncostola abnormalis Janse,1950 (Gelechiidae) Synonymy: abnormalis Janse,1950 Range (as code): **ZA Abc**
2659.Pyncostola albicolorella Janse,1950 (Gelechiidae) Synonymy: albicolorella Janse,1950 Range (as code): **ZA Kkf Nta Kzu**
2660.Pyncostola alloea Janse,1950 (Gelechiidae) Synonymy: alloea Janse,1950 Range (as code): **ZA**
2661.Pyncostola auturga Meyrick,1921 (Gelechiidae) Synonymy: auturga Meyrick,1921 Range (as code): **ZA Tva Nta Kzu Kkf Dmm Gau Pre Cto Wca Ec Pnz**
2662.Pyncostola bohemiella (Nickerl,1864) (Gelechiidae) Synonymy: bohemiella Nickerl,1864; tunesiella Chrétien,1915; jablonkayi Gozmany,1954 Range (as code): **TN Gf ES FR IT CZ HU YU HV GR RU Ur MD UA**
2663.Pyncostola celeris Meyrick,1920 (Gelechiidae) Synonymy: celeris Meyrick,1920 Range (as code): **ZA Mat Wca**
2664.Pyncostola crateraula Meyrick,1918 (Gelechiidae) Synonymy: crateraula Meyrick,1918 Range (as code): **ZA Tva Bet Std**
2665.Pyncostola dicksoni Janse,1950 (Gelechiidae) Synonymy: dicksoni Janse,1950 Range (as code): **ZA**
2666.Pyncostola flavostriga Janse,1950 (Gelechiidae) Synonymy: flavostriga Janse,1950 Range (as code): **ZA Nta Kzu Imp**
2667.Pyncostola fusca Janse,1950 (Gelechiidae) Synonymy: fusca Janse,1950 Range (as code): **ZA Ec Umt**
2668.Pyncostola fuscofascia Janse,1950 (Gelechiidae) Synonymy: fuscofascia Janse,1950 Range (as code): **ZA Ec Sfo**
2669.Pyncostola helicaula (Meyrick,1912) (Gelechiidae) Synonymy: helicaula Meyrick,1912 Range (as code): **ZA Kim**
2670.Pyncostola hiberna (Meyrick,1912) (Gelechiidae) Synonymy: hiberna Meyrick,1912 Range (as code): **ZA Nta Kzu Mf**
2671.Pyncostola illuminata (Meyrick,1913) (Gelechiidae) Synonymy: illuminata Meyrick,1913 Range (as code): **ZA Mpu Brb Tst Dmm Wo Tva Lpo Gau Pre**
2672.Pyncostola invida (Meyrick,1911) (Gelechiidae) Synonymy: invida Meyrick,1911 Range (as code): **ZA Ngg Tra**
2673.Pyncostola iospila (Meyrick,1909) (Gelechiidae) Synonymy: iospila Meyrick,1909 Range (as code): **NA ZA Gau Pre Tva Lpo Spb Kim Abc**

2674.**Pyncostola lacteata Janse,1950** (Gelechiidae) Synonymy: lacteata Janse,1950 Range (as code): **ZA**
2675.**Pyncostola magnanima (Meyrick,1912)** (Gelechiidae) Synonymy: magnanima Meyrick,1912 Range (as code): **ZA Fs Sfe**
2676.**Pyncostola melanatracta (Meyrick,1910)** (Gelechiidae) Synonymy: melanatracta Meyrick,1910 Range (as code): **ZA Gau Pre Pie Tva Lpo Mdd ZW Bul Hae Mdt Rtb**
2677.**Pyncostola merista Meyrick,1918** (Gelechiidae) Synonymy: merista Meyrick,1918 Range (as code): **ZA Tva Gau Pre Ec Ste**
2678.**Pyncostola monophanes Janse,1960** (Gelechiidae) Synonymy: monophanes Janse,1960 Range (as code): **ZA**
2679.**Pyncostola nigrinotata Janse,1950** (Gelechiidae) Synonymy: nigrinotata Janse,1950 Range (as code): **ZA Tva Mpu ZA14**
2680.**Pyncostola ochraula Meyrick,1918** (Gelechiidae) Synonymy: ochraula Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
2681.**Pyncostola oeconomica Meyrick,1920** (Gelechiidae) Synonymy: oeconomica Meyrick,1920 Range (as code): **ZA Nta Kzu Umk Mat Wca**
2682.**Pyncostola operosa (Meyrick,1909)** (Gelechiidae) Synonymy: operosa Meyrick,1909 Range (as code): **ZA Tva Gau Pre Kkf Esw Nta Kzu Nkw Mlm**
2683.**Pyncostola pachyacma Meyrck,1926** (Gelechiidae) Synonymy: pachyacma Meyrck,1926 Range (as code): **ZA**
2684.**Pyncostola pammacha Meyrick,1913** (Gelechiidae) Synonymy: pammacha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Gau Pre Ptb Nta Kzu Srn Nha Umk Umt Esw Nel**
2685.**Pyncostola pentacentra (Meyrick,1912)** (Gelechiidae) Synonymy: pentacentra Meyrick,1912 Range (as code): **ZA Dmm Mf Nta Kzu**
2686.**Pyncostola perlustrata Meyrick,1920** (Gelechiidae) Synonymy: perlustrata Meyrick,1920 Range (as code): **ZA Wca**
2687.**Pyncostola powelli Janse,1950** (Gelechiidae) Synonymy: powelli Janse,1950 Range (as code): **ZA Tva Los**
2688.**Pyncostola semnochroa (Meyrick,1913)** (Gelechiidae) Synonymy: semnochroa Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Drb Isp Nta Kzu**
2689.**Pyncostola suffusella (Walsingham,1891)** (Gelechiidae) Synonymy: suffusella Walsingham,1891 Range (as code): **ZA Tva Mpu Tst Kkf Srn Dmm Esw Umk Stj Ec Grh Cto Wca Nta Kzu**
2690.**Pyncostola tanylopha Janse,1960** (Gelechiidae) Synonymy: tanylopha Janse,1960 Range (as code): **ZA**
2691.**Pyncostola variegata Janse,1950** (Gelechiidae) Synonymy: variegata Janse,1950 Range (as code): **ZA Cto Wca**
2692.**Pyncostola veronica Janse,1950** (Gelechiidae) Synonymy: veronica Janse,1950 Range (as code): **ZA Mhk Wo Tva Lpo ZA14 Dmm Nta Kzu**
2693.**Pyncostola xanthomacula Janse,1963** (Gelechiidae) Synonymy: xanthomacula Janse,1963 Range (as code): **ZA**
2694.**Radionerva collecta (Meyrick,1921)** (Gelechiidae) Synonymy: collecta Meyrick,1921 Range (as code): **ZW Swm NA ZA Abc Buf Abc Pot Tva Lpo**
2695.**Rotundivalva blanda Janse,1951** (Gelechiidae) Synonymy: blanda Janse,1951 Range (as code): **NA ZA Tva Gau Pre Abc**
2696.**Schematistis analoxa Meyrick,1911** (Gelechiidae) Synonymy: analoxa Meyrick,1911 Range (as code): **ZA Tva Lpo Wo**
2697.**Schistovalva trachyptera Janse,1960** (Gelechiidae) Synonymy: trachyptera Janse,1960 Range (as code): **ZA**
2698.**Schizovalva ablepta Janse,1951** (Gelechiidae) Synonymy: ablepta Janse,1951 Range (as code): **ZA**
2699.**Schizovalva adelosema Janse,1960** (Gelechiidae) Synonymy: adelosema Janse,1960 Range (as code): **ZA**
2700.**Schizovalva alaopis (Meyrick,1921)** (Gelechiidae) Synonymy: alaopis Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
2701.**Schizovalva anisofascia Janse,1960** (Gelechiidae) Synonymy: anisofascia Janse,1960 Range (as code): **ZA**
2702.**Schizovalva bistrigata Janse,1951** (Gelechiidae) Synonymy: bistrigata Janse,1951 Range (as code): **ZA Nca Vrp**
2703.**Schizovalva brunneotincta Janse,1951** (Gelechiidae) Synonymy: brunneotincta Janse,1951 Range (as code): **ZA Vrd**

2704. **Schizovalva brunneovesta Janse,1960** (Gelechiidae) Synonymy: brunneovesta Janse,1960 Range (as code): **ZA**
2705. **Schizovalva catharodes (Meyrick,1920)** (Gelechiidae) Synonymy: catharodes Meyrick,1920 Range (as code): **ZA Ec Tlb Wth**
2706. **Schizovalva celidota Janse,1960** (Gelechiidae) Synonymy: celidota Janse,1960 Range (as code): **ZA**
2707. **Schizovalva cyrtogramma Janse,1960** (Gelechiidae) Synonymy: cyrtogramma Janse,1960 Range (as code): **ZA**
2708. **Schizovalva ebenostriga Janse,1960** (Gelechiidae) Synonymy: ebenostriga Janse,1960 Range (as code): **ZA**
2709. **Schizovalva epicentra (Meyrick,1909)** (Gelechiidae) Synonymy: epicentra Meyrick,1909; dryadopis Meyrick,1926 Range (as code): **ZA Ec Ron Klk**
2710. **Schizovalva episema Janse,1960** (Gelechiidae) Synonymy: episema Janse,1960 Range (as code): **ZA**
2711. **Schizovalva exsulata (Meyrick,1918)** (Gelechiidae) Synonymy: exsulata Meyrick,1918 Range (as code): **MZ ZA Nta Kzu Esw Mag Gau Pre Sdr Tva Lpo Nbs**
2712. **Schizovalva guillarmodi Janse,1960** (Gelechiidae) Synonymy: guillarmodi Janse,1960 Range (as code): **ZA**
2713. **Schizovalva hyperythra (Meyrick,1921)** (Gelechiidae) Synonymy: hyperythra Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2714. **Schizovalva isochorda (Meyrick,1921)** (Gelechiidae) Synonymy: isochorda Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
2715. **Schizovalva isophanes Janse,1960** (Gelechiidae) Synonymy: isophanes Janse,1960 Range (as code): **ZA**
2716. **Schizovalva leptochroa Janse,1960** (Gelechiidae) Synonymy: leptochroa Janse,1960 Range (as code): **ZA**
2717. **Schizovalva leucogrisea Janse,1951** (Gelechiidae) Synonymy: leucogrisea Janse,1951 Range (as code): **ZA Nca Vrp**
2718. **Schizovalva matutina (Meyrick,1913)** (Gelechiidae) Synonymy: matutina Meyrick,1913 Range (as code): **ZA Tva Mpu Wv Gau Pre**
2719. **Schizovalva mesacta (Meyrick,1909)** (Gelechiidae) Synonymy: mesacta Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
2720. **Schizovalva naufraga (Meyrick,1911)** (Gelechiidae) Synonymy: naufraga Meyrick,1911 Range (as code): **ZA Tva Lpo Mdt**
2721. **Schizovalva nigrifasciata Janse,1951** (Gelechiidae) Synonymy: nigrifasciata Janse,1951 Range (as code): **ZA Bfo Nca Sbf**
2722. **Schizovalva nigrosema Janse,1960** (Gelechiidae) Synonymy: nigrosema Janse,1960 Range (as code): **ZA**
2723. **Schizovalva nubila Janse,1960** (Gelechiidae) Synonymy: nubila Janse,1960 Range (as code): **ZA**
2724. **Schizovalva ochnias (Meyrick,1913)** (Gelechiidae) Synonymy: ochnias Meyrick,1913 Range (as code): **ZA Tva Mdd Gau Pre Nta Kzu Pel Don**
2725. **Schizovalva ochrotincta Janse,1951** (Gelechiidae) Synonymy: ochrotincta Janse,1951 Range (as code): **ZA Nca Sbf**
2726. **Schizovalva ophitis (Meyrick,1913)** (Gelechiidae) Synonymy: ophitis Meyrick,1913 Range (as code): **ZA Wca Uih**
2727. **Schizovalva perirrorata Janse,1951** (Gelechiidae) Synonymy: perirrorata Janse,1951 Range (as code): **ZA Vrp Nca**
2728. **Schizovalva peronectis (Meyrick,1909)** (Gelechiidae) Synonymy: peronectis Meyrick,1909 Range (as code): **MZ ZA Tva Lpo Spb Mag Elo Nta Kzu Res**
2729. **Schizovalva polygramma (Meyrick,1914)** (Gelechiidae) Synonymy: polygramma Meyrick,1914 Range (as code): **ZA Nta Kzu Srn Ec Umt Nbs Tva Lpo ZW Bul**
2730. **Schizovalva prioleuca (Meyrick,1911)** (Gelechiidae) Synonymy: prioleuca Meyrick,1911 Range (as code): **ZA Tva Lpo Wo**
2731. **Schizovalva rhodochra (Meyrick,1913)** (Gelechiidae) Synonymy: rhodochra Meyrick,1913 Range (as code): **ZA Mpu Brb Wv Tva Lpo Wo Gau Pre Jh Lds Ptw Umt Nta Kzu**
2732. **Schizovalva rubigitincta Janse,1951** (Gelechiidae) Synonymy: rubigitincta Janse,1951 Range (as code): **ZA Wca Cto**

2733. **Schizovalva sarcographa (Meyrick,1917)** (Gelechiidae) Synonymy: sarcographa Meyrick,1917 Range (as code): **ZA Ec Dun Res**
2734. **Schizovalva sphenopis (Meyrick,1921)** (Gelechiidae) Synonymy: sphenopis Meyrick,1921 Range (as code): **ZW Swm**
2735. **Schizovalva stasiarcha (Meyrick,1913)** (Gelechiidae) Synonymy: stasiarcha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2736. **Schizovalva trachypalpella Janse,1960** (Gelechiidae) Synonymy: trachypalpella Janse,1960 Range (as code): **ZA**
2737. **Schizovalva triplacopis (Meyrick,1912)** (Gelechiidae) Synonymy: triplacopis Meyrick,1912 Range (as code): **ZA Ec Tlb Mat Abh**
2738. **Schizovalva trisignis (Meyrick,1908)** (Gelechiidae) Synonymy: trisignis Meyrick,1908 Range (as code): **ZA Gau Pre Tva Lpo Nta Kzu Ec Wca ZW**
2739. **Schizovalva unitincta Janse,1960** (Gelechiidae) Synonymy: unitincta Janse,1960 Range (as code): **ZA**
2740. **Schizovalva xerochroa Janse,1951** (Gelechiidae) Synonymy: xerochroa Janse,1951 Range (as code): **ZA Wca Cto**
2741. **Schizovalva xylotincta Janse,1951** (Gelechiidae) Synonymy: xylotincta Janse,1951 Range (as code): **ZA Tva Wca Cto Mpu ZA14**
2742. **Scrobipalpa (Ergasiola) ergasima (Meyrick,1916)** (Gelechiidae) Synonymy: ergasima Meyrick,1916; intestina Meyrick,1921; mignatella Caradja,1920; mirabilis Gregor & Povolny,1955; perdava Clarke,1962 Range (as code): **DZ Cn ES FR Co Sa Si GR TR IQ IR SA PK IN Ben Pus MM ID JP ZA Tva Gau Pre Cc GG**
2743. **Scrobipalpa aptatella (Walker,1864)** (Gelechiidae) Synonymy: aptatella Walker,1864; heliopa Lower,1900 Range (as code): **FR IT YU TR IR Fa Shr AU ZA Nta Kzu Tva Lpo Ec IN LK ID Ja TH CN Ui**
2744. **Sitotroga cerealella (Olivier,1789)** (Gelechiidae) Synonymy: cerealella Olivier,1789; hordei Kirby,1815; arctella Walker,1864; melanartha Lower,1900; palearis Meyrick,1913; ochrescens Meyrick,1938 Range (as code): **PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LV LT RU MD UA BY ZA TH SA 06 46**
2745. **Sitotroga psacasta (Meyrick,1908)** (Gelechiidae) Synonymy: psacasta Meyrick,1908; celyphodes Meyrick,1909; nea Walsingham,1920 Range (as code): **FR Si GR ZA Tva Gau Pre**
2746. **Sophronia aquilex Meyrick,1926** (Gelechiidae) Synonymy: aquilex Meyrick,1926 Range (as code): **ZA**
2747. **Stegasta variana Meyrick,1904** (Gelechiidae) Synonymy: variana Meyrick,1904 Range (as code): **ZA TH MY ID Ja Bor BN PH FJ**
2748. **Stomopteryx anxia (Meyrick,1917)** (Gelechiidae) Synonymy: anxia Meyrick,1917 Range (as code): **ZA Wca Pra**
2749. **Stomopteryx bathracha Meyrick,1921** (Gelechiidae) Synonymy: bathracha Meyrick,1921 Range (as code): **ZW Swm Bul**
2750. **Stomopteryx biangulata Meyrick,1921** (Gelechiidae) Synonymy: biangulata Meyrick,1921 Range (as code): **MZ Blv**
2751. **Stomopteryx bivittella (Chrétien,1915)** (Gelechiidae) Synonymy: bivittella Chrétien,1915 Range (as code): **TN Gf**
2752. **Stomopteryx circaea (Meyrick,1911)** (Gelechiidae) Synonymy: circaea Meyrick,1911 Range (as code): **ZA Tva Lpo Hae Wo Kkf Nta Kzu Wv**
2753. **Stomopteryx cirrhocoma (Meyrick,1914)** (Gelechiidae) Synonymy: cirrhocoma Meyrick,1914 Range (as code): **ZA Nta Kzu Nha**
2754. **Stomopteryx credula (Meyrick,1927)** (Gelechiidae) Synonymy: credula Meyrick,1927 Range (as code): **ZW Sgi**
2755. **Stomopteryx detersella (Zeller,1847)** (Gelechiidae) Synonymy: detersella Zeller,1847; obliteratella Turati,1924; griseella Dufrane,1955 Range (as code): **MA PT ES An Grn FR Si IT SK HU RO YU AL BG GR Cr TR RU Cc AZ Bak AM Eri 01 05 06 16 33 42 45 46 56 65 71 76**
2756. **Stomopteryx deverrae (Walsingham,1905)** (Gelechiidae) Synonymy: deverrae Walsingham,1905 Range (as code): **DZ Bsk Ktr Hes TN Gf ES**
2757. **Stomopteryx difficilis Janse,1951** (Gelechiidae) Synonymy: difficilis Janse,1951 Range (as code): **ZA Tva Gau Pre**
2758. **Stomopteryx elaeocoma (Meyrick,1918)** (Gelechiidae) Synonymy: elaeocoma Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
2759. **Stomopteryx eremopis (Meyrick,1921)** (Gelechiidae) Synonymy: eremopis Meyrick,1921 Range (as code): **ZA Tva Gau Pre**

2760. **Stomopteryx frivola Meyrick,1926** (Gelechiidae) Synonymy: frivola Meyrick,1926 Range (as code): **ZA Wca Wlg**
2761. **Stomopteryx lacteolella Turati,1924** (Gelechiidae) Synonymy: lacteolella Turati,1924; #unipunctella Turati,1924 Range (as code): **LY IL Pa Ngv**
2762. **Stomopteryx maculatella (Lucas,1956)** (Gelechiidae) Synonymy: maculatella Lucas,1956 Range (as code): **MA**
2763. **Stomopteryx nigricella (Chrétien,1915)** (Gelechiidae) Synonymy: nigricella Chrétien,1915 Range (as code): **DZ Bsk TN Gf**
2764. **Stomopteryx ochrosema Meyrick,1932** (Gelechiidae) Synonymy: ochrosema Meyrick,1932 Range (as code): **ET Sw ET10**
2765. **Stomopteryx officiosa Janse,1951** (Gelechiidae) Synonymy: officiosa Janse,1951 Range (as code): **ZA Tva Lpo Hae**
2766. **Stomopteryx oncodes (Meyrick,1913)** (Gelechiidae) Synonymy: oncodes Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Nta Kzu Esw Srn Kkf Dmm**
2767. **Stomopteryx pallidipes Janse,1951** (Gelechiidae) Synonymy: pallidipes Janse,1951 Range (as code): **ZA Tva Gau Pre**
2768. **Stomopteryx thoracica (Meyrick,1911)** (Gelechiidae) Synonymy: thoracica Meyrick,1911 Range (as code): **ZA Gau Pre Jh Tva Lpo Hae**
2769. **Stomopteryx trachyphylla Janse,1960** (Gelechiidae) Synonymy: trachyphylla Janse,1960 Range (as code): **ZA**
2770. **Streyella pallidigrisea Janse,1958** (Gelechiidae) Synonymy: pallidigrisea Janse,1958 Range (as code): **ZA**
2771. **Symbatica cryphias Meyrick,1910** (Gelechiidae) Synonymy: cryphias Meyrick,1910 Range (as code): **ZA**
2772. **Syncopacma acanthyllidis (Walsingham,1905)** (Gelechiidae) Synonymy: acanthyllidis Walsingham,1905 Range (as code): **DZ Bsk Ktr Hes TN Gf**
2773. **Syncopacma consimilis Janse,1951** (Gelechiidae) Synonymy: consimilis Janse,1951 Range (as code): **ZA Tva Gau Pre Mpu Brb**
2774. **Syncopacma faceta (Meyrick,1914)** (Gelechiidae) Synonymy: faceta Meyrick,1914 Range (as code): **NA ZA Gau Pre Mdt Nel Abc Tva Lpo**
2775. **Syncopacma linella (Chrétien,1904)** (Gelechiidae) Synonymy: linella Chrétien,1904 Range (as code): **FR AT HU SL RO UA UZ Br RU**
2776. **Syncopacma lutea Janse,1960** (Gelechiidae) Synonymy: lutea Janse,1960 Range (as code): **ZA**
2777. **Syncopacma monochromella Janse,1951** (Gelechiidae) Synonymy: monochromella Janse,1951 Range (as code): **ZA Abc**
2778. **Syncopacma oxyspila (Meyrick,1909)** (Gelechiidae) Synonymy: oxyspila Meyrick,1909; acrophylla Meyrick,1911 Range (as code): **ZA Ec Wca Fs Tva Lpo Mdt Nta Kzu Gau Mpu**
2779. **Syncopacma perfuscata Janse,1951** (Gelechiidae) Synonymy: perfuscata Janse,1951 Range (as code): **ZA Abc**
2780. **Syncopacma thaumalea (Walsingham,1905)** (Gelechiidae) Synonymy: thaumalea Walsingham,1905 Range (as code): **DZ Bsk TN Gf**
2781. **Syngelechia psimythota (Meyrick,1913)** (Gelechiidae) Synonymy: psimythota Meyrick,1913; emphanista Meyrick,1921 Range (as code): **ZA Tva Mpu Brb Nta Kzu Kkf**
2782. **Syrmadaula automorpha Meyrick,1918** (Gelechiidae) Synonymy: automorpha Meyrick,1918 Range (as code): **ZA Tva Gau Pre ZW Har NA Abc**
2783. **Teleiodes cisti (Stainton,1869)** (Gelechiidae) Synonymy: cisti Stainton,1869 Range (as code): **Cn PT FR Co Sa IT BG GR TR**
2784. **Teleiopsis latisacculus Pitkin,1988** (Gelechiidae) Synonymy: latisacculus Pitkin,1988 Range (as code): **MK TR EG 13**
2785. **Teleiopsis sarcochroma (Walsingham,1900)** (Gelechiidae) Synonymy: sarcochroma Walsingham,1900; nigrorosea Walsingham,1904; hessi Amsel,1935. Range (as code): **Cn DZ Bsk Ktr TN Gf LY IL YE Sk**
2786. **Telphusa accensa Meyrick,1921** (Gelechiidae) Synonymy: accensa Meyrick,1921 Range (as code): **ZW Vf**
2787. **Telphusa amphichroma Meyrick,1913** (Gelechiidae) Synonymy: amphichroma Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
2788. **Telphusa calathaea Meyrick,1913** (Gelechiidae) Synonymy: calathaea Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

2789. **Telphusa iosticta Meyrick,1937** (Gelechiidae) Synonymy: iosticta Meyrick,1937 Range (as code): **ZA**
2790. **Telphusa iriditis Meyrick,1920** (Gelechiidae) Synonymy: iriditis Meyrick,1920 Range (as code): **ZA**
2791. **Telphusa objecta Meyrick,1921** (Gelechiidae) Synonymy: objecta Meyrick,1921 Range (as code): **ZW Har**
2792. **Telphusa ochlerodes Meyrick,1926** (Gelechiidae) Synonymy: ochlerodes Meyrick,1926 Range (as code): **ZA**
2793. **Telphusa retecta Meyrick,1921** (Gelechiidae) Synonymy: retecta Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
2794. **Telphusa syndelta Meyrick,1921** (Gelechiidae) Synonymy: syndelta Meyrick,1921; deltocrates Meyrick,1927 Range (as code): **ZW Har**
2795. **Thaumaturgis craterocrossa Meyrick,1934** (Gelechiidae) Synonymy: craterocrossa Meyrick,1934 Range (as code): **ZA**
2796. **Thiotricha tenuis (Walsingham,1891)** (Gelechiidae) Synonymy: tenuis Walsingham,1891 Range (as code): **ZA**
2797. **Thriophora ovulata Meyrick,1911** (Gelechiidae) Synonymy: ovulata Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
2798. **Thymosopha antileuca Meyrick,1914** (Gelechiidae) Synonymy: antileuca Meyrick,1914 Range (as code): **ZA**
2799. **Tiranimia epidolella Chrétien,1915** (Gelechiidae) Synonymy: epidolella Chrétien,1915 Range (as code): **TN Gf**
2800. **Tricerophora commaculata (Meyrick,1921)** (Gelechiidae) Synonymy: commaculata Meyrick,1921 Range (as code): **MZ Mag**
2801. **Tricyanula metallica (Walsingham,1891)** (Gelechiidae) Synonymy: metallica Walsingham,1891 Range (as code): **GM ZA Tva Mpu Tst**
2802. **Trychnopalpa fornacaria (Meyrick,1913)** (Gelechiidae) Synonymy: fornacaria Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
2803. **Turcopalpa africana (Povolny,1968)** (Gelechiidae) Synonymy: africana Povolny,1968 Range (as code): **SD SD91 SA SA63 IR Ss**
2804. **Tuta absoluta (Meyrick,1917)** (Gelechiidae) Synonymy: absoluta Meyrick,1917 Range (as code): **Cn PT ES FR CH IT AL GR BG DE CY MT MA DZ TN LY SY IL Pa TR RU AR BO BR CL CO EC PY UY VE ET UG KE 07 31 33 35 42**
2805. **Vladimirea (s.str.) kahirica Povolny,1969** (Gelechiidae) Synonymy: kahirica Povolny,1969 Range (as code): **DZ Hes Bsk EG IR Elb Kdj**
2806. **Zalithia deltophora Janse,1954** (Gelechiidae) Synonymy: deltophora Janse,1954 Range (as code): **ZA Abc**
2807. **Zalithia octophora (Meyrick,1918)** (Gelechiidae) Synonymy: octophora Meyrick,1918 Range (as code): **ZA Tva Lpo Spb Wp Nta kzu Dbn Srn Stj Ec Ste**
2808. **Zalithia xanthophylla Janse,1963** (Gelechiidae) Synonymy: xanthophylla Janse,1963 Range (as code): **ZA**

Geometridae

2809. **"Chloroclystis" consocer L.B.Prout,1937** (Geometridae) Synonymy: consocer L.B.Prout,1937 Range (as code): **ZA**
2810. **"Chloroclystis" dentatissima (W.Warren,1898)** (Geometridae) Synonymy: dentatissima W.Warren,1898 Range (as code): **ZA Tva ZA13 Kzu ZA14 Mpu**
2811. **"Chloroclystis" grisea (W.Warren,1897)** (Geometridae) Synonymy: grisea W.Warren,1897 Range (as code): **ZA Tva Ktz ZA06 Kzu ZA14 Mpu**
2812. **"Chloroclystis" gymnoscelides (L.B.Prout,1916)** (Geometridae) Synonymy: gymnoscelides L.B.Prout,1916 Range (as code): **ZA Tva ZA14 Mpu**
2813. **"Chloroclystis" muscosa (W.Warren,1902)** (Geometridae) Synonymy: muscosa W.Warren,1902 Range (as code): **KE Tva ZA Etm Ktz ZA04 ZA05 ZA06 Ksi ZA10 ZA11 ZA12 ZA14 Mpu ZA25 ZA27 Kzu**
2814. **"Cyclophora" lyciscaria (Guenée,[1858])** (Geometridae) Synonymy: lyciscaria Guenée,[1858]; bitactata Walker,1862; deremptaria Walker,1863 Range (as code): **ZA ZA05 Kzu Nta Wca Cto KE MG**
2815. **"Cyclophora" sanguinata (W.Warren,1904)** (Geometridae) Synonymy: sanguinata W.Warren,1904 Range (as code): **ZA**

2816."Venusia" distrigaria (Boisduval,1833) (Geometridae) Synonymy: distrigaria Boisduval,1833 Range (as code): **MG**

2817.Abraxas (Calospilos) pantaria (Linnaeus,1767) (Geometridae) Synonymy: pantaria Linnaeus,1767 Range (as code): **MA Tgr PT ES FR Co Sa Si IT TR Cc AM 13 30**

2818.Acanthovalva bilineata (W.Warren,1895) (Geometridae) Synonymy: bilineata W.Warren,1895; antennata W.Warren,1897. Range (as code): **ZA ZA17 Tva Lpo TZ Dss**

2819.Acanthovalva capensis M.Krüger,2001 (Geometridae) Synonymy: capensis M.Krüger,2001 Range (as code): **ZA Wca**

2820.Acanthovalva focularia (Geyer,1837) (Geometridae) Synonymy: focularia Geyer,1837; designata Walker,1862; perdecorata Walker,[1863] Range (as code): **ZA**

2821.Acanthovalva inconspicuaria (Hübner,[1819]) (Geometridae) Synonymy: inconspicuaria Hübner,[1819]; pumicaria Lederer,1855; osyraria Guenée,[1858]; cinerascens Butler,1875; perturbata Bastelberger,1908; cinnamomaria Rothschild,1914 Range (as code): **ZA ZA01 Tva Lpo Spb Bbg Mal ZA06 Nta Kzu ZA14 ZA16 Mpu ZA17 ZA21 ZA24 NWe ZA26 ZA28 Gau Fs Nca Wca Ec SZ NA BW AO ZW MW MZ ZM KE ET MA DZ Ges GR IL Pa Hf LB Bei CY Cr TR IR ES An Mu YE Hd YE30 SY Hal PK CN Sz 07 09 33 46 80**

2822.Acanthovalva itremo M.Krüger,2001 (Geometridae) Synonymy: itremo M.Krüger,2001 Range (as code): **MG**

2823.Acanthovalva magna M.Krüger,2001 (Geometridae) Synonymy: magna M.Krüger,2001 Range (as code): **TZ**

2824.Acidaliastis bicurvifera L.B.Prout,1916 (Geometridae) Synonymy: bicurvifera L.B.Prout,1916 Range (as code): **ZA ZA24 NWe Tva Gau Pre SD**

2825.Acidaliastis curvilinea (L.B.Prout,1912) (Geometridae) Synonymy: curvilinea L.B.Prout,1912 Range (as code): **ZA Gau Pre Wm ZA24 NWe Tva Wo**

2826.Acidaliastis micra Hampson,1896 (Geometridae) Synonymy: micra Hampson,1896; dissimilis W.Warren & Rothschild,1905; vinnularia Rebel,1907; desertoria Rebel,1909 Range (as code): **MA DZ Idl Ah LY YE Ad Hd EG Sn SD SD08 Sk**

2827.Acidaliastis micra galactea Rungs,1942 (Geometridae) Synonymy: galactea Rungs,1942 Range (as code): **MA**

2828.Acidaliastis micra micra Hampson,1896 (Geometridae) Synonymy: micra Hampson,1896; dissimilis W.Warren & Rothschild,1905; vinnularia Rebel,1907; desertoria Rebel,1909 Range (as code): **YE Ad Hd EG Sn SD SD08 Sk**

2829.Acidaliastis porphyretica L.B.Prout,1925 (Geometridae) Synonymy: porphyretica L.B.Prout,1925 Range (as code): **MG**

2830.Acidaliastis prophanes L.B.Prout,1922 (Geometridae) Synonymy: prophanes L.B.Prout,1922 Range (as code): **ZA Nta Kzu Nkw MZ**

2831.Acidaliastis subbrunnescens (L.B.Prout,1916) (Geometridae) Synonymy: subbrunnescens L.B.Prout,1916 Range (as code): **DZ Rhr SO**

2832.Acidaliastis systena D.S.Fletcher,1978 (Geometridae) Synonymy: systena D.S.Fletcher,1978 Range (as code): **TZ**

2833.Acidromodes nilotica (Wiltshire,1985) (Geometridae) Synonymy: nilotica Wiltshire,1985 Range (as code): **YE SD Wme**

2834.Acollesis fraudulenta W.Warren,1898 (Geometridae) Synonymy: fraudulenta W.Warren,1898 Range (as code): **ZA ZA11 ZA12 ZA13 Nta Kzu ZA18 Ec ZA28 Tva Lpo Dmm Srn Rie Kkf Umk Mpu Brb Wv Jh Gau Pre Pot Tz Hae Mlm**

2835.Acollesis mimetica L.B.Prout,1915 (Geometridae) Synonymy: mimetica L.B.Prout,1915 Range (as code): **MW Mje**

2836.Acollesis oxychora L.B.Prout,1930 (Geometridae) Synonymy: oxychora L.B.Prout,1930 Range (as code): **TZ**

2837.Acollesis terminata L.B.Prout,1912 (Geometridae) Synonymy: terminata L.B.Prout,1912 Range (as code): **ZA ZA07 Ksi ZA18 Ec ZA25 Kzu Nta Nha Umk Kkf**

2838.Acollesis umbrata W.Warren,1899 (Geometridae) Synonymy: umbrata W.Warren,1899 Range (as code): **ZA AO UG**

2839.Acrasia crinita R.Felder & Rogenhofer,1875 (Geometridae) Synonymy: crinita R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva ZA14 ZA20 Mpu**

2840.Acrasia sp. (Geometridae) Synonymy: Range (as code): **ZA ZA11 Kzu Nta**

2841.Acrostatheusis apicitincta L.B.Prout,1915 (Geometridae) Synonymy: apicitincta L.B.Prout,1915 Range (as code): **NG Caa**

2842.Acrostatheusis atomaria (W.Warren,1901) (Geometridae) Synonymy: atomaria W.Warren,1901 Range (as code): **UG**
2843.Acrostatheusis reducta Herbulot,1967 (Geometridae) Synonymy: reducta Herbulot,1967 Range (as code): **GA**
2844.Acrostatheusis ruandana Herbulot,1991 (Geometridae) Synonymy: ruandana Herbulot,1991 Range (as code): **RW**
2845.Acrostatheusis sanaga Herbulot,1991 (Geometridae) Synonymy: sanaga Herbulot,1991 Range (as code): **CM**
2846.Adactylotis gesticularia (Hübner,[1817]) (Geometridae) Synonymy: gesticularia Hübner,[1817]; graellsiaria Feisthamel,1835. Range (as code): **MA DZ PT ES FR**
2847.Adesmobathra ozoloides L.B.Prout,1916 (Geometridae) Synonymy: ozoloides L.B.Prout,1916 Range (as code): **TZ MW**
2848.Adicocrita aciculata Herbulot,1983 (Geometridae) Synonymy: aciculata Herbulot,1983 Range (as code): **RW**
2849.Adicocrita araria (Guenée,[1858]) (Geometridae) Synonymy: araria Guenée,[1858] Range (as code): **ZA**
2850.Adicocrita discerpta (Walker,1861) (Geometridae) Synonymy: discerpta Walker,1861 Range (as code): **ZA ZA28 Tva Lpo Wca Cto Ste Wm**
2851.Adicocrita koranata (R.Felder & Rogenhofer,1875) (Geometridae) Synonymy: koranata R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva ZA05 Ksi ZA12 ZA13 Kzu ZA14 Mpu ZA18 Ec Wca Cto Ste Nam Pel Umk Kkf Grh**
2852.Aetheometra iconoclasis L.B.Prout,1931 (Geometridae) Synonymy: iconoclasis L.B.Prout,1931 Range (as code): **SO**
2853.Aethiopodes erebaria (Guenée,[1858]) (Geometridae) Synonymy: erebaria Guenée,[1858]; ?indecoraria Walker,1866 Range (as code): **ZA**
2854.Aethiopodes medioumbrata M.Krüger,2003 (Geometridae) Synonymy: medioumbrata M.Krüger,2003 Range (as code): **ZA**
2855.Aethiopodes meyi M.Krüger,2003 (Geometridae) Synonymy: meyi M.Krüger,2003 Range (as code): **NA**
2856.Aethiopodes noctuodes (W.Warren,1904) (Geometridae) Synonymy: noctuodes W.Warren,1904 Range (as code): **ZA**
2857.Aethiopodes paliscia (L.B.Prout,1922) (Geometridae) Synonymy: paliscia L.B.Prout,1922 Range (as code): **ZA Kzu Nta**
2858.Aethiopodes perplexata (W.Warren,1904) (Geometridae) Synonymy: perplexata W.Warren,1904 Range (as code): **ZA Fs LS**
2859.Aethiopodes staudei M.Krüger,2003 (Geometridae) Synonymy: staudei M.Krüger,2003 Range (as code): **ZA LS Fs**
2860.Aethiopodes stictoneura (L.B.Prout,1917) (Geometridae) Synonymy: stictoneura L.B.Prout,1917 Range (as code): **ZA**
2861.Afriberina rungsi (Albers & Warnecke,1941) (Geometridae) Synonymy: rungsi Albers & Warnecke,1941 Range (as code): **MA Rbt**
2862.Afriberina terraria (A.Bang-Haas,1907) (Geometridae) Synonymy: terraria A.Bang-Haas,1907 Range (as code): **DZ Orn Ges TN Gf PT ES**
2863.Afriberina zernyi Wehrli,1943 (Geometridae) Synonymy: humaria Zerny,1936 nec Gn.,[1858]; zernyi Wehrli,1943; zernyaria Rungs,1946 Range (as code): **MA**
2864.Afrophyla vethi (Snellen,1886) (Geometridae) Synonymy: vethi Snellen,1886; dichordata W.Warren,1895 Range (as code): **ZA ZA01 Tva Lpo Mpu Brb ZW Vf Nta Kzu Nha Buf ZM AO UG KE MG YE YE33**
2865.Agathia confuscata W.Warren,1897 (Geometridae) Synonymy: confuscata W.Warren,1897 Range (as code): **SL**
2866.Agathia elenaria Swinhoe,1904 (Geometridae) Synonymy: elenaria Swinhoe,1904 Range (as code): **NG**
2867.Agathia lactata Herbulot,1977 (Geometridae) Synonymy: lactata Herbulot,1977 Range (as code): **CM**
2868.Agathia malgassa Herbulot,1978 (Geometridae) Synonymy: malgassa Herbulot,1978 Range (as code): **MG**
2869.Agathia multiscripta W.Warren,1898 (Geometridae) Synonymy: multiscripta W.Warren,1898; minuta Druce,1911 Range (as code): **NG**

2870.Agriopis bajaria ([Denis & Schiffermüller],1775) (Geometridae) Synonymy: #aerugaria [Denis & Schiffermüller],1775; bajaria [Denis & Schiffermüller],1775; vittaria Sulzer,1776; rubrostriata Goeze,1781; ligustriaria Lang,1789; sericearia Borkhausen,1794; cineraria Esper,[1801]; sorditaria Hübner,[1809]; legrasi Dumont,1925 Range (as code): **MA PT ES FR Sa Si IT BE LU DE CH AT CZ SK HU RO YU BG GR Cr TR Cc GG Tbl RU MD UA BY IL Pa CY 05 17 23 34 45 56 58**

2871.Aletis erici Kirby,1896 (Geometridae) Synonymy: erici Kirby,1896 Range (as code): **UG CG**

2872.Aletis helcita (Linnaeus,1763) (Geometridae) Synonymy: helcita Linnaeus,1763; fascelis Linnaeus,1764; fuscofasciatus Goeze,1779; macularia Fabricius,1781; helcitaria Turton,1802; druryi Butler,1878; rubricaput Swinhoe,1904 Range (as code): **GH UG CM**

2873.Aletis vicina Gaede,1917 (Geometridae) Synonymy: vicina Gaede,1917 Range (as code): **NG**

2874.Allochlorodes elpis L.B.Prout,1917 (Geometridae) Synonymy: elpis L.B.Prout,1917 Range (as code): **ZA Wca Cto Klk**

2875.Allochrostes biornata L.B.Prout,1913 (Geometridae) Synonymy: biornata L.B.Prout,1913 Range (as code): **ZA ZA07 Nta Kzu Umk Nyl Pot Chp Wmb ZA17 Tva Lpo Spb Mdk ZA24 NWe Wb ZW MZ**

2876.Allochrostes imperfecta L.B.Prout,1916 (Geometridae) Synonymy: imperfecta L.B.Prout,1916 Range (as code): **ZA ZA08 ZA25 Kzu Nta Tva Wmb**

2877.Allochrostes impunctata (W.Warren,1897) (Geometridae) Synonymy: impunctata W.Warren,1897; rubridentata W.Warren,1897 Range (as code): **ZA ZA07 Nta Kzu ZA21 Tva Lpo ZA24 NWe KE Mb Umk Gau Pre Wmb ZW Hfo Umv Nbs**

2878.Allochrostes saliata (R.Felder & Rogenhofer,1875) (Geometridae) Synonymy: saliata R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA07 ZA08 Nta Kzu Mal Tva Lpo Umk Dbn Srn Tst Mpu TZ**

2879.Allochrostes sp. (Geometridae) Synonymy: Range (as code): **ZA Tva ZA16 Mpu**

2880.Allochrostes uniornata L.B.Prout,1935 (Geometridae) Synonymy: uniornata L.B.Prout,1935 Range (as code): **ZA**

2881.Almeria kalischata (Staudinger,1870) (Geometridae) Synonymy: kalischata Staudinger,1870; dentata Lucas,1907; rubrotincta Zerny,1934 Range (as code): **MA DZ Orn Elt PT ES Mu**

2882.Amygdaloptera testaria (Fabricius,1794) (Geometridae) Synonymy: testaria Fabricius,1794; duponchellaria Lucas,1849 Range (as code): **PT ES An MA Orn DZ**

2883.Anacleora diffusa (Walker,1869) (Geometridae) Synonymy: diffusa Walker,1869 Range (as code): **CG**

2884.Anacleora extremaria (Walker,1860) (Geometridae) Synonymy: extremaria Walker,1860; perfectaria Walker,1866; haploocnema L.B.Prout,1922 Range (as code): **ZA ZA12 Ktz Nta Kzu Dbn**

2885.Anacleora pulverosa (W.Warren,1904) (Geometridae) Synonymy: pulverosa W.Warren,1904 Range (as code): **ZA Ktz ZA05 ZA08 Ksi ZA25 Kzu Nta Dbn**

2886.Anacleora sp. (Geometridae) Synonymy: Range (as code): **ZA ZA14 Mpu ZA16 Mpu Tva Lpo Spb Bbg**

2887.Androzeugma mollior L.B.Prout,1922 (Geometridae) Synonymy: mollior L.B.Prout,1922 Range (as code): **ZA Tva Lpo Chp Buf ZW Uma**

2888.Androzeugma subacuta L.B.Prout,1935 (Geometridae) Synonymy: subacuta L.B.Prout,1935 Range (as code): **ZA**

2889.Androzeugma tenuis (W.Warren,1898) (Geometridae) Synonymy: tenuis W.Warren,1898; hapala L.B.Prout,1913 Range (as code): **ZA ZA17 Tva Lpo NG**

2890.Anoectomychus eutoeodes L.B.Prout,1934 (Geometridae) Synonymy: eutoeodes L.B.Prout,1934 Range (as code): **ZR**

2891.Anoectomychus lautipars L.B.Prout,1927 (Geometridae) Synonymy: lautipars L.B.Prout,1927 Range (as code): **ST**

2892.Anoectomychus pudens Swinhoe,1904 (Geometridae) Synonymy: pudens Swinhoe,1904 Range (as code): **NG**

2893.Ansorgia divergens W.Warren,1899 (Geometridae) Synonymy: divergens W.Warren,1899 Range (as code): **UG**

2894.Antharmostes alcaea L.B.Prout,1930 (Geometridae) Synonymy: alcaea L.B.Prout,1930 Range (as code): **AO ZA**

2895.Antharmostes dargei Herbulot,1982 (Geometridae) Synonymy: dargei Herbulot,1982 Range (as code): **CM**

2896.Antharmostes interalbicans W.Warren,1902 (Geometridae) Synonymy: interalbicans W.Warren,1902 Range (as code): **ZR**

2897.Antharmostes marginata (W.Warren,1897) (Geometridae) Synonymy: marginata W.Warren,1897; fuscimargo W.Warren,1909; violetta Bastelberger,1909 Range (as code): **NG ZR**

2898.Antharmostes mesoleuca W.Warren,1899 (Geometridae) Synonymy: mesoleuca W.Warren,1899 Range (as code): **NG**
2899.Antharmostes orinophragma L.B.Prout,1930 (Geometridae) Synonymy: orinophragma L.B.Prout,1930 Range (as code): **ZR**
2900.Antharmostes papilio L.B.Prout,1912 (Geometridae) Synonymy: papilio L.B.Prout,1912 Range (as code): **ZA Mal ZA17 Tva Lpo ZA24 NWe Mpu Brb Gau Pre ZW Vf TZ**
2901.Antharmostes reducta Herbulot,1996 (Geometridae) Synonymy: reducta Herbulot,1996 Range (as code): **CM**
2902.Antharmostes simplicimargo L.B.Prout,1917 (Geometridae) Synonymy: simplicimargo L.B.Prout,1917 Range (as code): **ZR**
2903.Antharmostes sufflata Herbulot,1982 (Geometridae) Synonymy: sufflata Herbulot,1982 Range (as code): **CM**
2904.Antharmostes tutsiana Herbulot,1996 (Geometridae) Synonymy: tutsiana Herbulot,1996 Range (as code): **RW**
2905.Anthemoctena textilis (Wallengren,1872) (Geometridae) Synonymy: textilis Wallengren,1872; lineata W.Warren,1897 Range (as code): **ZA Tva Wca Cto**
2906.Anticlea badiata (Lang,1789) (Geometridae) Synonymy: #badiata [Denis & Schiffermüller],1775; badiata Lang,1789; radiata Spener & Spener,1843. Range (as code): **MA DZ ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI LT RU MD UA Cm BY Cc AM AZ Ur At Bry KG Sp Tar MN 05 06 14**
2907.Anticlea beduina (Turati,1930) (Geometridae) Synonymy: beduina Turati,1930 Range (as code): **LY Cy**
2908.Anticlea cabrerai (Pinker,1962) (Geometridae) Synonymy: cabrerai Pinker,1962 Range (as code): **Cn**
2909.Antilurga alhambrata (Staudinger,1859) (Geometridae) Synonymy: alhambrata Staudinger,1859 Range (as code): **MA Ouk DZ Ges TN ES An Grn Mu FR**
2910.Antozola dislocata Herbulot,1992 (Geometridae) Synonymy: dislocata Herbulot,1992 Range (as code): **MW**
2911.Aphilopota alloeomorpha L.B.Prout,1938 (Geometridae) Synonymy: alloeomorpha L.B.Prout,1938 Range (as code): **MG**
2912.Aphilopota aspera L.B.Prout,1938 (Geometridae) Synonymy: aspera L.B.Prout,1938 Range (as code): **MG**
2913.Aphilopota calaria (Swinhoe,1904) (Geometridae) Synonymy: calaria Swinhoe,1904; zonata L.B.Prout,1954 Range (as code): **KE ET**
2914.Aphilopota cardinalli L.B.Prout,1954 (Geometridae) Synonymy: cardinalli L.B.Prout,1954 Range (as code): **GH KE Kit**
2915.Aphilopota confusata (W.Warren,1902) (Geometridae) Synonymy: confusata W.Warren,1902 Range (as code): **KE**
2916.Aphilopota conturbata (Walker,[1863]) (Geometridae) Synonymy: conturbata Walker,[1863] Range (as code): **ZA Ksi Nta Kzu**
2917.Aphilopota cydno L.B.Prout,1954 (Geometridae) Synonymy: cydno L.B.Prout,1954 Range (as code): **KE Mb**
2918.Aphilopota decepta Janse,1932 (Geometridae) Synonymy: decepta Janse,1932 Range (as code): **ZA ZA01 ZA17 Tva Lpo**
2919.Aphilopota dicampsis L.B.Prout,1934 (Geometridae) Synonymy: dicampsis L.B.Prout,1934 Range (as code): **KE Kit**
2920.Aphilopota euodia L.B.Prout,1954 (Geometridae) Synonymy: euodia L.B.Prout,1954 Range (as code): **ZA Tva ZA14 Mpu ZA18 Ec Lpo Spb Ltr**
2921.Aphilopota exterritorialis (Strand,1909) (Geometridae) Synonymy: exterritorialis Strand,1909 Range (as code): **TZ**
2922.Aphilopota fletcheri Carcasson,1965 (Geometridae) Synonymy: fletcheri Carcasson,1965 Range (as code): **UG**
2923.Aphilopota fletcheriana Viette,1975 (Geometridae) Synonymy: fletcheri Viette,1973 nec Carc.,1965; fletcheriana Viette,1975 Range (as code): **MG**
2924.Aphilopota foedata (Bastelberger,1907) (Geometridae) Synonymy: foedata Bastelberger,1907 Range (as code): **TZ Tnga Usa**
2925.Aphilopota immatura L.B.Prout,1938 (Geometridae) Synonymy: immatura L.B.Prout,1938 Range (as code): **MG**

2926. **Aphilopota inspersaria (Guenée,[1858])** (Geometridae) Synonymy: inspersaria Guenée,[1858] Range (as code): **ZA**
2927. **Aphilopota interpellans (Butler,1875)** (Geometridae) Synonymy: interpellans Butler,1875; angolaria Bethune-Baker,1913 Range (as code): **AO ZA**
2928. **Aphilopota iphia L.B.Prout,1954** (Geometridae) Synonymy: iphia L.B.Prout,1954 Range (as code): **ZA Tra Ec**
2929. **Aphilopota mailaria (Swinhoe,1904)** (Geometridae) Synonymy: mailaria Swinhoe,1904 Range (as code): **CG**
2930. **Aphilopota melanommata L.B.Prout,1954** (Geometridae) Synonymy: melanommata L.B.Prout,1954 Range (as code): **ZR**
2931. **Aphilopota melanostigma W.Warren,1904** (Geometridae) Synonymy: melanostigma W.Warren,1904 Range (as code): **AO**
2932. **Aphilopota nubilata L.B.Prout,1954** (Geometridae) Synonymy: nubilata L.B.Prout,1954 Range (as code): **ZR KE**
2933. **Aphilopota ochrimacula (W.Warren,1902)** (Geometridae) Synonymy: ochrimacula W.Warren,1902 Range (as code): **KE**
2934. **Aphilopota otoessa L.B.Prout,1954** (Geometridae) Synonymy: otoessa L.B.Prout,1954 Range (as code): **GM**
2935. **Aphilopota patulata (Walker,[1863])** (Geometridae) Synonymy: patulata Walker,[1863] Range (as code): **ZA Mal Tva Lpo**
2936. **Aphilopota perscotia L.B.Prout,1931** (Geometridae) Synonymy: perscotia L.B.Prout,1931 Range (as code): **ZA ZA13 Nta Kzu**
2937. **Aphilopota phanerostigma L.B.Prout,1917** (Geometridae) Synonymy: phanerostigma L.B.Prout,1917 Range (as code): **ZA**
2938. **Aphilopota plethora L.B.Prout,1938** (Geometridae) Synonymy: plethora L.B.Prout,1938 Range (as code): **ZA**
2939. **Aphilopota reducta Viette,1973** (Geometridae) Synonymy: reducta Viette,1973 Range (as code): **MG**
2940. **Aphilopota rubidivenis (L.B.Prout,1922)** (Geometridae) Synonymy: rubidivenis L.B.Prout,1922 Range (as code): **ZA**
2941. **Aphilopota rufiplaga (W.Warren,1902)** (Geometridae) Synonymy: rufiplaga W.Warren,1902 Range (as code): **KE**
2942. **Aphilopota scapularia (Snellen,1872)** (Geometridae) Synonymy: scapularia Snellen,1872 Range (as code): **ZR**
2943. **Aphilopota semidentata L.B.Prout,1931** (Geometridae) Synonymy: semidentata L.B.Prout,1931 Range (as code): **MG**
2944. **Aphilopota semiusta (Distant,1898)** (Geometridae) Synonymy: semiusta Distant,1898; spissata W.Warren,1905 Range (as code): **ZA ZA24 NWe**
2945. **Aphilopota seyrigi Viette,1973** (Geometridae) Synonymy: seyrigi Viette,1973 Range (as code): **MG**
2946. **Aphilopota sinistra L.B.Prout,1954** (Geometridae) Synonymy: sinistra L.B.Prout,1954 Range (as code): **ZA Ec**
2947. **Aphilopota sp.1** (Geometridae) Synonymy: Range (as code): **ZA ZA12 Kzu**
2948. **Aphilopota sp.2** (Geometridae) Synonymy: Range (as code): **ZA Mal Tva Lpo ZA20 Mpu**
2949. **Aphilopota statuta L.B.Prout,1954** (Geometridae) Synonymy: statuta L.B.Prout,1954 Range (as code): **GH**
2950. **Aphilopota strigossisima (Bastelberger,1909)** (Geometridae) Synonymy: strigossisima Bastelberger,1909 Range (as code): **AO CG**
2951. **Aphilopota subalbata (W.Warren,1905)** (Geometridae) Synonymy: subalbata W.Warren,1905; approximans W.Warren,1914 Range (as code): **ZA ZA12 Nta Kzu Dbn**
2952. **Aphilopota symphronima L.B.Prout,1954** (Geometridae) Synonymy: symphronima L.B.Prout,1954 Range (as code): **ZA**
2953. **Aphilopota triphasia L.B.Prout,1954** (Geometridae) Synonymy: triphasia L.B.Prout,1954 Range (as code): **TZ**
2954. **Aphilopota vicaria (Walker,1860)** (Geometridae) Synonymy: vicaria Walker,1860 Range (as code): **SL**
2955. **Aphilopota viriditincta (W.Warren,1905)** (Geometridae) Synonymy: viriditincta W.Warren,1905 Range (as code): **TZ Tnga Usa**

2956.Aplocera arenbergeri Weisert,2004 (Geometridae) Synonymy: arenbergeri Weisert,2004 Range (as code): **TN Dhm**

2957.Aplocera efformata (Guenée,[1858]) (Geometridae) Synonymy: efformata Guenée,[1858]; pallidata Staudinger,1871 Range (as code): **MA PT ES FR Co Si? IT MT GB BE NL LU DE CH AT PL CZ SK HU YU AL BG GR Cr Rd TR DK NO SE LV LT RU MD UA BY PK Thu 14 17 22 34 39 45 55 81**

2958.Aplocera trajectata (Walker,[1863]) (Geometridae) Synonymy: trajectata Walker,[1863] Range (as code): **ZA**

2959.Aplochlora invisibilis W.Warren,1897 (Geometridae) Synonymy: invisibilis W.Warren,1897 Range (as code): **NG**

2960.Aplochlora pseudossa L.B.Prout,1932 (Geometridae) Synonymy: pseudossa L.B.Prout,1932 Range (as code): **KE**

2961.Apochima flabellaria (Heeger,1838) (Geometridae) Synonymy: flabellaria Heeger,1838; marmararia Buresch,1915 Range (as code): **AET ES An Sa Si IT MT MK BG GR Rd Cr TR Cc GG Tbl LB RU IQ Bgd Mj CY IL Pa Js Jf JO UA IR TM Kp UZ TJ KG 01 07 10 17 21 23 26 31 34 44 45 46 47 48 56 65 72**

2962.Archichlora alophias Herbulot,1954 (Geometridae) Synonymy: alophias Herbulot,1954 Range (as code): **MG**

2963.Archichlora altivagans Herbulot,1960 (Geometridae) Synonymy: altivagans Herbulot,1960 Range (as code): **MG**

2964.Archichlora ambrimontis Herbulot,1960 (Geometridae) Synonymy: ambrimontis Herbulot,1960 Range (as code): **MG**

2965.Archichlora andranobe Viette,1978 (Geometridae) Synonymy: andranobe Viette,1978 Range (as code): **MG**

2966.Archichlora ankalirano Viette,1975 (Geometridae) Synonymy: ankalirano Viette,1975 Range (as code): **MG**

2967.Archichlora ansorgei (W.Warren,1901) (Geometridae) Synonymy: ansorgei W.Warren,1901 Range (as code): **UG ZA**

2968.Archichlora antanosa Herbulot,1960 (Geometridae) Synonymy: antanosa Herbulot,1960 Range (as code): **MG**

2969.Archichlora bevilany Viette,1978 (Geometridae) Synonymy: bevilany Viette,1978 Range (as code): **MG**

2970.Archichlora chariessa L.B.Prout,1925 (Geometridae) Synonymy: chariessa L.B.Prout,1925 Range (as code): **MG**

2971.Archichlora devoluta (Walker,1861) (Geometridae) Synonymy: devoluta Walker,1861 Range (as code): **ZR**

2972.Archichlora engenes L.B.Prout,1922 (Geometridae) Synonymy: engenes L.B.Prout,1922 Range (as code): **MG**

2973.Archichlora epicydra L.B.Prout,1938 (Geometridae) Synonymy: epicydra L.B.Prout,1938 Range (as code): **CM**

2974.Archichlora florilimbata Herbulot,1960 (Geometridae) Synonymy: florilimbata Herbulot,1960 Range (as code): **MG**

2975.Archichlora griveaudi Viette,1978 (Geometridae) Synonymy: griveaudi Viette,1978 Range (as code): **MG**

2976.Archichlora hemistrigata (Mabille,1900) (Geometridae) Synonymy: hemistrigata Mabille,1900 Range (as code): **MG**

2977.Archichlora herbuloti Viette,1978 (Geometridae) Synonymy: herbuloti Viette,1978 Range (as code): **MG**

2978.Archichlora ioannis Herbulot,1954 (Geometridae) Synonymy: ioannis Herbulot,1954 Range (as code): **KM**

2979.Archichlora jacksoni Carcasson,1971 (Geometridae) Synonymy: jacksoni Carcasson,1971; crispa Herbulot,1971 Range (as code): **KE CM**

2980.Archichlora majuscula Herbulot,1960 (Geometridae) Synonymy: majuscula Herbulot,1960 Range (as code): **MG**

2981.Archichlora marcescens W.Warren,1904 (Geometridae) Synonymy: marcescens W.Warren,1904 Range (as code): **NG**

2982.Archichlora marginata (W.Warren,1902) (Geometridae) Synonymy: marginata W.Warren,1902 Range (as code): **NE**

2983.Archichlora monodi Viette,1975 (Geometridae) Synonymy: monodi Viette,1975 Range (as code): **MG**

2984. **Archichlora nigricosta Herbulot,1960** (Geometridae) Synonymy: nigricosta Herbulot,1960 Range (as code): **MG**
2985. **Archichlora pavonina Herbulot,1960** (Geometridae) Synonymy: pavonina Herbulot,1960 Range (as code): **MG**
2986. **Archichlora petroselina Herbulot,1960** (Geometridae) Synonymy: petroselina Herbulot,1960 Range (as code): **MG**
2987. **Archichlora phyllobrota (Holland,1920)** (Geometridae) Synonymy: phyllobrota Holland,1920 Range (as code): **ZR**
2988. **Archichlora povolnyi Viette,1975** (Geometridae) Synonymy: povolnyi Viette,1975 Range (as code): **MG**
2989. **Archichlora pulveriplaga (W.Warren,1898)** (Geometridae) Synonymy: pulveriplaga W.Warren,1898 Range (as code): **NG**
2990. **Archichlora rectilineata Carcasson,1971** (Geometridae) Synonymy: rectilineata Carcasson,1971 Range (as code): **ZA TZ**
2991. **Archichlora sangoana Carcasson,1971** (Geometridae) Synonymy: sangoana Carcasson,1971 Range (as code): **UG**
2992. **Archichlora soa Viette,1971** (Geometridae) Synonymy: soa Viette,1971 Range (as code): **MG**
2993. **Archichlora sola Herbulot,1960** (Geometridae) Synonymy: sola Herbulot,1960 Range (as code): **MG**
2994. **Archichlora stellicincta Herbulot,1972** (Geometridae) Synonymy: stellicincta Herbulot,1972 Range (as code): **MG**
2995. **Archichlora subrubescens Herbulot,1960** (Geometridae) Synonymy: subrubescens Herbulot,1960 Range (as code): **MG**
2996. **Archichlora triangularia (Swinhoe,1904)** (Geometridae) Synonymy: triangularia Swinhoe,1904 Range (as code): **MG**
2997. **Archichlora tricycla Herbulot,1960** (Geometridae) Synonymy: tricycla Herbulot,1960 Range (as code): **MG**
2998. **Archichlora trygodes L.B.Prout,1922** (Geometridae) Synonymy: trygodes L.B.Prout,1922 Range (as code): **MG**
2999. **Archichlora vieui Herbulot,1960** (Geometridae) Synonymy: vieui Herbulot,1960 Range (as code): **MG**
3000. **Archichlora viridicrossa Herbulot,1960** (Geometridae) Synonymy: viridicrossa Herbulot,1960 Range (as code): **MG**
3001. **Archichlora viridimacula W.Warren,1898** (Geometridae) Synonymy: viridimacula W.Warren,1898 Range (as code): **ZA NG**
3002. **Argyrographa moderata (Walker,1862)** (Geometridae) Synonymy: moderata Walker,1862; eximiata R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA10 Kzu Nta Wca Cto Ste Dbn**
3003. **Argyrophora arcualis (Duncan & Westwood,1841)** (Geometridae) Synonymy: arcualis Duncan & Westwood,1841; arcuaria Guenée,[1858] Range (as code): **ZA Wca Cto Wr Ec**
3004. **Argyrophora chrysophylax M.Krüger,1999** (Geometridae) Synonymy: chrysophylax M.Krüger,1999 Range (as code): **TZ**
3005. **Argyrophora confluens M.Krüger,1999** (Geometridae) Synonymy: confluens M.Krüger,1999 Range (as code): **ZW**
3006. **Argyrophora intervenata (L.B.Prout,1917)** (Geometridae) Synonymy: intervenata L.B.Prout,1917 Range (as code): **ZA Tva Gau Pre Fs Ec**
3007. **Argyrophora leucochrysa M.Krüger,1999** (Geometridae) Synonymy: leucochrysa M.Krüger,1999 Range (as code): **LS**
3008. **Argyrophora retifera M.Krüger,1999** (Geometridae) Synonymy: retifera M.Krüger,1999 Range (as code): **LS**
3009. **Argyrophora rhampsinitos M.Krüger,1999** (Geometridae) Synonymy: rhampsinitos M.Krüger,1999 Range (as code): **ZW Vum**
3010. **Argyrophora stramineata M.Krüger,1999** (Geometridae) Synonymy: stramineata M.Krüger,1999 Range (as code): **ZA Nca**
3011. **Argyrophora trofonia (Cramer,[1779])** (Geometridae) Synonymy: trofonia Cramer,[1779]; histrionalis Duncan & Westwood,1841; monetata Guenée,[1858]; trofoniata Guenée,[1858] Range (as code): **ZA ZA10 ZA12 Nta Kzu Ggh Fs NA SZ LS ZW Mpu Gau Tva Ec Wca Pre Mgl Plt Cld Grg Wr Jnk Cto Kny Pel Ggh Dbn Brb Pil Abc Wb**

3012.Argyrophora variabilis M.Krüger,1999 (Geometridae) Synonymy: variabilis M.Krüger,1999 Range (as code): **ZA ZA10 Kzu Nta Gau Tva Pre Mgl Slpp Fs Wv Mpu Pil Mdd Ly Grk Kkf Nha Lds Tra Ec**

3013.Ascotis reciprocaria (Walker,1860) (Geometridae) Synonymy: reciprocaria Walker,1860; semifusca W.Warren,1904; nigristigma W.Warren,1905 Range (as code): **ZA Etm ZA07 ZA12 ZA13 ZA14 Mpu Mal Tva Lpo ZA16 ZA17 ZA25 ZA26 Kzu Nta**

3014.Aspilatopsis admiranda (W.Warren,1905) (Geometridae) Synonymy: admiranda W.Warren,1905 Range (as code): **ZA Nta Kzu Dbn**

3015.Aspilatopsis alicata (R.Felder & Rogenhofer,1875) (Geometridae) Synonymy: alicata R.Felder & Rogenhofer,1875 Range (as code): **ZA Kny Ec**

3016.Aspilatopsis antennaria (Guenée,[1858]) (Geometridae) Synonymy: antennaria Guenée,[1858]; imbellata Walker,[1863]; vilisaria Walker,[1863] Range (as code): **ZA Ec**

3017.Aspilatopsis carneata (W.Warren,1904) (Geometridae) Synonymy: carneata W.Warren,1904 Range (as code): **ZA**

3018.Aspilatopsis curvifascia (L.B.Prout,1916) (Geometridae) Synonymy: curvifascia L.B.Prout,1916 Range (as code): **ZA Ec Grh**

3019.Aspilatopsis gloriola L.B.Prout,1913 (Geometridae) Synonymy: gloriola L.B.Prout,1913 Range (as code): **ZA Tva Wo**

3020.Aspilatopsis johnstonei L.B.Prout,1938 (Geometridae) Synonymy: johnstonei L.B.Prout,1938 Range (as code): **TZ**

3021.Aspilatopsis lacuum L.B.Prout,1938 (Geometridae) Synonymy: lacuum L.B.Prout,1938 Range (as code): **TZ**

3022.Aspilatopsis nipholibes L.B.Prout,1938 (Geometridae) Synonymy: nipholibes L.B.Prout,1938 Range (as code): **ZA**

3023.Aspilatopsis orthobates L.B.Prout,1917 (Geometridae) Synonymy: orthobates L.B.Prout,1917 Range (as code): **ZA Tva Mpu Pil**

3024.Aspilatopsis punctata W.Warren,1897 (Geometridae) Synonymy: punctata W.Warren,1897 Range (as code): **ZA Wnn Nta Kzu**

3025.Aspilatopsis simonsi L.B.Prout,1938 (Geometridae) Synonymy: simonsi L.B.Prout,1938 Range (as code): **ZA Pel Ec**

3026.Aspilatopsis somereni L.B.Prout,1926 (Geometridae) Synonymy: somereni L.B.Prout,1926 Range (as code): **KE Nai**

3027.Aspilatopsis soni L.B.Prout,1938 (Geometridae) Synonymy: soni L.B.Prout,1938 Range (as code): **ZA Vrd**

3028.Aspilatopsis tenoris L.B.Prout,1934 (Geometridae) Synonymy: tenoris L.B.Prout,1934 Range (as code): **ZR**

3029.Aspilatopsis unilineata (W.Warren,1897) (Geometridae) Synonymy: unilineata W.Warren,1897; hemigrammata Mabille,1898 Range (as code): **KM MW Zom**

3030.Aspitates collinaria (Holt-White,1894) (Geometridae) Synonymy: collinaria Holt-White,1894; canariaria Rogenhofer,1894; hesperis W.Warren,1894 Range (as code): **Cn**

3031.Aspitates illepidata Walker,1862 (Geometridae) Synonymy: illepidata Walker,1862 Range (as code): **ZA**

3032.Aspitates inceptaria Walker,[1863] (Geometridae) Synonymy: inceptaria Walker,[1863] Range (as code): **ZA**

3033.Aspitates sabuliferata Walker,[1863] (Geometridae) Synonymy: sabuliferata Walker,[1863] Range (as code): **ZA**

3034.Asthenotricha amblycoma L.B.Prout,1935 (Geometridae) Synonymy: amblycoma L.B.Prout,1935 Range (as code): **GO**

3035.Asthenotricha anisobapta L.B.Prout,1932 (Geometridae) Synonymy: anisobapta L.B.Prout,1932 Range (as code): **KE UG**

3036.Asthenotricha ansorgei W.Warren,1899 (Geometridae) Synonymy: ansorgei W.Warren,1899 Range (as code): **KE UG**

3037.Asthenotricha argyridia (Butler,1894) (Geometridae) Synonymy: argyridia Butler,1894; ?disparata W.Warren,1897 Range (as code): **KE RW UG**

3038.Asthenotricha barnsae L.B.Prout,1935 (Geometridae) Synonymy: barnsae L.B.Prout,1935 Range (as code): **KE UG**

3039.Asthenotricha candace (L.B.Prout,1929) (Geometridae) Synonymy: candace L.B.Prout,1929 Range (as code): **ET**

3040.Asthenotricha comosissima Herbulot,1970 (Geometridae) Synonymy: comosissima Herbulot,1970 Range (as code): **MG**
3041.Asthenotricha costalis (Aurivillius,1910) (Geometridae) Synonymy: costalis Aurivillius,1910 Range (as code): **KE**
3042.Asthenotricha deficiens Herbulot,1954 (Geometridae) Synonymy: deficiens Herbulot,1954 Range (as code): **MG**
3043.Asthenotricha dentatissima W.Warren,1899 (Geometridae) Synonymy: dentatissima W.Warren,1899 Range (as code): **ZA TZ KE ZR UG**
3044.Asthenotricha fernandi L.B.Prout,1935 (Geometridae) Synonymy: fernandi L.B.Prout,1935 Range (as code): **GO**
3045.Asthenotricha flavicoma W.Warren,1899 (Geometridae) Synonymy: flavicoma W.Warren,1899 Range (as code): **CM UG ZR**
3046.Asthenotricha furtiva Herbulot,1960 (Geometridae) Synonymy: furtiva Herbulot,1960 Range (as code): **MG**
3047.Asthenotricha grandis Herbulot,1997 (Geometridae) Synonymy: grandis Herbulot,1997 Range (as code): **RW**
3048.Asthenotricha inutilis W.Warren,1901 (Geometridae) Synonymy: inutilis W.Warren,1901 Range (as code): **ZA CM KE UG**
3049.Asthenotricha lophopterata (Guenée,[1858]) (Geometridae) Synonymy: lophopterata Guenée,[1858] Range (as code): **MG RE**
3050.Asthenotricha malostigma L.B.Prout,1921 (Geometridae) Synonymy: malostigma L.B.Prout,1921 Range (as code): **ZR**
3051.Asthenotricha meruana (Aurivillius,1910) (Geometridae) Synonymy: meruana Aurivillius,1910 Range (as code): **TZ**
3052.Asthenotricha nesiotes Herbulot,1954 (Geometridae) Synonymy: nesiotes Herbulot,1954 Range (as code): **MG**
3053.Asthenotricha parabolica Herbulot,1954 (Geometridae) Synonymy: parabolica Herbulot,1954 Range (as code): **MG**
3054.Asthenotricha polydora Debauche,1938 (Geometridae) Synonymy: polydora Debauche,1938 Range (as code): **UG ZR**
3055.Asthenotricha proschora D.S.Fletcher,1958 (Geometridae) Synonymy: proschora D.S.Fletcher,1958 Range (as code): **UG ZR**
3056.Asthenotricha psephotaenia L.B.Prout,1935 (Geometridae) Synonymy: psephotaenia L.B.Prout,1935 Range (as code): **UG ZR**
3057.Asthenotricha pycnoconia Janse,1933 (Geometridae) Synonymy: pycnoconia Janse,1933 Range (as code): **ZA Tva ZA14 Mpu UG**
3058.Asthenotricha pythia Debauche,1938 (Geometridae) Synonymy: pythia Debauche,1938 Range (as code): **ZR**
3059.Asthenotricha quadrata Herbulot,1960 (Geometridae) Synonymy: quadrata Herbulot,1960 Range (as code): **MG**
3060.Asthenotricha semidivisa W.Warren,1901 (Geometridae) Synonymy: semidivisa W.Warren,1901 Range (as code): **CM UG ZR**
3061.Asthenotricha serraticornis W.Warren,1902 (Geometridae) Synonymy: serraticornis W.Warren,1902 Range (as code): **ZA KE TZ UG**
3062.Asthenotricha sjostedti (Aurivillius,1910) (Geometridae) Synonymy: sjostedti Aurivillius,1910 Range (as code): **RW ZR KE TZ**
3063.Asthenotricha sp. (Geometridae) Synonymy: Range (as code): **ZA ZA13 Nta Kzu**
3064.Asthenotricha straba L.B.Prout,1921 (Geometridae) Synonymy: straba L.B.Prout,1921 Range (as code): **AO CM KE UG ZR**
3065.Asthenotricha strangulata Herbulot,1953 (Geometridae) Synonymy: strangulata Herbulot,1953 Range (as code): **KE**
3066.Asthenotricha torata L.B.Prout,1932 (Geometridae) Synonymy: torata L.B.Prout,1932 Range (as code): **MG**
3067.Asthenotricha tripogonias L.B.Prout,1936 (Geometridae) Synonymy: tripogonias L.B.Prout,1936 Range (as code): **RE**
3068.Asthenotricha unipecten (L.B.Prout,1915) (Geometridae) Synonymy: unipecten L.B.Prout,1915 Range (as code): **KE UG ZR ST**

3069.Athroolopha pennigeraria (Hübner,[1813]) (Geometridae) Synonymy: pennigeraria Hübner,[1813] Range (as code): **DZ Cst Khh Blid Btna Clo Ges MA PT ES FR Si IT**
3070.Atomorpha mabillearia (D.Lucas,1907) (Geometridae) Synonymy: mabillearia D.Lucas,1907; marmorata A.Bang-Haas,1907 Range (as code): **MR MA DZ Eal Ah Ajj TN Gf**
3071.Axiodes agrypna L.B.Prout,1938 (Geometridae) Synonymy: agrypna L.B.Prout,1938; #acrypha L.B.Prout,1938 Range (as code): **ZA Ec**
3072.Axiodes bifasciata (Dewitz,1881) (Geometridae) Synonymy: bifasciata Dewitz,1881 Range (as code): **ZA Ec**
3073.Axiodes bipartita W.Warren,1914 (Geometridae) Synonymy: bipartita W.Warren,1914 Range (as code): **ZA Cto**
3074.Axiodes carbolignea L.B.Prout,1938 (Geometridae) Synonymy: carbolignea L.B.Prout,1938 Range (as code): **ZA Wca Vrd**
3075.Axiodes cosmeta L.B.Prout,1938 (Geometridae) Synonymy: cosmeta L.B.Prout,1938 Range (as code): **ZA**
3076.Axiodes curvaria (Dewitz,1881) (Geometridae) Synonymy: curvaria Dewitz,1881 Range (as code): **ZA Cto**
3077.Axiodes dami L.B.Prout,1938 (Geometridae) Synonymy: dami L.B.Prout,1938 Range (as code): **ZA**
3078.Axiodes dochmoleuca L.B.Prout,1917 (Geometridae) Synonymy: dochmoleuca L.B.Prout,1917 Range (as code): **ZA ZA10 ZA12 ZA13 Kzu**
3079.Axiodes ennomaria W.Warren,1917 (Geometridae) Synonymy: ennomaria W.Warren,1917 Range (as code): **ZA Ec**
3080.Axiodes figurata W.Warren,1905 (Geometridae) Synonymy: figurata W.Warren,1905 Range (as code): **ZA Ec**
3081.Axiodes fortilimbata L.B.Prout,1938 (Geometridae) Synonymy: fortilimbata L.B.Prout,1938 Range (as code): **ZA**
3082.Axiodes inaequalis L.B.Prout,1915 (Geometridae) Synonymy: inaequalis L.B.Prout,1915 Range (as code): **ZA Ec**
3083.Axiodes inangulata W.Warren,1905 (Geometridae) Synonymy: inangulata W.Warren,1905 Range (as code): **ZA Ec**
3084.Axiodes insciata (R.Felder & Rogenhofer,1875) (Geometridae) Synonymy: insciata R.Felder & Rogenhofer,1875 Range (as code): **ZA**
3085.Axiodes interscripta L.B.Prout,1922 (Geometridae) Synonymy: interscripta L.B.Prout,1922 Range (as code): **ZA Ec**
3086.Axiodes intricata W.Warren,1905 (Geometridae) Synonymy: intricata W.Warren,1905 Range (as code): **ZA Ec**
3087.Axiodes irvingi (Janse,1932) (Geometridae) Synonymy: irvingi Janse,1932 Range (as code): **ZA Fs Blo**
3088.Axiodes praefidens L.B.Prout,1938 (Geometridae) Synonymy: praefidens L.B.Prout,1938 Range (as code): **ZA**
3089.Axiodes rhodampyx L.B.Prout,1938 (Geometridae) Synonymy: rhodampyx L.B.Prout,1938 Range (as code): **ZA**
3090.Axiodes rufigrisea W.Warren,1911 (Geometridae) Synonymy: rufigrisea W.Warren,1911 Range (as code): **ZA Cto**
3091.Axiodes sectilis L.B.Prout,1938 (Geometridae) Synonymy: sectilis L.B.Prout,1938 Range (as code): **ZA Wca Wr**
3092.Axiodes sinuata W.Warren,1905 (Geometridae) Synonymy: sinuata W.Warren,1905 Range (as code): **ZA Ec**
3093.Axiodes synclinia L.B.Prout,1938 (Geometridae) Synonymy: synclinia L.B.Prout,1938 Range (as code): **ZA Gau Tva Pre**
3094.Axiodes trachyacta L.B.Prout,1922 (Geometridae) Synonymy: trachyacta L.B.Prout,1922 Range (as code): **ZA Ec**
3095.Axiodes tripartita L.B.Prout,1915 (Geometridae) Synonymy: tripartita L.B.Prout,1915 Range (as code): **ZA Ec Ans**
3096.Azyx consocia (W.Warren,1899) (Geometridae) Synonymy: consocia W.Warren,1899 Range (as code): **UG NG**
3097.Barrama impunctata W.Warren,1897 (Geometridae) Synonymy: impunctata W.Warren,1897 Range (as code): **ZA Tva Lpo Spb Ltr Wp Chp Mpu Brb Tst Nta Kzu Wnn Rie Nbs**

3098. **Bathycolpodes acoelopa L.B.Prout,1912** (Geometridae) Synonymy: acoelopa L.B.Prout,1912 Range (as code): **NG**
3099. **Bathycolpodes acutissima Herbulot,1986** (Geometridae) Synonymy: acutissima Herbulot,1986 Range (as code): **RW**
3100. **Bathycolpodes anisotes L.B.Prout,1912** (Geometridae) Synonymy: anisotes L.B.Prout,1912 Range (as code): **SL**
3101. **Bathycolpodes bassa Herbulot,1986** (Geometridae) Synonymy: bassa Herbulot,1986 Range (as code): **CM**
3102. **Bathycolpodes chloronesis L.B.Prout,1930** (Geometridae) Synonymy: chloronesis L.B.Prout,1930 Range (as code): **ZA ZA04 Kzu Nta Esw Imp Dbn**
3103. **Bathycolpodes excavata (W.Warren,1898)** (Geometridae) Synonymy: excavata W.Warren,1898 Range (as code): **NG ZR**
3104. **Bathycolpodes excavata overlaeti Debauche,1941** (Geometridae) Synonymy: overlaeti Debauche,1941 Range (as code): **ZR**
3105. **Bathycolpodes explanata Herbulot,1986** (Geometridae) Synonymy: explanata Herbulot,1986 Range (as code): **CI**
3106. **Bathycolpodes holochroa L.B.Prout,1915** (Geometridae) Synonymy: holochroa L.B.Prout,1915 Range (as code): **CM Bit**
3107. **Bathycolpodes implumis L.B.Prout,1930** (Geometridae) Synonymy: implumis L.B.Prout,1930 Range (as code): **ZR**
3108. **Bathycolpodes kabaria (Swinhoe,1904)** (Geometridae) Synonymy: kabaria Swinhoe,1904 Range (as code): **SL**
3109. **Bathycolpodes marginata (W.Warren,1897)** (Geometridae) Synonymy: marginata W.Warren,1897 Range (as code): **SL**
3110. **Bathycolpodes melancheuthes L.B.Prout,1922** (Geometridae) Synonymy: melancheuthes L.B.Prout,1922 Range (as code): **CM Bit**
3111. **Bathycolpodes pectinata Herbulot,1992** (Geometridae) Synonymy: pectinata Herbulot,1992 Range (as code): **CM**
3112. **Bathycolpodes semigrisea (W.Warren,1897)** (Geometridae) Synonymy: semigrisea W.Warren,1897 Range (as code): **ZR**
3113. **Bathycolpodes subfuscata (W.Warren,1902)** (Geometridae) Synonymy: subfuscata W.Warren,1902 Range (as code): **NG ST**
3114. **Bathycolpodes subfuscata subferrata L.B.Prout,1930** (Geometridae) Synonymy: subferrata L.B.Prout,1930 Range (as code): **ST**
3115. **Bathycolpodes torniflorata L.B.Prout,1917** (Geometridae) Synonymy: torniflorata L.B.Prout,1917 Range (as code): **CM Bit**
3116. **Bathycolpodes vegeta L.B.Prout,1912** (Geometridae) Synonymy: vegeta L.B.Prout,1912 Range (as code): **NG**
3117. **Bathycolpodes vuattouxi Herbulot,1972** (Geometridae) Synonymy: vuattouxi Herbulot,1972 Range (as code): **CI**
3118. **Berta persimilis (W.Warren,1897)** (Geometridae) Synonymy: persimilis W.Warren,1897 Range (as code): **NG**
3119. **Biclavigera deterior L.B.Prout,1916** (Geometridae) Synonymy: deterior L.B.Prout,1916 Range (as code): **ZA Ec**
3120. **Biclavigera fontis L.B.Prout,1938** (Geometridae) Synonymy: fontis L.B.Prout,1938 Range (as code): **ZA Ec**
3121. **Biclavigera praecanaria (Herrich-Schäffer,1855)** (Geometridae) Synonymy: praecanaria Herrich-Schäffer,1855; #praeanaria Staude,1997 Range (as code): **ZA Ec**
3122. **Biclavigera rufivena (W.Warren,1911)** (Geometridae) Synonymy: rufivena W.Warren,1911 Range (as code): **ZA Fs**
3123. **Biclavigera uloprora L.B.Prout,1938** (Geometridae) Synonymy: uloprora L.B.Prout,1938 Range (as code): **ZA Nta Kzu**
3124. **Biston abruptarius (Walker,1869)** (Geometridae) Synonymy: abruptarius Walker,169 Range (as code): **ZR KE UG TZ MW Zom CG**
3125. **Biston dargei (Herbulot,1973)** (Geometridae) Synonymy: dargei Herbulot,1973 Range (as code): **CM**

3126. **Biston edwardsi (L.B.Prout,1938)** (Geometridae) Synonymy: edwardsi L.B.Prout,1938 Range (as code): **ZA UG**
3127. **Biston homoclerus (L.B.Prout,1938)** (Geometridae) Synonymy: homoclera L.B.Prout,1938 Range (as code): **TZ**
3128. **Biston johannarius (Oberthür,1913)** (Geometridae) Synonymy: johannaria Oberthür,1913; antecreta L.B.Prout,1938 Range (as code): **CM NG**
3129. **Biston pteronyma (L.B.Prout,1938)** (Geometridae) Synonymy: pteronyma L.B.Prout,1938 Range (as code): **KE**
3130. **Biston subocularius (Mabille,1893)** (Geometridae) Synonymy: subocularius Mabille,1893; analiplaga W.Warren,1897 Range (as code): **NG**
3131. **Blaboplutodes missilorum L.B.Prout,1934** (Geometridae) Synonymy: missilorum L.B.Prout,1934 Range (as code): **RW**
3132. **Blaboplutodes parvistictus Carcasson,1965** (Geometridae) Synonymy: parvistictus Carcasson,1965 Range (as code): **ZA UG**
3133. **Blechroneromia ambinanitelo Viette,1978** (Geometridae) Synonymy: ambinanitelo Viette,1978 Range (as code): **MG**
3134. **Blechroneromia anthosyne L.B.Prout,1925** (Geometridae) Synonymy: anthosyne L.B.Prout,1925 Range (as code): **MG**
3135. **Blechroneromia eluta L.B.Prout,1925** (Geometridae) Synonymy: eluta L.B.Prout,1925 Range (as code): **MG**
3136. **Blechroneromia griveaudi Viette,1976** (Geometridae) Synonymy: griveaudi Viette,1976 Range (as code): **MG**
3137. **Blechroneromia gutierrezi Viette,1971** (Geometridae) Synonymy: gutierrezi Viette,1971 Range (as code): **MG**
3138. **Blechroneromia herbuloti Viette,1976** (Geometridae) Synonymy: herbuloti Viette,1976 Range (as code): **MG**
3139. **Blechroneromia malagasy Viette,1976** (Geometridae) Synonymy: malagasy Viette,1976 Range (as code): **MG**
3140. **Blechroneromia meridionalis Viette,1976** (Geometridae) Synonymy: meridionalis Viette,1976 Range (as code): **MG**
3141. **Blechroneromia mianta L.B.Prout,1925** (Geometridae) Synonymy: mianta L.B.Prout,1925 Range (as code): **MG**
3142. **Blechroneromia pauliani Viette,1976** (Geometridae) Synonymy: pauliani Viette,1976 Range (as code): **MG**
3143. **Blechroneromia perileuca L.B.Prout,1925** (Geometridae) Synonymy: perileuca L.B.Prout,1925 Range (as code): **MG**
3144. **Blechroneromia peyrierasi Viette,1976** (Geometridae) Synonymy: peyrierasi Viette,1976 Range (as code): **MG**
3145. **Blechroneromia pudica Herbulot,1972** (Geometridae) Synonymy: pudica Herbulot,1972 Range (as code): **MG**
3146. **Blechroneromia sogai Viette,1976** (Geometridae) Synonymy: sogai Viette,1976 Range (as code): **MG**
3147. **Blechroneromia toulgoeti Viette,1976** (Geometridae) Synonymy: toulgoeti Viette,1976 Range (as code): **MG**
3148. **Boarmioides colpias (L.B.Prout,1928)** (Geometridae) Synonymy: colpias L.B.Prout,1928; desertaria Lucas,1932 Range (as code): **MA**
3149. **Brachyglossina acidalaria Wagner,1914** (Geometridae) Synonymy: acidalaria Wagner,1914 Range (as code): **TN**
3150. **Brachyglossina culoti Wehrli,1930** (Geometridae) Synonymy: culoti Wehrli,1930; pseudoranaria Zerny,1936 Range (as code): **DZ MA**
3151. **Brachyglossina hassan Herbulot,1974** (Geometridae) Synonymy: hassan Herbulot,1974 Range (as code): **MA**
3152. **Brachyglossina maroccana Wehrli,1930** (Geometridae) Synonymy: maroccana Wehrli,1930 Range (as code): **MA**
3153. **Brachyglossina ochrolutearia (Turati,1934)** (Geometridae) Synonymy: ochrolutearia Turati,1934 Range (as code): **LY Cy**

3154. **Brachyglossina tantalidis Turati,1924** (Geometridae) Synonymy: tantalidis Turati,1924 Range (as code): **LY Cy**
3155. **Brachyglossina tibbuana Herbulot,1965** (Geometridae) Synonymy: tibbuana Herbulot,1965 Range (as code): **TD SA YE Sna**
3156. **Brachyglossina williamsi Wiltshire,1949** (Geometridae) Synonymy: williamsi Wiltshire,1949 Range (as code): **EG**
3157. **Brachytrita cervinaria Swinhoe,1904** (Geometridae) Synonymy: cervinaria Swinhoe,1904 Range (as code): **TZ Dss MG**
3158. **Braueriana fiorino Bryk,1913** (Geometridae) Synonymy: fiorino Bryk,1913 Range (as code): **CG**
3159. **Braueriana karischi Herbulot,1996** (Geometridae) Synonymy: karischi Herbulot,1996 Range (as code): **GO Bio**
3160. **Bupalus michaellarius Rungs,1941** (Geometridae) Synonymy: michaellarius Rungs,1941 Range (as code): **MA**
3161. **Bustilloxia saturata (A.Bang-Haas,1906)** (Geometridae) Synonymy: saturata A.Bang-Haas,1906; crassilineata Zerny,1936 Range (as code): **PT ES Mu DZ Orn MA**
3162. **Buttia noctuodes W.Warren,1904** (Geometridae) Synonymy: noctuodes W.Warren,1904 Range (as code): **ZA**
3163. **Cabera andrica L.B.Prout,1932** (Geometridae) Synonymy: andrica L.B.Prout,1932 Range (as code): **KE**
3164. **Cabera aquaemontana (L.B.Prout,1913)** (Geometridae) Synonymy: aquaemontana L.B.Prout,1913 Range (as code): **ZA Tva Lpo Wb**
3165. **Cabera elatina (L.B.Prout,1913)** (Geometridae) Synonymy: elatina L.B.Prout,1913 Range (as code): **ZA ZAo8 Ksi ZA16 Mpu ZA17 Tva Lpo ZA26 Kzu Nta Ptw**
3166. **Cabera fulgurata Debauche,1938** (Geometridae) Synonymy: fulgurata Debauche,1938 Range (as code): **ZR**
3167. **Cabera glabra (W.Warren,1904)** (Geometridae) Synonymy: glabra W.Warren,1904 Range (as code): **NG**
3168. **Cabera limbata (Herbulot,1954)** (Geometridae) Synonymy: limbata Herbulot,1954 Range (as code): **GN**
3169. **Cabera monacaria Debauche,1938** (Geometridae) Synonymy: monacaria Debauche,1938 Range (as code): **ZR**
3170. **Cabera nathaliae Herbulot,1991** (Geometridae) Synonymy: nathaliae Herbulot,1991 Range (as code): **ST**
3171. **Cabera neodora L.B.Prout,1922** (Geometridae) Synonymy: neodora L.B.Prout,1922 Range (as code): **ZA Ec Pel**
3172. **Cabera nevillei M.Krüger,2000** (Geometridae) Synonymy: nevillei M.Krüger,2000 Range (as code): **ZA**
3173. **Cabera pictilinea (W.Warren,1902)** (Geometridae) Synonymy: pictilinea W.Warren,1902 Range (as code): **KE**
3174. **Cabera pseudognophos (L.B.Prout,1917)** (Geometridae) Synonymy: pseudognophos L.B.Prout,1917 Range (as code): **ZA Ec Cto**
3175. **Cabera sp.** (Geometridae) Synonymy: Range (as code): **ZA Mal Tva Lpo**
3176. **Cabera strigata W.Warren,1897** (Geometridae) Synonymy: strigata W.Warren,1897; crassata W.Warren,1904 Range (as code): **ZA ZAo8 ZA13 Nta Kzu Wnn**
3177. **Cacochloris ochrea (W.Warren,1897)** (Geometridae) Synonymy: ochrea W.Warren,1897 Range (as code): **TZ Dss**
3178. **Cacostegania australis W.Warren,1901** (Geometridae) Synonymy: australis W.Warren,1901; glaucichroa Hampson,1910 Range (as code): **AO ZM**
3179. **Cacostegania confusa W.Warren,1901** (Geometridae) Synonymy: confusa W.Warren,1901; eurycraspis Hampson,1910 Range (as code): **AO ZM**
3180. **Cacostegania obscurata (W.Warren,1905)** (Geometridae) Synonymy: obscurata W.Warren,1905 Range (as code): **ZR**
3181. **Calamodes boursini (Albers & Warnecke,1941)** (Geometridae) Synonymy: boursini Albers & Warnecke,1941 Range (as code): **MA**
3182. **Calamodes occitanaria (Duponchel,1829)** (Geometridae) Synonymy: occitanaria Duponchel,1829; occidanaria Freyer,1837; bejaranaria Fernandez,1931 Range (as code): **DZ Ges TN Gf PT ES Mu FR IT**

3183.Calamodes subscudularia (Turati,1919) (Geometridae) Synonymy: subscudularia Turati,1919 Range (as code): **IT Si LY Cy IL Pa**

3184.Callioratis abraxas R.Felder & Rogenhofer,1874 (Geometridae) Synonymy: abraxas R.Felder & Rogenhofer,1874. Range (as code): **ZA Tva Etm Ktz Nta Kzu Mpu Ec MW**

3185.Callioratis apicisecta L.B.Prout,1915 (Geometridae) Synonymy: apicisecta L.B.Prout,1915 Range (as code): **SD KE**

3186.Callioratis curlei Staude,2001 (Geometridae) Synonymy: curlei Staude,2001 Range (as code): **ZA Ec**

3187.Callioratis mayeri Staude,2001 (Geometridae) Synonymy: mayeri Staude,2001 Range (as code): **ZA Ec**

3188.Callioratis millari Hampson,1905 (Geometridae) Synonymy: millari Hampson,1905. Range (as code): **ZA Etm Kzu Nta**

3189.Camptogramma bilineatum (Linnaeus,1758) (Geometridae) Synonymy: bilineata Linnaeus,1758; brocatella Fourcroy,1785; dumetata Schrank,1802; bilinearia Boisduval,1840; musauria Freyer,1846; testaceolata Staudinger,1871 Range (as code): **MA TN DZ Orn Clo PT ES Mu FR Co Si IT MT IE GB Sc Sht BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR AZ IQ IR Ab Oru Msw Ak Jal Fa Sse Mz Gls Kh DK NO SE FI EE LV LT RU Ur At MD UA Cm BY AZ Kir Cc AM GG KG TM Kp IL Pa LB Bsa 01 02 04 05 06 10 13 14 16 17 18 21 22 23 28 30 31 33 34 35 36 38 39 42 44 45 46 48 52 56 57 59 60 65 72 73 75 80**

3190.Cancellalata fletcheri Viette,1979 (Geometridae) Synonymy: fletcheri Viette,1979 Range (as code): **MG**

3191.Cancellalata subumbrata D.S.Fletcher,1956 (Geometridae) Synonymy: subumbrata D.S.Fletcher,1956 Range (as code): **UG**

3192.Caradrinopsis obscuraria Swinhoe,1904 (Geometridae) Synonymy: obscuraria Swinhoe,1904 Range (as code): **KE**

3193.Cartaletis concolor W.Warren,1905 (Geometridae) Synonymy: concolor W.Warren,1905 Range (as code): **ZA Nta Kzu**

3194.Cartaletis forbesi (Druce,1884) (Geometridae) Synonymy: forbesi Druce,1884; flexilimes W.Warren,1897 Range (as code): **NG NE CM**

3195.Cartaletis gracilis (Möschler,1887) (Geometridae) Synonymy: gracilis Möschler,1887; pallida W.Warren,1894; alba Druce,1896 Range (as code): **GH SL ZR CM Bit**

3196.Cartaletis libyssa (Hopffer,1858) (Geometridae) Synonymy: libyssa Hopffer,1858 Range (as code): **MZ Del KE TZ ZA Tva Etm ZA05 Nta Kzu Dbn ZA14 Mpu Ec Gau Jh UG**

3197.Cartaletis melanopis L.B.Prout,1929 (Geometridae) Synonymy: melanopis L.B.Prout,1929 Range (as code): **RW**

3198.Cartaletis nigricosta L.B.Prout,1916 (Geometridae) Synonymy: nigricosta L.B.Prout,1916 Range (as code): **MW Mje**

3199.Cartaletis sapor (Druce,1910) (Geometridae) Synonymy: sapor Druce,1910 Range (as code): **CM**

3200.Cartaletis tenuimargo L.B.Prout,1916 (Geometridae) Synonymy: tenuimargo L.B.Prout,1916 Range (as code): **CG**

3201.Cartaletis variabilis (Butler,1878) (Geometridae) Synonymy: variabilis Butler,1878; agis Druce,1910; thestis Druce,1910 Range (as code): **AO UG ZR**

3202.Casilda consecraria (Staudinger,1871) (Geometridae) Synonymy: consecraria Staudinger,1871; intermediaria Turati,1930 Range (as code): **MA DZ Onç TN LY Cy ES An Mu FR Sa Si IL Pa Js Tbs Hf CY EG SA IR Fa TM KG Bks Ily Htt UZ**

3203.Casilda lucidaria (Swinhoe,1904) (Geometridae) Synonymy: lucidaria Swinhoe,1904; roseofimbriata Thierry-Mieg,1911. Range (as code): **KE TZ**

3204.Casuariclystis latifascia (Walker,1866) (Geometridae) Synonymy: latifascia Walker,1866; inexplicata Walker,1866; perceptata Walker,1866; nigella Joannis,1906; metallicata Fletcher,1910; scintillata L.B.Prout,1932 Range (as code): **MY Bor MU FJ**

3205.Catarhoe basochesiata (Duponchel,1831) (Geometridae) Synonymy: basochesiata Duponchel,1831; indecora W.Warren,1899; algiricata Lucas,1907 Range (as code): **MA TN DZ PT ES FR Co Sa Si IT MT GR? TR?**

3206.Catarhoe cuculata (Hufnagel,1767) (Geometridae) Synonymy: cuculata Hufnagel,1767; sinuata [Denis & Schiffermüller],1775; sabinata Dannehl,1933 Range (as code): **DZ TN ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag Hkd AM AZ DK NO SE FI EE LV LT RU Ur Sb Ya Am Sh MD UA BY CN Ui Kun Um KK Ik KG UZ MN 13 17 42**

3207.Celidomphax analiplaga (W.Warren,1905) (Geometridae) Synonymy: analiplaga W.Warren,1905 Range (as code): **ZW Swm TZ YE YE30 Sna**

3208.Celidomphax prolongata L.B.Prout,1915 (Geometridae) Synonymy: prolongata L.B.Prout,1915 Range (as code): **SD**

3209. **Celidomphax quadrimacula Janse,1935** (Geometridae) Synonymy: quadrimacula Janse,1935 Range (as code): **ZA Mal ZA17 ZA22 Tva Lpo Nta Kzu Umk**
3210. **Celidomphax rubrimaculata (W.Warren,1905)** (Geometridae) Synonymy: rubrimaculata W.Warren,1905 Range (as code): **ZA Nta Kzu Dbn Nha**
3211. **Centrochria aphthona (L.B.Prout,1934)** (Geometridae) Synonymy: aphthona L.B.Prout,1934 Range (as code): **UG**
3212. **Centrochria deprensa (L.B.Prout,1913)** (Geometridae) Synonymy: deprensa L.B.Prout,1913 Range (as code): **ZA ZA24 NWe Tva Nbs**
3213. **Centrochria unipunctata Gaede,1917** (Geometridae) Synonymy: unipunctata Gaede,1917; metis Fawcett,1918 Range (as code): **KE**
3214. **Cerurographa bistonica (L.B.Prout,1922)** (Geometridae) Synonymy: bistonica L.B.Prout,1922 Range (as code): **ZA ZA26 Nta Kzu**
3215. **Charissa (Cnestrognophos) luticiliata (Christoph,1887)** (Geometridae) Synonymy: luticiliatus Christoph,1887 Range (as code): **IL Pa JO TR IR Mz OM TM Kp EG 65**
3216. **Charissa (Euchrognophos) mucidaria (Hübner,[1799])** (Geometridae) Synonymy: mucidaria Hübner,[1799]; herrichi Oberthür,1913; nubilarius Reisser,1936 Range (as code): **MR DZ Orn PT ES Mu FR Co Sa Si IT MT CH BG GR Cr Cc AM GG TR 23 48 58**
3217. **Charissa (Euchrognophos) variegata (Duponchel,1830)** (Geometridae) Synonymy: variegatus Duponchel,1830; rothschildi L.B.Prout,1929; #subtaurica Wehrli,1932. Range (as code): **MA Mzg PT ES FR Si IT MT CH AT HU RO YU AL BG? GR? Rd? AZ? Nv Cc GG? IQ? RU**
3218. **Chelotephrina acorema M.Krüger,1999** (Geometridae) Synonymy: acorema M.Krüger,1999; acorema M.Krüger,2001 Range (as code): **ZA ZA13 Nta Kzu Ec Tra Nta Kzu Mpu ZW**
3219. **Chelotephrina crypsispila (D.S.Fletcher,1958)** (Geometridae) Synonymy: crypsispila D.S.Fletcher,1958 Range (as code): **KE UG Rz CM**
3220. **Cherbulois banakaria (Plötz,1880)** (Geometridae) Synonymy: banakaria Plötz,1880; tortuosa W.Warren,1897 Range (as code): **CM ZR CG CF UG RW**
3221. **Cherbulois marmorata Hausmann,2003** (Geometridae) Synonymy: marmorata Hausmann,2003 Range (as code): **CM ZR**
3222. **Cheroscelis oospila L.B.Prout,1912** (Geometridae) Synonymy: oospila L.B.Prout,1912 Range (as code): **ZR**
3223. **Chesias isabella Schawerda,1915** (Geometridae) Synonymy: isabella Schawerda,1915 Range (as code): **MA DZ PT ES FR**
3224. **Chesias lecerfi Lucas,1937** (Geometridae) Synonymy: lecerfi Lucas,1937 Range (as code): **MA**
3225. **Chesias plumbeata Staudinger,1901** (Geometridae) Synonymy: plumbeata Staudinger,1901 Range (as code): **MA DZ TN**
3226. **Chesias rufata (Fabricius,1775)** (Geometridae) Synonymy: rufata Fabricius,1775; obliquaria [Denis & Schiffermüller],1775; bombycata Donovan,1806; occidentalis Delahaye,1900; cinereata Staudinger,1901; plumbeata Staudinger,1901; ornata Heydemann,1933; scotica Richardson,1952 Range (as code): **MA DZ PT ES FR Co Sa IT GB Sc BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GR DK SE LT RU MD UA BY 16**
3227. **Chiasmia abnormata (L.B.Prout,1917)** (Geometridae) Synonymy: abnormata L.B.Prout,1917 Range (as code): **ZA Nta Kzu Dbn Kkf Ec Elo Grh Pjo SZ ZW Uma**
3228. **Chiasmia abyssinica M.Krüger,2001** (Geometridae) Synonymy: abyssinica M.Krüger,2001 Range (as code): **ET**
3229. **Chiasmia acutiapex M.Krüger,2001** (Geometridae) Synonymy: acutiapex M.Krüger,2001 Range (as code): **TZ KE Nai**
3230. **Chiasmia adelpha M.Krüger,2001** (Geometridae) Synonymy: adelpha M.Krüger,2001 Range (as code): **CM**
3231. **Chiasmia affinis (W.Warren,1902)** (Geometridae) Synonymy: affinis W.Warren,1902 Range (as code): **UG SD AO GH ZR CM KE**
3232. **Chiasmia alternata (W.Warren,1899)** (Geometridae) Synonymy: alternata W.Warren,1899 Range (as code): **MZ Del ZA Ksi Nta Kzu Dbn**
3233. **Chiasmia amarata (Guenée,[1858])** (Geometridae) Synonymy: amarata Guenée,[1858]; lataria Walker,1861; leighi W.Warren,1904; cataleucaria Mabille,1897. Range (as code): **MZ Del KE TZ ZA ZA07 ZA08 Ksi Nta Kzu Dbn Umk Ec**
3234. **Chiasmia ammodes (L.B.Prout,1922)** (Geometridae) Synonymy: ammodes L.B.Prout,1922 Range (as code): **BW Okw ZM ZW Vf ZM ZR CG MW MZ**
3235. **Chiasmia androphoba M.Krüger,2001** (Geometridae) Synonymy: androphoba M.Krüger,2001 Range (as code): **TZ**

3236.Chiasmia angolae (Bethune-Baker,1913) (Geometridae) Synonymy: angolae Bethune-Baker,1913 Range (as code): **AO CM GH**

3237.Chiasmia anguifera (L.B.Prout,1934) (Geometridae) Synonymy: anguifera L.B.Prout,1934 Range (as code): **UG ZR RW**

3238.Chiasmia arenosa (Butler,1875) (Geometridae) Synonymy: arenosa Butler,1875; sordidata W.Warren,1897; bitaeniata W.Warren,1914. Range (as code): **ZA ZA11 ZA12 Nta Kzu Tva Mpu Brb Wv Ltr Spb Tz Tst Esw Kkf Ec Elo Pjo ZW**

3239.Chiasmia assimilis (W.Warren,1899) (Geometridae) Synonymy: assimilis W.Warren,1899; instructaria Swinhoe,1904. Range (as code): **TZ ZA Tva Ktz Nta Kzu ZA14 ZA16 Mpu Esw Ptw Ec SZ MZ ZW Har TZ Dss ZR CM SO**

3240.Chiasmia ate (L.B.Prout,1926) (Geometridae) Synonymy: ate L.B.Prout,1926 Range (as code): **SD TZ KE ET**

3241.Chiasmia aureobrunnea M.Krüger,2001 (Geometridae) Synonymy: aureobrunnea M.Krüger,2001 Range (as code): **UG**

3242.Chiasmia austera (L.B.Prout,1932) (Geometridae) Synonymy: austera L.B.Prout,1932 Range (as code): **ZR**

3243.Chiasmia banian (Viette,1981) (Geometridae) Synonymy: banian Viette,1981 Range (as code): **MG**

3244.Chiasmia boarmioides M.Krüger,2001 (Geometridae) Synonymy: boarmioides M.Krüger,2001 Range (as code): **ZA Tva Lpo Mgl ZW Har Vf MZ ZM**

3245.Chiasmia bomfordi M.Krüger,2001 (Geometridae) Synonymy: bomfordi M.Krüger,2001 Range (as code): **ZW**

3246.Chiasmia brongusaria (Walker,1860) (Geometridae) Synonymy: brongusaria Walker,1860; ? exsecutaria Walker,1861; incessaria Walker,1861; miliaria R.Felder & Rogenhofer,1874; sabulifera W.Warren,1899; uvidaria Swinhoe,1904; oleochroa Hampson,1909. Range (as code): **ZA ZA08 Ksi ZA12 ZA13 ZA14 Mal Tva Lpo ZA16 Mpu ZA21 ZA24 NWe ZA25 ZA26 Kzu Nta Gau Jh Mgl Rtb Nyl Tst Wy Pot Ltr Inn Nbs Kru Brb Wv Ly Fs Blo Dbn Lds Ptb Tug Ady Ptw Esw Umk Ec Elo Grh Pel Pjo SZ NA BW ZW Har MZ TZ KE Nai UG ET**

3247.Chiasmia brunnescens M.Krüger,2001 (Geometridae) Synonymy: brunnescens M.Krüger,2001 Range (as code): **ZA Ec**

3248.Chiasmia butaria (Swinhoe,1904) (Geometridae) Synonymy: butaria Swinhoe,1904 Range (as code): **TZ KE CF ET RW SO**

3249.Chiasmia calvifrons (L.B.Prout,1916) (Geometridae) Synonymy: calvifrons L.B.Prout,1916 Range (as code): **SO**

3250.Chiasmia cararia (Swinhoe,1904) (Geometridae) Synonymy: cararia Swinhoe,1904 Range (as code): **KE**

3251.Chiasmia castanea M.Krüger,2001 (Geometridae) Synonymy: castanea M.Krüger,2001 Range (as code): **ZA Nca Fs NA**

3252.Chiasmia clathrata (Linnaeus,1758) (Geometridae) Synonymy: clathrata Linnaeus,1758; almacola Wehrli,1934. Range (as code): **MA DZ PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY CN Ui Ju Kun Ii KG Ssn Lps 02 05 06 10 13 14 16 18 21 22 23 30 31 33 34 36 42 46 49 50 56 65 71 75 76 80 81**

3253.Chiasmia confuscata (W.Warren,1899) (Geometridae) Synonymy: confuscata W.Warren,1899; hypoleuca L.B.Prout,1916. Range (as code): **ZA Etm ZA04 ZA08 ZA12 ZA13 ZA14 Mal ZA16 Mpu ZA25 Nta Kzu ZA28 Tva Lpo Rtb Spb Wy Nyl Kru Pil Nel Brb Nha Ec Pjo Buf Ltr Bbg Rie ZA14 Grk Kwy Kkf Ptw Ptb Mgl SZ ZW Vum MZ KE Nai TZ UG**

3254.Chiasmia contaminata (W.Warren,1902) (Geometridae) Synonymy: contaminata W.Warren,1902 Range (as code): **KE Nai ZW Vum Uma MW Zom TZ**

3255.Chiasmia conturbata (W.Warren,1898) (Geometridae) Synonymy: conturbata W.Warren,1898; punctiversa W.Warren,1905 Range (as code): **SL NG CM GH CI CG**

3256.Chiasmia coronoleucas (L.B.Prout,1915) (Geometridae) Synonymy: coronoleucas L.B.Prout,1915 Range (as code): **MG**

3257.Chiasmia costicommata (L.B.Prout,1922) (Geometridae) Synonymy: costicommata L.B.Prout,1922 Range (as code): **KE ZW Har**

3258.Chiasmia costiguttata (W.Warren,1899) (Geometridae) Synonymy: costiguttata W.Warren,1899; triplaga W.Warren,1899; deuteria L.B.Prout,1932 Range (as code): **TZ KE ET Snnp Gm RW**

3259.Chiasmia crassata (W.Warren,1897) (Geometridae) Synonymy: crassata W.Warren,1897; benguellae L.B.Prout,1928 Range (as code): **ZA Tva Spb Pma AO ZM MW TZ RW ZR ZW Har Uma**

3260.Chiasmia crassilembaria (Mabille,1880) (Geometridae) Synonymy: crassilembaria Mabille,1880 Range (as code): **MG**

3261.Chiasmia crumenata (D.S.Fletcher,1963) (Geometridae) Synonymy: crumenata D.S.Fletcher,1963 Range (as code): **CM Bit**

3262.Chiasmia curvifascia (W.Warren,1897) (Geometridae) Synonymy: curvifascia W.Warren,1897; pallidizona Hampson,1910 Range (as code): **ZA Tva Lpo Nbs ZW ZM MZ MW**

3263.Chiasmia curvilineata (W.Warren,1899) (Geometridae) Synonymy: curvilineata W.Warren,1899 Range (as code): **TZ UG Rz KE Nai RW ZR CM**

3264.Chiasmia danmariae M.Krüger,2001 (Geometridae) Synonymy: danmariae M.Krüger,2001 Range (as code): **NG**

3265.Chiasmia deceptrix M.Krüger,2001 (Geometridae) Synonymy: deceptrix M.Krüger,2001 Range (as code): **ZW Har ZA Tva Lpo Bbg Pma Spb Wy Mpu MZ TZ ZM**

3266.Chiasmia deleta M.Krüger,2001 (Geometridae) Synonymy: deleta M.Krüger,2001 Range (as code): **ZW**

3267.Chiasmia dentilineata (W.Warren,1899) (Geometridae) Synonymy: dentilineata W.Warren,1899 Range (as code): **UG ET TZ**

3268.Chiasmia diarmodia (L.B.Prout,1925) (Geometridae) Synonymy: diarmodia L.B.Prout,1925 Range (as code): **ZA Tva Fs Ec NA BW**

3269.Chiasmia dodoma M.Krüger,2001 (Geometridae) Synonymy: dodoma M.Krüger,2001 Range (as code): **TZ**

3270.Chiasmia duplicilinea (W.Warren,1897) (Geometridae) Synonymy: duplicilinea W.Warren,1897 Range (as code): **ZA ZA13 Nta Kzu Wnn Kkf Ec**

3271.Chiasmia evansi M.Krüger,2001 (Geometridae) Synonymy: evansi M.Krüger,2001 Range (as code): **KE**

3272.Chiasmia extrusilinea (L.B.Prout,1925) (Geometridae) Synonymy: extrusilinea L.B.Prout,1925 Range (as code): **ZA ZA26 Kzu Nta Tva Mpu MZ ZM ZW KE UG**

3273.Chiasmia featheri (L.B.Prout,1922) (Geometridae) Synonymy: featheri L.B.Prout,1922 Range (as code): **KE Nai**

3274.Chiasmia feraliata (Guenée,[1858]) (Geometridae) Synonymy: feraliata Guenée,[1858]; elata L.B.Prout,1916. Range (as code): **ZA ZA08 Nta Kzu Mal Tva Lpo Dbn Mpu Ly ZW MZ AO KE Nai TZ UG CM NG LR CG CI**

3275.Chiasmia flavicuneata (Herbulot,1987) (Geometridae) Synonymy: flavicuneata Herbulot,1987 Range (as code): **RW UG**

3276.Chiasmia fontainei (D.S.Fletcher,1963) (Geometridae) Synonymy: fontainei D.S.Fletcher,1963 Range (as code): **CI CM NG TG GH CG UG**

3277.Chiasmia fulvimargo (W.Warren,1899) (Geometridae) Synonymy: fulvimargo W.Warren,1899 Range (as code): **UG KE Nai RW ZR**

3278.Chiasmia fulvisparsa (W.Warren,1897) (Geometridae) Synonymy: fulvisparsa W.Warren,1897; arularia Oberthür,1923 Range (as code): **NG CM Bit TZ UG KE ZR LR CI GH**

3279.Chiasmia furcata (W.Warren,1897) (Geometridae) Synonymy: furcata W.Warren,1897 Range (as code): **ZA ZA21 Tva Lpo Spb Mdk ZA24 NWe Kzu Nta Wnn Gau Jh Pre Mgl Mpu Rtb Bbg Chp Kru Pf Pma Slp Mes Ec BW NA AO MW ZW Vf ZM**

3280.Chiasmia fuscantaria (Möschler,1887) (Geometridae) Synonymy: fuscantaria Möschler,1887; commixta W.Warren,1897 Range (as code): **ZW MZ KE GH RW UG GA ZR CM**

3281.Chiasmia geminilinea (L.B.Prout,1932) (Geometridae) Synonymy: geminilinea L.B.Prout,1932 Range (as code): **KE RW ZW Vum TZ**

3282.Chiasmia getula (Wallengren,1872) (Geometridae) Synonymy: getula Wallengren,1872; fuscorufa L.B.Prout,1915 Range (as code): **MW NA ZW Vum TZ UG KE Nai**

3283.Chiasmia grimmia (Wallengren,1872) (Geometridae) Synonymy: grimmia Wallengren,1872; illineata W.Warren,1901. Range (as code): **AO ZA ZA21 Tva Lpo Spb Slp Mpu Ec NA BW ZW**

3284.Chiasmia grisescens (L.B.Prout,1916) (Geometridae) Synonymy: grisescens L.B.Prout,1916; dolichostigma L.B.Prout,1922. Range (as code): **ZW Vum ZA ZA28 Tva Lpo Gau Pre Mpu Rtb Spb Ltr Inn MZ**

3285.Chiasmia gyliura (L.B.Prout,1932) (Geometridae) Synonymy: gyliura L.B.Prout,1932 Range (as code): **UG Rz RW TZ**

3286.Chiasmia hunyani M.Krüger,2001 (Geometridae) Synonymy: hunyani M.Krüger,2001 Range (as code): **ZW**

3287.Chiasmia imitatrix M.Krüger,2001 (Geometridae) Synonymy: imitatrix M.Krüger,2001 Range (as code): **KE**

3288.Chiasmia improcera (Herbulot,1987) (Geometridae) Synonymy: improcera Herbulot,1987 Range (as code): **CM BF**

3289.Chiasmia inaequilinea (W.Warren,1911) (Geometridae) Synonymy: inaequilinea W.Warren,1911; birecta L.B.Prout,1917. Range (as code): **ZA ZA21 Tva Lpo Spb Slp Fs Blo Ec NA BW**

3290.Chiasmia inconspicua (W.Warren,1897) (Geometridae) Synonymy: inconspicua W.Warren,1897 Range (as code): **ZA Tva ZA16 Mpu ZA24 NWe Lpo Tz Nta Kzu Wnn Gau Pre Mgl Rtb Nbs Wo Bbg Kru Mpu Fs Ptb Lds NA BW AO ZW MZ KE TZ**

3291.Chiasmia infabricata (L.B.Prout,1934) (Geometridae) Synonymy: infabricata L.B.Prout,1934 Range (as code): **MW ZW TZ UG RW KE**

3292.Chiasmia infixaria (Walker,[1863]) (Geometridae) Synonymy: infixaria Walker,[1863]; johnstoni Butler,1894 Range (as code): **ZA ZA05 Nta Kzu Ksi ZA14 Mal Tva Lpo ZA20 Mpu Gau Jh Pre Spb Ent Pot Ly Est Umk Dbn Nha SZ ZW MW ZM TZ KE RW CM**

3293.Chiasmia inouei (Herbulot,1987) (Geometridae) Synonymy: inouei Herbulot,1987 Range (as code): **CM RW TZ**

3294.Chiasmia inquinata M.Krüger,1999 (Geometridae) Synonymy: inquinata M.Krüger,1999; inquinata M.Krüger,2001 Range (as code): **ZA ZA08 Nta Kzu Dbn Tva Lpo Spb Ec ZW Vum MZ CM KE TZ UG**

3295.Chiasmia insulicola M.Krüger,2001 (Geometridae) Synonymy: insulicola M.Krüger,2001 Range (as code): **MG**

3296.Chiasmia interrupta (W.Warren,1897) (Geometridae) Synonymy: interrupta W.Warren,1897. Range (as code): **ZA ZA08 Nta Kzu Wnn Mal Tva Lpo Mpu Nel Brb Wv Rtb Umk Ptb est Ec Pjo SZ ZW Har**

3297.Chiasmia iringa M.Krüger,2001 (Geometridae) Synonymy: iringa M.Krüger,2001 Range (as code): **TZ**

3298.Chiasmia kenyae M.Krüger,2001 (Geometridae) Synonymy: kenyae M.Krüger,2001 Range (as code): **KE Nai TZ**

3299.Chiasmia kilifi M.Krüger,2001 (Geometridae) Synonymy: kilifi M.Krüger,2001 Range (as code): **KE**

3300.Chiasmia kilimanjarensis (Holland,1892) (Geometridae) Synonymy: kilimanjarensis Holland,1892; zombina Butler,1893; mundipennis W.Warren,1901; transvisata W.Warren,1904; #transvisita D.S.Fletcher,1958 Range (as code): **TZ AO MW ZA Tva Lpo Spb Mpu SZ ZW Vum Har ZM NA BW MZ ZR CM BI**

3301.Chiasmia kirbyi (Wallengren,1875) (Geometridae) Synonymy: kirbyi Wallengren,1875; distinguenda W.Warren,1897 Range (as code): **ZA Tva Lpo Gau Pre Mgl Wo Spb Pma Chp Nyl Pot Rtb Brb Wv Ly Fs Dbn Nha Cto Pjo SZ**

3302.Chiasmia latimarginaria (Rebel,1907) (Geometridae) Synonymy: latimarginaria Rebel,1907 Range (as code): **EG Sn IL Pa NE DZ Idl Ah Gtt TD YE Sna**

3303.Chiasmia lindemannae (D.S.Fletcher,1958) (Geometridae) Synonymy: lindemannae D.S.Fletcher,1958 Range (as code): **TZ**

3304.Chiasmia livorosa (Herbulot,1964) (Geometridae) Synonymy: livorosa Herbulot,1964 Range (as code): **MG**

3305.Chiasmia maculosa (W.Warren,1899) (Geometridae) Synonymy: maculosa W.Warren,1899; tattaria Swinhoe,1904 Range (as code): **KE UG CM NG TZ AO ET SD**

3306.Chiasmia majestica (W.Warren,1901) (Geometridae) Synonymy: majestica W.Warren,1901 Range (as code): **ZA AO ZW Vum ZM MZ MW ZR GH SN NG CM**

3307.Chiasmia malgassofusca M.Krüger,2001 (Geometridae) Synonymy: malgassofusca M.Krüger,2001 Range (as code): **MG**

3308.Chiasmia marmorata (W.Warren,1897) (Geometridae) Synonymy: marmorata W.Warren,1897 Range (as code): **ZA Nta Kzu Wnn Tva Gau Pre Rtb Mpu Brb Ly Nyl Spb Ltr Chp Fs Blo Umk Ptb Est Nha Lds Nca NA Okw Abc BW ZW Har AO MZ**

3309.Chiasmia maronga M.Krüger,2001 (Geometridae) Synonymy: maronga M.Krüger,2001 Range (as code): **ZW MZ**

3310.Chiasmia megalesia (Viette,1975) (Geometridae) Synonymy: megalesia Viette,1975 Range (as code): **MG**

3311.Chiasmia melsetter M.Krüger,2001 (Geometridae) Synonymy: melsetter M.Krüger,2001 Range (as code): **ZW**

3312.Chiasmia monopepla (L.B.Prout,1934) (Geometridae) Synonymy: monopepla L.B.Prout,1934 Range (as code): **ZR**

3313.Chiasmia morogoro M.Krüger,2001 (Geometridae) Synonymy: morogoro M.Krüger,2001 Range (as code): **TZ**

3314.Chiasmia multistrigata (W.Warren,1897) (Geometridae) Synonymy: multistrigata W.Warren,1897. Range (as code): **ZA Mal ZA16 Mpu ZA17 ZA21 ZA22 Tva Lpo Gau Jh Pre Pot Nyl Tst Ltr Spb Chp Nbs Wo Rtb Brb Dbn Fs Grh Pjo Esw Lds ZW KE TZ NA BW**

3315.Chiasmia murina M.Krüger,2001 (Geometridae) Synonymy: murina M.Krüger,2001 Range (as code): **ZW Vum**

3316.Chiasmia nana (W.Warren,1898) (Geometridae) Synonymy: nana W.Warren,1898; atriclathrata Hampson,1909 Range (as code): **NG ZW Vum ZM MZ UG KE LR ZR CG CM NG Bit TG CI GH**

3317.Chiasmia natalensis (W.Warren,1904) (Geometridae) Synonymy: natalensis W.Warren,1904 Range (as code): **ZA ZA04 ZA05 ZA25 Kzu Nta Dbn Ptw MW ZW TZ KE Nai**

3318.Chiasmia neolivorosa M.Krüger,2001 (Geometridae) Synonymy: neolivorosa M.Krüger,2001 Range (as code): **MG**

3319.Chiasmia nevilledukei M.Krüger,2001 (Geometridae) Synonymy: nevilledukei M.Krüger,2001 Range (as code): **ZW Vum**

3320.Chiasmia ngami M.Krüger,2001 (Geometridae) Synonymy: ngami M.Krüger,2001 Range (as code): **BW**

3321.Chiasmia nobilitata (L.B.Prout,1913) (Geometridae) Synonymy: nobilitata L.B.Prout,1913 Range (as code): **ZA Tva ZA14 ZA20 Mpu Gau Pre Brb SZ**

3322.Chiasmia normata (Walker,1861) (Geometridae) Synonymy: normata Walker,1861; exfusaria Walker,[1863]; parallelaria Walker,[1863]; desiccata Walker,1866; malefidaria Mabille,1880; congener W.Warren,1897; minoa Strand,1915. Range (as code): **ZA Etm Ktz Ksi Nta Kzu ZA28 Tva Lpo Gau Pre Jh Mpu Pil Nel Tst Kkf Ptb Umk Nha Esw Ec Pjo SZ ZW Har Vum BW MW ZM TZ KE NG CM AU QAu PH Luz ID Ja MG KM CM LK**

3323.Chiasmia nubilata (W.Warren,1897) (Geometridae) Synonymy: nubilata W.Warren,1897. Range (as code): **KE ZA ZA17 ZA22 Tva Lpo Spb Mdk ZW TZ**

3324.Chiasmia obliquilineata (W.Warren,1899) (Geometridae) Synonymy: obliquilineata W.Warren,1899 Range (as code): **KE SO UG RW TZ**

3325.Chiasmia observata (Walker,1861) (Geometridae) Synonymy: observata Walker,1861 Range (as code): **ZA Nta Kzu Fs Ec Blo Grh Elo**

3326.Chiasmia olindaria (Swinhoe,1904) (Geometridae) Synonymy: olindaria Swinhoe,1904 Range (as code): **KE Nai**

3327.Chiasmia orientalis M.Krüger,2001 (Geometridae) Synonymy: orientalis M.Krüger,2001 Range (as code): **ZW Vum MZ MW ZM TZ UG**

3328.Chiasmia orthostates (L.B.Prout,1915) (Geometridae) Synonymy: orthostates L.B.Prout,1915 Range (as code): **MG**

3329.Chiasmia parallacta (W.Warren,1897) (Geometridae) Synonymy: parallacta W.Warren,1897; apicepallens W.Warren,1905; stramineata Bastelberger,1909 Range (as code): **AO TZ MW Zom ZW Har NG ZR ZM**

3330.Chiasmia paucimacula M.Krüger,2001 (Geometridae) Synonymy: paucimacula M.Krüger,2001 Range (as code): **ZW Har Uma ZA Tva Lpo Spb Pma CM MW TZ NG ZM MZ ZR UG**

3331.Chiasmia peremarginata M.Krüger,2001 (Geometridae) Synonymy: peremarginata M.Krüger,2001 Range (as code): **CM CI**

3332.Chiasmia pervittata (Hampson,1909) (Geometridae) Synonymy: pervittata Hampson,1909 Range (as code): **UG TZ RW KE ZR**

3333.Chiasmia phaeostigma (D.S.Fletcher,1958) (Geometridae) Synonymy: phaeostigma D.S.Fletcher,1958 Range (as code): **RW UG Rz**

3334.Chiasmia pinheyi M.Krüger,2001 (Geometridae) Synonymy: pinheyi M.Krüger,2001 Range (as code): **ZW**

3335.Chiasmia plutocrypsis (Herbulot,1987) (Geometridae) Synonymy: plutocrypsis Herbulot,1987 Range (as code): **CM CI LR UG**

3336.Chiasmia procidata (Guenée,[1858]) (Geometridae) Synonymy: procidata Guenée,[1858] Range (as code): **ZA ZA12 Nta Kzu Tva Lpo Gau Jh Pre Nyl Wo Spb Wy Ltr Brb Fs Est Wv Cto Grh Elo NA ZW MW Zom SA ET UG TZ RW KE ZR AO**

3337.Chiasmia puerilis (L.B.Prout,1916) (Geometridae) Synonymy: puerilis L.B.Prout,1916 Range (as code): **SO ET**

3338.Chiasmia punctilinea (L.B.Prout,1917) (Geometridae) Synonymy: punctilinea L.B.Prout,1917 Range (as code): **BW Okw NA ZA Tva Mpu Brb Rtb Gau Pre Fs Blo AO ZW TZ**

3339.Chiasmia rectilinea (W.Warren,1905) (Geometridae) Synonymy: separata W.Warren,1899 (praeocc.); rectilinea W.Warren,1905 Range (as code): **ZA Tva Pf Pma Spb Wy ZA04 ZA05 ZA08 Nta Kzu ZA14 Mpu Ec Pjo ZW MW Vum MZ AO TZ KE Nai UG RW NG CI GO Bio CM MG**

3340. **Chiasmia rectistriaria (Herrich-Schäffer,1854)** (Geometridae) Synonymy: rectistriaria Herrich-Schäffer,1854; monstraria Walker,1861; postvittata Walker,[1863]. Range (as code): **SL ZA ZA05 Ksi ZA25 ZA26 Kzu Nta Tva Gau Jh Ptw Dbn SZ Ec Pjo ZW Har ZM MZ TZ KE RW ET AO ZR NG CM GN GO Bio**

3341. **Chiasmia rhabdophora (Holland,1892)** (Geometridae) Synonymy: rhabdophora Holland,1892; interlineata W.Warren,1904 Range (as code): **AO ZW MW ZM MZ BI KE TZ ZR CF**

3342. **Chiasmia sangueresara M.Krüger,2001** (Geometridae) Synonymy: sangueresara M.Krüger,2001 Range (as code): **CM**

3343. **Chiasmia semialbida (L.B.Prout,1915)** (Geometridae) Synonymy: semialbida L.B.Prout,1915 Range (as code): **KE ET SO**

3344. **Chiasmia semicolor (W.Warren,1899)** (Geometridae) Synonymy: semicolor W.Warren,1899 Range (as code): **UG ZW MW KE**

3345. **Chiasmia semiolivacea M.Krüger,2001** (Geometridae) Synonymy: semiolivacea M.Krüger,2001 Range (as code): **ZW**

3346. **Chiasmia semitecta (Walker,1861)** (Geometridae) Synonymy: semitecta Walker,1861; gnophosata Walker,[1863]) Range (as code): **ZA ZA12 Nta Kzu Ec Grh Cap Cto Fs Blo LS**

3347. **Chiasmia senegambiensis M.Krüger,2001** (Geometridae) Synonymy: senegambiensis M.Krüger,2001 Range (as code): **SN**

3348. **Chiasmia simplex M.Krüger,2001** (Geometridae) Synonymy: simplex M.Krüger,2001 Range (as code): **TZ KE**

3349. **Chiasmia simplicilinea (W.Warren,1905)** (Geometridae) Synonymy: simplicilinea W.Warren,1905. Range (as code): **MG KM ZA ZA04 ZA13 Kzu Nta Dbn Kkf Tva Gau Jh Pre Rie Grk Spb Pil Kwy Brb Mpu Fs Ec Cto Grh Pel Elo LS SZ ZW Vum Har MZ ZM MW TZ UG CI**

3350. **Chiasmia somalica M.Krüger,2001** (Geometridae) Synonymy: somalica M.Krüger,2001 Range (as code): **SO**

3351. **Chiasmia soror M.Krüger,2001** (Geometridae) Synonymy: soror M.Krüger,2001 Range (as code): **KE**

3352. **Chiasmia sororcula (W.Warren,1897)** (Geometridae) Synonymy: sororcula W.Warren,1897; unicolor W.Warren,1905. Range (as code): **ZA Etm ZA04 ZA05 ZA08 ZA25 Kzu Nta Dbn Ec Tva Lpo Spb Mdk Ent Pma ZW Har Vf Uma MW Zom**

3353. **Chiasmia subcretata (W.Warren,1905)** (Geometridae) Synonymy: subcretata W.Warren,1905; nigricans Aurivillius,1925 Range (as code): **UG CM Bit ZR KE TZ**

3354. **Chiasmia subcurvaria (Mabille,1898)** (Geometridae) Synonymy: subcurvaria Mabille,1898 Range (as code): **ZA Ksi ZA16 Mpu ZA21 Tva Lpo ZA25 ZA26 Kzu Nta Spb Mdk Gau Jh Pre Bbg Wy Tst Kru Pma Mpu Nel Brb Wv Ent Dbn Ptw Esw Fs Ec Pjo SZ NA BW ZW Vum Har ZM MW MZ KE TZ UG ZR ET GM SO SA**

3355. **Chiasmia subvaria (Bastelberger,1907)** (Geometridae) Synonymy: subvaria Bastelberger,1907; cretiguttata Bastelberger,1909 Range (as code): **TZ KE Nai RW AO ZW Vum CM CI**

3356. **Chiasmia sudanata (W.Warren & Rothschild,1905)** (Geometridae) Synonymy: sudanata W.Warren & Rothschild,1905 Range (as code): **SD MR TD NE NG SN GM CV DZ CM**

3357. **Chiasmia suriens (Strand,1912)** (Geometridae) Synonymy: suriens Strand,1912 Range (as code): **TZ ZA ZA01 ZA21 Tva Lpo Gau Mgl Pre Pma Kzu Nta BW ZW SZ**

3358. **Chiasmia tecnium (L.B.Prout,1916)** (Geometridae) Synonymy: tecnium L.B.Prout,1916; ignava L.B.Prout,1928 Range (as code): **ZA Tva Ksi ZA16 Mpu ZA24 NWe ZA26 Nta Kzu Gau Pre Mpu Rtb Nyl Spb Nel Fs MZ BW NA ZW MW TZ**

3359. **Chiasmia threnopsis (D.S.Fletcher,1963)** (Geometridae) Synonymy: threnopsis D.S.Fletcher,1963 Range (as code): **SL CI CM Bit GH ZR CG UG KE MZ MW**

3360. **Chiasmia trigonoleuca (Herbulot,1987)** (Geometridae) Synonymy: trigonoleuca Herbulot,1987 Range (as code): **CM Bit CI UG KE GA CG**

3361. **Chiasmia trinotata (W.Warren,1902)** (Geometridae) Synonymy: trinotata W.Warren,1902 Range (as code): **KE Nai TZ UG ET**

3362. **Chiasmia trinotatula M.Krüger,2001** (Geometridae) Synonymy: trinotatula M.Krüger,2001 Range (as code): **ET**

3363. **Chiasmia trirecurva (Saalmüller,1891)** (Geometridae) Synonymy: trirecurva Saalmüller,1891 Range (as code): **MG**

3364. **Chiasmia tristis M.Krüger,2001** (Geometridae) Synonymy: tristis M.Krüger,2001 Range (as code): **ZA Wca Nca NA**

3365. **Chiasmia trizonaria (Hampson,1909)** (Geometridae) Synonymy: trizonaria Hampson,1909; converta L.B.Prout,1913 Range (as code): **UG Rz ZA Ksi Nta Kzu Mal Tva Lpo Gau Pre Rtb Pma Wo Mpu Brb Nel Nca SZ NA Abc BW ZW Har MW KE Nai**

3366.Chiasmia turbulentata (Guenée,[1858]) (Geometridae) Synonymy: turbulentata Guenée,[1858]; exumbrata Walker,[1863]; eritreensis L.B.Prout,1915. Range (as code): **YE YE33 Sna ET ER ZA ZA01 ZA24 NWe ZA28 Tva Lpo Gau Jh Pre Mgl Rtb Pot Mpu Brb Nyl Fs Est Ec Elo Grh Pel Cto Cap NA ZW MW**

3367.Chiasmia umbrata (W.Warren,1897) (Geometridae) Synonymy: umbrata W.Warren,1897; sherrata Swinhoe,1904 Range (as code): **ZR MG ZA Etm Ktz ZA04 Nta Kzu ZA14 Mpu Mal Tva Lpo Tst Ltr Spb Hgl Pil Ly Brb Nel Umk Dbn Ec Pjo SZ MZ TZ SN NG UG ZM**

3368.Chiasmia umbratilis (Butler,1875) (Geometridae) Synonymy: umbratilis Butler,1875; arhoparia Swinhoe,1904; berengaria Fawcett,1916; novaria Fawcett,1916 Range (as code): **KE ZA Nta Kzu Tva Lpo Pf Dbn Ec Pjo SZ NA Abc MZ TZ KE ET**

3369.Chiasmia unifilata (W.Warren,1899) (Geometridae) Synonymy: unifilata W.Warren,1899 Range (as code): **UG ET SD NG ZR ZW Har TZ ZM CM**

3370.Chiasmia uniformis M.Krüger,2001 (Geometridae) Synonymy: uniformis M.Krüger,2001 Range (as code): **ZA**

3371.Chiasmia unigeminata (L.B.Prout,1923) (Geometridae) Synonymy: unigeminata L.B.Prout,1923 Range (as code): **CM Bit ZR GN UG**

3372.Chiasmia vau (L.B.Prout,1913) (Geometridae) Synonymy: vau L.B.Prout,1913 Range (as code): **ZA Tva Spb Lpo**

3373.Chiasmia warreni (L.B.Prout,1915) (Geometridae) Synonymy: warreni L.B.Prout,1915 Range (as code): **KE TZ**

3374.Chiasmia zelota (L.B.Prout,1922) (Geometridae) Synonymy: zelota L.B.Prout,1922 Range (as code): **KE SD TZ**

3375.Chiasmia zobrysi M.Krüger,2001 (Geometridae) Synonymy: zobrysi M.Krüger,2001 Range (as code): **NA**

3376.Chionopora tarachodes L.B.Prout,1922 (Geometridae) Synonymy: tarachodes L.B.Prout,1922 Range (as code): **ZA ZA07 ZA08 Ksi Kzu Nta**

3377.Chlorerythra rubriplaga W.Warren,1895 (Geometridae) Synonymy: rubriplaga W.Warren,1895 Range (as code): **ZA KE TZ MR EG Sn YE**

3378.Chlorissa afflictaria (Swinhoe,1904) (Geometridae) Synonymy: afflictaria Swinhoe,1904 Range (as code): **SL**

3379.Chlorissa albistrigulata (W.Warren,1897) (Geometridae) Synonymy: albistrigulata W.Warren,1897 Range (as code): **ZA**

3380.Chlorissa allochroma L.B.Prout,1920 (Geometridae) Synonymy: allochroma L.B.Prout,1920 Range (as code): **CI**

3381.Chlorissa annobonica Herbulot,1958 (Geometridae) Synonymy: annobonica Herbulot,1958 Range (as code): **GO**

3382.Chlorissa apographa L.B.Prout,1930 (Geometridae) Synonymy: apographa L.B.Prout,1930 Range (as code): **KE**

3383.Chlorissa articulicornis (L.B.Prout,1916) (Geometridae) Synonymy: articulicornis L.B.Prout,1916 Range (as code): **ZA ZA14 Tva Mpu Brb ZA18 Ec ZA25 Kzu Nta Esw Wm Hfo ZW UG KE AO**

3384.Chlorissa attenuata (Walker,[1863]) (Geometridae) Synonymy: attenuata Walker,[1863]; reductata Walker,1866 Range (as code): **ZA ZA16 Mpu ZA17 Tva Lpo Ec Esw Ver Nta Kzu Gau Pre SL NG CM ZR KE**

3385.Chlorissa dialeuca L.B.Prout,1930 (Geometridae) Synonymy: dialeuca L.B.Prout,1930 Range (as code): **KE**

3386.Chlorissa dorsicristata (W.Warren,1905) (Geometridae) Synonymy: dorsicristata W.Warren,1905 Range (as code): **ZA Etm ZA06 ZA13 Kzu Nta Dbn Srn Umk KE TZ**

3387.Chlorissa inornata L.B.Prout,1930 (Geometridae) Synonymy: inornata L.B.Prout,1930 Range (as code): **ZA Tva Lpo Nta Kzu Dbn Ptb**

3388.Chlorissa malescripta (W.Warren,1897) (Geometridae) Synonymy: malescripta W.Warren,1897 Range (as code): **ZA ZA06 Kzu Nta Wnn ZA17 Tva Lpo**

3389.Chlorissa ruficristata (L.B.Prout,1916) (Geometridae) Synonymy: ruficristata L.B.Prout,1916 Range (as code): **ZA Gau Tva Pre Nta Kzu Dbn**

3390.Chlorissa tanyptera L.B.Prout,1930 (Geometridae) Synonymy: tanyptera L.B.Prout,1930 Range (as code): **ST**

3391.Chlorissa unilinea (W.Warren,1897) (Geometridae) Synonymy: unilinea W.Warren,1897 Range (as code): **ZA Tva ZA12 Kzu Nta Wnn ZA16 Mpu**

3392.Chloroclysta siterata (Hufnagel,1767) (Geometridae) Synonymy: siterata Hufnagel,1767; psittacata [Denis & Schiffermüller],1775; rubroviridata Donovan,1810; psittacaria Boisduval,1840 Range (as code): **MA PT ES**

FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE FI EE LV LT RU Ur MD UA Cm BY 14 33 46 56 65 75

3393.Chlorocoma clopia L.B.Prout,1922 (Geometridae) Synonymy: clopia L.B.Prout,1922 Range (as code): **ZA ZA07 ZA26 Kzu Nta Tva Gau Pre Mpu Brb Tst Nkw Tug**

3394.Chlorocoma didita (Walker,1861) (Geometridae) Synonymy: didita Walker,1861; chloe Thierry-Mieg,1915 Range (as code): **ZA Wca Ste Pel Ec Nta Kzu Dmm**

3395.Chlorocoma dilatata (Walker,1861) (Geometridae) Synonymy: dilatata Walker,1861 Range (as code): **ZA**

3396.Chlorocoma eucela L.B.Prout,1922 (Geometridae) Synonymy: eucela L.B.Prout,1922 Range (as code): **ZA ZA12 Nta Kzu ZA14 Tva Lpo Spb Bbg ZA20 Mpu Gau Pre**

3397.Chloroctenis conspersa W.Warren,1909 (Geometridae) Synonymy: conspersa W.Warren,1909 Range (as code): **ZA Etm Nta Kzu**

3398.Chlorosterrha dichroma (R.Felder & Rogenhofer,1875) (Geometridae) Synonymy: dichroma R.Felder & Rogenhofer,1875; albaniensis L.B.Prout,1912 Range (as code): **ZA Wca Plt Cto**

3399.Chlorosterrha monochroma L.B.Prout,1912 (Geometridae) Synonymy: monochroma L.B.Prout,1912 Range (as code): **ZA Fs Blo Wca Cto**

3400.Chorodna ugandaria (Swinhoe,1904) (Geometridae) Synonymy: ugandaria Swinhoe,1904 Range (as code): **UG Etb**

3401.Chorodnodes rothi W.Warren,1897 (Geometridae) Synonymy: rothi W.Warren,1897 Range (as code): **NG**

3402.Chrysocraspeda abdominalis Herbulot,1984 (Geometridae) Synonymy: abdominalis Herbulot,1984 Range (as code): **CG**

3403.Chrysocraspeda ambolosy (Viette,1978) (Geometridae) Synonymy: ambolosy Viette,1978 Range (as code): **MG**

3404.Chrysocraspeda ambrensis (Viette,1970) (Geometridae) Synonymy: ambrensis Viette,1970 Range (as code): **MG**

3405.Chrysocraspeda anala (Viette,1970) (Geometridae) Synonymy: anala Viette,1970 Range (as code): **MG**

3406.Chrysocraspeda anamale (Viette,1970) (Geometridae) Synonymy: anamale Viette,1970 Range (as code): **MG**

3407.Chrysocraspeda angulosa (Herbulot,1970) (Geometridae) Synonymy: angulosa Herbulot,1970 Range (as code): **MG**

3408.Chrysocraspeda apseogramma (L.B.Prout,1932) (Geometridae) Synonymy: apseogramma L.B.Prout,1932 Range (as code): **ZW**

3409.Chrysocraspeda aurantibasis (Herbulot,1970) (Geometridae) Synonymy: aurantibasis Herbulot,1970 Range (as code): **MG**

3410.Chrysocraspeda dargei (Herbulot,1978) (Geometridae) Synonymy: dargei Herbulot,1978 Range (as code): **RW**

3411.Chrysocraspeda dollmani (L.B.Prout,1932) (Geometridae) Synonymy: dollmani L.B.Prout,1932 Range (as code): **ZW**

3412.Chrysocraspeda dubiefi (Viette,1978) (Geometridae) Synonymy: dubiefi Viette,1978 Range (as code): **MG**

3413.Chrysocraspeda dujardini (Viette,1972) (Geometridae) Synonymy: dujardini Viette,1972 Range (as code): **MG**

3414.Chrysocraspeda eclipsis (L.B.Prout,1932) (Geometridae) Synonymy: eclipsis L.B.Prout,1932 Range (as code): **MG**

3415.Chrysocraspeda erythraria (Mabille,1893) (Geometridae) Synonymy: erythraria Mabille,1893; rosacea Pagenstecher,1907 Range (as code): **MG KM**

3416.Chrysocraspeda gnamptoloma (L.B.Prout,1925) (Geometridae) Synonymy: gnamptoloma L.B.Prout,1925 Range (as code): **MG**

3417.Chrysocraspeda herbuloti (Viette,1970) (Geometridae) Synonymy: herbuloti Viette,1970 Range (as code): **MG**

3418.Chrysocraspeda heringi L.B.Prout,1932 (Geometridae) Synonymy: heringi L.B.Prout,1932 Range (as code): **CM**

3419.Chrysocraspeda hiaraka (Viette,1978) (Geometridae) Synonymy: hiaraka Viette,1978 Range (as code): **MG**

3420. **Chrysocraspeda hilaris (W.Warren,1898)** (Geometridae) Synonymy: hilaris W.Warren,1898 Range (as code): **NG**
3421. **Chrysocraspeda hyalotypa (L.B.Prout,1932)** (Geometridae) Synonymy: hyalotypa L.B.Prout,1932 Range (as code): **RW**
3422. **Chrysocraspeda jabaina (Viette,1978)** (Geometridae) Synonymy: jabaina Viette,1978 Range (as code): **MG**
3423. **Chrysocraspeda kenricki (L.B.Prout,1925)** (Geometridae) Synonymy: kenricki L.B.Prout,1925 Range (as code): **MG**
3424. **Chrysocraspeda lakato (Viette,1978)** (Geometridae) Synonymy: lakato Viette,1978 Range (as code): **MG**
3425. **Chrysocraspeda leighata W.Warren,1904** (Geometridae) Synonymy: leighata W.Warren,1904; #dehonorata L.B.Prout,1913 Range (as code): **ZA Ktz Kzu Nta Dbn**
3426. **Chrysocraspeda madecassa (Viette,1972)** (Geometridae) Synonymy: madecassa Viette,1972 Range (as code): **MG**
3427. **Chrysocraspeda moramanga (Viette,1978)** (Geometridae) Synonymy: moramanga Viette,1978 Range (as code): **MG**
3428. **Chrysocraspeda nasuta (L.B.Prout,1934)** (Geometridae) Synonymy: nasuta L.B.Prout,1934 Range (as code): **MG**
3429. **Chrysocraspeda neurina (L.B.Prout,1934)** (Geometridae) Synonymy: neurina L.B.Prout,1934 Range (as code): **MG**
3430. **Chrysocraspeda nigribasalis W.Warren,1909** (Geometridae) Synonymy: nigribasalis W.Warren,1909 Range (as code): **ZA Nta Kzu Dbn**
3431. **Chrysocraspeda niobe (Viette,1970)** (Geometridae) Synonymy: niobe Viette,1970 Range (as code): **MG**
3432. **Chrysocraspeda ophthalmica (Viette,1983)** (Geometridae) Synonymy: ophthalmica Viette,1983 Range (as code): **MG**
3433. **Chrysocraspeda orana (Viette,1978)** (Geometridae) Synonymy: orana Viette,1978 Range (as code): **MG**
3434. **Chrysocraspeda orthogramma (L.B.Prout,1925)** (Geometridae) Synonymy: orthogramma L.B.Prout,1925 Range (as code): **MG**
3435. **Chrysocraspeda peristoecha (L.B.Prout,1925)** (Geometridae) Synonymy: peristoecha L.B.Prout,1925 Range (as code): **MG**
3436. **Chrysocraspeda rosina W.Warren,1898** (Geometridae) Synonymy: rosina W.Warren,1898 Range (as code): **NG GN**
3437. **Chrysocraspeda rubripennis (W.Warren,1898)** (Geometridae) Synonymy: rubripennis W.Warren,1898; sanguinolenta W.Warren,1898 Range (as code): **CG NG**
3438. **Chrysocraspeda saturniina (Viette,1972)** (Geometridae) Synonymy: saturniina Viette,1972 Range (as code): **MG**
3439. **Chrysocraspeda silvatica (Viette,1970)** (Geometridae) Synonymy: silvatica Viette,1970 Range (as code): **MG**
3440. **Chrysocraspeda sogai (Viette,1970)** (Geometridae) Synonymy: sogai Viette,1970 Range (as code): **MG**
3441. **Chrysocraspeda sparsipuncta (Viette,1970)** (Geometridae) Synonymy: sparsipuncta Viette,1970 Range (as code): **MG**
3442. **Chrysocraspeda subdefinita (Viette,1970)** (Geometridae) Synonymy: subdefinita Viette,1970 Range (as code): **MG**
3443. **Chrysocraspeda subminiosa (L.B.Prout,1932)** (Geometridae) Synonymy: subminiosa L.B.Prout,1932 Range (as code): **ZW ZA**
3444. **Chrysocraspeda tantale (Viette,1970)** (Geometridae) Synonymy: tantale Viette,1970 Range (as code): **MG**
3445. **Chrysocraspeda vadoni (Viette,1972)** (Geometridae) Synonymy: vadoni Viette,1972 Range (as code): **MG**
3446. **Chrysocraspeda vitrata (Herbulot,1965)** (Geometridae) Synonymy: vitrata Herbulot,1965 Range (as code): **MG**
3447. **Chrysocraspeda vola (Viette,1970)** (Geometridae) Synonymy: vola Viette,1970 Range (as code): **MG**

3448.Chrysocraspeda volutisignata (L.B.Prout,1925) (Geometridae) Synonymy: volutisignata L.B.Prout,1925 Range (as code): **MG**

3449.Chrysocraspeda zaphleges (L.B.Prout,1925) (Geometridae) Synonymy: zaphleges L.B.Prout,1925 Range (as code): **MG**

3450.Chrysocraspeda zearia Swinhoe,1904 (Geometridae) Synonymy: zearia Swinhoe,1904 Range (as code): **MG**

3451.Chrysocraspeda zombensis (L.B.Prout,1932) (Geometridae) Synonymy: zombensis L.B.Prout,1932 Range (as code): **ZA MW Zom**

3452.Cleora acaciaria (Boisduval,1833) (Geometridae) Synonymy: acaciaria Boisduval,1833; aequivoca L.B.Prout,1929; acutiorata D.S.Fletcher,1953; acuata D.S.Fletcher,1953; acerata D.S.Fletcher,1967; aculeata D.S.Fletcher,1967; acacicola Holloway,1979 Range (as code): **KM RE NC AO CM NG ZR GH MG ST AE**

3453.Cleora anacantha D.S.Fletcher,1967 (Geometridae) Synonymy: anacantha D.S.Fletcher,1967 Range (as code): **ZR**

3454.Cleora angustivalvis (Herbulot,1965) (Geometridae) Synonymy: angustivalvis Herbulot,1965 Range (as code): **KM**

3455.Cleora atriclava L.B.Prout,1926 (Geometridae) Synonymy: atriclava L.B.Prout,1926 Range (as code): **MG**

3456.Cleora betularia (W.Warren,1897) (Geometridae) Synonymy: betularia W.Warren,1897; funesta W.Warren,1905. Range (as code): **ZA ZA12 ZA14 ZA20 Tva Lpo Spb Bbg Nta Kzu Dbn Mpu MW ZW Ca**

3457.Cleora bicornis D.S.Fletcher,1967 (Geometridae) Synonymy: bicornis D.S.Fletcher,1967 Range (as code): **CI NG ZR**

3458.Cleora boetschi (Herbulot,1961) (Geometridae) Synonymy: boetschi Herbulot,1961 Range (as code): **CM GN GH NG ZR UG**

3459.Cleora cancer D.S.Fletcher,1967 (Geometridae) Synonymy: cancer D.S.Fletcher,1967 Range (as code): **ET KE BI MW ZA Tva**

3460.Cleora carcassoni D.S.Fletcher,1967 (Geometridae) Synonymy: carcassoni D.S.Fletcher,1967 Range (as code): **KE UG**

3461.Cleora dactylata D.S.Fletcher,1967 (Geometridae) Synonymy: dactylata D.S.Fletcher,1967 Range (as code): **ZR UG**

3462.Cleora dargei (Herbulot,1961) (Geometridae) Synonymy: dargei Herbulot,1961 Range (as code): **SL CI GH NG CM GM AO ZR UG**

3463.Cleora derogaria (Snellen,1872) (Geometridae) Synonymy: derogaria Snellen,1872; obsitaria Mabille,1890; subspurcata W.Warren,1898 Range (as code): **GM SL CI NG AO ZR**

3464.Cleora echinodes D.S.Fletcher,1967 (Geometridae) Synonymy: echinodes D.S.Fletcher,1967 Range (as code): **GO Bio UG CM ZR MW ZA**

3465.Cleora epiclithra D.S.Fletcher,1967 (Geometridae) Synonymy: epiclithra D.S.Fletcher,1967 Range (as code): **ZR**

3466.Cleora flavivenata D.S.Fletcher,1967 (Geometridae) Synonymy: flavivenata D.S.Fletcher,1967 Range (as code): **ZA Ec**

3467.Cleora herbuloti (D.S.Fletcher,1958) (Geometridae) Synonymy: herbuloti D.S.Fletcher,1958 Range (as code): **GO Bio AO CM NG ZR UG KE TZ MW ZW ZA ZA06 Nta Kzu ZA14 Mpu Mal Bbg Tva Lpo Spb Tva Ca Ent**

3468.Cleora lacrymata D.S.Fletcher,1967 (Geometridae) Synonymy: lacrymata D.S.Fletcher,1967 Range (as code): **CI GH NG CM CF ZR KE**

3469.Cleora lamottei (Herbulot,1954) (Geometridae) Synonymy: lamottei Herbulot,1954 Range (as code): **SL GN GH NG CM GM ZR ST**

3470.Cleora legrasi (Herbulot,1955) (Geometridae) Synonymy: legrasi Herbulot,1955 Range (as code): **MG**

3471.Cleora lima D.S.Fletcher,1967 (Geometridae) Synonymy: lima D.S.Fletcher,1967 Range (as code): **ZR BI**

3472.Cleora macracantha (Herbulot,1959) (Geometridae) Synonymy: macracantha Herbulot,1959 Range (as code): **MG**

3473.Cleora melanochorda (D.S.Fletcher,1958) (Geometridae) Synonymy: melanochorda D.S.Fletcher,1958 Range (as code): **UG KE**

3474.Cleora munda (W.Warren,1899) (Geometridae) Synonymy: munda W.Warren,1899 Range (as code): **ZA Etm Ktz ZA05 ZA06 ZA07 ZA08 ZA14 Mpu Mal Tva Lpo ZA25 ZA27 Kzu Tva Nta Spb TZ KE MW ZW**

3475.Cleora nigrisparsalis (Janse,1932) (Geometridae) Synonymy: nigrisparsalis Janse,1932 Range (as code): **ZA Etm Kzu ZA14 Mpu Mal Tva Lpo Nta Tva Spb MZ MW ZM ZW TZ KE BI ZR AO**

3476.Cleora oculata D.S.Fletcher,1967 (Geometridae) Synonymy: oculata D.S.Fletcher,1967 Range (as code): **NG CM AO ZR UG**
3477.Cleora oligodranes (L.B.Prout,1922) (Geometridae) Synonymy: oligodranes L.B.Prout,1922 Range (as code): **ZA Fs Wca**
3478.Cleora panarista D.S.Fletcher,1967 (Geometridae) Synonymy: panarista D.S.Fletcher,1967 Range (as code): **ZR ZW TZ MW ZA**
3479.Cleora papillifer L.B.Prout,1934 (Geometridae) Synonymy: papillifer L.B.Prout,1934 Range (as code): **ZR**
3480.Cleora pavlitzkiae (D.S.Fletcher,1958) (Geometridae) Synonymy: pavlitzkiae D.S.Fletcher,1958 Range (as code): **ZA ZW MW TZ KE ET UG BI RW ZR CM**
3481.Cleora plax D.S.Fletcher,1967 (Geometridae) Synonymy: plax D.S.Fletcher,1967 Range (as code): **ZR UG**
3482.Cleora prosema L.B.Prout,1927 (Geometridae) Synonymy: prosema L.B.Prout,1927 Range (as code): **ST**
3483.Cleora quadrimaculata (Janse,1932) (Geometridae) Synonymy: quadrimaculata Janse,1932 Range (as code): **ZA ZA04 ZA07 Ksi Kzu Nta MG**
3484.Cleora radula D.S.Fletcher,1967 (Geometridae) Synonymy: radula D.S.Fletcher,1967 Range (as code): **GN GH NG GO Bio CM GM AO ZR UG KE**
3485.Cleora raphis D.S.Fletcher,1967 (Geometridae) Synonymy: raphis D.S.Fletcher,1967 Range (as code): **ZR**
3486.Cleora rostella D.S.Fletcher,1967 (Geometridae) Synonymy: rostella D.S.Fletcher,1967 Range (as code): **ZW MW TZ UG SD ZR BI AO**
3487.Cleora rothkirchi (Strand,1914) (Geometridae) Synonymy: rothkirchi Strand,1914 Range (as code): **CI GH NG CM AO ZR RW BI UG KE TZ MZ ZW Sk KM MG ZA Ktz ZA04 ZA06 ZA07 ZA08 Ksi Kzu Nta**
3488.Cleora scobina D.S.Fletcher,1967 (Geometridae) Synonymy: scobina D.S.Fletcher,1967 Range (as code): **UG BI ZR CI**
3489.Cleora serena D.S.Fletcher,1967 (Geometridae) Synonymy: serena D.S.Fletcher,1967 Range (as code): **AO**
3490.Cleora subcincta (W.Warren,1901) (Geometridae) Synonymy: subcincta W.Warren,1901 Range (as code): **ST AO CM ZR UG KE TZ**
3491.Cleora tamsi D.S.Fletcher,1967 (Geometridae) Synonymy: tamsi D.S.Fletcher,1967 Range (as code): **ST**
3492.Cleora thyris D.S.Fletcher,1967 (Geometridae) Synonymy: thyris D.S.Fletcher,1967 Range (as code): **ET KE ZR TZ MW**
3493.Cleora tora L.B.Prout,1926 (Geometridae) Synonymy: tora L.B.Prout,1926 Range (as code): **MG**
3494.Cleora toulgoetae (Herbulot,1961) (Geometridae) Synonymy: toulgoetae Herbulot,1961 Range (as code): **GN SL CI GH NG GO Bio CM GM AO ZR BI**
3495.Cleora transversaria (Pagenstecher,1907) (Geometridae) Synonymy: transversaria Pagenstecher,1907 Range (as code): **KM**
3496.Cleora tulbaghata (R.Felder & Rogenhofer,1875) (Geometridae) Synonymy: tulbaghata R.Felder & Rogenhofer,1875; #flavipeta W.Warren,1904; #fumata W.Warren,1904. Range (as code): **ZA ZA04 ZA06 ZA08 Ksi ZA14 ZA16 Mpu ZA18 Ec ZA25 ZA26 Kzu KE ZM MZ Tva Nta**
3497.Cleora viettei (Herbulot,1958) (Geometridae) Synonymy: viettei Herbulot,1958 Range (as code): **ST**
3498.Cleta ramosaria (De Villers,1789) (Geometridae) Synonymy: ramosaria De Villers,1789; vittaria Hübner,[1813] Range (as code): **MA DZ Bsk PT ES**
3499.Cleta transiens L.B.Prout,1913 (Geometridae) Synonymy: transiens L.B.Prout,1913 Range (as code): **DZ TN**
3500.Coenina aurivena Butler,1898 (Geometridae) Synonymy: aurivena Butler,1898; cervina W.Warren,1899 Range (as code): **ZR KE TZ GH**
3501.Coenina collenettei L.B.Prout,1931 (Geometridae) Synonymy: collenettei L.B.Prout,1931 Range (as code): **SO SA YE Hd YE33 Sna TZ OM IR PK Swa Kkar**
3502.Coenina dentataria Swinhoe,1904 (Geometridae) Synonymy: dentataria Swinhoe,1904; aegyptiaca Rebel,1906 Range (as code): **ML EG ZA ZA17 Tva Lpo ET IL Pa SA As YE Sna YE30 YE33**
3503.Coenina poecilaria (Herrich-Schäffer,[1854]) (Geometridae) Synonymy: poecilaria Herrich-Schäffer,[1854] Range (as code): **ZA Ksi Nta Kzu Dbn BW MW MZ ZM ZW**
3504.Coenina tergimacula L.B.Prout,1916 (Geometridae) Synonymy: tergimacula L.B.Prout,1916 Range (as code): **SO**

3505. **Coenocalpe millierata (Staudinger,1901)** (Geometridae) Synonymy: millierata Staudinger,1901; zerhounaria Oberthür,1921 Range (as code): **MA ES FR GR MT BG TR 01 07**

3506. **Coenotephria ablutaria (Boisduval,1840)** (Geometridae) Synonymy: ablutaria Boisduval,1840; probaria Herrich-Schäffer,1852; ruficinctaria Guenée,[1858]; ochrearia Staudinger,1901 Range (as code): **FR IT Co Sa Si SS HV B-H YU GR BG RO UA CY Rd Cr EG Sn IL Pa Car Js TR IR Kd Fa IQ Brs Dia Cc GG Bjo AM 01 05 16 17 27 29 30 31 33 34 35 36 42 46 48 56 65**

3507. **Collesis fleximargo (W.Warren,1909)** (Geometridae) Synonymy: fleximargo W.Warren,1909 Range (as code): **AO**

3508. **Collesis mimica W.Warren,1897** (Geometridae) Synonymy: mimica W.Warren,1897 Range (as code): **ZM ZA ZA11 ZA12 Kzu Nta ZW Uma Har MZ KE**

3509. **Collix biokoensis Herbulot,1999** (Geometridae) Synonymy: biokoensis Herbulot,1999 Range (as code): **GO Bio**

3510. **Collix foraminata Guenée,[1858]** (Geometridae) Synonymy: foraminata Guenée,[1858] Range (as code): **KM MG CM KE TZ UG ZA Tva ZA04 Nta Kzu ZA14 ZA18 Ec ZA20 Mpu**

3511. **Collix inaequata Guenée,1862** (Geometridae) Synonymy: inaequata Guenée,1862 Range (as code): **RE**

3512. **Collix muscosata D.S.Fletcher,1956** (Geometridae) Synonymy: muscosata D.S.Fletcher,1956 Range (as code): **UG**

3513. **Colocleora abdicata Herbulot,1975** (Geometridae) Synonymy: abdicata Herbulot,1975 Range (as code): **RW**

3514. **Colocleora albicurvata (Bastelberger,1909)** (Geometridae) Synonymy: albicurvata Bastelberger,1909 Range (as code): **ZR**

3515. **Colocleora anisoscia L.B.Prout,1938** (Geometridae) Synonymy: anisoscia L.B.Prout,1938 Range (as code): **ZR**

3516. **Colocleora ankoleensis Carcasson,1965** (Geometridae) Synonymy: ankoleensis Carcasson,1965 Range (as code): **UG**

3517. **Colocleora ansorgei (W.Warren,1901)** (Geometridae) Synonymy: ansorgei W.Warren,1901 Range (as code): **ZR ST**

3518. **Colocleora bellula L.B.Prout,1938** (Geometridae) Synonymy: bellula L.B.Prout,1938 Range (as code): **ZR**

3519. **Colocleora bergeri Herbulot,1975** (Geometridae) Synonymy: bergeri Herbulot,1975 Range (as code): **CM**

3520. **Colocleora bilobata Herbulot,1975** (Geometridae) Synonymy: bilobata Herbulot,1975 Range (as code): **CM**

3521. **Colocleora binoti Herbulot,1983** (Geometridae) Synonymy: binoti Herbulot,1983 Range (as code): **CG**

3522. **Colocleora bipannosa L.B.Prout,1938** (Geometridae) Synonymy: bipannosa L.B.Prout,1938 Range (as code): **MW**

3523. **Colocleora burgeoni L.B.Prout,1934** (Geometridae) Synonymy: burgeoni L.B.Prout,1934 Range (as code): **ZR**

3524. **Colocleora cellularis Herbulot,1973** (Geometridae) Synonymy: cellularis Herbulot,1973 Range (as code): **CM**

3525. **Colocleora clarivenata (L.B.Prout,1918)** (Geometridae) Synonymy: clarivenata L.B.Prout,1918 Range (as code): **ZR**

3526. **Colocleora collenettei L.B.Prout,1938** (Geometridae) Synonymy: collenettei L.B.Prout,1938 Range (as code): **GN**

3527. **Colocleora derennei Herbulot,1975** (Geometridae) Synonymy: derennei Herbulot,1975 Range (as code): **CM**

3528. **Colocleora dichroma Herbulot,1987** (Geometridae) Synonymy: dichroma Herbulot,1987 Range (as code): **CM**

3529. **Colocleora divisaria (Walker,1860)** (Geometridae) Synonymy: divisaria Walker,1860; acutangula W.Warren,1905; acygonia Hampson,1910 Range (as code): **ZA ZA01 Tva Lpo Etm Ktz ZA04 ZA05 ZA06 ZA14 Mpu Brb Mal ZA18 Ec ZA25 Kzu Nta Dbn ZW AO GH NG**

3530. **Colocleora ducleri Herbulot,1983** (Geometridae) Synonymy: ducleri Herbulot,1983 Range (as code): **CG**

3531. **Colocleora expansa (W.Warren,1899)** (Geometridae) Synonymy: expansa W.Warren,1899 Range (as code): **NG KE**

3532. **Colocleora faceta (L.B.Prout,1934)** (Geometridae) Synonymy: faceta L.B.Prout,1934 Range (as code): **ZA ZA14 Mpu Mal Nta Kzu Tva Lpo Spb Bbg**
3533. **Colocleora grisea Janse,1932** (Geometridae) Synonymy: grisea Janse,1932 Range (as code): **ZW ZA**
3534. **Colocleora hegemonica (L.B.Prout,1932)** (Geometridae) Synonymy: hegemonica L.B.Prout,1932 Range (as code): **UG Rz**
3535. **Colocleora herbuloti Viette,1973** (Geometridae) Synonymy: herbuloti Viette,1973 Range (as code): **MG**
3536. **Colocleora inaequivalis Herbulot,1987** (Geometridae) Synonymy: inaequivalis Herbulot,1987 Range (as code): **CG**
3537. **Colocleora ingloriosa Herbulot,1987** (Geometridae) Synonymy: ingloriosa Herbulot,1987 Range (as code): **CM**
3538. **Colocleora lambillioni Herbulot,1975** (Geometridae) Synonymy: lambillioni Herbulot,1975 Range (as code): **RW**
3539. **Colocleora leucostephana L.B.Prout,1938** (Geometridae) Synonymy: leucostephana L.B.Prout,1938 Range (as code): **GH**
3540. **Colocleora linearis Herbulot,1985** (Geometridae) Synonymy: linearis Herbulot,1985 Range (as code): **CG**
3541. **Colocleora malvina Herbulot,1982** (Geometridae) Synonymy: malvina Herbulot,1982 Range (as code): **CM**
3542. **Colocleora melancheima L.B.Prout,1938** (Geometridae) Synonymy: melancheima L.B.Prout,1938 Range (as code): **CI**
3543. **Colocleora monogrammaria (Mabille,1890)** (Geometridae) Synonymy: monogrammaria Mabille,1890 Range (as code): **TZ**
3544. **Colocleora poliophasma D.S.Fletcher,1958** (Geometridae) Synonymy: poliophasma D.S.Fletcher,1958 Range (as code): **UG Rz**
3545. **Colocleora polyphanes L.B.Prout,1938** (Geometridae) Synonymy: polyphanes L.B.Prout,1938 Range (as code): **RW**
3546. **Colocleora polysemna L.B.Prout,1938** (Geometridae) Synonymy: polysemna L.B.Prout,1938 Range (as code): **ZR**
3547. **Colocleora potaenia (L.B.Prout,1915)** (Geometridae) Synonymy: potaenia L.B.Prout,1915 Range (as code): **CM Bit**
3548. **Colocleora prona L.B.Prout,1938** (Geometridae) Synonymy: prona L.B.Prout,1938 Range (as code): **ZR**
3549. **Colocleora proximaria (Walker,1860)** (Geometridae) Synonymy: proximaria Walker,1860; sexorbata L.B.Prout,1913; approximaria Pinhey,1975 Range (as code): **ET KE Mb MZ ZA ZA07 ZA08 Ksi ZA14 Mal ZA16 Mpu ZA17 ZA25 Kzu Nta ZA28 Tva Lpo TZ ZM ZW**
3550. **Colocleora proximaria albescens (L.B.Prout,1915)** (Geometridae) Synonymy: albescens L.B.Prout,1915 Range (as code): **ET KE Mb**
3551. **Colocleora ramosa Herbulot,1973** (Geometridae) Synonymy: ramosa Herbulot,1973 Range (as code): **CM**
3552. **Colocleora sciabola L.B.Prout,1938** (Geometridae) Synonymy: sciabola L.B.Prout,1938 Range (as code): **RW**
3553. **Colocleora simulatrix (W.Warren,1899)** (Geometridae) Synonymy: simulatrix W.Warren,1899; remotata W.Warren,1901; ochriplaga L.B.Prout,1916 Range (as code): **UG Rz CF KE ZA**
3554. **Colocleora smithi (W.Warren,1904)** (Geometridae) Synonymy: smithi W.Warren,1904 Range (as code): **ZR**
3555. **Colocleora splendens Herbulot,1954** (Geometridae) Synonymy: splendens Herbulot,1954 Range (as code): **GN**
3556. **Colocleora spuria (L.B.Prout,1915)** (Geometridae) Synonymy: spuria L.B.Prout,1915 Range (as code): **NG**
3557. **Colocleora suffumosa L.B.Prout,1938** (Geometridae) Synonymy: suffumosa L.B.Prout,1938 Range (as code): **AO ZM**
3558. **Colocleora turlini Herbulot,1982** (Geometridae) Synonymy: turlini Herbulot,1982 Range (as code): **RW**
3559. **Colocleora umbrata L.B.Prout,1938** (Geometridae) Synonymy: umbrata L.B.Prout,1938 Range (as code): **MG**

3560. **Colostygia sericeata (Schwingenschuss,1926)** (Geometridae) Synonymy: sericeata Schwingenschuss,1926 Range (as code): **IT B-H SS YU GR DZ Blid Ges Lbs TN**
3561. **Colotois pennaria (Linnaeus,1761)** (Geometridae) Synonymy: pennaria Linnaeus,1761; cerasi Fabricius,1775; bifidaria Haworth,1809 Range (as code): **DZ Ges MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Bjo DK NO SE FI EE LV LT RU Us MD UA BY CY 01 05 06 12 13 22 23 33 34 39 52 56 65 75**
3562. **Comibaena barnsi L.B.Prout,1930** (Geometridae) Synonymy: barnsi L.B.Prout,1930 Range (as code): **ZR ZA ZA05 Nta Kzu**
3563. **Comibaena biviaria Hamspon,1909** (Geometridae) Synonymy: biviaria Hamspon,1909 Range (as code): **UG Rz**
3564. **Comibaena coryphata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: coryphata R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA21 Tva Lpo ZA25 Nta Kzu**
3565. **Comibaena esmeralda (W.Warren,1898)** (Geometridae) Synonymy: esmeralda W.Warren,1898 Range (as code): **GH CM SL KE NG GO Bio GA**
3566. **Comibaena flavitaenia (W.Warren,1898)** (Geometridae) Synonymy: flavitaenia W.Warren,1898 Range (as code): **NG**
3567. **Comibaena hemictenes L.B.Pprout,1917** (Geometridae) Synonymy: hemictenes L.B.Pprout,1917 Range (as code): **CI**
3568. **Comibaena leucospilata (Walker,[1863])** (Geometridae) Synonymy: leucospilata Walker,[1863]; coryphata R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA04 Ksi Mal ZA17 ZA21 Tva Lpo ZA25 ZA26 Nta Kzu Gau Rie Kkf Umk Brb Pre Mpu ZW ZM TZ**
3569. **Comibaena longipennis (W.Warren,1894)** (Geometridae) Synonymy: longipennis W.Warren,1894 Range (as code): **NE**
3570. **Comibaena rhodolopha L.B.Prout,1915** (Geometridae) Synonymy: rhodolopha L.B.Prout,1915 Range (as code): **ZA Mal Tva Lpo ZW**
3571. **Comibaena rufitornus (L.B.Prout,1916)** (Geometridae) Synonymy: rufitornus L.B.Prout,1916 Range (as code): **KE Nai CV UG YE YE30**
3572. **Comibaena theodori Hausmann & Parisi,2014** (Geometridae) Synonymy: theodori Hausmann & Parisi,2014 Range (as code): **ET Kfa Sw Sdm Gm ET29 Hrr**
3573. **Comostolopsis apicata (W.Warren,1898)** (Geometridae) Synonymy: apicata W.Warren,1898; fuscipuncta W.Warren,1899 Range (as code): **ZA ZA04 Nta Kzu Mal Tva Lpo Wca Cto**
3574. **Comostolopsis atricosta Herbulot,1992** (Geometridae) Synonymy: atricosta Herbulot,1992 Range (as code): **MW Zom**
3575. **Comostolopsis capensis (W.Warren,1899)** (Geometridae) Synonymy: capensis W.Warren,1899 Range (as code): **ZA ZA12 Nta Kzu ZA14 Mpu Mal ZA28 Tva Lpo Spb Bbg Wca Cto Kkf Est**
3576. **Comostolopsis coerulea W.Warren,1902** (Geometridae) Synonymy: coerulea W.Warren,1902 Range (as code): **KE**
3577. **Comostolopsis convalescens Herbulot,1981** (Geometridae) Synonymy: convalescens Herbulot,1981 Range (as code): **KM**
3578. **Comostolopsis fluorita L.B.Prout,1927** (Geometridae) Synonymy: fluorita L.B.Prout,1927 Range (as code): **ST**
3579. **Comostolopsis germana L.B.Prout,1916** (Geometridae) Synonymy: germana L.B.Prout,1916 Range (as code): **ZA Ksi Nta Kzu ZA18 Ec Pel Umk Srn Dbn**
3580. **Comostolopsis glos D.S.Fletcher,1978** (Geometridae) Synonymy: glos D.S.Fletcher,1978 Range (as code): **TZ**
3581. **Comostolopsis intensa L.B.Prout,1915** (Geometridae) Synonymy: intensa L.B.Prout,1915 Range (as code): **KM**
3582. **Comostolopsis leuconeura L.B.Prout,1930** (Geometridae) Synonymy: leuconeura L.B.Prout,1930 Range (as code): **RE**
3583. **Comostolopsis rubristicta (W.Warren,1899)** (Geometridae) Synonymy: rubristicta W.Warren,1899 Range (as code): **UG ZA**
3584. **Comostolopsis rufocellata (Mabille,1900)** (Geometridae) Synonymy: rufocellata Mabille,1900 Range (as code): **MG**
3585. **Comostolopsis rufostellata (Mabille,1900)** (Geometridae) Synonymy: rufostellata Mabille,1900 Range (as code): **MG**
3586. **Comostolopsis simplex W.Warren,1902** (Geometridae) Synonymy: simplex W.Warren,1902 Range (as code): **KE UG Rz ZR TZ**

3587. **Comostolopsis stillata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: stillata R.Felder & Rogenhofer,1875; phylarcha L.B.Prout,1920 Range (as code): **ZA ZA04 Nta Kzu ZA14 ZA16 Mpu ZA17 Tva Lpo Wca Cto Umk Dbn Srn Brb Tst Wv Gau Pre Mdp Nyl ZW Bul ST MG CI CM SC Ald YE Sna**
3588. **Comostolopsis subsimplex L.B.Prout,1913** (Geometridae) Synonymy: subsimplex L.B.Prout,1913 Range (as code): **MG**
3589. **Comostolopsis tmematica L.B.Prout,1934** (Geometridae) Synonymy: tmematica L.B.Prout,1934 Range (as code): **UG Bga**
3590. **Comostolopsis viridellaria (Mabille,1898)** (Geometridae) Synonymy: viridellaria Mabille,1898 Range (as code): **MU**
3591. **Conchylia actena L.B.Prout,1917** (Geometridae) Synonymy: actena L.B.Prout,1917 Range (as code): **ZA Ec**
3592. **Conchylia albata Janse,1934** (Geometridae) Synonymy: albata Janse,1934 Range (as code): **ZA**
3593. **Conchylia alternata (W.Warren,1901)** (Geometridae) Synonymy: alternata W.Warren,1901; argenteofasciata Weymer,1908 Range (as code): **AO**
3594. **Conchylia canescens (L.B.Prout,1925)** (Geometridae) Synonymy: canescens L.B.Prout,1925 Range (as code): **ZA NA**
3595. **Conchylia decorata (W.Warren,1911)** (Geometridae) Synonymy: decorata W.Warren,1911 Range (as code): **ZA Fs Sfe**
3596. **Conchylia ditissimaria Guenée,[1858]** (Geometridae) Synonymy: ditissimaria Guenée,[1858] Range (as code): **ZA ZA27 Kzu Nta**
3597. **Conchylia frosinaria (Stoll,[1790])** (Geometridae) Synonymy: frosinaria Stoll,[1790] Range (as code): **ZA Cto Ec**
3598. **Conchylia gamma L.B.Prout,1915** (Geometridae) Synonymy: gamma L.B.Prout,1915 Range (as code): **ZA Cto Ec**
3599. **Conchylia irene L.B.Prout,1915** (Geometridae) Synonymy: irene L.B.Prout,1915 Range (as code): **ZA**
3600. **Conchylia lamellata L.B.Prout,1917** (Geometridae) Synonymy: lamellata L.B.Prout,1917 Range (as code): **ZA Pel**
3601. **Conchylia lapsicolumna L.B.Prout,1916** (Geometridae) Synonymy: lapsicolumna L.B.Prout,1916 Range (as code): **ZA Spb Wv Tva Lpo**
3602. **Conchylia nitidula (Stoll,[1782])** (Geometridae) Synonymy: nitidula Stoll,[1782]; nitidularia Guenée,[1858]; lamellata L.B.Prout,1917 Range (as code): **ZA Cto Ec**
3603. **Conchylia nymphula Janse,1934** (Geometridae) Synonymy: nymphula Janse,1934 Range (as code): **ZW Bul**
3604. **Conchylia pactolaria Wallengren,1872** (Geometridae) Synonymy: pactolaria Wallengren,1872 Range (as code): **ZA ZA17 Tva Lpo Ec**
3605. **Conchylia rhabdocampa L.B.Prout,1935** (Geometridae) Synonymy: rhabdocampa L.B.Prout,1935 Range (as code): **ZA Ec**
3606. **Conchylia sesquifascia (L.B.Prout,1913)** (Geometridae) Synonymy: sesquifascia L.B.Prout,1913; #sequifascia Vari,1958 Range (as code): **ZA Tva Gau Pre**
3607. **Conchyliodes distelitis L.B.Prout,1930** (Geometridae) Synonymy: distelitis L.B.Prout,1930 Range (as code): **BW ZA ZA21 ZA22 Tva Lpo Spb Slp ZW Bul**
3608. **Conolophia aemula (W.Warren,1894)** (Geometridae) Synonymy: aemula W.Warren,1894 Range (as code): **ZA Ksi ZA25 Kzu Nta Tva Gau Jh Pre**
3609. **Conolophia conscitaria (Walker,1861)** (Geometridae) Synonymy: conscitaria Walker,1861; smilodontaria Snellen,1872; maculata Bastelberger,1908; rubrifusa Bastelberger,1909 Range (as code): **MG AO TZ CG ZA Mal ZA17 Tva Lpo Gau Jh Pre Dbn Nta Kzu Tst Mpu ZW Vf YE YE30 YE33 Hd**
3610. **Conolophia oreades Herbulot,1989** (Geometridae) Synonymy: oreades Herbulot,1989 Range (as code): **RW**
3611. **Conolophia persimilis (W.Warren,1905)** (Geometridae) Synonymy: persimilis W.Warren,1905 Range (as code): **KE**
3612. **Conolophia pungeleri Bastelberger,1907** (Geometridae) Synonymy: pungeleri Bastelberger,1907 Range (as code): **MG**
3613. **Conolophia rectistrigaria (Rebel,1914)** (Geometridae) Synonymy: rectistrigaria Rebel,1914; melanothrix L.B.Prout,1915 Range (as code): **ZR UG**
3614. **Crocallis (s.str.) dardoinaria Donzel,1840** (Geometridae) Synonymy: dardoinaria Donzel,1840; aglossaria Boisduval,1840 Range (as code): **DZ Ges TN Dhm PT ES Mu FR Co Sa Si**
3615. **Crocota ricaria Geyer,[1837]** (Geometridae) Synonymy: ricaria Geyer,[1837] Range (as code): **ZA**

3616.Ctenaulis acutivalvis Herbulot,1954 (Geometridae) Synonymy: acutivalvis Herbulot,1954 Range (as code): **GN Nim**

3617.Ctenaulis albirupta W.Warren,1902 (Geometridae) Synonymy: albirupta W.Warren,1902 Range (as code): **KE**

3618.Ctenaulis peracuta Herbulot,1988 (Geometridae) Synonymy: peracuta Herbulot,1988 Range (as code): **CM**

3619.Ctenoberta abanga L.B.Prout,1915 (Geometridae) Synonymy: abanga L.B.Prout,1915 Range (as code): **GA**

3620.Ctenoberta dubia (W.Warren,1899) (Geometridae) Synonymy: dubia W.Warren,1899 Range (as code): **NG Wrr**

3621.Cyclophora ? sublunata (Swinhoe,1904) (Geometridae) Synonymy: sublunata Swinhoe,1904 Range (as code): **ZA ZA07 Ksi Kzu Nta**

3622.Cyclophora inaequalis (W.Warren,1902) (Geometridae) Synonymy: inaequalis W.Warren,1902 Range (as code): **SL ZM MG**

3623.Cyclophora inaequalis W.Warren,1902 (Geometridae) Synonymy: inaequalis W.Warren,1902 Range (as code): **ZA Mal Tva Lpo**

3624.Cyclophora lennigiaria (Fuchs,1883) (Geometridae) Synonymy: lennigiaria Fuchs,1883 Range (as code): **MA DE FR ES MA PT**

3625.Cyclophora puppillaria (Hübner,[1799]) (Geometridae) Synonymy: puppillaria Hübner,[1799]; nolaria Hübner,1809; gyrata Hübner,[1813]; gyraria Treitschke,1827; mirtalis Costa,1834; calaritana Turati,1911; asiaeminoris Amsel,1935; granti L.B.Prout,1935 Range (as code): **MA DZ Ges TN Az PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT SK HU RO YU AL BG GR Cr Rd TR Cc GG Aj Akh DK SE RU MD UA BY IR Fa IL Pa Hf Car LB Bsa 01 06 07 14 16 17 31 33 34 42 45 46 48 52 58 65 72 80 81**

3626.Cyclophora suppunctaria (Zeller,1847) (Geometridae) Synonymy: suppunctaria Zeller,1847; amabilis Schawerda,1922; grisea Schawerda,1938 Range (as code): **TN ES FR Co Sa Si IT CH AT PL SK HU RO YU AL BG GR Cr TR UA Cm IR Fa Lo SA SA63 14 23 30 33 42 56 71**

3627.Cyclophora unocula (W.Warren,1897) (Geometridae) Synonymy: unocula W.Warren,1897 Range (as code): **ZA ZA07 Ksi ZA18 Ec ZA25 Kzu Nta TZ**

3628.Darisodes cuneata Herbulot,1972 (Geometridae) Synonymy: cuneata Herbulot,1972 Range (as code): **MG**

3629.Darisodes oritropha (D.S.Fletcher,1958) (Geometridae) Synonymy: oritropha D.S.Fletcher,1958 Range (as code): **UG Rz ZR**

3630.Darisodes orygaria (Guenée,1862) (Geometridae) Synonymy: orygaria Guenée,1862 Range (as code): **RE KM MU**

3631.Dasymacaria ansorgei W.Warren,1901 (Geometridae) Synonymy: ansorgei W.Warren,1901 Range (as code): **ZR Bni**

3632.Dasymacaria plebeia Carcasson,1964 (Geometridae) Synonymy: plebeia Carcasson,1964 Range (as code): **UG Kmp**

3633.Debos purpureofusa L.B.Prout,1916 (Geometridae) Synonymy: purpureofusa L.B.Prout,1916 Range (as code): **MZ**

3634.Derambila alucitaria (Snellen,1873) (Geometridae) Synonymy: alucitaria Snellen,1873 Range (as code): **ST**

3635.Derambila costipunctata W.Warren,1905 (Geometridae) Synonymy: costipunctata W.Warren,1905 Range (as code): **SL**

3636.Derambila delostigma L.B.Prout,1915 (Geometridae) Synonymy: delostigma L.B.Prout,1915 Range (as code): **MW**

3637.Derambila hyperphyles (L.B.Prout,1911) (Geometridae) Synonymy: hyperphyles L.B.Prout,1911 Range (as code): **MW**

3638.Derambila iridoptera (L.B.Prout,1913) (Geometridae) Synonymy: iridoptera L.B.Prout,1913 Range (as code): **KE**

3639.Derambila jacksoni L.B.Prout,1915 (Geometridae) Synonymy: jacksoni L.B.Prout,1915 Range (as code): **KE Nai**

3640.Derambila macritibia L.B.Prout,1929 (Geometridae) Synonymy: macritibia L.B.Prout,1929 Range (as code): **ST GO Bio**

3641.Derambila marginepunctata Bastelberger,1909 (Geometridae) Synonymy: marginepunctata Bastelberger,1909 Range (as code): **AO**

3642.Derambila niphosphaeras (L.B.Prout,1934) (Geometridae) Synonymy: niphosphaeras L.B.Prout,1934 Range (as code): **TZ**

3643. **Derambila sjostedti Aurivillius,1910** (Geometridae) Synonymy: sjostedti Aurivillius,1910 Range (as code): **TZ**
3644. **Derambila syllaria (Swinhoe,1904)** (Geometridae) Synonymy: syllaria Swinhoe,1904 Range (as code): **SL**
3645. **Derambila synecdema L.B.Prout,1910** (Geometridae) Synonymy: synecdema L.B.Prout,1910 Range (as code): **CM Bit MW**
3646. **Derambila thearia (Swinhoe,1904)** (Geometridae) Synonymy: thearia Swinhoe,1904 Range (as code): **CM AO**
3647. **Derrioides cnephaeogramma L.B.Prout,1938** (Geometridae) Synonymy: cnephaeogramma L.B.Prout,1938 Range (as code): **ZA Cap Cto Ec**
3648. **Derrioides hypenissa Butler,1875** (Geometridae) Synonymy: hypenissa Butler,1875 Range (as code): **ZA Nta Kzu**
3649. **Derrioides rufaria (W.Warren,1909)** (Geometridae) Synonymy: rufaria W.Warren,1909 Range (as code): **AO**
3650. **Derrioides villaria (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: villaria R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva ZA14 Mpu**
3651. **Dichroma equestralis Duncan [& Westwood],1841** (Geometridae) Synonymy: equestralis Duncan [& Westwood],1841; equestrinaria Guenée,[1858] Range (as code): **ZA Tva ZA18 Ec ZA20 Mpu Wca Cto**
3652. **Digrammia jordanaria (Staudinger,1901)** (Geometridae) Synonymy: jordanaria Staudinger,1901 Range (as code): **IL Pa EG Sn Js SA**
3653. **Dioptrochasma ablegata Herbulot,1996** (Geometridae) Synonymy: ablegata Herbulot,1996 Range (as code): **GO Bio**
3654. **Dioptrochasma aino Bryk,1913** (Geometridae) Synonymy: aino Bryk,1913 Range (as code): **CM Lld**
3655. **Dioptrochasma calderae Herbulot,1996** (Geometridae) Synonymy: calderae Herbulot,1996 Range (as code): **GO Bio**
3656. **Dioptrochasma homochroa (Holland,1893)** (Geometridae) Synonymy: homochroa Holland,1893; sphingata Karsch,1895 Range (as code): **CM GA Ogo**
3657. **Dioptrochasma mercyi Herbulot,1956** (Geometridae) Synonymy: mercyi Herbulot,1956 Range (as code): **CG**
3658. **Dioptrochasma specularia (Holland,1893)** (Geometridae) Synonymy: specularia Holland,1893 Range (as code): **GA Ogo**
3659. **Disclisioprocta natalata (Walker,1862)** (Geometridae) Synonymy: natalata Walker,1862; constellata W.Warren,1897; polyacmaria Mabille,1897; rubritincta Hampson,1899; vorax Strand,1910 Range (as code): **ZA Tva ZA08 Ksi ZA13 Nta Kzu ZA16 Mpu Ec ZW MU Sk YE MG**
3660. **Discomiosis anfractilinea L.B.Prout,1915** (Geometridae) Synonymy: anfractilinea L.B.Prout,1915 Range (as code): **KE Nai**
3661. **Discomiosis arciocentra L.B.Prout,1922** (Geometridae) Synonymy: arciocentra L.B.Prout,1922 Range (as code): **ZA Etm ZA04 ZA12 Kzu Nta Wca Cto ZW**
3662. **Discomiosis crescentifera (W.Warren,1902)** (Geometridae) Synonymy: crescentifera W.Warren,1902 Range (as code): **ZA ZA17 Tva Lpo**
3663. **Discomiosis protrusifrons (L.B.Prout,1916)** (Geometridae) Synonymy: protrusifrons L.B.Prout,1916 Range (as code): **SO YE Sna**
3664. **Discomiosis synnephes L.B.Prout,1915** (Geometridae) Synonymy: synnephes L.B.Prout,1915 Range (as code): **KE**
3665. **Dithecodes brunneifrons (Hampson,1909)** (Geometridae) Synonymy: brunneifrons Hampson,1909 Range (as code): **UG Rz**
3666. **Dithecodes delicata (W.Warren,1899)** (Geometridae) Synonymy: delicata W.Warren,1899 Range (as code): **UG**
3667. **Dithecodes ornithospila (L.B.Prout,1911)** (Geometridae) Synonymy: ornithospila L.B.Prout,1911 Range (as code): **CM Bit**
3668. **Dolosis illacerata L.B.Prout,1912** (Geometridae) Synonymy: illacerata L.B.Prout,1912 Range (as code): **ZA Etm ZA05 ZA12 Kzu Nta Dbn**
3669. **Dorsifulcrum acutum Herbulot,1979** (Geometridae) Synonymy: acutum Herbulot,1979 Range (as code): **CM**
3670. **Dorsifulcrum albescens Herbulot,1979** (Geometridae) Synonymy: albescens Herbulot,1979 Range (as code): **CM**

3671. **Dorsifulcrum bicolor Herbulot,1979** (Geometridae) Synonymy: bicolor Herbulot,1979 Range (as code): **CM**
3672. **Dorsifulcrum canui Herbulot,1998** (Geometridae) Synonymy: canui Herbulot,1998 Range (as code): **GO Bio**
3673. **Dorsifulcrum cephalotes (Walker,1869)** (Geometridae) Synonymy: cephalotes Walker,1869; zebrina W.Warren,1902; chapinaria Holland,1920 Range (as code): **ZR CG**
3674. **Dorsifulcrum excavatum Herbulot,1979** (Geometridae) Synonymy: excavatum Herbulot,1979 Range (as code): **CM**
3675. **Dorsifulcrum fuscum Herbulot,1979** (Geometridae) Synonymy: fuscum Herbulot,1979 Range (as code): **CM**
3676. **Dorsifulcrum latum Herbulot,1979** (Geometridae) Synonymy: latum Herbulot,1979 Range (as code): **CM**
3677. **Dorsifulcrum meloui Herbulot,1979** (Geometridae) Synonymy: meloui Herbulot,1979 Range (as code): **CI**
3678. **Dorsifulcrum mus Herbulot,1979** (Geometridae) Synonymy: mus Herbulot,1979 Range (as code): **CM**
3679. **Dorsifulcrum pinheyi Herbulot,1979** (Geometridae) Synonymy: pinheyi Herbulot,1979 Range (as code): **ZM**
3680. **Dorsifulcrum reductum Herbulot,1979** (Geometridae) Synonymy: reductum Herbulot,1979 Range (as code): **CF**
3681. **Dorsifulcrum reflexum Herbulot,1979** (Geometridae) Synonymy: reflexum Herbulot,1979 Range (as code): **UG**
3682. **Dorsifulcrum rotundum Herbulot,1979** (Geometridae) Synonymy: rotundum Herbulot,1979 Range (as code): **CM**
3683. **Dorsifulcrum xeron Herbulot,1979** (Geometridae) Synonymy: xeron Herbulot,1979 Range (as code): **ZA ZR RW**
3684. **Drepanogynis admiranda (W.Warren,1905)** (Geometridae) Synonymy: admiranda W.Warren,1905 Range (as code): **ZA ZA12 Nta Kzu Tva Lpo Mal Ent Spb Ltr Hae**
3685. **Drepanogynis agrypna (L.B.Prout,1938)** (Geometridae) Synonymy: agrypna L.B.Prout,1938 Range (as code): **ZA**
3686. **Drepanogynis albiflua M.Krüger,2002** (Geometridae) Synonymy: albiflua M.Krüger,2002 Range (as code): **ZA**
3687. **Drepanogynis albilinea M.Krüger,2002** (Geometridae) Synonymy: albilinea M.Krüger,2002 Range (as code): **ZA**
3688. **Drepanogynis albiordine L.B.Prout,1938** (Geometridae) Synonymy: albiordine L.B.Prout,1938 Range (as code): **ZA**
3689. **Drepanogynis algoaria (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: algoaria R.Felder & Rogenhofer,1875; alicata R.Felder & Rogenhofer,1875 Range (as code): **ZA**
3690. **Drepanogynis amydrogramma M.Krüger,2002** (Geometridae) Synonymy: amydrogramma M.Krüger,2002 Range (as code): **ZA**
3691. **Drepanogynis angulilinea M.Krüger,2002** (Geometridae) Synonymy: angulilinea M.Krüger,2002 Range (as code): **ZA**
3692. **Drepanogynis angustifascia M.Krüger,2002** (Geometridae) Synonymy: angustifascia M.Krüger,2002 Range (as code): **ZA**
3693. **Drepanogynis angustimargo M.Krüger,2002** (Geometridae) Synonymy: angustimargo M.Krüger,2002 Range (as code): **ZA**
3694. **Drepanogynis antennaria (Guenée,[1858]** (Geometridae) Synonymy: antennaria Guenée,[1858]; imbellata Walker,1863; vilisaria Walker,1863 Range (as code): **ZA**
3695. **Drepanogynis anthracinata M.Krüger,2002** (Geometridae) Synonymy: anthracinata M.Krüger,2002 Range (as code): **ZA**
3696. **Drepanogynis arcuatilinea M.Krüger,2002** (Geometridae) Synonymy: arcuatilinea M.Krüger,2002 Range (as code): **ZA**
3697. **Drepanogynis arcuifera L.B.Prout,1934** (Geometridae) Synonymy: arcuifera L.B.Prout,1934 Range (as code): **ZA Tva ZA12 Kzu Nta ZA14 Mpu Lpo Spb Ltr Wo**
3698. **Drepanogynis argentinitens M.Krüger,2002** (Geometridae) Synonymy: argentinitens M.Krüger,2002 Range (as code): **ZA**

3699. **Drepanogynis aspitatifax M.Krüger,2002** (Geometridae) Synonymy: aspitatifax M.Krüger,2002 Range (as code): **ZA**
3700. **Drepanogynis aspitatoides M.Krüger,2002** (Geometridae) Synonymy: aspitatoides M.Krüger,2002 Range (as code): **ZA**
3701. **Drepanogynis athroopsegma M.Krüger,2002** (Geometridae) Synonymy: athroopsegma M.Krüger,2002 Range (as code): **ZA**
3702. **Drepanogynis aurifera M.Krüger,2002** (Geometridae) Synonymy: aurifera M.Krüger,2002 Range (as code): **ZA Tva Lpo Spb Ent Mal**
3703. **Drepanogynis auriferoides M.Krüger,2002** (Geometridae) Synonymy: auriferoides M.Krüger,2002 Range (as code): **ZA**
3704. **Drepanogynis aurifex M.Krüger,2002** (Geometridae) Synonymy: aurifex M.Krüger,2002 Range (as code): **ZA**
3705. **Drepanogynis auriflava M.Krüger,2002** (Geometridae) Synonymy: auriflava M.Krüger,2002 Range (as code): **ZA**
3706. **Drepanogynis bifasciata (Dewitz,1881)** (Geometridae) Synonymy: bifasciata Dewitz,1881 Range (as code): **ZA**
3707. **Drepanogynis bipartita (W.Warren,1914)** (Geometridae) Synonymy: bipartita W.Warren,1914 Range (as code): **ZA**
3708. **Drepanogynis biviaria (Guenée,[1858])** (Geometridae) Synonymy: biviaria Guenée,[1858]; convexaria Walker,1863; coryi Janse,1932 Range (as code): **ZA**
3709. **Drepanogynis brunneisparsa M.Krüger,2002** (Geometridae) Synonymy: brunneisparsa M.Krüger,2002 Range (as code): **ZA**
3710. **Drepanogynis calligrapha M.Krüger,2002** (Geometridae) Synonymy: calligrapha M.Krüger,2002 Range (as code): **ZA**
3711. **Drepanogynis cambogiaria (Guenée,[1858])** (Geometridae) Synonymy: cambogiaria Guenée,[1858]; paucaria Guenée,[1858]; justaria Walker,1862; biferaria Walker,1863; inflectaria Walker,1863; tardaria Walker,1863; walkeri Wallengren,1875; limettaria R.Felder & Rogenhofer,1875; Range (as code): **ZA**
3712. **Drepanogynis canilinea (L.B.Prout,1925)** (Geometridae) Synonymy: canilinea L.B.Prout,1925 Range (as code): **ZA**
3713. **Drepanogynis carneata (W.Warren,1904)** (Geometridae) Synonymy: carneata W.Warren,1904 Range (as code): **ZA**
3714. **Drepanogynis chelicerata M.Krüger,2002** (Geometridae) Synonymy: chelicerata M.Krüger,2002 Range (as code): **ZA**
3715. **Drepanogynis chromatina (L.B.Prout,1913)** (Geometridae) Synonymy: chromatina L.B.Prout,1913 Range (as code): **ZA**
3716. **Drepanogynis chrysobates M.Krüger,2002** (Geometridae) Synonymy: chrysobates M.Krüger,2002 Range (as code): **ZA**
3717. **Drepanogynis climax M.Krüger,2002** (Geometridae) Synonymy: climax M.Krüger,2002 Range (as code): **ZA**
3718. **Drepanogynis cnephaeogramma (L.B.Prout,1913)** (Geometridae) Synonymy: cnephaeogramma L.B.Prout,1913 Range (as code): **ZA**
3719. **Drepanogynis commutata (L.B.Prout,1938)** (Geometridae) Synonymy: commutata L.B.Prout,1938 Range (as code): **ZA**
3720. **Drepanogynis confusa M.Krüger,2002** (Geometridae) Synonymy: confusa M.Krüger,2002 Range (as code): **ZA Tva Gau Pre**
3721. **Drepanogynis costipicta (L.B.Prout,1932)** (Geometridae) Synonymy: costipicta L.B.Prout,1932 Range (as code): **ZR ZA Tva Lpo Spb Ltr Mpu Nel**
3722. **Drepanogynis crassifurca M.Krüger,2002** (Geometridae) Synonymy: crassifurca M.Krüger,2002 Range (as code): **ZA**
3723. **Drepanogynis crenilinea M.Krüger,2002** (Geometridae) Synonymy: crenilinea M.Krüger,2002 Range (as code): **ZA**
3724. **Drepanogynis curvaria (Dewitz,1881)** (Geometridae) Synonymy: curvaria Dewitz,1881 Range (as code): **ZA**
3725. **Drepanogynis curvifascia (L.B.Prout,1916)** (Geometridae) Synonymy: curvifascia L.B.Prout,1916 Range (as code): **ZA**
3726. **Drepanogynis dami (L.B.Prout,1938)** (Geometridae) Synonymy: dami L.B.Prout,1938 Range (as code): **ZA**

3727. **Drepanogynis dentalinea M.Krüger,2002** (Geometridae) Synonymy: dentalinea M.Krüger,2002 Range (as code): **ZA**
3728. **Drepanogynis dentatimargo M.Krüger,2002** (Geometridae) Synonymy: dentatimargo M.Krüger,2002 Range (as code): **ZA**
3729. **Drepanogynis determinata (Walker,1860)** (Geometridae) Synonymy: determinata Walker,1860; aropisaria Walker,1860; commixtata Walker,1863; mosegata Felder & Rogenhofe,1875 Range (as code): **ZA**
3730. **Drepanogynis devia (L.B.Prout,1913)** (Geometridae) Synonymy: devia L.B.Prout,1913 Range (as code): **ZA Tva Lpo Spb Ent Wo**
3731. **Drepanogynis dochmoleuca (L.B.Prout,1913)** (Geometridae) Synonymy: dochmoleuca L.B.Prout,1913 Range (as code): **ZA**
3732. **Drepanogynis dukei M.Krüger,2002** (Geometridae) Synonymy: dukei M.Krüger,2002 Range (as code): **ZA**
3733. **Drepanogynis ecprepes M.Krüger,2002** (Geometridae) Synonymy: ecprepes M.Krüger,2002 Range (as code): **ZA**
3734. **Drepanogynis ectoglauca M.Krüger,2002** (Geometridae) Synonymy: ectoglauca M.Krüger,2002 Range (as code): **ZA**
3735. **Drepanogynis ennomaria (W.Warren,1904)** (Geometridae) Synonymy: ennomaria W.Warren,1904 Range (as code): **ZA**
3736. **Drepanogynis epione (L.B.Prout,1917)** (Geometridae) Synonymy: epione L.B.Prout,1917 Range (as code): **ZA ZA12 ZA13 Kzu Nta Tva Lpo Spb Ltr Wo Hae Mal Wm Mpu Brb**
3737. **Drepanogynis excurvata M.Krüger,2002** (Geometridae) Synonymy: excurvata M.Krüger,2002 Range (as code): **ZA**
3738. **Drepanogynis figurata (W.Warren,1905)** (Geometridae) Synonymy: figurata W.Warren,1905 Range (as code): **ZA**
3739. **Drepanogynis fortilimbata (L.B.Prout,1938)** (Geometridae) Synonymy: fortilimbata L.B.Prout,1938 Range (as code): **ZA**
3740. **Drepanogynis fuscimargo (W.Warren,1898)** (Geometridae) Synonymy: fuscimargo W.Warren,1898 Range (as code): **ZA**
3741. **Drepanogynis glaucichorda L.B.Prout,1916** (Geometridae) Synonymy: glaucichorda L.B.Prout,1916 Range (as code): **ZA Tva ZA14 Mpu**
3742. **Drepanogynis gloriola (L.B.Prout,1913)** (Geometridae) Synonymy: gloriola L.B.Prout,1913 Range (as code): **ZA**
3743. **Drepanogynis griseisparsa M.Krüger,2002** (Geometridae) Synonymy: griseisparsa M.Krüger,2002 Range (as code): **ZA**
3744. **Drepanogynis gynoloxa (L.B.Prout,1938)** (Geometridae) Synonymy: gynoloxa L.B.Prout,1938 Range (as code): **ZA**
3745. **Drepanogynis herbuloti Viette,1970** (Geometridae) Synonymy: herbuloti Viette,1970 Range (as code): **MG**
3746. **Drepanogynis hilaris M.Krüger,2002** (Geometridae) Synonymy: hilaris M.Krüger,2002 Range (as code): **ZA**
3747. **Drepanogynis hypenissa (Butler,1875)** (Geometridae) Synonymy: hypenissa Butler,1875 Range (as code): **ZA Tva Lpo Mpu Pil Spb Ec Stj Dmm Nta Kzu Hae**
3748. **Drepanogynis hypoplea L.B.Prout,1938** (Geometridae) Synonymy: hypoplea L.B.Prout,1938 Range (as code): **ZA**
3749. **Drepanogynis inaequalis (L.B.Prout,1915)** (Geometridae) Synonymy: inaequalis L.B.Prout,1915 Range (as code): **ZA**
3750. **Drepanogynis inangulata (W.Warren,1905)** (Geometridae) Synonymy: inangulata W.Warren,1905 Range (as code): **ZA**
3751. **Drepanogynis incondita (W.Warren,1904)** (Geometridae) Synonymy: incondita W.Warren,1904; renitens W.Warren,1914; unilineata W.Warren,1914 nec Wrr.,1897 Range (as code): **ZA**
3752. **Drepanogynis incurvata M.Krüger,2002** (Geometridae) Synonymy: incurvata M.Krüger,2002 Range (as code): **ZA Tva Gau Pre**
3753. **Drepanogynis insciata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: insciata R.Felder & Rogenhofer,1875 Range (as code): **ZA**
3754. **Drepanogynis interscripta (L.B.Prout,1912)** (Geometridae) Synonymy: interscripta L.B.Prout,1912 Range (as code): **ZA**

3755. **Drepanogynis intricata (W.Warren,1905)** (Geometridae) Synonymy: intricata W.Warren,1905 Range (as code): **ZA**
3756. **Drepanogynis intrusilinea M.Krüger,2002** (Geometridae) Synonymy: intrusilinea M.Krüger,2002 Range (as code): **ZA**
3757. **Drepanogynis irvingi M.Krüger,2002** (Geometridae) Synonymy: irvingi M.Krüger,2002 Range (as code): **ZA**
3758. **Drepanogynis kalahariensis M.Krüger,2002** (Geometridae) Synonymy: kalahariensis M.Krüger,2002 Range (as code): **ZA**
3759. **Drepanogynis lactimacula M.Krüger,2002** (Geometridae) Synonymy: lactimacula M.Krüger,2002 Range (as code): **ZA**
3760. **Drepanogynis latipennis M.Krüger,2002** (Geometridae) Synonymy: latipennis M.Krüger,2002 Range (as code): **ZA**
3761. **Drepanogynis lavata M.Krüger,2002** (Geometridae) Synonymy: lavata M.Krüger,2002 Range (as code): **ZA**
3762. **Drepanogynis leptodoma L.B.Prout,1917** (Geometridae) Synonymy: leptodoma L.B.Prout,1917 Range (as code): **ZA**
3763. **Drepanogynis miltophyris M.Krüger,2002** (Geometridae) Synonymy: miltophyris M.Krüger,2002 Range (as code): **ZA**
3764. **Drepanogynis mixtaria Guenée,[1858]** (Geometridae) Synonymy: mixtaria Guenée,[1858]; regularia Guenée,[1858]; inapplicata Walker,[1863]; exemptaria Walker,[1863]; dulcinaria R.Felder & Rogenhofer,1875; strigifera W.Warren,1914 Range (as code): **ZA Etm ZA12 ZA13 Nta Kzu ZA14 Mpu Mal ZA28 Tva Lpo Spb Ltr Kkf Dbn Umk Pil Ly Ggh Fs Mag Pre Wo Hae Gau Wca Cto Con Jnk Kgb Kny Ec Plt Elo Grh Pel Nca Rie LS ZW Vum**
3765. **Drepanogynis monas L.B.Prout,1916** (Geometridae) Synonymy: monas L.B.Prout,1916 Range (as code): **ZA ZA18 Ec**
3766. **Drepanogynis nebulosa M.Krüger,2002** (Geometridae) Synonymy: nebulosa M.Krüger,2002 Range (as code): **ZA**
3767. **Drepanogynis neopraefidens M.Krüger,2002** (Geometridae) Synonymy: neopraefidens M.Krüger,2002 Range (as code): **ZA**
3768. **Drepanogynis nigrapex (L.B.Prout,1913)** (Geometridae) Synonymy: nigrapex L.B.Prout,1913 Range (as code): **ZA Tva ZA10 ZA11 ZA12 Kzu Mpu Wv**
3769. **Drepanogynis nipholibes (L.B.Prout,1913)** (Geometridae) Synonymy: nipholibes L.B.Prout,1913 Range (as code): **ZA**
3770. **Drepanogynis niveata M.Krüger,2002** (Geometridae) Synonymy: niveata M.Krüger,2002 Range (as code): **ZA**
3771. **Drepanogynis obscurefascia M.Krüger,2002** (Geometridae) Synonymy: obscurefascia M.Krüger,2002 Range (as code): **ZA**
3772. **Drepanogynis ocellata W.Warren,1897** (Geometridae) Synonymy: ocellata W.Warren,1897 Range (as code): **ZA Tva Lpo Spb Ltr**
3773. **Drepanogynis oinophora M.Krüger,2002** (Geometridae) Synonymy: oinophora M.Krüger,2002 Range (as code): **ZA**
3774. **Drepanogynis olivescens (W.Warren,1898)** (Geometridae) Synonymy: olivescens W.Warren,1898; demissa L.B.Prout,1938 Range (as code): **ZA Tva Lpo Spb Vvo Ady Wp**
3775. **Drepanogynis orthobates (L.B.Prout,1917)** (Geometridae) Synonymy: orthobates L.B.Prout,1917 Range (as code): **ZA ZA13 Nta Kzu Tva Lpo Spb Ltr Wp Hae**
3776. **Drepanogynis ostracina M.Krüger,2002** (Geometridae) Synonymy: ostracina M.Krüger,2002 Range (as code): **ZA Tva Lpo Spb Ltr**
3777. **Drepanogynis pallidimargo M.Krüger,2002** (Geometridae) Synonymy: pallidimargo M.Krüger,2002 Range (as code): **ZA**
3778. **Drepanogynis parapraefidens M.Krüger,2002** (Geometridae) Synonymy: parapraefidens M.Krüger,2002 Range (as code): **ZA**
3779. **Drepanogynis parva M.Krüger,2002** (Geometridae) Synonymy: parva M.Krüger,2002 Range (as code): **ZA**
3780. **Drepanogynis perirorata M.Krüger,2002** (Geometridae) Synonymy: perirorata M.Krüger,2002 Range (as code): **ZA**
3781. **Drepanogynis pero L.B.Prout,1917** (Geometridae) Synonymy: pero L.B.Prout,1917 Range (as code): **ZA**

3782. **Drepanogynis phaeoscia M.Krüger,2002** (Geometridae) Synonymy: phaeoscia M.Krüger,2002 Range (as code): **ZA**
3783. **Drepanogynis prouti M.Krüger,2002** (Geometridae) Synonymy: tripartita L.B.Prout,1915 nec Warr.,1898; prouti M.Krüger,2002 Range (as code): **ZA**
3784. **Drepanogynis pulla M.Krüger,2002** (Geometridae) Synonymy: pulla M.Krüger,2002 Range (as code): **ZA**
3785. **Drepanogynis pumila M.Krüger,2002** (Geometridae) Synonymy: pumila M.Krüger,2002 Range (as code): **ZA**
3786. **Drepanogynis punctata W.Warren,1897** (Geometridae) Synonymy: punctata W.Warren,1897 Range (as code): **ZA ZA10 ZA12 ZA13 Nta Kzu Tva Lpo Spb Ltr Mal Wo Pot**
3787. **Drepanogynis ravida M.Krüger,2002** (Geometridae) Synonymy: ravida M.Krüger,2002 Range (as code): **ZA**
3788. **Drepanogynis rhodampyx (L.B.Prout,1938)** (Geometridae) Synonymy: rhodampyx L.B.Prout,1938 Range (as code): **ZA**
3789. **Drepanogynis robertsoni (L.B.Prout,1925)** (Geometridae) Synonymy: robertsoni L.B.Prout,1925 Range (as code): **ZA**
3790. **Drepanogynis rosea M.Krüger,2002** (Geometridae) Synonymy: rosea M.Krüger,2002 Range (as code): **ZA**
3791. **Drepanogynis rufaria (W.Warren,1909)** (Geometridae) Synonymy: rufaria W.Warren,1909 Range (as code): **ZA**
3792. **Drepanogynis rufigrisea (W.Warren,1911)** (Geometridae) Synonymy: rufigrisea W.Warren,1911 Range (as code): **ZA**
3793. **Drepanogynis sectilis (L.B.Prout,1938)** (Geometridae) Synonymy: sectilis L.B.Prout,1938 Range (as code): **ZA**
3794. **Drepanogynis serrifasciaria (Herrich-Schäffer,[1854])** (Geometridae) Synonymy: serrifasciaria Herrich-Schäffer,[1854] Range (as code): **ZA**
3795. **Drepanogynis simonsi (L.B.Prout,1938)** (Geometridae) Synonymy: simonsi L.B.Prout,1938; fitzsimonsi L.B.Prout,1938 Range (as code): **ZA**
3796. **Drepanogynis sinuata W.Warren,1905** (Geometridae) Synonymy: sinuata W.Warren,1905 Range (as code): **ZA**
3797. **Drepanogynis smaragdaria M.Krüger,2002** (Geometridae) Synonymy: smaragdaria M.Krüger,2002 Range (as code): **ZA**
3798. **Drepanogynis smaragdioides M.Krüger,2002** (Geometridae) Synonymy: smaragdioides M.Krüger,2002 Range (as code): **ZA**
3799. **Drepanogynis soni (L.B.Prout,1938)** (Geometridae) Synonymy: soni L.B.Prout,1938; vansoni L.B.Prout,1938 Range (as code): **ZA**
3800. **Drepanogynis sp.1** (Geometridae) Synonymy: Range (as code): **ZA Mal Tva Lpo**
3801. **Drepanogynis sp.2** (Geometridae) Synonymy: Range (as code): **ZA ZA23 Fs**
3802. **Drepanogynis spatulifurca M.Krüger,2002** (Geometridae) Synonymy: spatulifurca M.Krüger,2002 Range (as code): **ZA**
3803. **Drepanogynis stepheni M.Krüger,2002** (Geometridae) Synonymy: stepheni M.Krüger,2002 Range (as code): **ZA**
3804. **Drepanogynis striata M.Krüger,2002** (Geometridae) Synonymy: striata M.Krüger,2002 Range (as code): **ZA**
3805. **Drepanogynis strigulosa L.B.Prout,1916** (Geometridae) Synonymy: strigulosa L.B.Prout,1916 Range (as code): **ZA**
3806. **Drepanogynis subochrea (L.B.Prout,1917)** (Geometridae) Synonymy: subochrea L.B.Prout,1917 Range (as code): **ZA**
3807. **Drepanogynis subrosea M.Krüger,2002** (Geometridae) Synonymy: subrosea M.Krüger,2002 Range (as code): **ZA**
3808. **Drepanogynis synclinia (L.B.Prout,1938)** (Geometridae) Synonymy: synclinia L.B.Prout,1938 Range (as code): **ZA**
3809. **Drepanogynis tabacicolor M.Krüger,2002** (Geometridae) Synonymy: tabacicolor M.Krüger,2002 Range (as code): **ZA**
3810. **Drepanogynis trachyacta (L.B.Prout,1922)** (Geometridae) Synonymy: trachyacta L.B.Prout,1922; corbolignea L.B.Prout,1938 Range (as code): **ZA**

3811. **Drepanogynis tripartita (Walker,1898)** (Geometridae) Synonymy: tripartita Walker,1898 Range (as code): **ZA ZA17 ZA28 Tva Lpo Spb Ent Pot Wp Hae**
3812. **Drepanogynis unilineata (W.Warren,1897)** (Geometridae) Synonymy: unilineata W.Warren,1897 Range (as code): **ZA**
3813. **Drepanogynis valida (W.Warren,1914)** (Geometridae) Synonymy: valida W.Warren,1914 Range (as code): **ZA**
3814. **Drepanogynis vara L.B.Prout,1922** (Geometridae) Synonymy: vara L.B.Prout,1922 Range (as code): **ZA ZA11 Kzu**
3815. **Drepanogynis variciliata M.Krüger,2002** (Geometridae) Synonymy: variciliata M.Krüger,2002 Range (as code): **ZA Tva Lpo Spb**
3816. **Drepanogynis villaria (Felder & Rogenhoder,1875)** (Geometridae) Synonymy: villaria Felder & Rogenhoder,1875 Range (as code): **ZA Tva Lpo Spb Ent Hae Mal**
3817. **Drepanogynis viridipennis M.Krüger,2002** (Geometridae) Synonymy: viridipennis M.Krüger,2002 Range (as code): **ZA**
3818. **Drepanogynis xanthographa M.Krüger,2002** (Geometridae) Synonymy: xanthographa M.Krüger,2002 Range (as code): **ZA**
3819. **Drepanogynis xylophanes M.Krüger,2002** (Geometridae) Synonymy: xylophanes M.Krüger,2002 Range (as code): **ZA**
3820. **Drepanopterula zanoni (Turati,1919)** (Geometridae) Synonymy: zanoni Turati,1919 Range (as code): **LY Cy**
3821. **Durbana setinata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: setinata R.Felder & Rogenhofer,1875 Range (as code): **ZA Ktz Nta Kzu Ec**
3822. **Dyscia (Iberafrina) rungsi Herbulot,1981** (Geometridae) Synonymy: rungsi Herbulot,1981 Range (as code): **MA**
3823. **Dyscia (Warneckeella) malatyana (Wehrli,1934)** (Geometridae) Synonymy: malatyana Wehrli,1934 Range (as code): **TN LY TR Cc AZ AM Eri GG RU Ao Da IR Es Ss Elb Th Ke Se Kh IQ Rba TM Kp KG Bks Ily Ahl Kmk Tk Dj UZ Smk KK AF Kab PK Bl Qu CN T-S Kno 44 70 76**
3824. **Dyscia (Zuleika) nobilaria (A.Bang-Haas,1906)** (Geometridae) Synonymy: nobilaria A.Bang-Haas,1906; #nobiliaria Rothschild,1915 Range (as code): **DZ Orn Heh Ogl Gle Onç Bsk Agi Gf TN**
3825. **Dyscia (s.str.) galactaria Turati,1934** (Geometridae) Synonymy: galactaria Turati,1934; karsholti Wiltshire,1991. Range (as code): **LY Cy TN**
3826. **Dyscia atlantica Reisser,1933** (Geometridae) Synonymy: atlantica Reisser,1933 Range (as code): **MA Ouk DZ**
3827. **Dyscia holli (Oberthür,1910)** (Geometridae) Synonymy: holli Oberthür,1910; duponti Thierry-Mieg,1910; albirosea Rothschild,1911; austauti Oberthür,1923 Range (as code): **DZ BSa Ges MA**
3828. **Dysrhoe olbia (L.B.Prout,1911)** (Geometridae) Synonymy: olbia L.B.Prout,1911; parvula L.B.Prout,1932 Range (as code): **ZA**
3829. **Eccymatoge melanoterma L.B.Prout,1913** (Geometridae) Synonymy: melanoterma L.B.Prout,1913 Range (as code): **ZA Lpo Tva Hae ZA10 Nta Kzu ZA20 Mpu**
3830. **Ecpetala caesiplaga (L.B.Prout,1935)** (Geometridae) Synonymy: caesiplaga L.B.Prout,1935 Range (as code): **ZA ZR**
3831. **Ecpetala camerunica Herbulot,1988** (Geometridae) Synonymy: camerunica Herbulot,1988 Range (as code): **CM**
3832. **Ecpetala carnifasciata (W.Warren,1899)** (Geometridae) Synonymy: carnifasciata W.Warren,1899 Range (as code): **UG**
3833. **Ecpetala euthypora (L.B.Prout,1926)** (Geometridae) Synonymy: euthypora L.B.Prout,1926 Range (as code): **UG**
3834. **Ecpetala indentata (W.Warren,1902)** (Geometridae) Synonymy: indentata W.Warren,1902 Range (as code): **KE**
3835. **Ecpetala obtusa (W.Warren,1902)** (Geometridae) Synonymy: obtusa W.Warren,1902 Range (as code): **KE UG Rz TZ**
3836. **Ecpetala similata (Aurivillius,1910)** (Geometridae) Synonymy: similata Aurivillius,1910 Range (as code): **TZ KE**
3837. **Ecpetala unduligera (Aurivillius,1910)** (Geometridae) Synonymy: unduligera Aurivillius,1910 Range (as code): **TZ**
3838. **Ectropis atelomeres L.B.Prout,1922** (Geometridae) Synonymy: atelomeres L.B.Prout,1922 Range (as code): **ZA Ec Cto**

3839.Ectropis delosaria (Walker,[1863]) (Geometridae) Synonymy: delosaria Walker,[1863]; crassa W.Warren,1899 Range (as code): **ZA ZA10 ZA12 ZA13 Nta Kzu Tva Lpo Spb Bbg Ggh Fs**

3840.Ectropis fraudulenta Janse,1932 (Geometridae) Synonymy: fraudulenta Janse,1932 Range (as code): **ZA ZA10 Nta Kzu ZA28 Tva Lpo**

3841.Ectropis obliquilinea L.B.Prout,1916 (Geometridae) Synonymy: obliquilinea L.B.Prout,1916 Range (as code): **ZA ZA24 NWe**

3842.Ectropis oleitincta L.B.Prout,1931 (Geometridae) Synonymy: oleitincta L.B.Prout,1931 Range (as code): **SO**

3843.Ectropis paracopa L.B.Prout,1925 (Geometridae) Synonymy: paracopa L.B.Prout,1925 Range (as code): **ZA**

3844.Ectropis simplex (W.Warren,1916) (Geometridae) Synonymy: simplex W.Warren,1916 Range (as code): **ZA ZA10 Nta Kzu**

3845.Ectropis spoliataria (Walker,1860) (Geometridae) Synonymy: spoliataria Walker,1860; fulvitincta W.Warren,1904 Range (as code): **ZA Tva Etm Ktz ZA04 ZA05 ZA12 ZA13 ZA14 ZA20 Mpu ZA25 Kzu Dbn**

3846.Ectropis sublimbata (W.Warren,1911) (Geometridae) Synonymy: sublimbata W.Warren,1911 Range (as code): **ZA**

3847.Elophos (Elophos) barbarica L.B.Prout,1915 (Geometridae) Synonymy: barbarica L.B.Prout,1915 Range (as code): **ZA**

3848.Encoma inaccurata (L.B.Prout,1913) (Geometridae) Synonymy: inaccurata L.B.Prout,1913 Range (as code): **ZA Tva Lpo Hae**

3849.Encoma irisaria Swinhoe,1904 (Geometridae) Synonymy: irisaria Swinhoe,1904; pulviscula L.B.Prout,1932 Range (as code): **KE**

3850.Encoma rectangulata D.S.Fletcher,1958 (Geometridae) Synonymy: rectangulata D.S.Fletcher,1958 Range (as code): **UG**

3851.Enconista rubrior Hausmann,1990 (Geometridae) Synonymy: rubrior Hausmann,1990 Range (as code): **MA**

3852.Enconista tennoa Pinker,1978 (Geometridae) Synonymy: tennoa Pinker,1978 Range (as code): **Cn**

3853.Ennomos (Deuteronomos) erosarius (Hübner,1790) (Geometridae) Synonymy: #erosaria [Denis & Schiffermüller],1775; erosaria Hübner,1790; tiliaria Hübner,1790; crassaria Fabricius,1804; quercinaria Borkhausen,1794; unicoloria Esper,[1801]; ochraria Stephens,1831 . Range (as code): **MA Ifr DZ Cst PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG TR DK NO SE FI EE LV LT RU MD UA BY 12**

3854.Ennomos (Deuteronomos) fuscantarius (Haworth,1809) (Geometridae) Synonymy: fuscantaria Haworth,1809; effractarius sensu auct. Range (as code): **MA TN DZ Sbd Dzc Orn TR PT ES FR IT Si GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H Mk GR BG DK NO SE FI EE LV LT RU MD UA Cm Cc GG BY CY 22 34 44?**

3855.Entephria cyanata (Hübner,[1809]) (Geometridae) Synonymy: cyanata Hübner,[1809]; bubaceki Reisser,1926; altivolans Wehrli,1926; leucocyanata Reisser,1935; acyana L.B.Prout,1938; petronensis Herbulot,1968; gerennae Gyulai,1984; alanica Tsveetkov,2012 Range (as code): **MA ES An FR Co IT NL DE CH AT PL SK HU RO YU AL BG GR RU Kus Da Kr Cc MD UA Cm TR**

3856.Eois grataria (Walker,1861) (Geometridae) Synonymy: grataria Walker,1861; pallicinctaria Walker,1863 Range (as code): **ZA Tva Etm Ktz ZA04 Nta Kzu ZA14 Mpu ZA18 Ec NG AO UG KE LK**

3857.Eois pyrauges L.B.Prout,1927 (Geometridae) Synonymy: pyrauges L.B.Prout,1927 Range (as code): **ST**

3858.Eois rectifasciata D.S.Fletcher,1958 (Geometridae) Synonymy: rectifasciata D.S.Fletcher,1958 Range (as code): **UG Rz ZA**

3859.Eois sp.1 (Geometridae) Synonymy: Range (as code): **ZA ZA12 Kzu**

3860.Eois sp.2 (Geometridae) Synonymy: Range (as code): **ZA Tva ZA20 Mpu**

3861.Epiclecta calidaria L.B.Prout,1915 (Geometridae) Synonymy: calidaria L.B.Prout,1915 Range (as code): **ZA Ec Tra Stj**

3862.Epicosymbia dentisignata (Walker,[1863]) (Geometridae) Synonymy: designata Walker,[1863]; perrufa W.Warren,1897 Range (as code): **ZA ZA07 Ksi Kzu Nta Dbn Tva**

3863.Epicosymbia nitidata W.Warren,1905 (Geometridae) Synonymy: nitidata W.Warren,1905 Range (as code): **ZA Ksi Kzu Nta**

3864.Epicosymbia perstrigulata (L.B.Prout,1913) (Geometridae) Synonymy: perstrigulata L.B.Prout,1913 Range (as code): **ZA Tva Gau ZW Har**

3865.Epigelasma alba Viette,1970 (Geometridae) Synonymy: alba Viette,1970 Range (as code): **MG**

3866.Epigelasma befasy Viette,1981 (Geometridae) Synonymy: befasy Viette,1981 Range (as code): **MG**

3867.Epigelasma corrupta Herbulot,1954 (Geometridae) Synonymy: corrupta Herbulot,1954 Range (as code): **MG**
3868.Epigelasma crenifera Herbulot,1970 (Geometridae) Synonymy: crenifera Herbulot,1970 Range (as code): **MG**
3869.Epigelasma disjuncta Herbulot,1972 (Geometridae) Synonymy: disjuncta Herbulot,1972 Range (as code): **MG**
3870.Epigelasma frigida Herbulot,1972 (Geometridae) Synonymy: frigida Herbulot,1972 Range (as code): **MG**
3871.Epigelasma herbuloti Viette,1980 (Geometridae) Synonymy: herbuloti Viette,1980 Range (as code): **MG**
3872.Epigelasma hispida Herbulot,1972 (Geometridae) Synonymy: hispida Herbulot,1972 Range (as code): **MG**
3873.Epigelasma holochroa Herbulot,1972 (Geometridae) Synonymy: holochroa Herbulot,1972 Range (as code): **MG**
3874.Epigelasma lutea Viette,1970 (Geometridae) Synonymy: lutea Viette,1970 Range (as code): **MG**
3875.Epigelasma meloui L.B.Prout,1930 (Geometridae) Synonymy: meloui L.B.Prout,1930 Range (as code): **MG**
3876.Epigelasma nobilis Herbulot,1954 (Geometridae) Synonymy: nobilis Herbulot,1954 Range (as code): **MG**
3877.Epigelasma occidentalis Herbulot,1972 (Geometridae) Synonymy: occidentalis Herbulot,1972 Range (as code): **MG**
3878.Epigelasma olsoufieffi Herbulot,1972 (Geometridae) Synonymy: olsoufieffi Herbulot,1972 Range (as code): **MG**
3879.Epigelasma perineti Herbulot,1972 (Geometridae) Synonymy: perineti Herbulot,1972 Range (as code): **MG**
3880.Epigelasma praenuntia Herbulot,1972 (Geometridae) Synonymy: praenuntia Herbulot,1972 Range (as code): **MG**
3881.Epigelasma radiata Herbulot,1972 (Geometridae) Synonymy: radiata Herbulot,1972 Range (as code): **MG**
3882.Epigelasma rhodostigma Herbulot,1954 (Geometridae) Synonymy: rhodostigma Herbulot,1954 Range (as code): **MG**
3883.Epigelasma rufifrons Herbulot,1972 (Geometridae) Synonymy: rufifrons Herbulot,1972 Range (as code): **MG**
3884.Epigelasma simplaria Herbulot,1972 (Geometridae) Synonymy: simplaria Herbulot,1972 Range (as code): **MG**
3885.Epigelasma triplicifascia (L.B.Prout,1912) (Geometridae) Synonymy: triplicifascia L.B.Prout,1912 Range (as code): **MG**
3886.Epigelasma tulear Herbulot,1972 (Geometridae) Synonymy: tulear Herbulot,1972 Range (as code): **MG**
3887.Epigelasma viridibasis Herbulot,1972 (Geometridae) Synonymy: viridibasis Herbulot,1972 Range (as code): **MG**
3888.Epigynopteryx affirmata Herbulot,1997 (Geometridae) Synonymy: affirmata Herbulot,1997 Range (as code): **CM**
3889.Epigynopteryx africana (Aurivillius,1910) (Geometridae) Synonymy: africana Aurivillius,1910 Range (as code): **TZ**
3890.Epigynopteryx altivagans Herbulot,1993 (Geometridae) Synonymy: altivagans Herbulot,1993 Range (as code): **MG**
3891.Epigynopteryx ansorgei (W.Warren,1901) (Geometridae) Synonymy: ansorgei W.Warren,1901; barbaria Oberthür,1911 Range (as code): **ZR Bni CM**
3892.Epigynopteryx artemis Viette,1973 (Geometridae) Synonymy: artemis Viette,1973 Range (as code): **MG**
3893.Epigynopteryx aurantiaca Herbulot,1965 (Geometridae) Synonymy: aurantiaca Herbulot,1965 Range (as code): **MG**
3894.Epigynopteryx borgeaudi (Herbulot,[1957]) (Geometridae) Synonymy: borgeaudi Herbulot,[1957] Range (as code): **MG**
3895.Epigynopteryx captiva Herbulot,1997 (Geometridae) Synonymy: captiva Herbulot,1997 Range (as code): **RW**

3896. **Epigynopteryx castanea Viette,1977** (Geometridae) Synonymy: castanea Viette,1977 Range (as code): **MG**
3897. **Epigynopteryx coffeae L.B.Prout,1934** (Geometridae) Synonymy: coffeae L.B.Prout,1934 Range (as code): **KE**
3898. **Epigynopteryx commixta W.Warren,1934** (Geometridae) Synonymy: commixta W.Warren,1934; bipunctaria Bastelberger,1909; sabasaria Oberthür,1911 Range (as code): **UG ZR CM**
3899. **Epigynopteryx curvimargo (Hampson,1909)** (Geometridae) Synonymy: curvimargo Hampson,1909 Range (as code): **UG Rz**
3900. **Epigynopteryx declinans Herbulot,1965** (Geometridae) Synonymy: declinans Herbulot,1965 Range (as code): **MG**
3901. **Epigynopteryx dia Viette,1973** (Geometridae) Synonymy: dia Viette,1973 Range (as code): **MG**
3902. **Epigynopteryx dorcas L.B.Prout,1932** (Geometridae) Synonymy: dorcas L.B.Prout,1932 Range (as code): **ZR**
3903. **Epigynopteryx duboisi Herbulot,1981** (Geometridae) Synonymy: duboisi Herbulot,1981 Range (as code): **KM**
3904. **Epigynopteryx eudallasta D.S.Fletcher,1978** (Geometridae) Synonymy: eudallasta D.S.Fletcher,1978 Range (as code): **KE**
3905. **Epigynopteryx eugonia L.B.Prout,1935** (Geometridae) Synonymy: eugonia L.B.Prout,1935 Range (as code): **BW**
3906. **Epigynopteryx fimosa (W.Warren,1905)** (Geometridae) Synonymy: fimosa W.Warren,1905 Range (as code): **SL**
3907. **Epigynopteryx flavedinaria (Guenée,[1858])** (Geometridae) Synonymy: flavedinaria Guenée,[1858]; molliaria Guenée,[1858]; xanthiaria Guenée,[1858] Range (as code): **ET**
3908. **Epigynopteryx flexa L.B.Prout,1931** (Geometridae) Synonymy: flexa L.B.Prout,1931 Range (as code): **CM Bit**
3909. **Epigynopteryx fulva Janse,1932** (Geometridae) Synonymy: fulva Janse,1932 Range (as code): **ZA Tva Mpu Brb**
3910. **Epigynopteryx glycera L.B.Prout,1934** (Geometridae) Synonymy: glycera L.B.Prout,1934 Range (as code): **MG**
3911. **Epigynopteryx impunctata (W.Warren,1898)** (Geometridae) Synonymy: impunctata W.Warren,1898 Range (as code): **UG Kmp**
3912. **Epigynopteryx indiscretaria (Mabille,1898)** (Geometridae) Synonymy: indiscretaria Mabille,1898 Range (as code): **MG**
3913. **Epigynopteryx jacksoni Carcasson,1964** (Geometridae) Synonymy: jacksoni Carcasson,1964 Range (as code): **UG Kzi**
3914. **Epigynopteryx langaria (Holland,1920)** (Geometridae) Synonymy: langaria Holland,1920 Range (as code): **ZR**
3915. **Epigynopteryx lioloma L.B.Prout,1931** (Geometridae) Synonymy: lioloma L.B.Prout,1931 Range (as code): **SO**
3916. **Epigynopteryx maculosata (W.Warren,1901)** (Geometridae) Synonymy: maculosata W.Warren,1901 Range (as code): **ZR**
3917. **Epigynopteryx maeviaria (Guenée,[1858])** (Geometridae) Synonymy: maeviaria Guenée,[1858] Range (as code): **ZA ZA08 ZA12 ZA13 Nta Kzu ZA28 Tva Lpo**
3918. **Epigynopteryx metrocamparia (Bastelberger,1908)** (Geometridae) Synonymy: metrocamparia Bastelberger,1908 Range (as code): **CM**
3919. **Epigynopteryx modesta (Butler,1880)** (Geometridae) Synonymy: modesta Butler,1880; sipariata Saalmüller,1891 Range (as code): **MG**
3920. **Epigynopteryx molochina Herbulot,1984** (Geometridae) Synonymy: molochina Herbulot,1984 Range (as code): **CM**
3921. **Epigynopteryx mutabilis (W.Warren,1903)** (Geometridae) Synonymy: mutabilis W.Warren,1903 Range (as code): **KE**
3922. **Epigynopteryx nigricola (W.Warren,1897)** (Geometridae) Synonymy: nigricola W.Warren,1897; abbreviata W.Warren,1901; epionata W.Warren,1897 Range (as code): **NG Wrr**
3923. **Epigynopteryx ommatoclesis (L.B.Prout,1922)** (Geometridae) Synonymy: ommatoclesis L.B.Prout,1922 Range (as code): **ZA Etm ZA06 Ksi Nta Kzu ZA18 Ec Nha**
3924. **Epigynopteryx perviata (W.Warren,1897)** (Geometridae) Synonymy: perviata W.Warren,1897 Range (as code): **MG**

3925. **Epigynopteryx piperata (Saalmüller,1880)** (Geometridae) Synonymy: piperata Saalmüller,1880 Range (as code): **MG**
3926. **Epigynopteryx prolixa (L.B.Prout,1915)** (Geometridae) Synonymy: prolixa L.B.Prout,1915 Range (as code): **MG**
3927. **Epigynopteryx prophylacis Herbulot,[1957]** (Geometridae) Synonymy: prophylacis Herbulot,[1957] Range (as code): **ZR**
3928. **Epigynopteryx pygmaea Herbulot,[1957]** (Geometridae) Synonymy: pygmaea Herbulot,[1957] Range (as code): **MG**
3929. **Epigynopteryx rougeoti Herbulot,1977** (Geometridae) Synonymy: rougeoti Herbulot,1977 Range (as code): **ET**
3930. **Epigynopteryx scotti D.S.Fletcher,1959** (Geometridae) Synonymy: scotti D.S.Fletcher,1959 Range (as code): **ET**
3931. **Epigynopteryx silvestris Herbulot,1954** (Geometridae) Synonymy: silvestris Herbulot,1954 Range (as code): **MG**
3932. **Epigynopteryx stictigramma (Hampson,1909)** (Geometridae) Synonymy: stictigramma Hampson,1909 Range (as code): **UG Rz**
3933. **Epigynopteryx straminea (W.Warren,1897)** (Geometridae) Synonymy: straminea W.Warren,1897 Range (as code): **NG Wrr**
3934. **Epigynopteryx subspersa (W.Warren,1897)** (Geometridae) Synonymy: subspersa W.Warren,1897; craspigonia Hampson,1909 Range (as code): **ZA ZR UG Rz**
3935. **Epigynopteryx tabitha W.Warren,1901** (Geometridae) Synonymy: tabitha W.Warren,1901 Range (as code): **UG**
3936. **Epigynopteryx tenera Herbulot,1954** (Geometridae) Synonymy: tenera Herbulot,1954 Range (as code): **MG**
3937. **Epigynopteryx termininota L.B.Prout,1934** (Geometridae) Synonymy: termininota L.B.Prout,1934 Range (as code): **GO Bio**
3938. **Epigynopteryx townsendi D.S.Fletcher,1958** (Geometridae) Synonymy: townsendi D.S.Fletcher,1958 Range (as code): **ZA KE**
3939. **Epigynopteryx variabile Viette,1973** (Geometridae) Synonymy: variabile Viette,1973 Range (as code): **MG**
3940. **Epigynopteryx venosa Herbulot,1984** (Geometridae) Synonymy: venosa Herbulot,1984 Range (as code): **RW**
3941. **Epigynopteryx xeres Viette,1973** (Geometridae) Synonymy: xeres Viette,1973 Range (as code): **MG**
3942. **Epione chalcospilata Walker,[1863]** (Geometridae) Synonymy: chalcospilata Walker,[1863] Range (as code): **ZA**
3943. **Epirrhoe achatina L.B.Prout,1915** (Geometridae) Synonymy: achatina L.B.Prout,1915 Range (as code): **ZA Ggh Fs LS**
3944. **Epirrhoe annulifera (W.Warren,1902)** (Geometridae) Synonymy: annulifera W.Warren,1902 Range (as code): **KE Kyu ZA Etm Nta Kzu**
3945. **Epirrhoe edelsteni L.B.Prout,1916** (Geometridae) Synonymy: edelsteni L.B.Prout,1916 Range (as code): **ZA Ec**
3946. **Epirrhoe galiata ([Denis & Schiffermüller],1775)** (Geometridae) Synonymy: galiata [Denis & Schiffermüller],1775; quadriannulata Haworth,1809; unilobata Haworth,1809; chalybeata Hübner,[1813]; eophanata Krulikowsky,1906; emina Schawerda,1912 Range (as code): **MA DZ PT ES Mu FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc GG Bjo Lag AM AZ DK NO SE FI EE LV LT RU MD UA Cm BY LB Bsa 05 06 14 16 29 31 34 42 46 48 51 80**
3947. **Epirrhoe sandosaria (Herrich-Schäffer,1852)** (Geometridae) Synonymy: sandosaria Herrich-Schäffer,1852 Range (as code): **MA DZ Ges Ktr TN PT ES An**
3948. **Epirrita christyi (Allen,1906)** (Geometridae) Synonymy: christyi Allen,1906 Range (as code): **DZ Elt TN ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU Cc AM**
3949. **Episteira confusidentata (W.Warren,1897)** (Geometridae) Synonymy: confusidentata W.Warren,1897 Range (as code): **ZA Tva ZA14 Mpu Ec**
3950. **Erastria leucicolor (Butler,1875)** (Geometridae) Synonymy: leucicolor Butler,1875; atrisignata W.Warren,1914 Range (as code): **ZA ZA08 Mal Tva Lpo Spb Bbg ZA27 Nta Kzu**
3951. **Eucrostes albicornaria (Mabille,1880)** (Geometridae) Synonymy: albicornaria Mabille,1880 Range (as code): **ZA Ksi Kzu Nta Tva Bfk**

3952. **Eucrostes disparata (Walker,1861)** (Geometridae) Synonymy: disparata Walker,1861 Range (as code): **ZA ZA18 Ec Wca Ste Nta Kzu Srn YE YE30 Sna TH**
3953. **Eucrostes pygmaea Rebel,1907** (Geometridae) Synonymy: pygmaea Rebel,1907 Range (as code): **Sk**
3954. **Eucrostes rhodophthama L.B.Prout,1912** (Geometridae) Synonymy: rhodophthama L.B.Prout,1912 Range (as code): **ZA ZA25 Nta Kzu Wca Cto Umk Ec Tra**
3955. **Eucrostes rufociliaria Herrich-Schäffer,[1855]** (Geometridae) Synonymy: rufociliaria Herrich-Schäffer,[1855] Range (as code): **ZA Wca Cto**
3956. **Eucrostes sp.** (Geometridae) Synonymy: Range (as code): **ZA ZA05 Nta Kzu**
3957. **Euexia percnopus L.B.Prout,1915** (Geometridae) Synonymy: percnopus L.B.Prout,1915 Range (as code): **ZA Tva ZA04 ZA07 ZA08 Ksi ZA14 Mpu ZA25 ZA26 Nta Kzu**
3958. **Eulycia extorris (W.Warren,1904)** (Geometridae) Synonymy: extorris W.Warren,1904 Range (as code): **ZA Mal Tva Lpo ZA25 Nta Kzu Dbn**
3959. **Eulycia grisea (W.Warren,1897)** (Geometridae) Synonymy: grisea W.Warren,1897 Range (as code): **ZA ZA14 Mpu Mal ZA17 Lpo Tva Spb Lj ZA26 Nta Kzu MW Zom ZW KE**
3960. **Eulycia subpunctata (W.Warren,1897)** (Geometridae) Synonymy: subpunctata W.Warren,1897 Range (as code): **ZA ZA12 Nta Kzu Wnn Tva Lpo Spb Wb Chp**
3961. **Eumegethes tenuis (Staudinger,1898)** (Geometridae) Synonymy: tenuis Staudinger,1898; petroffi Andres & Seitz,1923; picta Turati,1934 Range (as code): **DZ Ges TN Sfx LY EG**
3962. **Eupagia canilinea L.B.Prout,1925** (Geometridae) Synonymy: canilinea L.B.Prout,1925 Range (as code): **ZA Ec**
3963. **Eupagia determinata Walker,1860** (Geometridae) Synonymy: determinata Walker,1860; aropisaria Walker,1860; commixtata Walker,[1863]; mosegata R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva ZA20 Mpu Ggh Fs Nta Kzu Dbn**
3964. **Eupagia nigerrima Swinhoe,1904** (Geometridae) Synonymy: nigerrima Swinhoe,1904 Range (as code): **ET**
3965. **Eupagia robertsoni L.B.Prout,1925** (Geometridae) Synonymy: robertsoni L.B.Prout,1925 Range (as code): **ZA Ec**
3966. **Eupagia valida (W.Warren,1914)** (Geometridae) Synonymy: valida W.Warren,1914 Range (as code): **ZA Tva ZA05 ZA12 Kzu Nta ZA14 Mpu Brb**
3967. **Euphyia distinctata (Walker,1862)** (Geometridae) Synonymy: distinctata Walker,1862; scotosiata Walker,1863; discolorata W.Warren,1901 Range (as code): **ZA Wca Cto**
3968. **Euphyia frustata (Treitschke,1828)** (Geometridae) Synonymy: frustata Treitschke,1828; muscosata Donzel,1837 Range (as code): **MA DZ PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Kir AZ AM IQ LB Bsa 05 23 42 46 60 61 65**
3969. **Eupithecia abbreviata Stephens,1831** (Geometridae) Synonymy: nebulata Haworth,1809; abbreviata Stephens,1831 Range (as code): **MA TN PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE LT RU MD UA BY 05 22 71**
3970. **Eupithecia acutula Turati & C.G.Krüger,1936** (Geometridae) Synonymy: acutula Turati & C.G.Krüger,1936 Range (as code): **LY Cy**
3971. **Eupithecia aegyptiaca Dietze,1910** (Geometridae) Synonymy: aegyptiaca Dietze,1910 Range (as code): **EG EG11**
3972. **Eupithecia albicristulata L.B.Prout,1922** (Geometridae) Synonymy: albicristulata L.B.Prout,1922 Range (as code): **ZA Nta Kzu**
3973. **Eupithecia albimaculata D.S.Fletcher,1956** (Geometridae) Synonymy: albimaculata D.S.Fletcher,1956 Range (as code): **KE Elg**
3974. **Eupithecia albistillata L.B.Prout,1932** (Geometridae) Synonymy: albistillata L.B.Prout,1932 Range (as code): **KE**
3975. **Eupithecia albistrigata D.S.Fletcher,1958** (Geometridae) Synonymy: albistrigata D.S.Fletcher,1958 Range (as code): **UG ZR**
3976. **Eupithecia alliaria Staudinger,1870** (Geometridae) Synonymy: alliaria Staudinger,1870; notata Dietze,1910 nec Stph.,1831 Range (as code): **MA DZ PT ES FR IT CH AT PL CZ SK HU RO YU BG GR TR RU MD UA Cm AZ GG Cc 06 42 58 75**
3977. **Eupithecia alticomora Herbulot,1981** (Geometridae) Synonymy: alticomora Herbulot,1981 Range (as code): **KM**
3978. **Eupithecia altitudinis M.Krüger,2000** (Geometridae) Synonymy: altitudinis M.Krüger,2000 Range (as code): **ZA**

3979. **Eupithecia amathes L.B.Prout,1926** (Geometridae) Synonymy: amathes L.B.Prout,1926 Range (as code): **UG**
3980. **Eupithecia amphiplex L.B.Prout,1932** (Geometridae) Synonymy: amphiplex L.B.Prout,1932 Range (as code): **KE**
3981. **Eupithecia anguinata (W.Warren,1902)** (Geometridae) Synonymy: anguinata W.Warren,1902 Range (as code): **KE**
3982. **Eupithecia angulata Fletcher,1951** (Geometridae) Synonymy: angulata Fletcher,1951 Range (as code): **ET**
3983. **Eupithecia angustiarum M.Krüger,2000** (Geometridae) Synonymy: angustiarum M.Krüger,2000 Range (as code): **ZA**
3984. **Eupithecia astales D.S.Fletcher,1978** (Geometridae) Synonymy: astales D.S.Fletcher,1978 Range (as code): **TZ**
3985. **Eupithecia atomaria (W.Warren,1902)** (Geometridae) Synonymy: atomaria W.Warren,1902 Range (as code): **KE**
3986. **Eupithecia bardiaria Turati,1934** (Geometridae) Synonymy: bardiaria Turati,1934 Range (as code): **LY Cy**
3987. **Eupithecia bicurvicera Herbulot,1972** (Geometridae) Synonymy: bicurvicera Herbulot,1972 Range (as code): **MG**
3988. **Eupithecia bolephora L.B.Prout,1937** (Geometridae) Synonymy: bolephora L.B.Prout,1937 Range (as code): **KM**
3989. **Eupithecia boryata (Rebel,1906)** (Geometridae) Synonymy: boryata Rebel,1906 Range (as code): **Cn**
3990. **Eupithecia brachyptera L.B.Prout,1913** (Geometridae) Synonymy: brachyptera L.B.Prout,1913 Range (as code): **ZA ZA12 Nta Kzu Tva Lpo Spb Bbg Gau Pre**
3991. **Eupithecia breviculata (Donzel,1837)** (Geometridae) Synonymy: breviculata Donzel,1837; anatolica Schwingenschuss,1939 [ssp.]; georgica Vojnits,1977 [ssp.] Range (as code): **MA DZ Onç TN PT ES FR Co Sa Si IT MT DE CH HU RO YU AL BG GR Cr Rd TR Cc AZ Lag Kir Len Nv SY RU UA IL Pa CY JO IR Mz TM Kp Da 01 02 05 06 10 14 16 17 21 23 30 31 35 36 39 42 46 56 65 71 72 80**
3992. **Eupithecia caeruleata Favre,1899** (Geometridae) Synonymy: caeruleata Favre,1899 Range (as code): **MA DZ PT ES FR Si Co IT CH AT SK RO YU BG GR Cr RU UA Cm IL Pa CY LB AZ Cc**
3993. **Eupithecia candicans Herbulot,1988** (Geometridae) Synonymy: candicans Herbulot,1988 Range (as code): **CM**
3994. **Eupithecia celatisigna (W.Warren,1902)** (Geometridae) Synonymy: celatisigna W.Warren,1902; lugubriaria Swinhoe,1904 Range (as code): **KE ZA**
3995. **Eupithecia chalikophila Wehrli,1926** (Geometridae) Synonymy: chalikophila Wehrli,1926 Range (as code): **ES An MA**
3996. **Eupithecia cinnamomata D.S.Fletcher,1951** (Geometridae) Synonymy: cinnamomata D.S.Fletcher,1951 Range (as code): **ZA Fs**
3997. **Eupithecia coaequalis Janse,1933** (Geometridae) Synonymy: coaequalis Janse,1933 Range (as code): **ZW Bul**
3998. **Eupithecia cocciferata Millière,1864** (Geometridae) Synonymy: cocciferata Millière,1864; semitinctaria Mabille,1867. Range (as code): **MA PT ES FR Co Sa IT**
3999. **Eupithecia cohabitans Herbulot,1972** (Geometridae) Synonymy: cohabitans Herbulot,1972 Range (as code): **MG**
4000. **Eupithecia connexa (W.Warren,1909)** (Geometridae) Synonymy: connexa W.Warren,1909 Range (as code): **UG**
4001. **Eupithecia corticata D.S.Fletcher,1950** (Geometridae) Synonymy: corticata D.S.Fletcher,1950 Range (as code): **ZR**
4002. **Eupithecia cretosa Vojnits,1994** (Geometridae) Synonymy: cretosa Vojnits,1994 Range (as code): **TZ**
4003. **Eupithecia cugiai Turati,1927** (Geometridae) Synonymy: cugiai Turati,1927 Range (as code): **LY Cy**
4004. **Eupithecia dargei Herbulot,1988** (Geometridae) Synonymy: dargei Herbulot,1988 Range (as code): **CM**
4005. **Eupithecia dayensis Herbulot,1983** (Geometridae) Synonymy: dayensis Herbulot,1983 Range (as code): **DJ**
4006. **Eupithecia dearmata Dietze,[1904]** (Geometridae) Synonymy: dearmata Dietze,[1904]; harterti Rothschild,1915 Range (as code): **TR DZ Ah Onç TD TN 47**

4007. **Eupithecia decussata Herbulot,1997** (Geometridae) Synonymy: decussata Herbulot,1997 Range (as code): **CM**
4008. **Eupithecia depasta Vojnits,1994** (Geometridae) Synonymy: depasta Vojnits,1994 Range (as code): **GM**
4009. **Eupithecia devestita (W.Warren,1899)** (Geometridae) Synonymy: devestita W.Warren,1899 Range (as code): **ZA UG**
4010. **Eupithecia dilucida (W.Warren,1899)** (Geometridae) Synonymy: dilucida W.Warren,1899 Range (as code): **UG ZA ZA04 Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg YE**
4011. **Eupithecia dinshoensis Herbulot,1983** (Geometridae) Synonymy: dinshoensis Herbulot,1983 Range (as code): **ET ET86**
4012. **Eupithecia dissobapta L.B.Prout,1932** (Geometridae) Synonymy: dissobapta L.B.Prout,1932 Range (as code): **MG**
4013. **Eupithecia dissonans Herbulot,1954** (Geometridae) Synonymy: dissonans Herbulot,1954 Range (as code): **MG**
4014. **Eupithecia distinctaria Herrich-Schäffer,[1848]** (Geometridae) Synonymy: distinctaria Herrich-Schäffer,[1848]; constrictata Guenée,[1858]; sextiata Dardoin & Millière,1867; piemonticola Schwingenschuss,1954 Range (as code): **MA PT ES FR Co IT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv Ord Cc GG SE LT RU UA Cm LB Bsa 07 14 33 42 46 65**
4015. **Eupithecia dodoneata Guenée,[1858]** (Geometridae) Synonymy: dodoneata Guenée,[1858]; quercifoliata A.Bang-Haas,1874; austrina Herbulot,1962 Range (as code): **MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI LV LT RU MD UA BY 46**
4016. **Eupithecia dohertyi L.B.Prout,1935** (Geometridae) Synonymy: dohertyi L.B.Prout,1935 Range (as code): **KE UG CM**
4017. **Eupithecia ecplyta L.B.Prout,1932** (Geometridae) Synonymy: ecplyta L.B.Prout,1932 Range (as code): **KE**
4018. **Eupithecia edwardsi D.S.Fletcher,1951** (Geometridae) Synonymy: edwardsi D.S.Fletcher,1951 Range (as code): **UG**
4019. **Eupithecia electreofasciata D.S.Fletcher,1958** (Geometridae) Synonymy: electreofasciata D.S.Fletcher,1958 Range (as code): **UG ZR**
4020. **Eupithecia elissa Dietze,1910** (Geometridae) Synonymy: elissa Dietze,1910 Range (as code): **TN**
4021. **Eupithecia ericeti Herbulot,1970** (Geometridae) Synonymy: ericeti Herbulot,1970 Range (as code): **MG KM**
4022. **Eupithecia evansi D.S.Fletcher,1958** (Geometridae) Synonymy: evansi D.S.Fletcher,1958 Range (as code): **UG**
4023. **Eupithecia exheres Herbulot,1954** (Geometridae) Synonymy: exheres Herbulot,1954 Range (as code): **MG**
4024. **Eupithecia extraversaria Herrich-Schäffer,[1852]** (Geometridae) Synonymy: extraversaria Herrich-Schäffer,[1852]; libanotidata Guenée,[1858] Range (as code): **MA ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR LV RU MD UA BY 06 14 31 80**
4025. **Eupithecia extremata (Fabricius,1787)** (Geometridae) Synonymy: extremata Fabricius,1787; glaucomictata Mann,1855; hangayi Vojnits,1977. Range (as code): **LY PT ES FR Co Si DE AT SK HU RO YU AL BG GR TR IQ RU MD UA BY Cc AZ Kir IL Pa Tbs Car LB Bsa IR 06 21 31 32 33 35 42 45 46 56 65**
4026. **Eupithecia feliscaudata D.S.Fletcher,1956** (Geometridae) Synonymy: feliscaudata D.S.Fletcher,1956 Range (as code): **TZ**
4027. **Eupithecia festiva L.B.Prout,1916** (Geometridae) Synonymy: festiva L.B.Prout,1916 Range (as code): **ZA Tva Mpu Brb**
4028. **Eupithecia fioriata Schütze,1959** (Geometridae) Synonymy: fioriata Schütze,1959 Range (as code): **LY**
4029. **Eupithecia fuscata D.S.Fletcher,1951** (Geometridae) Synonymy: fuscata D.S.Fletcher,1951 Range (as code): **UG**
4030. **Eupithecia gomerensis (Rebel,1917)** (Geometridae) Synonymy: gomerensis Rebel,1917 Range (as code): **Cn**
4031. **Eupithecia gradatilinea L.B.Prout,1916** (Geometridae) Synonymy: gradatilinea L.B.Prout,1916; rubidimixta L.B.Prout,1916 Range (as code): **ZA ZA28 Tva Lpo Mpu Wv Gau Pre ZW**
4032. **Eupithecia graphiticata Joannis,1932** (Geometridae) Synonymy: graphiticata Joannis,1932; adunata L.B.Prout,1935 Range (as code): **RE**

4033.Eupithecia gratiosata Herrich-Schäffer,1861 (Geometridae) Synonymy: gratiosata Herrich-Schäffer,1861; subseparata Christoph,1885 Range (as code): **MA DZ TN PT ES FR Sa Si IT PL RO YU AL BG GR TR IQ LB Bsa Cc GG AZ IR KG Clk Htt 16 25 30 31 45 56 58 65**

4034.Eupithecia griveaudi Herbulot,1972 (Geometridae) Synonymy: griveaudi Herbulot,1972 Range (as code): **MG**

4035.Eupithecia gueneata Millière,1862 (Geometridae) Synonymy: gueneata Millière,1862; busambraria Ragusa,1889 Range (as code): **MA ES FR Si IT CH AT PL CZ SK HU RO YU AL GR TR Cc AZ Lag TM Kp IR AM 04 23 30 65**

4036.Eupithecia hemileucaria Mabille,1880 (Geometridae) Synonymy: hemileucaria Mabille,1880 Range (as code): **MG**

4037.Eupithecia hemiochra L.B.Prout,1932 (Geometridae) Synonymy: hemiochra L.B.Prout,1932 Range (as code): **KE**

4038.Eupithecia herbulot Koçak & Kemal,2001 (Geometridae) Synonymy: decussata Herbulot,1997 nec Don.,1799; herbulot Koçak & Kemal,2001 Range (as code): **CM**

4039.Eupithecia hydrargyrea Herbulot,1954 (Geometridae) Synonymy: hydrargyrea Herbulot,1954 Range (as code): **MG**

4040.Eupithecia hypophasma L.B.Prout,1913 (Geometridae) Synonymy: hypophasma L.B.Prout,1913 Range (as code): **ZA ZA11 ZA13 Kzu Nta Tva Lpo Hae**

4041.Eupithecia icterata (De Villers,1789) (Geometridae) Synonymy: icterata De Villers,1789; oxydata Treitschke,1828; cognata Stephens,1831; ligustigata Donzel,1838; ferrugata Duponchel,1842; #ligusticata Dietze,1910 Range (as code): **MA ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Arr GG Bjo Mng Lag Da DK NO SE FI EE LV LT RU MD UA Cm IQ IR Elb Mz KG 14 36 65 76 80**

4042.Eupithecia immensa (W.Warren,1902) (Geometridae) Synonymy: immensa W.Warren,1902 Range (as code): **KE**

4043.Eupithecia immodica L.B.Prout,1926 (Geometridae) Synonymy: immodica L.B.Prout,1926 Range (as code): **UG**

4044.Eupithecia inassignata Herbulot,1988 (Geometridae) Synonymy: inassignata Herbulot,1988 Range (as code): **CM**

4045.Eupithecia incommoda Herbulot,1983 (Geometridae) Synonymy: incommoda Herbulot,1983 Range (as code): **ET**

4046.Eupithecia inconclusaria Walker,1862 (Geometridae) Synonymy: inconclusaria Walker,1862; macropterata Walker,1866 Range (as code): **ZA Wca Cto**

4047.Eupithecia infausta L.B.Prout,1922 (Geometridae) Synonymy: infausta L.B.Prout,1922 Range (as code): **ZA Wca Cto**

4048.Eupithecia infectaria (Guenée,[1858]) (Geometridae) Synonymy: infectaria Guenée,[1858] Range (as code): **ZA ZA20 Mpu ZA28 Ec Tva Lpo**

4049.Eupithecia infelix L.B.Prout,1917 (Geometridae) Synonymy: infelix L.B.Prout,1917 Range (as code): **ZA Tva ZA04 ZA12 ZA13 Kzu ZA14 ZA18 Ec ZA20 Mpu SZ**

4050.Eupithecia innotata (Hufnagel,1767) (Geometridae) Synonymy: innotata Hufnagel,1767; tamarisciata Freyer,1836; suspectata Dietze,1871; uliata Staudinger,1897; ulicada Dietze,1910; alexandriana Vardikjan,1972; sergiana Vardikjan,1972. Range (as code): **MA DZ Ges TN PT ES FR Co Sa IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo Kir Lag AZ AM Eri DK NO SE FI EE LV LT RU Sb MD UA BY MN CN Ui Ku Kun AF Kab 05 16 17 58**

4051.Eupithecia inquinata D.S.Fletcher,1950 (Geometridae) Synonymy: inquinata D.S.Fletcher,1950 Range (as code): **ET**

4052.Eupithecia inscitata Walker,1863 (Geometridae) Synonymy: inscitata Walker,1863 Range (as code): **ZA Wca Cto**

4053.Eupithecia irenica L.B.Prout,1937 (Geometridae) Synonymy: irenica L.B.Prout,1937 Range (as code): **ZA ZA14 ZA20 Mpu ZA28 Tva Lpo**

4054.Eupithecia isopsaliodes D.S.Fletcher,1978 (Geometridae) Synonymy: isopsaliodes D.S.Fletcher,1978 Range (as code): **TZ**

4055.Eupithecia isotenes L.B.Prout,1932 (Geometridae) Synonymy: isotenes L.B.Prout,1932 Range (as code): **KE**

4056.Eupithecia jacksoni D.S.Fletcher,1956 (Geometridae) Synonymy: jacksoni D.S.Fletcher,1956 Range (as code): **KE Elg**

4057.Eupithecia jeanneli Herbulot,1953 (Geometridae) Synonymy: jeanneli Herbulot,1953 Range (as code): **KE Elg UG ZR**

4058.Eupithecia jefrenata Schütze,1959 (Geometridae) Synonymy: jefrenata Schütze,1959 Range (as code): **LY**

4059.Eupithecia kibatiata Debauche,1938 (Geometridae) Synonymy: kibatiata Debauche,1938 Range (as code): **ZR**

4060.Eupithecia laquaearia Herrich-Schäffer,[1848] (Geometridae) Synonymy: laquaearia Herrich-Schäffer,[1848]; merinata Guenée,[1858] Range (as code): **MA TN PT ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG TR LB IR LT RU MD UA BY**

4061.Eupithecia laticallis L.B.Prout,1922 (Geometridae) Synonymy: laticallis L.B.Prout,1922 Range (as code): **ZA ZA13 Nta Kzu Ggh Fs Wca Cto**

4062.Eupithecia lecerfi L.B.Prout,1928 (Geometridae) Synonymy: lecerfi L.B.Prout,1928 Range (as code): **MA DZ**

4063.Eupithecia licita L.B.Prout,1917 (Geometridae) Synonymy: licita L.B.Prout,1917; vepallida L.B.Prout,1925 Range (as code): **ZA Wca Ec Kny**

4064.Eupithecia liguriata Millière,1884 (Geometridae) Synonymy: liguriata Millière,1884; roderaria Standfuss,1888; bordigherata Dietze,1913 Range (as code): **MA PT ES FR Si IT**

4065.Eupithecia liqalaneng M.Krüger,2000 (Geometridae) Synonymy: liqalaneng M.Krüger,2000 Range (as code): **ZA**

4066.Eupithecia maloti M.Krüger,2000 (Geometridae) Synonymy: maloti M.Krüger,2000 Range (as code): **ZA**

4067.Eupithecia marmaricata Turati,1922 (Geometridae) Synonymy: marmaricata Turati,1922 Range (as code): **LY Cy**

4068.Eupithecia maspalomae Pinker,1961 (Geometridae) Synonymy: maspalomae Pinker,1961 Range (as code): **Cn**

4069.Eupithecia massiliata Millière,1865 (Geometridae) Synonymy: massiliata Millière,1865; peyerimhoffata Millière,1870; atlanticata Pinker,1969; pinkeriata Moberg,1983 Range (as code): **Cn MA DZ TN PT ES FR IT**

4070.Eupithecia meandrata Turati,1924 (Geometridae) Synonymy: meandrata Turati,1924 Range (as code): **LY Cy**

4071.Eupithecia mecodaedala L.B.Prout,1932 (Geometridae) Synonymy: mecodaedala L.B.Prout,1932 Range (as code): **KE**

4072.Eupithecia mecodaedala holmi D.S.Fletcher,1958 (Geometridae) Synonymy: holmi D.S.Fletcher,1958 Range (as code): **KE**

4073.Eupithecia medilunata L.B.Prout,1932 (Geometridae) Synonymy: medilunata L.B.Prout,1932 Range (as code): **KE**

4074.Eupithecia mendosaria (Swinhoe,1904) (Geometridae) Synonymy: mendosaria Swinhoe,1904 Range (as code): **KE YE**

4075.Eupithecia mentavoni Herbulot,1990 (Geometridae) Synonymy: mentavoni Herbulot,1990 Range (as code): **MW**

4076.Eupithecia millefoliata Roesler,1866 (Geometridae) Synonymy: millefoliata Roesler,1866; achilleata Mabille,1869; #maeoticaria Bohatsch,1893 Range (as code): **MA ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO BG MK TR Cc GG DK NO SE FI EE LV LT RU UA Cm BY KK KG TJ UZ At Sb Ya 06 42 46 58 76**

4077.Eupithecia millesima Vojnits,1994 (Geometridae) Synonymy: millesima Vojnits,1994 Range (as code): **KE**

4078.Eupithecia minimaria Turati,1927 (Geometridae) Synonymy: minimaria Turati,1927 Range (as code): **LY Cy**

4079.Eupithecia minusculata Alpheraky,1883 (Geometridae) Synonymy: minusculata Alpheraky,1883; inversaria Turati,1930; penultimaria Wiltshire,1985; herrenschmidti Mentzer & Moberg,1992 Range (as code): **ES An Grn DZ TN UA Cm RU Ui Ku CN Hph LY Cy IQ Bgd TR AM Cc AZ Da SY IL Pa JO KG TM UZ TJ AF Nu MN 36**

4080.Eupithecia mirei Herbulot,1965 (Geometridae) Synonymy: mirei Herbulot,1965 Range (as code): **TD**

4081.Eupithecia monticola M.Krüger,2000 (Geometridae) Synonymy: monticola M.Krüger,2000 Range (as code): **ZA**

4082.Eupithecia multiplex Herbulot,1954 (Geometridae) Synonymy: multiplex Herbulot,1954 Range (as code): **MG**

4083.Eupithecia multispinata D.S.Fletcher,1951 (Geometridae) Synonymy: multispinata D.S.Fletcher,1951 Range (as code): **CM**

4084.Eupithecia nabagulensis L.B.Prout,1935 (Geometridae) Synonymy: nabagulensis L.B.Prout,1935 Range (as code): **UG**

4085.Eupithecia nigrataenia D.S.Fletcher,1978 (Geometridae) Synonymy: nigrataenia D.S.Fletcher,1978 Range (as code): **TZ**

4086.Eupithecia nigribasis (W.Warren,1902) (Geometridae) Synonymy: nigribasis W.Warren,1902 Range (as code): **ZA Tva ZA14 Mpu**

4087.Eupithecia nigropolata D.S.Fletcher,1951 (Geometridae) Synonymy: nigropolata D.S.Fletcher,1951 Range (as code): **UG**

4088.Eupithecia oblongata (Thunberg,1784) (Geometridae) Synonymy: #centaureata [Denis & Schiffermüller],1775; oblongata Thunberg,1784; boloniensis Fourcroy,1875; centralisata Staudinger,1892; chinae Vojnits,1977. Range (as code): **MA DZ Ges TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG Tbl Kir Lag AM AZ DK NO SE FI EE LV LT RU Da Us MD UA BY KG TrA Ssn Tk Ui Ku Stg Kwa IL Pa Car Jf LB Bsa PK Ch IN Ld Gg KK Ax UZ Smk AF Nu Bd TW 01 05 06 14 16 17 34 42 44 46 52 55 56 58 65 71 72**

4089.Eupithecia oblongipennis (W.Warren,1902) (Geometridae) Synonymy: oblongipennis W.Warren,1902 Range (as code): **KE**

4090.Eupithecia ochralba Herbulot,1983 (Geometridae) Synonymy: ochralba Herbulot,1983 Range (as code): **ET**

4091.Eupithecia ochrata D.S.Fletcher,1951 (Geometridae) Synonymy: ochrata D.S.Fletcher,1951 Range (as code): **UG**

4092.Eupithecia ochroriguata C.G.Krüger,1939 (Geometridae) Synonymy: ochroriguata C.G.Krüger,1939 Range (as code): **LY**

4093.Eupithecia oculata D.S.Fletcher,1956 (Geometridae) Synonymy: oculata D.S.Fletcher,1956 Range (as code): **CM**

4094.Eupithecia orana (Dietze,1910) (Geometridae) Synonymy: orana Dietze,1910; pseudoscriptoria Rothschild,1914; soricella Lucas,1938; maspalomae Pinker,1961 Range (as code): **MA DZ Ges Orn ES**

4095.Eupithecia orbaria Swinhoe,1904 (Geometridae) Synonymy: orbaria Swinhoe,1904 Range (as code): **UG**

4096.Eupithecia oxycedrata (Rambur,1833) (Geometridae) Synonymy: oxycedrata Rambur,1833; oxycedrararia Boisduval,1840; provinciata Millière,1872 Range (as code): **MA DZ Ges TN PT ES FR Co Sa IT GR Cr B-H HV SS MK RO TR UA Cm 01 05 16 56**

4097.Eupithecia pantellata Millière,1875 (Geometridae) Synonymy: pantellata Millière,1875; luteostrigata Staudinger,1876; illuminata Joannis,1891; tedaldiata Fuchs,1901 Range (as code): **Cn MA DZ Phv PT ES An Si**

4098.Eupithecia pauliani Herbulot,1957 (Geometridae) Synonymy: pauliani Herbulot,1957 Range (as code): **MG**

4099.Eupithecia perculsaria (Swinhoe,1904) (Geometridae) Synonymy: perculsaria Swinhoe,1904 Range (as code): **KE ZA**

4100.Eupithecia perigrapta Janse,1933 (Geometridae) Synonymy: perigrapta Janse,1933 Range (as code): **ZA ZA10 Nta Kzu ZA28 Tva Lpo Spb Bbg**

4101.Eupithecia personata D.S.Fletcher,1951 (Geometridae) Synonymy: personata D.S.Fletcher,1951 Range (as code): **MG**

4102.Eupithecia petersi D.S.Fletcher,1956 (Geometridae) Synonymy: petersi D.S.Fletcher,1956 Range (as code): **TZ**

4103.Eupithecia pettyi L.B.Prout,1935 (Geometridae) Synonymy: parallelaria Janse,1933 nec Bohat.,1893; pettyi L.B.Prout,1935 Range (as code): **ZA Etm ZA11 Kzu Nta Wca**

4104.Eupithecia pettyioides M.Krüger,2000 (Geometridae) Synonymy: pettyioides M.Krüger,2000 Range (as code): **ZA**

4105.Eupithecia phaiosata D.S.Fletcher,1978 (Geometridae) Synonymy: phaiosata D.S.Fletcher,1978 Range (as code): **TZ**

4106.Eupithecia phoeniceata (Rambur,1834) (Geometridae) Synonymy: phoeniceata Rambur,1834; mnemosynata Millière,[1876] Range (as code): **MA DZ Ges PT ES FR Co Si IT MT IE GB YU HV AL GR**

4107.Eupithecia picturata (W.Warren,1902) (Geometridae) Synonymy: picturata W.Warren,1902 Range (as code): **KE ZA**

4108.Eupithecia pimpinellata (Hübner,[1813]) (Geometridae) Synonymy: pimpinellata Hübner,[1813]; altaicata Guenée,[1858]; lantoscata Millière,1873; cinerascens Tengström,1875; limbosignata Dietze,1910; elongata Dietze,1913 nec Hw,1809; retheli L.B.Prout,1938; variata Schwingenschuss,1936. Range (as code): **MA PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb At MD UA BY LB IR MN CN Ui Ku KG Tk 42**

4109.Eupithecia pluripunctaria Turati,1934 (Geometridae) Synonymy: pluripunctaria Turati,1934 Range (as code): **LY Cy**

4110. **Eupithecia polylibades L.B.Prout,1916** (Geometridae) Synonymy: polylibades L.B.Prout,1916 Range (as code): **ZA Tva ZA14 Mpu Gau Pre**
4111. **Eupithecia praealta Wehrli,1926** (Geometridae) Synonymy: praealta Wehrli,1926 Range (as code): **MA ES An**
4112. **Eupithecia pretoriana (L.B.Prout,1922)** (Geometridae) Synonymy: pretoriana L.B.Prout,1922 Range (as code): **ZA Gau Pre Tva**
4113. **Eupithecia proflua L.B.Prout,1932** (Geometridae) Synonymy: proflua L.B.Prout,1932 Range (as code): **TZ KE**
4114. **Eupithecia profuga L.B.Prout,1931** (Geometridae) Synonymy: profuga L.B.Prout,1931 Range (as code): **SO**
4115. **Eupithecia pseudexheres Herbulot,1972** (Geometridae) Synonymy: pseudexheres Herbulot,1972 Range (as code): **MG**
4116. **Eupithecia pseudoabbreviata D.S.Fletcher,1951** (Geometridae) Synonymy: pseudoabbreviata D.S.Fletcher,1951 Range (as code): **ET**
4117. **Eupithecia psiadiata Townsend,1952** (Geometridae) Synonymy: psiadiata Townsend,1952 Range (as code): **KE**
4118. **Eupithecia ptychospila L.B.Prout,1937** (Geometridae) Synonymy: ptychospila L.B.Prout,1937 Range (as code): **MG**
4119. **Eupithecia rediviva L.B.Prout,1917** (Geometridae) Synonymy: rediviva L.B.Prout,1917 Range (as code): **ZA Mpu Tva Pil**
4120. **Eupithecia reginamontium M.Krüger,2000** (Geometridae) Synonymy: reginamontium M.Krüger,2000; #reginamontanum M.Krüger,2000 Range (as code): **ZA**
4121. **Eupithecia regulosa (W.Warren,1902)** (Geometridae) Synonymy: regulosa W.Warren,1902 Range (as code): **KE ZA**
4122. **Eupithecia resarta L.B.Prout,1932** (Geometridae) Synonymy: resarta L.B.Prout,1932 Range (as code): **KE**
4123. **Eupithecia retusa C.G.Krüger,1939** (Geometridae) Synonymy: retusa C.G.Krüger,1939 Range (as code): **LY**
4124. **Eupithecia rhoisata (Chrétien,1917)** (Geometridae) Synonymy: rhoisata Chrétien,1917 Range (as code): **DZ Bsk TN Gf**
4125. **Eupithecia rigida Swinhoe,1892** (Geometridae) Synonymy: rigida Swinhoe,1892 Range (as code): **IN Ass Meg Khs KE ZA ZA14 Mpu Mal Tva Lpo NC**
4126. **Eupithecia rosai Pinker,1962** (Geometridae) Synonymy: rosai Pinker,1962 Range (as code): **Cn**
4127. **Eupithecia rosmarinata Dardoin & Millière,1865** (Geometridae) Synonymy: rosmarinata Dardoin & Millière,1865 Range (as code): **MA DZ Ges ES FR**
4128. **Eupithecia rougeoti Herbulot,1983** (Geometridae) Synonymy: rougeoti Herbulot,1983 Range (as code): **ET**
4129. **Eupithecia rubidimixta L.B.Prout,1916** (Geometridae) Synonymy: rubidimixta L.B.Prout,1916 Range (as code): **ZA ZA14 Tva Lpo Spb Bbg ZA20 Mpu**
4130. **Eupithecia rubiginifera L.B.Prout,1913** (Geometridae) Synonymy: rubiginifera L.B.Prout,1913 Range (as code): **ZA ZA10 Nta Kzu ZA28 Tva Lpo Hae**
4131. **Eupithecia rubristigma L.B.Prout,1932** (Geometridae) Synonymy: rubristigma L.B.Prout,1932 Range (as code): **KE**
4132. **Eupithecia rusicadaria Dietze,1910** (Geometridae) Synonymy: rusicadaria Dietze,1910 Range (as code): **MA DZ TN**
4133. **Eupithecia sagittata (W.Warren,1897)** (Geometridae) Synonymy: sagittata W.Warren,1897 Range (as code): **ZA ZA13 Kzu Nta Wnn**
4134. **Eupithecia salti D.S.Fletcher,1951** (Geometridae) Synonymy: salti D.S.Fletcher,1951 Range (as code): **TZ**
4135. **Eupithecia sardoa Dietze,1910** (Geometridae) Synonymy: sardoa Dietze,1910 Range (as code): **TN Co Sa**
4136. **Eupithecia schuetzeana Pinker,1961** (Geometridae) Synonymy: schuetzeana Pinker,1961 Range (as code): **Cn**
4137. **Eupithecia schwingenschussi Zerny,1934** (Geometridae) Synonymy: schwingenschussi Zerny,1934 Range (as code): **MA**
4138. **Eupithecia sectilinea Herbulot,1988** (Geometridae) Synonymy: sectilinea Herbulot,1988 Range (as code): **CM**

4139. **Eupithecia semiflavata (W.Warren,1902)** (Geometridae) Synonymy: semiflavata W.Warren,1902 Range (as code): **KE**
4140. **Eupithecia semigraphata Bruand,[1847]** (Geometridae) Synonymy: semigraphata Bruand,[1847] Range (as code): **MA Cn ES FR Si Co IT MT BE DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR RU MD UA Cm BY IR Elb Th Kdv Cc Lag GG AM 05 06 30 42 46 52 65**
4141. **Eupithecia semipallida Janse,1933** (Geometridae) Synonymy: semipallida Janse,1933 Range (as code): **ZW Bul**
4142. **Eupithecia silenicolata Mabille,1867** (Geometridae) Synonymy: silenicolata Mabille,1867 Range (as code): **MA FR Co IT CH? AT SK HU RO YU BG GR TR LB Bei Bsa IR Lo Ab PK Sha Ld 05 13 42 46 56 65**
4143. **Eupithecia sodalis L.B.Prout,1937** (Geometridae) Synonymy: sodalis L.B.Prout,1937 Range (as code): **GO Bio**
4144. **Eupithecia sogai Herbulot,1970** (Geometridae) Synonymy: sogai Herbulot,1970 Range (as code): **MG**
4145. **Eupithecia somereni L.B.Prout,1935** (Geometridae) Synonymy: somereni L.B.Prout,1935 Range (as code): **KE Nai**
4146. **Eupithecia sp.1** (Geometridae) Synonymy: Range (as code): **ZA Ksi Kzu Nta**
4147. **Eupithecia sp.2** (Geometridae) Synonymy: Range (as code): **ZA ZA06 Kzu**
4148. **Eupithecia sp.3** (Geometridae) Synonymy: Range (as code): **ZA Tva ZA16 Mpu**
4149. **Eupithecia sp.4** (Geometridae) Synonymy: Range (as code): **ZA ZA18 Ec**
4150. **Eupithecia sporobola Herbulot,1988** (Geometridae) Synonymy: sporobola Herbulot,1988 Range (as code): **MG**
4151. **Eupithecia steeleae D.S.Fletcher,1951** (Geometridae) Synonymy: steeleae D.S.Fletcher,1951 Range (as code): **CM**
4152. **Eupithecia stertzi (Rebel,1911)** (Geometridae) Synonymy: stertzi Rebel,1911 Range (as code): **Cn**
4153. **Eupithecia streptozona L.B.Prout,1932** (Geometridae) Synonymy: streptozona L.B.Prout,1932 Range (as code): **MG**
4154. **Eupithecia strigatissima Turati,1927** (Geometridae) Synonymy: strigatissima Turati,1927 Range (as code): **LY Cy**
4155. **Eupithecia subcanipars L.B.Prout,1917** (Geometridae) Synonymy: subcanipars L.B.Prout,1917 Range (as code): **ZA Mpu Pil Tva**
4156. **Eupithecia subconclusaria L.B.Prout,1917** (Geometridae) Synonymy: subconclusaria L.B.Prout,1917 Range (as code): **ZA Ec Klk**
4157. **Eupithecia subextremata Schütze,1959** (Geometridae) Synonymy: subextremata Schütze,1959 Range (as code): **LY**
4158. **Eupithecia sublata Vojnits,1994** (Geometridae) Synonymy: sublata Vojnits,1994 Range (as code): **TZ**
4159. **Eupithecia subscriptaria L.B.Prout,1917** (Geometridae) Synonymy: subscriptaria L.B.Prout,1917 Range (as code): **ZA Tva Lpo**
4160. **Eupithecia tabacata D.S.Fletcher,1951** (Geometridae) Synonymy: tabacata D.S.Fletcher,1951 Range (as code): **KE**
4161. **Eupithecia tenellata Dietze,1906** (Geometridae) Synonymy: tenellata Dietze,1906; gelinaria Lucas,1907; deserticola Turati,1934 Range (as code): **MA DZ Ah Ajj TN Gf LY Cy SA**
4162. **Eupithecia tenerifensis (Rebel,1906)** (Geometridae) Synonymy: tenerifensis Rebel,1906 Range (as code): **Cn**
4163. **Eupithecia tetraglena L.B.Prout,1932** (Geometridae) Synonymy: tetraglena L.B.Prout,1932 Range (as code): **KE TZ**
4164. **Eupithecia theobromina Herbulot,1954** (Geometridae) Synonymy: theobromina Herbulot,1954 Range (as code): **MG**
4165. **Eupithecia thessa L.B.Prout,1935** (Geometridae) Synonymy: thessa L.B.Prout,1935 Range (as code): **ZA**
4166. **Eupithecia thomasina L.B.Prout,1927** (Geometridae) Synonymy: thomasina L.B.Prout,1927 Range (as code): **ST**
4167. **Eupithecia tranquilla Herbulot,1988** (Geometridae) Synonymy: tranquilla Herbulot,1988 Range (as code): **MG**
4168. **Eupithecia tricuspis L.B.Prout,1932** (Geometridae) Synonymy: tricuspis L.B.Prout,1932; gonypetes L.B.Prout,1934 Range (as code): **TZ ZR**
4169. **Eupithecia tripolitaniata Schütze,1959** (Geometridae) Synonymy: tripolitaniata Schütze,1959 Range (as code): **LY**

4170. **Eupithecia trita (Turati,1926)** (Geometridae) Synonymy: trita Turati,1926 Range (as code): **LY Cy**
4171. **Eupithecia ultimaria Boisduval,1840** (Geometridae) Synonymy: ultimaria Boisduval,1840; tornifascia Rothschild,1913 Range (as code): **MA DZ Ges Ah Ogl Gle TN LY ES FR IT GB Cc AZ Nv Ord Lag LB Bei EG EG11 SA As TR IQ Kq Mos Bgd Amr PK Krc IR Ss Kz IL Pa Jf LB SY 16**
4172. **Eupithecia undiculata L.B.Prout,1932** (Geometridae) Synonymy: vermiculata W.Warren,1901 nec Snell.,1874; undiculata L.B.Prout,1932 Range (as code): **KE Nai UG ZR ZA**
4173. **Eupithecia unedonata (Mabille,1868)** (Geometridae) Synonymy: unedonata Mabille,1868 Range (as code): **MA DZ TN Gf ES FR Co Sa Si IT HU YU GR Rd Cr TR LB Bsa IL Pa Js EG AM Cc AZ 31 34 46**
4174. **Eupithecia unitaria Herrich-Schäffer,1852** (Geometridae) Synonymy: unitaria Herrich-Schäffer,1852; roseocinnamomaria Rothschild,1913 Range (as code): **ES MA DZ Ges Ah TN Gf**
4175. **Eupithecia urbanata D.S.Fletcher,1956** (Geometridae) Synonymy: urbanata D.S.Fletcher,1956 Range (as code): **ET YE o**
4176. **Eupithecia venosata (Fabricius,1787)** (Geometridae) Synonymy: venosata Fabricius,1787; insignata Hübner,1789; decussata Donovan,1799; comparanda Vojnits,1981 Range (as code): **MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Mng Lag AZ DK NO SE FI EE LV LT RU Sb MD UA BY PK Swa Klm Sha Ch AF Nu 05 13 16 21 30 61 65**
4177. **Eupithecia vesiculata Herbulot,1954** (Geometridae) Synonymy: vesiculata Herbulot,1954 Range (as code): **MG**
4178. **Eupithecia vinaceata D.S.Fletcher,1956** (Geometridae) Synonymy: vinaceata D.S.Fletcher,1956 Range (as code): **KE**
4179. **Eupithecia vulgata (Haworth,[1809])** (Geometridae) Synonymy: vulgata Haworth,[1809]; pygmaeata Borkhausen,1794; clusterata Hübner,[1813]; austeraria Herrich-Schäffer,1848; atropicta Dietze,1910; cyrneata Schawerda,1933 Range (as code): **MA PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Us MD UA BY KG Lps CN Ui Arc LB Bsa AF Pag Kab Sfk Kbb Wk 07 14 61 65**
4180. **Eupithecia weissi L.B.Prout,1938** (Geometridae) Synonymy: weissi L.B.Prout,1938; barbaria Schwingenschuss,1955 Range (as code): **MA DZ PT ES FR**
4181. **Eupithecia xylopsis Herbulot,1954** (Geometridae) Synonymy: xylopsis Herbulot,1954 Range (as code): **MG**
4182. **Eupithecia yakushimensis Inoue,1980** (Geometridae) Synonymy: yakushimensis Inoue,1980 Range (as code): **MG**
4183. **Eupithecia zingiberiana D.S.Fletcher,1956** (Geometridae) Synonymy: zingiberiana D.S.Fletcher,1956 Range (as code): **KE Nai**
4184. **Eupithecia zombensis Herbulot,1990** (Geometridae) Synonymy: zombensis Herbulot,1990 Range (as code): **MW**
4185. **Euproutia aggravaria (Guenée,[1858])** (Geometridae) Synonymy: aggravaria Guenée,[1858]; rubella W.Warren,1904; rhodosticta Hampson,1910; semialbifrons L.B.Prout,1915 Range (as code): **ZW Har Bul Hfo ZA Tva Lpo**
4186. **Euproutia rufomarginata (Pagenstecher,1893)** (Geometridae) Synonymy: rufomarginata Pagenstecher,1893 Range (as code): **ZA**
4187. **Eurranthis plummistaria (De Villers,1789)** (Geometridae) Synonymy: plummistaria De Villers,1789; auritaria Hübner,[1813]. Range (as code): **MA Azr DZ Btna PT ES Mu FR IT**
4188. **Exeliopsis amygdala L.B.Prout,1938** (Geometridae) Synonymy: amygdala L.B.Prout,1938 Range (as code): **SN**
4189. **Exeliopsis ansorgei (W.Warren,1905)** (Geometridae) Synonymy: ansorgei W.Warren,1905 Range (as code): **NG**
4190. **Exeliopsis brunnea Viette,1977** (Geometridae) Synonymy: brunnea Viette,1977 Range (as code): **MG**
4191. **Exeliopsis insulanus L.B.Prout,1938** (Geometridae) Synonymy: insulanus L.B.Prout,1938 Range (as code): **MG**
4192. **Exeliopsis perse (Fawcett,1916)** (Geometridae) Synonymy: perse Fawcett,1916 Range (as code): **KE**
4193. **Exeliopsis tholera (L.B.Prout,1932)** (Geometridae) Synonymy: tholera L.B.Prout,1932 Range (as code): **KE**
4194. **Geodena absimilis (Holland,1893)** (Geometridae) Synonymy: absimilis Holland,1893 Range (as code): **GA Ogo**
4195. **Geodena accra Swinhoe,1904** (Geometridae) Synonymy: accra Swinhoe,1904 Range (as code): **NG Caa**
4196. **Geodena ansorgei (W.Warren,1899)** (Geometridae) Synonymy: ansorgei W.Warren,1899; sphingifascies Hampson,1910 Range (as code): **UG**

4197.**Geodena aurea Carcasson,1965** (Geometridae) Synonymy: aurea Carcasson,1965 Range (as code): **UG**
4198.**Geodena auridisca (W.Warren,1904)** (Geometridae) Synonymy: auridisca W.Warren,1904 Range (as code): **NE NG SL**
4199.**Geodena bandajoma Swinhoe,1904** (Geometridae) Synonymy: bandajoma Swinhoe,1904 Range (as code): **SL**
4200.**Geodena barombica Strand,1911** (Geometridae) Synonymy: barombica Strand,1911 Range (as code): **CM**
4201.**Geodena brunneomarginata Karisch,2003** (Geometridae) Synonymy: brunneomarginata Karisch,2003 Range (as code): **ET Shw**
4202.**Geodena camerunensis Herbulot,1989** (Geometridae) Synonymy: camerunensis Herbulot,1989 Range (as code): **CM**
4203.**Geodena candida Carcasson,1965** (Geometridae) Synonymy: candida Carcasson,1965 Range (as code): **UG**
4204.**Geodena cinerea Carcasson,1965** (Geometridae) Synonymy: cinerea Carcasson,1965 Range (as code): **UG**
4205.**Geodena conifera Hampson,1910** (Geometridae) Synonymy: conifera Hampson,1910 Range (as code): **ZR**
4206.**Geodena cynocephala Holland,1893** (Geometridae) Synonymy: cynocephala Holland,1893 Range (as code): **GA Ogo**
4207.**Geodena dama Holland,1893** (Geometridae) Synonymy: dama Holland,1893; suffusa Swinhoe,1904 Range (as code): **GA Ogo NE**
4208.**Geodena discinota (W.Warren,1899)** (Geometridae) Synonymy: discinota W.Warren,1899 Range (as code): **UG**
4209.**Geodena distincta (Bethune-Baker,1909)** (Geometridae) Synonymy: distincta Bethune-Baker,1909 Range (as code): **UG**
4210.**Geodena flaviventer W.Warren,1909** (Geometridae) Synonymy: flaviventer W.Warren,1909 Range (as code): **ZR**
4211.**Geodena funesta (W.Warren,1899)** (Geometridae) Synonymy: funesta W.Warren,1899 Range (as code): **UG Kmp**
4212.**Geodena hintzi Strand,1915** (Geometridae) Synonymy: hintzi Strand,1915 Range (as code): **CM**
4213.**Geodena inferma Swinhoe,1904** (Geometridae) Synonymy: inferma Swinhoe,1904 Range (as code): **AO**
4214.**Geodena lipara Plötz,1880** (Geometridae) Synonymy: lipara Plötz,1880 Range (as code): **CM**
4215.**Geodena marginalis Walker,1856** (Geometridae) Synonymy: marginalis Walker,1856 Range (as code): **AO GH NG SL**
4216.**Geodena melusine Strand,1909** (Geometridae) Synonymy: melusine Strand,1909 Range (as code): **GN**
4217.**Geodena monostigma Hampson,1910** (Geometridae) Synonymy: monostigma Hampson,1910 Range (as code): **UG**
4218.**Geodena notata (Holland,1893)** (Geometridae) Synonymy: notata Holland,1893 Range (as code): **GA Ogo**
4219.**Geodena partita Swinhoe,1904** (Geometridae) Synonymy: partita Swinhoe,1904 Range (as code): **GH Asn**
4220.**Geodena pringlei Carcasson,1964** (Geometridae) Synonymy: pringlei Carcasson,1964 Range (as code): **TZ**
4221.**Geodena pupillata (W.Warren,1909)** (Geometridae) Synonymy: pupillata W.Warren,1909 Range (as code): **ZR**
4222.**Geodena quadrigutta Walker,1856** (Geometridae) Synonymy: quadrigutta Walker,1856; bimaculata Walker,1865; ossicolor W.Warren,1909 Range (as code): **SL NE**
4223.**Geodena semihyalina Swinhoe,1904** (Geometridae) Synonymy: semihyalina Swinhoe,1904 Range (as code): **SL**
4224.**Geodena surrendra Swinhoe,1904** (Geometridae) Synonymy: surrendra Swinhoe,1904 Range (as code): **GH**
4225.**Geodena venata Prout,1915** (Geometridae) Synonymy: venata Prout,1915 Range (as code): **NG UG**
4226.**Gnophos (Rhinognophos) similarius Rothschild,1914** (Geometridae) Synonymy: similaria Rothschild,1914; culminans Turati,1930 Range (as code): **DZ Ges LY Cy**

4227.Gnophos (Sacrognophos) sacrarius Staudinger,[1895] (Geometridae) Synonymy: sacraria Staudinger,[1895]. Range (as code): **TR IL Js Pa EG EG11 LY Cy 23 56**

4228.Gnophos (s.str.) idrisarius Zerny,1934 (Geometridae) Synonymy: idrisarius Zerny,1934 Range (as code): **MA**

4229.Gnophos (s.str.) liliputarius Turati,1934 (Geometridae) Synonymy: liliputarius Turati,1934 Range (as code): **LY Cy**

4230.Gnophos canariensis Rebel,1911 (Geometridae) Synonymy: canariensis Rebel,1911 Range (as code): **Cn**

4231.Gnophos delagardei L.B.Prout,1915 (Geometridae) Synonymy: delagardei L.B.Prout,1915 Range (as code): **ZA Tva ZA10 Kzu ZA14 Mpu Ggh Fs Wca**

4232.Gnophos porphyratus Zerny,1936 (Geometridae) Synonymy: porphyratus Zerny,1936 Range (as code): **MA**

4233.Gnophos recticostarius Turati,1926 (Geometridae) Synonymy: recticostaria Turati,1926 Range (as code): **LY Cy**

4234.Gnophos rubricimixtus L.B.Prout,1915 (Geometridae) Synonymy: rubricimixta L.B.Prout,1915 Range (as code): **ZA ZA12 Kzu Nta Wca**

4235.Godonela aestimaria (Hübner,[1809]) (Geometridae) Synonymy: aestimaria Hübner,[1809]; contemptata Guenée,[1858]; aestimata Herrich-Schäffer,1861; tunesella Lucas,1949. Range (as code): **DZ Clo TN PT ES Mu FR Sa Si IT MT RO YU AL BG GR TR Cc AZ AM GG Ord Der Da Nv CY IQ Agh IR Mz Gls Fa Sse RU MD UA BY Ui Ku KK Ik IL Pa Jf Hf YE Hd YE68 08 16 23 30 42 46 48 56 65 72**

4236.Godonela albivia (L.B.Prout,1915) (Geometridae) Synonymy: albivia L.B.Prout,1915 Range (as code): **CM Bit CI UG NG**

4237.Godonela angolaria (Snellen,1872) (Geometridae) Synonymy: angolaria Snellen,1872 Range (as code): **ZR**

4238.Godonela avitusarioides (Herbulot,1956) (Geometridae) Synonymy: avitusarioides Herbulot,1956 Range (as code): **MG**

4239.Godonela buettikeri (Wiltshire,1980) (Geometridae) Synonymy: buettikeri Wiltshire,1980 Range (as code): **SA YE Sna YE30 YE33 ET ER**

4240.Godonela collaxata (Herbulot,1987) (Geometridae) Synonymy: collaxata Herbulot,1987 Range (as code): **CM UG ZR**

4241.Godonela fitzgeraldi (Carcasson,1964) (Geometridae) Synonymy: fitzgeraldi Carcasson,1964 Range (as code): **ZM TZ ZR**

4242.Godonela grandis M.Krüger,2001 (Geometridae) Synonymy: grandis M.Krüger,2001 Range (as code): **UG ZR**

4243.Godonela herbuloti (Viette,1973) (Geometridae) Synonymy: herbuloti Viette,1973 Range (as code): **MG**

4244.Godonela hypactinia (L.B.Prout,1916) (Geometridae) Synonymy: hypactinia L.B.Prout,1916 Range (as code): **MG**

4245.Godonela impar (W.Warren,1897) (Geometridae) Synonymy: impar W.Warren,1897 Range (as code): **CI NG CM UG TZ**

4246.Godonela ostentosaria (Möschler,1887) (Geometridae) Synonymy: ostentosaria Möschler,1887 Range (as code): **UG KE SL TG CM AO NG ZR LR GH GA CF**

4247.Godonela parastreniata M.Krüger,2001 (Geometridae) Synonymy: parastreniata M.Krüger,2001 Range (as code): **TZ KE**

4248.Godonela percnoptera (L.B.Prout,1915) (Geometridae) Synonymy: percnoptera L.B.Prout,1915 Range (as code): **CM Bit UG RW ZR AO TZ**

4249.Godonela streniata (Guenée,[1858]) (Geometridae) Synonymy: streniata Guenée,[1858]; amandata Walker,1861; lunivallata W.Warren,1905. Range (as code): **ZA ZA12 ZA13 Mal Tva Lpo ZA25 Nta Kzu Gau Jh Pre Mag Rtb Mpu Wo Wv Mll Nel Brb Nbs Pin Nha Umk Ptb Dbn Lds Pto Kkf Wca Cto Pel Ec Elo Stj ZW Vf Vum Bul Har BW MZ AO MW ZM KE Nai TZ UG ZR CM NG SL DJ ET YE YE30 YE33 Sna MG**

4250.Godonela tetragraphicata (Saalmüller,1880) (Geometridae) Synonymy: tetragraphicata Saalmüller,1880 Range (as code): **MG**

4251.Godonela tsaratanana (Viette,1980) (Geometridae) Synonymy: tsaratanana Viette,1980 Range (as code): **MG**

4252.Gonanticlea meridionata (Walker,1862) (Geometridae) Synonymy: meridionata Walker,1862; aspersata Walker,1862 Range (as code): **ZA ZA12 ZA13 Kzu Mal Tva Lpo**

4253.Gymnoscelis olsoufieffae L.B.Prout,1937 (Geometridae) Synonymy: olsoufieffae L.B.Prout,1937 Range (as code): **ZA Ec Sto MZ**

4254.Gymnoscelis oribiensis Herbulot,1981 (Geometridae) Synonymy: oribiensis Herbulot,1981 Range (as code): **ZA Nta Kzu**

4255.Gymnoscelis rufifasciata (Haworth,[1809]) (Geometridae) Synonymy: rufifasciata Haworth,[1809]; pumilata Hübner,[1813]. Range (as code): **Cn MA DZ Clo PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc GG Tbl Kir Hkd Arr AZ IQ DK NO SE FI EE LV LT RU MD UA BY IR Mz Gls UZ Fe KK Ik LB Bsa IL Pa Car 01 05 07 14 16 17 22 23 31 33 34 35 42 44 47 48 52 56 71 76 80 81**

4256.Gymnoscelis tenera W.Warren,1901 (Geometridae) Synonymy: tenera W.Warren,1901 Range (as code): **ZA NG**

4257.Haplolabida coaequata L.B.Prout,1935 (Geometridae) Synonymy: coaequata L.B.Prout,1935 Range (as code): **ZA Tva ZA14 Mpu**

4258.Haplolabida inaequata (Walker,1861) (Geometridae) Synonymy: inaequata Walker,1861 Range (as code): **ZA ZA10 ZA11 Kzu**

4259.Haplolabida lacrimans Herbulot,1970 (Geometridae) Synonymy: lacrimans Herbulot,1970 Range (as code): **MG**

4260.Haplolabida marojejensis Herbulot,1963 (Geometridae) Synonymy: marojejensis Herbulot,1963 Range (as code): **MG**

4261.Haplolabida monticolata (Aurivillius,1910) (Geometridae) Synonymy: monticolata Aurivillius,1910 Range (as code): **KE UG Rz**

4262.Haplolabida monticolata diplodonta D.S.Fletcher,1958 (Geometridae) Synonymy: diplodonta D.S.Fletcher,1958 Range (as code): **UG Rz**

4263.Haplolabida monticolata monticolata (Aurivillius,1910) (Geometridae) Synonymy: monticolata Aurivillius,1910 Range (as code): **KE**

4264.Haplolabida pauliani Viette,1975 (Geometridae) Synonymy: pauliani Viette,1975 Range (as code): **MG**

4265.Haplolabida sjostedti (Aurivillius,1910) (Geometridae) Synonymy: sjostedti Aurivillius,1910 Range (as code): **KE UG Rz**

4266.Haplolabida viettei Herbulot,1970 (Geometridae) Synonymy: viettei Herbulot,1970 Range (as code): **MG**

4267.Hemidromodes affinis Rothschild,1915 (Geometridae) Synonymy: affinis Rothschild,1915 Range (as code): **DZ Thh Ah LY EG TD Tbt**

4268.Hemidromodes kossnerae Hausmann,1996 (Geometridae) Synonymy: kossnerae Hausmann,1996 Range (as code): **ET KE**

4269.Hemidromodes robusta (L.B.Prout,1913) (Geometridae) Synonymy: robusta L.B.Prout,1913; debonoi Krüger,1939; galala Wiltshire,1949 Range (as code): **DZ Ah TD EG NE SO SD EH**

4270.Hemidromodes sabulifera L.B.Prout,1922 (Geometridae) Synonymy: sabulifera L.B.Prout,1922 Range (as code): **EG SA AE YE IL Pa**

4271.Hemidromodes unicolorata Hausmann,1996 (Geometridae) Synonymy: unicolorata Hausmann,1996 Range (as code): **ET KE**

4272.Hemistola chrysoprasaria (Esper,[1794]) (Geometridae) Synonymy: nayas Fourcroy,1785; pomona Fourcroy,1785; lucidata Donovan,1794; chrysoprasaria Esper,[1794]; Range (as code): **DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA BY KG Kpt 06 14 46 60**

4273.Hemistola ereuthopeza L.B.Prout,1925 (Geometridae) Synonymy: ereuthopeza L.B.Prout,1925 Range (as code): **ZA Fs**

4274.Hemistola incommoda L.B.Prout,1912 (Geometridae) Synonymy: incommoda L.B.Prout,1912 Range (as code): **ZA Rie Nta Kzu Ec Tra**

4275.Hemistola semialbida L.B.Prout,1912 (Geometridae) Synonymy: semialbida L.B.Prout,1912 Range (as code): **ZA Ec Pel**

4276.Henicovalva dissoluta M.Krüger,2017 (Geometridae) Synonymy: dissoluta M.Krüger,2017 Range (as code): **TZ**

4277.Henicovalva lebomboensis M.Krüger,2017 (Geometridae) Synonymy: lebomboensis M.Krüger,2017 Range (as code): **ZA Nta Kzu**

4278.Henicovalva mpisiensis M.Krüger,2017 (Geometridae) Synonymy: mpisiensis M.Krüger,2017 Range (as code): **SZ**

4279.Henicovalva negus M.Krüger,2017 (Geometridae) Synonymy: negus M.Krüger,2017 Range (as code): **ET ET87**

4280.Henicovalva praedicta M.Krüger,2017 (Geometridae) Synonymy: praedicta M.Krüger,2017 Range (as code): **KE**

4281. **Henicovalva pulveraria M.Krüger,2017** (Geometridae) Synonymy: pulveraria M.Krüger,2017 Range (as code): **RW**
4282. **Henicovalva serulensis M.Krüger,2017** (Geometridae) Synonymy: serulensis M.Krüger,2017 Range (as code): **BW**
4283. **Henicovalva stauderi M.Krüger,2017** (Geometridae) Synonymy: stauderi M.Krüger,2017 Range (as code): **KE**
4284. **Henicovalva xera (L.B.Prout,1922)** (Geometridae) Synonymy: xera L.B.Prout,1922 Range (as code): **ZA Gau Pre KE Kib YE**
4285. **Herbulotides amphion Viette,1971** (Geometridae) Synonymy: amphion Viette,1971 Range (as code): **MG**
4286. **Herbulotides griveaudi Viette,1975** (Geometridae) Synonymy: griveaudi Viette,1975 Range (as code): **MG**
4287. **Herbulotides ino Viette,1971** (Geometridae) Synonymy: ino Viette,1971 Range (as code): **MG**
4288. **Herbulotides lymantrina (Herbulot,1970)** (Geometridae) Synonymy: lymantrina Herbulot,1970 Range (as code): **MG**
4289. **Herbulotides sao Viette,1971** (Geometridae) Synonymy: sao Viette,1971 Range (as code): **MG**
4290. **Herbulotina grandis (L.B.Prout,1914)** (Geometridae) Synonymy: grandis L.B.Prout,1914 Range (as code): **Cn**
4291. **Heterorachis despoliata L.B.Prout,1916** (Geometridae) Synonymy: despoliata L.B.Prout,1916 Range (as code): **ZA ZA11 Nta Kzu Tva Gau Pre Kkf Rie Nha**
4292. **Heterorachis devocata (Walker,1861)** (Geometridae) Synonymy: devocata Walker,1861 Range (as code): **ZA Etm ZA05 ZA18 Ec ZA25 ZA27 Nta Kzu ZA07 Ksi ZA12 Mal Tva Lpo Spb Mdk ZA16 Mpu ZA21 Ggh Fs Dbn Umk Esw Nkw Srn Brb Rie Pil Jh Mpu Gau**
4293. **Heterorachis disconotata L.B.Prout,1916** (Geometridae) Synonymy: disconotata L.B.Prout,1916 Range (as code): **ZA ZA25 Nta Kzu Umk Dbn Tva Mpu Brb**
4294. **Heterorachis fuscoterminata L.B.Prout,1915** (Geometridae) Synonymy: fuscoterminata L.B.Prout,1915 Range (as code): **ZA Nta Kzu**
4295. **Heterorachis fuscoterminata L.B.Prout,1915** (Geometridae) Synonymy: fuscoterminata L.B.Prout,1915 Range (as code): **ZA Nta Kzu Dbn**
4296. **Heterorachis gloriola Thierry-Mieg,1915** (Geometridae) Synonymy: gloriola Thierry-Mieg,1915 Range (as code): **MZ Del**
4297. **Heterorachis haploa (L.B.Prout,1912)** (Geometridae) Synonymy: simplex W.Warren,1902 (praeocc.); haploa L.B.Prout,1912 Range (as code): **ZW Swm Vf MW KE**
4298. **Heterorachis insolens (L.B.Prout,1917)** (Geometridae) Synonymy: insolens L.B.Prout,1917 Range (as code): **ZW Vf Hfo**
4299. **Heterorachis perviridis L.B.Prout,1912** (Geometridae) Synonymy: perviridis L.B.Prout,1912 Range (as code): **ZA Ksi ZA11 Nta Kzu Tva Gau Pre Lpo Spb Ltr**
4300. **Heterorachis platti Janse,1935** (Geometridae) Synonymy: platti Janse,1935 Range (as code): **ZA Nta Kzu Dbn**
4301. **Heterorachis prouti Bethune-Baker,1913** (Geometridae) Synonymy: prouti Bethune-Baker,1913 Range (as code): **ZA Tva Lpo Tz ZW Swm Vf AO SD CI KE**
4302. **Heterorachis simplicissima (L.B.Prout,1912)** (Geometridae) Synonymy: simplicissima L.B.Prout,1912 Range (as code): **ZA Tva Gau Pre ZA11 ZA13 Nta Kzu ZA14 Mpu**
4303. **Heterostegane amputata Herbulot,1993** (Geometridae) Synonymy: amputata Herbulot,1993 Range (as code): **CM**
4304. **Heterostegane auranticollis L.B.Prout,1922** (Geometridae) Synonymy: auranticollis L.B.Prout,1922 Range (as code): **ZA ZA17 Tva Lpo**
4305. **Heterostegane bifasciata (W.Warren,1914)** (Geometridae) Synonymy: bifasciata W.Warren,1914 Range (as code): **ZA Tva ZA14 Mpu Brb**
4306. **Heterostegane boghensis Wiltshire,1985** (Geometridae) Synonymy: boghensis Wiltshire,1985 Range (as code): **MR**
4307. **Heterostegane circumrubrata (L.B.Prout,1926)** (Geometridae) Synonymy: circumrubrata L.B.Prout,1926 Range (as code): **MG**
4308. **Heterostegane elephantina Herbulot,1992** (Geometridae) Synonymy: elephantina Herbulot,1992 Range (as code): **KE**
4309. **Heterostegane felix (Herbulot,1974)** (Geometridae) Synonymy: felix Herbulot,1974 Range (as code): **CI**

4310. **Heterostegane flavata (W.Warren,1905)** (Geometridae) Synonymy: flavata W.Warren,1905 Range (as code): **NG**
4311. **Heterostegane incognita L.B.Prout,1915** (Geometridae) Synonymy: incognita L.B.Prout,1915 Range (as code): **MG**
4312. **Heterostegane infusca (Herbulot,1973)** (Geometridae) Synonymy: infusca Herbulot,1973 Range (as code): **CM**
4313. **Heterostegane luteorubens (Mabille,1900)** (Geometridae) Synonymy: luteorubens Mabille,1900; vetula L.B.Prout,1916 Range (as code): **MG**
4314. **Heterostegane maxima (Herbulot,1957)** (Geometridae) Synonymy: maxima Herbulot,1957 Range (as code): **MG**
4315. **Heterostegane mediosecta Herbulot,1993** (Geometridae) Synonymy: mediosecta Herbulot,1993 Range (as code): **RW**
4316. **Heterostegane minuscula Herbulot,1995** (Geometridae) Synonymy: minuscula Herbulot,1995 Range (as code): **CG**
4317. **Heterostegane minutissima (Swinhoe,1904)** (Geometridae) Synonymy: minutissima Swinhoe,1904; sennarensis Rebel,1917 Range (as code): **SD KE**
4318. **Heterostegane monilifera L.B.Prout,1915** (Geometridae) Synonymy: monilifera L.B.Prout,1915 Range (as code): **GH**
4319. **Heterostegane nyassa Herbulot,1993** (Geometridae) Synonymy: nyassa Herbulot,1993 Range (as code): **MW**
4320. **Heterostegane pachyspila (D.S.Fletcher,1958)** (Geometridae) Synonymy: pachyspila D.S.Fletcher,1958 Range (as code): **AO**
4321. **Heterostegane pleninotata W.Warren,1901** (Geometridae) Synonymy: pleninotata W.Warren,1901 Range (as code): **SL**
4322. **Heterostegane rectistriga L.B.Prout,1917** (Geometridae) Synonymy: rectistriga L.B.Prout,1917 Range (as code): **ZA Tva Gau Pre**
4323. **Heterostegane robinsoni (Herbulot,1957)** (Geometridae) Synonymy: robinsoni Herbulot,1957 Range (as code): **MG**
4324. **Heterostegane ruberata (Mabille,1900)** (Geometridae) Synonymy: ruberata Mabille,1900; synclides L.B.Prout,1932 Range (as code): **MG**
4325. **Heterostegane sennarensis (Rebel,1917)** (Geometridae) Synonymy: sennarensis Rebel,1917; serrata D.S.Fletcher,1958 Range (as code): **ET ET87 Hrr SD YE YE33 Sna**
4326. **Heterostegane thieli Herbulot,1995** (Geometridae) Synonymy: thieli Herbulot,1995 Range (as code): **MG**
4327. **Hierochthonia debonii C.G.Krüger,1939** (Geometridae) Synonymy: debonii C.G.Krüger,1939 Range (as code): **LY**
4328. **Hierochthonia featheri L.B.Prout,1916** (Geometridae) Synonymy: featheri L.B.Prout,1916 Range (as code): **SO**
4329. **Hierochthonia migrata L.B.Prout,1930** (Geometridae) Synonymy: migrata L.B.Prout,1930 Range (as code): **KE**
4330. **Holoterpna errata L.B.Prout,1922** (Geometridae) Synonymy: errata L.B.Prout,1922 Range (as code): **NA ZW Swm BW ZA Tva ZA22 Lpo Gau Pre**
4331. **Horisme filia L.B.Prout,1913** (Geometridae) Synonymy: filia L.B.Prout,1913 Range (as code): **ZA Nta Kzu Dbn**
4332. **Horisme jansei D.S.Fletcher,1956** (Geometridae) Synonymy: jansei D.S.Fletcher,1956 Range (as code): **ZA Ec Tra**
4333. **Horisme minuata (Walker,1860)** (Geometridae) Synonymy: minuata Walker,1860; emarginata Walker,1863; brunniceps R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva ZA12 ZA13 Kzu Nta ZA14 ZA20 Mpu**
4334. **Horisme obscurata L.B.Prout,1913** (Geometridae) Synonymy: obscurata L.B.Prout,1913 Range (as code): **ZA ZA12 ZA13 Nta Kzu Tva Lpo Spb Bbg Mpu Brb Gau Pre Tra Ec AO**
4335. **Horisme pallidimacula L.B.Prout,1925** (Geometridae) Synonymy: pallidimacula L.B.Prout,1925 Range (as code): **ZA Mal Tva Lpo**
4336. **Horisme punctiscripta (L.B.Prout,1917)** (Geometridae) Synonymy: punctiscripta L.B.Prout,1917 Range (as code): **ZA**
4337. **Horisme scorteata (Staudinger,1901)** (Geometridae) Synonymy: scorteata Staudinger,1901 Range (as code): **MA DZ TN PT ES An MT**

4338. **Hospitalia flavolineata (Staudinger,1883)** (Geometridae) Synonymy: flavolineata Staudinger,1883; oberthuri Rothschild,1914; hispanata Fernandez,1931; martaeludovivatae Lucas,1940 Range (as code): **MA DZ Ges PT ES Mu FR**
4339. **Hydria gudarica (Dufay,1983)** (Geometridae) Synonymy: gudarica Dufay,1983 Range (as code): **MA ES**
4340. **Hydria montivagata (Duponchel,1830)** (Geometridae) Synonymy: montivagata Duponchel,1830; montivagaria Boisduval,1840; andalusica Ribbe,1912 Range (as code): **MA DZ ES An FR IT CH TR Cc AZ Nv IR 42 58**
4341. **Hylaea compararia (Staudinger,[1895])** (Geometridae) Synonymy: compararia Staudinger,[1895] Range (as code): **DZ Tni Tis TN**
4342. **Hylemera butleri Viette,1970** (Geometridae) Synonymy: butleri Viette,1970 Range (as code): **MG**
4343. **Hylemera fletcheri Viette,1970** (Geometridae) Synonymy: fletcheri Viette,1970 Range (as code): **MG**
4344. **Hylemera griveaudi Viette,1970** (Geometridae) Synonymy: griveaudi Viette,1970 Range (as code): **MG**
4345. **Hylemera herbuloti Viette,1970** (Geometridae) Synonymy: herbuloti Viette,1970 Range (as code): **MG**
4346. **Hylemera mabillei Viette,1970** (Geometridae) Synonymy: mabillei Viette,1970 Range (as code): **MG**
4347. **Hylemera prouti Viette,1970** (Geometridae) Synonymy: prouti Viette,1970 Range (as code): **MG**
4348. **Hylemera puella Butler,1879** (Geometridae) Synonymy: puella Butler,1879 Range (as code): **MG**
4349. **Hylemera rebuti (Poujade,1889)** (Geometridae) Synonymy: rebuti Poujade,1889 Range (as code): **MG**
4350. **Hylemera roseidaria Viette,1970** (Geometridae) Synonymy: roseidaria Viette,1970 Range (as code): **MG**
4351. **Hylemera sogai Viette,1970** (Geometridae) Synonymy: sogai Viette,1970 Range (as code): **MG**
4352. **Hypochrosis arnecornelii Hausmann,2003** (Geometridae) Synonymy: arnecornelii Hausmann,2003 Range (as code): **TZ**
4353. **Hypochrosis chiarinii (Oberthür,1883)** (Geometridae) Synonymy: chiarinii Oberthür,1883 Range (as code): **ET Sw TZ BI**
4354. **Hypochrosis colettae Hausmann,2003** (Geometridae) Synonymy: colettae Hausmann,2003 Range (as code): **CM**
4355. **Hypochrosis dierli Hausmann,2003** (Geometridae) Synonymy: dierli Hausmann,2003 Range (as code): **TZ**
4356. **Hypochrosis euphyes L.B.Prout,1915** (Geometridae) Synonymy: euphyes L.B.Prout,1915 Range (as code): **CM**
4357. **Hypochrosis haderleini Hausmann,2003** (Geometridae) Synonymy: haderleini Hausmann,2003 Range (as code): **TZ**
4358. **Hypochrosis hampsoni Hausmann,2003** (Geometridae) Synonymy: glaucaria Hampson,1909 nec Snell.,1880; hampsoni Hausmann,2003 Range (as code): **UG ZR RW**
4359. **Hypochrosis herbuloti Hausmann,2003** (Geometridae) Synonymy: herbuloti Hausmann,2003 Range (as code): **TZ**
4360. **Hypochrosis maculifera Hampson,1909** (Geometridae) Synonymy: maculifera Hampson,1909 Range (as code): **UG Rz ZT**
4361. **Hypochrosis manfredi Hausmann,2003** (Geometridae) Synonymy: manfredi Hausmann,2003 Range (as code): **TZ**
4362. **Hypochrosis meridionalis Hausmann,2003** (Geometridae) Synonymy: meridionalis Hausmann,2003 Range (as code): **ZW**
4363. **Hypochrosis obscura Hausmann,2003** (Geometridae) Synonymy: obscura Hausmann,2003 Range (as code): **RW**
4364. **Hypochrosis poliostola D.S.Fletcher,1958** (Geometridae) Synonymy: poliostola D.S.Fletcher,1958 Range (as code): **UG**
4365. **Hypochrosis pustulata Hausmann,2003** (Geometridae) Synonymy: pustulata Hausmann,2003 Range (as code): **TZ**
4366. **Hypochrosis roberti Hausmann,2003** (Geometridae) Synonymy: roberti Hausmann,2003 Range (as code): **TZ**
4367. **Hypochrosis simplex Hausmann,2003** (Geometridae) Synonymy: simplex Hausmann,2003 Range (as code): **TZ**

4368.**Hypochrosis sonjae Hausmann,2003** (Geometridae) Synonymy: sonjae Hausmann,2003 Range (as code): **ZR**
4369.**Hypochrosis sublutea Hausmann,2003** (Geometridae) Synonymy: sublutea Hausmann,2003 Range (as code): **TZ**
4370.**Hypochrosis submarginata Hausmann,2003** (Geometridae) Synonymy: submarginata Hausmann,2003 Range (as code): **TZ**
4371.**Hypochrosis turlini Herbulot,1979** (Geometridae) Synonymy: turlini Herbulot,1979 Range (as code): **RW ZR**
4372.**Hypochrosis uniformis Hausmann,2003** (Geometridae) Synonymy: uniformis Hausmann,2003 Range (as code): **KE ZR ET**
4373.**Hypochrosis urania Herbulot,1979** (Geometridae) Synonymy: urania Herbulot,1979 Range (as code): **RW**
4374.**Hypochrosis viridiflava Hausmann,2003** (Geometridae) Synonymy: viridiflava Hausmann,2003 Range (as code): **TZ**
4375.**Hypochrosis wittei Debauche,1938** (Geometridae) Synonymy: wittei Debauche,1938 Range (as code): **ZR UG Rz**
4376.**Hypocoela herbuloti Viette,1971** (Geometridae) Synonymy: herbuloti Viette,1971 Range (as code): **MG**
4377.**Hypocoela sogai Viette,1978** (Geometridae) Synonymy: sogai Viette,1978 Range (as code): **MG**
4378.**Hypomecis barretti (L.B.Prout,1915)** (Geometridae) Synonymy: barretti L.B.Prout,1915 Range (as code): **ZA Tra ZW**
4379.**Hypomecis complacita (L.B.Prout,1915)** (Geometridae) Synonymy: complacita L.B.Prout,1915 Range (as code): **ZA Wca**
4380.**Hypomecis ectropodes (L.B.Prout,1913)** (Geometridae) Synonymy: ectropodes L.B.Prout,1913 Range (as code): **ZA Wca Mal ZA16 Mpu ZA17 Tva Lpo Spb Bbg Tst ZW**
4381.**Hypomecis gladstonei (L.B.Prout,1922)** (Geometridae) Synonymy: gladstonei L.B.Prout,1922 Range (as code): **ZA Wca Cto**
4382.**Hypomecis gonophora (L.B.Prout,1916)** (Geometridae) Synonymy: gonophora L.B.Prout,1916 Range (as code): **ZA Tva Brb Mpu**
4383.**Hypomecis intrusilinea (L.B.Prout,1915)** (Geometridae) Synonymy: intrusilinea L.B.Prout,1915 Range (as code): **ZA Mal Tva Lpo ZA16 Mpu**
4384.**Hypomecis irrelata (Herbulot,1989)** (Geometridae) Synonymy: irrelata Herbulot,1989 Range (as code): **MG**
4385.**Hypomecis sp.1** (Geometridae) Synonymy: Range (as code): **ZA ZA06 ZA07 ZA08 Ksi Kzu Nta**
4386.**Hypomecis sp.2** (Geometridae) Synonymy: Range (as code): **ZA Ktz Nta Kzu ZA12 Mal Tva Lpo**
4387.**Hypomecis transponenda (Herbulot,1989)** (Geometridae) Synonymy: transponenda Herbulot,1989 Range (as code): **RW**
4388.**Hypomecis zernyaria (Rungs,1946)** (Geometridae) Synonymy: zernyaria Rungs,1946 Range (as code): **MA**
4389.**Hyposidra gracilis (Herbulot,1954)** (Geometridae) Synonymy: gracilis Herbulot,1954 Range (as code): **CM**
4390.**Hyposidra neglecta Carcasson,1964** (Geometridae) Synonymy: neglecta Carcasson,1964 Range (as code): **UG**
4391.**Hypotephrina exmotaria (Walker,1861)** (Geometridae) Synonymy: exmotaria Walker,1861 Range (as code): **ZA Tva ZA12 Kzu ZA14 Mpu**
4392.**Hypsometra ericinellae Aurivillus,1910** (Geometridae) Synonymy: ericinellae Aurivillus,1910 Range (as code): **TZ**
4393.**Idaea abnorma (Pinker,1960)** (Geometridae) Synonymy: abnorma Pinker,1960 Range (as code): **Cn**
4394.**Idaea allardiata (Mabille,1869)** (Geometridae) Synonymy: allardiata Mabille,1869 Range (as code): **DZ Orn Lbs Ges TN LY**
4395.**Idaea alutaceata (Rungs,1945)** (Geometridae) Synonymy: alutaceata Rungs,1945 Range (as code): **MA**
4396.**Idaea amputata (W.Warren,1899)** (Geometridae) Synonymy: amputata W.Warren,1899 Range (as code): **UG YE YE30**
4397.**Idaea angusta (Butler,1897)** (Geometridae) Synonymy: angusta Butler,1897 Range (as code): **MW**
4398.**Idaea aperta (L.B.Prout,1916)** (Geometridae) Synonymy: aperta L.B.Prout,1916 Range (as code): **SO**

4399.Idaea apoa (D.S.Fletcher,1958) (Geometridae) Synonymy: apoa D.S.Fletcher,1958 Range (as code): **UG Rz**

4400.Idaea arcuata (D.S.Fletcher,1958) (Geometridae) Synonymy: arcuata D.S.Fletcher,1958 Range (as code): **UG Rz**

4401.Idaea ascepta (L.B.Prout,1915) (Geometridae) Synonymy: ascepta L.B.Prout,1915 Range (as code): **ZA Wca Cto Fs**

4402.Idaea associata (W.Warren,1897) (Geometridae) Synonymy: associata W.Warren,1897; exilinota W.Warren,1897 Range (as code): **ZA Nta Kzu MZ ZR UG**

4403.Idaea attenuaria (Rambur,1833) (Geometridae) Synonymy: attenuaria Rambur,1833 Range (as code): **MA DZ TN ES An Mu FR Co Sa Si IT MT**

4404.Idaea auriflua (W.Warren,1902) (Geometridae) Synonymy: auriflua W.Warren,1902 Range (as code): **ZA ZA08 Ksi Kzu Nta AO ZW TZ Dss**

4405.Idaea aversata (Linnaeus,1758) (Geometridae) Synonymy: aversata Linnaeus,1758; remutata Linnaeus,1758; lividata Clerck,1759; trilineata Hufnagel,1767; grisata Fabricius,[1776]; murinata Fabricius,1794; aversaria Hübner,[1799]; fuliginata Haworth,1809; latifasciaria Heydenreich,1851. Range (as code): **DZ Hrh Dhm TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Dar Len Der Da AM AZ DK NO SE FI EE LV LT RU MD UA BY JP 05 14 16 22 31 34 39 42 44 52 54 59 61 65 75 81**

4406.Idaea bacalladoi (Pinker,1974) (Geometridae) Synonymy: bacalladoi Pinker,1974 Range (as code): **Cn**

4407.Idaea barcearia (Turati & C.G.Krüger,1936) (Geometridae) Synonymy: barcearia Turati & C.G.Krüger,1936 Range (as code): **LY Cy**

4408.Idaea basicostalis (W.Warren,1900) (Geometridae) Synonymy: basicostalis W.Warren,1900 Range (as code): **ZA ZA08 Ksi ZA25 Kzu Nta Tva Ec**

4409.Idaea belemiata (Millière,1868) (Geometridae) Synonymy: belemiata Millière,1868; helianthemata Millière,1870; euphorbiata Balestre,1906; oberthuriata Balestre,1907; substraminata L.B.Prout,1913; cavenacata Chrétien,1929 Range (as code): **MA DZ PT ES FR Si IT**

4410.Idaea bengasiaria (Turati,1926) (Geometridae) Synonymy: bengasiaria Turati,1926 Range (as code): **LY Cy**

4411.Idaea bicertaria (Staudinger,1892) (Geometridae) Synonymy: bicertaria Staudinger,1892 Range (as code): **TN**

4412.Idaea bigladiata Herbulot,1975 (Geometridae) Synonymy: bigladiata Herbulot,1975 Range (as code): **MA DZ Dhm Elt Tun Gf Agi TN PT ES An**

4413.Idaea bimaculata (Turati & C.G.Krüger,1936) (Geometridae) Synonymy: bimaculata Turati & C.G.Krüger,1936 Range (as code): **LY Cy**

4414.Idaea blaesii Lenz & Hausmann,1992 (Geometridae) Synonymy: blaesii Lenz & Hausmann,1992 Range (as code): **MA PT ES An**

4415.Idaea brevissimipes (Herbulot,[1956]) (Geometridae) Synonymy: brevissimipes (Herbulot,[1956] Range (as code): **MG**

4416.Idaea buchanani (L.B.Prout,1932) (Geometridae) Synonymy: buchanani L.B.Prout,1932 Range (as code): **SN**

4417.Idaea bura (L.B.Prout,1932) (Geometridae) Synonymy: bura L.B.Prout,1932 Range (as code): **KE Tet**

4418.Idaea burtti (D.S.Fletcher,1958) (Geometridae) Synonymy: burtti D.S.Fletcher,1958 Range (as code): **TZ**

4419.Idaea calunetaria (Staudinger,1859) (Geometridae) Synonymy: calunetaria Staudinger,1859; dorycniata Bellier,1862; callunata Rambur,1866. Range (as code): **MA Agi DZ TN PT ES Mu FR Si IT CH**

4420.Idaea carneilinea (L.B.Prout,1922) (Geometridae) Synonymy: carneilinea L.B.Prout,1922 Range (as code): **ZA Wca Cto**

4421.Idaea cervantaria (Millière,1869) (Geometridae) Synonymy: cervantaria Millière,1869 Range (as code): **MA DZ Clo TN PT ES Mu FR TR**

4422.Idaea charitata (Rebel,1914) (Geometridae) Synonymy: charitata Rebel,1914; curvata Weisert,2005 Range (as code): **Cn**

4423.Idaea completa (Staudinger,1892) (Geometridae) Synonymy: completa Staudinger,1892 Range (as code): **DZ Cst TN Gf ES MA Si MT CY**

4424.Idaea consericeata (L.B.Prout,1913) (Geometridae) Synonymy: consericeata L.B.Prout,1913 Range (as code): **ZA Tva Fs Gau Pre**

4425.Idaea controversata (L.B.Prout,1922) (Geometridae) Synonymy: controversata L.B.Prout,1922 Range (as code): **ZW Har**

4426. **Idaea crassisquama (W.Warren & Rothschild,1905)** (Geometridae) Synonymy: crassisquama W.Warren & Rothschild,1905 Range (as code): **SD SDo8**
4427. **Idaea daucina Herbulot,1978** (Geometridae) Synonymy: daucina Herbulot,1978 Range (as code): **MG**
4428. **Idaea debiliata (Sterneck,1934)** (Geometridae) Synonymy: debiliata Sterneck,1934 Range (as code): **MA**
4429. **Idaea degeneraria (Hübner,[1799])** (Geometridae) Synonymy: degeneraria Hübner,[1799]; degenerata Treitschke,1828; floridaria Turati,1913 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR IL Pa LB Bsa Cc AZ GG Tbl Bjo Kir IQ RU MD UA BY TM IR Elb Fa Gls AF KG Db Kdy Ket Kyr UZ 01 02 05 06 07 13 14 16 17 21 22 27 30 31 33 34 36 39 42 46 48 52 56 58 60 61 65 71 72 75 76 80**
4430. **Idaea deversaria (Herrich-Schäffer,[1847])** (Geometridae) Synonymy: maritimaria Bruand,1846; deversaria Herrich-Schäffer,[1847]; hyalinata Christoph,1885 Range (as code): **MA PT ES FR Co Sa Si IT LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Bjo AM AZ Nv Ord DK NO SE FI EE LV LT RU MD UA Cm BY IR Gls Kh 05 06 07 14 16 23 29 30 31 33 34 39 42 61 80 81**
4431. **Idaea diaphanaria (A.Bang-Haas,1910)** (Geometridae) Synonymy: diaphanaria A.Bang-Haas,1910 Range (as code): **MA Rbt TN Dhm**
4432. **Idaea dilutaria (Hübner,[1799])** (Geometridae) Synonymy: dilutaria Hübner,[1799]; holosericata Duponchel,1842; holosericaria Bruand,1846; holosericearia De La Harpe,1853; praeustaria De La Harpe,1853. Range (as code): **MA PT ES FR Co Sa Si IT GB BE LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR Cc AM GG Bjo Mng Smt UA RU SE 05 14 16 22 34 39 52 75 80**
4433. **Idaea distinctaria (Boisduval,1840)** (Geometridae) Synonymy: distinctaria Boisduval,1840; ruficostata Zeller,1849; incarnaria Herrich-Schäffer,1852 Range (as code): **FR Co Sa Si IT CH SS HV YU AL BG GR Cr Rd CY TR IL Pa JO EG 01 07 27 31 33**
4434. **Idaea draconigena Herbulot,1981** (Geometridae) Synonymy: draconigena Herbulot,1981 Range (as code): **ZA Nta Kzu**
4435. **Idaea echo (L.B.Prout,1916)** (Geometridae) Synonymy: echo L.B.Prout,1916; #echc L.B.Prout,1933 Range (as code): **ZA Tva Mpu Brb**
4436. **Idaea efflorata Zeller,1849** (Geometridae) Synonymy: efflorata Zeller,1849; extersaria Herrich-Schäffer,1852; inesata Millière,1868; atromarginata Mabille,1869 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT**
4437. **Idaea elongaria (Rambur,1833)** (Geometridae) Synonymy: elongaria Rambur,1833; aridata Zeller,1847; aridaria Heydenreich,1851; monadaria Guenée,[1858]; confusaria Lederer,1863; infermata Staudinger,1871; zephyrata Millière,1872; marialudovicata Lucas,1942. Range (as code): **MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT SK HU RO HV YU AL BG GR Sms Cr CY TR Cc AZ GG LB Bsa AZ Nv IQ Akr RU UZ CN Ui Ii Ku Khr KG Tk 01 07 13 16 17 31 34 35 46 56 71**
4438. **Idaea epaphrodita (Wehrli,1934)** (Geometridae) Synonymy: epaphrodita Wehrli,1934; serrataria Sterneck,1934. Range (as code): **TR LB Bei IL Pa Js EG Sn**
4439. **Idaea erlacheri Hausmann,2003** (Geometridae) Synonymy: erlacheri Hausmann,2003 Range (as code): **TN**
4440. **Idaea erubescens Hausmann,2003** (Geometridae) Synonymy: erubescens Hausmann,2003 Range (as code): **DZ TN**
4441. **Idaea eugeniata (Millière,1870)** (Geometridae) Synonymy: eugeniata Millière,1870; seeboldiata Rössler,1877; algeriaca Culot,1917 Range (as code): **MA TN DZ PT ES FR Co IT**
4442. **Idaea fathmaria (Oberthür,1876)** (Geometridae) Synonymy: fathmaria Oberthür,1876; millieri Rothschild,1914. Range (as code): **MA DZ Ges Orn**
4443. **Idaea figuraria (A.Bang-Haas,1907)** (Geometridae) Synonymy: figuraria A.Bang-Haas,1907 Range (as code): **MA DZ ES**
4444. **Idaea flamingo (W.Warren,1901)** (Geometridae) Synonymy: flamingo W.Warren,1901 Range (as code): **ZW Har AO**
4445. **Idaea fortificata (L.B.Prout,1916)** (Geometridae) Synonymy: fortificata L.B.Prout,1916 Range (as code): **ZA Tva Mpu Brb**
4446. **Idaea fractilineata (Zeller,1847)** (Geometridae) Synonymy: fractilineata Zeller,1847; fractilinearia Herrich-Schäffer,1852 Range (as code): **MA DZ TN PT ES Si IT MT CY IL Pa**
4447. **Idaea fumilinea (W.Warren,1903)** (Geometridae) Synonymy: fumilinea W.Warren,1903 Range (as code): **ZA Tva Ec Wca Nta Kzu**
4448. **Idaea fylloidaria (Swinhoe,1904)** (Geometridae) Synonymy: fylloidaria Swinhoe,1904 Range (as code): **KE**
4449. **Idaea gelbrechti Hausmann,2003** (Geometridae) Synonymy: gelbrechti Hausmann,2003 Range (as code): **MA Ifr ES Snv An**

4450. **Idaea glomerata (L.B.Prout,1917)** (Geometridae) Synonymy: glomerata L.B.Prout,1917 Range (as code): **ET ET88**
4451. **Idaea granulosa (W.Warren & Rothschild,1905)** (Geometridae) Synonymy: granulosa W.Warren & Rothschild,1905 Range (as code): **IR Hz SD SDo8 YE OM AE**
4452. **Idaea griveaudi Herbulot,1978** (Geometridae) Synonymy: griveaudi Herbulot,1978 Range (as code): **KM**
4453. **Idaea hardenbergi Janse,1935** (Geometridae) Synonymy: hardenbergi Janse,1935 Range (as code): **ZA Nta Kzu Nha**
4454. **Idaea hathor (Wiltshire,1949)** (Geometridae) Synonymy: hathor Wiltshire,1949 Range (as code): **EG Sn YE Sna YE30 SA AF IN**
4455. **Idaea heres (L.B.Prout,1932)** (Geometridae) Synonymy: heres L.B.Prout,1932 Range (as code): **ZW**
4456. **Idaea hispidata (W.Warren,1904)** (Geometridae) Synonymy: hispidata W.Warren,1904 Range (as code): **AO**
4457. **Idaea hypophautis (L.B.Prout,1922)** (Geometridae) Synonymy: hypophautis L.B.Prout,1922 Range (as code): **ZR**
4458. **Idaea improbata (Staudinger,1898)** (Geometridae) Synonymy: improbata Staudinger,1898 Range (as code): **TN Gf JO Jt IR Fa Sse Com Kz**
4459. **Idaea incisaria (Staudinger,1892)** (Geometridae) Synonymy: incisaria Staudinger,1892; praecisa Reisser,1933 [ssp.]; pulverulenta Reisser,1933 [ssp.]; incisarioides Wehrli,1934 Range (as code): **MA Rf DZ Phv TN PT ES**
4460. **Idaea inclinata (Lederer,1855)** (Geometridae) Synonymy: inclinata Lederer,1855 Range (as code): **LB Bei IL Pa Js TR CY EG LY**
4461. **Idaea infirmaria (Rambur,1833)** (Geometridae) Synonymy: infirmaria Rambur,1833; carnearia Mann,1855; ledererata Guenée,[1858]; nigrobarbata Staudinger,1859; aquitanaria Constant,1865 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT YU AL GR Cr TR 17 48**
4462. **Idaea inquinata (Scopoli,1763)** (Geometridae) Synonymy: inquinata Scopoli,1763; herbariata Fabricius,1798; pusillaria Hübner,[1799]; microsaria Boisduval,1840; incomptaria Boisduval,1840 Range (as code): **MA DZ TN EG LY Cy PT ES FR Co Sa Si IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY AZ Cc AM GG Tbl Ord AZ Nv IR DK SE FI LV RU UA Cm KG Aa 05 16 22 31 34 46 56 76**
4463. **Idaea insularum (L.B.Prout,1927)** (Geometridae) Synonymy: rufulata W.Warren,1901 nec Wrn.,1900; insularum L.B.Prout,1927 Range (as code): **ST**
4464. **Idaea laciniata (W.Warren,1902)** (Geometridae) Synonymy: laciniata W.Warren,1902; nitescens W.Warren,1902 Range (as code): **KE**
4465. **Idaea laevigata (Scopoli,1763)** (Geometridae) Synonymy: laevigata Scopoli,1763; laevigaria Hübner,[1799]; renularia Hübner,[1809]; lividellaria Peyerimhoff,1863; renulata Rambur,1866; couloniata Balestre,1907; storae Andreas,1928 Range (as code): **MA DZ Bsk TN PT ES FR Co Sa Si IT MT BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR RU UA Cm Cc GG Tbl Mng Smt AZ AM IR 16**
4466. **Idaea lalasaria (Swinhoe,1904)** (Geometridae) Synonymy: lalasaria Swinhoe,1904 Range (as code): **KE**
4467. **Idaea lambessata (Oberthür,1887)** (Geometridae) Synonymy: lambessata Oberthür,1887 Range (as code): **MR DZ Lbs**
4468. **Idaea laticlavia (L.B.Prout,1922)** (Geometridae) Synonymy: laticlavia L.B.Prout,1922 Range (as code): **ZA ZA13 Kzu Nta ZW**
4469. **Idaea leptatibia D.S.Fletcher,1978** (Geometridae) Synonymy: leptatibia D.S.Fletcher,1978 Range (as code): **TZ**
4470. **Idaea leucorrheuma (L.B.Prout,1932)** (Geometridae) Synonymy: leucorrheuma L.B.Prout,1932 Range (as code): **ZA Wca**
4471. **Idaea libycata (Bartel,1906)** (Geometridae) Synonymy: libycata Bartel,1906 Range (as code): **FR DZ Agi LY**
4472. **Idaea liliputaria (W.Warren,1902)** (Geometridae) Synonymy: liliputaria W.Warren,1902; #lilliputaria L.B.Prout,1933 Range (as code): **ZA Tva AO TZ**
4473. **Idaea lipara (L.B.Prout,1917)** (Geometridae) Synonymy: lipara L.B.Prout,1917 Range (as code): **ZA Nta Kzu Dbn**
4474. **Idaea litigiosaria (Boisduval,1840)** (Geometridae) Synonymy: litigiosaria Boisduval,1840; morosaria Herrich-Schäffer,1852; dissidiata Guenée,1858; agraria De Joannis,1891 Range (as code): **MA DZ Sbd TN LY PT ES FR Co Si IT**
4475. **Idaea lobaria (Chrétien,1909)** (Geometridae) Synonymy: lobaria Chrétien,1909; balestraria Lucas,1909 Range (as code): **DZ TN**

4476.Idaea longaria (Herrich-Schäffer,1852) (Geometridae) Synonymy: longaria Herrich-Schäffer,1852; prolongata Rambur,1866 Range (as code): **MA DZ Ges TN PT ES Sa Si IT GR Rd Cr TR JO**

4477.Idaea lutulentaria (Staudinger,1892) (Geometridae) Synonymy: lutulentaria Staudinger,1892; aurata Mendez,1912 Range (as code): **MA PT ES**

4478.Idaea macrostyla (W.Warren,1900) (Geometridae) Synonymy: macrostyla W.Warren,1900; minimaria W.Warren,1904 Range (as code): **KE Mb**

4479.Idaea maisongrossei Herbulot,1978 (Geometridae) Synonymy: maisongrossei Herbulot,1978 Range (as code): **MG**

4480.Idaea malescripta (W.Warren,1897) (Geometridae) Synonymy: malescripta W.Warren,1897 Range (as code): **ZA ZA04 Ksi Kzu Nta MZ**

4481.Idaea manicaria (Herrich-Schäffer,1851) (Geometridae) Synonymy: manicaria Herrich-Schäffer,1851; volitaria De Joannis,1891; fatimata Staudinger,1895 Range (as code): **MA DZ TN ES An Grn Sa MT**

4482.Idaea mareotica (Draudt,1912) (Geometridae) Synonymy: mareotica Draudt,1912 Range (as code): **EG IL Pa**

4483.Idaea margaritacea (Turati & C.G.Krüger,1936) (Geometridae) Synonymy: margaritacea Turati & C.G.Krüger,1936 Range (as code): **LY Cy**

4484.Idaea mathetica (L.B.Prout,1934) (Geometridae) Synonymy: mathetica L.B.Prout,1934 Range (as code): **ZR**

4485.Idaea maurusia (Turati,1924) (Geometridae) Synonymy: maurusia Turati,1924 Range (as code): **LY Cy**

4486.Idaea maxima (Wehrli,1934) (Geometridae) Synonymy: maxima Wehrli,1934 Range (as code): **MA DZ**

4487.Idaea mediaria (Hübner,[1819]) (Geometridae) Synonymy: mediaria Hübner,[1819] Range (as code): **MA DZ Ges PT ES Mu FR Co Sa IT**

4488.Idaea medioumbraria (Turati,1930) (Geometridae) Synonymy: medioumbraria Turati,1930 Range (as code): **LY Cy**

4489.Idaea microptera (W.Warren & Rothschild,1905) (Geometridae) Synonymy: microptera W.Warren & Rothschild,1905 Range (as code): **SD SDo8 JO YE Sn**

4490.Idaea minuscularia (Ribbe,1912) (Geometridae) Synonymy: minuscularia Ribbe,1912; herbuloti Agenjo,1952 Range (as code): **MA DZ PT ES Mu**

4491.Idaea miserrima (Turati,1930) (Geometridae) Synonymy: miserrima Turati,1930 Range (as code): **LY Cy**

4492.Idaea mustelata (Gumppenberg,1892) (Geometridae) Synonymy: mustelata Gumppenberg,1892; #algirica L.B.Prout,1935 Range (as code): **DZ Orn MA ES An PT FR**

4493.Idaea nasifera (L.B.Prout,1916) (Geometridae) Synonymy: nasifera L.B.Prout,1916 Range (as code): **ZA Tva Lpo Chp**

4494.Idaea nexata (Hübner,[1813]) (Geometridae) Synonymy: nexata Hübner,[1813]; #nexaria Hübner,[1825]; cirtanaria H.Lucas,1849; marambaudista D.Lucas,1924 Range (as code): **MA DZ Cst Ges Ght TN PT ES FR**

4495.Idaea nigrolineata (Chrétien,1911) (Geometridae) Synonymy: nigrolineata Chrétien,1911 Range (as code): **TN Gf MA DZ PT ES**

4496.Idaea nigrosticta (W.Warren,1897) (Geometridae) Synonymy: nigrosticta W.Warren,1897 Range (as code): **ZA Kzu Nta Wnn**

4497.Idaea oberthuri (Lucas,1917) (Geometridae) Synonymy: oberthuri Lucas,1917 Range (as code): **TN**

4498.Idaea obsoletaria (Rambur,1833) (Geometridae) Synonymy: obsoletaria Rambur,1833; violacearia Staudinger,1901; algeriensis Baker,1888; distans Hausmann,1991; violacearia Hausmann,1991 nec Wlk.,1861 Range (as code): **MA DZ Ges Clo Sbd ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Ord Da Der AZ Nv RU MD UA BY IQ IR Fa LB Bsa 05 07 14 16 25 35 39 42 45 58 59 71**

4499.Idaea ochrata (Scopoli,1763) (Geometridae) Synonymy: ochrata Scopoli,1763; #ochreata [Denis & Schiffermüller],1775; corrigata Fabricius,1781; ochrearia Schrank,1802 nec Ross.,1794; sicula Zeller,1847; accretata Fuchs,1901 Range (as code): **MA DZ Sbd TN PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Smt Lag Da Der Kir AZ AM Ksp CY LB DK SE RU MD UA BY IR 01 05 06 13 14 16 22 23 25 34 39 46 52 59 65 76 78 81**

4500.Idaea okbaria (Chrétien,1911) (Geometridae) Synonymy: okbaria Chrétien,1911 Range (as code): **DZ Ges TN Gf**

4501.Idaea omari Hausmann & Bläsius,2008 (Geometridae) Synonymy: omari Hausmann & Bläsius,2008 Range (as code): **MA**

4502.Idaea ossicolor (Janse,1935) (Geometridae) Synonymy: ossicolor Janse,1935 Range (as code): **ZA Tva ZA16 Mpu ZW Vf**

4503.Idaea ostrinaria (Hübner,[1813]) (Geometridae) Synonymy: ostrinaria Hübner,[1813]; demarginata Schwingenschuss,1938. Range (as code): **MA DZ Ges Lbs TN PT ES Mu FR Co Sa Si IT YU AL BG GR Cr Rd TR CY 01 07 16 17 23 31 33 42 44 46 59 60 71 80**

4504.Idaea palmata (Staudinger,1901) (Geometridae) Synonymy: palmata Staudinger,1901 Range (as code): **Cn**

4505.Idaea parallelaria (W.Warren,1902) (Geometridae) Synonymy: parallelaria W.Warren,1902; paraplesia L.B.Prout,1916 Range (as code): **ZA Tva Lpo Wv KE ZW TZ**

4506.Idaea pediculata (D.S.Fletcher,1958) (Geometridae) Synonymy: pediculata D.S.Fletcher,1958 Range (as code): **UG Rz**

4507.Idaea pericalles (L.B.Prout,1913) (Geometridae) Synonymy: pericalles L.B.Prout,1913 Range (as code): **ZA Tva Gau Pre Fs ZW**

4508.Idaea plesioscotia (L.B.Prout,1925) (Geometridae) Synonymy: plesioscotia L.B.Prout,1925 Range (as code): **ZA Ec**

4509.Idaea prionodonta (L.B.Prout,1932) (Geometridae) Synonymy: prionodonta L.B.Prout,1932 Range (as code): **SN**

4510.Idaea prosartema (Herbulot,[1956]) (Geometridae) Synonymy: prosartema Herbulot,[1956] Range (as code): **MG ZA**

4511.Idaea protrusa (Turati,1926) (Geometridae) Synonymy: protrusa Turati,1926 Range (as code): **LY Cy**

4512.Idaea prucholoma (L.B.Prout,1932) (Geometridae) Synonymy: prucholoma L.B.Prout,1932 Range (as code): **UG**

4513.Idaea pulveraria (Snellen,1872) (Geometridae) Synonymy: pulveraria Snellen,1872; inobtrusa W.Warren,1898 Range (as code): **MG NE NG ZR ZA Ktz ZA05 Mal Tva Lpo ZA25 Kzu Nta Mpu Brb YE YE68 Sna**

4514.Idaea punctigera (Janse,1935) (Geometridae) Synonymy: punctigera Janse,1935 Range (as code): **ZA Tva Gau Pre**

4515.Idaea purpurariata (Pinker,1974) (Geometridae) Synonymy: purpurariata Pinker,1974 Range (as code): **Cn**

4516.Idaea purpurascens (L.B.Prout,1916) (Geometridae) Synonymy: purpurascens L.B.Prout,1916 Range (as code): **ZA Tva ZA16 Mpu ZA25 Kzu Nta Umk MZ**

4517.Idaea rainerii Hausmann,1994 (Geometridae) Synonymy: rainerii Hausmann,1994 Range (as code): **ES Sa Si IT DZ TN LY?**

4518.Idaea remanei Wiltshire,1985 (Geometridae) Synonymy: remanei Wiltshire,1985 Range (as code): **SD Ksl Erk**

4519.Idaea romeii (Turati,1930) (Geometridae) Synonymy: romeii Turati,1930 Range (as code): **LY Cy**

4520.Idaea rufaria (Hübner,[1799]) (Geometridae) Synonymy: rufaria Hübner,[1799]; ochridana Silbernagel,1944 Range (as code): **MA PT ES Mu FR Co Si IT BE DE CH AT PL CZ SK HU RO YU B-H MK HV AL BG Vrn GR Rd TR Cc GG Tbl Bjo Mng Kir Bku Smt Da Der Nv Ord AZ AM Ksp IQ RU MD UA BY IR Fa Com Kz Kh AF Pag Kab MN KG Jsn 01 05 14 16 17 22 30 33 34 39 42 58 65 76 80**

4521.Idaea rufifascia (L.B.Prout,1916) (Geometridae) Synonymy: rufifascia L.B.Prout,1916 Range (as code): **ZA Nta Kzu Umk**

4522.Idaea sanctaria (Staudinger,1900) (Geometridae) Synonymy: sanctaria Staudinger,1900 Range (as code): **DZ Rhr Thh Out Ah LY YE Sna AE OM JO IR**

4523.Idaea seriata (Schrank,1802) (Geometridae) Synonymy: albulata Hufnagel,1767; seriata Schrank,1802; cubicularia Peyerimhoff,1862 Range (as code): **DZ Ges TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 16 35 42**

4524.Idaea sericeata (Hübner,[1813]) (Geometridae) Synonymy: sericeata Hübner,[1813]; altivolaria Bubacek,1923; Range (as code): **MA PT ES Mu FR Co Sa IT LU CH AT SK HU TR Cc GG Smt Bjo Da Der AM RU MD UA BY KG Bks Ily Kpt Ket Ava Ui Ku 42 45 76**

4525.Idaea simplicior (L.B.Prout,1934) (Geometridae) Synonymy: simplicior L.B.Prout,1934 Range (as code): **ES An MA Ifr Rf**

4526.Idaea sinuilinea (L.B.Prout,1913) (Geometridae) Synonymy: sinuilinea L.B.Prout,1913 Range (as code): **ZA Tva ZA16 Mpu ZA18 Ec Fs MZ ZW**

4527.Idaea sordida (Rothschild,1913) (Geometridae) Synonymy: sordida Rothschild,1913 Range (as code): **DZ Gle Onç OM Dh EG IR Fa YE**

4528.Idaea sordidior (Wiltshire,1949) (Geometridae) Synonymy: sordidior Wiltshire,1949 Range (as code): **SA As EG**

4529.Idaea squamulata (W.Warren,1900) (Geometridae) Synonymy: squamulata W.Warren,1900 Range (as code): **ZA Mal Tva Lpo ZA16 Mpu Nta Kzu Wnn**

4530. **Idaea straminata (Borkhausen,1794)** (Geometridae) Synonymy: straminata Borkhausen,1794; inornata Haworth,1809; suffusata Treitschke,1828; suffusaria Boisduval,1840; inornaria Doubleday,1849; agrostemmata Guenée,[1858]; minuta Heydemann,1934 Range (as code): **MA DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Len AZ DK NO SE FI EE LV LT RU Sb At MD UA BY LB Bsa IR AF MN Ui Kön KP KR Sh Krl 05 16 36 42 52 81**

4531. **Idaea sublimbaria (W.Warren,1900)** (Geometridae) Synonymy: sublimbaria W.Warren,1900 Range (as code): **ZA Ktz ZA05 ZA06 ZA08 Ksi ZA25 Kzu Nta Ec**

4532. **Idaea submaculata (W.Warren,1898)** (Geometridae) Synonymy: submaculata W.Warren,1898 Range (as code): **NG**

4533. **Idaea subsaturata (Guenée,[1858])** (Geometridae) Synonymy: subsaturata Guenée,[1858]; miserata Staudinger,1859; subherbariata Rössler,1877 Range (as code): **DZ TN LY PT ES An FR CY?**

4534. **Idaea subscutulata (W.Warren,1899)** (Geometridae) Synonymy: subscutulata W.Warren,1899 Range (as code): **UG**

4535. **Idaea subsericeata (Haworth,[1809])** (Geometridae) Synonymy: subsericeata Haworth,[1809]; perfluaria Boisduval,1840; pinguedinata Zeller,1847; asbestaria Zeller,1849; puraria Heydenreich,1851; pinguedinaria Herrich-Schäffer,1852; oloraria Rössler,1857; mancuniata Knaggs,1865; veterata Gregson,1866; diaphanaria A.Bang-Haas,1910; zernyi D.Lucas,1934 Range (as code): **MA DZ Ges TN PT ES Mu FR Co Sa Si IT IE GB BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG Lag Len Ord Kir AM AZ Nv DK RU UA Cm IL Pa 01 05 07 16 17 22 23 30 31 33 34 46 52 59 81**

4536. **Idaea substriata (Turati,1930)** (Geometridae) Synonymy: substriata Turati,1930 Range (as code): **LY Cy**

4537. **Idaea subterfundata (L.B.Prout,1922)** (Geometridae) Synonymy: subterfundata L.B.Prout,1922 Range (as code): **ZW Umv**

4538. **Idaea subtorrida (L.B.Prout,1916)** (Geometridae) Synonymy: subtorrida L.B.Prout,1916 Range (as code): **SO**

4539. **Idaea sympractor (L.B.Prout,1922)** (Geometridae) Synonymy: sympractor L.B.Prout,1922 Range (as code): **MG**

4540. **Idaea terminolineata (Rothschild,1933)** (Geometridae) Synonymy: terminolineata Rothschild,1933 Range (as code): **MA**

4541. **Idaea tornivestis (L.B.Prout,1932)** (Geometridae) Synonymy: tornivestis L.B.Prout,1932 Range (as code): **KE Nai**

4542. **Idaea torrida (W.Warren,1904)** (Geometridae) Synonymy: torrida W.Warren,1904 Range (as code): **AO**

4543. **Idaea trissosemia (L.B.Prout,1922)** (Geometridae) Synonymy: trissosemia L.B.Prout,1922 Range (as code): **ZA Etm ZA08 ZA25 Nta Kzu**

4544. **Idaea tristega (L.B.Prout,1932)** (Geometridae) Synonymy: tristega L.B.Prout,1932 Range (as code): **MG**

4545. **Idaea truschi Hausmann,2003** (Geometridae) Synonymy: truschi Hausmann,2003 Range (as code): **MA**

4546. **Idaea typicata (Guenée,1858)** (Geometridae) Synonymy: typicata Guenée,1858; hornigaria Staudinger,1901 Range (as code): **DZ TN ES FR Co Si IT CH**

4547. **Idaea umbricosta (L.B.Prout,1913)** (Geometridae) Synonymy: umbricosta L.B.Prout,1913; omoscotia L.B.Prout,1922 Range (as code): **ZA Tva Wca MG KE Gau Tva Pre**

4548. **Idaea vilaflorensis (Rebel,1911)** (Geometridae) Synonymy: vilaflorensis Rebel,1911 Range (as code): **Cn**

4549. **Idaea volloni (D.Lucas & De Joannis,1907)** (Geometridae) Synonymy: volloni D.Lucas & De Joannis,1907; plumbearia A.Bang-Haas,1907; numidica Turati,1924 Range (as code): **TN LY Cy Gf DZ**

4550. **Idaea zernyi (Lucas,1934)** (Geometridae) Synonymy: zernyi Lucas,1934 Range (as code): **MA**

4551. **Idiochlora approximans (W.Warren,1897)** (Geometridae) Synonymy: approximans W.Warren,1897; inornata L.B.Prout,1916 Range (as code): **ZA Nta Kzu Wnn Umk Srn Kkf Nkw Brb Mpu Mhk Wv Gau Pre Pot Hfo Uma Wca Cto ZW ET KM**

4552. **Idiochlora eborilitoris (L.B.Prout,1930)** (Geometridae) Synonymy: eborilitoris L.B.Prout,1930 Range (as code): **CI SL NG ZR**

4553. **Idiochlora subrufibasis (L.B.Prout,1930)** (Geometridae) Synonymy: subrufibasis L.B.Prout,1930 Range (as code): **KE Nai**

4554. **Idiotephra hondensis M.Krüger,2000** (Geometridae) Synonymy: hondensis M.Krüger,2000 Range (as code): **ZA**

4555. **Idiotephra ngomensis M.Krüger,2000** (Geometridae) Synonymy: ngomensis M.Krüger,2000 Range (as code): **ZA Tva ZA04 Kzu ZA14 Mpu**

4556. **Illa nefanda W.Warren,1914** (Geometridae) Synonymy: nefanda W.Warren,1914 Range (as code): **ZA**
4557. **Isoplenia trisinuata W.Warren,1897** (Geometridae) Synonymy: trisinuata W.Warren,1897 Range (as code): **ZA Tva Lpo Spb Mdk Nta Kzu Wnn Wca Cto CI AO TZ**
4558. **Isturgia albogrisea M.Krüger,2001** (Geometridae) Synonymy: albogrisea M.Krüger,2001 Range (as code): **TZ KE**
4559. **Isturgia arizela (D.S.Fletcher,1978)** (Geometridae) Synonymy: arizela D.S.Fletcher,1978 Range (as code): **KE TZ**
4560. **Isturgia arizeloides M.Krüger,1999** (Geometridae) Synonymy: arizeloides M.Krüger,1999; arizeloides M.Krüger,2001 Range (as code): **ZA ZA24 NWe Tva Kru Pf Spb Kzu Nta NA ZW MZ**
4561. **Isturgia averyi (Viette,1980)** (Geometridae) Synonymy: averyi Viette,1980 Range (as code): **MG**
4562. **Isturgia catalaunaria (Guenée,[1858])** (Geometridae) Synonymy: catalaunaria Guenée,[1858]; dataria Walker,1861; defectaria Walker,1861; occupata Walker,1862; proxantharia Walker,[1863]; cogitata Walker,[1863]; largificaria Möschler,1887. Range (as code): **ZA Ktz ZA07 Ksi ZA14 ZA18 Ec ZA21 ZA25 Kzu ZA28 Tva Lpo Gau Jh Spb Pma Wp Nyl Pf Kru Mpu Brb Nel Mll Fs Blo Est Umk Kzu Nta Lds Pie Ptb Wca Cto Ste Ec Pel Kwi Stj MZ BW ZW Har Vf ZM ZR AO NG CM KE UG TZ SD SA ES Mu**
4563. **Isturgia comorensis M.Krüger,2001** (Geometridae) Synonymy: comorensis M.Krüger,2001 Range (as code): **KM**
4564. **Isturgia contexta (Saalmüller,1891)** (Geometridae) Synonymy: contexta Saalmüller,1891; caeca Saalmüller,1891 Range (as code): **MG KM**
4565. **Isturgia deerraria (Walker,1861)** (Geometridae) Synonymy: deerraria Walker,1861; nemorivaga Wallengren,1872; dissocia W.Warren,1897. Range (as code): **ZA ZA13 Kzu Mal ZA17 ZA20 Mpu ZA21 Tva Lpo Spb Mdk Kru Ltr Nyl Ggh Gau Jh Rtb Nwe Fs Ec SZ BW NA AO MZ MW ZM TZ UG MG KM ZR CV GH SN GM MA DZ ES PT SA YE Ad SD SD95 SO**
4566. **Isturgia devecta (Herbulot,1966)** (Geometridae) Synonymy: devecta Herbulot,1966 Range (as code): **MG**
4567. **Isturgia disputaria (Guenée,[1858])** (Geometridae) Synonymy: disputaria Guenée,[1858]; indodata Walker,1863; strenuata Walker,1863; curvifera Walker,1870; gazella Blackmore,1872; martiniaria Oberthür,1876; granitalis Butler,1883; lithina Butler,1883; zebrina Butler,1883; infrictaria Swinhoe,1886; subocellata Warren,1896; trilineata Krüger,1939 Range (as code): **MA DZ Rhr Ah Ajj Bsk TN EG EG11 ET NG CM KE IN Pj Mp Poo Mhw PK Sd Krc YE Ad LY ML MT Cc GG AZ AM TR JO SY LB IR Hz IQ MR OM AE JO GM**
4568. **Isturgia dukuduku M.Krüger,2001** (Geometridae) Synonymy: dukuduku M.Krüger,2001 Range (as code): **ZA Kzu Nta**
4569. **Isturgia exerraria (L.B.Prout,1925)** (Geometridae) Synonymy: exerraria L.B.Prout,1925 Range (as code): **ZA Wca Nta Kzu**
4570. **Isturgia exospilata (Walker,1861)** (Geometridae) Synonymy: exospilata Walker,1861; ansorgei W.Warren,1898 Range (as code): **ZA Etm Kzu Nta ZA11 Tva Lpo Spb Bbg Ec Pjo UG ZW ZM TZ KE Nai ET CM AO ZR**
4571. **Isturgia focularia (Geyer,1837)** (Geometridae) Synonymy: focularia Geyer,1837; designata Walker,1862; perdecorata Walker,[1863] Range (as code): **ZA**
4572. **Isturgia geminata (Walker,1861)** (Geometridae) Synonymy: geminata Walker,1861; bilineata W.Warren,1898. Range (as code): **ZA Etm Nta Kzu Wnn Mpu Brb Tva Lpo Tst Spb Wp Ltr Fs Ec Pjo**
4573. **Isturgia griveaudi M.Krüger,2001** (Geometridae) Synonymy: griveaudi M.Krüger,2001 Range (as code): **MG**
4574. **Isturgia hausmanni M.Krüger,2001** (Geometridae) Synonymy: hausmanni M.Krüger,2001 Range (as code): **TN**
4575. **Isturgia inaequivirgaria (Mabille,1890)** (Geometridae) Synonymy: inaequivirgaria Mabille,1890 Range (as code): **SN**
4576. **Isturgia kiellandi M.Krüger,2001** (Geometridae) Synonymy: kiellandi M.Krüger,2001 Range (as code): **TZ**
4577. **Isturgia megasaccus M.Krüger,2001** (Geometridae) Synonymy: megasaccus M.Krüger,2001 Range (as code): **KE TZ**
4578. **Isturgia modestaria (Pagenstecher,1907)** (Geometridae) Synonymy: modestaria Pagenstecher,1907 Range (as code): **MG**
4579. **Isturgia netta Holland,1897** (Geometridae) Synonymy: netta Holland,1897 Range (as code): **SO ET**
4580. **Isturgia perplexa M.Krüger,2001** (Geometridae) Synonymy: perplexa M.Krüger,2001 Range (as code): **ZW**
4581. **Isturgia presbitaria (Swinhoe,1904)** (Geometridae) Synonymy: presbitaria Swinhoe,1904 Range (as code): **KE AO TZ UG ET**

4582. **Isturgia prionogyna (L.B.Prout,1916)** (Geometridae) Synonymy: prionogyna L.B.Prout,1916 Range (as code): **SO**
4583. **Isturgia pulinda (Walker,1860)** (Geometridae) Synonymy: pulinda Walker,1860; deeraria Walker,1861 Range (as code): **MA DZ Orn Ajj ZA SA LK PT ES**
4584. **Isturgia pygmaeata M.Krüger,2001** (Geometridae) Synonymy: pygmaeata M.Krüger,2001 Range (as code): **TZ**
4585. **Isturgia quadriplaga (Rothschild,1921)** (Geometridae) Synonymy: quadriplaga Rothschild,1921; pallidaria Le Cerf,1924 Range (as code): **ER ET NG SO DJ TZ YE Ad SA As**
4586. **Isturgia rubrior (Hausmann,1990)** (Geometridae) Synonymy: rubrior Hausmann,1990 Range (as code): **MA**
4587. **Isturgia sakalava (Herbulot,1954)** (Geometridae) Synonymy: sakalava Herbulot,1954 Range (as code): **MG**
4588. **Isturgia spissata (Walker,1862)** (Geometridae) Synonymy: spissata Walker,1862. Range (as code): **ZA Tva ZA07 ZA08 Nel Pil Ksi Kzu ZA16 Mpu Nta Brb Fs Ec MZ NA ZW TZ**
4589. **Isturgia spodiaria (Lefèbvre,1832)** (Geometridae) Synonymy: spodiaria Lefèbvre,1832; semicanaria Freyer,[1832]; cerataria Guenée,[1858]. Range (as code): **MR MA DZ Ght Sbd Clo TN ES IT Si**
4590. **Isturgia sublimbata (Butler,1885)** (Geometridae) Synonymy: sublimbata Butler,1885 Range (as code): **YE Ad ET TZ SA As IL Pa**
4591. **Isturgia supergressa (L.B.Prout,1913)** (Geometridae) Synonymy: supergressa L.B.Prout,1913 Range (as code): **ZA Mal Tva Lpo Gau Pre Jh Mpu Nyl Kru Pma Spb Wp Tst Kzu Nta SZ NA ZW BW MZ TZ KE**
4592. **Isturgia tennoa (Pinker,1978)** (Geometridae) Synonymy: tennoa Pinker,1978 Range (as code): **Cn**
4593. **Isturgia terminipuncta M.Krüger,2001** (Geometridae) Synonymy: terminipuncta M.Krüger,2001 Range (as code): **TN**
4594. **Isturgia triseriata (L.B.Prout,1926)** (Geometridae) Synonymy: triseriata L.B.Prout,1926 Range (as code): **TZ**
4595. **Isturgia univirgaria (Mabille,1890)** (Geometridae) Synonymy: univirgaria Mabille,1890 Range (as code): **MG**
4596. **Isturgia virescens M.Krüger,2001** (Geometridae) Synonymy: virescens M.Krüger,2001 Range (as code): **RW**
4597. **Itame vincularia (Hübner,[1813])** (Geometridae) Synonymy: vincularia Hübner,[1813] Range (as code): **MA DZ Ges TN Gf PT ES Mu FR TR**
4598. **Kuchleria insignata Hausmann,1995** (Geometridae) Synonymy: insignata Hausmann,1995 Range (as code): **ES MA DZ TN**
4599. **Kuchleria menadiara (Thierry-Mieg,1893)** (Geometridae) Synonymy: menadiara Thierry-Mieg,1893 Range (as code): **DZ Sa MA**
4600. **Kuchleria therapaena (L.B.Prout,1924)** (Geometridae) Synonymy: therapaena L.B.Prout,1924 Range (as code): **TN Gf**
4601. **Larentia attenuata Walker,1862** (Geometridae) Synonymy: attenuata Walker,1862 Range (as code): **ZA Wca Cto**
4602. **Larentia berberina Herbulot,1981** (Geometridae) Synonymy: berberina Herbulot,1981 Range (as code): **MA**
4603. **Larentia bitrita (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: bitrita R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA10 ZA12 Nta Kzu ZA18 Ec ZA28 Tva Lpo**
4604. **Larentia clavaria Haworth,[1809]** (Geometridae) Synonymy: clavaria Haworth,[1809]; pallidata Staudinger,1901 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr Rd CY TR IQ LB DK NO SE FI EE LV LT RU Ur At MD UA Cm BY Cc GG AZ AM IL Pa Js IR Ab KG Tre Asa Brt TrA Tal Mn Ssn UZ TJ 14 23 30 31 46 56 65**
4605. **Larentia diplocampa L.B.Prout,1917** (Geometridae) Synonymy: diplocampa L.B.Prout,1917 Range (as code): **ZA Wca Cto**
4606. **Larentia indiscriminata Walker,1863** (Geometridae) Synonymy: indiscriminata Walker,1863 Range (as code): **ZA**
4607. **Larentia malvata (Rambur,1833)** (Geometridae) Synonymy: malvata Rambur,1833; malvaria Herrich-Schäffer,1848 Range (as code): **MA DZ Clo TN PT ES An FR Co Sa Si IT MT HV B-H GR Cr**
4608. **Larentia wellsi L.B.Prout,1928** (Geometridae) Synonymy: wellsi L.B.Prout,1928 Range (as code): **UG Rz**
4609. **Larentioides cacothemon L.B.Prout,1917** (Geometridae) Synonymy: cacothemon L.B.Prout,1917 Range (as code): **ZA ZA14 Mpu Tva Lpo Spb Bbg Ec**

4610. **Lasiochlora bicolor (Thierry-Mieg,1907)** (Geometridae) Synonymy: bicolor Thierry-Mieg,1907 Range (as code): **ZA ZA08 Kzu Nta Ec Pel Dbn MZ KE Nai**
4611. **Lasiochlora diducta (Walker,1861)** (Geometridae) Synonymy: diducta Walker,1861; lunigera R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA07 ZA08 Ksi Kzu Nta Wca Cto Dbn**
4612. **Lathochlora inornata W.Warren,1900** (Geometridae) Synonymy: inornata W.Warren,1900 Range (as code): **NG**
4613. **Lathochlora magna Herbulot,1996** (Geometridae) Synonymy: magna Herbulot,1996 Range (as code): **RW**
4614. **Lathochlora perversa L.B.Prout,1915** (Geometridae) Synonymy: perversa L.B.Prout,1915 Range (as code): **CI**
4615. **Leucaniodes periconia L.B.Prout,1922** (Geometridae) Synonymy: periconia L.B.Prout,1922 Range (as code): **NA**
4616. **Lhommeia aediphlebia (Hampson,1899)** (Geometridae) Synonymy: aediphlebia Hampson,1899 Range (as code): **Sk**
4617. **Lhommeia biskraria (Oberthür,1885)** (Geometridae) Synonymy: biskraria Oberthür,1885; viridaria Rothschild,1914 Range (as code): **ZA ZA21 Tva Lpo ZA24 NWe DZ Bsk Btna Ges Ah TN Gf**
4618. **Lhommeia subapicata (W.Warren,1899)** (Geometridae) Synonymy: subapicata W.Warren,1899 Range (as code): **ZA ZA16 Mpu ZA17 Tva Lpo ZA26 Kzu Nta**
4619. **Ligdia interrupta W.Warren,1897** (Geometridae) Synonymy: interrupta W.Warren,1897 Range (as code): **ZA Nta Kzu**
4620. **Lissoblemma hamularia (Snellen,1872)** (Geometridae) Synonymy: hamularia Snellen,1872; viridifua W.Warren,1902 Range (as code): **ZR**
4621. **Lithostege apicata L.B.Prout,1938** (Geometridae) Synonymy: apicata L.B.Prout,1938 Range (as code): **MA DZ**
4622. **Lithostege biermis L.B.Prout,1922** (Geometridae) Synonymy: biermis L.B.Prout,1922 Range (as code): **MA**
4623. **Lithostege cinerata Turati,1924** (Geometridae) Synonymy: cinerata Turati,1924; cyrenaica Amsel,1935 Range (as code): **DZ TN LY Cy**
4624. **Lithostege farinata (Hufnagel,1767)** (Geometridae) Synonymy: farinata Hufnagel,1767; illibata [Denis & Schiffermüller],1775; nivearia Hübner,[1799]; albaria Turton,1802; bachmutensis L.B.Prout,1938 Range (as code): **DZ Ght Lbs Bsk TN Gf ES FR IT DE AT PL CZ SK HU RO YU BG GR TR Cc GG AZ Nv DK SE LV LT RU Sb At T-S MD UA Cm BY CN Ui Ku 05 16 30 34 38 42 47 50 51 56 58 65**
4625. **Lithostege fissurata Mabille,1888** (Geometridae) Synonymy: fissurata Mabille,1888; inanis L.B.Prout,1941; fitzgeraldi Wiltshire,1947 Range (as code): **DZ Eal Ear Bsk Kdr Ceg Gha Gf Gab TN MT DZ LY EG IL Pa SA IR Ss IQ YE**
4626. **Lithostege griseata ([Denis & Schiffermüller],1775)** (Geometridae) Synonymy: incanata Hufnagel,1767; griseata [Denis & Schiffermüller],1775; asinata Fabricius,1794; duplicaria Hübner,[1799]; grisearia Hübner,[1799]; clarkiata Stephens,1850; cycnaria Guenée,1858 [ssp.]; gigantea Bytinski-Salz & Brandt,1937 [ssp.]; #transversaria Bytinski & Brandt,1937 Range (as code): **MA DZ Abe PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU TR Cc Arr GG AZ Nv IR Elb Th Kdj BG DK SE LT RU MD UA Cm BY KK KG TrA TM Kp 03 04 05 06 16 21 26 38 42 44 46 70 71 76**
4627. **Lithostege notata A.Bang-Haas,1906** (Geometridae) Synonymy: notata A.Bang-Haas,1906; bifissana Rebel,1911 Range (as code): **DZ Bsk BSa Ceg TN Gf IQ Agh Dy IR SA IL Pa JO Jt**
4628. **Lobidiopteryx antithetica L.B.Prout,1935** (Geometridae) Synonymy: antithetica L.B.Prout,1935 Range (as code): **ZR Kvu**
4629. **Lobidiopteryx aurivilliusi L.B.Prout,1935** (Geometridae) Synonymy: veninotata Aurivillius,1910 nec Warr.,1902; aurivilliusi L.B.Prout,1935 Range (as code): **KE Kmj**
4630. **Lobidiopteryx ecrinita Herbulot,1963** (Geometridae) Synonymy: ecrinita Herbulot,1963 Range (as code): **MG**
4631. **Lobidiopteryx elgonica Herbulot,1953** (Geometridae) Synonymy: elgonica Herbulot,1953 Range (as code): **KE Elg**
4632. **Lobidiopteryx eumares L.B.Prout,1935** (Geometridae) Synonymy: eumares L.B.Prout,1935 Range (as code): **ZA Tva ZA10 Nta Kzu ZA14 Mpu**
4633. **Lobidiopteryx letouzeyi Herbulot,1978** (Geometridae) Synonymy: letouzeyi Herbulot,1978 Range (as code): **CM**
4634. **Lobidiopteryx sp.** (Geometridae) Synonymy: Range (as code): **ZA ZA12 Nta Kzu**
4635. **Lobidiopteryx stulta L.B.Prout,1921** (Geometridae) Synonymy: stulta L.B.Prout,1921; thomae L.B.Prout,1927 Range (as code): **ZR Itu ST**

4636.Lobidiopteryx veninotata W.Warren,1902 (Geometridae) Synonymy: veninotata W.Warren,1902 Range (as code): **KE Kky**
4637.Lobidiopteryx xanthosoma Debauche,1938 (Geometridae) Synonymy: xanthosoma Debauche,1938 Range (as code): **ZR Kvu**
4638.Lomographa aridata (W.Warren,1897) (Geometridae) Synonymy: aridata W.Warren,1897 Range (as code): **ZA Nta Kzu Wnn**
4639.Lomographa indularia (Guenée,[1858]) (Geometridae) Synonymy: indularia Guenée,[1858] Range (as code): **ZA ZA08 Kzu ZA16 Mpu ZA17 Tva Lpo Spb Mdk ZA24 NWe ET**
4640.Lophorrhachia aciculata (Herbulot,1983) (Geometridae) Synonymy: aciculata Herbulot,1983 Range (as code): **RW**
4641.Lophorrhachia aenospila (Bethune-Baker,1913) (Geometridae) Synonymy: aenospila Bethune-Baker,1913 Range (as code): **AO**
4642.Lophorrhachia atricristata L.B.Prout,1930 (Geometridae) Synonymy: atricristata L.B.Prout,1930 Range (as code): **MW Zom**
4643.Lophorrhachia burdoni Townsend,1958 (Geometridae) Synonymy: burdoni Townsend,1958 Range (as code): **TZ Muf**
4644.Lophorrhachia insulsa Herbulot,1991 (Geometridae) Synonymy: insulsa Herbulot,1991 Range (as code): **ST**
4645.Lophorrhachia mutanda Herbulot,1983 (Geometridae) Synonymy: mutanda Herbulot,1983 Range (as code): **CM**
4646.Lophorrhachia oeorhoda L.B.Prout,1938 (Geometridae) Synonymy: oeorhoda L.B.Prout,1938 Range (as code): **TZ MW**
4647.Lophorrhachia palliata (W.Warren,1898) (Geometridae) Synonymy: palliata W.Warren,1898; ustipennis W.Warren,1898 Range (as code): **NG**
4648.Lophorrhachia restricta Herbulot,1991 (Geometridae) Synonymy: restricta Herbulot,1991 Range (as code): **ST**
4649.Lophorrhachia rhathyma L.B.Prout,1938 (Geometridae) Synonymy: rhathyma L.B.Prout,1938 Range (as code): **GN**
4650.Lophorrhachia rubricorpus (W.Warren,1898) (Geometridae) Synonymy: rubricorpus W.Warren,1898; plagiata Aurivillius,1910; niveicristata L.B.Prout,1916; #rubricornis Janse,1935 Range (as code): **ST SL CI CM NG TZ Kmj MG ZA Etm Ktz ZA04 ZA05 ZA07 Nta Kzu ZA14 Mpu Mal ZA16 ZA18 Ec Tva Lpo Spb Bbg Umk Dbn**
4651.Lophorrhachia usiura L.B.Prout,1938 (Geometridae) Synonymy: usiura L.B.Prout,1938 Range (as code): **CM**
4652.Lophostola annuligera Swinhoe,1909 (Geometridae) Synonymy: annuligera Swinhoe,1909 Range (as code): **UG Etb**
4653.Lophostola atridisca (W.Warren,1897) (Geometridae) Synonymy: atridisca W.Warren,1897 Range (as code): **ZA ZA04 Nta Kzu Mal Umk Tva Lpo ZA16 Mpu ZA18 Ec MZ MG KE Nai UG**
4654.Lophostola cara L.B.Prout,1913 (Geometridae) Synonymy: cara L.B.Prout,1913 Range (as code): **GH UG Jin MW Mje MG**
4655.Lophostola sp. (Geometridae) Synonymy: Range (as code): **ZA ZA04 Kzu**
4656.Loxopora dentilineata W.Warren,1914 (Geometridae) Synonymy: dentilineata W.Warren,1914 Range (as code): **ZA Cap Cto**
4657.Luashia zonata (Walker,[1863]) (Geometridae) Synonymy: zonata Walker,[1863] Range (as code): **ZA ZA07 Nta Kzu Ec ZW**
4658.Luxiaria biafaria Plötz,1880 (Geometridae) Synonymy: biafaria Plötz,1880; taeniata W.Warren,1897 Range (as code): **UG NG**
4659.Luxiaria consimilaria Leech,1897 (Geometridae) Synonymy: consimilaria Leech,1897 Range (as code): **Cn Sz**
4660.Luxiaria curvivena (W.Warren,1899) (Geometridae) Synonymy: curvivena W.Warren,1899; distorta Swinhoe,1909 Range (as code): **NG UG**
4661.Luxiaria dargei Herbulot,1986 (Geometridae) Synonymy: dargei Herbulot,1986 Range (as code): **CM**
4662.Luxiaria epinephela L.B.Prout,1927 (Geometridae) Synonymy: epinephela L.B.Prout,1927 Range (as code): **ST**
4663.Luxiaria pratti L.B.Prout,1925 (Geometridae) Synonymy: pratti L.B.Prout,1925 Range (as code): **MG**

4664. **Luxiaria tenella Herbulot,1986** (Geometridae) Synonymy: tenella Herbulot,1986 Range (as code): **RW**
4665. **Lycaugidia albata (Swinhoe,1895)** (Geometridae) Synonymy: albata Swinhoe,1895; albida Hampson,1895 Range (as code): **ZA Tva KE IN Poo**
4666. **Lycia hirtaria (Linnaeus,1761)** (Geometridae) Synonymy: #hirtaria Clerck,1759; hirtaria Linnaeus,1761; eremita Scopoli,1763; atomaria Hufnagel,1767 nec Linn.,1758; hirtipennis Retzius,1783; congeneraria Hübner,1799; fumaria Haworth,1809; hanoviensis Heymons,1891 Range (as code): **MA PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Sdy Ahl 05 16 23 52 65 76**
4667. **Macaria wauaria (Linnaeus,1758)** (Geometridae) Synonymy: wauaria Linnaeus,1758; fuscaria Thunberg,1792 nec De Vill.,1789; vauaria Haworth,1809; v-nigraria Haworth,1809. Range (as code): **MA DZ ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG Bjo Smt Mng DK NO SE FI EE LV LT RU At Am MD UA BY KP KR CN 08 75**
4668. **Mauna ardescens L.B.Prout,1916** (Geometridae) Synonymy: ardescens L.B.Prout,1916 Range (as code): **ZA ZA12 Nta Kzu Brb Mpu ZA24 NWe**
4669. **Mauna ava L.B.Prout,1938** (Geometridae) Synonymy: ava L.B.Prout,1938 Range (as code): **ZA ZA12 Kzu ZA28 Tva Lpo Gau Jh Ec Cto**
4670. **Mauna disporas L.B.Prout,1932** (Geometridae) Synonymy: disporas L.B.Prout,1932 Range (as code): **UG Rz**
4671. **Mauna drakensbergensis Herbulot,1992** (Geometridae) Synonymy: drakensbergensis Herbulot,1992 Range (as code): **ZA Nta Kzu Drb**
4672. **Mauna electa L.B.Prout,1917** (Geometridae) Synonymy: electa L.B.Prout,1917 Range (as code): **MW Mje**
4673. **Mauna filia (Cramer,[1780])** (Geometridae) Synonymy: filia Cramer,[1780]; acuminata Walker,1865; hemixantharia R.Felder,1874; scelestaria R.Felder & Rogenhofer,1875 Range (as code): **ZA Ktz Nta Kzu ZA18 Ec Ste**
4674. **Mauna homales (L.B.Prout,1922)** (Geometridae) Synonymy: homales L.B.Prout,1922 Range (as code): **ZA ZA12 Kzu**
4675. **Mauna pictifimbria L.B.Prout,1938** (Geometridae) Synonymy: pictifimbria L.B.Prout,1938 Range (as code): **ZA ZA10 Kzu ZA14 Mal Tva Lpo ZA20 Mpu**
4676. **Mauna sematurga L.B.Prout,1938** (Geometridae) Synonymy: sematurga L.B.Prout,1938 Range (as code): **ZW**
4677. **Mauna zomba Herbulot,1997** (Geometridae) Synonymy: zomba Herbulot,1997 Range (as code): **MW Zom**
4678. **Maxates vasistriga (L.B.Prout,1938)** (Geometridae) Synonymy: vasistriga L.B.Prout,1938 Range (as code): **CM**
4679. **Megadrepana cinerea Holland,1893** (Geometridae) Synonymy: cinerea Holland,1893 Range (as code): **GA Ogo GO UG Etb**
4680. **Melanthia ustiplaga (W.Warren,1899)** (Geometridae) Synonymy: ustiplaga W.Warren,1899 Range (as code): **ZA Tva ZA05 ZA11 ZA12 ZA13 Nta Kzu ZA14 Mpu**
4681. **Melinoessa aemonia (Swinhoe,1904)** (Geometridae) Synonymy: aemonia Swinhoe,1904 Range (as code): **UG Kmp CM Bit**
4682. **Melinoessa amplissimata (Walker,[1863])** (Geometridae) Synonymy: amplissimata Walker,[1863]; vulgaria Plötz,1880 Range (as code): **CM**
4683. **Melinoessa argenteomaculata (Strand,1918)** (Geometridae) Synonymy: argenteomaculata Strand,1918 Range (as code): **ZR Kasa**
4684. **Melinoessa asteria L.B.Prout,1934** (Geometridae) Synonymy: asteria L.B.Prout,1934 Range (as code): **CM Bit**
4685. **Melinoessa aureola L.B.Prout,1934** (Geometridae) Synonymy: aureola L.B.Prout,1934 Range (as code): **SL**
4686. **Melinoessa catenata (Saalmüller,1891)** (Geometridae) Synonymy: catenata Saalmüller,1891 Range (as code): **MG**
4687. **Melinoessa eurycrossa L.B.Prout,1934** (Geometridae) Synonymy: eurycrossa L.B.Prout,1934 Range (as code): **CM Yau**
4688. **Melinoessa fulvescens L.B.Prout,1916** (Geometridae) Synonymy: fulva Drury,1782 nec Fost.,1771; fulvescens L.B.Prout,1916 Range (as code): **SL GM**
4689. **Melinoessa guenoti Herbulot,1981** (Geometridae) Synonymy: guenoti Herbulot,1981 Range (as code): **MG**
4690. **Melinoessa horni L.B.Prout,1922** (Geometridae) Synonymy: horni L.B.Prout,1922 Range (as code): **CM Bit**

4691. **Melinoessa midas L.B.Prout,1922** (Geometridae) Synonymy: midas L.B.Prout,1922 Range (as code): **CM Bit**
4692. **Melinoessa molybdauges L.B.Prout,1927** (Geometridae) Synonymy: molybdauges L.B.Prout,1927 Range (as code): **ST**
4693. **Melinoessa palumbata (W.Warren,1894)** (Geometridae) Synonymy: palumbata W.Warren,1894 Range (as code): **NG**
4694. **Melinoessa pauper W.Warren,1901** (Geometridae) Synonymy: pauper W.Warren,1901 Range (as code): **UG**
4695. **Melinoessa perlimbata (Guenée,[1858])** (Geometridae) Synonymy: perlimbata Guenée,[1858] Range (as code): **NG KE**
4696. **Melinoessa pieridaria (Holland,1920)** (Geometridae) Synonymy: pieridaria Holland,1920 Range (as code): **ZR Mdj**
4697. **Melinoessa sodaliata (Walker,[1863])** (Geometridae) Synonymy: sodaliata Walker,[1863]; costalis Walker,1869 Range (as code): **SL ZR UG Kmp**
4698. **Melinoessa stellata (Butler,1878)** (Geometridae) Synonymy: stellata Butler,1878 Range (as code): **NG Caa**
4699. **Melinoessa stramineata (Walker,1869)** (Geometridae) Synonymy: stramineata Walker,1869 Range (as code): **CG**
4700. **Melinoessa subalbida W.Warren,1905** (Geometridae) Synonymy: subalbida W.Warren,1905 Range (as code): **UG Etb**
4701. **Melinoessa tanyglochis L.B.Prout,1928** (Geometridae) Synonymy: tanyglochis L.B.Prout,1928 Range (as code): **UG Kmp**
4702. **Melinoessa tessmanni (Gaede,1917)** (Geometridae) Synonymy: tessmanni Gaede,1917 Range (as code): **GO**
4703. **Melinoessa torquilinea L.B.Prout,1916** (Geometridae) Synonymy: torquilinea L.B.Prout,1916 Range (as code): **CM Bit**
4704. **Menophra aborta (W.Warren,1898)** (Geometridae) Synonymy: aborta W.Warren,1898 Range (as code): **UG Kmp**
4705. **Menophra abruptaria (Thunberg,1792)** (Geometridae) Synonymy: abruptaria Thunberg,1792; strigata Fabricius,1794; petrificata Hübner,[1799]; suberaria Donovan,1808; petrificaria Duponchel,1829; barcinonaria Bellier,1862; theobromaria Turati,1909 Range (as code): **Cn TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH YU AL BG GR TR 16 17**
4706. **Menophra absurda (L.B.Prout,1917)** (Geometridae) Synonymy: absurda L.B.Prout,1917 Range (as code): **ZA**
4707. **Menophra alticamerunis Herbulot,1992** (Geometridae) Synonymy: alticamerunis Herbulot,1992 Range (as code): **CM**
4708. **Menophra berenicidaria (Turati,1924)** (Geometridae) Synonymy: berenicidaria Turati,1924; trypanaria Wiltshire,1948; cretacaria Reisser,1948 Range (as code): **TN LY Cy Sms TR CY Cy1 Cy5 GR Cr 07 33 81**
4709. **Menophra bilobata Herbulot,1995** (Geometridae) Synonymy: bilobata Herbulot,1995 Range (as code): **CM**
4710. **Menophra caeca (L.B.Prout,1913)** (Geometridae) Synonymy: caeca L.B.Prout,1913 Range (as code): **ZA Nta Kzu Wnn**
4711. **Menophra contemptaria (Walker,1860)** (Geometridae) Synonymy: contemptaria Walker,1860 Range (as code): **ZA**
4712. **Menophra dnophera (L.B.Prout,1915)** (Geometridae) Synonymy: dnophera L.B.Prout,1915 Range (as code): **CM Bit AO**
4713. **Menophra fulvistrigata Herbulot,1996** (Geometridae) Synonymy: fulvistrigata Herbulot,1996 Range (as code): **RW**
4714. **Menophra harterti (Rothschild,1912)** (Geometridae) Synonymy: harterti Rothschild,1912; powelli Oberthür,1913; thuriferaria Zerny,1927; dresnayi Lucas,1932; dubiosa Albers & Warnecke,1941; undulosa Albers & Warnecke,1941 Range (as code): **MA DZ Ktr Ges Eba ES Mu FR Sa**
4715. **Menophra jansei Herbulot,1997** (Geometridae) Synonymy: jansei Herbulot,1997 Range (as code): **ZA Gau Tva Jh**
4716. **Menophra japygiaria (Costa,1849)** (Geometridae) Synonymy: japygiaria Costa,1849; fractaria Staudinger,1859; rhizolitharia Rambur,1866; sagarraria Turati,1924 Range (as code): **DZ Ges TN Gf PT ES Mu FR Sa Si IT MT GR Cr**
4717. **Menophra luteifasciata Herbulot,1996** (Geometridae) Synonymy: luteifasciata Herbulot,1996 Range (as code): **CM**

4718.**Menophra nathaliae Herbulot,1998** (Geometridae) Synonymy: nathaliae Herbulot,1998 Range (as code): **GO Bio**
4719.**Menophra obtusata (W.Warren,1902)** (Geometridae) Synonymy: obtusata W.Warren,1902 Range (as code): **ZA ZA12 Kzu Nta ZA14 Mpu Mal Tva Lpo Spb Bbg KE**
4720.**Menophra olginaria (Swinhoe,1904)** (Geometridae) Synonymy: olginaria Swinhoe,1904 Range (as code): **KE**
4721.**Menophra oviceps (L.B.Prout,1954)** (Geometridae) Synonymy: oviceps L.B.Prout,1954 Range (as code): **RW ZR**
4722.**Menophra serrata D.S.Fletcher,1953** (Geometridae) Synonymy: serrata D.S.Fletcher,1953 Range (as code): **ZR**
4723.**Menophra serrataria (Walker,1860)** (Geometridae) Synonymy: serrataria Walker,1860 Range (as code): **ZA Etm Ktz ZA04 ZA05 ZA08 ZA13 ZA14 Mpu Mal Tva Lpo ZA18 Ec Nta Kzu Dbn**
4724.**Mesocoela obscura W.Warren,1902** (Geometridae) Synonymy: obscura W.Warren,1902; swinhoei Bastelberger,1907 Range (as code): **KE TZ Tnga Usa**
4725.**Mesocolpia consobrina (W.Warren,1901)** (Geometridae) Synonymy: consobrina W.Warren,1901 Range (as code): **ST SL ZA ZA10 ZA18 Ec ZA25 Kzu**
4726.**Mesocolpia dexiphyma (L.B.Prout,1937)** (Geometridae) Synonymy: dexiphyma L.B.Prout,1937 Range (as code): **ST**
4727.**Mesocolpia lita (L.B.Prout,1916)** (Geometridae) Synonymy: lita L.B.Prout,1916 Range (as code): **ZA ZA08 Mal ZA16 Mpu ZA21 Tva Lpo ZA25 Kzu Nta Est**
4728.**Mesocolpia nanula (Mabille,1900)** (Geometridae) Synonymy: nanula Mabille,1900 Range (as code): **MG ZA**
4729.**Mesocolpia peremptata (Walker,1862)** (Geometridae) Synonymy: peremptata Walker,1862 Range (as code): **SL**
4730.**Mesocolpia protrusata (W.Warren,1902)** (Geometridae) Synonymy: protrusata W.Warren,1902 Range (as code): **KE Kky**
4731.**Mesocolpia subcomosa W.Warren,1901** (Geometridae) Synonymy: subcomosa W.Warren,1901 Range (as code): **ST**
4732.**Mesomima jacksoni Carcasson,1962** (Geometridae) Synonymy: jacksoni Carcasson,1962 Range (as code): **NG**
4733.**Mesomima tenuifascia (Holland,1893)** (Geometridae) Synonymy: tenuifascia Holland,1893; albifrons W.Warren,1897; pulchra Strand,1911 Range (as code): **NG CG GA Ogo**
4734.**Mesomima tmetoleuca L.B.Prout,1934** (Geometridae) Synonymy: tmetoleuca L.B.Prout,1934 Range (as code): **ZR**
4735.**Mesothisa cinnamonea Carcasson,1964** (Geometridae) Synonymy: cinnamonea Carcasson,1964 Range (as code): **UG**
4736.**Mesothisa crassilinea Carcasson,1962** (Geometridae) Synonymy: crassilinea Carcasson,1962 Range (as code): **UG Kzi**
4737.**Mesothisa dubiefi Viette,1977** (Geometridae) Synonymy: dubiefi Viette,1977 Range (as code): **MG**
4738.**Mesothisa flaccida W.Warren,1905** (Geometridae) Synonymy: flaccida W.Warren,1905 Range (as code): **SL**
4739.**Mesothisa gracililinea W.Warren,1905** (Geometridae) Synonymy: gracililinea W.Warren,1905; conradtaria Oberthür,1911 Range (as code): **CI CM**
4740.**Mesothisa misanga Herbulot,1997** (Geometridae) Synonymy: misanga Herbulot,1997 Range (as code): **ZR**
4741.**Mesothisa ozola L.B.Prout,1926** (Geometridae) Synonymy: ozola L.B.Prout,1926 Range (as code): **MG**
4742.**Mesothisa pulverata Carcasson,1964** (Geometridae) Synonymy: pulverata Carcasson,1964 Range (as code): **UG Kzi**
4743.**Mesothisa royi Herbulot,1954** (Geometridae) Synonymy: royi Herbulot,1954 Range (as code): **GN**
4744.**Mesothisa substigmata Carcasson,1964** (Geometridae) Synonymy: substigmata Carcasson,1964 Range (as code): **UG**
4745.**Mesothisa tanala Herbulot,1968** (Geometridae) Synonymy: tanala Herbulot,1968 Range (as code): **MG**
4746.**Metallaxis ? sp.1** (Geometridae) Synonymy: Range (as code): **ZA Ksi Kzu Nta**
4747.**Metallaxis ? sp.2** (Geometridae) Synonymy: Range (as code): **ZA Ksi Kzu Nta**

4748. **Metallaxis herbuloti Viette,1978** (Geometridae) Synonymy: herbuloti Viette,1978 Range (as code): **MG**
4749. **Metallaxis sogai Viette,1979** (Geometridae) Synonymy: sogai Viette,1979 Range (as code): **MG**
4750. **Metallaxis teledapa L.B.Prout,1932** (Geometridae) Synonymy: teledapa L.B.Prout,1932 Range (as code): **MG**
4751. **Metallochlora camerunica Herbulot,1982** (Geometridae) Synonymy: camerunica Herbulot,1982 Range (as code): **CM**
4752. **Metallochlora dyscheres L.B.Prout,1922** (Geometridae) Synonymy: dyscheres L.B.Prout,1922 Range (as code): **ZA MZ**
4753. **Metallochlora glacialis (Butler,1880)** (Geometridae) Synonymy: glacialis Butler,1880; zebraea Saalmüller,1891 Range (as code): **MG**
4754. **Metallochlora glauca Herbulot,1977** (Geometridae) Synonymy: glauca Herbulot,1977 Range (as code): **CM**
4755. **Metallochlora grisea L.B.Prout,1915** (Geometridae) Synonymy: grisea L.B.Prout,1915 Range (as code): **ZA ZA04 ZA05 ZA07 Kzu Nta Dbn**
4756. **Metallochlora melanopis L.B.Prout,1915** (Geometridae) Synonymy: melanopis L.B.Prout,1915 Range (as code): **CM Bit**
4757. **Metallochlora misera L.B.Prout,1920** (Geometridae) Synonymy: misera L.B.Prout,1920 Range (as code): **CI**
4758. **Metallospora bicornuta Herbulot,1995** (Geometridae) Synonymy: bicornuta Herbulot,1995 Range (as code): **CG**
4759. **Metallospora catori W.Warren,1905** (Geometridae) Synonymy: catori W.Warren,1905 Range (as code): **SL**
4760. **Miantochora discalis Herbulot,1954** (Geometridae) Synonymy: discalis Herbulot,1954 Range (as code): **GN**
4761. **Miantochora fletcheri Herbulot,1954** (Geometridae) Synonymy: fletcheri Herbulot,1954 Range (as code): **GN**
4762. **Miantochora fontainei Herbulot,1966** (Geometridae) Synonymy: fontainei Herbulot,1966 Range (as code): **CG**
4763. **Miantochora griseata Carcasson,1964** (Geometridae) Synonymy: griseata Carcasson,1964 Range (as code): **UG**
4764. **Miantochora gumppenbergi (Möschler,1887)** (Geometridae) Synonymy: gumppenbergi Möschler,1887 Range (as code): **GH ZA Etm ZA04 ZA05 ZA07 Nta Kzu**
4765. **Miantochora incolorata W.Warren,1899** (Geometridae) Synonymy: incolorata W.Warren,1899 Range (as code): **NG**
4766. **Miantochora interrupta (Bastelberger,1907)** (Geometridae) Synonymy: interrupta Bastelberger,1907 Range (as code): **CF ZR GM GH GN LR SL KE**
4767. **Miantochora lisa Herbulot,1954** (Geometridae) Synonymy: lisa Herbulot,1954 Range (as code): **GN**
4768. **Miantochora picturata Herbulot,1985** (Geometridae) Synonymy: picturata Herbulot,1985 Range (as code): **CG**
4769. **Miantochora polychroaria (Mabille,1890)** (Geometridae) Synonymy: polychroaria Mabille,1890; cassualala Bethune-Baker,1913 Range (as code): **AO**
4770. **Miantochora punctiligera (Mabille,1879)** (Geometridae) Synonymy: punctiligera Mabille,1879 Range (as code): **AO**
4771. **Miantochora restricta Herbulot,1997** (Geometridae) Synonymy: restricta Herbulot,1997 Range (as code): **RW**
4772. **Miantochora rufaria (Swinhoe,1904)** (Geometridae) Synonymy: rufaria Swinhoe,1904 Range (as code): **NG Caa**
4773. **Miantochora subcaudata Herbulot,1981** (Geometridae) Synonymy: subcaudata Herbulot,1981 Range (as code): **CF**
4774. **Miantochora venerata (Mabille,1879)** (Geometridae) Synonymy: venerata Mabille,1879; inaequilinea W.Warren,1895; ochreomaculata W.Warren,1899 Range (as code): **AO ZR**
4775. **Microbaena pulchra (Staudinger,1898)** (Geometridae) Synonymy: pulchra Staudinger,1898 Range (as code): **IL Pa Js SD Ksl Erk ET Kfa Sdm ZA ZA17 ZA21 Tva Lpo YE**
4776. **Microligia confinis M.Krüger,1999** (Geometridae) Synonymy: confinis M.Krüger,1999 Range (as code): **SZ ZA Nta Kzu Fs**

4777. **Microligia dolosa W.Warren,1897** (Geometridae) Synonymy: dolosa W.Warren,1897 Range (as code): **TZ Kmj ZA Ktz ZA18 ZA03 Wca Cto Cld Kbo Sas Kow Sdg Ec Grh Pel Elo Stj Sth ZA25 Nta Kzu Ptw Mlm Dmm Evt Srn Dbn Esw Umk**

4778. **Microligia luteicincta L.B.Prout,1916** (Geometridae) Synonymy: luteicincta L.B.Prout,1916 Range (as code): **ZA ZA10 Nta Kzu Tva Gau Pre Mag Wca Grh Jnk Est ZW Har**

4779. **Microligia paradolosa M.Krüger,1999** (Geometridae) Synonymy: paradolosa M.Krüger,1999 Range (as code): **ZA ZA11 ZA12 Nta Kzu Ggh Fs ZA28 Tva Lpo**

4780. **Microligia pseudodolosa M.Krüger,1999** (Geometridae) Synonymy: pseudodolosa M.Krüger,1999 Range (as code): **ZA Lpo Tva Spb Ltr Gau Pre Mpu Brb Wv Grk Pil Ent Wo ZA14**

4781. **Microligia septentrionalis M.Krüger,1999** (Geometridae) Synonymy: septentrionalis M.Krüger,1999 Range (as code): **ZW Vum**

4782. **Microloxia ruficornis W.Warren,1897** (Geometridae) Synonymy: ruficornis W.Warren,1897; innotata W.Warren,1901; halimaria Chrétien,1909; stenopteraria Turati,1930 Range (as code): **CV DZ Bsk TN Sfx ZA ZA13 ZA25 Kzu Nta Wnn Tva Lpo Spb Mdk Umk Srn Ver Wmb Nyl Blo Fs Gau Pre Tst Hwk DZ AO LY Cy Wca EG IL Pa JO AE YE Sna Hd KE SD ZW Bul**

4783. **Microloxia schmitzi Hausmann,1994** (Geometridae) Synonymy: schmitzi Hausmann,1994 Range (as code): **Cn**

4784. **Microloxia simonyi (Rebel,1894)** (Geometridae) Synonymy: simonyi Rebel,1894 Range (as code): **Cn MA**

4785. **Microlyces bassa Herbulot,1981** (Geometridae) Synonymy: bassa Herbulot,1981 Range (as code): **CM**

4786. **Mictoschema swierstrai L.B.Prout,1917** (Geometridae) Synonymy: swierstrai L.B.Prout,1917 Range (as code): **ZA ZA17 Tva Lpo Gau Pre BW**

4787. **Mictoschema tuckeri L.B.Prout,1925** (Geometridae) Synonymy: tuckeri L.B.Prout,1925 Range (as code): **NA**

4788. **Milocera (?) falcula L.B.Prout,1934** (Geometridae) Synonymy: falcula L.B.Prout,1934 Range (as code): **ZR**

4789. **Milocera (Meiocera) arcifera (Hampson,1910)** (Geometridae) Synonymy: arcifera Hampson,1910 Range (as code): **ZM AO MW TZ**

4790. **Milocera (Meiocera) atreus M.Krüger,2001** (Geometridae) Synonymy: atreus M.Krüger,2001 Range (as code): **CM**

4791. **Milocera (Meiocera) aureolitoralis M.Krüger,2001** (Geometridae) Synonymy: aureolitoralis M.Krüger,2001 Range (as code): **GH**

4792. **Milocera (Meiocera) divorsa L.B.Prout,1922** (Geometridae) Synonymy: divorsa L.B.Prout,1922 Range (as code): **CM Bit NG**

4793. **Milocera (Meiocera) dubia (L.B.Prout,1917)** (Geometridae) Synonymy: dubia L.B.Prout,1917 Range (as code): **ZA NA AO ZW UG AM ZR**

4794. **Milocera (Meiocera) hypamycha M.Krüger,2001** (Geometridae) Synonymy: hypamycha M.Krüger,2001 Range (as code): **RW UG**

4795. **Milocera (Meiocera) pelops M.Krüger,2001** (Geometridae) Synonymy: pelops M.Krüger,2001 Range (as code): **ZR CG CM UG KE**

4796. **Milocera (Meiocera) tantalus M.Krüger,2001** (Geometridae) Synonymy: tantalus M.Krüger,2001 Range (as code): **UG ZR LR**

4797. **Milocera (Meiocera) thyestes M.Krüger,2001** (Geometridae) Synonymy: thyestes M.Krüger,2001 Range (as code): **GN CM**

4798. **Milocera (s.str.) aurora M.Krüger,2001** (Geometridae) Synonymy: aurora M.Krüger,2001 Range (as code): **ZW AO MW ZR KE TZ ZM**

4799. **Milocera (s.str.) depauperata M.Krüger,2001** (Geometridae) Synonymy: depauperata M.Krüger,2001 Range (as code): **CI**

4800. **Milocera (s.str.) diffusata (W.Warren,1902)** (Geometridae) Synonymy: diffusata W.Warren,1902 Range (as code): **ZR CM UG KE**

4801. **Milocera (s.str.) eugompha M.Krüger,2001** (Geometridae) Synonymy: eugompha M.Krüger,2001 Range (as code): **RW TZ**

4802. **Milocera (s.str.) herbuloti M.Krüger,2001** (Geometridae) Synonymy: herbuloti M.Krüger,2001 Range (as code): **KE Nai TZ**

4803. **Milocera (s.str.) horaria Swinhoe,1904** (Geometridae) Synonymy: horaria Swinhoe,1904 Range (as code): **MG**

4804. **Milocera (s.str.) ja M.Krüger,2001** (Geometridae) Synonymy: ja M.Krüger,2001 Range (as code): **CM**
4805. **Milocera (s.str.) obfuscata M.Krüger,2001** (Geometridae) Synonymy: obfuscata M.Krüger,2001 Range (as code): **CM**
4806. **Milocera (s.str.) podocarpi L.B.Prout,1932** (Geometridae) Synonymy: podocarpi L.B.Prout,1932 Range (as code): **KE**
4807. **Milocera (s.str.) pyrinia L.B.Prout,1934** (Geometridae) Synonymy: pyrinia L.B.Prout,1934 Range (as code): **ZR**
4808. **Milocera (s.str.) scoblei M.Krüger,2001** (Geometridae) Synonymy: scoblei M.Krüger,2001 Range (as code): **CM AO**
4809. **Milocera (s.str.) sexcornuta M.Krüger,2001** (Geometridae) Synonymy: sexcornuta M.Krüger,2001 Range (as code): **RW UG CM**
4810. **Milocera (s.str.) umbrosa Herbulot,1989** (Geometridae) Synonymy: umbrosa Herbulot,1989 Range (as code): **RW UG**
4811. **Milocera (s.str.) ustatoides M.Krüger,2001** (Geometridae) Synonymy: ustatoides M.Krüger,2001 Range (as code): **TZ UG**
4812. **Milocera (s.str.) zika M.Krüger,2001** (Geometridae) Synonymy: zika M.Krüger,2001 Range (as code): **UG**
4813. **Milocera ustata Herbulot,1973** (Geometridae) Synonymy: ustata Herbulot,1973 Range (as code): **CM**
4814. **Mimaletis albipennis W.Warren,1894** (Geometridae) Synonymy: albipennis W.Warren,1894 Range (as code): **SL**
4815. **Mimaletis humilis W.Warren,1894** (Geometridae) Synonymy: humilis W.Warren,1894 Range (as code): **GA**
4816. **Mimaletis landbecki (Druce,1910)** (Geometridae) Synonymy: landbecki Druce,1910 Range (as code): **CG**
4817. **Mimaletis paucialbata L.B.Prout,1918** (Geometridae) Synonymy: paucialbata L.B.Prout,1918 Range (as code): **ZM**
4818. **Mimaletis postica (Walker,1869)** (Geometridae) Synonymy: postica Walker,1869 Range (as code): **CG**
4819. **Mimaletis reducta L.B.Prout,1915** (Geometridae) Synonymy: reducta L.B.Prout,1915 Range (as code): **UG**
4820. **Mimaletis verecunda L.B.Prout,1934** (Geometridae) Synonymy: verecunda L.B.Prout,1934 Range (as code): **ZR**
4821. **Mimaletis watulekii Carcasson,1962** (Geometridae) Synonymy: watulekii Carcasson,1962 Range (as code): **NG**
4822. **Mimandria cataractae L.B.Prout,1917** (Geometridae) Synonymy: cataractae L.B.Prout,1917 Range (as code): **ZW Vf ZA ZA17 Tva Lpo Gau Pre KE**
4823. **Mimaplasta canui Herbulot,1993** (Geometridae) Synonymy: canui Herbulot,1993 Range (as code): **Sk**
4824. **Mimoclystia acme (L.B.Prout,1922)** (Geometridae) Synonymy: acme L.B.Prout,1922 Range (as code): **MG**
4825. **Mimoclystia andringitra Herbulot,1963** (Geometridae) Synonymy: andringitra Herbulot,1963 Range (as code): **MG**
4826. **Mimoclystia bambusarum Herbulot,1988** (Geometridae) Synonymy: bambusarum Herbulot,1988 Range (as code): **CM**
4827. **Mimoclystia bergeri (Gaede,1915)** (Geometridae) Synonymy: bergeri Gaede,1915 Range (as code): **UG KE**
4828. **Mimoclystia cancellata (W.Warren,1899)** (Geometridae) Synonymy: cancellata W.Warren,1899 Range (as code): **UG**
4829. **Mimoclystia corticearia (Aurivillius,1910)** (Geometridae) Synonymy: corticearia Aurivillius,1910 Range (as code): **ZA TZ Kmj**
4830. **Mimoclystia deplanata (De Joannis,1913)** (Geometridae) Synonymy: deplanata De Joannis,1913 Range (as code): **ER**
4831. **Mimoclystia dimorpha Herbulot,1966** (Geometridae) Synonymy: dimorpha Herbulot,1966 Range (as code): **KM**

4832.Mimoclystia eucesta D.S.Fletcher,1958 (Geometridae) Synonymy: eucesta D.S.Fletcher,1958 Range (as code): **UG Rz**

4833.Mimoclystia euthygramma (L.B.Prout,1921) (Geometridae) Synonymy: euthygramma L.B.Prout,1921 Range (as code): **ZR Kvu**

4834.Mimoclystia explanata (Walker,1862) (Geometridae) Synonymy: explanata Walker,1862; coarctata Walker,1862; pallidata Walker,1862; euboliata Walker,[1863]; sylvicultrix Wallengren,1872 Range (as code): **ZA ZA08 ZA11 ZA12 Nta Kzu ZA14 ZA18 Ec ZA20 Mpu ZA28 Tva Lpo Spb Bbg**

4835.Mimoclystia griveaudi Herbulot,1970 (Geometridae) Synonymy: griveaudi Herbulot,1970 Range (as code): **MG**

4836.Mimoclystia lichenarum Herbulot,1963 (Geometridae) Synonymy: lichenarum Herbulot,1963 Range (as code): **MG**

4837.Mimoclystia limonias (L.B.Prout,1933) (Geometridae) Synonymy: limonias L.B.Prout,1933 Range (as code): **TZ Aus**

4838.Mimoclystia mermera (L.B.Prout,1935) (Geometridae) Synonymy: mermera L.B.Prout,1935 Range (as code): **ZA Tva Gau Pre**

4839.Mimoclystia mimetica (Debauche,1938) (Geometridae) Synonymy: mimetica Debauche,1938 Range (as code): **ZR Kvu**

4840.Mimoclystia pudicata (Walker,1862) (Geometridae) Synonymy: pudicata Walker,1862 Range (as code): **ZA ZA10 ZA11 ZA12 ZA13 Nta Kzu ZA18 Ec Ksi ZA28 Tva Lpo Brb ET Shw KE**

4841.Mimoclystia sylvicultrix (Wallengren,1872) (Geometridae) Synonymy: sylvicultrix Wallengren,1872 Range (as code): **ZA Ec**

4842.Mimoclystia tepescens L.B.Prout,1922 (Geometridae) Synonymy: tepescens L.B.Prout,1922 Range (as code): **ZA**

4843.Mimoclystia tepescens L.B.Prout,1922 (Geometridae) Synonymy: tepescens L.B.Prout,1922 Range (as code): **ZW**

4844.Mimoclystia thermochroa (Hampson,1909) (Geometridae) Synonymy: thermochroa Hampson,1909 Range (as code): **UG Rz ZR**

4845.Mimoclystia thorenaria (Swinhoe,1904) (Geometridae) Synonymy: thorenaria Swinhoe,1904 Range (as code): **MG**

4846.Mimoclystia toxeres D.S.Fletcher,1978 (Geometridae) Synonymy: toxeres D.S.Fletcher,1978 Range (as code): **TZ Mru**

4847.Mimoclystia undulosata W.Warren,1901 (Geometridae) Synonymy: undulosata W.Warren,1901 Range (as code): **ZA ZA10 ZA12 Nta Kzu Ggh Fs ZA28 Tva Lpo**

4848.Mirifica variata D.S.Fletcher,1956 (Geometridae) Synonymy: variata D.S.Fletcher,1956 Range (as code): **KE**

4849.Mixocera albimargo W.Warren,1901 (Geometridae) Synonymy: albimargo W.Warren,1901 Range (as code): **NG**

4850.Mixocera albistrigata (Pagenstecher,1893) (Geometridae) Synonymy: albistrigata Pagenstecher,1893; oleagina W.Warren,1897; serraticornis W.Warren,1897 Range (as code): **MZ ZA ZA17 Tva Lpo ZA25 Kzu Nta Wnn Mpu Brb Gau Pre Wv Rie Mdp Nyl ZW Bul Swm Har TZ RW KE NG CI YE**

4851.Mixocera frustratoria (Wallengren,1863) (Geometridae) Synonymy: frustratoria Wallengren,1863; #frustatoria Walker,1863 Range (as code): **ZA ZA25 Kzu Nta Umk Dbn Ver Esw Nha Ptb Gau Pre Nyl ZW Swm**

4852.Mixocera katharinae Hausmann,1997 (Geometridae) Synonymy: katharinae Hausmann,1997 Range (as code): **ZR TZ MZ KE ZA**

4853.Mixocera ledermanni Hausmann,1997 (Geometridae) Synonymy: ledermanni Hausmann,1997 Range (as code): **NG**

4854.Mixocera obliqua Bethune-Baker,1913 (Geometridae) Synonymy: obliqua Bethune-Baker,1913 Range (as code): **AO**

4855.Mixocera sudanica Herbulot,1954 (Geometridae) Synonymy: sudanica Herbulot,1954 Range (as code): **SD**

4856.Mixocera viridans L.B.Prout,1912 (Geometridae) Synonymy: viridans L.B.Prout,1912 Range (as code): **ZA Nta Kzu Umk Dbn Esw Nkw Srn ZW Har Swm GA**

4857.Mixocera wiedenorum Hausmann,1997 (Geometridae) Synonymy: wiedenorum Hausmann,1997 Range (as code): **MG**

4858.Mixocera xanthostephana L.B.Prout,1912 (Geometridae) Synonymy: xanthostephana L.B.Prout,1912 Range (as code): **ZA ZA07 Nta Kzu Ksi ZA17 Tva Lpo Nkw Ver Ptw Mpu Brb Wv Gau Pre UG KE**

4859.Myinodes interpunctaria (Herrich-Schäffer,1839) (Geometridae) Synonymy: interpunctaria Herrich-Schäffer,1839 Range (as code): **TN PT ES An Snv Mu Si IT**

4860.Myrteta leroyi (D.S.Fletcher,1958) (Geometridae) Synonymy: leroyi D.S.Fletcher,1958 Range (as code): **UG Rz ZR**

4861.Myrteta parallelaria (W.Warren,1902) (Geometridae) Synonymy: parallelaria W.Warren,1902 Range (as code): **KE**

4862.Narthecusa perplexata Walker,1862 (Geometridae) Synonymy: perplexata Walker,1862; packardii Dewitz,1881 Range (as code): **GH UG**

4863.Narthecusa tenuiorata Walker,1862 (Geometridae) Synonymy: tenuiorata Walker,1862; nachtigalii Dewitz,1881 Range (as code): **GH AO CG NG ZR Itu**

4864.Nassinia aurantiaca (L.B.Prout,1928) (Geometridae) Synonymy: aurantiaca L.B.Prout,1928 Range (as code): **MZ ZA Ksi Kzu Nta**

4865.Nassinia caffraria (Linnaeus,1767) (Geometridae) Synonymy: caffraria Linnaeus,1767; petavia Stoll,1781; petaviaria Hübner,[1823]; bupaliata Walker,1862 Range (as code): **ZA ZA08 Nta Dbn Kzu ZA18 Ec NA**

4866.Nassinia pretoria (L.B.Prout,1916) (Geometridae) Synonymy: pretoria L.B.Prout,1916 Range (as code): **ZA ZA24 NWe ZA28 Tva Lpo Gau Pre**

4867.Nebula ibericata (Staudinger,1871) (Geometridae) Synonymy: ibericata Staudinger,1871 Range (as code): **TN Gf PT ES An Mu FR Si IL**

4868.Nebula mantelorum Hausmann,1997 (Geometridae) Synonymy: mantelorum Hausmann,1997 Range (as code): **EG Sn YE OM**

4869.Nebula numidiata (Staudinger,1892) (Geometridae) Synonymy: numidiata Staudinger,1892 Range (as code): **MA DZ Ges Anna Cst TN Cn ES Mu**

4870.Neostega cornuta Herbulot,1993 (Geometridae) Synonymy: cornuta Herbulot,1993 Range (as code): **CM**

4871.Neostega flaviguttata W.Warren,1903 (Geometridae) Synonymy: flaviguttata W.Warren,1903 Range (as code): **NG**

4872.Neostega prouti Debauche,1938 (Geometridae) Synonymy: prouti Debauche,1938 Range (as code): **ZR**

4873.Neromia activa L.B.Prout,1930 (Geometridae) Synonymy: activa L.B.Prout,1930 Range (as code): **ZW Umv**

4874.Neromia barretti L.B.Prout,1912 (Geometridae) Synonymy: barretti L.B.Prout,1912 Range (as code): **ZA Ec Ans**

4875.Neromia chlorosticta L.B.Prout,1912 (Geometridae) Synonymy: chlorosticta L.B.Prout,1912 Range (as code): **TZ**

4876.Neromia clavicornis L.B.Prout,1915 (Geometridae) Synonymy: clavicornis L.B.Prout,1915 Range (as code): **ZW Har**

4877.Neromia cohaerens L.B.Prout,1916 (Geometridae) Synonymy: cohaerens L.B.Prout,1916 Range (as code): **ZA Gau Tva Pre Wv Mpu Nta Kzu**

4878.Neromia impostura L.B.Prout,1915 (Geometridae) Synonymy: impostura L.B.Prout,1915 Range (as code): **ZA Etm ZA04 ZA05 ZA13 ZA14 Mpu Mal Tva Lpo Spb Bbg ZA27 Kzu Nta Dbn Umk Kkf**

4879.Neromia manderensis L.B.Prout,1916 (Geometridae) Synonymy: manderensis L.B.Prout,1916 Range (as code): **SO**

4880.Neromia phoenicosticta L.B.Prout,1912 (Geometridae) Synonymy: phoenicosticta L.B.Prout,1912; miltosticta L.B.Prout,1912 Range (as code): **ZW ZM**

4881.Neromia picticosta L.B.Prout,1913 (Geometridae) Synonymy: picticosta L.B.Prout,1913 Range (as code): **MG**

4882.Neromia propinquilinea L.B.Prout,1920 (Geometridae) Synonymy: propinquilinea L.B.Prout,1920 Range (as code): **SN**

4883.Neromia pulvereisparsa Hampson,1896 (Geometridae) Synonymy: pulvereisparsa Hampson,1896; jodisata Staudinger,1898; draudti Andres & Seitz,1923 Range (as code): **EG IL Pa JO YE Ad IR Fa Nfs OM**

4884.Neromia quieta L.B.Prout,1912 (Geometridae) Synonymy: quieta L.B.Prout,1912 Range (as code): **KE**

4885.Neromia rhodomadia L.B.Prout,1922 (Geometridae) Synonymy: rhodomadia L.B.Prout,1922 Range (as code): **ZA ZA21 Tva Lpo Spb Mdk MZ**

4886.Neromia rubripunctilla L.B.Prout,1912 (Geometridae) Synonymy: rubripunctilla L.B.Prout,1912 Range (as code): **ZA ZA14 ZA16 Mpu Brb ZA24 NWe Tva Gau Pre Umk Nha Tst Wm Bul Uma ZW**

4887.Neromia sp. (Geometridae) Synonymy: Range (as code): **ZA ZA17 Tva Lpo**
4888.Neromia strigulosa L.B.Prout,1925 (Geometridae) Synonymy: strigulosa L.B.Prout,1925 Range (as code): **ZA ZA17 ZA22 Tva Lpo Fs Blo NA**
4889.Neurotoca endorhoda Hampson,1910 (Geometridae) Synonymy: endorhoda Hampson,1910 Range (as code): **ZA**
4890.Neurotoca notata W.Warren,1897 (Geometridae) Synonymy: notata W.Warren,1897 Range (as code): **ZA Tva Mpu Tst Tz ZW**
4891.Nothofidonia ansorgei (W.Warren,1901) (Geometridae) Synonymy: ansorgei W.Warren,1901 Range (as code): **UG Rz KE**
4892.Nothofidonia bicolor L.B.Prout,1915 (Geometridae) Synonymy: bicolor L.B.Prout,1915 Range (as code): **KE Kky**
4893.Nothofidonia irregularis L.B.Prout,1915 (Geometridae) Synonymy: irregularis L.B.Prout,1915 Range (as code): **MW Mje**
4894.Nothofidonia xenoleuca L.B.Prout,1928 (Geometridae) Synonymy: xenoleuca L.B.Prout,1928 Range (as code): **ET**
4895.Nothoterpna crassisquama W.Warren,1909 (Geometridae) Synonymy: crassisquama W.Warren,1909 Range (as code): **AO**
4896.Nothoterpna pallida (W.Warren,1904) (Geometridae) Synonymy: pallida W.Warren,1904 Range (as code): **AO**
4897.Nothylemera neaera (Druce,1888) (Geometridae) Synonymy: neaera Druce,1888 Range (as code): **CM**
4898.Nothylemera vinolibata L.B.Prout,1932 (Geometridae) Synonymy: vinolibata L.B.Prout,1932 Range (as code): **ZR Kga**
4899.Nychiodes (s.str.) mauretanica Wehrli,1929 (Geometridae) Synonymy: mauretanica Wehrli,1929 Range (as code): **TN DZ**
4900.Nychiodes (s.str.) obscuraria (De Villers,1789) (Geometridae) Synonymy: obscuraria De Villers,1789; obscurata Borkhausen,1794; lividaria Hübner,[1799] Range (as code): **MA DZ Clo PT FR Si IT CH AT GR TR Cc AZ Len 05 16 17 21 22 33 39 45 65 80**
4901.Nychiodes tyttha L.B.Prout,1915 (Geometridae) Synonymy: tyttha L.B.Prout,1915 Range (as code): **ER**
4902.Oaracta auricincta (Walker,1862) (Geometridae) Synonymy: auricincta Walker,1862; sofalaria R.Felder & Rogenhofer,1875 Range (as code): **ZA Kny Ec**
4903.Oaracta maculata (W.Warren,1897) (Geometridae) Synonymy: maculata W.Warren,1897; perobliqua L.B.Prout,1915 Range (as code): **ZA Tva ZA14 Mpu KE Mb TZ Dss**
4904.Oaracta neophronaria (Oberthür,1912) (Geometridae) Synonymy: neophronaria Oberthür,1912 Range (as code): **ZA Tva ZA13 Kzu ZA14 ZA20 Mpu**
4905.Oaracta sp. (Geometridae) Synonymy: Range (as code): **ZA Ksi Nta Kzu Mal Tva Lpo**
4906.Obolcola deocellata (L.B.Prout,1913) (Geometridae) Synonymy: deocellata L.B.Prout,1913 Range (as code): **ZA ZA12 Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg**
4907.Obolcola sp. (Geometridae) Synonymy: Range (as code): **ZA ZA07 Ksi Kzu Nta**
4908.Ochroplutodes bifurcata D.S.Fletcher,1958 (Geometridae) Synonymy: bifurcata D.S.Fletcher,1958 Range (as code): **UG ZR Rz**
4909.Ochroplutodes bisecta (W.Warren,1904) (Geometridae) Synonymy: bisecta W.Warren,1904 Range (as code): **AO**
4910.Ochroplutodes haturata (Walker,1860) (Geometridae) Synonymy: haturata Walker,1860; sordida W.Warren,1895; crocea W.Warren,1905 Range (as code): **ZA ZA06 Nta Kzu Dbn**
4911.Ochroplutodes hova Herbulot,1954 (Geometridae) Synonymy: hova Herbulot,1954 Range (as code): **MG**
4912.Odontopera acyrthoria (L.B.Prout,1938) (Geometridae) Synonymy: acyrthoria L.B.Prout,1938 Range (as code): **CM ZR**
4913.Odontopera aemoniaria (Swinhoe,1904) (Geometridae) Synonymy: aemoniaria Swinhoe,1904 Range (as code): **UG ZR Kvu**
4914.Odontopera aemula (L.B.Prout,1938) (Geometridae) Synonymy: aemula L.B.Prout,1938 Range (as code): **ZM Swz**
4915.Odontopera azelinaria (Swinhoe,1904) (Geometridae) Synonymy: azelinaria Swinhoe,1904 Range (as code): **TZ Kmj**

4916. **Odontopera belli (L.B.Prout,1938)** (Geometridae) Synonymy: belli L.B.Prout,1938 Range (as code): **AO**
4917. **Odontopera breviata (L.B.Prout,1922)** (Geometridae) Synonymy: breviata L.B.Prout,1922 Range (as code): **KE Kib**
4918. **Odontopera briela (Debauche,1937)** (Geometridae) Synonymy: briela Debauche,1937 Range (as code): **ET ET70 Sdm**
4919. **Odontopera curticosta (L.B.Prout,1932)** (Geometridae) Synonymy: curticosta L.B.Prout,1932 Range (as code): **KE TZ**
4920. **Odontopera dargei Herbulot,1982** (Geometridae) Synonymy: dargei Herbulot,1982 Range (as code): **CM**
4921. **Odontopera erebaria Guenée,[1858]** (Geometridae) Synonymy: erebaria Guenée,[1858]; indecoraria Walker,1866 Range (as code): **ZA Cto Ec**
4922. **Odontopera exoglypha Herbulot,1982** (Geometridae) Synonymy: exoglypha Herbulot,1982 Range (as code): **RW**
4923. **Odontopera homales (L.B.Prout,1922)** (Geometridae) Synonymy: homales L.B.Prout,1922 Range (as code): **ZA Tva**
4924. **Odontopera impeyi M.Krüger,2003** (Geometridae) Synonymy: impeyi M.Krüger,2003 Range (as code): **ZA Fs**
4925. **Odontopera integraria Guenée,[1858]** (Geometridae) Synonymy: integraria Guenée,[1858] Range (as code): **YE Sna YE33 YE68 ET**
4926. **Odontopera ochroneura (L.B.Prout,1938)** (Geometridae) Synonymy: ochroneura L.B.Prout,1938 Range (as code): **ZR Kvu KE Kky UG Kmp**
4927. **Odontopera orographica (L.B.Prout,1938)** (Geometridae) Synonymy: orographica L.B.Prout,1938 Range (as code): **UG**
4928. **Odontopera paliscia (L.B.Prout,1922)** (Geometridae) Synonymy: paliscia L.B.Prout,1922 Range (as code): **ZA Cto Ec**
4929. **Odontopera perplexata (W.Warren,1904)** (Geometridae) Synonymy: perplexata W.Warren,1904 Range (as code): **ZA**
4930. **Odontopera protecta Herbulot,1983** (Geometridae) Synonymy: protecta Herbulot,1983 Range (as code): **ET Ble ET86**
4931. **Odontopera stevensoni M.Krüger,2003** (Geometridae) Synonymy: stevensoni M.Krüger,2003 Range (as code): **ZW**
4932. **Odontopera stictoneura (L.B.Prout,1917)** (Geometridae) Synonymy: stictoneura L.B.Prout,1917 Range (as code): **ZA Cto Ec**
4933. **Oedicentra albipennis W.Warren,1902** (Geometridae) Synonymy: albipennis W.Warren,1902 Range (as code): **ZA ZA12 Nta Kzu ZA13 ZA14 Mal Tva Lpo Spb Bbg ZA20 Mpu KE**
4934. **Oedicentra gerydaria Swinhoe,1904** (Geometridae) Synonymy: gerydaria Swinhoe,1904 Range (as code): **GH**
4935. **Oedicentra volcanica Herbulot,1997** (Geometridae) Synonymy: volcanica Herbulot,1997 Range (as code): **CM**
4936. **Omizodes complanata L.B.Prout,1922** (Geometridae) Synonymy: complanata L.B.Prout,1922 Range (as code): **ZA ZA28 Tva Lpo Spb Bbg Gau Pre**
4937. **Omizodes ocellata W.Warren,1894** (Geometridae) Synonymy: ocellata W.Warren,1894 Range (as code): **ZA Etm ZA13 ZA25 Nta Kzu Tva Mpu**
4938. **Omizodes rubrifasciata (Butler,1896)** (Geometridae) Synonymy: rubrifasciata Butler,1896 Range (as code): **MW**
4939. **Omphacodes delicata (W.Warren,1905)** (Geometridae) Synonymy: delicata W.Warren,1905 Range (as code): **ZA Nta Kzu Dbn Umk MZ KE**
4940. **Omphacodes divergens (W.Warren,1899)** (Geometridae) Synonymy: divergens W.Warren,1899 Range (as code): **UG**
4941. **Omphacodes minima L.B.Prout,1913** (Geometridae) Synonymy: minima L.B.Prout,1913 Range (as code): **NG**
4942. **Omphacodes pulchrifimbria (W.Warren,1902)** (Geometridae) Synonymy: pulchrifimbria W.Warren,1902 Range (as code): **YE YE33 YE47 Sna KE ET**
4943. **Omphacodes pulchritacta L.B.Prout,1912** (Geometridae) Synonymy: pulchritacta L.B.Prout,1912 Range (as code): **ET**

4944. **Omphacodes punctilineata (W.Warren,1897)** (Geometridae) Synonymy: punctilineata W.Warren,1897 Range (as code): **ZW Hfo ZA ZA12 Nta Kzu Mal Tva Lpo Gau Pre Mpu Brb Nyl Wca Cto**
4945. **Omphacodes vivida (W.Warren,1899)** (Geometridae) Synonymy: vivida W.Warren,1899 Range (as code): **ZA Nta Kzu Ec Elo**
4946. **Omphalucha albosignata Janse,1932** (Geometridae) Synonymy: albosignata Janse,1932 Range (as code): **ZA ZA24 NWe Tva Nbs**
4947. **Omphalucha angulilinea (Janse,1932)** (Geometridae) Synonymy: angulilinea Janse,1932 Range (as code): **ZA Nta Kzu**
4948. **Omphalucha apira L.B.Prout,1938** (Geometridae) Synonymy: apira L.B.Prout,1938 Range (as code): **AO**
4949. **Omphalucha brunnea (W.Warren,1899)** (Geometridae) Synonymy: brunnea W.Warren,1899 Range (as code): **NG AO UG**
4950. **Omphalucha crenulata (W.Warren,1897)** (Geometridae) Synonymy: crenulata W.Warren,1897 Range (as code): **ZA ZA10 ZA11 ZA12 Kzu Nta Ggh Fs Dbn**
4951. **Omphalucha ditriba L.B.Prout,1938** (Geometridae) Synonymy: ditriba L.B.Prout,1938 Range (as code): **ZA ZA16 Mpu ZA21 Tva Lpo Spb ZW Bul**
4952. **Omphalucha epixyna L.B.Prout,1938** (Geometridae) Synonymy: epixyna L.B.Prout,1938 Range (as code): **AET**
4953. **Omphalucha exocholoxa L.B.Prout,1938** (Geometridae) Synonymy: exocholoxa L.B.Prout,1938 Range (as code): **NA**
4954. **Omphalucha indeflexa L.B.Prout,1922** (Geometridae) Synonymy: indeflexa L.B.Prout,1922 Range (as code): **ZA ZA24 NWe Tva Gau Pre**
4955. **Omphalucha indigna (L.B.Prout,1915)** (Geometridae) Synonymy: indigna L.B.Prout,1915 Range (as code): **AO**
4956. **Omphalucha katangae L.B.Prout,1934** (Geometridae) Synonymy: katangae L.B.Prout,1934 Range (as code): **ZR Kga**
4957. **Omphalucha maturnaria (Möschler,1884)** (Geometridae) Synonymy: maturnaria Möschler,1884 Range (as code): **ZA Tva Lpo Spb Bbg**
4958. **Omphalucha natalensis Herbulot,1995** (Geometridae) Synonymy: natalensis Herbulot,1995 Range (as code): **ZA Nta Kzu Drb**
4959. **Omphalucha nubimedia L.B.Prout,1938** (Geometridae) Synonymy: nubimedia L.B.Prout,1938 Range (as code): **ZR TZ**
4960. **Omphalucha praeses L.B.Prout,1938** (Geometridae) Synonymy: praeses L.B.Prout,1938 Range (as code): **ZA ZA26 Nta Kzu ZW Bul**
4961. **Omphalucha prosciodes (L.B.Prout,1934)** (Geometridae) Synonymy: prosciodes L.B.Prout,1934 Range (as code): **ZR**
4962. **Omphalucha ruandana Herbulot,1997** (Geometridae) Synonymy: ruandana Herbulot,1997 Range (as code): **RW**
4963. **Omphalucha rufinubes W.Warren,1905** (Geometridae) Synonymy: rufinubes W.Warren,1905 Range (as code): **AO**
4964. **Omphalucha sp.** (Geometridae) Synonymy: Range (as code): **ZA ZA22 Tva Lpo**
4965. **Omphax bacoti L.B.Prout,1912** (Geometridae) Synonymy: bacoti L.B.Prout,1912 Range (as code): **ZA Ksi Nta Kzu Dbn Dmm Esw Mpu Brb Gau Pre Rtf Buf Jh Mdp Fs**
4966. **Omphax bara Herbulot,1972** (Geometridae) Synonymy: bara Herbulot,1972 Range (as code): **MG**
4967. **Omphax bilobata Janse,1935** (Geometridae) Synonymy: bilobata Janse,1935 Range (as code): **ZA ZA12 Nta Kzu ZA14 Mpu ZA17 Tva Lpo ZA18 Ec Nha Umv Kkf ZW**
4968. **Omphax idonea L.B.Prout,1916** (Geometridae) Synonymy: idonea L.B.Prout,1916 Range (as code): **ZA Mal Tva Lpo Ly Gau Jh**
4969. **Omphax interfulgens Herbulot,1954** (Geometridae) Synonymy: interfulgens Herbulot,1954 Range (as code): **MG**
4970. **Omphax leucocraspeda L.B.Prout,1916** (Geometridae) Synonymy: leucocraspeda L.B.Prout,1916 Range (as code): **ZA ZA28 Tva Lpo Gau Pre Kra Buf Mdp Rtf**
4971. **Omphax modesta (W.Warren,1897)** (Geometridae) Synonymy: modesta W.Warren,1897 Range (as code): **ZA**
4972. **Omphax neglecta Herbulot,1977** (Geometridae) Synonymy: neglecta Herbulot,1977 Range (as code): **MG**

4973. **Omphax nigricornis (W.Warren,1897)** (Geometridae) Synonymy: nigricornis W.Warren,1897 Range (as code): **KE Mb**
4974. **Omphax particeps L.B.Prout,1932** (Geometridae) Synonymy: particeps L.B.Prout,1932 Range (as code): **ZR**
4975. **Omphax plantaria Guenée,[1858]** (Geometridae) Synonymy: plantaria Guenée,[1858]; marginata W.Warren,1894; subaspera W.Warren,1894; rubriplaga W.Warren,1897; apicata W.Warren,1901 Range (as code): **ZA Tva Ksi Kzu Nta Esw Dbn Srn Nha ZA16 ZA18 Mpu Brb Wv Gau Pre Ec ZW Uma TZ ET**
4976. **Omphax rhodocera (Hampson,1910)** (Geometridae) Synonymy: rhodocera Hampson,1910 Range (as code): **ZM ZW Har**
4977. **Omphax rigua L.B.Prout,1930** (Geometridae) Synonymy: rigua L.B.Prout,1930 Range (as code): **AO**
4978. **Omphax rubriceps (W.Warren,1904)** (Geometridae) Synonymy: rubriceps W.Warren,1904; monophyes Swinhoe,1906; ornatimargo L.B.Prout,1913 Range (as code): **AO NG**
4979. **Omphax shorti L.B.Prout,1912** (Geometridae) Synonymy: shorti L.B.Prout,1912; homalotis L.B.Prout,1930 Range (as code): **ZW Hfo MW**
4980. **Omphax trilobata Janse,1935** (Geometridae) Synonymy: trilobata Janse,1935 Range (as code): **ZA Nta Kzu Dbn**
4981. **Omphax vicinitaria (Wallengren,1863)** (Geometridae) Synonymy: vicinitaria Wallengren,1863 Range (as code): **ZA Ec Nta Kzu Kkf**
4982. **Oneiliana multifera L.B.Prout,1922** (Geometridae) Synonymy: multifera L.B.Prout,1922 Range (as code): **ZW**
4983. **Onychora mauretanicaria (Staudinger,1901)** (Geometridae) Synonymy: mauretanicaria Staudinger,1901 Range (as code): **MR**
4984. **Onycodes traumataria Guenée,[1858]** (Geometridae) Synonymy: traumataria Guenée,[1858]; flagrantaria Walker,[1863] Range (as code): **AU ZA Nam**
4985. **Operophtera brumata (Linnaeus,1758)** (Geometridae) Synonymy: brumata Linnaeus,1758; hyemata Hufnagel,1767; hyemalis Retzius,1783; brumaria Esper,1801; vulgaris Stephens,1829; phryganea Rambur,1870; myricaria Cooke,1882; robineaui Leraut,1997 Range (as code): **MA DZ TN Elt PT ES FR Sa Si IT IS IE GB BE NL LU DE NO IS CH AT PL CZ SK HU RO YU BG TR Cc AZ Lag AM GG DK NO SE FI EE LV LT RU Am Sb Ur MD UA BY IR Nos KG TrA JP CA US 14 17 22 34 39 52**
4986. **Orbamia octomaculata (Wallengren,1872)** (Geometridae) Synonymy: octomaculata Wallengren,1872; ocellata W.Warren,1897 Range (as code): **ZA Mal ZA16 Mpu ZA17 ZA21 Tva Lpo Sbp Mdk ZA24 NWe ZM**
4987. **Orbamia pauperata Herbulot,1966** (Geometridae) Synonymy: pauperata Herbulot,1966 Range (as code): **MG**
4988. **Orbamia renimacula (L.B.Prout,1926)** (Geometridae) Synonymy: renimacula L.B.Prout,1926 Range (as code): **SN**
4989. **Orbamia sp.** (Geometridae) Synonymy: Range (as code): **ZA Ktz Kzu Nta**
4990. **Orbamia subaurata (W.Warren,1899)** (Geometridae) Synonymy: subaurata W.Warren,1899 Range (as code): **ZM**
4991. **Oreometra ras Herbulot,1983** (Geometridae) Synonymy: ras Herbulot,1983 Range (as code): **ET**
4992. **Oreometra vittata Aurivillius,1910** (Geometridae) Synonymy: vittata Aurivillius,1910 Range (as code): **TZ**
4993. **Orgyiodes caparia (Walker,1862)** (Geometridae) Synonymy: caparia Walker,1862; capicolaria R.Felder & Rogenhofer,1874 Range (as code): **ZA Wca**
4994. **Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonymy: obstipata Fabricius,1794; fluviata Hübner,[1799]; gemmata Hübner,1799; albicinctata Haworth,1809; angustata Haworth,1809; quaerendaria Costa,1850; baccata Guenée,[1858]; lapillata Guenée,[1858]; contrariata Walker,1862; exagitata Walker,1862; intrusata Walker,1862; peracutata Walker,1862; signataria Walker,1863; obruptata Walker,1863; pigrata Walker,1866; plemyrata R.Felder & Rogenhofer,1875; inconspicua Warren,1896; brunneipennis Hulst,1896; discata Warren,1905 Range (as code): **PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR IQ Agh GG AM Cc AZ IR Sse Fa AF DK NO SE FI EE LV RU Ur Sb Am Sh MD UA Cm BY KG KK UZ TJ TM CN MN KP KR JP ZA ZA10 ZA12 Kzu Nta IL Pa Jf Mtl LB Bsa MY Bor Sbh KBa Kh CY PK Swa Dara Sgl Yek YE Tbl Mng Kir Lag Hkd ZR EG ET KE TZ MA DZ Ges Bsk Nbr Gf TN 01 05 06 07 13 14 16 17 22 30 31 33 34 42 46 56 65 71 72 80**
4995. **Ozola occidentalis L.B.Prout,1916** (Geometridae) Synonymy: occidentalis L.B.Prout,1916 Range (as code): **CM Bit**
4996. **Ozola pulverulenta W.Warren,1897** (Geometridae) Synonymy: pulverulenta W.Warren,1897 Range (as code): **ZA Tva ZA07 Kzu Nta ZA14 ZA16 Mpu Brb Kkf Wnn ZW**
4997. **Pachycnemia tibiaria (Rambur,1829)** (Geometridae) Synonymy: tibiaria Rambur,1829; uniformis Bytinski-Salz,1937 Range (as code): **TN PT ES FR IT YU GR Cr TR 74**

4998.Pachypalpella subalbata (W.Warren,1900) (Geometridae) Synonymy: subalbata W.Warren,1900 Range (as code): **KE**

4999.Palaeaspilates carnea (W.Warren,1914) (Geometridae) Synonymy: carnea W.Warren,1914; mansueta L.B.Prout,1917 Range (as code): **ZA**

5000.Palaeaspilates inoffensa W.Warren,1894 (Geometridae) Synonymy: inoffensa W.Warren,1894 Range (as code): **ZA Tva ZA14 Mpu**

5001.Palaeonyssia trisecta (W.Warren,1897) (Geometridae) Synonymy: trisecta W.Warren,1897; fuliginosa W.Warren,1905 Range (as code): **ZA Tva ZA14 Mpu Nta Kzu Dbn**

5002.Panagropis equitaria (Walker,1861) (Geometridae) Synonymy: equitaria Walker,1861; suberrata Walker,1861; humerata Walker,1862; secretata Walker,[1863]; platyrhynchata Wallengren,1872 Range (as code): **ZA ZA08 Ksi Kzu Nta Ec Pel**

5003.Panagropis muricolor (W.Warren,1897) (Geometridae) Synonymy: muricolor W.Warren,1897 Range (as code): **ZA ZA18 Ec Tva Lpo Spb Bbg Gau Pre Kzu Nta**

5004.Paragathia albimarginata W.Warren,1902 (Geometridae) Synonymy: albimarginata W.Warren,1902; delicia Thierry-Mieg,1907 Range (as code): **ZA ZA24 NWe Tva Gau Pre ZW Bul SN GA CI ZR KE MZ Del CG**

5005.Paraprasina discolor W.Warren,1897 (Geometridae) Synonymy: discolor W.Warren,1897 Range (as code): **ZA Wca Cto Tva Gau Pre ZW Har**

5006.Paraptychodes kedar (Druce,1896) (Geometridae) Synonymy: kedar Druce,1896 Range (as code): **TZ**

5007.Paraptychodes sp. (Geometridae) Synonymy: Range (as code): **MZ**

5008.Pareclipsis incerta L.B.Prout,1916 (Geometridae) Synonymy: incerta L.B.Prout,1916 Range (as code): **ZA Nta Kzu Dbn**

5009.Pareclipsis leptophyes L.B.Prout,1916 (Geometridae) Synonymy: leptophyes L.B.Prout,1916 Range (as code): **ZA Cap Cto**

5010.Pareclipsis ochrea (W.Warren,1905) (Geometridae) Synonymy: ochrea W.Warren,1905 Range (as code): **ZA ZA10 Kzu Nta**

5011.Pareclipsis onus L.B.Prout,1917 (Geometridae) Synonymy: onus L.B.Prout,1917 Range (as code): **ZA Cto Cap**

5012.Pareclipsis oxyptera L.B.Prout,1916 (Geometridae) Synonymy: oxyptera L.B.Prout,1916 Range (as code): **ZA Tva ZA05 Kzu ZA20 Mpu**

5013.Pareclipsis phaeopis L.B.Prout,1922 (Geometridae) Synonymy: phaeopis L.B.Prout,1922 Range (as code): **ZA Cto Cap**

5014.Pareclipsis punctata W.Warren,1900 (Geometridae) Synonymy: punctata W.Warren,1900 Range (as code): **ZA Tva ZA04 ZA11 ZA12 ZA13 Nta Kzu ZA14 Mpu**

5015.Pareclipsis sp.1 (Geometridae) Synonymy: Range (as code): **ZA ZA28 Tva Lpo**

5016.Pareclipsis sp.2 (Geometridae) Synonymy: Range (as code): **ZA Tva ZA11 Kzu ZA14 ZA20 Mpu**

5017.Pareclipsis sp.3 (Geometridae) Synonymy: Range (as code): **ZA ZA18 Ec**

5018.Pareulype berberata (Fabricius,1787) (Geometridae) Synonymy: #berberata [Denis & Schiffermüller],1775; berberata Fabricius,1787; berberaria Boisduval,1840 Range (as code): **MA ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU YU CY TR Cc AZ Kir DK SE LV LT RU MD UA BY 14 16 24 42 51 58 81**

5019.Parortholitha moerdyki Herbulot,1980 (Geometridae) Synonymy: moerdyki Herbulot,1980 Range (as code): **ZA Nta Kzu**

5020.Parortholitha subrectiaria (Walker,1861) (Geometridae) Synonymy: subrectiaria Walker,1861; cidariata Walker,1862 Range (as code): **ZA Wca**

5021.Pasiphila derasata (Bastelberger,1905) (Geometridae) Synonymy: derasata Bastelberger,1905; chlamydata Joannis,1906 Range (as code): **MG MU YE ZA Ktz ZA10 ZA12 Kzu Nta Bbg ZA28 Tva Lpo Spb Mpu Brb**

5022.Pasiphila socotrensis (Herbulot,1994) (Geometridae) Synonymy: socotrensis Herbulot,1994 Range (as code): **Sk**

5023.Peribatodes ilicarius (Geyer,1833) (Geometridae) Synonymy: ilicaria Geyer,1833; manuelarius Herrich-Schäffer,1852; maghrebica Le Cerf,1923; jacobiaria Fernandez,1931 Range (as code): **MA PT ES Mu FR IT GB DE PL SK GR TR Cc AZ DK 05 16**

5024.Peribatodes jugurthinus (Turati & Krüger,1936) (Geometridae) Synonymy: jugurthinus Turati & Krüger,1936 Range (as code): **LY Cy**

5025.Peribatodes rhomboidarius ([Denis & Schiffermüller],1775) (Geometridae) Synonymy: #rhomboidaria [Denis & Schiffermüller],1775; inaequalis Goeze,1781; gemmaria Brahm,1791; ichnusaria Ghiliani,1852; corsicaria Schawerda,1931; saerdabensis Wehrli,1943 Range (as code): **MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG IQ IR Mz Gls Fa Sse DK SE FI RU MD UA BY IL Pa LB Bsa Bmm Zah CY 01 05 08 13 14 15 16 17 22 23 30 31 33 34 36 37 42 44 45 46 48 52 56 57 58 59 60 61 65 77 81**

5026.Peribatodes umbrarius (Hübner,[1809]) (Geometridae) Synonymy: umbraria Hübner,[1809]; vaucheri Thierry-Mieg,1916 Range (as code): **MA DZ PT ES Mu FR Co Sa Si IT CH SK HU RO YU AL BG GR Cr TR IQ Brs IR Mz Gls Kh Fa Sse RU MD UA BY IL Pa Js LB Bsa CY 01 05 12 13 14 23 30 31 33 42 44 45 46 56 65 71**

5027.Perithalera oblongata (W.Warren,1898) (Geometridae) Synonymy: oblongata W.Warren,1898 Range (as code): **NG**

5028.Perithalera oblongula L.B.Prout,1922 (Geometridae) Synonymy: oblongula L.B.Prout,1922 Range (as code): **MG**

5029.Perizoma africana (W.Warren,1911) (Geometridae) Synonymy: africana W.Warren,1911 Range (as code): **ZA Wca Cto**

5030.Perizoma alumna (L.B.Prout,1925) (Geometridae) Synonymy: alumna L.B.Prout,1925 Range (as code): **ZA Tva ZA14 Mpu**

5031.Perizoma artifex L.B.Prout,1925 (Geometridae) Synonymy: artifex L.B.Prout,1925 Range (as code): **ZA Wca Cto LS Tva ZA14 Mpu**

5032.Perizoma bifaciata (Haworth,1809) (Geometridae) Synonymy: bifaciata Haworth,1809; unifasciata Haworth,1809; aquilaria Herrich-Schäffer,1848; linulata Guenée,[1858]; odontata Millière,1870; #bifasciata Rebel,1939 Range (as code): **MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ KG 25 30 42**

5033.Perizoma epipercna (L.B.Prout,1913) (Geometridae) Synonymy: epipercna L.B.Prout,1913 Range (as code): **ZA ZA11 Nta Kzu ZA14 ZA20 Mpu Ggh Fs ZA28 Tva Lpo**

5034.Perizoma eviscerata W.Warren,1914 (Geometridae) Synonymy: eviscerata W.Warren,1914 Range (as code): **ZA Wca**

5035.Perizoma lamprammodes (L.B.Prout,1911) (Geometridae) Synonymy: lamprammodes L.B.Prout,1911 Range (as code): **ZA Tva Gau Jh**

5036.Perizoma petrogenes (L.B.Prout,1922) (Geometridae) Synonymy: petrogenes L.B.Prout,1922 Range (as code): **ZA Wca Cto**

5037.Perizoma poliosana Rebel,1948 (Geometridae) Synonymy: poliosana Rebel,1948 Range (as code): **EG JE**

5038.Perizoma sp. (Geometridae) Synonymy: Range (as code): **ZA ZA12 Kzu**

5039.Petovia marginata (Walker,1854) (Geometridae) Synonymy: marginata Walker,1854; dichroaria Herrich-Schäffer,[1854]; incertaria Guenée,1858; amatonga Vuillot,1892; perversaria Gaede,1917 Range (as code): **ZA Ksi Kzu Nta Gau Pre Dbn Nha Tva**

5040.Petrophora feliciaria (Lucas & Joannis,1907) (Geometridae) Synonymy: feliciaria Lucas & Joannis,1907; nisseni Rothschild,1914 Range (as code): **MA DZ Ges**

5041.Phaiogramma etruscaria (Zeller,1849) (Geometridae) Synonymy: etruscaria Zeller,1849; pulmentaria Guenée,[1858]; palaestinensis Fuchs,1903; benderi Koutsaftikis,1973 Range (as code): **DZ Clo Anna Bsk TN Gf PT ES Mu FR Co Sa Si IT MT BE CH AT PL CZ SK RO YU AL BG GR Cr Rd TR IQ RU CY SY IR Kd Elb Th Fa Sse Com Kz AZ AM GG Smt Bjo Lag Kir Nv Ord Da Der Cc LB Bsa IL Pa Jf Mtl Ui Ii KG Ket Clk Kyr Kpt 01 05 14 16 17 21 23 28 31 32 33 39 42 44 46 52 56 58 61 65 72 76 80**

5042.Phaiogramma faustinata (Millière,1868) (Geometridae) Synonymy: faustinata Millière,1868; rhoisaria Chrétien,1909. Range (as code): **NG CM DZ PT ES Mu FR Si MT GR Cr IL Pa Jf Hf Ngv CY OM YE**

5043.Phaiogramma stibolepida (Butler,1879) (Geometridae) Synonymy: stibolepida Butler,1879; pallidularia Mabille,1880 Range (as code): **MG ZA ZA06 ZA08 Nta Kzu ZA16 Mpu ZA17 ZA21 Tva Lpo ZA25 Umk Dbn Nha Tst Wmb**

5044.Phaselia algiricaria Oberthür,1913 (Geometridae) Synonymy: algiricaria Oberthür,1913 Range (as code): **DZ Eba MA LY ES Mu**

5045.Phaselia phoeniciaria (Turati & C.G.Krüger,1936) (Geometridae) Synonymy: phoeniciaria Turati & C.G.Krüger,1936 Range (as code): **LY Cy**

5046.Phigalia buckwelli Rungs,1952 (Geometridae) Synonymy: buckwelli Rungs,1952 Range (as code): **MA**

5047.Phoenicocampa terinata (R.Felder & Rogenhofer,1875) (Geometridae) Synonymy: terinata R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA07 Ksi ZA26 Kzu Nta**

5048.Phthonandria pinguis (W.Warren,1904) (Geometridae) Synonymy: pinguis W.Warren,1904 Range (as code): **ZA Mal Lpo Tva ZA16 Mpu AO**

5049.Phyllometra argentaria (A.Bang-Haas,1910) (Geometridae) Synonymy: argentaria A.Bang-Haas,1910 Range (as code): **TN**

5050.Phyllometra planaria (Chrétien,1911) (Geometridae) Synonymy: planaria Chrétien,1911 Range (as code): **TN Gf**

5051.Piercia albivirgulata D.S.Fletcher,1958 (Geometridae) Synonymy: albivirgulata D.S.Fletcher,1958 Range (as code): **UG Rz**

5052. **Piercia ansorgei (Bethune-Baker,1913)** (Geometridae) Synonymy: ansorgei Bethune-Baker,1913 Range (as code): **AO**
5053. **Piercia bamendana Herbulot,1974** (Geometridae) Synonymy: bamendana Herbulot,1974 Range (as code): **CM**
5054. **Piercia bryophilaria (W.Warren,1903)** (Geometridae) Synonymy: bryophilaria W.Warren,1903 Range (as code): **KE ZA ZA10 ZA12 ZA13 Kzu ZA14 ZA20 Mpu ZA21 ZA28 Tva Lpo**
5055. **Piercia chlorostola (Hampson,1909)** (Geometridae) Synonymy: chlorostola Hampson,1909 Range (as code): **UG Rz**
5056. **Piercia cidariata (Guenée,[1858])** (Geometridae) Synonymy: cidariata Guenée,[1858] Range (as code): **ZA Wca Cto Tva ZA14 Mpu**
5057. **Piercia ciliata Janse,1933** (Geometridae) Synonymy: ciliata Janse,1933 Range (as code): **ZA ZA12 Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg**
5058. **Piercia cognata D.S.Fletcher,1958** (Geometridae) Synonymy: cognata D.S.Fletcher,1958 Range (as code): **UG Rz**
5059. **Piercia deceptata D.S.Fletcher,1958** (Geometridae) Synonymy: deceptata D.S.Fletcher,1958 Range (as code): **KE**
5060. **Piercia detracta Herbulot,1988** (Geometridae) Synonymy: detracta Herbulot,1988 Range (as code): **CM**
5061. **Piercia dibola L.B.Prout,1935** (Geometridae) Synonymy: dibola L.B.Prout,1935 Range (as code): **ZA Wca Wr**
5062. **Piercia dryas (L.B.Prout,1915)** (Geometridae) Synonymy: dryas L.B.Prout,1915 Range (as code): **ZA ZA04 ZA05 ZA12 ZA13 Ec Tra Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg**
5063. **Piercia edwardsi D.S.Fletcher,1958** (Geometridae) Synonymy: edwardsi D.S.Fletcher,1958 Range (as code): **UG Rz**
5064. **Piercia emmeles (L.B.Prout,1922)** (Geometridae) Synonymy: emmeles L.B.Prout,1922 Range (as code): **ZA Nta Kzu Est**
5065. **Piercia excisa Herbulot,1974** (Geometridae) Synonymy: excisa Herbulot,1974 Range (as code): **CM**
5066. **Piercia fumitacta (W.Warren,1903)** (Geometridae) Synonymy: fumitacta W.Warren,1903 Range (as code): **KE**
5067. **Piercia hargreavesi L.B.Prout,1935** (Geometridae) Synonymy: hargreavesi L.B.Prout,1935 Range (as code): **UG**
5068. **Piercia jacksoni D.S.Fletcher,1956** (Geometridae) Synonymy: jacksoni D.S.Fletcher,1956 Range (as code): **UG**
5069. **Piercia kennedyi D.S.Fletcher,1958** (Geometridae) Synonymy: kennedyi D.S.Fletcher,1958 Range (as code): **UG Rz**
5070. **Piercia leptoyphes L.B.Prout,1935** (Geometridae) Synonymy: leptoyphes L.B.Prout,1935 Range (as code): **LS ZA**
5071. **Piercia lichenaria D.S.Fletcher,1958** (Geometridae) Synonymy: lichenaria D.S.Fletcher,1958 Range (as code): **UG Rz**
5072. **Piercia lightfooti (L.B.Prout,1925)** (Geometridae) Synonymy: lightfooti L.B.Prout,1925 Range (as code): **ZA Wca Cto Tva ZA14 Mpu Cer**
5073. **Piercia manegouba Herbulot,1974** (Geometridae) Synonymy: manegouba Herbulot,1974 Range (as code): **CM**
5074. **Piercia myopteryx L.B.Prout,1935** (Geometridae) Synonymy: myopteryx L.B.Prout,1935; altilis L.B.Prout,1935 Range (as code): **GN CM Bit**
5075. **Piercia nimipunctata Janse,1933** (Geometridae) Synonymy: nimipunctata Janse,1933 Range (as code): **ZA Tva ZA14 ZA20 Mpu**
5076. **Piercia occidentalis Herbulot,1954** (Geometridae) Synonymy: occidentalis Herbulot,1954 Range (as code): **GN**
5077. **Piercia olivata Janse,1933** (Geometridae) Synonymy: olivata Janse,1933 Range (as code): **ZA Tva ZA12 Kzu ZA14 Mpu Wo**
5078. **Piercia perizomoides (L.B.Prout,1916)** (Geometridae) Synonymy: perizomoides L.B.Prout,1916 Range (as code): **ZA ZA12 Kzu ZA28 Tva Lpo Mpu Wv**
5079. **Piercia prasinaria (W.Warren,1901)** (Geometridae) Synonymy: prasinaria W.Warren,1901 Range (as code): **TZ ZA Ktz ZA14 Mpu Mal Tva Lpo ZA25 Nta Kzu**
5080. **Piercia rufimaculata D.S.Fletcher,1958** (Geometridae) Synonymy: rufimaculata D.S.Fletcher,1958 Range (as code): **UG Rz**

5081. **Piercia serena Herbulot,1990** (Geometridae) Synonymy: serena Herbulot,1990 Range (as code): **MW Zom**
5082. **Piercia smaragdinata (Walker,1862)** (Geometridae) Synonymy: smaragdinata Walker,1862; tenella W.Warren,1911 Range (as code): **ZA Ktz Nta Kzu Wca Cto**
5083. **Piercia sp.1** (Geometridae) Synonymy: Range (as code): **ZA ZA10 Nta Kzu Ggh Fs**
5084. **Piercia sp.2** (Geometridae) Synonymy: Range (as code): **ZA Ggh Fs**
5085. **Piercia spatiosata (Walker,1862)** (Geometridae) Synonymy: spatiosata Walker,1862; priscata Walker,1862; despectata Walker,1862 Range (as code): **ZA Tva ZA12 Nta Kzu ZA20 Mpu**
5086. **Piercia squamata Herbulot,1974** (Geometridae) Synonymy: squamata Herbulot,1974 Range (as code): **CM**
5087. **Piercia suavata D.S.Fletcher,1958** (Geometridae) Synonymy: suavata D.S.Fletcher,1958 Range (as code): **UG Rz**
5088. **Piercia subconcava L.B.Prout,1935** (Geometridae) Synonymy: subconcava L.B.Prout,1935 Range (as code): **ZR**
5089. **Piercia subrecta W.Warren,1903** (Geometridae) Synonymy: subrecta W.Warren,1903 Range (as code): **CM**
5090. **Piercia subrufaria (W.Warren,1903)** (Geometridae) Synonymy: subrufaria W.Warren,1903 Range (as code): **KE**
5091. **Piercia subterlimbata (L.B.Prout,1917)** (Geometridae) Synonymy: subterlimbata L.B.Prout,1917 Range (as code): **ZA Tva Lpo Spb Bbg Nta Kzu Dbn**
5092. **Piercia subtrunca (L.B.Prout,1932)** (Geometridae) Synonymy: subtrunca L.B.Prout,1932 Range (as code): **KE**
5093. **Piercia viettei Herbulot,1954** (Geometridae) Synonymy: viettei Herbulot,1954 Range (as code): **MG**
5094. **Piercia vittata Janse,1933** (Geometridae) Synonymy: vittata Janse,1933 Range (as code): **ZA Tva ZA14 Mpu Nta Kzu Dbn**
5095. **Piercia zukwalensis Debauche,1937** (Geometridae) Synonymy: zukwalensis Debauche,1937 Range (as code): **ET**
5096. **Pigiopsis acuta Herbulot,1986** (Geometridae) Synonymy: acuta Herbulot,1986 Range (as code): **CI**
5097. **Pigiopsis aurantiaca Carcasson,1964** (Geometridae) Synonymy: aurantiaca Carcasson,1964 Range (as code): **KE Mb**
5098. **Pigiopsis convergens W.Warren,1899** (Geometridae) Synonymy: convergens W.Warren,1899; artemisiaria Oberthür,1923 Range (as code): **UG**
5099. **Pigiopsis epigynopteryx Herbulot,1986** (Geometridae) Synonymy: epigynopteryx Herbulot,1986 Range (as code): **CM**
5100. **Pigiopsis fuscimargo Herbulot,1986** (Geometridae) Synonymy: fuscimargo Herbulot,1986 Range (as code): **CM**
5101. **Pigiopsis hyposcotia L.B.Prout,1915** (Geometridae) Synonymy: hyposcotia L.B.Prout,1915 Range (as code): **CM**
5102. **Pigiopsis irrufata Herbulot,1986** (Geometridae) Synonymy: irrufata Herbulot,1986 Range (as code): **CG**
5103. **Pigiopsis pallens Herbulot,1986** (Geometridae) Synonymy: pallens Herbulot,1986 Range (as code): **CM**
5104. **Pigiopsis scotoides L.B.Prout,1915** (Geometridae) Synonymy: scotoides L.B.Prout,1915 Range (as code): **CM**
5105. **Pigiopsis truncativalvis Herbulot,1986** (Geometridae) Synonymy: truncativalvis Herbulot,1986 Range (as code): **CM**
5106. **Pigiopsis ugandana Carcasson,1964** (Geometridae) Synonymy: ugandana Carcasson,1964 Range (as code): **UG**
5107. **Pingasa abyssinaria (Guenée,[1858])** (Geometridae) Synonymy: abyssinaria Guenée,[1858] Range (as code): **ET Kfa Ble Oro Sw Hrr KE ZA Lpo Tva Spb Lj Wca Cto Ec Kny Gau Pre Nta Kzu Srn Rie Ste**
5108. **Pingasa decristata W.Warren,1902** (Geometridae) Synonymy: decristata W.Warren,1902 Range (as code): **ST**
5109. **Pingasa distensaria (Walker,1860)** (Geometridae) Synonymy: distensaria Walker,1860 Range (as code): **ET Kfa Gm MZ ZW ZA ZA13 Kzu ZA14 Mpu Tva Lpo Spb Bbg**
5110. **Pingasa floridivenis L.B.Prout,1920** (Geometridae) Synonymy: floridivenis L.B.Prout,1920 Range (as code): **GH**

5111. **Pingasa grandidieri (Butler,1879)** (Geometridae) Synonymy: grandidieri Butler,1879; eugrapharia Mabille,1880 Range (as code): **MG**
5112. **Pingasa griveaudi Herbulot,1966** (Geometridae) Synonymy: griveaudi Herbulot,1966 Range (as code): **KM**
5113. **Pingasa herbuloti Viette,1971** (Geometridae) Synonymy: herbuloti Viette,1971 Range (as code): **MG**
5114. **Pingasa hypoxantha L.B.Prout,1916** (Geometridae) Synonymy: hypoxantha L.B.Prout,1916; holochroa L.B.Prout,1916 Range (as code): **UG ZR**
5115. **Pingasa lahayei (Oberthür,1887)** (Geometridae) Synonymy: lahayei Oberthür,1887 Range (as code): **MA DZ Ges Sfr Bsk Omy TN Gf LY Cy ES IR Fa Bu Ahz OM ZA ZA17 Tva Lpo GM NG ZW SZ YE Sna ET Gm AE BW**
5116. **Pingasa murphyi Herbulot,1994** (Geometridae) Synonymy: murphyi Herbulot,1994 Range (as code): **MW**
5117. **Pingasa nigrolineata Karisch,2006** (Geometridae) Synonymy: nigrolineata Karisch,2006 Range (as code): **CM**
5118. **Pingasa pallidata (De Joannis,1912)** (Geometridae) Synonymy: pallidata De Joannis,1912 Range (as code): **ER ET Sw**
5119. **Pingasa rhadamaria (Guenée,[1858])** (Geometridae) Synonymy: rhadamaria Guenée,[1858] Range (as code): **MG ZW Vf SL KM ZA ZA05 ZA06 ZA18 Ec ZA25 Kzu Nta Dbn Tva Mpu Brb Pil KE YE YE30 Sna ET Ble Oro Kfa Gm**
5120. **Pingasa ruginaria (Guenée,[1858])** (Geometridae) Synonymy: ruginaria Guenée,[1858]; nyctemerata Walker,1860; perfectaria Walker,1860 Range (as code): **ZA ZA04 ZA05 Ksi Kzu Nta Dbn Mal Tva Lpo IN Adm UG SL JP Ri TH Ntt Hba ET Oro Ble**
5121. **Pitthea agenoria Druce,1890** (Geometridae) Synonymy: agenoria Druce,1890 Range (as code): **CG**
5122. **Pitthea argentiplaga (W.Warren,1897)** (Geometridae) Synonymy: argentiplaga W.Warren,1897 Range (as code): **AO**
5123. **Pitthea caesarea Rebel,1914** (Geometridae) Synonymy: caesarea Rebel,1914 Range (as code): **CF**
5124. **Pitthea catadela D.S.Fletcher,1963** (Geometridae) Synonymy: catadela D.S.Fletcher,1963 Range (as code): **ZR**
5125. **Pitthea continua Walker,1864** (Geometridae) Synonymy: continua Walker,1864; abbreviata W.Warren,1899 Range (as code): **GH SL NG**
5126. **Pitthea cyanomeris L.B.Prout,1915** (Geometridae) Synonymy: cyanomeris L.B.Prout,1915; famulita Holland,1920 Range (as code): **UG ZR**
5127. **Pitthea cyanomeris L.B.Prout,1915** (Geometridae) Synonymy: cyanomeris L.B.Prout,1915; famulita Holland,1920 Range (as code): **UG CG**
5128. **Pitthea eximia Druce,1910** (Geometridae) Synonymy: eximia Druce,1910 Range (as code): **CM Bit**
5129. **Pitthea famula (Drury,1773)** (Geometridae) Synonymy: famula Drury,1773; expandens Walker,1854; decisa Walker,1869 Range (as code): **CG**
5130. **Pitthea flavimargo Druce,1910** (Geometridae) Synonymy: flavimargo Druce,1910 Range (as code): **CM Bit**
5131. **Pitthea fractimacula W.Warren,1897** (Geometridae) Synonymy: fractimacula W.Warren,1897; sanguiflua Aurivillius,1925 Range (as code): **CM**
5132. **Pitthea fuliginosa Druce,1910** (Geometridae) Synonymy: fuliginosa Druce,1910 Range (as code): **ZR**
5133. **Pitthea hypomima L.B.Prout,1922** (Geometridae) Synonymy: hypomima L.B.Prout,1922 Range (as code): **CM Bit**
5134. **Pitthea mungi (Plötz,1880)** (Geometridae) Synonymy: mungi Plötz,1880 Range (as code): **CM Bit**
5135. **Pitthea neavei L.B.Prout,1915** (Geometridae) Synonymy: neavei L.B.Prout,1915 Range (as code): **ZA Mal Tva Lpo Spb Lj Hgl MW TZ**
5136. **Pitthea perspicua (Linnaeus,1758)** (Geometridae) Synonymy: perspicua Linnaeus,1758; cryptochroma Walker,1869; lynckerii Dewitz,1881 Range (as code): **CM Bit AO CG**
5137. **Pitthea rubriplaga (W.Warren,1897)** (Geometridae) Synonymy: rubriplaga W.Warren,1897 Range (as code): **SL**
5138. **Pitthea sospes L.B.Prout,1921** (Geometridae) Synonymy: sospes L.B.Prout,1921 Range (as code): **ZM**
5139. **Pitthea subflaveola Bethune-Baker,1911** (Geometridae) Synonymy: subflaveola Bethune-Baker,1911 Range (as code): **AO**
5140. **Pitthea syndroma L.B.Prout,1932** (Geometridae) Synonymy: syndroma L.B.Prout,1932 Range (as code): **ZR**

5141. **Pitthea trifasciata Dewitz,1881** (Geometridae) Synonymy: trifasciata Dewitz,1881; triplagiata W.Warren,1897 Range (as code): **TZ Dss Zz**
5142. **Plateoplia acrobelia (Wallengren,1875)** (Geometridae) Synonymy: acrobelia Wallengren,1875; flavata W.Warren,1897; ochriciliata W.Warren,1901. Range (as code): **ZA Etm ZA07 ZA08 Kzu Nta Wnn Mal ZA16 Mpu ZA17 ZA21 Tva Lpo Gau Pre Rtb Mpu Brb Nel Tst Nbs Spb Nyl Wy Kru Pma Dbn Nha ZA24 NWe AO SZ NA Abc Okw BW ZW Har Uma Vum Vf MZ ZM UG TZ KE**
5143. **Platypepla bifida Herbulot,1984** (Geometridae) Synonymy: bifida Herbulot,1984 Range (as code): **ET Sdm Gm ET29**
5144. **Platypepla bullifera M.Krüger,2001** (Geometridae) Synonymy: bullifera M.Krüger,2001 Range (as code): **KE**
5145. **Platypepla curvigladiata M.Krüger,2001** (Geometridae) Synonymy: curvigladiata M.Krüger,2001 Range (as code): **NG**
5146. **Platypepla flava M.Krüger,2001** (Geometridae) Synonymy: flava M.Krüger,2001 Range (as code): **ZA Tva Lpo Nyl NA**
5147. **Platypepla griseobrunnea M.Krüger,2001** (Geometridae) Synonymy: griseobrunnea M.Krüger,2001 Range (as code): **ZA Ec Cto Fs NA**
5148. **Platypepla jordani M.Krüger,2001** (Geometridae) Synonymy: jordani M.Krüger,2001 Range (as code): **NA**
5149. **Platypepla loranthiphaga M.Krüger,2001** (Geometridae) Synonymy: loranthiphaga M.Krüger,2001 Range (as code): **NA**
5150. **Platypepla macilenta M.Krüger,2001** (Geometridae) Synonymy: macilenta M.Krüger,2001 Range (as code): **ZA Ec Tra Pel Nta Kzu**
5151. **Platypepla mackayi M.Krüger,2001** (Geometridae) Synonymy: mackayi M.Krüger,2001 Range (as code): **ZA Ec**
5152. **Platypepla persubtilis M.Krüger,2001** (Geometridae) Synonymy: persubtilis M.Krüger,2001 Range (as code): **ZA Tva Mpu Ko8 Gau Rtb Nta Kzu Wnn Fs SZ ZW BW NA KE Nai**
5153. **Platypepla pseudospurcata M.Krüger,2001** (Geometridae) Synonymy: pseudospurcata M.Krüger,2001 Range (as code): **ZA Nta Kzu**
5154. **Platypepla schistopenis M.Krüger,2001** (Geometridae) Synonymy: schistopenis M.Krüger,2001 Range (as code): **KE Nai**
5155. **Platypepla spurcata (W.Warren,1897)** (Geometridae) Synonymy: spurcata W.Warren,1897; nudaria W.Warren,1900; deformis W.Warren,1909. Range (as code): **ZA ZA04 Ksi ZA25 Kzu Nta Dbn Wnn Tva Lpo Gau Pre ZW MZ**
5156. **Platypepla uhlenhuthi M.Krüger,2001** (Geometridae) Synonymy: uhlenhuthi M.Krüger,2001 Range (as code): **ET**
5157. **Plegapteryx anomalus Herrich-Schäffer,[1856]** (Geometridae) Synonymy: anomalus Herrich-Schäffer,[1856]; partita Holland,1893; titia Druce,1899; segmentata W.Warren,1902; grotesca Bryk,1913; primoti Viette,1954 Range (as code): **SL GA Ogo NG Caa ZA ZA07 Ksi Kzu Nta Dbn**
5158. **Plegapteryx hellinsi (Carcasson,1962)** (Geometridae) Synonymy: hellinsi Carcasson,1962 Range (as code): **UG**
5159. **Plegapteryx obscura Holland,1893** (Geometridae) Synonymy: obscura Holland,1893 Range (as code): **GA Ogo**
5160. **Plegapteryx peregrinus (Carcasson,1962)** (Geometridae) Synonymy: peregrinus Carcasson,1962 Range (as code): **UG**
5161. **Plegapteryx prouti (Bethune-Baker,1927)** (Geometridae) Synonymy: prouti Bethune-Baker,1927 Range (as code): **CM Bit**
5162. **Plegapteryx purpurascens Holland,1893** (Geometridae) Synonymy: purpurascens Holland,1893 Range (as code): **GA Ogo**
5163. **Plegapteryx sphingata (W.Warren,1895)** (Geometridae) Synonymy: sphingata W.Warren,1895 Range (as code): **NG Caa**
5164. **Plegapteryx subsplendens Holland,1893** (Geometridae) Synonymy: subsplendens Holland,1893 Range (as code): **GA Ogo**
5165. **Polystroma steelae (L.B.Prout,1934)** (Geometridae) Synonymy: steelae L.B.Prout,1934 Range (as code): **SD YE Sna**
5166. **Polystroma subspissata W.Warren,1897** (Geometridae) Synonymy: subspissata W.Warren,1897; brunneitrames L.B.Prout,1916 Range (as code): **ZA ZA10 ZA11 ZA12 ZA13 Nta Kzu Mpu Brb Wnn Tva Lpo Spb Bbg MG Wca**

5167. **Prasinocyma aetheraea (Debauche,1937)** (Geometridae) Synonymy: aetheraea Debauche,1937 Range (as code): **ET ET09 Sw Oro Ble**
5168. **Prasinocyma albisticta (W.Warren,1901)** (Geometridae) Synonymy: albisticta W.Warren,1901 Range (as code): **ZW Har CI UG ET Oro**
5169. **Prasinocyma albivenata Herbulot,1983** (Geometridae) Synonymy: albivenata Herbulot,1983 Range (as code): **ET ET86 Oro Ble**
5170. **Prasinocyma amharensis Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: amharensis Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Sw**
5171. **Prasinocyma angolica L.B.Prout,1930** (Geometridae) Synonymy: angolica L.B.Prout,1930 Range (as code): **KE TZ AO ET Oro Sdm Ble ET204 Gm**
5172. **Prasinocyma angulifera Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: angulifera Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Ble Sw**
5173. **Prasinocyma aquamarina Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: aquamarina Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Ble**
5174. **Prasinocyma bamenda Herbulot,1982** (Geometridae) Synonymy: bamenda Herbulot,1982 Range (as code): **CM**
5175. **Prasinocyma batesi L.B.Prout,1930** (Geometridae) Synonymy: batesi L.B.Prout,1930 Range (as code): **CM ET ET09**
5176. **Prasinocyma baumgaertneri Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: baumgaertneri Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Ble Kfa**
5177. **Prasinocyma beryllaria Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: beryllaria Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Sdm Oro**
5178. **Prasinocyma bifimbriata L.B.Prout,1912** (Geometridae) Synonymy: bifimbriata L.B.Prout,1912 Range (as code): **ZA Tva ZA07 Kzu ZA14 Nta ZA16 Mpu Tst ET Oro Sdm ET29**
5179. **Prasinocyma bilobata D.S.Fletcher,1958** (Geometridae) Synonymy: bilobata D.S.Fletcher,1958 Range (as code): **ZA Tva ZA14 Mpu MW**
5180. **Prasinocyma bongaensis Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: bongaensis Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET**
5181. **Prasinocyma caecata D.S.Fletcher,1958** (Geometridae) Synonymy: caecata D.S.Fletcher,1958 Range (as code): **UG Rz**
5182. **Prasinocyma camerunalta (Herbulot,1986)** (Geometridae) Synonymy: camerunalta Herbulot,1986 Range (as code): **CM**
5183. **Prasinocyma candida L.B.Prout,1923** (Geometridae) Synonymy: candida L.B.Prout,1923 Range (as code): **MG**
5184. **Prasinocyma cellularia (Guenée,1862)** (Geometridae) Synonymy: cellularia Guenée,1862 Range (as code): **RE**
5185. **Prasinocyma centralis L.B.Prout,1915** (Geometridae) Synonymy: centralis L.B.Prout,1915 Range (as code): **UG Rz**
5186. **Prasinocyma chloroprosopa L.B.Prout,1913** (Geometridae) Synonymy: chloroprosopa L.B.Prout,1913 Range (as code): **ZA Tva Gau Jh Fs Wca Cto Ste**
5187. **Prasinocyma congrua (Walker,1869)** (Geometridae) Synonymy: congrua Walker,1869 Range (as code): **CG**
5188. **Prasinocyma corrugata D.S.Fletcher,1958** (Geometridae) Synonymy: corrugata D.S.Fletcher,1958 Range (as code): **KE ET Oro Ble**
5189. **Prasinocyma crenulata D.S.Fletcher,1958** (Geometridae) Synonymy: crenulata D.S.Fletcher,1958 Range (as code): **UG Rz**
5190. **Prasinocyma croca D.S.Fletcher,1978** (Geometridae) Synonymy: croca D.S.Fletcher,1978 Range (as code): **TZ**
5191. **Prasinocyma delicataria (Möschler,1887)** (Geometridae) Synonymy: delicataria Möschler,1887 Range (as code): **GH**
5192. **Prasinocyma differens (W.Warren,1902)** (Geometridae) Synonymy: differens W.Warren,1902 Range (as code): **KE**
5193. **Prasinocyma discipuncta Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: discipuncta Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Sdm Oro**
5194. **Prasinocyma dohertyi W.Warren,1903** (Geometridae) Synonymy: dohertyi W.Warren,1903 Range (as code): **KE**

5195. **Prasinocyma dorsipunctata W.Warren,1911** (Geometridae) Synonymy: dorsipunctata W.Warren,1911 Range (as code): **ZA ZA05 ZA08 Kzu Nta Ptw Tva Mpu Tst**
5196. **Prasinocyma edwardsi D.S.Fletcher,1958** (Geometridae) Synonymy: edwardsi D.S.Fletcher,1958 Range (as code): **KE Elg**
5197. **Prasinocyma fallax Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: fallax Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro**
5198. **Prasinocyma furcata D.S.Fletcher,1963** (Geometridae) Synonymy: furcata D.S.Fletcher,1963 Range (as code): **TZ**
5199. **Prasinocyma fusca Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: fusca Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Ble Sdm ET204**
5200. **Prasinocyma gajdacsi L.B.Prout,1930** (Geometridae) Synonymy: gajdacsi L.B.Prout,1930 Range (as code): **ET ET09 Oro Ble**
5201. **Prasinocyma geminata L.B.Prout,1913** (Geometridae) Synonymy: geminata L.B.Prout,1913 Range (as code): **KE Nai**
5202. **Prasinocyma gemmatimargo L.B.Prout,1915** (Geometridae) Synonymy: gemmatimargo L.B.Prout,1915 Range (as code): **CM Bit ZR**
5203. **Prasinocyma gemmifera Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: gemmifera Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET**
5204. **Prasinocyma germinaria (Guenée,[1858])** (Geometridae) Synonymy: germinaria Guenée,[1858] Range (as code): **ZA ZA16 Mpu ZA17 Tva Lpo ZA25 Nta Kzu Hwk ET Oro Sw Ble Kfa NG UG**
5205. **Prasinocyma getachewi Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: getachewi Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET ET204**
5206. **Prasinocyma hadrata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: hadrata R.Felder & Rogenhofer,1875 Range (as code): **ZA Wca Kny**
5207. **Prasinocyma hailei Debauche,1937** (Geometridae) Synonymy: hailei Debauche,1937 Range (as code): **ET ET09 Oro Ble Sw**
5208. **Prasinocyma hiaraka Viette,1981** (Geometridae) Synonymy: hiaraka Viette,1981 Range (as code): **MG**
5209. **Prasinocyma ibandana Debauche,1941** (Geometridae) Synonymy: ibandana Debauche,1941 Range (as code): **ZR Kvu**
5210. **Prasinocyma idiotica L.B.Prout,1930** (Geometridae) Synonymy: idiotica L.B.Prout,1930 Range (as code): **ZR Kvu**
5211. **Prasinocyma immaculata (Thunberg,1784)** (Geometridae) Synonymy: immaculata Thunberg,1784; scissaria R.Felder & Rogenhofer,1875 Range (as code): **ZA ZA08 ZA12 ZA13 ZA14 Mpu ZA18 Ec Tva Lpo Spb Bbg Mdk Wp ZA25 ZA27 Kzu Nta Wca Ste Umk Nha Ver Nkw Brb Wv Gau Pre Jh Wm Grh UG Rz ET Sdm Kfa Ble Oro ET29 Sw**
5212. **Prasinocyma inconspicuata D.S.Fletcher,1958** (Geometridae) Synonymy: inconspicuata D.S.Fletcher,1958 Range (as code): **UG Rz**
5213. **Prasinocyma inornata D.S.Fletcher,1958** (Geometridae) Synonymy: inornata D.S.Fletcher,1958 Range (as code): **UG Rz**
5214. **Prasinocyma inversicaulis L.B.Prout,1913** (Geometridae) Synonymy: inversicaulis L.B.Prout,1913 Range (as code): **ZA ZA08 ZA12 Kzu Nta ZA14 Mpu Ptw ZA18 Ec Tva Lpo Spb Bbg Gau Pre**
5215. **Prasinocyma jefferyi L.B.Prout,1930** (Geometridae) Synonymy: jefferyi L.B.Prout,1930 Range (as code): **KE ET Oro Ble ET29 ET204**
5216. **Prasinocyma leucocycla Herbulot,1982** (Geometridae) Synonymy: leucocycla Herbulot,1982 Range (as code): **RW**
5217. **Prasinocyma leucophracta L.B.Prout,1932** (Geometridae) Synonymy: leucophracta L.B.Prout,1932 Range (as code): **KE**
5218. **Prasinocyma leucopis L.B.Prout,1922** (Geometridae) Synonymy: leucopis L.B.Prout,1922 Range (as code): **MW Zom TZ Kmj**
5219. **Prasinocyma leveneorum Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: leveneorum Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Ble**
5220. **Prasinocyma lindemannae D.S.Fletcher,1958** (Geometridae) Synonymy: lindemannae D.S.Fletcher,1958 Range (as code): **TZ Kmj**
5221. **Prasinocyma loveridgei L.B.Prout,1926** (Geometridae) Synonymy: loveridgei L.B.Prout,1926 Range (as code): **TZ**

5222.**Prasinocyma lutulenta Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: lutulenta Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Gm ET29**

5223.**Prasinocyma magica Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: magica Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET**

5224.**Prasinocyma megacydes L.B.Prout,1930** (Geometridae) Synonymy: megacydes L.B.Prout,1930 Range (as code): **ZR Kvu**

5225.**Prasinocyma melanostigma Herbulot,1996** (Geometridae) Synonymy: melanostigma Herbulot,1996 Range (as code): **RW**

5226.**Prasinocyma monikae Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: monikae Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Sdm**

5227.**Prasinocyma nandiensis L.B.Prout,1930** (Geometridae) Synonymy: nandiensis L.B.Prout,1930 Range (as code): **UG**

5228.**Prasinocyma neavei L.B.Prout,1912** (Geometridae) Synonymy: neavei L.B.Prout,1912 Range (as code): **MW**

5229.**Prasinocyma neglecta L.B.Prout,1921** (Geometridae) Synonymy: neglecta L.B.Prout,1921 Range (as code): **ZA TZ ET Oro Ble ET09**

5230.**Prasinocyma nereis Townsend,1952** (Geometridae) Synonymy: nereis Townsend,1952 Range (as code): **KE ET Sw Oro Go ET263**

5231.**Prasinocyma nigrimacula L.B.Prout,1915** (Geometridae) Synonymy: nigrimacula L.B.Prout,1915 Range (as code): **UG Etb**

5232.**Prasinocyma nigripunctata (W.Warren,1897)** (Geometridae) Synonymy: nigripunctata W.Warren,1897 Range (as code): **CM**

5233.**Prasinocyma niphobola L.B.Prout,1930** (Geometridae) Synonymy: niphobola L.B.Prout,1930 Range (as code): **ZR Kvu**

5234.**Prasinocyma niphosporas L.B.Prout,1930** (Geometridae) Synonymy: niphosporas L.B.Prout,1930 Range (as code): **ZR Kvu**

5235.**Prasinocyma niveisticta L.B.Prout,1912** (Geometridae) Synonymy: niveisticta L.B.Prout,1912 Range (as code): **ZA ZA06 ZA08 Ksi Nta Kzu Dbn CI GH**

5236.**Prasinocyma oblita L.B.Prout,1915** (Geometridae) Synonymy: oblita L.B.Prout,1915 Range (as code): **CI ET**

5237.**Prasinocyma oculata L.B.Prout,1915** (Geometridae) Synonymy: oculata L.B.Prout,1915 Range (as code): **UG ZA ZA04 ZA05 ZA07 Ksi ZA25 ZA27 Nta Kzu**

5238.**Prasinocyma pallidulata (Mabille,1880)** (Geometridae) Synonymy: pallidulata Mabille,1880 Range (as code): **MG**

5239.**Prasinocyma panchlora L.B.Prout,1913** (Geometridae) Synonymy: panchlora L.B.Prout,1913 Range (as code): **ZA ZA12 Nta Kzu ZA14 Mpu Mal ZA17 ZA18 Ec Ggh Fs ZA28 Tva Lpo Wca Cto**

5240.**Prasinocyma pavlitzkiae D.S.Fletcher,1958** (Geometridae) Synonymy: pavlitzkiae D.S.Fletcher,1958 Range (as code): **TZ Tnga Usa**

5241.**Prasinocyma pedicata D.S.Fletcher,1956** (Geometridae) Synonymy: pedicata D.S.Fletcher,1956 Range (as code): **CI ST CM ET Sdm Oro Ble Kfa ET204**

5242.**Prasinocyma perineti Viette,1981** (Geometridae) Synonymy: perineti Viette,1981 Range (as code): **MG**

5243.**Prasinocyma permagna Herbulot,1982** (Geometridae) Synonymy: permagna Herbulot,1982 Range (as code): **CM**

5244.**Prasinocyma permitis L.B.Prout,1932** (Geometridae) Synonymy: permitis L.B.Prout,1932 Range (as code): **TZ Kmj**

5245.**Prasinocyma perpulverata L.B.Prout,1916** (Geometridae) Synonymy: perpulverata L.B.Prout,1916 Range (as code): **SO ET87 Hrr**

5246.**Prasinocyma pictifimbria W.Warren,1904** (Geometridae) Synonymy: pictifimbria W.Warren,1904 Range (as code): **ZA Mal Tva Lpo CG**

5247.**Prasinocyma pulchraria Swinhoe,1904** (Geometridae) Synonymy: pulchraria Swinhoe,1904 Range (as code): **ZA Tva TZ KE**

5248.**Prasinocyma pumilata D.S.Fletcher,1956** (Geometridae) Synonymy: pumilata D.S.Fletcher,1956 Range (as code): **KE ET Oro Sdm Ble**

5249.**Prasinocyma pupillata (W.Warren,1902)** (Geometridae) Synonymy: pupillata W.Warren,1902 Range (as code): **ZA Nta Kzu Esw KE**

5250. **Prasinocyma rhodocycla L.B.Prout,1917** (Geometridae) Synonymy: rhodocycla L.B.Prout,1917 Range (as code): **CI**
5251. **Prasinocyma robusta Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: robusta Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Sdm Gm ET204**
5252. **Prasinocyma rubrimacula (W.Warren,1899)** (Geometridae) Synonymy: rubrimacula W.Warren,1899 Range (as code): **UG**
5253. **Prasinocyma rugistrigula L.B.Prout,1912** (Geometridae) Synonymy: rugistrigula L.B.Prout,1912 Range (as code): **GH**
5254. **Prasinocyma salutaria (Swinhoe,1904)** (Geometridae) Synonymy: salutaria Swinhoe,1904 Range (as code): **ZA Etm ZA04 Nta Kzu UG**
5255. **Prasinocyma sanguinicosta L.B.Prout,1912** (Geometridae) Synonymy: sanguinicosta L.B.Prout,1912 Range (as code): **SD**
5256. **Prasinocyma semicincta Herbulot,1982** (Geometridae) Synonymy: semicincta Herbulot,1982 Range (as code): **RW**
5257. **Prasinocyma septentrionalis Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: septentrionalis Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET ET29 Gm Ble Oro Kfa**
5258. **Prasinocyma shoa Herbulot,1993** (Geometridae) Synonymy: shoa Herbulot,1993 Range (as code): **ET Sdm**
5259. **Prasinocyma simiaria (Guenée,[1858])** (Geometridae) Synonymy: simiaria Guenée,[1858] Range (as code): **SN**
5260. **Prasinocyma simpliciata D.S.Fletcher,1958** (Geometridae) Synonymy: simpliciata D.S.Fletcher,1958 Range (as code): **UG Kzi**
5261. **Prasinocyma stefani Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: stefani Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Ble**
5262. **Prasinocyma stictimargo (W.Warren,1902)** (Geometridae) Synonymy: stictimargo W.Warren,1902 Range (as code): **KE Kky**
5263. **Prasinocyma stictoloma L.B.Prout,1928** (Geometridae) Synonymy: stictoloma L.B.Prout,1928 Range (as code): **UG Etb**
5264. **Prasinocyma tandi Bethune-Baker,1913** (Geometridae) Synonymy: tandi Bethune-Baker,1913 Range (as code): **AO**
5265. **Prasinocyma tetracosmia L.B.Prout,1930** (Geometridae) Synonymy: tetracosmia L.B.Prout,1930 Range (as code): **ZR Kvu**
5266. **Prasinocyma tranquilla L.B.Prout,1917** (Geometridae) Synonymy: tranquilla L.B.Prout,1917 Range (as code): **ET ET87 Hrr Oro Sdm Gm**
5267. **Prasinocyma transita L.B.Prout,1930** (Geometridae) Synonymy: transita L.B.Prout,1930 Range (as code): **ZR Kvu**
5268. **Prasinocyma trematerrai Hausmann, Sciarretta & Parisi,2016** (Geometridae) Synonymy: trematerrai Hausmann, Sciarretta & Parisi,2016 Range (as code): **ET Oro Ble ET86 Sw ET24**
5269. **Prasinocyma triangulata D.S.Fletcher,1958** (Geometridae) Synonymy: triangulata D.S.Fletcher,1958 Range (as code): **ZA Mal Tva Lpo UG Rz**
5270. **Prasinocyma tricolorifrons (L.B.Prout,1913)** (Geometridae) Synonymy: tricolorifrons L.B.Prout,1913 Range (as code): **KE ET ET09 Oro Ble**
5271. **Prasinocyma trifilifimbria L.B.Prout,1915** (Geometridae) Synonymy: trifilifimbria L.B.Prout,1915 Range (as code): **KE CM Bit**
5272. **Prasinocyma triglena L.B.Prout,1930** (Geometridae) Synonymy: triglena L.B.Prout,1930 Range (as code): **TZ Usa**
5273. **Prasinocyma turlini Herbulot,1982** (Geometridae) Synonymy: turlini Herbulot,1982 Range (as code): **RW**
5274. **Prasinocyma unipuncta W.Warren,1897** (Geometridae) Synonymy: unipuncta W.Warren,1897 Range (as code): **ZA Nta Kzu Wnn**
5275. **Prasinocyma vermicularia (Guenée,[1858])** (Geometridae) Synonymy: vermicularia Guenée,[1858]; dilucida Walker,1861 Range (as code): **ZA ZA06 Ksi Nta Kzu**
5276. **Probithia subferruginea Bastelberger,1907** (Geometridae) Synonymy: subferruginea Bastelberger,1907 Range (as code): **TZ Usa**
5277. **Problepsis aegretta R.Felder & Rogenhofer,1875** (Geometridae) Synonymy: aegretta R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva Etm ZA04 ZA05 ZA07 Ksi Nta Kzu ZA14 Mpu Wca Cto UG KE**

5278. **Problepsis digammata Kirby,1896** (Geometridae) Synonymy: digammata Kirby,1896; digammata W.Warren,1897 Range (as code): **ZA Nta Kzu Dbn SL KE UG**
5279. **Problepsis erythra Wiltshire,1982** (Geometridae) Synonymy: erythra Wiltshire,1982 Range (as code): **ER**
5280. **Problepsis flavistigma Swinhoe,1904** (Geometridae) Synonymy: flavistigma Swinhoe,1904 Range (as code): **SL KE**
5281. **Problepsis herbuloti Viette,1968** (Geometridae) Synonymy: herbuloti Viette,1968 Range (as code): **MG**
5282. **Problepsis latonaria (Guenée,[1858])** (Geometridae) Synonymy: latonaria Guenée,[1858] Range (as code): **ZA Tva Etm ZA05 Kzu ZA14 ZA20 Mpu**
5283. **Problepsis neumanni L.B.Prout,1932** (Geometridae) Synonymy: neumanni L.B.Prout,1932 Range (as code): **ET ET181**
5284. **Problepsis ochripicta W.Warren,1901** (Geometridae) Synonymy: ochripicta W.Warren,1901 Range (as code): **ST**
5285. **Problepsis rorida L.B.Prout,1932** (Geometridae) Synonymy: rorida L.B.Prout,1932 Range (as code): **MW Mje**
5286. **Problepsis similinotata L.B.Prout,1917** (Geometridae) Synonymy: similinotata L.B.Prout,1917 Range (as code): **ZR**
5287. **Prosomphax callista W.Warren,1911** (Geometridae) Synonymy: callista W.Warren,1911 Range (as code): **ZA Wca Cto**
5288. **Prosomphax deuterurga L.B.Prout,1922** (Geometridae) Synonymy: deuterurga L.B.Prout,1922 Range (as code): **ZA Nta Kzu Fs Ktz**
5289. **Protosteira achroa L.B.Prout,1935** (Geometridae) Synonymy: achroa L.B.Prout,1935 Range (as code): **Bio GO**
5290. **Protosteira decolorata Herbulot,1984** (Geometridae) Synonymy: decolorata Herbulot,1984 Range (as code): **ET ET248**
5291. **Protosteira spectabilis (W.Warren,1899)** (Geometridae) Synonymy: spectabilis W.Warren,1899 Range (as code): **ZA Tva ZA12 ZA13 Nta Kzu ZA20 Mpu**
5292. **Protosteira turlini Herbulot,1988** (Geometridae) Synonymy: turlini Herbulot,1988 Range (as code): **RW**
5293. **Proutiana ferrorubrata (Walker,[1863])** (Geometridae) Synonymy: ferrorubrata Walker,[1863]; rubellata R.Felder & Rogenhofer,1875; cacoctenes L.B.Prout,1917 Range (as code): **ZA Cap Wca Wyn**
5294. **Proutiana perconspersa (L.B.Prout,1915)** (Geometridae) Synonymy: perconspersa L.B.Prout,1915 Range (as code): **AO**
5295. **Pseudhemithea detrita Bastelberger,1909** (Geometridae) Synonymy: detrita Bastelberger,1909 Range (as code): **AO**
5296. **Pseudhemithea euopla L.B.Prout,1930** (Geometridae) Synonymy: euopla L.B.Prout,1930 Range (as code): **KE**
5297. **Pseudhemithea exomila L.B.Prout,1917** (Geometridae) Synonymy: exomila L.B.Prout,1917 Range (as code): **CM**
5298. **Pseudhemithea saturata L.B.Prout,1912** (Geometridae) Synonymy: saturata L.B.Prout,1912 Range (as code): **NG**
5299. **Pseudochesias neddaria (Swinhoe,1904)** (Geometridae) Synonymy: neddaria Swinhoe,1904 Range (as code): **KE**
5300. **Pseudolarentia arenaria (W.Warren,1902)** (Geometridae) Synonymy: arenaria W.Warren,1902 Range (as code): **KE**
5301. **Pseudolarentia dulcis (Butler,1879)** (Geometridae) Synonymy: dulcis Butler,1879 Range (as code): **MG**
5302. **Pseudolarentia megalaria (Guenée,[1858])** (Geometridae) Synonymy: megalaria Guenée,[1858]; atroclarata Walker,1863 Range (as code): **ZA ZA10 ZA12 Nta Kzu**
5303. **Pseudolarentia monosticta (Butler,1894)** (Geometridae) Synonymy: monosticta Butler,1894; nigrocellata W.Warren,1897; montecta Fawcett,1916 Range (as code): **KE TZ UG**
5304. **Pseudolarentia rejecta Herbulot,1997** (Geometridae) Synonymy: rejecta Herbulot,1997 Range (as code): **CM**
5305. **Pseudolarentia sambirana Herbulot,1965** (Geometridae) Synonymy: sambirana Herbulot,1965 Range (as code): **MG**

5306. **Pseudomaenas alcidata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: alcidata R.Felder & Rogenhofer,1875 Range (as code): **LS ZA Wca Cto ZA10 ZA11 Nta Kzu ZA14 Mpu ZA28 Tva Lpo Spb Bbg Con Bty Wmm Kgb Vrp Sww Jnk Paa Plt Kny Ww Stj Pil ZA14 Kwy Nel**

5307. **Pseudomaenas anguinata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: anguinata R.Felder & Rogenhofer,1875 Range (as code): **ZA Wca Kny Ec Mpu Tva ZA14 Sbe ZW Vm Uma**

5308. **Pseudomaenas arcuata M.Krüger,1999** (Geometridae) Synonymy: arcuata M.Krüger,1999 Range (as code): **ZA Wca**

5309. **Pseudomaenas bivirgata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: bivirgata R.Felder & Rogenhofer,1875 Range (as code): **ZA Wca Kny Cto Jnk Kgb Ste**

5310. **Pseudomaenas callistege (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: callistege R.Felder & Rogenhofer,1875 Range (as code): **ZA Wca**

5311. **Pseudomaenas complicata M.Krüger,1999** (Geometridae) Synonymy: complicata M.Krüger,1999 Range (as code): **ZA Wca Ste**

5312. **Pseudomaenas directa M.Krüger,1999** (Geometridae) Synonymy: directa M.Krüger,1999 Range (as code): **ZA Wca Wr**

5313. **Pseudomaenas dukei M.Krüger,1999** (Geometridae) Synonymy: dukei M.Krüger,1999 Range (as code): **LS**

5314. **Pseudomaenas eumetrorrhabda L.B.Prout,1938** (Geometridae) Synonymy: eumetrorrhabda L.B.Prout,1938 Range (as code): **ZA Ec**

5315. **Pseudomaenas euzonaria M.Krüger,1999** (Geometridae) Synonymy: euzonaria M.Krüger,1999 Range (as code): **ZA Ec**

5316. **Pseudomaenas honiballi M.Krüger,1999** (Geometridae) Synonymy: honiballi M.Krüger,1999 Range (as code): **ZA Wca**

5317. **Pseudomaenas intricata (Walker,[1858])** (Geometridae) Synonymy: intricata Walker,[1858] Range (as code): **ZA Wca Cto Wr**

5318. **Pseudomaenas krooni M.Krüger,1999** (Geometridae) Synonymy: krooni M.Krüger,1999 Range (as code): **ZA Wca Kgb Cal**

5319. **Pseudomaenas leucograpta (W.Warren,1911)** (Geometridae) Synonymy: leucograpta W.Warren,1911 Range (as code): **ZA Wca Wr Jnk Cer Paa Sww Kgb Wmm Bty Vrp**

5320. **Pseudomaenas margarita (W.Warren,1914)** (Geometridae) Synonymy: margarita W.Warren,1914 Range (as code): **ZA Fs Blo Gau Pre Ire Jh Mag Kzu Nta Ec Wca LS**

5321. **Pseudomaenas maulipennis (Wallengren,1865)** (Geometridae) Synonymy: maulipennis Wallengren,1865 Range (as code): **ZA Wca Cto**

5322. **Pseudomaenas oncodogramma L.B.Prout,1917** (Geometridae) Synonymy: oncodogramma L.B.Prout,1917 Range (as code): **ZA Tva Mpu Pil Nta Kzu Rie Dbn Blw Mpu Grk SZ LS**

5323. **Pseudomaenas orophila M.Krüger,1999** (Geometridae) Synonymy: orophila M.Krüger,1999 Range (as code): **LS**

5324. **Pseudomaenas prominens M.Krüger,1999** (Geometridae) Synonymy: prominens M.Krüger,1999 Range (as code): **ZA Wca Jnk Ste**

5325. **Pseudomaenas sinulata M.Krüger,1999** (Geometridae) Synonymy: sinulata M.Krüger,1999 Range (as code): **ZA Ec**

5326. **Pseudomaenas staudei M.Krüger,1999** (Geometridae) Synonymy: staudei M.Krüger,1999 Range (as code): **LS**

5327. **Pseudomaenas tricolor (W.Warren,1897)** (Geometridae) Synonymy: tricolor W.Warren,1897 Range (as code): **ZA ZA10 ZA11 Kkf Rie Blw Nta Kzu Wnn**

5328. **Pseudomaenas turneri L.B.Prout,1938** (Geometridae) Synonymy: turneri L.B.Prout,1938 Range (as code): **ZA Wca Cer**

5329. **Pseudosoloe thalassina (W.Warren,1909)** (Geometridae) Synonymy: thalassina W.Warren,1909; monosticta Hampson,1910; simplex Aurivillius,1910; ntebi Bethune-Baker,1911 Range (as code): **UG TZ**

5330. **Pseudosterrha paulula (Swinhoe,1886)** (Geometridae) Synonymy: paulula Swinhoe,1886; ochrea W.Warren,1888; philaearia Branabt,1896; gayneri Rothschild,1901; #paullula Rothschild,1915 Range (as code): **DZ Rhr Ah EG YE YE30 SD SA KE MR SO TD SN TZ IR AE PK Pj Cp Lh Hyd Sd IN Mhw**

5331. **Pseudosterrha rufistrigata (Hampson,1896)** (Geometridae) Synonymy: rufistrigata Hampson,1896; xerophilaria Püngeler,1902; marcida W.Warren & Rothschild,1905; elbaensis Rebel,1948. Range (as code): **EG JE YE Ad YE30 Hd IL Pa SD JO IR Ss SA SA63**

5332. **Pseudoterpna lesuraria Lucas,1933** (Geometridae) Synonymy: lesuraria Lucas,1933; stiparia Rungs,1950 Range (as code): **MA**

5333. **Psilocerea acerata D.S.Fletcher,1978** (Geometridae) Synonymy: acerata D.S.Fletcher,1978 Range (as code): **KE**
5334. **Psilocerea albivertex Herbulot,1992** (Geometridae) Synonymy: albivertex Herbulot,1992 Range (as code): **RW**
5335. **Psilocerea anearia Swinhoe,1904** (Geometridae) Synonymy: anearia Swinhoe,1904 Range (as code): **MG**
5336. **Psilocerea apicata W.Warren,1897** (Geometridae) Synonymy: apicata W.Warren,1897 Range (as code): **ZA Nta Kzu**
5337. **Psilocerea aspilates Herbulot,1954** (Geometridae) Synonymy: aspilates Herbulot,1954 Range (as code): **MG**
5338. **Psilocerea cneca L.B.Prout,1932** (Geometridae) Synonymy: cneca L.B.Prout,1932 Range (as code): **KE**
5339. **Psilocerea gratiosa L.B.Prout,1927** (Geometridae) Synonymy: gratiosa L.B.Prout,1927 Range (as code): **ST**
5340. **Psilocerea gratiosa L.B.Prout,1927** (Geometridae) Synonymy: gratiosa L.B.Prout,1927 Range (as code): **ST**
5341. **Psilocerea griveaudi Herbulot,1959** (Geometridae) Synonymy: griveaudi Herbulot,1959 Range (as code): **MG**
5342. **Psilocerea hypermetra L.B.Prout,1931** (Geometridae) Synonymy: hypermetra L.B.Prout,1931 Range (as code): **SO**
5343. **Psilocerea icterias Herbulot,1973** (Geometridae) Synonymy: icterias Herbulot,1973 Range (as code): **CM**
5344. **Psilocerea immitata Janse,1932** (Geometridae) Synonymy: immitata Janse,1932 Range (as code): **ZA ZA04 ZA05 ZA12 ZA13 ZA14 Mpu Tva Lpo Spb Ltr Bbg ZA27 Kzu**
5345. **Psilocerea leptosyne D.S.Fletcher,1978** (Geometridae) Synonymy: leptosyne D.S.Fletcher,1978 Range (as code): **KE Nai**
5346. **Psilocerea melanops Carcasson,1965** (Geometridae) Synonymy: melanops Carcasson,1965 Range (as code): **UG**
5347. **Psilocerea praecoca Herbulot,1981** (Geometridae) Synonymy: praecoca Herbulot,1981 Range (as code): **RW**
5348. **Psilocerea pulverosa (W.Warren,1894)** (Geometridae) Synonymy: pulverosa W.Warren,1894; apiciata W.Warren,1897; transversa Bethune-Baker,1913 Range (as code): **ZA Ktz ZA05 ZA12 ZA13 ZA14 Mpu Mal ZA28 Tva Lpo Spb Bbg AO**
5349. **Psilocerea semifacta L.B.Prout,1926** (Geometridae) Synonymy: semifacta L.B.Prout,1926 Range (as code): **UG**
5350. **Psilocerea semirufa (W.Warren,1901)** (Geometridae) Synonymy: semirufa W.Warren,1901; hageni Bastelberger,1907 Range (as code): **ZR Bni TZ Usa**
5351. **Psilocerea swinhoei Herbulot,1959** (Geometridae) Synonymy: swinhoei Herbulot,1959 Range (as code): **MG**
5352. **Psilocerea szunyoghyi D.S.Fletcher,1978** (Geometridae) Synonymy: szunyoghyi D.S.Fletcher,1978 Range (as code): **TZ**
5353. **Psilocerea toulgoeti Herbulot,1959** (Geometridae) Synonymy: toulgoeti Herbulot,1959 Range (as code): **MG**
5354. **Psilocerea turpis W.Warren,1902** (Geometridae) Synonymy: turpis W.Warren,1902 Range (as code): **KE Kky UG Rz**
5355. **Psilocerea viettei Herbulot,1954** (Geometridae) Synonymy: viettei Herbulot,1954 Range (as code): **MG**
5356. **Psilocerea wintreberti Herbulot,1970** (Geometridae) Synonymy: wintreberti Herbulot,1970 Range (as code): **MG**
5357. **Psilocladia diaereta L.B.Prout,1923** (Geometridae) Synonymy: diaereta L.B.Prout,1923 Range (as code): **KE Nai**
5358. **Psilocladia loxostigma L.B.Prout,1915** (Geometridae) Synonymy: loxostigma L.B.Prout,1915 Range (as code): **CG**
5359. **Psilocladia obliquata W.Warren,1898** (Geometridae) Synonymy: obliquata W.Warren,1898 Range (as code): **ZA Ktz ZA04 ZA12 Nta Kzu ZA14 Mpu Mal Tva Lpo Spb Bbg Lj**
5360. **Psilocladia repudiosa (L.B.Prout,1915)** (Geometridae) Synonymy: repudiosa L.B.Prout,1915 Range (as code): **CM Bit**

5361. **Ptomophyle inflexa Herbulot,1998** (Geometridae) Synonymy: inflexa Herbulot,1998 Range (as code): **GO Bio**
5362. **Ptomophyle subcarnea (W.Waren,1902)** (Geometridae) Synonymy: subcarnea W.Waren,1902 Range (as code): **ZR**
5363. **Pulchralata fowleri D.S.Fletcher,1956** (Geometridae) Synonymy: fowleri D.S.Fletcher,1956 Range (as code): **KE Nai**
5364. **Pungeleria poeymiraui (Oberthür,1922)** (Geometridae) Synonymy: poeymiraui Oberthür,1922 Range (as code): **MA**
5365. **Pycnostega areta L.B.Prout,1934** (Geometridae) Synonymy: areta L.B.Prout,1934 Range (as code): **ZR Kvu**
5366. **Pycnostega bassa Herbulot,1992** (Geometridae) Synonymy: bassa Herbulot,1992 Range (as code): **CM**
5367. **Pycnostega clarapicata Herbulot,1992** (Geometridae) Synonymy: clarapicata Herbulot,1992 Range (as code): **GA**
5368. **Pycnostega fasciata Herbulot,1992** (Geometridae) Synonymy: fasciata Herbulot,1992 Range (as code): **CM**
5369. **Pycnostega fumosa (W.Warren,1897)** (Geometridae) Synonymy: fumosa W.Warren,1897 Range (as code): **NG**
5370. **Pycnostega ghesquierei (L.B.Prout,1934)** (Geometridae) Synonymy: ghesquierei L.B.Prout,1934 Range (as code): **ZR**
5371. **Pycnostega infrequens Herbulot,1992** (Geometridae) Synonymy: infrequens Herbulot,1992 Range (as code): **CM**
5372. **Pycnostega insipida Herbulot,1992** (Geometridae) Synonymy: insipida Herbulot,1992 Range (as code): **GA**
5373. **Pycnostega leucochora L.B.Prout,1922** (Geometridae) Synonymy: leucochora L.B.Prout,1922 Range (as code): **GA**
5374. **Pycnostega obscura W.Warren,1905** (Geometridae) Synonymy: obscura W.Warren,1905 Range (as code): **NG**
5375. **Pycnostega ramificata Herbulot,1992** (Geometridae) Synonymy: ramificata Herbulot,1992 Range (as code): **CM**
5376. **Pycnostega stilbia L.B.Prout,1922** (Geometridae) Synonymy: stilbia L.B.Prout,1922 Range (as code): **CM Bit**
5377. **Pycnostega subtilis Herbulot,1992** (Geometridae) Synonymy: subtilis Herbulot,1992 Range (as code): **CI**
5378. **Pycnostega umbrina Herbulot,1992** (Geometridae) Synonymy: umbrina Herbulot,1992 Range (as code): **CM**
5379. **Racotis apodosima L.B.Prout,1931** (Geometridae) Synonymy: apodosima L.B.Prout,1931 Range (as code): **MZ Del ZA Tva Etm ZA07 ZA08 ZA14 Mpu ZA25 Nta Kzu**
5380. **Racotis breijeri (L.B.Prout,1922)** (Geometridae) Synonymy: breijeri L.B.Prout,1922 Range (as code): **ZA Mal Tva Lpo ZA16 Mpu Nel**
5381. **Racotis canui Herbulot,1991** (Geometridae) Synonymy: canui Herbulot,1991 Range (as code): **ST**
5382. **Racotis cedrici Herbulot,1998** (Geometridae) Synonymy: cedrici Herbulot,1998 Range (as code): **GO Bio**
5383. **Racotis deportata Herbulot,1970** (Geometridae) Synonymy: deportata Herbulot,1970 Range (as code): **MG**
5384. **Racotis incauta (L.B.Prout,1916)** (Geometridae) Synonymy: incauta L.B.Prout,1916 Range (as code): **ZA Mpu Brb ZA05 Ksi Kzu Nta**
5385. **Rhadinomphax divincta (Walker,1861)** (Geometridae) Synonymy: divincta Walker,1861 Range (as code): **ZA ZA10 Nta Kzu Dbn Srn ZA14 Mpu ZA18 Ec Tva Lpo Spb Bbg Wca Cto**
5386. **Rhadinomphax pudicata (Walker,1866)** (Geometridae) Synonymy: pudicata Walker,1866; frondinata R.Felder & Rogenhofer,1875 Range (as code): **ZA Wca Kny Ste**
5387. **Rhadinomphax sanguinipuncta (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: sanguinipuncta R.Felder & Rogenhofer,1875 Range (as code): **ZA Wca Cto Ste Pel Ec**
5388. **Rhadinomphax trimeni (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: trimeni R.Felder & Rogenhofer,1875 Range (as code): **ZA Wca Cto Kny Ec**
5389. **Rheumaptera relicta (Herbulot,1953)** (Geometridae) Synonymy: relicta Herbulot,1953 Range (as code): **KE**

5390. **Rhodesia alboviridata (Saalmüller,1880)** (Geometridae) Synonymy: alboviridata Saalmüller,1880 Range (as code): **ZA Tva Lpo Ly ZW Umv MG SN AO KE ZW MW**

5391. **Rhodesia depompata L.B.Prout,1913** (Geometridae) Synonymy: depompata L.B.Prout,1913 Range (as code): **ZA Tva Gau Jh**

5392. **Rhodesia viridalbata W.Warren,1905** (Geometridae) Synonymy: viridalbata W.Warren,1905 Range (as code): **ZA Tva ZA05 Nta Kzu Dbn ZA14 ZA20 Mpu**

5393. **Rhodometra audeoudi L.B.Prout,1928** (Geometridae) Synonymy: audeoudi L.B.Prout,1928 Range (as code): **ZA MZ Del**

5394. **Rhodometra intervenata (W.Warren,1902)** (Geometridae) Synonymy: intervenata W.Warren,1902 Range (as code): **KE**

5395. **Rhodometra labdoides Herbulot,1997** (Geometridae) Synonymy: labdoides Herbulot,1997 Range (as code): **ET**

5396. **Rhodometra participata (Walker,1862)** (Geometridae) Synonymy: participata Walker,1862; peculiata Walker,1862 Range (as code): **ZA Nta Kzu**

5397. **Rhodometra plectaria (Guenée,[1858])** (Geometridae) Synonymy: plectaria Guenée,[1858] Range (as code): **ET**

5398. **Rhodometra sacraria (Linnaeus,1767)** (Geometridae) Synonymy: sacraria Linnaeus,1767; labda Cramer,1777; sacralis Thunberg,1784; fulvaria Fabricius,1794; sanguinaria Esper,1801; minervae Gistl,1856; labdaria Guenée,[1858]; Range (as code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IL Pa Car Jf Js Hf LB Bsa CY IQ Agh TH IR Shr Fa Sse Ahz DK NO SE EE LV RU MD UA BY AF Ca PK Bl Cp Qu ZA ZA04 ZA05 ZA06 ZA27 Kzu Nta Lpo Tva Spb Mdk SH MG MN CN KG sKG Tks Dtk Mre Cp Haz Cls Cn Md Az IN AZ Nv AM Cm SY Hal YE Bea Clo Orn Ges MM ZW TM NA AE CL Gg Cls 01 05 06 07 09 12 13 16 17 22 23 27 30 31 33 34 42 44 45 46 48 51 52 56 58 59 63 65 72**

5399. **Rhodometra satura L.B.Prout,1916** (Geometridae) Synonymy: satura L.B.Prout,1916 Range (as code): **ZA Tva Nta Kzu Dbn MZ Del**

5400. **Rhodometra sevastopuloi Carcasson,1964** (Geometridae) Synonymy: sevastopuloi Carcasson,1964 Range (as code): **KE Mb**

5401. **Rhodophthitus anamesa (L.B.Prout,1915)** (Geometridae) Synonymy: anamesa L.B.Prout,1915 Range (as code): **TZ**

5402. **Rhodophthitus arichannaria D.S.Fletcher,1978** (Geometridae) Synonymy: arichannaria D.S.Fletcher,1978 Range (as code): **TZ**

5403. **Rhodophthitus atacta L.B.Prout,1922** (Geometridae) Synonymy: atacta L.B.Prout,1922 Range (as code): **ZA**

5404. **Rhodophthitus barlowi (L.B.Prout,1922)** (Geometridae) Synonymy: barlowi L.B.Prout,1922 Range (as code): **MW**

5405. **Rhodophthitus betsileanus Herbulot,1965** (Geometridae) Synonymy: betsileanus Herbulot,1965 Range (as code): **MG**

5406. **Rhodophthitus castus W.Warren,1904** (Geometridae) Synonymy: castus W.Warren,1904 Range (as code): **AO**

5407. **Rhodophthitus commaculata (L.B.Prout,1897)** (Geometridae) Synonymy: commaculata L.B.Prout,1897 Range (as code): **TZ ZA Mal ZA28 Tva Lpo**

5408. **Rhodophthitus formosus Butler,1880** (Geometridae) Synonymy: formosus Butler,1880 Range (as code): **MG**

5409. **Rhodophthitus myriostictus L.B.Prout,1915** (Geometridae) Synonymy: myriostictus L.B.Prout,1915 Range (as code): **NG**

5410. **Rhodophthitus procellosa W.Warren,1905** (Geometridae) Synonymy: procellosa W.Warren,1905 Range (as code): **AO**

5411. **Rhodophthitus pseudabraxas Carcasson,1964** (Geometridae) Synonymy: pseudabraxas Carcasson,1964 Range (as code): **ZR**

5412. **Rhodophthitus roseovittata (Butler,1896)** (Geometridae) Synonymy: roseovittata Butler,1896 Range (as code): **UG**

5413. **Rhodophthitus rudicornis (Butler,1898)** (Geometridae) Synonymy: rudicornis Butler,1898 Range (as code): **KE**

5414. **Rhodophthitus simplex W.Warren,1897** (Geometridae) Synonymy: simplex W.Warren,1897; roseus W.Warren,1899; rhodonaria Oberthür,1916 Range (as code): **MW ZR ZW**

5415. **Rhodophthitus thapsinus L.B.Prout,1931** (Geometridae) Synonymy: thapsinus L.B.Prout,1931 Range (as code): **AO**

5416. **Rhodophthitus tricoloraria (Mabille,1890)** (Geometridae) Synonymy: tricoloraria Mabille,1890; imperialis Bastelberger,1907 Range (as code): **TZ Zz**
5417. **Rhodophthitus unca (Le Cerf,1922)** (Geometridae) Synonymy: unca Le Cerf,1922 Range (as code): **KE**
5418. **Rhodostrophia (Pellonia) vibicaria (Linnaeus,1761)** (Geometridae) Synonymy: #vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa Fourcroy,1785; cruentaria De Villers,1789. Range (as code): **MA DZ ES Mu FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr Cc AM GG Bjo Mng Smt Ord Nv AZ DK NO SE FI EE LV LT RU MD UA BY IR Ui Ku KG Sj At 04 05 13 14 22 25 29 34 38 39 42 52 57 59 60 61 65 69 75 76 81**
5419. **Rhodostrophia (s.str.) calabra (Petagna,1787)** (Geometridae) Synonymy: calabra Petagna,1787; trifasciata Cyrillo,1787; calabraria Hübner,1790. Range (as code): **DZ Clo MA PT ES Mu FR Si IT DE CH RO YU AL BG GR Rd TR Cc GG Bjo AZ AM RU Da 01 05 06 07 14 17 18 22 31 34 39 50 57 58 61 62 71 80**
5420. **Rhodostrophia (s.str.) pudorata (Fabricius,1794)** (Geometridae) Synonymy: pudorata Fabricius,1794; sicanaria Zeller,1852; quadricalcarata L.B.Prout,1913 Range (as code): **MA DZ Ges Lbs TN ES An Mu Si IT**
5421. **Rougeotiella pseudonoctua (Herbulot,1983)** (Geometridae) Synonymy: pseudonoctua Herbulot,1983 Range (as code): **ET ET204**
5422. **Sauris proboscidaria Walker,1862** (Geometridae) Synonymy: proboscidaria Walker,1862; metaphaea Hampson,1907 Range (as code): **LK ZA**
5423. **Scardamia neeraria Oberthür,1912** (Geometridae) Synonymy: neeraria Oberthür,1912 Range (as code): **MG**
5424. **Scardamia nubilicosta L.B.Prout,1932** (Geometridae) Synonymy: nubilicosta L.B.Prout,1932 Range (as code): **ZR**
5425. **Scodionista amoritaria (Püngeler,1902)** (Geometridae) Synonymy: amoritaria Püngeler,1902; autumnata Brandt,1938; abdulhamidi Wiltshire,1949 Range (as code): **AZ Cc SA EG IL Pa Jt IR Elb Th Kdj AF**
5426. **Scodionista mischii Turati & C.G.Krüger,1936** (Geometridae) Synonymy: mischii Turati & C.G.Krüger,1936 Range (as code): **LY Cy**
5427. **Scopula abolita Herbulot,[1956]** (Geometridae) Synonymy: abolita Herbulot,[1956] Range (as code): **MG**
5428. **Scopula accentuata (Guenée,[1858])** (Geometridae) Synonymy: accentuata Guenée,[1858]; exiguaria Walker,1860; rudisaria Walker,1861; dentigerata Walker,1863 Range (as code): **ZA ZA08 Ksi Kzu Nta Wca Cto Ec Kny Tva KE**
5429. **Scopula acentra (W.Warren,1897)** (Geometridae) Synonymy: acentra W.Warren,1897 Range (as code): **ZA ZA28 Tva Lpo Nta Kzu**
5430. **Scopula acinosa (L.B.Prout,1932)** (Geometridae) Synonymy: acinosa L.B.Prout,1932 Range (as code): **ST**
5431. **Scopula acutanellus Herbulot,1992** (Geometridae) Synonymy: acutanellus Herbulot,1992 Range (as code): **CM**
5432. **Scopula acyma L.B.Prout,1932** (Geometridae) Synonymy: acyma L.B.Prout,1932 Range (as code): **KE**
5433. **Scopula addictaria (Walker,1861)** (Geometridae) Synonymy: addictaria Walker,1861; rufinubes W.Warren,1900 [ssp.] Range (as code): **YE LK KE MV**
5434. **Scopula adelpharia (Püngeler,1894)** (Geometridae) Synonymy: adelpharia Püngeler,1894 Range (as code): **SN GA AO EG EG11 IL Pa Jer YE Sna Sk**
5435. **Scopula africana Berio,1937** (Geometridae) Synonymy: africana Berio,1937 Range (as code): **SO**
5436. **Scopula agglomerata Herbulot,1992** (Geometridae) Synonymy: agglomerata Herbulot,1992 Range (as code): **CM**
5437. **Scopula agrapta (W.Warren,1902)** (Geometridae) Synonymy: agrapta W.Warren,1902 Range (as code): **KE Kyu TZ ZA Nta Kzu**
5438. **Scopula alba (Hausmann,1993)** (Geometridae) Synonymy: alba Hausmann,1993 Range (as code): **Si IT TN**
5439. **Scopula albida (W.Warren,1899)** (Geometridae) Synonymy: albida W.Warren,1899; pura Swinhoe,1909 Range (as code): **UG Etb**
5440. **Scopula alfierii (Wiltshire,1949)** (Geometridae) Synonymy: alfierii Wiltshire,1949 Range (as code): **DZ Ajj EG YE YE30 Hd**
5441. **Scopula alma L.B.Prout,1920** (Geometridae) Synonymy: alma L.B.Prout,1920 Range (as code): **ZA KE Nai**
5442. **Scopula andalusiaria (Wagner,1935)** (Geometridae) Synonymy: andalusiaria Wagner,1935 Range (as code): **MA DZ TN ES An Mu**

5443. **Scopula andresi (Draudt,1912)** (Geometridae) Synonymy: andresi Draudt,1912 Range (as code): **EG**
5444. **Scopula anoista (L.B.Prout,1915)** (Geometridae) Synonymy: anoista L.B.Prout,1915 Range (as code): **CM**
5445. **Scopula ansorgei (W.Warren,1899)** (Geometridae) Synonymy: ansorgei W.Warren,1899 Range (as code): **UG**
5446. **Scopula antiloparia (Wallengren,1863)** (Geometridae) Synonymy: antiloparia Wallengren,1863 Range (as code): **ZA Tva**
5447. **Scopula aphercta L.B.Prout,1932** (Geometridae) Synonymy: aphercta L.B.Prout,1932 Range (as code): **NE**
5448. **Scopula argentidisca (W.Warren,1902)** (Geometridae) Synonymy: argentidisca W.Warren,1902; naias W.Warren,1903 Range (as code): **KE**
5449. **Scopula argyroleuca (Hampson,1910)** (Geometridae) Synonymy: argyroleuca Hampson,1910 Range (as code): **ZW KE UG**
5450. **Scopula asellaria (Herrich-Schäffer,1847)** (Geometridae) Synonymy: asellaria Herrich-Schäffer,1847 Range (as code): **Cn MA DZ Sbd Phv Ajj LY PT ES Mu FR Co Sa Si IT MT GR**
5451. **Scopula aspiciens L.B.Prout,1926** (Geometridae) Synonymy: aspiciens L.B.Prout,1926 Range (as code): **MG**
5452. **Scopula astrabes L.B.Prout,1932** (Geometridae) Synonymy: astrabes L.B.Prout,1932 Range (as code): **ZA Nta Kzu Est**
5453. **Scopula atramentaria (Bastelberger,1909)** (Geometridae) Synonymy: atramentaria Bastelberger,1909 Range (as code): **TZ**
5454. **Scopula atricapilla L.B.Prout,1934** (Geometridae) Synonymy: atricapilla L.B.Prout,1934 Range (as code): **KE SA YE Sna**
5455. **Scopula batesi L.B.Prout,1932** (Geometridae) Synonymy: batesi L.B.Prout,1932 Range (as code): **CM**
5456. **Scopula beccarii (L.B.Prout,1915)** (Geometridae) Synonymy: beccarii L.B.Prout,1915 Range (as code): **ET ER**
5457. **Scopula bigeminata (W.Warren,1897)** (Geometridae) Synonymy: bigeminata W.Warren,1897; fumosaria Swinhoe,1904 Range (as code): **KE Nai ZA Mal Tva Lpo Nta Kzu Wca AO UG SD ET**
5458. **Scopula caberaria Herbulot,1992** (Geometridae) Synonymy: caberaria Herbulot,1992 Range (as code): **CM**
5459. **Scopula caesaria (Walker,1861)** (Geometridae) Synonymy: caesaria Walker,1861; obturbata Walker,1861; faeculentaria Mabille,1880; rufimixtaria W.Warren,1900 Range (as code): **GA NG ZR TZ KM MG PG AU ZA Wca Cto YE Sna**
5460. **Scopula calcarata D.S.Fletcher,1958** (Geometridae) Synonymy: calcarata D.S.Fletcher,1958 Range (as code): **UG Rz**
5461. **Scopula callibotrys (L.B.Prout,1918)** (Geometridae) Synonymy: callibotrys L.B.Prout,1918 Range (as code): **ZA Mal ZA15 Tva Lpo ZA16 Mpu CF**
5462. **Scopula candidaria (W.Warren,1902)** (Geometridae) Synonymy: candidaria W.Warren,1902 Range (as code): **ZA**
5463. **Scopula carnosa L.B.Prout,1925** (Geometridae) Synonymy: carnosa L.B.Prout,1925 Range (as code): **ZA Tva Lpo Pot**
5464. **Scopula cassiaria (Swinhoe,1904)** (Geometridae) Synonymy: cassiaria Swinhoe,1904 Range (as code): **KE**
5465. **Scopula cassioides L.B.Prout,1932** (Geometridae) Synonymy: cassioides L.B.Prout,1932 Range (as code): **KE**
5466. **Scopula chalcographata (Brandt,1938)** (Geometridae) Synonymy: chalcographata Brandt,1938 Range (as code): **JO IL Pa EG Sn IR Fa**
5467. **Scopula cinnamomata D.S.Fletcher,1955** (Geometridae) Synonymy: cinnamomata D.S.Fletcher,1955 Range (as code): **ZR**
5468. **Scopula circumpunctata (W.Warren,1898)** (Geometridae) Synonymy: circumpunctata W.Warren,1898 Range (as code): **ZA Tva Mpu Brb**
5469. **Scopula clandestina Herbulot,[1956]** (Geometridae) Synonymy: clandestina Herbulot,[1956] Range (as code): **MG**
5470. **Scopula colymbas Herbulot,1994** (Geometridae) Synonymy: colymbas Herbulot,1994 Range (as code): **YE Sk**

5471. **Scopula commaria (Swinhoe,1904)** (Geometridae) Synonymy: commaria Swinhoe,1904 Range (as code): **UG**
5472. **Scopula concurrens (W.Warren,1897)** (Geometridae) Synonymy: concurrens W.Warren,1897 Range (as code): **ZM**
5473. **Scopula coniargyris L.B.Prout,1932** (Geometridae) Synonymy: coniargyris L.B.Prout,1932 Range (as code): **ZR**
5474. **Scopula crassipuncta (W.Warren,1901)** (Geometridae) Synonymy: crassipuncta W.Warren,1901 Range (as code): **AO**
5475. **Scopula crawshayi L.B.Prout,1932** (Geometridae) Synonymy: crawshayi L.B.Prout,1932 Range (as code): **KE**
5476. **Scopula curvimargo (W.Warren,1900)** (Geometridae) Synonymy: curvimargo W.Warren,1900; bilineata Bastelberger,1909; nubicincta Hampson,1910 Range (as code): **ZA ZA17 Tva Lpo KE TZ ZW**
5477. **Scopula dapharia (Swinhoe,1904)** (Geometridae) Synonymy: dapharia Swinhoe,1904 Range (as code): **KE**
5478. **Scopula dargei Herbulot,1992** (Geometridae) Synonymy: dargei Herbulot,1992 Range (as code): **CM**
5479. **Scopula declinata Herbulot,1972** (Geometridae) Synonymy: declinata Herbulot,1972 Range (as code): **MG**
5480. **Scopula decolor (Staudinger,1898)** (Geometridae) Synonymy: decolor Staudinger,1898; languidata L.B.Prout,1913 Range (as code): **DZ Bsk BSa TN Gf Sfx LY Cy PT ES Sa IT IL Pa CY JO Jt**
5481. **Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonymy: decorata [Denis & Schiffermüller],1775; cinerata Fabricius,1781; violata Thunberg,1784; caerulata Gmelin,1790; decoraria Hübner,[1799]; ornataria Esper,[1806]; armeniaca Thierry-Mieg,1916 Range (as code): **MA DZ Ges TN PT ES Mu FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Lag Kir Ord Kur Cc AZ Arr Ksp IR Elb Mz DK SE FI EE LV LT RU Sj MD UA BY CN IMn Stg Ui MN KK KG 03 04 05 06 13 14 16 23 27 29 30 38 39 42 43 44 45 46 51 58 60 61 65 71 76 80**
5482. **Scopula demissaria (Walker,[1863])** (Geometridae) Synonymy: demissaria Walker,[1863] Range (as code): **ZA Wca Cto**
5483. **Scopula dentilinea (W.Warren,1897)** (Geometridae) Synonymy: dentilinea W.Warren,1897 Range (as code): **SL ZA**
5484. **Scopula derasata (Walker,[1863])** (Geometridae) Synonymy: derasata Walker,[1863] Range (as code): **ZA**
5485. **Scopula deserta (W.Warren,1897)** (Geometridae) Synonymy: deserta W.Warren,1897 Range (as code): **ZA ZA12 Nta Kzu Wnn Tva Wca**
5486. **Scopula disparata (Hampson,1903)** (Geometridae) Synonymy: disparata Hampson,1903 Range (as code): **YE Sk SO Ad IN**
5487. **Scopula dissonans (W.Warren,1897)** (Geometridae) Synonymy: dissonans W.Warren,1897 Range (as code): **ZA Tva ZA16 Mpu ZA24 NWe ZA25 Kzu Nta Wnn KE YE**
5488. **Scopula donovani (Distant,1892)** (Geometridae) Synonymy: donovani Distant,1892; extraordinaria Staudinger,1892; extremata W.Warren,1897 Range (as code): **ZA ZA07 ZA08 Ksi Kzu Nta Tva Lpo LB Bei MG MA EG NG UG IL Pa YE**
5489. **Scopula duplicipuncta (L.B.Prout,1913)** (Geometridae) Synonymy: duplicipuncta L.B.Prout,1913 Range (as code): **ZA Gau Tva Pre**
5490. **Scopula dux L.B.Prout,1927** (Geometridae) Synonymy: dux L.B.Prout,1927 Range (as code): **ST**
5491. **Scopula dysmorpha (L.B.Prout,1915)** (Geometridae) Synonymy: dysmorpha L.B.Prout,1915 Range (as code): **NG**
5492. **Scopula elegans (L.B.Prout,1915)** (Geometridae) Synonymy: elegans L.B.Prout,1915 Range (as code): **UG Etb**
5493. **Scopula elegantula Herbulot,1978** (Geometridae) Synonymy: elegantula Herbulot,1978 Range (as code): **CM**
5494. **Scopula elisabethae L.B.Prout,1934** (Geometridae) Synonymy: elisabethae L.B.Prout,1934 Range (as code): **ZR**
5495. **Scopula emutaria (Hübner,[1809])** (Geometridae) Synonymy: emutaria Hübner,[1809]; subroseata Haworth,1809 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL DE AT PL GR DK**
5496. **Scopula erinaria (Swinhoe,1904)** (Geometridae) Synonymy: erinaria Swinhoe,1904 Range (as code): **ZA ZA12 Kzu Nta Tra Wca Cto KE**
5497. **Scopula erymna L.B.Prout,1928** (Geometridae) Synonymy: erymna L.B.Prout,1928 Range (as code): **ET**

5498. **Scopula euchroa L.B.Prout,1925** (Geometridae) Synonymy: euchroa L.B.Prout,1925 Range (as code): **ZA Wca Cto Wlg**
5499. **Scopula fimbrilineata (W.Warren,1902)** (Geometridae) Synonymy: fimbrilineata W.Warren,1902; protuberans W.Warren,1909; niobe Fawcett,1916 Range (as code): **UG AO KE Tva CI ZA ZA05 Ksi ZA14 ZA16 Mpu ZA25 Kzu Nta Dbn MG YE**
5500. **Scopula flexio L.B.Prout,1917** (Geometridae) Synonymy: flexio L.B.Prout,1917 Range (as code): **ZA Wca Cto**
5501. **Scopula fragilis (W.Warren,1903)** (Geometridae) Synonymy: fragilis W.Warren,1903 Range (as code): **KE**
5502. **Scopula fulminataria (Turati,1927)** (Geometridae) Synonymy: fulminataria Turati,1927 Range (as code): **LY Cy**
5503. **Scopula fulvicolor Hampson,1899** (Geometridae) Synonymy: fulvicolor Hampson,1899 Range (as code): **Sk**
5504. **Scopula fuscobrunnea (W.Warren,1901)** (Geometridae) Synonymy: fuscobrunnea W.Warren,1901; fuscifusa L.B.Prout,1911 Range (as code): **UG CM Bit**
5505. **Scopula galactina D.S.Fletcher,1978** (Geometridae) Synonymy: galactina D.S.Fletcher,1978 Range (as code): **KE**
5506. **Scopula gazellaria (Wallengren,1863)** (Geometridae) Synonymy: gazellaria Wallengren,1863; gazella Distant,1892; griseolineata W.Warren,1900 Range (as code): **ZA Ggh Fs Nta Kzu Hwk Tva**
5507. **Scopula gnou Herbulot,1985** (Geometridae) Synonymy: gnou Herbulot,1985 Range (as code): **ZA Nta Kzu**
5508. **Scopula guancharia (Alpheraky,1889)** (Geometridae) Synonymy: guancharia Alpheraky,1889 Range (as code): **Cn**
5509. **Scopula habilis (W.Warren,1899)** (Geometridae) Synonymy: habilis W.Warren,1899 Range (as code): **NG**
5510. **Scopula haemaleata (W.Warren,1898)** (Geometridae) Synonymy: haemaleata W.Warren,1898 Range (as code): **NG**
5511. **Scopula hectata (Guenée,[1858])** (Geometridae) Synonymy: hectata Guenée,[1858] Range (as code): **ZA Wca Cto ZA10 ZA11 ZA12 Nta Kzu Ggh Fs ZA28 Tva Lpo**
5512. **Scopula heidra Debauche,1938** (Geometridae) Synonymy: heidra Debauche,1938 Range (as code): **ZR Kvu**
5513. **Scopula herbuloti (Viette,1977)** (Geometridae) Synonymy: herbuloti Viette,1977 Range (as code): **MG**
5514. **Scopula herbuloti Karisch,2001** (Geometridae) Synonymy: herbuloti Karisch,2001 Range (as code): **GO Bio**
5515. **Scopula horichroea (L.B.Prout,1916)** (Geometridae) Synonymy: horichroea L.B.Prout,1916 Range (as code): **SO**
5516. **Scopula imitaria (Hübner,[1799])** (Geometridae) Synonymy: fimbriata Fourcroy,1785 nec Schreb.,1759; imitaria Hübner,[1799] Range (as code): **MA Tgr DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL CH RO YU AL BG GR Cr Rd CY TR Cc GG Bjo Kir Lag Len AZ DK RU MD UA BY SY IL Pa LB Bei 01 05 07 09 10 14 16 22 31 33 34 35 45 48 57 59 76 81**
5517. **Scopula impicta L.B.Prout,1922** (Geometridae) Synonymy: impicta L.B.Prout,1922 Range (as code): **ZA Tva Gau Pre Wca Cto**
5518. **Scopula improba (W.Warren,1899)** (Geometridae) Synonymy: improba W.Warren,1899 Range (as code): **UG**
5519. **Scopula incalcarata D.S.Fletcher,1958** (Geometridae) Synonymy: incalcarata D.S.Fletcher,1958 Range (as code): **UG Rz**
5520. **Scopula inscriptata (Walker,[1863])** (Geometridae) Synonymy: inscriptata Walker,[1863]; acentra W.Warren,1911 Range (as code): **ZA Tva Ktz Nta Kzu ZA14 Mpu Wca**
5521. **Scopula insincera L.B.Prout,1920** (Geometridae) Synonymy: insincera L.B.Prout,1920 Range (as code): **ZA Tva Gau Jh Ec Tra**
5522. **Scopula instructata (Walker,[1863])** (Geometridae) Synonymy: instructata Walker,[1863] Range (as code): **ZA Wca Cto Ec Kny**
5523. **Scopula internata (Guenée,[1858])** (Geometridae) Synonymy: internata Guenée,[1858]; strigulifera Walker,1861; illiturata Walker,1863; pulverosaria Walker,1863; pudens W.Warren,1905 Range (as code): **KE TZ ZA Etm ZA05 ZA08 ZA25 Kzu Nta Dbn Mpu Brn Tva Wca**
5524. **Scopula internataria (Walker,1861)** (Geometridae) Synonymy: internataria Walker,1861; tremula Bastelberger,1909 Range (as code): **MG MZ ZR ZA ZA01 Tva Lpo ZA04 ZA05 Ksi ZA13 Mal ZA25 Kzu Nta CI AO UG SD KE YE YE30**

5525. **Scopula irrufata (W.Warren,1905)** (Geometridae) Synonymy: irrufata W.Warren,1905 Range (as code): **ZA Wca**
5526. **Scopula isomala L.B.Prout,1932** (Geometridae) Synonymy: isomala L.B.Prout,1932 Range (as code): **KE Nai**
5527. **Scopula iterata Herbulot,1978** (Geometridae) Synonymy: iterata Herbulot,1978 Range (as code): **RW**
5528. **Scopula jejuna L.B.Prout,1932** (Geometridae) Synonymy: jejuna L.B.Prout,1932 Range (as code): **NG**
5529. **Scopula johnsoni D.S.Fletcher,1958** (Geometridae) Synonymy: johnsoni D.S.Fletcher,1958 Range (as code): **UG Rz**
5530. **Scopula kohor Herbulot & Viette,1952** (Geometridae) Synonymy: kohor Herbulot & Viette,1952 Range (as code): **TD**
5531. **Scopula kounden Herbulot,1992** (Geometridae) Synonymy: kounden Herbulot,1992 Range (as code): **CM**
5532. **Scopula lactaria (Walker,1861)** (Geometridae) Synonymy: lactaria Walker,1861; intervulsata Walker,1861; tectaria Walker,1866 Range (as code): **ZA SL ZR Sk**
5533. **Scopula laevipennis (W.Warren,1897)** (Geometridae) Synonymy: laevipennis W.Warren,1897; uninotata W.Warren,1897 Range (as code): **ZA CM SL**
5534. **Scopula lathraea L.B.Prout,1922** (Geometridae) Synonymy: lathraea L.B.Prout,1922 Range (as code): **MW**
5535. **Scopula latifera (Walker,1869)** (Geometridae) Synonymy: latifera Walker,1869 Range (as code): **CG**
5536. **Scopula latimediata D.S.Fletcher,1958** (Geometridae) Synonymy: latimediata D.S.Fletcher,1958 Range (as code): **UG Rz**
5537. **Scopula latitans (L.B.Prout,1920)** (Geometridae) Synonymy: reconditaria Snellen,1872 nec Walk.,1861; latitans L.B.Prout,1920 Range (as code): **ZR Tva ZA ZA13 ZA14 Mpu ZA20 ZA25 Kzu Nta Wca AO KE Sk**
5538. **Scopula limosata D.S.Fletcher,1963** (Geometridae) Synonymy: limosata D.S.Fletcher,1963 Range (as code): **UG Rz**
5539. **Scopula longitarsata L.B.Prout,1932** (Geometridae) Synonymy: longitarsata L.B.Prout,1932 Range (as code): **KE**
5540. **Scopula lubricata (W.Warren,1895)** (Geometridae) Synonymy: lubricata W.Warren,1895 Range (as code): **AO ZA SL KE KM**
5541. **Scopula ludibunda (L.B.Prout,1915)** (Geometridae) Synonymy: ludibunda L.B.Prout,1915 Range (as code): **ZW ZA ZA12 ZA25 Kzu Nta Wca**
5542. **Scopula lugubriata D.S.Fletcher,1958** (Geometridae) Synonymy: lugubriata D.S.Fletcher,1958 Range (as code): **UG Rz**
5543. **Scopula luridata (Zeller,1847)** (Geometridae) Synonymy: luridata Zeller,1847; formosaria Herrich-Schäffer,1852; coenosaria Lederer,1855 Range (as code): **DZ Orn GR Cr Rd TR LB Bei Cc GG Bjo Kir AZ Nv PK Krc CY KP KR CN IL Pa Jf SA YE Sna YE30 SO 01 05 07 33 34 35 38 46 47 57 61**
5544. **Scopula luxipuncta L.B.Prout,1932** (Geometridae) Synonymy: luxipuncta L.B.Prout,1932 Range (as code): **ZR Kvu**
5545. **Scopula macrocelis L.B.Prout,1915** (Geometridae) Synonymy: macrocelis L.B.Prout,1915 Range (as code): **CM Bit**
5546. **Scopula macronephes D.S.Fletcher,1958** (Geometridae) Synonymy: macronephes D.S.Fletcher,1958 Range (as code): **UG Rz**
5547. **Scopula magnidiscata (W.Warren,1904)** (Geometridae) Synonymy: magnidiscata W.Warren,1904 Range (as code): **AO**
5548. **Scopula magnipunctata D.S.Fletcher,1958** (Geometridae) Synonymy: magnipunctata D.S.Fletcher,1958 Range (as code): **UG Rz**
5549. **Scopula malagasy (Viette,1977)** (Geometridae) Synonymy: malagasy Viette,1977 Range (as code): **MG**
5550. **Scopula manengouba Herbulot,1992** (Geometridae) Synonymy: manengouba Herbulot,1992 Range (as code): **CM**
5551. **Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonymy: marginepunctata Goeze,1781; conjugata Borkhausen,1794; aniculosata Rambur,1829; puellaria Boisduval,1840; mutaria Heydenreich,1851; promutata Guenée,[1858]; promutaria Morris,1861; apertaria Walker,[1863]; madoniata Fuchs,1901; pastoraria Joannis,1891; #marginipunctata Rothschild,1914; britonaria Oberthür,1917; subatrata Wagner,1919; #insubrica Vorbrodt,1930 Range (as code): **MA Rf DZ Ges TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc AM GG Tbl Bjo Kir Ber Ord Nv AZ Nv Arr IQ IR Ab Oru Elb Th Fa DK SE LV LT RU Da MD UA Cm BY**

KG Ket Kyr Ui Ku Ju Kön LB Bsa IL Pa Jf MN 01 02 05 06 13 14 16 17 21 22 23 24 30 33 34 35 38 39 42 44 46 52 56 58 59 60 61 65 71 72 76 80 81

5552. **Scopula mesophaena L.B.Prout,1923** (Geometridae) Synonymy: mesophaena L.B.Prout,1923 Range (as code): **KE Kib**

5553. **Scopula metacosmia L.B.Prout,1932** (Geometridae) Synonymy: metacosmia L.B.Prout,1932 Range (as code): **KE**

5554. **Scopula minoa (L.B.Prout,1916)** (Geometridae) Synonymy: minoa L.B.Prout,1916 Range (as code): **SO**

5555. **Scopula minorata (Boisduval,1833)** (Geometridae) Synonymy: minorata Boisduval,1833; #ochroleucata Herrich-Schäffer,1844; ochroleucaria Herrich-Schäffer,[1847]; luculata Guenée,[1858]; mauritiata Guenée,[1858]; consentanea Walker,1861; holobapharia Mabille,1900; mombasae W.Warren,1904; dresnayi D.Lucas,1937. Range (as code): **ET KE Mb MG RE MU MA DZ Bsk Gf TN PT Cn ES Mu FR Sa Si IT MT AL BG GR Cr TR IQ Mos Bgd Ktz ZA Ksi Kzu ZA16 Mpu ZA21 Tva Lpo IL Pa Js CY SA MG CV AF PK ID Sum YE YE47 Sna 01 07 23 33 58**

5556. **Scopula molaris L.B.Prout,1922** (Geometridae) Synonymy: molaris L.B.Prout,1922 Range (as code): **ZA**

5557. **Scopula monotropa L.B.Prout,1925** (Geometridae) Synonymy: monotropa L.B.Prout,1925 Range (as code): **NA ZA**

5558. **Scopula moralesi (Rungs,1945)** (Geometridae) Synonymy: moralesi Rungs,1945 Range (as code): **MA**

5559. **Scopula natalensis (L.B.Prout,1915)** (Geometridae) Synonymy: natalensis L.B.Prout,1915 Range (as code): **ZA Nta Kzu**

5560. **Scopula natalica (Butler,1875)** (Geometridae) Synonymy: natalica Butler,1875; diffisizana Hampson,1910 Range (as code): **ZA ZA05 ZA06 Kzu Nta ZA18 Ec ZW SL SD**

5561. **Scopula nemorivagata (Wallengren,1863)** (Geometridae) Synonymy: nemorivagata Wallengren,1863; bonaventura W.Warren,1897 Range (as code): **ZA Ksi ZA25 Kzu Nta Tva Lpo NG ET**

5562. **Scopula nepheloperas (L.B.Prout,1916)** (Geometridae) Synonymy: nepheloperas L.B.Prout,1916 Range (as code): **SO YE EG Sn OM**

5563. **Scopula nephotropa L.B.Prout,1931** (Geometridae) Synonymy: nephotropa L.B.Prout,1931 Range (as code): **SO**

5564. **Scopula nigralba Herbulot,1978** (Geometridae) Synonymy: nigralba Herbulot,1978 Range (as code): **CM**

5565. **Scopula nigricornis Herbulot,1992** (Geometridae) Synonymy: nigricornis Herbulot,1992 Range (as code): **ZA Nta Kzu**

5566. **Scopula nigrinotata (W.Warren,1897)** (Geometridae) Synonymy: nigrinotata W.Warren,1897 Range (as code): **MW ZA ZA10 Kzu Nta Tva ZA20 Mpu Ggh Fs Wca TD TZ SL NG ET KE YE Sna**

5567. **Scopula nipha D.S.Fletcher,1955** (Geometridae) Synonymy: nipha D.S.Fletcher,1955 Range (as code): **ZR**

5568. **Scopula obliquiscripta (W.Warren,1897)** (Geometridae) Synonymy: obliquiscripta W.Warren,1897 Range (as code): **ZA Nta Kzu Wnn**

5569. **Scopula ocellicincta (W.Warren,1901)** (Geometridae) Synonymy: ocellicincta W.Warren,1901 Range (as code): **KE**

5570. **Scopula ochreofusa (W.Warren,1899)** (Geometridae) Synonymy: ochreofusa W.Warren,1899 Range (as code): **UG**

5571. **Scopula oenoloma L.B.Prout,1932** (Geometridae) Synonymy: oenoloma L.B.Prout,1932 Range (as code): **MW Mje**

5572. **Scopula opicata (Fabricius,1798)** (Geometridae) Synonymy: opicata Fabricius,1798; infantularia Guenée,[1858]; vanaria Walker,1861 Range (as code): **ZA CN LK IN MM PH PG**

5573. **Scopula opperta L.B.Prout,1920** (Geometridae) Synonymy: opperta L.B.Prout,1920 Range (as code): **ZA Tva Spb Lpo Mdk Etm ZA04 ZA12 Kzu Nta Dbn ZA14 Mpu**

5574. **Scopula ornata (Scopoli,1763)** (Geometridae) Synonymy: ornata Scopoli,1763; instilata Hufnagel,1767; paludata Linnaeus,1767; institata Rottemburg,1777; interrupta Goeze,1781; intersecta Fourcroy,1785; ornataria Hübner,[1799]; paludalis Schrank,1802 Range (as code): **MA DZ Ges Lbs Clo TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY KG Ksa Kain Ui Kun Kön AF Ca PK Bl Qu Haz Mre 01 05 06 07 09 11 13 14 16 17 18 22 23 29 30 34 39 44 52 59 61 65 76 77 81**

5575. **Scopula oryx Herbulot,1985** (Geometridae) Synonymy: oryx Herbulot,1985 Range (as code): **ZA Tva ZA07 Ksi ZA14 Mpu Nta Kzu YE YE33**

5576. **Scopula ossicolor (W.Warren,1897)** (Geometridae) Synonymy: ossicolor W.Warren,1897; submarginata W.Warren,1898 Range (as code): **SL NE**

5577. **Scopula ourebi Herbulot,1985** (Geometridae) Synonymy: ourebi Herbulot,1985 Range (as code): **ZA Nta Kzu**
5578. **Scopula palleuca L.B.Prout,1925** (Geometridae) Synonymy: palleuca L.B.Prout,1925 Range (as code): **ZA**
5579. **Scopula palpifera L.B.Prout,1925** (Geometridae) Synonymy: palpifera L.B.Prout,1925 Range (as code): **ZA**
5580. **Scopula paradelpharia L.B.Prout,1920** (Geometridae) Synonymy: paradelpharia L.B.Prout,1920 Range (as code): **CI**
5581. **Scopula pelloniodes L.B.Prout,1922** (Geometridae) Synonymy: pelloniodes L.B.Prout,1922 Range (as code): **ZA Fs**
5582. **Scopula penricei L.B.Prout,1920** (Geometridae) Synonymy: penricei L.B.Prout,1920 Range (as code): **AO Tva ZA ZA16 Mpu ZW**
5583. **Scopula penultima Herbulot,1992** (Geometridae) Synonymy: penultima Herbulot,1992 Range (as code): **MW**
5584. **Scopula perornata (Thierry-Mieg,1905)** (Geometridae) Synonymy: perornata Thierry-Mieg,1905 Range (as code): **MZ**
5585. **Scopula perpunctata Herbulot,1992** (Geometridae) Synonymy: perpunctata Herbulot,1992 Range (as code): **CG**
5586. **Scopula pertinax (L.B.Prout,1916)** (Geometridae) Synonymy: pertinax L.B.Prout,1916 Range (as code): **ZA Etm Kzu ZA18 Ec Nta Umk**
5587. **Scopula phyletis (L.B.Prout,1913)** (Geometridae) Synonymy: phyletis L.B.Prout,1913 Range (as code): **ZA Tva Lpo**
5588. **Scopula picta (W.Warren,1897)** (Geometridae) Synonymy: picta W.Warren,1897; fulvilinea W.Warren,1914 Range (as code): **ZA ZA24 NWe Nta Kzu Wnn Tva Wca Cto**
5589. **Scopula planipennis (W.Warren,1900)** (Geometridae) Synonymy: planipennis W.Warren,1900 Range (as code): **SL**
5590. **Scopula plionocentra L.B.Prout,1920** (Geometridae) Synonymy: plionocentra L.B.Prout,1920 Range (as code): **NE**
5591. **Scopula pratana (Fabricius,1794)** (Geometridae) Synonymy: pratana Fabricius,1794; pratanaria Turton,1802; megearia Oberthür,1881; ectypata Mabille,1888 Range (as code): **Cn DZ Tlm Bsk Gf TN MA SD ES Mu FR IL Pa JO Jt YE Ad EG EG05**
5592. **Scopula promethes L.B.Prout,1928** (Geometridae) Synonymy: promethes L.B.Prout,1928 Range (as code): **LS ZA Tva Wca Cto**
5593. **Scopula proterocelis L.B.Prout,1920** (Geometridae) Synonymy: proterocelis L.B.Prout,1920 Range (as code): **NG**
5594. **Scopula pruinata D.S.Fletcher,1958** (Geometridae) Synonymy: pruinata D.S.Fletcher,1958 Range (as code): **UG**
5595. **Scopula pseudophema L.B.Prout,1920** (Geometridae) Synonymy: pseudophema L.B.Prout,1920 Range (as code): **SD**
5596. **Scopula pulchellata (Fabricius,1794)** (Geometridae) Synonymy: pulchellata Fabricius,1794; nictata Guenée,[1858]; metaspilaria Walker,1861; ligataria Walker,1861; spatiosaria Walker,1866; grandicularia Swinhoe,1886; spilodorsata W.Warren,1895; discata W.Warren,1897; obdiscata L.B.Prout,1938; spilotis L.B.Prout,1938; cosmeta L.B.Prout,1938 Range (as code): **PK Swa Kkar IN Mh Poo LK ID Crm Tnm Tim MM TW CN Hn PG NIr PH Luz Pal TW ZA UG**
5597. **Scopula punctilineata (W.Warren,1897)** (Geometridae) Synonymy: punctilineata W.Warren,1897 Range (as code): **ZA ZA12 Kzu Nta Wnn Tva Wca Cto**
5598. **Scopula pyraliata (W.Warren,1898)** (Geometridae) Synonymy: pyraliata W.Warren,1898 Range (as code): **NE**
5599. **Scopula pyrrhochra (L.B.Prout,1916)** (Geometridae) Synonymy: pyrrhochra L.B.Prout,1916 Range (as code): **SO**
5600. **Scopula quadrifasciata (Bastelberger,1909)** (Geometridae) Synonymy: quadrifasciata Bastelberger,1909; glaucocyma Hampson,1910 Range (as code): **TZ ZW Har ZA Ggh Fs**
5601. **Scopula quintaria (L.B.Prout,1916)** (Geometridae) Synonymy: quintaria L.B.Prout,1916 Range (as code): **AO UG TZ ZA Ktz ZA04 ZA05 ZA06 Ksi Kzu Nta Srn**
5602. **Scopula reamuraria (Milière,1864)** (Geometridae) Synonymy: reamuraria Milière,1864; megearia Oberthür,1881; occidens L.B.Prout,1935 Range (as code): **ES MA DZ TN**
5603. **Scopula rectisecta L.B.Prout,1920** (Geometridae) Synonymy: rectisecta L.B.Prout,1920 Range (as code): **CM Bit**

5604. **Scopula recurvata Herbulot,1992** (Geometridae) Synonymy: recurvata Herbulot,1992 Range (as code): **CM**
5605. **Scopula recurvinota (W.Warren,1902)** (Geometridae) Synonymy: recurvinota W.Warren,1902 Range (as code): **KE Kky**
5606. **Scopula rhodinaria (Rebel,1907)** (Geometridae) Synonymy: rhodinaria Rebel,1907 Range (as code): **YE Sk**
5607. **Scopula romanaria (Millière,1870)** (Geometridae) Synonymy: romanaria Millière,1870 Range (as code): **DZ Bsk TN Gf**
5608. **Scopula rossi (L.B.Prout,1913)** (Geometridae) Synonymy: rossi L.B.Prout,1913 Range (as code): **ZA Tva ZA08 Kzu ZA14 Mpu Nta Dbn**
5609. **Scopula rubiginata (Hufnagel,1767)** (Geometridae) Synonymy: rubiginata Hufnagel,1767; rubricata [Denis & Schiffermüller],1775; vittata Thunberg,1784; domialla Fourcroy,1785; variata De Villers,1789; #rubricaria Hübner,[1799]; subangularia Herrich-Schäffer,1839 Range (as code): **MA PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Lag Bjo Mng Smt Kir Cc AZ AM DK SE FI EE LV LT RU Sb MD UA BY KG Jsn Ui Ku Tek Kty IMn IR Ab MN 04 05 06 07 13 14 16 24 25 34 39 42 44 52 58 59 65 75 81**
5610. **Scopula rubraria (Doubeday,1843)** (Geometridae) Synonymy: rubraria Doubeday,1843; figlinaria Guenée,[1858]; attributa Walker,1861; repletaria Walker,1861; acidaliaria Walker,1862 Range (as code): **NC NZ AU NSw Syd TZ**
5611. **Scopula rubriceps (W.Warren,1905)** (Geometridae) Synonymy: rubriceps W.Warren,1905 Range (as code): **AO**
5612. **Scopula ruficolor L.B.Prout,1916** (Geometridae) Synonymy: ruficolor L.B.Prout,1916 Range (as code): **ZA Gau Tva Jh**
5613. **Scopula rufinubes (W.Warren,1900)** (Geometridae) Synonymy: rufinubes W.Warren,1900 Range (as code): **TZ Dss CI UG ET SO ZA ZA17 Tva Lpo Spb Mdk**
5614. **Scopula rufisalsa (W.Warren,1897)** (Geometridae) Synonymy: rufisalsa W.Warren,1897 Range (as code): **ZA ZA01 ZA17 Tva Lpo ZA24 NWe Nta Kzu Wnn ZW KE**
5615. **Scopula rufomixtaria (Graslin,1863)** (Geometridae) Synonymy: rufomixtaria Graslin,1863; rufomixtata Staudinger,1871; annae Mentzer,1990 Range (as code): **PT ES Mu FR DZ Ges MA**
5616. **Scopula sagittilinea (W.Warren,1897)** (Geometridae) Synonymy: sagittilinea W.Warren,1897 Range (as code): **KE Mb**
5617. **Scopula sanguinisecta (W.Warren,1897)** (Geometridae) Synonymy: sanguinisecta W.Warren,1897; muscosaria W.Warren,1902 Range (as code): **ZA ZA24 NWe Tva Lpo Spb Mdk Nta Kzu Wnn Wca KE MG**
5618. **Scopula sarcodes L.B.Prout,1935** (Geometridae) Synonymy: sarcodes L.B.Prout,1935 Range (as code): **ZA**
5619. **Scopula scotti Debauche,1937** (Geometridae) Synonymy: scotti Debauche,1937 Range (as code): **RW ET Sw ET09**
5620. **Scopula sebata D.S.Fletcher,1958** (Geometridae) Synonymy: sebata D.S.Fletcher,1958 Range (as code): **UG Rz**
5621. **Scopula seclusoides Herbulot,1978** (Geometridae) Synonymy: seclusoides Herbulot,1978 Range (as code): **CM**
5622. **Scopula serena (L.B.Prout,1920)** (Geometridae) Synonymy: serena L.B.Prout,1920 Range (as code): **ZA Ktz ZA08 ZA13 Nta Kzu ZA18 Ec Ggh Fs ZA28 Tva Lpo SL AO MG**
5623. **Scopula silonaria (Guenée,[1858])** (Geometridae) Synonymy: silonaria Guenée,[1858]; sticticata W.Warren,1901 Range (as code): **ET UG**
5624. **Scopula similata (Le Cerf,1924)** (Geometridae) Synonymy: similata Le Cerf,1924 Range (as code): **ER ET**
5625. **Scopula simplificata L.B.Prout,1928** (Geometridae) Synonymy: simplificata L.B.Prout,1928 Range (as code): **ET**
5626. **Scopula sincera (W.Warren,1901)** (Geometridae) Synonymy: sincera W.Warren,1901 Range (as code): **ZA Tva ZW AO**
5627. **Scopula sinnaria (Swinhoe,1904)** (Geometridae) Synonymy: sinnaria Swinhoe,1904 Range (as code): **ZA ZA17 ZA28 Tva Lpo Wca AO KE**
5628. **Scopula spinosicrista Herbulot,1992** (Geometridae) Synonymy: spinosicrista Herbulot,1992 Range (as code): **CM**
5629. **Scopula spoliata (Walker,1861)** (Geometridae) Synonymy: spoliata Walker,1861; pygarata Wallengren,1863 Range (as code): **ZA ZA10 ZA11 ZA12 ZA13 ZA04 ZA05 Kzu Nta Fs ZA18 Ec Ggh ZA26 ZA27 UG**
5630. **Scopula stephanitis L.B.Prout,1932** (Geometridae) Synonymy: stephanitis L.B.Prout,1932 Range (as code): **ZR**

5631. **Scopula straminea (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: straminea R.Felder & Rogenhofer,1875; melliflua W.Warren,1897 Range (as code): **ZA Ktz ZA05 Kzu Nta Wca Kny**
5632. **Scopula sublobata (W.Warren,1898)** (Geometridae) Synonymy: sublobata W.Warren,1898; khakiata W.Warren,1905 Range (as code): **ZA ZA25 Kzu Nta Mpu Tva Brb Dbn TZ AO**
5633. **Scopula submutata (Treitschke,1828)** (Geometridae) Synonymy: submutata Treitschke,1828; submutaria Boisduval,1840; submutulata Rebel,1902; pseudhonestata Wehrli,1926 Range (as code): **MA DZ PT ES FR Co Si IT CH RO YU HV MK B-H AL BG GR Cr TR LB Bei Bsa Cc GG AZ Nv IQ Kad IR Gls Kh TM Kp IL Pa IR Fa Sse Com Kz Shr AF PK 01 05 06 07 13 16 17 21 24 27 31 33 42 45 46 47 56 58 65 71 73**
5634. **Scopula subobliquata (L.B.Prout,1913)** (Geometridae) Synonymy: subobliquata L.B.Prout,1913 Range (as code): **ZA Tva Lpo Hae**
5635. **Scopula subpectinata (L.B.Prout,1915)** (Geometridae) Synonymy: subpectinata L.B.Prout,1915 Range (as code): **UG Etb**
5636. **Scopula subperlaria (W.Warren,1897)** (Geometridae) Synonymy: subperlaria W.Warren,1897; sufficines W.Warren,1897; displicitata Kheil,1909 Range (as code): **UG Etb NG CM**
5637. **Scopula suda L.B.Prout,1932** (Geometridae) Synonymy: suda L.B.Prout,1932 Range (as code): **RW**
5638. **Scopula suna L.B.Prout,1934** (Geometridae) Synonymy: suna L.B.Prout,1934 Range (as code): **CG**
5639. **Scopula supina L.B.Prout,1920** (Geometridae) Synonymy: supina L.B.Prout,1920 Range (as code): **UG**
5640. **Scopula technessa L.B.Prout,1932** (Geometridae) Synonymy: technessa L.B.Prout,1932 Range (as code): **KE**
5641. **Scopula tenera (W.Warren,1899)** (Geometridae) Synonymy: tenera W.Warren,1899 Range (as code): **UG**
5642. **Scopula tenuiscripta L.B.Prout,1917** (Geometridae) Synonymy: tenuiscripta L.B.Prout,1917 Range (as code): **ZA Tva Lpo Spb Bbg Mpu Brb**
5643. **Scopula timia (L.B.Prout,1916)** (Geometridae) Synonymy: timia L.B.Prout,1916 Range (as code): **SO**
5644. **Scopula transecta (W.Warren,1898)** (Geometridae) Synonymy: transecta W.Warren,1898; dissimulans W.Warren,1899 Range (as code): **NE**
5645. **Scopula tricommata (W.Warren,1899)** (Geometridae) Synonymy: tricommata W.Warren,1899 Range (as code): **UG**
5646. **Scopula turbidaria (Hübner,[1819])** (Geometridae) Synonymy: turbidaria Hübner,[1819]; macraria Guenée,[1858]; lutosata Rambur,1866 Range (as code): **MA PT ES FR IR Gls Cc GG Tbl Kir AZ Nv Ord**
5647. **Scopula turbulentaria (Staudinger,1870)** (Geometridae) Synonymy: turbulentaria Staudinger,1870; collata W.Warren,1901; habenata W.Warren,1901; syriacata Neuburger,1904; syriturcica Wehrli,1934 Range (as code): **TN Si IT GR Cr Rd CY TR RO BG RU Cc AM IR Elb Mz Kd LB Bei IL Pa Js TM SA CN 01 05 07 16 17 31 33 34 35 39 42 45 46 58**
5648. **Scopula vitellina Herbulot,1978** (Geometridae) Synonymy: vitellina Herbulot,1978 Range (as code): **CM**
5649. **Scopula wittei Debauche,1938** (Geometridae) Synonymy: wittei Debauche,1938 Range (as code): **ZR**
5650. **Scopula zophodes L.B.Prout,1935** (Geometridae) Synonymy: zophodes L.B.Prout,1935 Range (as code): **BW**
5651. **Scotopteryx albiclausa (W.Warren,1897)** (Geometridae) Synonymy: albiclausa W.Warren,1897 Range (as code): **ZA ZA18 Ec Nta Kzu**
5652. **Scotopteryx alfacaria (Staudinger,1859)** (Geometridae) Synonymy: alfacaria Staudinger,1859; nevadaria Rambur,1866. Range (as code): **MA DZ ES An Mu**
5653. **Scotopteryx atrosigillata (Walker,[1863])** (Geometridae) Synonymy: atrosigillata Walker,[1863] Range (as code): **ZA ZA10 ZA11 Nta Kzu Ggh Fs**
5654. **Scotopteryx crenulimargo (L.B.Prout,1925)** (Geometridae) Synonymy: crenulimargo L.B.Prout,1925 Range (as code): **ZA Wca**
5655. **Scotopteryx cryptocycla (L.B.Prout,1913)** (Geometridae) Synonymy: cryptocycla L.B.Prout,1913 Range (as code): **ZA Tva Mpu Wv**
5656. **Scotopteryx cryptospilata (Walker,1863)** (Geometridae) Synonymy: cryptospilata Walker,1863 Range (as code): **ZA**
5657. **Scotopteryx deversa (L.B.Prout,1913)** (Geometridae) Synonymy: deversa L.B.Prout,1913 Range (as code): **ZA ZA10 Kzu Nta Gau Pre Tva Hae**
5658. **Scotopteryx eurypeda (L.B.Prout,1937)** (Geometridae) Synonymy: eurypeda L.B.Prout,1937 Range (as code): **CN GN Hc**

5659. **Scotopteryx ferridotata (Walker,[1863])** (Geometridae) Synonymy: ferridotata Walker,[1863] Range (as code): **ZA Wca Cto**
5660. **Scotopteryx horismodes (L.B.Prout,1913)** (Geometridae) Synonymy: horismodes L.B.Prout,1913 Range (as code): **ZA ZA10 ZA11 ZA12 Kzu Nta Tra Ec Wo Lpo**
5661. **Scotopteryx nictitaria (Herrich-Schäffer,1855)** (Geometridae) Synonymy: nictitaria Herrich-Schäffer,1855 Range (as code): **ZA ZA10 ZA11 ZA12 Nta Kzu ZA14 Mpu Ggh Fs ZA28 Tva Lpo**
5662. **Scotopteryx peringueyi (L.B.Prout,1917)** (Geometridae) Synonymy: peringueyi L.B.Prout,1917 Range (as code): **ZA Tva ZA14 ZA20 Mpu Wca Cto**
5663. **Scotopteryx sp.** (Geometridae) Synonymy: Range (as code): **ZA Ggh Fs**
5664. **Selenia lunularia (Hübner,1788)** (Geometridae) Synonymy: lunaria [Denis & Schiffermüller],1775 nec Fabr.,1775; lunularia Hübner,1788; delunaria Hübner,[1799]; sublunaria Stephens,1831 Range (as code): **MA Ifr TN PT ES FR Co Si IT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo Mng Smt IR Gls KG Bks Ily Ui Ku 01 05 13 14 17 34 52 55 57 61 65 75 80 81**
5665. **Selidosema atrarium Powell,1941** (Geometridae) Synonymy: atrarium Powell,1941 Range (as code): **MA**
5666. **Selidosema herbuloti Rungs,1975** (Geometridae) Synonymy: herbuloti Rungs,1975 Range (as code): **MA**
5667. **Semiothisa testaceata (Walker,[1863])** (Geometridae) Synonymy: testaceata Walker,[1863] Range (as code): **CG**
5668. **Sesquialtera audens L.B.Prout,1931** (Geometridae) Synonymy: audens L.B.Prout,1931 Range (as code): **SO**
5669. **Sesquialtera lonchota L.B.Prout,1931** (Geometridae) Synonymy: lonchota L.B.Prout,1931 Range (as code): **ET ET168 ET87**
5670. **Sesquialtera ramecourti Herbulot,1967** (Geometridae) Synonymy: ramecourti Herbulot,1967 Range (as code): **NA Dmr**
5671. **Sesquialtera ridicula L.B.Prout,1916** (Geometridae) Synonymy: ridicula L.B.Prout,1916 Range (as code): **SO ZA ZA21 Tva Lpo**
5672. **Sicyodes algoaria (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: algoaria R.Felder & Rogenhofer,1875 Range (as code): **ZA**
5673. **Sicyodes alicata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: alicata R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva ZA14 Mpu**
5674. **Sicyodes biviaria (Guenée,[1858])** (Geometridae) Synonymy: biviaria Guenée,[1858]; justaria Walker,1862; biferaria Walker,[1863]; inflectaria Walker,[1863] Range (as code): **ZA**
5675. **Sicyodes cambogiaria (Gueneé,[1858])** (Geometridae) Synonymy: cambogiaria Gueneé,[1858]; paucaria Gueneé,[1858]; tardaria Walker,[1863]; walkeri Wallengren,1875 Range (as code): **ZA ZA04 Ksi ZA12 ZA13 ZA14 Mpu Mal ZA17 ZA21 Tva Lpo Spb Bbg ZA24 NWe**
5676. **Sicyodes coryi (Janse,1932)** (Geometridae) Synonymy: coryi Janse,1932 Range (as code): **ZA Nta Kzu**
5677. **Sicyodes costipicta L.B.Prout,1932** (Geometridae) Synonymy: costipicta L.B.Prout,1932 Range (as code): **ZA ZA14 Mpu ZA17 Tva Lpo ZR**
5678. **Sicyodes gynoloxa L.B.Prout,1938** (Geometridae) Synonymy: gynoloxa L.B.Prout,1938 Range (as code): **NA**
5679. **Sicyodes ocellata W.Warren,1897** (Geometridae) Synonymy: ocellata W.Warren,1897 Range (as code): **ZA ZA26 Kzu Nta**
5680. **Sicyodes olivescens (W.Warren,1898)** (Geometridae) Synonymy: olivescens W.Warren,1898 Range (as code): **ZA ZA16 Mpu ZA21 Tva Lpo ZA24 NWe Brb**
5681. **Sicyodes pulverea L.B.Prout,1937** (Geometridae) Synonymy: pulverea L.B.Prout,1937 Range (as code): **ZA**
5682. **Sicyodes sp.** (Geometridae) Synonymy: Range (as code): **ZA Tva ZA14 ZA20 Mpu**
5683. **Sicyodes subochrea L.B.Prout,1917** (Geometridae) Synonymy: subochrea L.B.Prout,1917 Range (as code): **ZA Fs**
5684. **Sicyodes tanzanica Herbulot,1992** (Geometridae) Synonymy: tanzanica Herbulot,1992 Range (as code): **TZ**
5685. **Sicyodes warreni L.B.Prout,1938** (Geometridae) Synonymy: warreni L.B.Prout,1938 Range (as code): **KE**
5686. **Somatina accraria Swinhoe,1904** (Geometridae) Synonymy: accraria Swinhoe,1904 Range (as code): **GH Acc**

5687. **Somatina apicipuncta L.B.Prout,1915** (Geometridae) Synonymy: apicipuncta L.B.Prout,1915 Range (as code): **ZA GH**
5688. **Somatina centrophora L.B.Prout,1915** (Geometridae) Synonymy: centrophora L.B.Prout,1915 Range (as code): **ZA Ktz Nta Kzu Ec Grh**
5689. **Somatina chalyboeata (Walker,1869)** (Geometridae) Synonymy: chalyboeata Walker,1869 Range (as code): **CG**
5690. **Somatina ctenophora L.B.Prout,1915** (Geometridae) Synonymy: ctenophora L.B.Prout,1915 Range (as code): **ZA ZA17 Tva Lpo KE Nai**
5691. **Somatina figurata W.Warren,1897** (Geometridae) Synonymy: figurata W.Warren,1897; rufitacta W.Warren,1905 Range (as code): **UG MG ZA ZA21 Tva Lpo Wnn Dbn Nta Kzu Wca Cto**
5692. **Somatina fletcheri Herbulot,1958** (Geometridae) Synonymy: fletcheri Herbulot,1958 Range (as code): **ST**
5693. **Somatina fraus L.B.Prout,1916** (Geometridae) Synonymy: fraus L.B.Prout,1916 Range (as code): **CF**
5694. **Somatina fungifera W.Warren,1909** (Geometridae) Synonymy: fungifera W.Warren,1909 Range (as code): **ZR**
5695. **Somatina hombergi Herbulot,1967** (Geometridae) Synonymy: hombergi Herbulot,1967 Range (as code): **CG**
5696. **Somatina impunctulata (W.Warren,1901)** (Geometridae) Synonymy: impunctulata W.Warren,1901 Range (as code): **SL**
5697. **Somatina ioscia L.B.Prout,1932** (Geometridae) Synonymy: ioscia L.B.Prout,1932 Range (as code): **ZA ZA21 Tva Lpo ZW Bul**
5698. **Somatina irregularis (W.Warren,1898)** (Geometridae) Synonymy: irregularis W.Warren,1898 Range (as code): **NG**
5699. **Somatina lemairei Herbulot,1978** (Geometridae) Synonymy: lemairei Herbulot,1978 Range (as code): **CM**
5700. **Somatina lia L.B.Prout,1915** (Geometridae) Synonymy: lia L.B.Prout,1915 Range (as code): **KM**
5701. **Somatina mozambica (Thierry-Mieg,1905)** (Geometridae) Synonymy: mozambica Thierry-Mieg,1905 Range (as code): **MZ ZA**
5702. **Somatina nucleata W.Warren,1905** (Geometridae) Synonymy: nucleata W.Warren,1905 Range (as code): **SL**
5703. **Somatina probleptica L.B.Prout,1917** (Geometridae) Synonymy: probleptica L.B.Prout,1917 Range (as code): **NG ZA**
5704. **Somatina prouti Janse,1934** (Geometridae) Synonymy: prouti Janse,1934 Range (as code): **ZA Ec Grh**
5705. **Somatina pythiaria (Guenée,[1858])** (Geometridae) Synonymy: pythiaria Guenée,[1858] Range (as code): **ET YE YE30 Sna**
5706. **Somatina rhodochila L.B.Prout,1932** (Geometridae) Synonymy: rhodochila L.B.Prout,1932 Range (as code): **ZR**
5707. **Somatina sanctithomae Herbulot,1958** (Geometridae) Synonymy: sanctithomae Herbulot,1958 Range (as code): **ST**
5708. **Somatina sedata L.B.Prout,1922** (Geometridae) Synonymy: sedata L.B.Prout,1922 Range (as code): **ZA Ktz ZA14 Mpu ZA17 Tva Lpo ZA18 Ec ZA26 Nta Kzu Umk MG**
5709. **Somatina sp.1** (Geometridae) Synonymy: Range (as code): **ZA Tva ZA16 Mpu**
5710. **Somatina sp.2** (Geometridae) Synonymy: Range (as code): **ZA ZA17 Tva Lpo**
5711. **Somatina subviridata (W.Warren,1901)** (Geometridae) Synonymy: subviridata W.Warren,1901 Range (as code): **SL**
5712. **Somatina syneorus L.B.Prout,1915** (Geometridae) Synonymy: syneorus L.B.Prout,1915 Range (as code): **GA**
5713. **Somatina vestalis (Butler,1875)** (Geometridae) Synonymy: vestalis Butler,1875 Range (as code): **ZA ZA17 Tva Lpo Spb Mdk Hgl ZA25 Kzu Nta Wca Cto MZ**
5714. **Somatina virginalis L.B.Prout,1917** (Geometridae) Synonymy: virginalis L.B.Prout,1917 Range (as code): **ZA UG YE Sna**
5715. **Sphyrocosta madecassa (Viette,1973)** (Geometridae) Synonymy: madecassa Viette,1973 Range (as code): **MG**
5716. **Stegania ochrearia A.Bang-Haas,1910** (Geometridae) Synonymy: ochrearia A.Bang-Haas,1910; xanthinaria Oberthür,1923 Range (as code): **TN**

5717. **Symmacra solidaria (Guenée,[1858])** (Geometridae) Synonymy: solidaria Guenée,[1858]; quadraequata Walker,1861; thalassica Moore,[1887]; rufifrontaria Hampson,1907; hyporrhoda L.B.Prout,1938 Range (as code): **ET LK PK Krc IN Adm Poo Mhw WS PG Ls Wd CN ID Clb**

5718. **Syncollesis trilineata (Hampson,1910)** (Geometridae) Synonymy: trilineata Hampson,1910 Range (as code): **ZW Har ZR AO**

5719. **Syndromodes cellulata W.Warren,1898** (Geometridae) Synonymy: cellulata W.Warren,1898 Range (as code): **ZA Tva ZA21 Lpo Spb Bbg Fs Nta Kzu Srn Umk Mpu Brb Wv Wm Gau Pre Fs Hei ZW**

5720. **Syndromodes dimensa (Walker,1861)** (Geometridae) Synonymy: dimensa Walker,1861 Range (as code): **ZA Wca Cto**

5721. **Syndromodes invenusta (Wallengren,1863)** (Geometridae) Synonymy: invenusta Wallengren,1863; unicolor W.Warren,1897 Range (as code): **ZW ZA Mal Tva Lpo ZA16 Mpu ZA17 ZA21 Ec Nta Kzu Umk Srn Ver Fs Blo Brb Gau Pre Wm Tz**

5722. **Syndromodes oedocnemis L.B.Prout,1922** (Geometridae) Synonymy: oedocnemis L.B.Prout,1922 Range (as code): **ZW Hfo Bul**

5723. **Syndromodes prasinops L.B.Prout,1930** (Geometridae) Synonymy: prasinops L.B.Prout,1930 Range (as code): **ZA Mal Tva Lpo Spb Wp ZA16 Mpu ZA24 NWe ZA26 Kzu Nta ZW Bul**

5724. **Syndromodes sp.** (Geometridae) Synonymy: Range (as code): **ZA ZA08 Kzu**

5725. **Tephronia bytinskii (Wehrli,1939)** (Geometridae) Synonymy: bytinskii Wehrli,1939 Range (as code): **Cn**

5726. **Tephronia codetaria Oberthür,1881** (Geometridae) Synonymy: codetaria Oberthür,1881 Range (as code): **MA DZ Sbd PT ES Mu FR Co Sa Si**

5727. **Tephronia duercki Reisser,1933** (Geometridae) Synonymy: duercki Reisser,1933 Range (as code): **MA**

5728. **Tephronia ethiopica Herbulot,1983** (Geometridae) Synonymy: ethiopica Herbulot,1983 Range (as code): **ET**

5729. **Tephronia minutaria Turati,1934** (Geometridae) Synonymy: minutaria Turati,1934 Range (as code): **LY Cy**

5730. **Tephronia nigrolineata Zerny,1934** (Geometridae) Synonymy: nigrolineata Zerny,1934 Range (as code): **MA**

5731. **Tephronia sepiaria (Hufnagel,1767)** (Geometridae) Synonymy: sepiaria Hufnagel,1767; cineraria [Denis & Schiffermüller],1775; carieraria Herrich-Schäffer,1848; destituta Walker,1870; fingalata Millière,1873 Range (as code): **PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ LT RU MD UA BY EG EG11 01 14 33 38 42**

5732. **Terina charmione (Fabricius,1793)** (Geometridae) Synonymy: charmione Fabricius,1793 Range (as code): **ZR**

5733. **Terina chrysoptera Hampson,1909** (Geometridae) Synonymy: chrysoptera Hampson,1909 Range (as code): **UG ZR**

5734. **Terina circumcincta L.B.Prout,1915** (Geometridae) Synonymy: circumcincta L.B.Prout,1915 Range (as code): **MW**

5735. **Terina circumdata (Walker,[1865])** (Geometridae) Synonymy: circumdata Walker,[1865] Range (as code): **CG**

5736. **Terina doleris (Plötz,1880)** (Geometridae) Synonymy: doleris Plötz,1880; accra Swinhoe,1904 Range (as code): **GH Acc NG**

5737. **Terina internata (W.Warren,1909)** (Geometridae) Synonymy: internata W.Warren,1909 Range (as code): **AO**

5738. **Terina maculifera Strand,1911** (Geometridae) Synonymy: maculifera Strand,1911 Range (as code): **GA**

5739. **Terina niphanda Druce,1888** (Geometridae) Synonymy: niphanda Druce,1888 Range (as code): **CG AO**

5740. **Terina octogesa (Druce,1888)** (Geometridae) Synonymy: octogesa Druce,1888; incisa Holland,1893; flavibasis W.Warren,1897; meliorata L.B.Prout,1915 Range (as code): **GA NG CM**

5741. **Terina renifera (W.Warren,1897)** (Geometridae) Synonymy: renifera W.Warren,1897 Range (as code): **SL**

5742. **Terina rogersi L.B.Prout,1915** (Geometridae) Synonymy: rogersi L.B.Prout,1915 Range (as code): **KE**

5743. **Terina sanguinarea Bethune-Baker,1911** (Geometridae) Synonymy: sanguinarea Bethune-Baker,1911 Range (as code): **AO**

5744. **Thalassodes albifimbria W.Warren,1897** (Geometridae) Synonymy: albifimbria W.Warren,1897; ostracites Karsch,1900 Range (as code): **MW MG**
5745. **Thalassodes camerunalta Herbulot,1986** (Geometridae) Synonymy: camerunalta Herbulot,1986 Range (as code): **CM**
5746. **Thalassodes caprifolia Herbulot,1986** (Geometridae) Synonymy: caprifolia Herbulot,1986 Range (as code): **CM**
5747. **Thalassodes dentatilinea L.B.Prout,1912** (Geometridae) Synonymy: dentatilinea L.B.Prout,1912 Range (as code): **NG**
5748. **Thalassodes hyraria Guenée,[1858]** (Geometridae) Synonymy: hyraria Guenée,[1858] Range (as code): **RE**
5749. **Thalassodes opaca W.Warren,1898** (Geometridae) Synonymy: opaca W.Warren,1898 Range (as code): **NG ZA**
5750. **Thalassodes progressa L.B.Prout,1926** (Geometridae) Synonymy: progressa L.B.Prout,1926 Range (as code): **MG**
5751. **Thalassodes quadraria Guenée,[1858]** (Geometridae) Synonymy: quadraria Guenée,[1858]; inconclusaria Walker,1861; digressa Walker,1861; ricinaria Guenée,1862; aequaria Mabille,1898; chlorinaria Mabille,1898; subreticulata Mabille,1900; sapoliaria Swinhoe,1904, #quadrasis Hutacharern & Tubtim,1995 Range (as code): **ZA Ktz ZA04 ZA05 ZA06 ZA07 ZA08 Ksi ZA14 Mal Tva Lpo Spb Mdk ZA16 Mpu ZA18 Ec Nta ZA25 Kzu Umk Dbn Srn KE Mb NG Caa KM MG SA As YE IN Slo RE MU TH**
5752. **Thalassodes regressa Herbulot,1958** (Geometridae) Synonymy: regressa Herbulot,1958 Range (as code): **ST**
5753. **Thalassodes scrutata Herbulot,1972** (Geometridae) Synonymy: scrutata Herbulot,1972 Range (as code): **CI**
5754. **Thalassodes unicolor W.Warren,1902** (Geometridae) Synonymy: unicolor W.Warren,1902 Range (as code): **NE**
5755. **Thelycera hemithales L.B.Prout,1912** (Geometridae) Synonymy: hemithales L.B.Prout,1912 Range (as code): **ZA KE**
5756. **Thelycera sommereri Hausmann,1994** (Geometridae) Synonymy: sommereri Hausmann,1994 Range (as code): **GH**
5757. **Thenopa bidens Herbulot,1989** (Geometridae) Synonymy: bidens Herbulot,1989 Range (as code): **CM**
5758. **Thenopa diversa Walker,1855** (Geometridae) Synonymy: diversa Walker,1855; viridifascia Holland,1893 Range (as code): **GA Ogo**
5759. **Thenopa nigraria (Swinhoe,1904)** (Geometridae) Synonymy: nigraria Swinhoe,1904 Range (as code): **SL**
5760. **Thenopa pseudonigraria Carcasson,1964** (Geometridae) Synonymy: pseudonigraria Carcasson,1964 Range (as code): **UG**
5761. **Thera (s.str.) variolata (Staudinger,1900)** (Geometridae) Synonymy: variolata Staudinger,1900 Range (as code): **MA DZ Tni Tis**
5762. **Thetidia undulilinea (W.Warren,1905)** (Geometridae) Synonymy: undulilinea W.Warren,1905 Range (as code): **SL ZA ZA05 ZA07 Nta Kzu**
5763. **Timandra comae Schmidt,1931** (Geometridae) Synonymy: angulata Fourcroy,1785 nec Hfn.,1767; comae Schmidt,1931; brykaria Nordström,1943; comai Kaila & Albrecht,1994 Range (as code): **MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Cc GG AM AZ IR TM KG sKG Tks Sb Ksa Tk Aa MN 01 05 08 16 22 33 34 39 42 52 53 55 58 59 76**
5764. **Traminda acuta (W.Warren,1897)** (Geometridae) Synonymy: acuta W.Warren,1897; pallida W.Warren,1899; anandaria Swinhoe,1904 Range (as code): **ZA Nta Kzu Har ZW KE**
5765. **Traminda atroviridata (Saalmüller,1880)** (Geometridae) Synonymy: atroviridata Saalmüller,1880 Range (as code): **MG**
5766. **Traminda falcata W.Warren,1897** (Geometridae) Synonymy: falcata W.Warren,1897 Range (as code): **ZA ZA16 Mpu ZA17 ZA21 Tva Lpo ZA26 Nta Kzu**
5767. **Traminda graciliata Rebel,1948** (Geometridae) Synonymy: graciliata Rebel,1948 Range (as code): **EG JE**
5768. **Traminda mundissima (Walker,1861)** (Geometridae) Synonymy: mundissima Walker,1861; diatomata Walker,[1863]; semicompleta Walker,[1863]; burmana Swinhoe,1890; malacopis Lower,1902 Range (as code): **BH AE OM Sk YE Hd SA PG PMo ID Sba Sbw Bli AU NC MM Rgo TH CMa Cuo Cu05**

5769. **Traminda neptunaria (Guenée,[1858])** (Geometridae) Synonymy: neptunaria Guenée,[1858]; viridipennaria Guenée,[1858] Range (as code): **ZA ZA08 Ksi Kzu Nta ZA14 Mpu Mal Tva Lpo Spb Mdk ET SO YE Sna YE30 YE68 SA OM SN GA**

5770. **Traminda observata (Walker,1861)** (Geometridae) Synonymy: observata Walker,1861; glauca W.Warren,1897; striata W.Warren,1897 Range (as code): **ZA ZA05 ZA17 Tva Lpo ZA25 Kzu Nta SL AO ZW**

5771. **Traminda ocellata W.Warren,1895** (Geometridae) Synonymy: ocellata W.Warren,1895; rufa W.Warren,1897 Range (as code): **ZA ZA01 ZA13 Kzu Nta Wnn ZA21 Tva Lpo Spb Mdk**

5772. **Traminda syngenes L.B.Prout,1916** (Geometridae) Synonymy: syngenes L.B.Prout,1916 Range (as code): **CF**

5773. **Traminda vividaria (Walker,1861)** (Geometridae) Synonymy: vividaria Walker,1861; ledereri Wallengren,1863; nigripuncta W.Warren,1897; variegata Swinhoe,1904 Range (as code): **ZA ZA08 Ksi Kzu Nta LR KE SA YE YE30**

5774. **Trimetopia aetheraria Guenée,[1858]** (Geometridae) Synonymy: aetheraria Guenée,[1858] Range (as code): **ET KE ZA ZA17 Tva Lpo**

5775. **Triphosa affirmata (Guenée,[1858])** (Geometridae) Synonymy: affirmata (Guenée,[1858]; congoata Walker,1862; dubiferata Walker,1862; metagrammata Walker,1862; progressata Walker,1862; subcertaria Herrich-Schäffer,1870; rosenbergi W.Warren,1900; furva W.Warren,1907 Range (as code): **BR CG CO PY VE EC CU**

5776. **Triphosa dyriata Powell,1941** (Geometridae) Synonymy: dyriata Powell,1941 Range (as code): **MA DZ**

5777. **Triphosa sabaudiata (Duponchel,1830)** (Geometridae) Synonymy: sabaudiata Duponchel,1830; millierata Bruand,1855; agnata Le Cerf,1918; oberthueri Le Cerf,1918 Range (as code): **MA ES FR IT DE CH AT RO YU AL BG GR TR LB Bsa 01 05 06 07 08 25 29 32 33 37 38 69**

5778. **Vaena dubitata (Bryk,1913)** (Geometridae) Synonymy: dubitata Bryk,1913 Range (as code): **CM**

5779. **Vaena eacleoides Walker,1869** (Geometridae) Synonymy: eacleoides Walker,1869; ochreata Holland,1893 Range (as code): **ZR NG**

5780. **Vaena filigranata (Bryk,1913)** (Geometridae) Synonymy: filigranata Bryk,1913 Range (as code): **CM**

5781. **Veniliodes inflammata W.Warren,1894** (Geometridae) Synonymy: inflammata W.Warren,1894 Range (as code): **ZA Etm ZA04 Nta Kzu**

5782. **Veniliodes pantheraria (R.Felder & Rogenhofer,1874)** (Geometridae) Synonymy: pantheraria R.Felder & Rogenhofer,1874 Range (as code): **ZA ZA05 Kzu**

5783. **Veniliodes sp.** (Geometridae) Synonymy: Range (as code): **ZA Ktz Nta Kzu**

5784. **Victoria albipicta W.Warren,1897** (Geometridae) Synonymy: albipicta W.Warren,1897 Range (as code): **ZA Wca Ec Grh Nta Kzu Fs Blo**

5785. **Victoria altimontaria Herbulot,1971** (Geometridae) Synonymy: altimontaria Herbulot,1971 Range (as code): **CM**

5786. **Victoria argopastea L.B.Prout,1938** (Geometridae) Synonymy: argopastea L.B.Prout,1938 Range (as code): **TZ**

5787. **Victoria barlowi L.B.Prout,1922** (Geometridae) Synonymy: barlowi L.B.Prout,1922 Range (as code): **MW**

5788. **Victoria compsa L.B.Prout,1932** (Geometridae) Synonymy: compsa L.B.Prout,1932 Range (as code): **ZR**

5789. **Victoria fuscithorax W.Warren,1905** (Geometridae) Synonymy: fuscithorax W.Warren,1905; mirabilis W.Warren,1911 Range (as code): **UG ZA ZA04 ZA07 ZA27 ZA17 Tva Lpo Spb Bbg ZA26 Nta Kzu Dbn**

5790. **Victoria gordoni L.B.Prout,1912** (Geometridae) Synonymy: gordoni L.B.Prout,1912 Range (as code): **NG Caa**

5791. **Victoria immunifica L.B.Prout,1912** (Geometridae) Synonymy: immunifica L.B.Prout,1912 Range (as code): **SL RW**

5792. **Victoria immunifica ruandana Herbulot,1989** (Geometridae) Synonymy: ruandana Herbulot,1989 Range (as code): **RW**

5793. **Victoria melanochlora Carcasson,1962** (Geometridae) Synonymy: melanochlora Carcasson,1962 Range (as code): **UG**

5794. **Victoria perornata W.Warren,1898** (Geometridae) Synonymy: perornata W.Warren,1898 Range (as code): **NG**

5795. **Victoria rhodoblemma L.B.Prout,1938** (Geometridae) Synonymy: rhodoblemma L.B.Prout,1938 Range (as code): **ZA MW Zom**

5796. **Victoria sematoperas L.B.Prout,1916** (Geometridae) Synonymy: sematoperas L.B.Prout,1916 Range (as code): **SO KE**

5797. **Victoria subhyalina Herbulot,1982** (Geometridae) Synonymy: subhyalina Herbulot,1982 Range (as code): **RW**
5798. **Victoria taminata Herbulot,1982** (Geometridae) Synonymy: taminata Herbulot,1982 Range (as code): **CM**
5799. **Victoria triplaga L.B.Prout,1915** (Geometridae) Synonymy: triplaga L.B.Prout,1915 Range (as code): **TZ ZW Bul MW**
5800. **Victoria watsonae Carcasson,1971** (Geometridae) Synonymy: watsonae Carcasson,1971; nimbosa Herbulot,1972 Range (as code): **LR CI**
5801. **Victoria wiltshirei Hausmann,1996** (Geometridae) Synonymy: wiltshirei Hausmann,1996 Range (as code): **SD Hud**
5802. **Xanthisthisa brunnea (W.Warren,1899)** (Geometridae) Synonymy: brunnea W.Warren,1899 Range (as code): **NG**
5803. **Xanthisthisa copta Herbulot,1977** (Geometridae) Synonymy: copta Herbulot,1977 Range (as code): **ET**
5804. **Xanthisthisa fulva (W.Warren,1902)** (Geometridae) Synonymy: fulva W.Warren,1902 Range (as code): **KE**
5805. **Xanthisthisa holmi D.S.Fletcher,1958** (Geometridae) Synonymy: holmi D.S.Fletcher,1958 Range (as code): **UG ZR**
5806. **Xanthisthisa lemairei Herbulot,1973** (Geometridae) Synonymy: lemairei Herbulot,1973 Range (as code): **CM**
5807. **Xanthisthisa nigricumulata (W.Warren,1902)** (Geometridae) Synonymy: nigricumulata W.Warren,1902 Range (as code): **KE**
5808. **Xanthisthisa niveifrons (L.B.Prout,1922)** (Geometridae) Synonymy: niveifrons L.B.Prout,1922 Range (as code): **ZA Gau Tva Pre**
5809. **Xanthisthisa tarsispina (W.Warren,1901)** (Geometridae) Synonymy: tarsispina W.Warren,1901 Range (as code): **KE**
5810. **Xanthisthisa tergorinota L.B.Prout,1928** (Geometridae) Synonymy: tergorinota L.B.Prout,1928 Range (as code): **MZ**
5811. **Xanthisthisa terna Herbulot,1984** (Geometridae) Synonymy: terna Herbulot,1984 Range (as code): **ET Sw ET225 Sdm ET281 Ble ET86**
5812. **Xanthisthisa tumida (W.Warren,1902)** (Geometridae) Synonymy: tumida W.Warren,1902 Range (as code): **KE**
5813. **Xanthorhoe ablechra D.S.Fletcher,1958** (Geometridae) Synonymy: ablechra D.S.Fletcher,1958 Range (as code): **UG**
5814. **Xanthorhoe abyssinica Herbulot,1983** (Geometridae) Synonymy: abyssinica Herbulot,1983 Range (as code): **ET**
5815. **Xanthorhoe albodivisaria (Aurivillius,1910)** (Geometridae) Synonymy: albodivisaria Aurivillius,1910 Range (as code): **KE TZ ZA**
5816. **Xanthorhoe alluaudi (L.B.Prout,1932)** (Geometridae) Synonymy: alluaudi L.B.Prout,1932 Range (as code): **TZ UG ZR**
5817. **Xanthorhoe alta Debauche,1937** (Geometridae) Synonymy: alta Debauche,1937 Range (as code): **ET**
5818. **Xanthorhoe altispex (L.B.Prout,1921)** (Geometridae) Synonymy: altispex L.B.Prout,1921 Range (as code): **ZR**
5819. **Xanthorhoe belgarum Herbulot,1981** (Geometridae) Synonymy: belgarum Herbulot,1981 Range (as code): **TZ**
5820. **Xanthorhoe borbonicata (Guenée,[1858])** (Geometridae) Synonymy: borbonicata Guenée,[1858] Range (as code): **RE ZA**
5821. **Xanthorhoe brachytoma L.B.Prout,1933** (Geometridae) Synonymy: brachytoma L.B.Prout,1933 Range (as code): **ZR**
5822. **Xanthorhoe braunsi Janse,1933** (Geometridae) Synonymy: braunsi Janse,1933 Range (as code): **ZA Ec Ww**
5823. **Xanthorhoe cadra (Debauche,1937)** (Geometridae) Synonymy: cadra Debauche,1937 Range (as code): **ET**
5824. **Xanthorhoe calycopis L.B.Prout,1933** (Geometridae) Synonymy: calycopis L.B.Prout,1933 Range (as code): **ZR**

5825. **Xanthorhoe conchulata (L.B.Prout,1921)** (Geometridae) Synonymy: conchulata L.B.Prout,1921 Range (as code): **TZ**
5826. **Xanthorhoe consors (L.B.Prout,1935)** (Geometridae) Synonymy: consors L.B.Prout,1935 Range (as code): **KE Nai**
5827. **Xanthorhoe cuneosignata Debauche,1937** (Geometridae) Synonymy: cuneosignata Debauche,1937 Range (as code): **ET**
5828. **Xanthorhoe eugraphata (De Joannis,1915)** (Geometridae) Synonymy: eugraphata De Joannis,1915 Range (as code): **MU**
5829. **Xanthorhoe euthytoma L.B.Prout,1926** (Geometridae) Synonymy: euthytoma L.B.Prout,1926 Range (as code): **NG**
5830. **Xanthorhoe excelsissima Herbulot,1977** (Geometridae) Synonymy: excelsissima Herbulot,1977 Range (as code): **ET**
5831. **Xanthorhoe exorista L.B.Prout,1922** (Geometridae) Synonymy: exorista L.B.Prout,1922 Range (as code): **ZA Wca Tva Etm ZA04 ZA06 ZA20 Mpu ZA25 Kzu Nta Dbn ET UG CM**
5832. **Xanthorhoe fluctuata (Linnaeus,1758)** (Geometridae) Synonymy: fluctuata Linnaeus,1758; fibulata Hufnagel,1767; cinerata Fourcroy,1785 nec Fabr.,1781; costovata Haworth,1809; fluctuaria Boisduval,1840; multistriga Oberthür,1910 Range (as code): **MA DZ Clo Cst TN ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ IQ IR Fa DK NO SE FI EE LV LT RU Kol K-R Sb Am Kmt Sh MD UA Cm BY IL Pa Jf LB Bsa KK KG Ui Kön KP KR JP 01 05 06 14 16 17 21 22 23 31 33 34 39 42 46 48 49 51 52 56 58 65 73**
5833. **Xanthorhoe holophaea (Hampson,1899)** (Geometridae) Synonymy: holophaea Hampson,1899 Range (as code): **Sk**
5834. **Xanthorhoe latigrisea (W.Warren,1897)** (Geometridae) Synonymy: latigrisea W.Warren,1897 Range (as code): **MW**
5835. **Xanthorhoe magnata Herbulot,1957** (Geometridae) Synonymy: magnata Herbulot,1957 Range (as code): **RE**
5836. **Xanthorhoe malgassa Herbulot,1954** (Geometridae) Synonymy: malgassa Herbulot,1954 Range (as code): **MG**
5837. **Xanthorhoe melissaria (Guenée,[1858])** (Geometridae) Synonymy: melissaria Guenée,[1858] Range (as code): **ZA Wca ZW ZR UG**
5838. **Xanthorhoe mimica Janse,1933** (Geometridae) Synonymy: mimica Janse,1933 Range (as code): **ZA Nta Kzu Ktz**
5839. **Xanthorhoe poseata (Geyer,[1836])** (Geometridae) Synonymy: poseata Geyer,[1836]; viridicinctata Guenée,[1858]; penetrata Walker,1862; rudisaria Walker,1862; vivadata Walker,1862; colorata Walker,[1863] Range (as code): **ZA Tva ZA10 ZA11 ZA12 ZA13 Nta Kzu ZA14 Mpu Ggh Fs Wca Ec**
5840. **Xanthorhoe procne (Fawcett,1916)** (Geometridae) Synonymy: procne Fawcett,1916 Range (as code): **KE**
5841. **Xanthorhoe sp.?** (Geometridae) Synonymy: Range (as code): **ZA Tva ZA14 ZA20 Mpu**
5842. **Xanthorhoe tamsi D.S.Fletcher,1963** (Geometridae) Synonymy: tamsi D.S.Fletcher,1963 Range (as code): **ST**
5843. **Xanthorhoe transjugata L.B.Prout,1923** (Geometridae) Synonymy: transjugata L.B.Prout,1923; mikenaria Debauche,1938 Range (as code): **ZA Tva ZA11 ZA13 Nta Kzu ZA14 Mpu KE**
5844. **Xenimpia albicaput D.S.Fletcher,1956** (Geometridae) Synonymy: albicaput D.S.Fletcher,1956 Range (as code): **CM**
5845. **Xenimpia angusta L.B.Prout,1915** (Geometridae) Synonymy: angusta L.B.Prout,1915 Range (as code): **KE**
5846. **Xenimpia burgessi Carcasson,1964** (Geometridae) Synonymy: burgessi Carcasson,1964 Range (as code): **UG**
5847. **Xenimpia chalepa L.B.Prout,1915** (Geometridae) Synonymy: chalepa L.B.Prout,1915 Range (as code): **CM**
5848. **Xenimpia clenchi Viette,1980** (Geometridae) Synonymy: clenchi Viette,1980 Range (as code): **MG**
5849. **Xenimpia conformis (W.Warren,1898)** (Geometridae) Synonymy: conformis W.Warren,1898 Range (as code): **NG**
5850. **Xenimpia crassimedia Herbulot,1996** (Geometridae) Synonymy: crassimedia Herbulot,1996 Range (as code): **RW**
5851. **Xenimpia crassipecten Herbulot,1961** (Geometridae) Synonymy: crassipecten Herbulot,1961 Range (as code): **MG**
5852. **Xenimpia dohertyi Herbulot,1961** (Geometridae) Synonymy: dohertyi Herbulot,1961 Range (as code): **KE**

5853. **Xenimpia erosa W.Warren,1895** (Geometridae) Synonymy: erosa W.Warren,1895 Range (as code): **ZA Etm ZA04 Ksi Mal Tva Lpo ZA18 Ec ZA25 ZA26 ZA27 Nta Kzu ZR**
5854. **Xenimpia fletcheri Herbulot,1954** (Geometridae) Synonymy: fletcheri Herbulot,1954 Range (as code): **MG**
5855. **Xenimpia flexuosa Herbulot,1996** (Geometridae) Synonymy: flexuosa Herbulot,1996 Range (as code): **CM**
5856. **Xenimpia hecqi Herbulot,1996** (Geometridae) Synonymy: hecqi Herbulot,1996 Range (as code): **RW**
5857. **Xenimpia informis (Swinhoe,1904)** (Geometridae) Synonymy: informis Swinhoe,1904 Range (as code): **NG**
5858. **Xenimpia kala Herbulot,1973** (Geometridae) Synonymy: kala Herbulot,1973 Range (as code): **CM**
5859. **Xenimpia karischi Herbulot,1996** (Geometridae) Synonymy: karischi Herbulot,1996 Range (as code): **GO Bio**
5860. **Xenimpia lactesignata (W.Warren,1914)** (Geometridae) Synonymy: lactesignata W.Warren,1914 Range (as code): **ZA Ec Cto Cap**
5861. **Xenimpia loile Carcasson,1964** (Geometridae) Synonymy: loile Carcasson,1964 Range (as code): **CG**
5862. **Xenimpia luxuriosa Herbulot,1961** (Geometridae) Synonymy: luxuriosa Herbulot,1961 Range (as code): **KM**
5863. **Xenimpia maculosata (W.Warren,1897)** (Geometridae) Synonymy: maculosata W.Warren,1897 Range (as code): **ZA Ec Cap**
5864. **Xenimpia misogyna Carcasson,1962** (Geometridae) Synonymy: misogyna Carcasson,1962 Range (as code): **KE Nai**
5865. **Xenimpia opala Carcasson,1964** (Geometridae) Synonymy: opala Carcasson,1964 Range (as code): **CG**
5866. **Xenimpia sabae Hausmann,2006** (Geometridae) Synonymy: sabae Hausmann,2006 Range (as code): **ET ET29 Gm YE YE30 YE33**
5867. **Xenimpia sillaria (Swinhoe,1904)** (Geometridae) Synonymy: sillaria Swinhoe,1904 Range (as code): **GH Acc**
5868. **Xenimpia soricina Herbulot,1973** (Geometridae) Synonymy: soricina Herbulot,1973 Range (as code): **CM**
5869. **Xenimpia spinosivalis Herbulot,1996** (Geometridae) Synonymy: spinosivalis Herbulot,1996 Range (as code): **CM**
5870. **Xenimpia tetracantha Herbulot,1973** (Geometridae) Synonymy: tetracantha Herbulot,1973 Range (as code): **CM**
5871. **Xenimpia transmarina Herbulot,1961** (Geometridae) Synonymy: transmarina Herbulot,1961 Range (as code): **MG**
5872. **Xenimpia trizonata (Saalmüller,1891)** (Geometridae) Synonymy: trizonata Saalmüller,1891; trivittata Mabille,1900 Range (as code): **MG**
5873. **Xenimpia vastata Herbulot,1996** (Geometridae) Synonymy: vastata Herbulot,1996 Range (as code): **RW**
5874. **Xenochlorodes olympiaria (Herrich-Schäffer,[1852]** (Geometridae) Synonymy: olympiaria Herrich-Schäffer,[1852]; cremonaria Staudinger,1897; pallida W.Warren,1897. Range (as code): **ES GR TR LB Bei Bsa IL Pa Js Hf CY LY 01 16**
5875. **Xenochlorodes xina L.B.Prout,1916** (Geometridae) Synonymy: xina L.B.Prout,1916 Range (as code): **TZ ZA Ktz ZA05 ZA06 ZA07 ZA08 Ksi Nta Kzu ZA14 ZA16 Mpu Brb ZA17 ZA21 Tva Lpo Umk**
5876. **Xenochroma aetherea Debauche,1941** (Geometridae) Synonymy: aetherea Debauche,1941 Range (as code): **CG**
5877. **Xenochroma angulosa Herbulot,1984** (Geometridae) Synonymy: angulosa Herbulot,1984 Range (as code): **CM**
5878. **Xenochroma candidata W.Warren,1902** (Geometridae) Synonymy: candidata W.Warren,1902 Range (as code): **ZA ZA16 Mpu ZA17 Tva Lpo Ec Elo MZ Del MW NG**
5879. **Xenochroma dyschlorata (W.Warren,1914)** (Geometridae) Synonymy: dyschlorata W.Warren,1914 Range (as code): **ZA Nta Kzu ZW MW**
5880. **Xenochroma palimpais L.B.Prout,1934** (Geometridae) Synonymy: palimpais L.B.Prout,1934 Range (as code): **NG**
5881. **Xenochroma planimargo L.B.Prout,1912** (Geometridae) Synonymy: planimargo L.B.Prout,1912 Range (as code): **ZW Umv MW**

5882. **Xenochroma roseimargo Janse,1935** (Geometridae) Synonymy: roseimargo Janse,1935 Range (as code): **ZW Har**
5883. **Xenochroma salsa (W.Warren,1897)** (Geometridae) Synonymy: salsa W.Warren,1897 Range (as code): **SL**
5884. **Xenochroma silvatica Herbulot,1984** (Geometridae) Synonymy: silvatica Herbulot,1984 Range (as code): **CG**
5885. **Xylopteryx amieti Herbulot,1973** (Geometridae) Synonymy: amieti Herbulot,1973 Range (as code): **CM**
5886. **Xylopteryx anodina Herbulot,1984** (Geometridae) Synonymy: anodina Herbulot,1984 Range (as code): **RW**
5887. **Xylopteryx arcuata (Walker,1862)** (Geometridae) Synonymy: arcuata Walker,1862; laticinctata Walker,1862; sublectata Walker,1862; albimaculata Hampson,1902 Range (as code): **ZA ZA13 Kzu Nta Ec Cap KE**
5888. **Xylopteryx aucilla L.B.Prout,1926** (Geometridae) Synonymy: aucilla L.B.Prout,1926 Range (as code): **KE**
5889. **Xylopteryx bifida Herbulot,1984** (Geometridae) Synonymy: bifida Herbulot,1984 Range (as code): **RW**
5890. **Xylopteryx clathrata Herbulot,1984** (Geometridae) Synonymy: clathrata Herbulot,1984 Range (as code): **RW**
5891. **Xylopteryx cowani Viette,1972** (Geometridae) Synonymy: cowani Viette,1972 Range (as code): **MG**
5892. **Xylopteryx dargei Herbulot,1984** (Geometridae) Synonymy: dargei Herbulot,1984 Range (as code): **CM**
5893. **Xylopteryx doto L.B.Prout,1925** (Geometridae) Synonymy: doto L.B.Prout,1925 Range (as code): **MG KM**
5894. **Xylopteryx elongata Herbulot,1985** (Geometridae) Synonymy: elongata Herbulot,1985 Range (as code): **CM**
5895. **Xylopteryx emunctaria (Guenée,[1858])** (Geometridae) Synonymy: emunctaria Guenée,[1858]; interposita W.Warren,1902 Range (as code): **ET KE**
5896. **Xylopteryx gibbosa Herbulot,1973** (Geometridae) Synonymy: gibbosa Herbulot,1973 Range (as code): **CM**
5897. **Xylopteryx lemairei Herbulot,1984** (Geometridae) Synonymy: lemairei Herbulot,1984 Range (as code): **CM**
5898. **Xylopteryx leroyae D.S.Fletcher,1963** (Geometridae) Synonymy: leroyae D.S.Fletcher,1963 Range (as code): **ZR Kvu**
5899. **Xylopteryx nacaria (Swinhoe,1904)** (Geometridae) Synonymy: nacaria Swinhoe,1904 Range (as code): **GH**
5900. **Xylopteryx nebulata D.S.Fletcher,1963** (Geometridae) Synonymy: nebulata D.S.Fletcher,1963 Range (as code): **ZR Kvu**
5901. **Xylopteryx oneili L.B.Prout,1932** (Geometridae) Synonymy: oneili L.B.Prout,1932 Range (as code): **ZW Bul**
5902. **Xylopteryx phaeochyta D.S.Fletcher,1958** (Geometridae) Synonymy: phaeochyta D.S.Fletcher,1958 Range (as code): **UG ZR Rz**
5903. **Xylopteryx prasinaria Hampson,1909** (Geometridae) Synonymy: prasinaria Hampson,1909 Range (as code): **ZA ZA01 Tva Lpo Ksi Mal ZA16 Mpu ZA25 Kzu Nta**
5904. **Xylopteryx protearia Guenée,[1858]** (Geometridae) Synonymy: protearia Guenée,[1858] Range (as code): **ZA Etm Nta Kzu ZA04 ZA05 ZA11 ZA13 ZA14 Mpu Mal Tva Lpo**
5905. **Xylopteryx protearia Guenée,[1858]** (Geometridae) Synonymy: protearia Guenée,[1858]; lucidiscata Walker,[1863]; africana W.Warren,1911 Range (as code): **ZA Ec Cap**
5906. **Xylopteryx prouti Carcasson,1965** (Geometridae) Synonymy: prouti Carcasson,1965 Range (as code): **UG**
5907. **Xylopteryx raphaelaria (Oberthür,1890)** (Geometridae) Synonymy: raphaelaria Oberthür,1890 Range (as code): **ET**
5908. **Xylopteryx sima L.B.Prout,1926** (Geometridae) Synonymy: sima L.B.Prout,1926 Range (as code): **KE**
5909. **Xylopteryx triphaenata Herbulot,1984** (Geometridae) Synonymy: triphaenata Herbulot,1984 Range (as code): **CG**

5910. **Xylopteryx turlini Herbulot,1984** (Geometridae) Synonymy: turlini Herbulot,1984 Range (as code): **RW**
5911. **Xylopteryx versicolor (W.Warren,1902)** (Geometridae) Synonymy: versicolor W.Warren,1902 Range (as code): **KE**
5912. **Zamarada ? chrystallophana Mabille,1900** (Geometridae) Synonymy: chrystallophana Mabille,1900 Range (as code): **ZA ZA07 Kzu Nta**
5913. **Zamarada acerata Pierre-Baltus,1983** (Geometridae) Synonymy: acerata Pierre-Baltus,1983 Range (as code): **GA**
5914. **Zamarada achrochra L.B.Prout,1928** (Geometridae) Synonymy: achrochra L.B.Prout,1928 Range (as code): **SN**
5915. **Zamarada aclea L.B.Prout,1912** (Geometridae) Synonymy: aclea L.B.Prout,1912 Range (as code): **ZW**
5916. **Zamarada aclys D.S.Fletcher,1974** (Geometridae) Synonymy: aclys D.S.Fletcher,1974 Range (as code): **CM GA**
5917. **Zamarada acosmeta L.B.Prout,1921** (Geometridae) Synonymy: acosmeta L.B.Prout,1921 Range (as code): **BI MW ZM AO ZR UG**
5918. **Zamarada adiposata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonymy: adiposata R.Felder & Rogenhofer,1875 Range (as code): **MZ ZA ZA14 Mpu ZA17 Tva Lpo ZA26 Kzu Nta Spb Inn Wp Pot Kru Pma Mll Ec**
5919. **Zamarada adumbrata D.S.Fletcher,1974** (Geometridae) Synonymy: adumbrata D.S.Fletcher,1974 Range (as code): **GN SL CI NG CM AO CF UG**
5920. **Zamarada aegrotans Herbulot,1979** (Geometridae) Synonymy: aegrotans Herbulot,1979 Range (as code): **CM**
5921. **Zamarada aequilumata D.S.Fletcher,1974** (Geometridae) Synonymy: aequilumata D.S.Fletcher,1974 Range (as code): **ZM TZ ZR MW**
5922. **Zamarada aerata D.S.Fletcher,1974** (Geometridae) Synonymy: aerata D.S.Fletcher,1974 Range (as code): **GA CM**
5923. **Zamarada aglae Oberthür,1912** (Geometridae) Synonymy: aglae Oberthür,1912 Range (as code): **CM GA**
5924. **Zamarada amelga D.S.Fletcher,1974** (Geometridae) Synonymy: amelga D.S.Fletcher,1974 Range (as code): **TZ**
5925. **Zamarada amicta L.B.Prout,1915** (Geometridae) Synonymy: amicta L.B.Prout,1915 Range (as code): **KE UG BI ZR**
5926. **Zamarada amymone L.B.Prout,1934** (Geometridae) Synonymy: amymone L.B.Prout,1934 Range (as code): **ZR GN SL CI UG**
5927. **Zamarada anacantha D.S.Fletcher,1974** (Geometridae) Synonymy: anacantha D.S.Fletcher,1974 Range (as code): **SD Kht YE Sna YE30 YE33 EG SN GH NG**
5928. **Zamarada angustimargo W.Warren,1901** (Geometridae) Synonymy: angustimargo W.Warren,1901 Range (as code): **AO**
5929. **Zamarada anna D.S.Fletcher,1974** (Geometridae) Synonymy: anna D.S.Fletcher,1974 Range (as code): **LR**
5930. **Zamarada ansorgei W.Warren,1897** (Geometridae) Synonymy: ansorgei W.Warren,1897 Range (as code): **KE TZ**
5931. **Zamarada antimima D.S.Fletcher,1974** (Geometridae) Synonymy: antimima D.S.Fletcher,1974 Range (as code): **CM LR CI NG GA ZR**
5932. **Zamarada apicata Herbulot,1983** (Geometridae) Synonymy: apicata Herbulot,1983 Range (as code): **CM**
5933. **Zamarada arguta D.S.Fletcher,1974** (Geometridae) Synonymy: arguta D.S.Fletcher,1974 Range (as code): **ZR ZM**
5934. **Zamarada ariste D.S.Fletcher,1974** (Geometridae) Synonymy: ariste D.S.Fletcher,1974 Range (as code): **CM UG**
5935. **Zamarada ascaphes L.B.Prout,1925** (Geometridae) Synonymy: ascaphes L.B.Prout,1925 Range (as code): **NA Abc BW ZW ZA Ec**
5936. **Zamarada astales D.S.Fletcher,1974** (Geometridae) Synonymy: astales D.S.Fletcher,1974 Range (as code): **CM UG**
5937. **Zamarada astyphela D.S.Fletcher,1974** (Geometridae) Synonymy: astyphela D.S.Fletcher,1974 Range (as code): **AO GA ZR**

5938. **Zamarada auratisquama W.Warren,1897** (Geometridae) Synonymy: auratisquama W.Warren,1897 Range (as code): **NG CM GA ZR**
5939. **Zamarada aureomarginata Pagenstecher,1907** (Geometridae) Synonymy: aureomarginata Pagenstecher,1907 Range (as code): **MG**
5940. **Zamarada aurolineata Gaede,1915** (Geometridae) Synonymy: aurolineata Gaede,1915 Range (as code): **CM GA GO Bio**
5941. **Zamarada azona Herbulot,1983** (Geometridae) Synonymy: azona Herbulot,1983 Range (as code): **CM**
5942. **Zamarada bamenda Herbulot,1975** (Geometridae) Synonymy: bamenda Herbulot,1975 Range (as code): **CM**
5943. **Zamarada bastelbergeri Gaede,1915** (Geometridae) Synonymy: bastelbergeri Gaede,1915; acichemena L.B.Prout,1934 Range (as code): **CM ZR RW GN NG GA UG**
5944. **Zamarada bathyscaphes L.B.Prout,1912** (Geometridae) Synonymy: bathyscaphes L.B.Prout,1912; perplexa Janse,1932 Range (as code): **ZW Uma Umv TZ BI ZR ZM MW MZ**
5945. **Zamarada bernardii D.S.Fletcher,1974** (Geometridae) Synonymy: bernardii D.S.Fletcher,1974 Range (as code): **GA CM**
5946. **Zamarada bicuspida D.S.Fletcher,1974** (Geometridae) Synonymy: bicuspida D.S.Fletcher,1974 Range (as code): **CI SN GO Bio LR SL NG CM CF GA ZR**
5947. **Zamarada bilobata D.S.Fletcher,1974** (Geometridae) Synonymy: bilobata D.S.Fletcher,1974 Range (as code): **GA**
5948. **Zamarada bonaberiensis Strand,1915** (Geometridae) Synonymy: bonaberiensis Strand,1915 Range (as code): **CM CI ZR UG KE**
5949. **Zamarada brevidens Pierre-Baltus,1983** (Geometridae) Synonymy: brevidens Pierre-Baltus,1983 Range (as code): **GA**
5950. **Zamarada calypso L.B.Prout,1926** (Geometridae) Synonymy: calypso L.B.Prout,1926 Range (as code): **MG KE ET Hrr ET87 YE YE30 Sna**
5951. **Zamarada candelabra D.S.Fletcher,1974** (Geometridae) Synonymy: candelabra D.S.Fletcher,1974 Range (as code): **TZ UG ZR**
5952. **Zamarada canina Herbulot,1983** (Geometridae) Synonymy: canina Herbulot,1983 Range (as code): **RW**
5953. **Zamarada carcassoni D.S.Fletcher,1974** (Geometridae) Synonymy: carcassoni D.S.Fletcher,1974 Range (as code): **UG ZR**
5954. **Zamarada cathetus D.S.Fletcher,1974** (Geometridae) Synonymy: cathetus D.S.Fletcher,1974 Range (as code): **CM GA**
5955. **Zamarada catori Bethune-Baker,1913** (Geometridae) Synonymy: catori Bethune-Baker,1913 Range (as code): **NG CM**
5956. **Zamarada cautela D.S.Fletcher,1974** (Geometridae) Synonymy: cautela D.S.Fletcher,1974 Range (as code): **GA**
5957. **Zamarada cepa D.S.Fletcher,1974** (Geometridae) Synonymy: cepa D.S.Fletcher,1974 Range (as code): **GA**
5958. **Zamarada chrysopa D.S.Fletcher,1974** (Geometridae) Synonymy: chrysopa D.S.Fletcher,1974 Range (as code): **ZR KE**
5959. **Zamarada chrysothyra Hampson,1909** (Geometridae) Synonymy: chrysothyra Hampson,1909 Range (as code): **UG NG**
5960. **Zamarada cinereata D.S.Fletcher,1974** (Geometridae) Synonymy: cinereata D.S.Fletcher,1974 Range (as code): **GA ZR**
5961. **Zamarada cinnamomata D.S.Fletcher,1978** (Geometridae) Synonymy: cinnamomata D.S.Fletcher,1978 Range (as code): **TZ**
5962. **Zamarada clavigera D.S.Fletcher,1974** (Geometridae) Synonymy: clavigera D.S.Fletcher,1974 Range (as code): **CM GA GM**
5963. **Zamarada clementi Herbulot,1975** (Geometridae) Synonymy: clementi Herbulot,1975 Range (as code): **CM**
5964. **Zamarada clenchi D.S.Fletcher,1974** (Geometridae) Synonymy: clenchi D.S.Fletcher,1974 Range (as code): **CM GA ZR UG**
5965. **Zamarada clio Oberthür,1912** (Geometridae) Synonymy: clio Oberthür,1912 Range (as code): **CM GA**

5966.**Zamarada collarti Debauche,1938** (Geometridae) Synonymy: collarti Debauche,1938 Range (as code): **ZR UG TZ KE**
5967.**Zamarada consecuta L.B.Prout,1922** (Geometridae) Synonymy: consecuta L.B.Prout,1922 Range (as code): **ZW ZA ZA17 Gau Pre Jh Mpu Brb Tva Lpo Pot Wb**
5968.**Zamarada consummata D.S.Fletcher,1974** (Geometridae) Synonymy: consummata D.S.Fletcher,1974 Range (as code): **ZR UG CM**
5969.**Zamarada corroborata Herbulot,1954** (Geometridae) Synonymy: corroborata Herbulot,1954 Range (as code): **GN CM ZR SL LR GH NG**
5970.**Zamarada corymbophora D.S.Fletcher,1974** (Geometridae) Synonymy: corymbophora D.S.Fletcher,1974 Range (as code): **CM ZR**
5971.**Zamarada crenulata D.S.Fletcher,1974** (Geometridae) Synonymy: crenulata D.S.Fletcher,1974 Range (as code): **CM**
5972.**Zamarada crystallophana Mabille,1900** (Geometridae) Synonymy: crystallophana Mabille,1900 Range (as code): **SN CI GH NG CM ZR ZM UG KE TZ MZ MW ZW Vum**
5973.**Zamarada cucharita D.S.Fletcher,1974** (Geometridae) Synonymy: cucharita D.S.Fletcher,1974 Range (as code): **TZ KE UG CM NG GH CI LR GN**
5974.**Zamarada cydippe Herbulot,1954** (Geometridae) Synonymy: cydippe Herbulot,1954 Range (as code): **GN GA ZR UG TZ SL GH**
5975.**Zamarada dargei D.S.Fletcher,1974** (Geometridae) Synonymy: dargei D.S.Fletcher,1974 Range (as code): **GA**
5976.**Zamarada dasyceles D.S.Fletcher,1974** (Geometridae) Synonymy: dasyceles D.S.Fletcher,1974 Range (as code): **ZR**
5977.**Zamarada dearmata Herbulot,1997** (Geometridae) Synonymy: dearmata Herbulot,1997 Range (as code): **ZR**
5978.**Zamarada deceptrix W.Warren,1914** (Geometridae) Synonymy: deceptrix W.Warren,1914 Range (as code): **ET UG KE MZ ZM ZW BW ZA ZA04 ZA16 Mpu ZA26 Kzu Ec Tva Lpo Kru Pf Spb Mdk Mll Pot Pma Dbn**
5979.**Zamarada deformata D.S.Fletcher,1974** (Geometridae) Synonymy: deformata D.S.Fletcher,1974 Range (as code): **ZR**
5980.**Zamarada delosis D.S.Fletcher,1974** (Geometridae) Synonymy: delosis D.S.Fletcher,1974 Range (as code): **TZ KE MZ**
5981.**Zamarada delta D.S.Fletcher,1974** (Geometridae) Synonymy: delta D.S.Fletcher,1974 Range (as code): **KE Nai ET SD TZ UG BI RW ZR**
5982.**Zamarada densisparsa L.B.Prout,1922** (Geometridae) Synonymy: densisparsa L.B.Prout,1922 Range (as code): **ZW Har**
5983.**Zamarada dentata D.S.Fletcher,1958** (Geometridae) Synonymy: dentata D.S.Fletcher,1958 Range (as code): **UG RW ZR**
5984.**Zamarada denticatella L.B.Prout,1922** (Geometridae) Synonymy: denticatella L.B.Prout,1922 Range (as code): **ZW Har TZ MW ZM ZR AO**
5985.**Zamarada dentigera W.Warren,1909** (Geometridae) Synonymy: dentigera W.Warren,1909 Range (as code): **GN CI GH NG CM GA AO ZR UG KE MW MZ ZA ZA07 Ksi Nta Kzu Tva Lpo Spb Mdk TZ**
5986.**Zamarada dialitha D.S.Fletcher,1974** (Geometridae) Synonymy: dialitha D.S.Fletcher,1974 Range (as code): **CM GA ZR**
5987.**Zamarada differens Bastelberger,1907** (Geometridae) Synonymy: differens Bastelberger,1907 Range (as code): **CF UG KE TZ ZM ZW MZ KM ZA Mal ZA16 Mpu ZA17 Tva Lpo Kru Prt Dbn Gau Pre Nta Kzu**
5988.**Zamarada dilata D.S.Fletcher,1974** (Geometridae) Synonymy: dilata D.S.Fletcher,1974 Range (as code): **CM GA ZR**
5989.**Zamarada dilucida W.Warren,1909** (Geometridae) Synonymy: dilucida W.Warren,1909 Range (as code): **SN GA GN SL GH NG NE CM**
5990.**Zamarada dione D.S.Fletcher,1974** (Geometridae) Synonymy: dione D.S.Fletcher,1974 Range (as code): **ZR GA**
5991.**Zamarada disparata D.S.Fletcher,1974** (Geometridae) Synonymy: disparata D.S.Fletcher,1974 Range (as code): **GA**
5992.**Zamarada dolorosa D.S.Fletcher,1974** (Geometridae) Synonymy: dolorosa D.S.Fletcher,1974 Range (as code): **GN LR GH CM GA AO ZR**
5993.**Zamarada dorsiplaga L.B.Prout,1922** (Geometridae) Synonymy: dorsiplaga L.B.Prout,1922 Range (as code): **ZW Har ZM ZR**

5994. **Zamarada dyscapna D.S.Fletcher,1974** (Geometridae) Synonymy: dyscapna D.S.Fletcher,1974 Range (as code): **LR GN CI GH CM ZR GA AO**
5995. **Zamarada ekphysis D.S.Fletcher,1974** (Geometridae) Synonymy: ekphysis D.S.Fletcher,1974 Range (as code): **KE**
5996. **Zamarada elonga Pierre-Baltus,1983** (Geometridae) Synonymy: elonga Pierre-Baltus,1983 Range (as code): **GA**
5997. **Zamarada emaciata D.S.Fletcher,1974** (Geometridae) Synonymy: emaciata D.S.Fletcher,1974 Range (as code): **CM**
5998. **Zamarada enippe L.B.Prout,1921** (Geometridae) Synonymy: enippe L.B.Prout,1921 Range (as code): **ZR**
5999. **Zamarada episema D.S.Fletcher,1974** (Geometridae) Synonymy: episema D.S.Fletcher,1974 Range (as code): **CM NG ZR GA**
6000. **Zamarada erato Oberthür,1912** (Geometridae) Synonymy: erato Oberthür,1912 Range (as code): **CM**
6001. **Zamarada eroessa L.B.Prout,1915** (Geometridae) Synonymy: eroessa L.B.Prout,1915 Range (as code): **ZW**
6002. **Zamarada erosa D.S.Fletcher,1974** (Geometridae) Synonymy: erosa D.S.Fletcher,1974 Range (as code): **KE UG CM**
6003. **Zamarada erugata D.S.Fletcher,1974** (Geometridae) Synonymy: erugata D.S.Fletcher,1974 Range (as code): **ET ET09 KE MZ ZW ZA ZA08 Ksi Kzu Nta Umk Stj Dbn Tva Lpo Ec Kru Pf**
6004. **Zamarada eryma D.S.Fletcher,1974** (Geometridae) Synonymy: eryma D.S.Fletcher,1974 Range (as code): **CM GA**
6005. **Zamarada eucharis (Drury,1782)** (Geometridae) Synonymy: eucharis Drury,1782 Range (as code): **SL LR GN CI NG**
6006. **Zamarada euerces (L.B.Prout,1928)** (Geometridae) Synonymy: euerces L.B.Prout,1928; phygas L.B.Prout,1928 Range (as code): **SL TZ Dss GA ZR UG KE MZ**
6007. **Zamarada euphrosyne Oberthür,1912** (Geometridae) Synonymy: euphrosyne Oberthür,1912 Range (as code): **CM GN SL LR CI GH NG AO UG ZR KE TZ MW**
6008. **Zamarada eurygnathus D.S.Fletcher,1974** (Geometridae) Synonymy: eurygnathus D.S.Fletcher,1974 Range (as code): **KE Nai**
6009. **Zamarada euryscapes L.B.Prout,1915** (Geometridae) Synonymy: euryscapes L.B.Prout,1915 Range (as code): **ER ER04**
6010. **Zamarada euterpina Oberthür,1912** (Geometridae) Synonymy: euterpina Oberthür,1912 Range (as code): **TZ ZR**
6011. **Zamarada excavata Bethune-Baker,1913** (Geometridae) Synonymy: excavata Bethune-Baker,1913 Range (as code): **MG AO ET CM NG GN CF ZR UG KE TZ ZM MW**
6012. **Zamarada exigua D.S.Fletcher,1974** (Geometridae) Synonymy: exigua D.S.Fletcher,1974 Range (as code): **UG ZR**
6013. **Zamarada fallaciosa Herbulot,1979** (Geometridae) Synonymy: fallaciosa Herbulot,1979 Range (as code): **GA**
6014. **Zamarada ferruginata D.S.Fletcher,1974** (Geometridae) Synonymy: ferruginata D.S.Fletcher,1974 Range (as code): **GA CM**
6015. **Zamarada fessa L.B.Prout,1912** (Geometridae) Synonymy: fessa L.B.Prout,1912 Range (as code): **ZW**
6016. **Zamarada fibulata D.S.Fletcher,1974** (Geometridae) Synonymy: fibulata D.S.Fletcher,1974 Range (as code): **AO ZR**
6017. **Zamarada flavicaput W.Warren,1901** (Geometridae) Synonymy: flavicaput W.Warren,1901; pyrocincta Hampson,1910 Range (as code): **AO ZR TZ MZ MW ZW ZM**
6018. **Zamarada flavicosta W.Warren,1897** (Geometridae) Synonymy: flavicosta W.Warren,1897 Range (as code): **NE NG CM GA ZR UG**
6019. **Zamarada fletcheri Herbulot,1975** (Geometridae) Synonymy: fletcheri Herbulot,1975 Range (as code): **CM**
6020. **Zamarada fontaineae Herbulot,1997** (Geometridae) Synonymy: fontaineae Herbulot,1997 Range (as code): **ZR**
6021. **Zamarada fumosa Gaede,1915** (Geometridae) Synonymy: fumosa Gaede,1915 Range (as code): **CM ZR NG**
6022. **Zamarada fusticula D.S.Fletcher,1974** (Geometridae) Synonymy: fusticula D.S.Fletcher,1974 Range (as code): **CM**

6023.Zamarada gaedei D.S.Fletcher,1974 (Geometridae) Synonymy: gaedei D.S.Fletcher,1974 Range (as code): **CM GA**
6024.Zamarada gamma D.S.Fletcher,1958 (Geometridae) Synonymy: gamma D.S.Fletcher,1958 Range (as code): **MW ZM ZR BI TZ UG**
6025.Zamarada geitaina D.S.Fletcher,1974 (Geometridae) Synonymy: geitaina D.S.Fletcher,1974 Range (as code): **CI**
6026.Zamarada glareosa Bastelberger,1909 (Geometridae) Synonymy: glareosa Bastelberger,1909 Range (as code): **TZ BI MW MZ ZM ZW Har Vf Vum Uma AO ZA Nta Kzu Lpo Tva Spb Mdk**
6027.Zamarada gracilata D.S.Fletcher,1974 (Geometridae) Synonymy: gracilata D.S.Fletcher,1974 Range (as code): **ZM AO**
6028.Zamarada griseola D.S.Fletcher,1974 (Geometridae) Synonymy: griseola D.S.Fletcher,1974 Range (as code): **NG CM GO Bio**
6029.Zamarada griveaudi D.S.Fletcher,1974 (Geometridae) Synonymy: griveaudi D.S.Fletcher,1974 Range (as code): **MG**
6030.Zamarada herbuloti D.S.Fletcher,1974 (Geometridae) Synonymy: herbuloti D.S.Fletcher,1974 Range (as code): **GA CM**
6031.Zamarada hero L.B.Prout,1921 (Geometridae) Synonymy: hero L.B.Prout,1921 Range (as code): **ZR NG CM GA AO**
6032.Zamarada hombergi Herbulot,1981 (Geometridae) Synonymy: hombergi Herbulot,1981 Range (as code): **AO**
6033.Zamarada hyalinaria (Guenée,[1858]) (Geometridae) Synonymy: hyalinaria Guenée,[1858] Range (as code): **YE YE33 Sna ET KE DZ Idl**
6034.Zamarada ignicosta L.B.Prout,1912 (Geometridae) Synonymy: ignicosta L.B.Prout,1912 Range (as code): **ZW Vf CI AO MW GH CM UG ZR TZ MZ**
6035.Zamarada ilaria Swinhoe,1904 (Geometridae) Synonymy: ilaria Swinhoe,1904 Range (as code): **SL GN LR NG CM**
6036.Zamarada ilma L.B.Prout,1922 (Geometridae) Synonymy: ilma L.B.Prout,1922 Range (as code): **MZ ZW Vf BW NA ZA Tva Lpo Spb Bbg Kru Pf Wo Wp Mes Gau Pre Nta Kzu Rtb Wnn Nyl**
6037.Zamarada incompta D.S.Fletcher,1974 (Geometridae) Synonymy: incompta D.S.Fletcher,1974 Range (as code): **CM ZR**
6038.Zamarada indacta Herbulot,1979 (Geometridae) Synonymy: indacta Herbulot,1979 Range (as code): **CM**
6039.Zamarada indicata D.S.Fletcher,1974 (Geometridae) Synonymy: indicata D.S.Fletcher,1974 Range (as code): **CI GN SL LR GH**
6040.Zamarada inermis D.S.Fletcher,1974 (Geometridae) Synonymy: inermis D.S.Fletcher,1974 Range (as code): **ZA MZ Ec Elo Nta Kzu ZW Bul**
6041.Zamarada iobathra L.B.Prout,1932 (Geometridae) Synonymy: iobathra L.B.Prout,1932 Range (as code): **KE Nai TZ ZA Ktz Ksi Nta Kzu**
6042.Zamarada ioura Pierre-Baltus,1983 (Geometridae) Synonymy: ioura Pierre-Baltus,1983 Range (as code): **GA**
6043.Zamarada ixiaria Swinhoe,1904 (Geometridae) Synonymy: ixiaria Swinhoe,1904 Range (as code): **SL GN GA GO Bio LR CI NG CM ZR**
6044.Zamarada janata D.S.Fletcher,1974 (Geometridae) Synonymy: janata D.S.Fletcher,1974 Range (as code): **ZR ZM**
6045.Zamarada jansei D.S.Fletcher,1974 (Geometridae) Synonymy: jansei D.S.Fletcher,1974 Range (as code): **ZW ZA ZA21 Tva Lpo**
6046.Zamarada justa Herbulot,1979 (Geometridae) Synonymy: justa Herbulot,1979 Range (as code): **CM**
6047.Zamarada ka Pierre-Baltus,1983 (Geometridae) Synonymy: ka Pierre-Baltus,1983 Range (as code): **GA**
6048.Zamarada kala Herbulot,1975 (Geometridae) Synonymy: kala Herbulot,1975 Range (as code): **CM**
6049.Zamarada keraia D.S.Fletcher,1974 (Geometridae) Synonymy: keraia D.S.Fletcher,1974 Range (as code): **KE**
6050.Zamarada kiellandi Aarvik & Bjornstad,2007 (Geometridae) Synonymy: kiellandi Aarvik & Bjornstad,2007 Range (as code): **TZ**
6051.Zamarada kompsotes D.S.Fletcher,1974 (Geometridae) Synonymy: kompsotes D.S.Fletcher,1974 Range (as code): **GA ZR**

6052.Zamarada labifera L.B.Prout,1915 (Geometridae) Synonymy: labifera L.B.Prout,1915 Range (as code): **CM TZ GN SL CI NG ZR ZM**
6053.Zamarada labrys D.S.Fletcher,1974 (Geometridae) Synonymy: labrys D.S.Fletcher,1974 Range (as code): **KE Nai**
6054.Zamarada laciniata D.S.Fletcher,1974 (Geometridae) Synonymy: laciniata D.S.Fletcher,1974 Range (as code): **GA**
6055.Zamarada latilimbata Rebel,1948 (Geometridae) Synonymy: latilimbata Rebel,1948 Range (as code): **EG JE YE Sna YE33 SA KE Nai Trk**
6056.Zamarada latimargo W.Warren,1897 (Geometridae) Synonymy: latimargo W.Warren,1897; funebris Gaede,1915 Range (as code): **ZR CM NG CF UG**
6057.Zamarada leona Gaede,1915 (Geometridae) Synonymy: leona Gaede,1915 Range (as code): **SL LR CI GH**
6058.Zamarada lepta D.S.Fletcher,1974 (Geometridae) Synonymy: lepta D.S.Fletcher,1974 Range (as code): **SL LR CI GH NG CM AO UG**
6059.Zamarada lequeuxi Herbulot,1983 (Geometridae) Synonymy: lequeuxi Herbulot,1983; granti Herbulot,1990 Range (as code): **TZ**
6060.Zamarada lima D.S.Fletcher,1974 (Geometridae) Synonymy: lima D.S.Fletcher,1974 Range (as code): **TZ**
6061.Zamarada loleza Aarvik & Bjornstad,2007 (Geometridae) Synonymy: loleza Aarvik & Bjornstad,2007 Range (as code): **TZ**
6062.Zamarada longides D.S.Fletcher,1963 (Geometridae) Synonymy: longides D.S.Fletcher,1963 Range (as code): **UG ZR KE**
6063.Zamarada lophobela D.S.Fletcher,1974 (Geometridae) Synonymy: lophobela D.S.Fletcher,1974 Range (as code): **GA**
6064.Zamarada manifesta D.S.Fletcher,1974 (Geometridae) Synonymy: manifesta D.S.Fletcher,1974 Range (as code): **GA**
6065.Zamarada mashariki Aarvik & Bjornstad,2007 (Geometridae) Synonymy: mashariki Aarvik & Bjornstad,2007 Range (as code): **TZ**
6066.Zamarada mckameyi Aarvik & Bjornstad,2007 (Geometridae) Synonymy: mckameyi Aarvik & Bjornstad,2007 Range (as code): **TZ**
6067.Zamarada melanopyga Herbulot,1954 (Geometridae) Synonymy: melanopyga Herbulot,1954 Range (as code): **GN AO ZR UG SL NG GA**
6068.Zamarada melasma D.S.Fletcher,1974 (Geometridae) Synonymy: melasma D.S.Fletcher,1974 Range (as code): **ET SD KE TZ**
6069.Zamarada melpomene Oberthür,1912 (Geometridae) Synonymy: melpomene Oberthür,1912; tragodica L.B.Prout,1934 Range (as code): **CM TZ SL AO ZR UG ET KE ZW GH GO Bio NG CI GN**
6070.Zamarada merga D.S.Fletcher,1974 (Geometridae) Synonymy: merga D.S.Fletcher,1974 Range (as code): **GA**
6071.Zamarada mesotaenia L.B.Prout,1931 (Geometridae) Synonymy: mesotaenia L.B.Prout,1931 Range (as code): **SO KE**
6072.Zamarada metallicata W.Warren,1914 (Geometridae) Synonymy: metallicata W.Warren,1914 Range (as code): **ZW Har NA ZA ZA16 Mpu Brb ZA17 Nta Kzu Dbn Tva Lpo Spb Mdk Tz Gau Pre Stj Wr Btw Wp**
6073.Zamarada metrioscaphes L.B.Prout,1912 (Geometridae) Synonymy: metrioscaphes L.B.Prout,1912 Range (as code): **KE Mb AO UG TZ BI ZR MW MZ ZM ZW Vum Har ZA Kzu Nta**
6074.Zamarada micropomene Aarvik & Bjornstad,2007 (Geometridae) Synonymy: micropomene Aarvik & Bjornstad,2007 Range (as code): **TZ**
6075.Zamarada mimesis D.S.Fletcher,1974 (Geometridae) Synonymy: mimesis D.S.Fletcher,1974 Range (as code): **CM GN GA ZR SL NG CI**
6076.Zamarada minimaria Swinhoe,1895 (Geometridae) Synonymy: minimaria Swinhoe,1895; iranica Brandt,1941 Range (as code): **DZ Ah NE Air TD Tbt LY EG SD Wme NSD SD08 PK Sd Krc IR Ss Chh SA SA39 SA50 Hj As YE YE30 Sna**
6077.Zamarada miranda D.S.Fletcher,1974 (Geometridae) Synonymy: miranda D.S.Fletcher,1974 Range (as code): **GA**
6078.Zamarada modesta Herbulot,1985 (Geometridae) Synonymy: modesta Herbulot,1985 Range (as code): **CG**
6079.Zamarada montana Herbulot,1979 (Geometridae) Synonymy: montana Herbulot,1979 Range (as code): **CM RW**

6080.Zamarada mpassae Pierre-Baltus,1985 (Geometridae) Synonymy: mpassae Pierre-Baltus,1985 Range (as code): **GA**
6081.Zamarada musomae Aarvik & Bjornstad,2007 (Geometridae) Synonymy: musomae Aarvik & Bjornstad,2007 Range (as code): **TZ**
6082.Zamarada nasuta W.Warren,1897 (Geometridae) Synonymy: nasuta W.Warren,1897 Range (as code): **NG SN CM NE SD UG GA SL CI ML CF**
6083.Zamarada ndogo Aarvik & Bjornstad,2007 (Geometridae) Synonymy: ndogo Aarvik & Bjornstad,2007 Range (as code): **TZ**
6084.Zamarada nigrapex Herbulot,1981 (Geometridae) Synonymy: nigrapex Herbulot,1981 Range (as code): **CM**
6085.Zamarada ochrata W.Warren,1902 (Geometridae) Synonymy: ochrata W.Warren,1902 Range (as code): **KE Mb Nai TZ**
6086.Zamarada odontophora D.S.Fletcher,1974 (Geometridae) Synonymy: odontophora D.S.Fletcher,1974 Range (as code): **ZW**
6087.Zamarada onycha D.S.Fletcher,1974 (Geometridae) Synonymy: onycha D.S.Fletcher,1974 Range (as code): **ZR**
6088.Zamarada opala Carcasson,1964 (Geometridae) Synonymy: opala Carcasson,1964 Range (as code): **ZR CM**
6089.Zamarada ordinaria Bethune-Baker,1913 (Geometridae) Synonymy: ordinaria Bethune-Baker,1913; medianata L.B.Prout,1915. Range (as code): **ZW Har ZR AO ZA Nta Kzu Umk Tva Lpo Spb Ltr Prt**
6090.Zamarada ostracodes D.S.Fletcher,1974 (Geometridae) Synonymy: ostracodes D.S.Fletcher,1974 Range (as code): **UG CM GA**
6091.Zamarada oxybeles D.S.Fletcher,1974 (Geometridae) Synonymy: oxybeles D.S.Fletcher,1974 Range (as code): **MG**
6092.Zamarada paxilla D.S.Fletcher,1974 (Geometridae) Synonymy: paxilla D.S.Fletcher,1974 Range (as code): **CI GN LR GH NG CM GA ZR UG**
6093.Zamarada pelobasis D.S.Fletcher,1974 (Geometridae) Synonymy: pelobasis D.S.Fletcher,1974 Range (as code): **CM GA ZR UG**
6094.Zamarada penthesis D.S.Fletcher,1974 (Geometridae) Synonymy: penthesis D.S.Fletcher,1974 Range (as code): **GA ZR**
6095.Zamarada perlepidata (Walker,[1863]) (Geometridae) Synonymy: perlepidata Walker,[1863]; exquisita W.Warren,1909 Range (as code): **SL GN GH LR CI**
6096.Zamarada phaeozona Hampson,1909 (Geometridae) Synonymy: phaeozona Hampson,1909 Range (as code): **ET UG KE Elg TZ MZ AO NA ZA ZA17 Tva Lpo Kru Pma Spb ZA24 NWe NA Abc**
6097.Zamarada phoenopasta D.S.Fletcher,1974 (Geometridae) Synonymy: phoenopasta D.S.Fletcher,1974 Range (as code): **UG NG**
6098.Zamarada phratra D.S.Fletcher,1978 (Geometridae) Synonymy: phratra D.S.Fletcher,1978 Range (as code): **TZ**
6099.Zamarada phrontisaria Swinhoe,1904 (Geometridae) Synonymy: phrontisaria Swinhoe,1904 Range (as code): **NG GA NG CM**
6100.Zamarada pinheyi D.S.Fletcher,1956 (Geometridae) Synonymy: pinheyi D.S.Fletcher,1956 Range (as code): **TZ**
6101.Zamarada plana Bastelberger,1909 (Geometridae) Synonymy: plana Bastelberger,1909 Range (as code): **TZ RW BI KE ZR MW MZ ZM ZW ZA ZA14 Mpu ZA16 ZA17 Tva Lpo Nta Kzu Ec Elo Umk Spb Slp Kru Pma Mll ZA14 Prt**
6102.Zamarada platycephala D.S.Fletcher,1974 (Geometridae) Synonymy: platycephala D.S.Fletcher,1974 Range (as code): **CM GO Bio SL LR CI TZ**
6103.Zamarada polyctemon L.B.Prout,1932 (Geometridae) Synonymy: polyctemon L.B.Prout,1932 Range (as code): **ZR TZ ZM ZW AO NG CM**
6104.Zamarada principis Herbulot,1958 (Geometridae) Synonymy: principis Herbulot,1958 Range (as code): **ST**
6105.Zamarada pringlei D.S.Fletcher,1974 (Geometridae) Synonymy: pringlei D.S.Fletcher,1974 Range (as code): **TZ KE TZ ZW**
6106.Zamarada prionotos D.S.Fletcher,1974 (Geometridae) Synonymy: prionotos D.S.Fletcher,1974 Range (as code): **ZW**
6107.Zamarada pristis D.S.Fletcher,1974 (Geometridae) Synonymy: pristis D.S.Fletcher,1974 Range (as code): **CM**

6108. **Zamarada prolata D.S.Fletcher,1974** (Geometridae) Synonymy: prolata D.S.Fletcher,1974 Range (as code): **UG MW BI**
6109. **Zamarada protrusa W.Warren,1897** (Geometridae) Synonymy: protrusa W.Warren,1897 Range (as code): **CM NG GN CI SL CF GH GA ZR**
6110. **Zamarada psammites D.S.Fletcher,1958** (Geometridae) Synonymy: psammites D.S.Fletcher,1958 Range (as code): **KE ZR TZ ZW MZ**
6111. **Zamarada psectra D.S.Fletcher,1974** (Geometridae) Synonymy: psectra D.S.Fletcher,1974 Range (as code): **TZ KE MZ ZW**
6112. **Zamarada psi D.S.Fletcher,1974** (Geometridae) Synonymy: psi D.S.Fletcher,1974 Range (as code): **ZW**
6113. **Zamarada pulverosa W.Warren,1895** (Geometridae) Synonymy: pulverosa W.Warren,1895 Range (as code): **MZ ZW BW NA ZA Ksi Mal Tva Lpo Spb Mdk Slpp Wo Mal Pie Gau Pre ZA16 Mpu Brb ZA17 ZA24 NWe ZA26 ZA27 Nta Fs Blo Tra Ec Kzu Rtb Lds Wnn Elo Pel Tra Grh Abc Qt Wdh**
6114. **Zamarada purimargo L.B.Prout,1912** (Geometridae) Synonymy: purimargo L.B.Prout,1912; viridiceps L.B.Prout,1934 Range (as code): **ZW Vum ZR TZ ZM MW MZ AO**
6115. **Zamarada radula D.S.Fletcher,1974** (Geometridae) Synonymy: radula D.S.Fletcher,1974 Range (as code): **UG ZR GA**
6116. **Zamarada reflexaria (Walker,1863)** (Geometridae) Synonymy: reflexaria Walker,1863 Range (as code): **SL KE UG ZR SL GN AO CI NG CM**
6117. **Zamarada regularis D.S.Fletcher,1974** (Geometridae) Synonymy: regularis D.S.Fletcher,1974 Range (as code): **GH NG GN SL LR CI**
6118. **Zamarada rhamphis D.S.Fletcher,1974** (Geometridae) Synonymy: rhamphis D.S.Fletcher,1974 Range (as code): **TZ**
6119. **Zamarada rhodina Pierre-Baltus,1983** (Geometridae) Synonymy: rhodina Pierre-Baltus,1983 Range (as code): **GA**
6120. **Zamarada ruandana Herbulot,1983** (Geometridae) Synonymy: ruandana Herbulot,1983 Range (as code): **RW**
6121. **Zamarada rubrifascia Pinhey,1962** (Geometridae) Synonymy: rubrifascia Pinhey,1962 Range (as code): **ZM**
6122. **Zamarada rufilinearia Swinhoe,1904** (Geometridae) Synonymy: rufilinearia Swinhoe,1904; calliope Oberthür,1912 Range (as code): **TZ Dss UG KE Mb ZR ZM MW MZ**
6123. **Zamarada rupta D.S.Fletcher,1974** (Geometridae) Synonymy: rupta D.S.Fletcher,1974 Range (as code): **CM GA**
6124. **Zamarada sagitta D.S.Fletcher,1974** (Geometridae) Synonymy: sagitta D.S.Fletcher,1974 Range (as code): **NG CM GA**
6125. **Zamarada sahelica Herbulot,1989** (Geometridae) Synonymy: sahelica Herbulot,1989 Range (as code): **CM**
6126. **Zamarada schalida D.S.Fletcher,1974** (Geometridae) Synonymy: schalida D.S.Fletcher,1974 Range (as code): **CM GA ZR**
6127. **Zamarada scintillans Bastelberger,1909** (Geometridae) Synonymy: scintillans Bastelberger,1909; flavicincta Hampson,1910 Range (as code): **TZ ZM KE MZ MW ZR**
6128. **Zamarada secutaria (Guenée,[1858])** (Geometridae) Synonymy: secutaria Guenée,[1858] Range (as code): **DZ Rhr ET**
6129. **Zamarada setosa D.S.Fletcher,1974** (Geometridae) Synonymy: setosa D.S.Fletcher,1974 Range (as code): **UG ZR**
6130. **Zamarada seydeli D.S.Fletcher,1974** (Geometridae) Synonymy: seydeli D.S.Fletcher,1974 Range (as code): **ZR TZ BI MW MZ ZM ZW Vum Uma Har AO**
6131. **Zamarada sicula D.S.Fletcher,1974** (Geometridae) Synonymy: sicula D.S.Fletcher,1974 Range (as code): **UG SL CI NG CM GA ZR**
6132. **Zamarada similis D.S.Fletcher,1974** (Geometridae) Synonymy: similis D.S.Fletcher,1974 Range (as code): **CM ZR**
6133. **Zamarada sinecalcarata D.S.Fletcher,1974** (Geometridae) Synonymy: sinecalcarata D.S.Fletcher,1974 Range (as code): **NG**
6134. **Zamarada strigilecula D.S.Fletcher,1974** (Geometridae) Synonymy: strigilecula D.S.Fletcher,1974 Range (as code): **ZR**
6135. **Zamarada subincoloris Gaede,1915** (Geometridae) Synonymy: subincoloris Gaede,1915 Range (as code): **NG CM GA**

6136.Zamarada subinterrupta Gaede,1915 (Geometridae) Synonymy: subinterrupta Gaede,1915 Range (as code): **NG LR SL CI ZR**
6137.Zamarada suda D.S.Fletcher,1974 (Geometridae) Synonymy: suda D.S.Fletcher,1974 Range (as code): **CI NG CM GA ZR**
6138.Zamarada terpsicore Oberthür,1912 (Geometridae) Synonymy: terpsicore Oberthür,1912 Range (as code): **CM UG NG AO ZR**
6139.Zamarada thalia Oberthür,1912 (Geometridae) Synonymy: thalia Oberthür,1912 Range (as code): **CM GA ZR**
6140.Zamarada tomensis Pierre-Baltus,2004 (Geometridae) Synonymy: tomensis Pierre-Baltus,2004 Range (as code): **ST**
6141.Zamarada torrida D.S.Fletcher,1974 (Geometridae) Synonymy: torrida D.S.Fletcher,1974 Range (as code): **ET ER JO IL Pa SA Hj SA39 SA50 SA74 YE Sna YE30 YE68 EG Sn DZ Ah NE Air SD Ksl Erk SO KE Nai TZ**
6142.Zamarada tortura D.S.Fletcher,1974 (Geometridae) Synonymy: tortura D.S.Fletcher,1974 Range (as code): **CM GA AO**
6143.Zamarada tosta D.S.Fletcher,1974 (Geometridae) Synonymy: tosta D.S.Fletcher,1974 Range (as code): **NA Abc**
6144.Zamarada toulgoeti Herbulot,1979 (Geometridae) Synonymy: toulgoeti Herbulot,1979 Range (as code): **GN**
6145.Zamarada townsendi D.S.Fletcher,1974 (Geometridae) Synonymy: townsendi D.S.Fletcher,1974 Range (as code): **KE UG**
6146.Zamarada transvisaria (Guenée,[1858]) (Geometridae) Synonymy: transvisaria Guenée,[1858] Range (as code): **ZW Vum ZA Etm Ktz ZA04 Nta Ec Kzu Dbn Tra ZA14 Mpu Mal Tva Lpo ZA14 Pil Kkf Kny Grg**
6147.Zamarada triangularis Gaede,1915 (Geometridae) Synonymy: triangularis Gaede,1915 Range (as code): **CM CI GA**
6148.Zamarada tricuspida D.S.Fletcher,1974 (Geometridae) Synonymy: tricuspida D.S.Fletcher,1974 Range (as code): **ZR CM**
6149.Zamarada tristriga Aarvik & Bjornstad,2007 (Geometridae) Synonymy: tristriga Aarvik & Bjornstad,2007 Range (as code): **TZ**
6150.Zamarada tristrigoides Aarvik & Bjornstad,2007 (Geometridae) Synonymy: tristrigoides Aarvik & Bjornstad,2007 Range (as code): **TZ**
6151.Zamarada tullia Oberthür,1913 (Geometridae) Synonymy: thalia Oberthür,1912 nec Obth.,1912; tullia Oberthür,1913; thalysia Gaede,1915 Range (as code): **CM GA**
6152.Zamarada undimarginata W.Warren,1897 (Geometridae) Synonymy: undimarginata W.Warren,1897 Range (as code): **NG CM GA**
6153.Zamarada unisona D.S.Fletcher,1974 (Geometridae) Synonymy: unisona D.S.Fletcher,1974 Range (as code): **ZR ZM AO**
6154.Zamarada urania Oberthür,1912 (Geometridae) Synonymy: urania Oberthür,1912 Range (as code): **CM GA**
6155.Zamarada usambarae Aarvik & Bjornstad,2007 (Geometridae) Synonymy: usambarae Aarvik & Bjornstad,2007 Range (as code): **TZ Tnga Usa**
6156.Zamarada usondo Aarvik & Bjornstad,2007 (Geometridae) Synonymy: usondo Aarvik & Bjornstad,2007 Range (as code): **TZ**
6157.Zamarada uzungwae Aarvik & Bjornstad,2007 (Geometridae) Synonymy: uzungwae Aarvik & Bjornstad,2007 Range (as code): **TZ Uzu**
6158.Zamarada varii D.S.Fletcher,1974 (Geometridae) Synonymy: varii D.S.Fletcher,1974 Range (as code): **KE Mb TZ MZ Del ZM ZW Vf ZA Ksi Nta Kzu ZA16 Mpu Tva Lpo**
6159.Zamarada variola D.S.Fletcher,1974 (Geometridae) Synonymy: variola D.S.Fletcher,1974 Range (as code): **CM GA ZR UG**
6160.Zamarada vidua Herbulot,1979 (Geometridae) Synonymy: vidua Herbulot,1979 Range (as code): **CM**
6161.Zamarada viettei D.S.Fletcher,1974 (Geometridae) Synonymy: viettei D.S.Fletcher,1974 Range (as code): **MG**
6162.Zamarada vigilans L.B.Prout,1915 (Geometridae) Synonymy: vigilans L.B.Prout,1915 Range (as code): **GH GN CM AO ZR UG KE**
6163.Zamarada vintejouxi Herbulot,1989 (Geometridae) Synonymy: vintejouxi Herbulot,1989 Range (as code): **RW**

6164. **Zamarada volsella D.S.Fletcher,1974** (Geometridae) Synonymy: volsella D.S.Fletcher,1974 Range (as code): **CM GA ZR**
6165. **Zamarada vulpina W.Warren,1897** (Geometridae) Synonymy: vulpina W.Warren,1897; erna Strand,1915 Range (as code): **CM NG GN CI SL ZR UG KE TZ ZW MZ MW BJ**
6166. **Zamarada weberi D.S.Fletcher,1974** (Geometridae) Synonymy: weberi D.S.Fletcher,1974 Range (as code): **CM**
6167. **Zamarada xyele D.S.Fletcher,1974** (Geometridae) Synonymy: xyele D.S.Fletcher,1974 Range (as code): **CI NG**
6168. **Zamarada xystra D.S.Fletcher,1974** (Geometridae) Synonymy: xystra D.S.Fletcher,1974 Range (as code): **CM**
6169. **Zerenopsis costimaculata (L.B.Prout,1913)** (Geometridae) Synonymy: costimaculata L.B.Prout,1913 Range (as code): **KE TZ**
6170. **Zerenopsis flavimaculata Staude & Sihvonen,2014** (Geometridae) Synonymy: flavimaculata Staude & Sihvonen,2014 Range (as code): **MW**
6171. **Zerenopsis geometrina C.Felder & R.Felder,1874** (Geometridae) Synonymy: leopardina C.Felder & R.Felder,1874 Range (as code): **ZA Nta Kzu Dbn Elo Ec**
6172. **Zerenopsis kedar (Druce,1896)** (Geometridae) Synonymy: kedar Druce,1896 Range (as code): **TZ Dss Usa Ani Pb KE Mb**
6173. **Zerenopsis lepida (Walker,1854)** (Geometridae) Synonymy: lepida Walker,1854; leopardina C.Felder & R.Felder,1874 Range (as code): **ZA Gau Pre Tva Lpo Mpu Brb Tra Esw Stj Est Etm Ktz ZA05 Ksi ZA12 ZA18 Ec Dbn Kzu Nta Dbn Mpu Tva Lpo SZ MZ**
6174. **Zerenopsis meraca (L.B.Prout,1928)** (Geometridae) Synonymy: meraca L.B.Prout,1928 Range (as code): **MZ ZA Nta Kzu SZ**
6175. **Zerenopsis moi Staude & Sihvonen,2014** (Geometridae) Synonymy: moi Staude & Sihvonen,2014 Range (as code): **MZ**
6176. **Zerenopsis tenuis (Butler,1878)** (Geometridae) Synonymy: tenuis Butler,1878 Range (as code): **TZ Dss Pb Zz KE**
6177. **Zernyia maroccana Reisser,1933** (Geometridae) Synonymy: maroccana Reisser,1933 Range (as code): **MA**
6178. **Zeuctoboarmia albella Herbulot,1981** (Geometridae) Synonymy: albella Herbulot,1981 Range (as code): **CM**
6179. **Zeuctoboarmia amieti Herbulot,1973** (Geometridae) Synonymy: amieti Herbulot,1973 Range (as code): **CM**
6180. **Zeuctoboarmia bipandata (L.B.Prout,1915)** (Geometridae) Synonymy: bipandata L.B.Prout,1915 Range (as code): **CG**
6181. **Zeuctoboarmia cataimena (L.B.Prout,1915)** (Geometridae) Synonymy: cataimena L.B.Prout,1915 Range (as code): **ZA ZA01 ZA17 Tva Lpo Nta Kzu Dbn**
6182. **Zeuctoboarmia contortilinea (W.Warren,1897)** (Geometridae) Synonymy: contortilinea W.Warren,1897 Range (as code): **ZR**
6183. **Zeuctoboarmia corolla Herbulot,1981** (Geometridae) Synonymy: corolla Herbulot,1981 Range (as code): **CM**
6184. **Zeuctoboarmia dargei Herbulot,1981** (Geometridae) Synonymy: dargei Herbulot,1981 Range (as code): **CM**
6185. **Zeuctoboarmia hyrax (Townsend,1952)** (Geometridae) Synonymy: hyrax Townsend,1952 Range (as code): **ZA Mal Tva Lpo ZA16 Mpu KE**
6186. **Zeuctoboarmia ingens Herbulot,1973** (Geometridae) Synonymy: ingens Herbulot,1973 Range (as code): **CM**
6187. **Zeuctoboarmia lemairei Herbulot,1981** (Geometridae) Synonymy: lemairei Herbulot,1981 Range (as code): **CM**
6188. **Zeuctoboarmia ochracea Herbulot,1985** (Geometridae) Synonymy: ochracea Herbulot,1985 Range (as code): **CG**
6189. **Zeuctoboarmia pectinata (W.Warren,1897)** (Geometridae) Synonymy: pectinata W.Warren,1897 Range (as code): **NG**
6190. **Zeuctoboarmia phantasma Herbulot,1981** (Geometridae) Synonymy: phantasma Herbulot,1981 Range (as code): **RW**
6191. **Zeuctoboarmia plantei Herbulot,1981** (Geometridae) Synonymy: plantei Herbulot,1981 Range (as code): **CF**

6192. **Zeuctoboarmia ruandana Herbulot,1981** (Geometridae) Synonymy: ruandana Herbulot,1981 Range (as code): **RW**
6193. **Zeuctoboarmia sabinei (L.B.Prout,1915)** (Geometridae) Synonymy: sabinei L.B.Prout,1915 Range (as code): **ZW Vf**
6194. **Zeuctoboarmia severa Herbulot,1973** (Geometridae) Synonymy: severa Herbulot,1973 Range (as code): **CM**
6195. **Zeuctoboarmia seydeli (L.B.Prout,1934)** (Geometridae) Synonymy: seydeli L.B.Prout,1934 Range (as code): **CG**
6196. **Zeuctoboarmia simplex (L.B.Prout,1915)** (Geometridae) Synonymy: simplex L.B.Prout,1915 Range (as code): **CG**
6197. **Zeuctoboarmia smithi (W.Warren,1902)** (Geometridae) Synonymy: smithi W.Warren,1902 Range (as code): **ZR**
6198. **Zeuctoboarmia syntropha (L.B.Prout,1931)** (Geometridae) Synonymy: syntropha L.B.Prout,1931 Range (as code): **SO**
6199. **Zeuctoboarmia translata L.B.Prout,1915** (Geometridae) Synonymy: translata L.B.Prout,1915 Range (as code): **KE**
6200. **Zeuctoboarmia viverra Herbulot,1981** (Geometridae) Synonymy: viverra Herbulot,1981 Range (as code): **CM**
6201. **Zeuctoboarmia werneri (Rebel,1917)** (Geometridae) Synonymy: werneri Rebel,1917 Range (as code): **SD**
6202. **Zeuctocleora una L.B.Prout,1929** (Geometridae) Synonymy: una L.B.Prout,1929 Range (as code): **MG**
6203. **Zygophyxia erlangeri L.B.Prout,1932** (Geometridae) Synonymy: erlangeri L.B.Prout,1932 Range (as code): **ET SO**
6204. **Zygophyxia palpata L.B.Prout,1932** (Geometridae) Synonymy: palpata L.B.Prout,1932 Range (as code): **KE**
6205. **Zygophyxia roseocincta (W.Warren,1899)** (Geometridae) Synonymy: roseocincta W.Warren,1899 Range (as code): **TZ Dss NW MZ ZA ZM ZW**
6206. **Zygophyxia stenoptila L.B.Prout,1916** (Geometridae) Synonymy: stenoptila L.B.Prout,1916 Range (as code): **ZA Tva Gau Pre**
6207. **Zygophyxia toquilla D.S.Fletcher,1978** (Geometridae) Synonymy: toquilla D.S.Fletcher,1978 Range (as code): **TZ**
6208. **Zygophyxia tornisecta L.B.Prout,1916** (Geometridae) Synonymy: tornisecta L.B.Prout,1916 Range (as code): **SO**
6209. **Zygophyxia transmeata L.B.Prout,1931** (Geometridae) Synonymy: transmeata L.B.Prout,1931 Range (as code): **SO**

Glyphipterygidae

6210. **Chrysocentris chrysozona (Meyrick,1921)** (Glyphipterygidae) Synonymy: chrysozona Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
6211. **Chrysocentris ditiorana (Walker,1863)** (Glyphipterygidae) Synonymy: ditiorana Walker,1863 Range (as code): **MY Bor ID Ja MU ZA CN Tkg Yu IN LK TH JP**
6212. **Chrysocentris urania Meyrick,1920** (Glyphipterygidae) Synonymy: urania Meyrick,1920 Range (as code): **ZA**
6213. **Glyphipterix amphipeda Meyrick,1920** (Glyphipterygidae) Synonymy: amphipeda Meyrick,1920 Range (as code): **ZA**
6214. **Glyphipterix archimedica Meyrick,1926** (Glyphipterygidae) Synonymy: archimedica Meyrick,1926 Range (as code): **ZA**
6215. **Glyphipterix argophracta Meyrick,1926** (Glyphipterygidae) Synonymy: argophracta Meyrick,1926 Range (as code): **ZA**
6216. **Glyphipterix bohemani (Zeller,1852)** (Glyphipterygidae) Synonymy: bohemani Zeller,1852 Range (as code): **ZA**
6217. **Glyphipterix callithea Meyrick,1921** (Glyphipterygidae) Synonymy: callithea Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**

6218.Glyphipterix climacaspis Meyrick,1920 (Glyphipterygidae) Synonymy: climacaspis Meyrick,1920 Range (as code): **ZA**
6219.Glyphipterix decachrysa Meyrick,1918 (Glyphipterygidae) Synonymy: decachrysa Meyrick,1918 Range (as code): **ZA Nta Kzu Dbn**
6220.Glyphipterix diplotoxa Meyrick,1920 (Glyphipterygidae) Synonymy: diplotoxa Meyrick,1920 Range (as code): **ZA**
6221.Glyphipterix fortunatella Walsingham,1908 (Glyphipterygidae) Synonymy: fortunatella Walsingham,1908 Range (as code): **Cn**
6222.Glyphipterix grapholithoides (Walsingham,1891) (Glyphipterygidae) Synonymy: grapholithoides Walsingham,1891 Range (as code): **ZA**
6223.Glyphipterix idiomorpha Meyrick,1917 (Glyphipterygidae) Synonymy: idiomorpha Meyrick,1917 Range (as code): **ZA**
6224.Glyphipterix medica Meyrick,1911 (Glyphipterygidae) Synonymy: medica Meyrick,1911 Range (as code): **ZA**
6225.Glyphipterix ortholeuca Meyrick,1921 (Glyphipterygidae) Synonymy: ortholeuca Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
6226.Glyphipterix oxytricha Meyrick,1928 (Glyphipterygidae) Synonymy: oxytricha Meyrick,1928 Range (as code): **ZA**
6227.Glyphipterix pertenuis Diakonoff,1979 (Glyphipterygidae) Synonymy: pertenuis Diakonoff,1979 Range (as code): **TN**
6228.Glyphipterix pygmaeella Rebel,1896 (Glyphipterygidae) Synonymy: pygmaeella Rebel,1896 Range (as code): **Cn HU**
6229.Glyphipterix schoenicolella Boyd,1859 (Glyphipterygidae) Synonymy: schoenicolella Boyd,1859 Range (as code): **TN PT ES FR IE GB BE NL DE CZ SK BG GR DK SE EE LV**
6230.Glyphipterix stelucha Meyrick,1909 (Glyphipterygidae) Synonymy: stelucha Meyrick,1909 Range (as code): **ZA**
6231.Glyphipterix umbilici Hering,1927 (Glyphipterygidae) Synonymy: umbilici Hering,1927; talhouki Diakonoff,1978 Range (as code): **Cn PT Sa LB Ale**
6232.Tetracmanthes astrocosma Meyrick,1925 (Glyphipterygidae) Synonymy: astrocosma Meyrick,1925 Range (as code): **ZA**
6233.Ussara polyastra Meyrick,1937 (Glyphipterygidae) Synonymy: polyastra Meyrick,1937 Range (as code): **ZA**

Gracillariidae

6234.Acrocercops bifasciata (Wallengren,1891) (Gracillariidae) Synonymy: bifasciata Wallengren,1891 Range (as code): **ZA CM CG GM MW NG SO TZ Zz UG IN**
6235.Acrocercops chalybophanes Meyrick,1937 (Gracillariidae) Synonymy: chalybophanes Meyrick,1937 Range (as code): **TZ**
6236.Acrocercops chenopa Meyrick,1932 (Gracillariidae) Synonymy: chenopa Meyrick,1932 Range (as code): **UG Rz**
6237.Acrocercops cherimoliae Ghesquière,1940 (Gracillariidae) Synonymy: cherimoliae Ghesquière,1940 Range (as code): **CG**
6238.Acrocercops chretiae Vari,1961 (Gracillariidae) Synonymy: chretiae Vari,1961 Range (as code): **ZA**
6239.Acrocercops chrysophylli Vari,1961 (Gracillariidae) Synonymy: chrysophylli Vari,1961 Range (as code): **ZW ZA Ec Stj**
6240.Acrocercops cocciferella (Chrétien,1910) (Gracillariidae) Synonymy: cocciferella Chrétien,1910 Range (as code): **ES FR GR TN IL**
6241.Acrocercops coffeifoliella (Motschulsky,1859) (Gracillariidae) Synonymy: coffeifoliella Motschulsky,1859 Range (as code): **LK RE IN ID Ja**
6242.Acrocercops coloptila Meyrick,1937 (Gracillariidae) Synonymy: coloptila Meyrick,1937 Range (as code): **UG**
6243.Acrocercops combreticola Vari,1961 (Gracillariidae) Synonymy: combreticola Vari,1961 Range (as code): **ZA Gau Tva Pre Slpp Nta Kzu Dbn**
6244.Acrocercops euryphanta Meyrick,1911 (Gracillariidae) Synonymy: euryphanta Meyrick,1911 Range (as code): **NA Abc SC ZA**

6245. **Acrocercops ficina Vari,1961** (Gracillariidae) Synonymy: ficina Vari,1961 Range (as code): **NA ZA Nta Kzu Umk**
6246. **Acrocercops fuscapica Bland,1980** (Gracillariidae) Synonymy: fuscapica Bland,1980 Range (as code): **NG**
6247. **Acrocercops gossypii Vari,1961** (Gracillariidae) Synonymy: gossypii Vari,1961 Range (as code): **ZA Tva Mpu Brb Rtb Nta Kzu**
6248. **Acrocercops guttiferella Viette,1951** (Gracillariidae) Synonymy: guttiferella Viette,1951 Range (as code): **MG**
6249. **Acrocercops hedymopa Turner,1913** (Gracillariidae) Synonymy: hedymopa Turner,1913 Range (as code): **BJ AU QAu Kda**
6250. **Acrocercops heterodoxa Vari,1961** (Gracillariidae) Synonymy: heterodoxa Vari,1961 Range (as code): **ZA Tva Gau Pre**
6251. **Acrocercops heteroloba Meyrick,1932** (Gracillariidae) Synonymy: heteroloba Meyrick,1932 Range (as code): **ET ET88 Sw**
6252. **Acrocercops horrens Meyrick,1932** (Gracillariidae) Synonymy: horrens Meyrick,1932 Range (as code): **ET ET88 Sw**
6253. **Acrocercops imperfecta Gozmany,1960** (Gracillariidae) Synonymy: imperfecta Gozmany,1960 Range (as code): **EG**
6254. **Acrocercops leucostega (Meyrick,1932)** (Gracillariidae) Synonymy: leucostega Meyrick,1932 Range (as code): **SL NG**
6255. **Acrocercops loxias Meyrick,1918** (Gracillariidae) Synonymy: loxias Meyrick,1918 Range (as code): **IN Rj Rjp MG**
6256. **Acrocercops macrochalca Meyrick,1910** (Gracillariidae) Synonymy: macrochalca Meyrick,1910 Range (as code): **MU**
6257. **Acrocercops malvacea Walsingham,1907** (Gracillariidae) Synonymy: malvacea Walsingham,1907 Range (as code): **MA**
6258. **Acrocercops ochnifolii Vari,1961** (Gracillariidae) Synonymy: ochnifolii Vari,1961 Range (as code): **ZA Nta Kzu Ina**
6259. **Acrocercops orianassa Meyrick,1932** (Gracillariidae) Synonymy: orianassa Meyrick,1932 Range (as code): **ET UG**
6260. **Acrocercops pectinivalva Bland,1980** (Gracillariidae) Synonymy: pectinivalva Bland,1980 Range (as code): **NG Iba**
6261. **Acrocercops punctulata (Walsingham,1891)** (Gracillariidae) Synonymy: punctulata Walsingham,1891 Range (as code): **ZA Nta Kzu Est**
6262. **Acrocercops punctulata (Walsingham,1891)** (Gracillariidae) Synonymy: punctulata Walsingham,1891 Range (as code): **ZA Nta Kzu Est**
6263. **Acrocercops rhothiastis Meyrick,1921** (Gracillariidae) Synonymy: rhothiastis Meyrick,1921 Range (as code): **NG Iba**
6264. **Acrocercops siphonaula Meyrick,1931** (Gracillariidae) Synonymy: siphonaula Meyrick,1931 Range (as code): **SL**
6265. **Acrocercops syzygiena Vari,1961** (Gracillariidae) Synonymy: syzygiena Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr**
6266. **Acrocercops terminalina Vari,1961** (Gracillariidae) Synonymy: terminalina Vari,1961 Range (as code): **ZA Tva Lpo Wm ZW Swm NA Abc**
6267. **Acrocercops theaeformisella Viette,1955** (Gracillariidae) Synonymy: theaeformisella Viette,1955 Range (as code): **MG**
6268. **Acrocercops walsinghami (Rebel,1907)** (Gracillariidae) Synonymy: walsinghami Rebel,1907 Range (as code): **Sk YE**
6269. **Africephala timaea (Meyrick,1914)** (Gracillariidae) Synonymy: timaea Meyrick,1914 Range (as code): **NA MW**
6270. **Amblyptila cynanchi Vari,1961** (Gracillariidae) Synonymy: cynanchi Vari,1961 Range (as code): **ZA Ec Pel Elo Stj Nta Kzu Umk ZA06 Dbn Ina**
6271. **Amblyptila strophantina Vari,1961** (Gracillariidae) Synonymy: strophantina Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr**
6272. **Apistoneura psarochroma Vari,1961** (Gracillariidae) Synonymy: psarochroma Vari,1961 Range (as code): **ZW NA Abc**
6273. **Aristaea atrata Triberti,1985** (Gracillariidae) Synonymy: atrata Triberti,1985 Range (as code): **MG**

6274.Aristaea bathracma (Meyrick,1912) (Gracillariidae) Synonymy: bathracma Meyrick,1912; asteris Kumata,1977 Range (as code): **ZA Tva Gau Pre Mpu Brb ZA14 Nta Kzu Esw MZ Mag CN TH JP**

6275.Aristaea eurygramma Vari,1961 (Gracillariidae) Synonymy: eurygramma Vari,1961 Range (as code): **ZA Tva Mpu Brb Nha Nta Kzu**

6276.Aristaea onychota (Meyrick,1908) (Gracillariidae) Synonymy: onychota Meyrick,1908 Range (as code): **ZA Tva Gau Pre Slpp ZA14 Mpu Brb Tst MZ ST NG ZM**

6277.Aristaea thalassias (Meyrick,1880) (Gracillariidae) Synonymy: thalassias Meyrick,1880 Range (as code): **ZA AU NSw Syd**

6278.Aspilapteryx (s.str.) multipunctella (Chrétien,1917) (Gracillariidae) Synonymy: multipunctella Chrétien,1917; anagensis Klimesch,1979 Range (as code): **Cn DZ Bsk TN Gf ES PT FR**

6279.Aspilapteryx (s.str.) seriata (Meyrick,1912) (Gracillariidae) Synonymy: seriata Meyrick,1912 Range (as code): **ZA Tva Mpu Brb**

6280.Callicercops milloti (Viette,1951) (Gracillariidae) Synonymy: milloti Viette,1951 Range (as code): **MG**

6281.Callicercops triceros (Meyrick,1926) (Gracillariidae) Synonymy: triceros Meyrick,1926; triactis Meyrick,1930 Range (as code): **ZA Tva Gau Pre Lpo Kru ZW Har Vf TZ NA Abc MU**

6282.Caloptilia aurita Triberti,1989 (Gracillariidae) Synonymy: aurita Triberti,1989 Range (as code): **ZA Nta Kzu Kkf**

6283.Caloptilia azaleella (Brants,1913) (Gracillariidae) Synonymy: azaleella Brants,1913; azaleae Busck,1914; anthracosperma Meyrick,1931 Range (as code): **PT FR IT GB BE NL DE CH AT PL CZ SK DK NO SE FI ZA NZ CA Nbw US Cf Fl Knt Nje Ny SCa Msc**

6284.Caloptilia cataractias (Meyrick,1921) (Gracillariidae) Synonymy: cataractias Meyrick,1921 Range (as code): **ZW Vf ZA Tva Gau Pre Tz Lpo Spb Msk Rtb NA Abc**

6285.Caloptilia celtina Vari,1961 (Gracillariidae) Synonymy: celtina Vari,1961 Range (as code): **ZA Tva Gau Pre**

6286.Caloptilia chrysoplaca Vari,1961 (Gracillariidae) Synonymy: chrysoplaca Vari,1961 Range (as code): **ZA Wca Kny**

6287.Caloptilia corrugata (Meyrick,1918) (Gracillariidae) Synonymy: corrugata Meyrick,1918 Range (as code): **ZA Tva Gau Pre Ec Grh**

6288.Caloptilia coruscans (Walsingham,1907) (Gracillariidae) Synonymy: coruscans Walsingham,1907; schinella Walsingham,1908; terebinthiella Chrétien,1910; instincta Meyrick,1922; ferruginipennis Turati,1924 Range (as code): **Cn DZ Bsk Hes LY Cy TN Gf ES FR Sa? Si IT MT GR TR IL Pa Js**

6289.Caloptilia cryphia Vari,1961 (Gracillariidae) Synonymy: cryphia Vari,1961 Range (as code): **NA**

6290.Caloptilia dicksoni Vari,1961 (Gracillariidae) Synonymy: dicksoni Vari,1961 Range (as code): **ZA Wca Hum**

6291.Caloptilia fera Triberti,1989 (Gracillariidae) Synonymy: fera Triberti,1989 Range (as code): **KE Kky NG**

6292.Caloptilia filifera (Meyrick,1912) (Gracillariidae) Synonymy: filifera Meyrick,1912 Range (as code): **ZA Tva Gau Pre NA**

6293.Caloptilia grypota (Meyrick,1914) (Gracillariidae) Synonymy: grypota Meyrick,1914 Range (as code): **ZA Tva Gau Pre**

6294.Caloptilia ingrata Triberti,1989 (Gracillariidae) Synonymy: ingrata Triberti,1989 Range (as code): **TZ Tnga Usa Ani**

6295.Caloptilia insolita Triberti,1989 (Gracillariidae) Synonymy: insolita Triberti,1989 Range (as code): **NG**

6296.Caloptilia isotoma (Meyrick,1914) (Gracillariidae) Synonymy: isotoma Meyrick,1914 Range (as code): **ZA Mpu Tst Tz Tva Lpo Nta Kzu Esw Hfo ZW NA Abc Kru**

6297.Caloptilia janeae Bradley,1965 (Gracillariidae) Synonymy: janeae Bradley,1965 Range (as code): **UG Rz**

6298.Caloptilia laurifoliae (M.Hering,1927) (Gracillariidae) Synonymy: laurifoliae M.Hering,1927 Range (as code): **Cn Md**

6299.Caloptilia leptophanes (Meyrick,1928) (Gracillariidae) Synonymy: leptophanes Meyrick,1928 Range (as code): **ZA Mpu Pil Tva Gau Pre**

6300.Caloptilia leptospila Vari,1961 (Gracillariidae) Synonymy: leptospila Vari,1961 Range (as code): **ZA Nta Kzu Swi**

6301.Caloptilia leucapennella (Stephens,1835) (Gracillariidae) Synonymy: sulphurella Haworth,[1828] nec Fabr.,1777; leucapennella Stephens,1835; citrinellum Zeller,1839; aurantiella Peyerimhoff,1871. Range (as code): **MA ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ HU GR TR DK NO SE FI EE LV RU MD UA BY 05 16**

6302.Caloptilia macropleura (Meyrick,1932) (Gracillariidae) Synonymy: macropleura Meyrick,1932; xanthochiria Vari,1961 Range (as code): **ZA Mpu Pil ZA13 Tva Gau Pre ET Sw ET88**

6303.Caloptilia maynei Ghesquière,1940 (Gracillariidae) Synonymy: maynei Ghesquière,1940 Range (as code): **ZR**

6304.Caloptilia meyricki Vari,1961 (Gracillariidae) Synonymy: meyricki Vari,1961 Range (as code): **ZA Ec Kny Sto Wca Cto Pel**

6305.Caloptilia octopunctata (Turner,1894) (Gracillariidae) Synonymy: octopunctata Turner,1894; tetratypa Meyrick,1928; cirrhocrotala Meyrick,1928 Range (as code): **ZR ZA TZ UG IN ID AU QAu NZ**

6306.Caloptilia onustella (Hübner,[1813]) (Gracillariidae) Synonymy: onustella Hübner,[1813] Range (as code): **MA FR IT DE CH AT PL CZ SK HU YU BG DK GG Cc TR TM NO SE FI EE LV RU MD UA BY TJ TM 16**

6307.Caloptilia pachyspila Bradley,1965 (Gracillariidae) Synonymy: pachyspila Bradley,1965 Range (as code): **UG Rz**

6308.Caloptilia pentaplaca (Meyrick,1911) (Gracillariidae) Synonymy: pentaplaca Meyrick,1911 Range (as code): **ZA Tva Gau Pre Mll Lpo Kru Nta Kzu Umk NA Abc NG SC**

6309.Caloptilia poecilostola Vari,1961 (Gracillariidae) Synonymy: poecilostola Vari,1961 Range (as code): **ZA Ec Kny Wca Cto**

6310.Caloptilia porphyranthes (Meyrick,1921) (Gracillariidae) Synonymy: porphyranthes Meyrick,1921 Range (as code): **ZA Tva Gau Pre NA Abc**

6311.Caloptilia prosticta (Meyrick,1909) (Gracillariidae) Synonymy: prosticta Meyrick,1909 Range (as code): **ZA Ec Wca Cto MG NG SC LK**

6312.Caloptilia pseudoaurita Triberti,1989 (Gracillariidae) Synonymy: pseudoaurita Triberti,1989 Range (as code): **GH Acc NG**

6313.Caloptilia ptychospora (Meyrick,1938) (Gracillariidae) Synonymy: ptychospora Meyrick,1938 Range (as code): **ZR**

6314.Caloptilia pyrrhochroma Vari,1961 (Gracillariidae) Synonymy: pyrrhochroma Vari,1961 Range (as code): **ZA Nta Kzu Kkf**

6315.Caloptilia rhusina Vari,1961 (Gracillariidae) Synonymy: rhusina Vari,1961 Range (as code): **ZA Ec Kny Wca Cto Wyn**

6316.Caloptilia robustella Jäckh,1972 (Gracillariidae) Synonymy: robustella Jäckh,1972 Range (as code): **Cn FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU TR DK NO SE LV LT RO RU UA**

6317.Caloptilia roscipennella (Hübner,1796) (Gracillariidae) Synonymy: roscipennella Hübner,1796; roscipennis Haworth,1828; merulaepennella Duponchel,[1840]; puncticostella Herrich-Schäffer,1855; juglandella Mann,1867 Range (as code): **Cn Md ES FR Co Sa? Si IT BE DE CH AT PL CZ SK HU RO MK TR CY GR RU MD UA BY TJ KG IR IN 13 16**

6318.Caloptilia sapina Vari,1961 (Gracillariidae) Synonymy: sapina Vari,1961 Range (as code): **NA ZA Nta Kzu Dbn**

6319.Caloptilia sapina Vari,1961 (Gracillariidae) Synonymy: sapina Vari,1961 Range (as code): **ZA Nta Kzu Srn Dbn**

6320.Caloptilia scaenica Triberti,1987 (Gracillariidae) Synonymy: scaenica Triberti,1987 Range (as code): **MG**

6321.Caloptilia semnophanes (Meyrick,1918) (Gracillariidae) Synonymy: semnophanes Meyrick,1918 Range (as code): **ZA Nta Kzu Dmm**

6322.Caloptilia soyella (Van Deventer,1904) (Gracillariidae) Synonymy: soyella Van Deventer,1904 Range (as code): **CN JP CV IN ID Ja LK FJ**

6323.Caloptilia staintoni (Wollaston,1858) (Gracillariidae) Synonymy: staintoni Wollaston,1858 Range (as code): **Cn Md**

6324.Caloptilia stigmatella (Fabricius,1781) (Gracillariidae) Synonymy: stigmatella Fabricius,1781; cruciella Goeze,1783; equestris Fourcroy,1783; upupaepennella Hübner,1796; triangulella Panzer,1799; purpurea Haworth,1828; ochracea Haworth,1828; triangulosella Costa,[1836]; purpuriella Chambers,1872; consimilella Frey,1876 Range (as code): **MA PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO B-H MK TR Cc AZ AM GG DK NO SE FI EE LV LT RU Mo MD UA BY TM Kp Sb Ur Us MN TJ UZ KK KG CN JP CA BCo US Iln Knt Msc Vr Fl Mai Ny Oh Pns SCa Tx IN 65**

6325.Caloptilia sychnospila Vari,1961 (Gracillariidae) Synonymy: sychnospila Vari,1961 Range (as code): **NA Abc**

6326.Caloptilia syngenica Vari,1961 (Gracillariidae) Synonymy: syngenica Vari,1961 Range (as code): **ZA Wca Pri Ec Kny Gau Tva Pre**

6327.Caloptilia titanitis (Meyrick,1921) (Gracillariidae) Synonymy: titanitis Meyrick,1921 Range (as code): **ZA Tva Gau Pre Lpo Spb Wp NA Abc**

6328.Caloptilia verecunda Triberti,2004 (Gracillariidae) Synonymy: verecunda Triberti,2004 Range (as code): **NA**
6329.Caloptilia vibrans (Meyrick,1918) (Gracillariidae) Synonymy: vibrans Meyrick,1918 Range (as code): **ZA Nta Kzu Dbn**
6330.Caloptilia vicinola Vari,1961 (Gracillariidae) Synonymy: vicinola Vari,1961 Range (as code): **ZA Nta Kzu Dbn ZW**
6331.Caloptilia xanthocephala Vari,1961 (Gracillariidae) Synonymy: xanthocephala Vari,1961 Range (as code): **ZA Ec Kny Wca Cld**
6332.Cameraria fara De Prins,2012 (Gracillariidae) Synonymy: fara De Prins,2012 Range (as code): **CM**
6333.Cameraria hexalobina (Vari,1961) (Gracillariidae) Synonymy: hexalobina Vari,1961; #hexabolina Vari,1961 Range (as code): **ZA Tva Lpo Kru Spb Pma ZR**
6334.Cameraria landryi De Prins,2012 (Gracillariidae) Synonymy: landryi De Prins,2012 Range (as code): **ZR**
6335.Cameraria perodeaui De Prins,2012 (Gracillariidae) Synonymy: perodeaui De Prins,2012 Range (as code): **ZR**
6336.Cameraria sokoke De Prins,2012 (Gracillariidae) Synonymy: sokoke De Prins,2012 Range (as code): **KE**
6337.Cameraria torridella De Prins,2012 (Gracillariidae) Synonymy: torridella De Prins,2012 Range (as code): **KE**
6338.Cameraria varii De Prins,2012 (Gracillariidae) Synonymy: varii De Prins,2012 Range (as code): **ZA Gau Tva Pre**
6339.Cameraria zaira De Prins,2012 (Gracillariidae) Synonymy: zaira De Prins,2012 Range (as code): **ZR**
6340.Conopobathra carbunculata (Meyrick,1912) (Gracillariidae) Synonymy: carbunculata Meyrick,1912 Range (as code): **ZA Tva Mpu Brb Gau Pre**
6341.Conopobathra geraea Vari,1961 (Gracillariidae) Synonymy: geraea Vari,1961 Range (as code): **ZA Tva Gau Pre**
6342.Conopobathra gravissima (Meyrick,1912) (Gracillariidae) Synonymy: gravissima Meyrick,1912; globulifera Meyrick,1931 Range (as code): **ZA Mpu Tva Tst Brb Gau Pre ZW Uma NA Abc TH KE MY PG NBr ID Ja**
6343.Conopobathra plethorhabda Vari,1961 (Gracillariidae) Synonymy: plethorhabda Vari,1961 Range (as code): **NA Abc**
6344.Conopomorpha chionosema Vari,1961 (Gracillariidae) Synonymy: chionosema Vari,1961 Range (as code): **ZA Tva Gau Slpp NA Abc ZW**
6345.Conopomorpha euphanes Vari,1961 (Gracillariidae) Synonymy: euphanes Vari,1961 Range (as code): **NA ZA Gau Tva Pre**
6346.Conopomorpha fustigera (Meyrick,1928) (Gracillariidae) Synonymy: fustigera Meyrick,1928 Range (as code): **ZA Nta Kzu Dbn UG**
6347.Conopomorphina aptata (Meyrick,1914) (Gracillariidae) Synonymy: aptata Meyrick,1914; acmophanes Meyrick,1928 Range (as code): **ZA Gau Tva Pre Kwi Ec Wca**
6348.Conopomorphina gypsochroma Vari,1961 (Gracillariidae) Synonymy: gypsochroma Vari,1961 Range (as code): **ZW Har**
6349.Conopomorphina ochnivora Vari,1961 (Gracillariidae) Synonymy: ochnivora Vari,1961 Range (as code): **ZA Tva Gau Pre**
6350.Corethrovalva allophylina Vari,1961 (Gracillariidae) Synonymy: allophylina Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr Ec Kwi**
6351.Corethrovalva goniosema Vari,1961 (Gracillariidae) Synonymy: goniosema Vari,1961 Range (as code): **ZA Nta Kzu ZA06**
6352.Corethrovalva paraplesia Vari,1961 (Gracillariidae) Synonymy: paraplesia Vari,1961 Range (as code): **ZA Ec Elo**
6353.Corythocestis aletreuta (Meyrick,1936) (Gracillariidae) Synonymy: aletreuta Meyrick,1936; chalybophanes Meyrick,1937 Range (as code): **TZ RW ET NG UG**
6354.Corythocestis cyanolampra (Vari,1961) (Gracillariidae) Synonymy: cyanolampra Vari,1961 Range (as code): **ZA Ec Grh Nta Kzu**
6355.Cremastobombycia kipepeo De Prins,2012 (Gracillariidae) Synonymy: kipepeo De Prins,2012 Range (as code): **KE**
6356.Cremastobombycia morogorene De Prins,2012 (Gracillariidae) Synonymy: morogorene De Prins,2012 Range (as code): **TZ**

6357. **Cryptolectica capnodecta Vari,1961** (Gracillariidae) Synonymy: capnodecta Vari,1961 Range (as code): **ZA Tva Mpu ZA14**
6358. **Cryptolectica monodecta (Meyrick,1912)** (Gracillariidae) Synonymy: monodecta Meyrick,1912 Range (as code): **ZA Tva Mpu Brb Nta Kzu Esw**
6359. **Cuphodes diospyri Vari,1961** (Gracillariidae) Synonymy: diospyri Vari,1961 Range (as code): **ZA Nta Kzu Ina**
6360. **Cuphodes dolichocera Vari,1961** (Gracillariidae) Synonymy: dolichocera Vari,1961 Range (as code): **ZA Nta Kzu Ina**
6361. **Cuphodes leucocera Vari,1961** (Gracillariidae) Synonymy: leucocera Vari,1961 Range (as code): **ZA Wca Wyn**
6362. **Cuphodes melanostola (Meyrick,1918)** (Gracillariidae) Synonymy: melanostola Meyrick,1918 Range (as code): **ZA Ec Pel Nta Kzu Esw Dbn Wca Cer NA Abc**
6363. **Dextellia dorsilineella (Amsel,1935)** (Gracillariidae) Synonymy: dorsilineella Amsel,1935; #dorsiliniella Kuznetsov & Baryshnikova,2001 Range (as code): **MA ES IT GR IL Pa Jer MT TN TM**
6364. **Dialectica carcharota (Meyrick,1912)** (Gracillariidae) Synonymy: carcharota Meyrick,1912 Range (as code): **ZA Wca Cto Nta Kzu Dbn**
6365. **Dialectica columellina (Vari,1961)** (Gracillariidae) Synonymy: columellina Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr Msw Gau Pre**
6366. **Dialectica cordiaecola Vari,1961** (Gracillariidae) Synonymy: cordiaecola Vari,1961 Range (as code): **ZA Ec Alx**
6367. **Dialectica ehretiae (Vari,1961)** (Gracillariidae) Synonymy: ehretiae Vari,1961 Range (as code): **ZA Ec Alx**
6368. **Dialectica galactozona Vari,1961** (Gracillariidae) Synonymy: galactozona Vari,1961 Range (as code): **ZA Nta Kzu Ina**
6369. **Dialectica odontosema (Vari,1961)** (Gracillariidae) Synonymy: odontosema Vari,1961 Range (as code): **ZA Wca Kny Tva Lpo Wo**
6370. **Dialectica pavonicola (Vari,1961)** (Gracillariidae) Synonymy: pavonicola Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr**
6371. **Dialectica praegemina (Meyrick,1917)** (Gracillariidae) Synonymy: praegemina Meyrick,1917 Range (as code): **ZA**
6372. **Dialectica pyramidota (Meyrick,1918)** (Gracillariidae) Synonymy: pyramidota Meyrick,1918 Range (as code): **ZA Gau Tva Pre Lpo Spb Sbs**
6373. **Dialectica scalariella (Zeller,1850)** (Gracillariidae) Synonymy: scalariella Zeller,1850 Range (as code): **Cn Az DZ MA TN PT ES GB FR Co Sa Si IT CH ME GR Cr TR IL Pa IR Gls TM AU NZ 22 31 55**
6374. **Dialectica trigonidota (Vari,1961)** (Gracillariidae) Synonymy: trigonidota Vari,1961 Range (as code): **ZA Wca Kny**
6375. **Diphtheroptila brideliae Vari,1961** (Gracillariidae) Synonymy: brideliae Vari,1961 Range (as code): **ZA Tva Lpo Spb Msw**
6376. **Diphtheroptila oxyloga (Meyrick,1928)** (Gracillariidae) Synonymy: oxyloga Meyrick,1928 Range (as code): **ZA Tva Lpo Spb Ltr ZW**
6377. **Dysectopa scalifera Vari,1961** (Gracillariidae) Synonymy: scalifera Vari,1961 Range (as code): **NA Abc**
6378. **Ectropina citricula (Meyrick,1912)** (Gracillariidae) Synonymy: citricula Meyrick,1912 Range (as code): **ZA Tva Mpu Brb**
6379. **Ectropina ligata (Meyrick,1912)** (Gracillariidae) Synonymy: ligata Meyrick,1912 Range (as code): **ZA Tva Mpu Brb Gau Pre Lpo Kru NA Abc**
6380. **Ectropina sclerochitoni Vari,1961** (Gracillariidae) Synonymy: sclerochitoni Vari,1961 Range (as code): **ZA ZA14 Mpu Tva**
6381. **Ectropina suttoni Bland,1980** (Gracillariidae) Synonymy: suttoni Bland,1980 Range (as code): **NG Iba**
6382. **Epicephala haplodoxa Vari,1961** (Gracillariidae) Synonymy: haplodoxa Vari,1961 Range (as code): **ZA Kru Tva Lpo MZ**
6383. **Epicephala homostola Vari,1961** (Gracillariidae) Synonymy: homostola Vari,1961 Range (as code): **NA ZA Tva Gau Pre Lpo Spb Wp Wo Kru Nta Kzu Umk**
6384. **Epicephala jansei Vari,1961** (Gracillariidae) Synonymy: jansei Vari,1961 Range (as code): **ZW Maz**
6385. **Epicephala pelopepla Vari,1961** (Gracillariidae) Synonymy: pelopepla Vari,1961 Range (as code): **ZA Tva Gau Pre Hei**
6386. **Epicephala pyrrhogastra Meyrick,1908** (Gracillariidae) Synonymy: pyrrhogastra Meyrick,1908 Range (as code): **ZA Tva Gau Pre Nta Kzu Umk Lpo Kru Mll Mpu Brb ZW Bul NA Abc**

6387. **Epicephala tephrostola Vari,1961** (Gracillariidae) Synonymy: tephrostola Vari,1961 Range (as code): **ZA Tva Gau Pre**
6388. **Eteoryctis syngramma (Meyrick,1914)** (Gracillariidae) Synonymy: syngramma Meyrick,1914 Range (as code): **NG IN Adm Nk ID TH**
6389. **Euspilapteryx crypta Vari,1961** (Gracillariidae) Synonymy: crypta Vari,1961 Range (as code): **ZA Nta Kzu Ec Stj**
6390. **Gracillaria toubkalella De Prins,1985** (Gracillariidae) Synonymy: toubkalella De Prins,1985 Range (as code): **MA**
6391. **Graphiocephala barbitias (Meyrick,1909)** (Gracillariidae) Synonymy: barbitias Meyrick,1909 Range (as code): **ZA Tva Gau Pre Lpo Buf Rtb**
6392. **Graphiocephala polysticha Vari,1961** (Gracillariidae) Synonymy: polysticha Vari,1961 Range (as code): **ZW Swm ZA Tva Lpo Pot Gau Pre**
6393. **Graphiocephala strigifera Vari,1961** (Gracillariidae) Synonymy: strigifera Vari,1961 Range (as code): **ZA Tva Mpu ZA14**
6394. **Hyloconis luki De Prins,2012** (Gracillariidae) Synonymy: luki De Prins,2012 Range (as code): **ZR**
6395. **Lamprolectica apicistrigata (Walsingham,1891)** (Gracillariidae) Synonymy: apicistrigata Walsingham,1891 Range (as code): **ZA Nta Kzu Dbn GA**
6396. **Leucocercops dasmophora (Meyrick,1908)** (Gracillariidae) Synonymy: dasmophora Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
6397. **Leucospilapteryx omissella (Stainton,1848)** (Gracillariidae) Synonymy: omissella Stainton,1848; ainoniella Matsumura,1931 Range (as code): **Cn FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU BG DK SE LV RU MD UA BY KG JP Kyu Hkk Ri**
6398. **Liocrobyla tephrosiae Vari,1961** (Gracillariidae) Synonymy: tephrosiae Vari,1961 Range (as code): **ZA Tva Lpo Kru**
6399. **Macarostola eugeniella (Viette,1951)** (Gracillariidae) Synonymy: eugeniella Viette,1951 Range (as code): **MG MU**
6400. **Macarostola flora (Meyrick,1926)** (Gracillariidae) Synonymy: flora Meyrick,1926 Range (as code): **ZA Nta Kzu Dbn**
6401. **Macarostola noellineae Vari,1961** (Gracillariidae) Synonymy: noellineae Vari,1961 Range (as code): **ZA Nta Kzu**
6402. **Metacercops hexactis (Meyrick,1932)** (Gracillariidae) Synonymy: hexactis Meyrick,1932 Range (as code): **ET Sw ET88**
6403. **Metacercops praesticta (Meyrick,1918)** (Gracillariidae) Synonymy: praesticta Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
6404. **Metriochroa argyrocelis Vari,1961** (Gracillariidae) Synonymy: argyrocelis Vari,1961 Range (as code): **ZW**
6405. **Metriochroa carissae Vari,1963** (Gracillariidae) Synonymy: carissae Vari,1963 Range (as code): **ET**
6406. **Metriochroa inferior (Silvestri,1904)** (Gracillariidae) Synonymy: inferior Silvestri,1904 Range (as code): **ER**
6407. **Metriochroa pergulariae Vari,1961** (Gracillariidae) Synonymy: pergulariae Vari,1961 Range (as code): **ZA Tva Lpo Spb Sbs**
6408. **Metriochroa scotinopa Vari,1963** (Gracillariidae) Synonymy: scotinopa Vari,1963 Range (as code): **ET**
6409. **Metriochroa tylophorae Vari,1961** (Gracillariidae) Synonymy: tylophorae Vari,1961 Range (as code): **ZA Ec Kwi**
6410. **Neolithocolletis mayumbe De Prins,2012** (Gracillariidae) Synonymy: mayumbe De Prins,2012 Range (as code): **ZR**
6411. **Neolithocolletis nsengai De Prins,2012** (Gracillariidae) Synonymy: nsengai De Prins,2012 Range (as code): **ZR**
6412. **Oligoneurina ficicola Vari,1961** (Gracillariidae) Synonymy: ficicola Vari,1961 Range (as code): **ZA Nta Kzu Ina**
6413. **Paracephala timaea (Meyrick,1914)** (Gracillariidae) Synonymy: timaea Meyrick,1914 Range (as code): **TZ NA Abc**
6414. **Pareclectis adelospila Vari,1961** (Gracillariidae) Synonymy: adelospila Vari,1961 Range (as code): **ZA Nta Kzu Pel**
6415. **Pareclectis hobohmi Vari,1961** (Gracillariidae) Synonymy: hobohmi Vari,1961 Range (as code): **NA Abc**

6416.Pareclectis invita (Meyrick,1912) (Gracillariidae) Synonymy: invita Meyrick,1912; ancistraula Meyrick,1937 Range (as code): **ZA Tva Mpu Brb Ec Stj Gau Pre Nta Kzu Esw Pel Grh**

6417.Pareclectis leucosticha Vari,1961 (Gracillariidae) Synonymy: leucosticha Vari,1961 Range (as code): **ZA Nca**

6418.Pareclectis mimetis Vari,1961 (Gracillariidae) Synonymy: mimetis Vari,1961 Range (as code): **MZ Mag**

6419.Pareclectis prionota (Meyrick,1928) (Gracillariidae) Synonymy: prionota Meyrick,1928 Range (as code): **ZA Tva Lpo Pot ZW**

6420.Parornix maura Triberti,1998 (Gracillariidae) Synonymy: maura Triberti,1998 Range (as code): **MA DZ**

6421.Phodoryctis caerulea (Meyrick,1912) (Gracillariidae) Synonymy: caerulea Meyrick,1912; centrometra Meyrick,1920; #caerula Bradley,1961 Range (as code): **IN Bi Pus Ben ID Ja JP Ri MY LK TW TZ FJ SB GU**

6422.Phodoryctis dolichophila (Vari,1961) (Gracillariidae) Synonymy: dolichophila Vari,1961 Range (as code): **ZA Nta Kzu Stj Ec Slpp Gau Pre ZW Uma MU**

6423.Phodoryctis thrypticosema (Vari,1961) (Gracillariidae) Synonymy: thrypticosema Vari,1961 Range (as code): **ZA Nta Kzu ZW**

6424.Phyllocnistis canariensis M.Hering,1927 (Gracillariidae) Synonymy: canariensis M.Hering,1927 Range (as code): **Cn Md**

6425.Phyllocnistis citrella Stainton,1856 (Gracillariidae) Synonymy: citrella Stainton,1856; minutella Van Deventer,1904; citricola Shiraki,1913 Range (as code): **Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri JP ID Sum Ja Clb Ij Clc Fl 01 07 31 33**

6426.Phyllocnistis pharetrucha Meyrick,1921 (Gracillariidae) Synonymy: pharetrucha Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**

6427.Phyllocnistis saligna (Zeller,1839) (Gracillariidae) Synonymy: saligna Zeller,1839; salicifoliella Duponchel,[1845]; salignella Herrich-Schäffer,1855; lugdunensella Bruand,1859 Range (as code): **FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU HV RO MK IL Pa KG TM DK SE LV LT RU MD UA BY ZA RE IN LK**

6428.Phyllonorycter aarviki De Prins,2012 (Gracillariidae) Synonymy: aarviki De Prins,2012 Range (as code): **TZ YE**

6429.Phyllonorycter achilleus De Prins,2012 (Gracillariidae) Synonymy: achilleus De Prins,2012 Range (as code): **KE**

6430.Phyllonorycter acutulus De Prins,2012 (Gracillariidae) Synonymy: acutulus De Prins,2012 Range (as code): **KE**

6431.Phyllonorycter adderis De Prins,2012 (Gracillariidae) Synonymy: adderis De Prins,2012 Range (as code): **RW**

6432.Phyllonorycter agassizi De Prins,2012 (Gracillariidae) Synonymy: agassizi De Prins,2012 Range (as code): **KE**

6433.Phyllonorycter albertinus De Prins,2012 (Gracillariidae) Synonymy: albertinus De Prins,2012 Range (as code): **KE**

6434.Phyllonorycter alluaudiella (Chrétien,1922) (Gracillariidae) Synonymy: alluaudiella Chrétien,1922 Range (as code): **MA**

6435.Phyllonorycter anchistea (Vari,1961) (Gracillariidae) Synonymy: anchistea Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr Gau Pre**

6436.Phyllonorycter belotella (Staudinger,1859) (Gracillariidae) Synonymy: belotella Staudinger,1859; joviella Constant,1890; anatolica Deschka,1970 Range (as code): **DZ Agi MA IT MK GR PT ES An Grn FR YU HV TR 35 41**

6437.Phyllonorycter brachylaenae (Vari,1961) (Gracillariidae) Synonymy: brachylaenae Vari,1961 Range (as code): **ZA Tva Gau Pre Lpo Pie Rtb**

6438.Phyllonorycter caudasimplex Bland,1980 (Gracillariidae) Synonymy: caudasimplex Bland,1980 Range (as code): **NG**

6439.Phyllonorycter chionopa (Vari,1961) (Gracillariidae) Synonymy: chionopa Vari,1961 Range (as code): **NA Abc**

6440.Phyllonorycter cocciferella (Mendes,1910) (Gracillariidae) Synonymy: cocciferella Mendes,1910 Range (as code): **MA PT ES FR**

6441.Phyllonorycter cytisella (Rebel,1896) (Gracillariidae) Synonymy: cytisella Rebel,1896 Range (as code): **Cn**

6442.Phyllonorycter cytisifoliae (M.Hering,1927) (Gracillariidae) Synonymy: cytisifoliae M.Hering,1927 Range (as code): **Cn**
6443.Phyllonorycter didymopa (Vari,1961) (Gracillariidae) Synonymy: didymopa Vari,1961 Range (as code): **ZA Tva Gau Pre Slpp NA Abc**
6444.Phyllonorycter didymopa (Vari,1961) (Gracillariidae) Synonymy: didymopa Vari,1961 Range (as code): **ZA Gau Pre Slpp**
6445.Phyllonorycter dombeyae De Prins,2012 (Gracillariidae) Synonymy: dombeyae De Prins,2012 Range (as code): **ZA Nta Kzu**
6446.Phyllonorycter encaeria (Meyrick,1911) (Gracillariidae) Synonymy: encaeria Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
6447.Phyllonorycter endryella (Mann,1855) (Gracillariidae) Synonymy: endryella Mann,1855; meridionella Möschler,1866; caudiferella Ragonot,1875 Range (as code): **DZ Agi MA PT ES FR Co Sa YU**
6448.Phyllonorycter extincta Deschka,1974 (Gracillariidae) Synonymy: extincta Deschka,1974 Range (as code): **TN**
6449.Phyllonorycter farensis J.de Prins & W.de Prins,2007 (Gracillariidae) Synonymy: farensis J.de Prins & W.de Prins,2007 Range (as code): **CM Fro**
6450.Phyllonorycter fletcheri De Prins,2012 (Gracillariidae) Synonymy: fletcheri De Prins,2012 Range (as code): **UG Rz**
6451.Phyllonorycter gato De Prins,2012 (Gracillariidae) Synonymy: gato De Prins,2012 Range (as code): **RW**
6452.Phyllonorycter gozmanyi J.de Prins & W.de Prins,2007 (Gracillariidae) Synonymy: gozmanyi J.de Prins & W.de Prins,2007 Range (as code): **CM Fro**
6453.Phyllonorycter grewiaecola (Vari,1961) (Gracillariidae) Synonymy: grewiaecola Vari,1961 Range (as code): **ZA Tva Lpo Spb Wat ZW NA Abc KE**
6454.Phyllonorycter grewiella (Vari,1961) (Gracillariidae) Synonymy: grewiella Vari,1961 Range (as code): **ZA Mpu Tva Lpo Kru Mll Ko8 KE BW YE NA**
6455.Phyllonorycter hibiscina (Vari,1961) (Gracillariidae) Synonymy: hibiscina Vari,1961 Range (as code): **ZA Tva Mpu Pre Rtb ZW KE CM**
6456.Phyllonorycter hibiscola De Prins,2012 (Gracillariidae) Synonymy: hibiscola De Prins,2012 Range (as code): **KE**
6457.Phyllonorycter ipomoellus De Prins,2012 (Gracillariidae) Synonymy: ipomoellus De Prins,2012 Range (as code): **RW**
6458.Phyllonorycter kazuri De Prins,2012 (Gracillariidae) Synonymy: kazuri De Prins,2012 Range (as code): **KE**
6459.Phyllonorycter lantanae (Vari,1961) (Gracillariidae) Synonymy: lantanae Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr**
6460.Phyllonorycter lemarchandi (Viette,1951) (Gracillariidae) Synonymy: lemarchandi Viette,1951 Range (as code): **MG**
6461.Phyllonorycter leucaspis Triberti,2004 (Gracillariidae) Synonymy: leucaspis Triberti,2004 Range (as code): **NA**
6462.Phyllonorycter linioliella (Rungs,1942) (Gracillariidae) Synonymy: linioliella Rungs,1942 Range (as code): **MA**
6463.Phyllonorycter loxozona (Meyrick,1936) (Gracillariidae) Synonymy: loxozona Meyrick,1936 Range (as code): **ZA Tva Lpo UG**
6464.Phyllonorycter madagascariensis (Viette,1949) (Gracillariidae) Synonymy: madagascariensis Viette,1949 Range (as code): **MG**
6465.Phyllonorycter maererei De Prins,2012 (Gracillariidae) Synonymy: maererei De Prins,2012 Range (as code): **TZ**
6466.Phyllonorycter melanosparta (Meyrick,1912) (Gracillariidae) Synonymy: melanosparta Meyrick,1912 Range (as code): **ZA Tva Lpo Mpu Brb Gau Pre Pie ZW Uma KE**
6467.Phyllonorycter melhaniae (Vari,1961) (Gracillariidae) Synonymy: melhaniae Vari,1961 Range (as code): **ZW**
6468.Phyllonorycter messaniella (Zeller,1846) (Gracillariidae) Synonymy: messaniella Zeller,1846 Range (as code): **Az MA PT ES FR Co Sa Si IT IE GB BE NL DE CH AT HU HV TR BG GR DK RU MD UA BY US AU NZ 16**
6469.Phyllonorycter mida De Prins,2012 (Gracillariidae) Synonymy: mida De Prins,2012 Range (as code): **KE**

6470. **Phyllonorycter mirbeckifoliae Deschka,1974** (Gracillariidae) Synonymy: mirbeckifoliae Deschka,1974 Range (as code): **TN**
6471. **Phyllonorycter mwatawalai De Prins,2012** (Gracillariidae) Synonymy: mwatawalai De Prins,2012 Range (as code): **TZ**
6472. **Phyllonorycter myricae Deschka,1976** (Gracillariidae) Synonymy: myricae Deschka,1976 Range (as code): **Az Cn Md**
6473. **Phyllonorycter obandai De Prins & Mozuraitis,2006** (Gracillariidae) Synonymy: obandai De Prins & Mozuraitis,2006 Range (as code): **KE**
6474. **Phyllonorycter ocimellus De Prins,2012** (Gracillariidae) Synonymy: ocimellus De Prins,2012 Range (as code): **KE**
6475. **Phyllonorycter ololua De Prins,2012** (Gracillariidae) Synonymy: ololua De Prins,2012 Range (as code): **KE Nai**
6476. **Phyllonorycter pavoniae (Vari,1961)** (Gracillariidae) Synonymy: pavoniae Vari,1961 Range (as code): **ZA Tva Lpo Spb Sbs Ec Alx**
6477. **Phyllonorycter pseudojoviella Deschka,1974** (Gracillariidae) Synonymy: pseudojoviella Deschka,1974 Range (as code): **DZ TN**
6478. **Phyllonorycter retamella (Chrétien,1915)** (Gracillariidae) Synonymy: retamella Chrétien,1915 Range (as code): **TN Gf**
6479. **Phyllonorycter rhynchosiae (Vari,1961)** (Gracillariidae) Synonymy: rhynchosiae Vari,1961 Range (as code): **ZA Tva Gau Pre Lpo**
6480. **Phyllonorycter rongensis De Prins,2012** (Gracillariidae) Synonymy: rongensis De Prins,2012 Range (as code): **KE**
6481. **Phyllonorycter ruizivorus De Prins,2012** (Gracillariidae) Synonymy: caudasimplex sensu Guillermet,2011 nec Bl.,1980; ruizivorus De Prins,2012 Range (as code): **RE**
6482. **Phyllonorycter ruwenzori De Prins,2012** (Gracillariidae) Synonymy: ruwenzori De Prins,2012 Range (as code): **UG Rz**
6483. **Phyllonorycter silvicola De Prins,2012** (Gracillariidae) Synonymy: silvicola De Prins,2012 Range (as code): **KE**
6484. **Phyllonorycter spartocytisi (Hering,1927)** (Gracillariidae) Synonymy: spartocytisi Hering,1927 Range (as code): **Cn ES**
6485. **Phyllonorycter tangerensis (Stainton,1872)** (Gracillariidae) Synonymy: tangerensis Stainton,1872 Range (as code): **MA Tgr**
6486. **Phyllonorycter trochetellus De Prins,2012** (Gracillariidae) Synonymy: trochetellus De Prins,2012 Range (as code): **MU**
6487. **Phyllonorycter tsavensis De Prins,2012** (Gracillariidae) Synonymy: tsavensis De Prins,2012 Range (as code): **KE**
6488. **Phyllonorycter turensis De Prins,2012** (Gracillariidae) Synonymy: turensis De Prins,2012 Range (as code): **KE**
6489. **Phyllonorycter umukarus De Prins,2012** (Gracillariidae) Synonymy: umukarus De Prins,2012 Range (as code): **RW**
6490. **Pleiomorpha dystacta Vari,1961** (Gracillariidae) Synonymy: dystacta Vari,1961 Range (as code): **ZA Tva Lpo Spb Wp Mpu Brb ZA14**
6491. **Pleiomorpha eumeces Vari,1961** (Gracillariidae) Synonymy: eumeces Vari,1961 Range (as code): **ZA Tva Gau Pre**
6492. **Pleiomorpha habrogramma Vari,1961** (Gracillariidae) Synonymy: habrogramma Vari,1961 Range (as code): **ZA Tva Gau Pre Nta Kzu Esw Hei Kkf**
6493. **Pleiomorpha homotypa Vari,1961** (Gracillariidae) Synonymy: homotypa Vari,1961 Range (as code): **ZA Tva Lpo Gau Pre Pot Mdt**
6494. **Pleiomorpha symmetra Vari,1961** (Gracillariidae) Synonymy: symmetra Vari,1961 Range (as code): **ZA Tva Mpu ZA14**
6495. **Pogonocephala veneranda (Meyrick,1909)** (Gracillariidae) Synonymy: veneranda Meyrick,1909 Range (as code): **ZA Tva Gau Pre Lpo Spb Wp Chp Kru Mpu Tst Brb**
6496. **Polydema hormophora (Meyrick,1912)** (Gracillariidae) Synonymy: hormophora Meyrick,1912 Range (as code): **ZA Tva Mpu Brb**
6497. **Polydema vansoni Vari,1961** (Gracillariidae) Synonymy: vansoni Vari,1961 Range (as code): **ZA Ec Nta Kzu Esw**
6498. **Polysoma aenictum Vari,1961** (Gracillariidae) Synonymy: aenictum Vari,1961 Range (as code): **ZW**

6499.Polysoma clarki Vari,1961 (Gracillariidae) Synonymy: clarki Vari,1961 Range (as code): **ZA Ec Elo**
6500.Polysoma lithochrysum (Meyrick,1930) (Gracillariidae) Synonymy: lithochrysum Meyrick,1930 Range (as code): **UG ZW Har ZA Nta Kzu Dbn**
6501.Polysoma tanysphenum (Meyrick,1928) (Gracillariidae) Synonymy: tanysphenum Meyrick,1928 Range (as code): **ZW Bul**
6502.Porphyrosela desmodivora De Prins,2012 (Gracillariidae) Synonymy: desmodivora De Prins,2012 Range (as code): **CM**
6503.Porphyrosela gautengi De Prins,2012 (Gracillariidae) Synonymy: gautengi De Prins,2012 Range (as code): **Tva Gau ZA**
6504.Porphyrosela homotropha Vari,1963 (Gracillariidae) Synonymy: homotropha Vari,1963 Range (as code): **ET ETo8**
6505.Porphyrosela teramni Vari,1961 (Gracillariidae) Synonymy: teramni Vari,1961 Range (as code): **ZA Tva Gau Pre Nta Kzu**
6506.Sauterina thrypticosema (Vari,1961) (Gracillariidae) Synonymy: thrypticosema Vari,1961 Range (as code): **ZA**
6507.Schedocercops maeruae Vari,1961 (Gracillariidae) Synonymy: maeruae Vari,1961 Range (as code): **ZA Nta Kzu Dbn Ina**
6508.Semnocera procellaris (Meyrick,1914) (Gracillariidae) Synonymy: procellaris Meyrick,1914 Range (as code): **ZA Nta Kzu Srn Dbn**
6509.Spulerina aphanosema Vari,1961 (Gracillariidae) Synonymy: aphanosema Vari,1961 Range (as code): **ZW Vf**
6510.Spulerina atactodesma Vari,1961 (Gracillariidae) Synonymy: atactodesma Vari,1961 Range (as code): **ZA Tva Mpu ZA14**
6511.Spulerina catapasta Vari,1961 (Gracillariidae) Synonymy: catapasta Vari,1961 Range (as code): **ZA Nta Kzu Esw**
6512.Spulerina hexalocha (Meyrick,1912) (Gracillariidae) Synonymy: hexalocha Meyrick,1912 Range (as code): **ZA Mpu Tva Brb**
6513.Spulerina lochmaea Vari,1961 (Gracillariidae) Synonymy: lochmaea Vari,1961 Range (as code): **ZA Tva Mpu ZA14**
6514.Spulerina marmarodes Vari,1961 (Gracillariidae) Synonymy: marmarodes Vari,1961 Range (as code): **ZA Nta Kzu Dmm**
6515.Spulerina quadrifasciata Bland,1980 (Gracillariidae) Synonymy: quadrifasciata Bland,1980 Range (as code): **NG Iba**
6516.Stomphastis adesa Triberti,1988 (Gracillariidae) Synonymy: adesa Triberti,1988 Range (as code): **MG NG**
6517.Stomphastis aphrocyma (Meyrick,1918) (Gracillariidae) Synonymy: aphrocyma Meyrick,1918 Range (as code): **ZA Nta Kzu Esw Dbn Ina ZW**
6518.Stomphastis cardamitis (Meyrick,1918) (Gracillariidae) Synonymy: cardamitis Meyrick,1918 Range (as code): **ZA Gau Tva Pre**
6519.Stomphastis conflua (Meyrick,1914) (Gracillariidae) Synonymy: conflua Meyrick,1914 Range (as code): **ZA Tva Gau Pre Nta Kzu Umk Srn Dbn Slpp Mpu Tst Brb Lpo Spb Msw Ltr Kru ZW NG SD MZ EG IL Pa GG Cc IQ Bgd SA RU JO CY TR**
6520.Stomphastis crotoniphila Vari,1961 (Gracillariidae) Synonymy: crotoniphila Vari,1961 Range (as code): **ZA Nta Kzu**
6521.Stomphastis crotonis Vari,1961 (Gracillariidae) Synonymy: crotonis Vari,1961 Range (as code): **NA ZA Tva Lpo Spb Sbs**
6522.Stomphastis dodonaeae Vari,1961 (Gracillariidae) Synonymy: dodonaeae Vari,1961 Range (as code): **MG ZA Gau Tva Pre**
6523.Stomphastis eugrapta Vari,1961 (Gracillariidae) Synonymy: eugrapta Vari,1961 Range (as code): **MG ZA Tva Gau Pre**
6524.Stomphastis heringi Vari,1963 (Gracillariidae) Synonymy: heringi Vari,1963 Range (as code): **ET Sw Oro ETo8**
6525.Stomphastis horrens Vari,1963 (Gracillariidae) Synonymy: horrens Vari,1963 Range (as code): **ET Sw Oro**
6526.Stomphastis mixograpta Vari,1961 (Gracillariidae) Synonymy: mixograpta Vari,1961 Range (as code): **ZA Tva Gau Pre**
6527.Stomphastis polygoni Vari,1961 (Gracillariidae) Synonymy: polygoni Vari,1961 Range (as code): **ZW**

6528.Stomphastis rorkei Vari,1961 (Gracillariidae) Synonymy: rorkei Vari,1961 Range (as code): **ZA Tva Gau Pre ZW Vf NA Abc**
6529.Stomphastis thraustica (Meyrick,1908) (Gracillariidae) Synonymy: thraustica Meyrick,1908; plectica Meyrick,1912 Range (as code): **ZA Nta Kzu Dbn Mpu Tva Brb Kru Gau Pre ZW CF ZR NA GH NG MG IN Ben MY ID Ja Clb**
6530.Stomphastis tremina Vari,1961 (Gracillariidae) Synonymy: tremina Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr NA**
6531.Systoloneura randiae Vari,1961 (Gracillariidae) Synonymy: randiae Vari,1961 Range (as code): **ZA Ec Kwi**
6532.Telamoptilia cathedraea (Meyrick,1908) (Gracillariidae) Synonymy: cathedraea Meyrick,1908 Range (as code): **IN Ass Meg Khs JP Ri TW MG**
6533.Telamoptilia geyeri (Vari,1961) (Gracillariidae) Synonymy: geyeri Vari,1961 Range (as code): **ZA Tva Lpo Spb Ltr ZW**
6534.Telamoptilia hemistacta (Meyrick,1924) (Gracillariidae) Synonymy: hemistacta Meyrick,1924 Range (as code): **MG IN Bi JP Ri TW**
6535.Triberta helianthemella (Herrich-Schäffer,[1860]) (Gracillariidae) Synonymy: helianthemella Herrich-Schäffer,[1860] Range (as code): **Cn ES FR Sa? Si IT DE CH AT CZ SK HU YU GR TR CY MK HV 16**

Hepialidae

6536.Afrotheora argentimaculata Nielsen & Scoble,1986 (Hepialidae) Synonymy: argentimaculata Nielsen & Scoble,1986 Range (as code): **ZA Nta Kzu**
6537.Afrotheora brevivalva Nielsen & Scoble,1986 (Hepialidae) Synonymy: brevivalva Nielsen & Scoble,1986 Range (as code): **TZ**
6538.Afrotheora flavimaculata Nielsen & Scoble,1986 (Hepialidae) Synonymy: flavimaculata Nielsen & Scoble,1986 Range (as code): **AO**
6539.Afrotheora jordani (Viette,1956) (Hepialidae) Synonymy: jordani Viette,1956 Range (as code): **AO Mco**
6540.Afrotheora minirhodaula Nielsen & Scoble,1986 (Hepialidae) Synonymy: minirhodaula Nielsen & Scoble,1986 Range (as code): **ZA Nta Kzu**
6541.Afrotheora rhodaula (Meyrick,1926) (Hepialidae) Synonymy: rhodaula Meyrick,1926 Range (as code): **ZA**
6542.Afrotheora thermodes (Meyrick,1921) (Hepialidae) Synonymy: thermodes Meyrick,1921; pardalias Janse,1942 Range (as code): **ZA Tva Lpo Spb Suw Tra**
6543.Antihepialus antarcticus (Wallengren,1860) (Hepialidae) Synonymy: antarcticus Wallengren,1860; aurifaber Felder,1874. Range (as code): **ZA MZ ZW**
6544.Antihepialus capeneri Janse,1948 (Hepialidae) Synonymy: capeneri Janse,1948 Range (as code): **ZA**
6545.Antihepialus keniae (Holland,1892) (Hepialidae) Synonymy: keniae Holland,1892; tanganyicus Rebel,1914 Range (as code): **KE UG**
6546.Antihepialus vansoni (Janse,1942) (Hepialidae) Synonymy: vansoni Janse,1942 Range (as code): **ZA**
6547.Eudalaca albiplumis (W.Warren,1914) (Hepialidae) Synonymy: albiplumis W.Warren,1914 Range (as code): **ZA**
6548.Eudalaca albistriata (Hampson,1910) (Hepialidae) Synonymy: albistriata Hampson,1910 Range (as code): **ZA**
6549.Eudalaca ammon (Wallengren,1860) (Hepialidae) Synonymy: ammon Wallengren,1860; fuscescens Hampson,1910; goniophora Hampson,1910; rhodesiensis Hampson,1910. Range (as code): **ZA MZ ZW ZM MW TZ**
6550.Eudalaca amphiarma (Meyrick,1926) (Hepialidae) Synonymy: amphiarma Meyrick,1926 Range (as code): **ZA**
6551.Eudalaca aurifuscalis (Janse,1942) (Hepialidae) Synonymy: aurifuscalis Janse,1942 Range (as code): **ZA**
6552.Eudalaca bacotii (Quail,1900) (Hepialidae) Synonymy: bacotii Quail,1900 Range (as code): **ZA**
6553.Eudalaca cretata (Distant,1897) (Hepialidae) Synonymy: cretata Distant,1897 Range (as code): **ZA**

6554. **Eudalaca crossosema (Meyrick,1921)** (Hepialidae) Synonymy: crossosema Meyrick,1921 Range (as code): **ZA Nta Kzu Ww**
6555. **Eudalaca crudeni (Janse,1942)** (Hepialidae) Synonymy: crudeni Janse,1942 Range (as code): **ZA**
6556. **Eudalaca eriogastra (Meyrick,1921)** (Hepialidae) Synonymy: eriogastra Meyrick,1921 Range (as code): **ZA Nta Kzu Ww**
6557. **Eudalaca exul (Herrich-Schäffer,1853)** (Hepialidae) Synonymy: exul Herrich-Schäffer,1853; librata Walker,1865; metaleuca Hampson,1910; tumidifascia Hampson,1910. Range (as code): **ZA**
6558. **Eudalaca gutterata (Janse,1942)** (Hepialidae) Synonymy: gutterata Janse,1942 Range (as code): **ZA**
6559. **Eudalaca hololeuca (Hampson,1910)** (Hepialidae) Synonymy: hololeuca Hampson,1910 Range (as code): **ZA**
6560. **Eudalaca homoterma (Meyrick,1821)** (Hepialidae) Synonymy: homoterma (Meyrick,1821 Range (as code): **ZA**
6561. **Eudalaca ibex (Wallengren,1860)** (Hepialidae) Synonymy: ibex Wallengren,1860; albirivula Hampson,1910. Range (as code): **ZA**
6562. **Eudalaca infumata (Janse,1942)** (Hepialidae) Synonymy: infumata Janse,1942 Range (as code): **ZA**
6563. **Eudalaca isorrhoa (Meyrick,1921)** (Hepialidae) Synonymy: isorrhoa Meyrick,1921 Range (as code): **ZA Tva Mpu Brb**
6564. **Eudalaca leniflua (Janse,1942)** (Hepialidae) Synonymy: leniflua Janse,1942 Range (as code): **ZA**
6565. **Eudalaca leucocyma (Hampson,1910)** (Hepialidae) Synonymy: leucocyma Hampson,1910 Range (as code): **ZA Nta Fs Blo Tva Lpo**
6566. **Eudalaca leucophaea (Janse,1919)** (Hepialidae) Synonymy: leucophaea Janse,1919 Range (as code): **ZA**
6567. **Eudalaca limbopunctata (Gaede,1930)** (Hepialidae) Synonymy: limbopunctata Gaede,1930 Range (as code): **ZA**
6568. **Eudalaca minuscula (Janse,1942)** (Hepialidae) Synonymy: minuscula Janse,1942 Range (as code): **ZA**
6569. **Eudalaca nomaqua (Walker,1856)** (Hepialidae) Synonymy: nomaqua Walker,1856; #namaqua Janse,1917. Range (as code): **ZA**
6570. **Eudalaca orthocosma (Janse,1942)** (Hepialidae) Synonymy: orthocosma Janse,1942 Range (as code): **ZA Wca**
6571. **Eudalaca rivula (Janse,1942)** (Hepialidae) Synonymy: rivula Janse,1942 Range (as code): **ZA**
6572. **Eudalaca rufescens (Hampson,1910)** (Hepialidae) Synonymy: rufescens Hampson,1910; furva Hampson,1910. Range (as code): **ZA**
6573. **Eudalaca semicana (Janse,1919)** (Hepialidae) Synonymy: stictigrapha Hampson,1910; semicana Janse,1919 Range (as code): **ZA**
6574. **Eudalaca troglodytis (Janse,1919)** (Hepialidae) Synonymy: troglodytis Janse,1919 Range (as code): **ZA**
6575. **Eudalaca vaporalis (Meyrick,1921)** (Hepialidae) Synonymy: vaporalis Meyrick,1921; homostola Hampson,1910. Range (as code): **ZA Tva Mpu Pil**
6576. **Eudalaca vindex (Meyrick,1939)** (Hepialidae) Synonymy: vindex Meyrick,1939 Range (as code): **ZA**
6577. **Eudalaca zernyi (Viette,1950)** (Hepialidae) Synonymy: zernyi Viette,1950 Range (as code): **TZ**
6578. **Gorgopis annulosa Gaede,1930** (Hepialidae) Synonymy: annulosa Gaede,1930 Range (as code): **ZA**
6579. **Gorgopis armillata Meyrick,1921** (Hepialidae) Synonymy: armillata Meyrick,1921 Range (as code): **ZA Nta Kzu**
6580. **Gorgopis auratilis Janse,1919** (Hepialidae) Synonymy: auratilis Janse,1919 Range (as code): **ZA**
6581. **Gorgopis aurifuscata Janse,1942** (Hepialidae) Synonymy: aurifuscata Janse,1942 Range (as code): **ZA**
6582. **Gorgopis butlerii Dewitz,1881** (Hepialidae) Synonymy: butlerii Dewitz,1881 Range (as code): **ZA**
6583. **Gorgopis caffra Walker,1856** (Hepialidae) Synonymy: caffra Walker,1856; cervina Wallengren,1860. Range (as code): **ZA**
6584. **Gorgopis centaurica Meyrick,1921** (Hepialidae) Synonymy: centaurica Meyrick,1921 Range (as code): **ZA Nta Kzu**
6585. **Gorgopis cochlias Janse,1942** (Hepialidae) Synonymy: cochlias Janse,1942 Range (as code): **ZA**
6586. **Gorgopis crudeni Janse,1919** (Hepialidae) Synonymy: crudeni Janse,1919 Range (as code): **ZA**

6587.Gorgopis furcata Janse,1942 (Hepialidae) Synonymy: furcata Janse,1942 Range (as code): **ZA**
6588.Gorgopis fuscalis Janse,1919 (Hepialidae) Synonymy: fuscalis Janse,1919 Range (as code): **ZA**
6589.Gorgopis grisescens Gaede,1930 (Hepialidae) Synonymy: grisescens Gaede,1930 Range (as code): **ZA**
6590.Gorgopis hunti Janse,1942 (Hepialidae) Synonymy: hunti Janse,1942 Range (as code): **ZA**
6591.Gorgopis inornata Janse,1942 (Hepialidae) Synonymy: inornata Janse,1942 Range (as code): **ZA**
6592.Gorgopis intervallata W.Warren,1914 (Hepialidae) Synonymy: intervallata W.Warren,1914 Range (as code): **ZA**
6593.Gorgopis leucopetala Meyrick,1921 (Hepialidae) Synonymy: leucopetala Meyrick,1921 Range (as code): **ZA Tra Ec**
6594.Gorgopis libania (Stoll,[1781]) (Hepialidae) Synonymy: libania Stoll,[1781]; abbottii Holland,1892; angolensis Viette,1956. Range (as code): **ZA Nta MZ ZW MW**
6595.Gorgopis lobata Janse,1942 (Hepialidae) Synonymy: lobata Janse,1942 Range (as code): **ZA**
6596.Gorgopis olivaceonotata W.Warren,1914 (Hepialidae) Synonymy: olivaceonotata W.Warren,1914 Range (as code): **ZA**
6597.Gorgopis pallidiflava Janse,1942 (Hepialidae) Synonymy: pallidiflava Janse,1942 Range (as code): **ZA**
6598.Gorgopis pholidota Meyrick,1921 (Hepialidae) Synonymy: pholidota Meyrick,1921 Range (as code): **ZA Wca**
6599.Gorgopis ptiloscelis (Meyrick,1919) (Hepialidae) Synonymy: ptiloscelis Meyrick,1919 Range (as code): **ZA**
6600.Gorgopis salti Tams,1952 (Hepialidae) Synonymy: salti Tams,1952 Range (as code): **TZ**
6601.Gorgopis serangota (Meyrick,1919) (Hepialidae) Synonymy: serangota Meyrick,1919 Range (as code): **ZA**
6602.Gorgopis subrimosa Janse,1942 (Hepialidae) Synonymy: subrimosa Janse,1942 Range (as code): **ZA**
6603.Gorgopis tanganyikaensis Viette,1950 (Hepialidae) Synonymy: tanganyikaensis Viette,1950 Range (as code): **TZ**
6604.Gorgopis zellerii Dewitz,1881 (Hepialidae) Synonymy: zellerii Dewitz,1881 Range (as code): **ZA**
6605.Leto venus (Stoll,[1780]) (Hepialidae) Synonymy: venus Stoll,[1780]. Range (as code): **ZA Wca**
6606.Metahepialus angustiptera Janse,1948 (Hepialidae) Synonymy: angustiptera Janse,1948 Range (as code): **ZA**
6607.Metahepialus plurimaculata (W.Warren,1914) (Hepialidae) Synonymy: plurimaculata W.Warren,1914 Range (as code): **ZA**
6608.Metahepialus zenoctenis (Meyrick,1926) (Hepialidae) Synonymy: zenoctenis Meyrick,1926 Range (as code): **ZA**
6609.Neohepialiscus algeriensis (Joannis,1903) (Hepialidae) Synonymy: algeriensis Joannis,1903; #joannisi Lucas,1905; #bicolor Pfitzner,1912; tunetanus Oberthür,1917 Range (as code): **TN Dhm DZ Phv**

Heterogynidae

6610.Heterogynis jellaba De Freina,2003 (Heterogynidae) Synonymy: jellaba De Freina,2003 Range (as code): **MA**
6611.Heterogynis rifensis De Freina,2003 (Heterogynidae) Synonymy: rifensis De Freina,2003 Range (as code): **MA Rf**

Himantopteridae

6612.Doratopteryx afra Rogenhofer,1884 (Himantopteridae) Synonymy: afra Rogenhofer,1884 Range (as code): **TZ**
6613.Doratopteryx camerunica M.Hering,1937 (Himantopteridae) Synonymy: camerunica M.Hering,1937 Range (as code): **CM**
6614.Doratopteryx collarti M.Hering,1937 (Himantopteridae) Synonymy: collarti M.Hering,1937 Range (as code): **ZR**
6615.Doratopteryx dissemurus Kiriakoff,1963 (Himantopteridae) Synonymy: dissemurus Kiriakoff,1963 Range (as code): **GN**

6616. **Doratopteryx filipennis M.Hering,1937** (Himantopteridae) Synonymy: filipennis M.Hering,1937 Range (as code): **ZR**
6617. **Doratopteryx flavomaculata M.Hering,1937** (Himantopteridae) Synonymy: flavomaculata M.Hering,1937 Range (as code): **ZR**
6618. **Doratopteryx fulva M.Hering,1937** (Himantopteridae) Synonymy: fulva M.Hering,1937 Range (as code): **ZR**
6619. **Doratopteryx laticauda M.Hering,1937** (Himantopteridae) Synonymy: laticauda M.Hering,1937 Range (as code): **ZR**
6620. **Doratopteryx latipennis M.Hering,1937** (Himantopteridae) Synonymy: latipennis M.Hering,1937 Range (as code): **ZR**
6621. **Doratopteryx plumigera Butler,1888** (Himantopteridae) Synonymy: plumigera Butler,1888 Range (as code): **ZA**
6622. **Doratopteryx steniptera Hampson,1919** (Himantopteridae) Synonymy: steniptera Hampson,1919 Range (as code): **TZ Tnga Usa**
6623. **Doratopteryx xanthomelas Rothschild & Jordan,1903** (Himantopteridae) Synonymy: xanthomelas Rothschild & Jordan,1903 Range (as code): **AO**
6624. **Doratopteryx zopheropa Bethune-Baker,1911** (Himantopteridae) Synonymy: zopheropa Bethune-Baker,1911 Range (as code): **UG**
6625. **Himantopterus papilionaria Walker,1864** (Himantopteridae) Synonymy: papilionaria Walker,1864 Range (as code): **AET**
6626. **Pedoptila catori Bethune-Baker,1911** (Himantopteridae) Synonymy: catori Bethune-Baker,1911 Range (as code): **UG**
6627. **Pedoptila nemopteridia Butler,1885** (Himantopteridae) Synonymy: nemopteridia Butler,1885 Range (as code): **ZA Ec**
6628. **Pedoptila nigrocristata Joicey & Talbot,1921** (Himantopteridae) Synonymy: nigrocristata Joicey & Talbot,1921 Range (as code): **ZM**
6629. **Pedoptila thaletes Druce,1907** (Himantopteridae) Synonymy: thaletes Druce,1907 Range (as code): **CM CG**
6630. **Pedoptila ubangiana Schultze,1931** (Himantopteridae) Synonymy: ubangiana Schultze,1931 Range (as code): **CF**
6631. **Pseudothymara staudingeri (Rogenhofer,1888)** (Himantopteridae) Synonymy: staudingeri Rogenhofer,1888 Range (as code): **SL**
6632. **Semioptila ansorgei Rothschild,1907** (Himantopteridae) Synonymy: ansorgei Rothschild,1907 Range (as code): **AO**
6633. **Semioptila axine M.Hering,1937** (Himantopteridae) Synonymy: axine M.Hering,1937 Range (as code): **ZR**
6634. **Semioptila banghaasi M.Hering,1937** (Himantopteridae) Synonymy: banghaasi M.Hering,1937 Range (as code): **ZR**
6635. **Semioptila brachyura M.Hering,1937** (Himantopteridae) Synonymy: brachyura M.Hering,1937 Range (as code): **ZR**
6636. **Semioptila brevicauda M.Hering,1937** (Himantopteridae) Synonymy: brevicauda M.Hering,1937 Range (as code): **ZR**
6637. **Semioptila constans M.Hering,1937** (Himantopteridae) Synonymy: constans M.Hering,1937 Range (as code): **ZR**
6638. **Semioptila dolicholoba Hampson,1919** (Himantopteridae) Synonymy: dolicholoba Hampson,1919 Range (as code): **MW**
6639. **Semioptila flavidiscata Hampson,1910** (Himantopteridae) Synonymy: flavidiscata Hampson,1910 Range (as code): **ZA Tva ZW**
6640. **Semioptila fulveolans (Mabille,1897)** (Himantopteridae) Synonymy: fulveolans Mabille,1897 Range (as code): **AO**
6641. **Semioptila hedydipna Kiriakoff,1954** (Himantopteridae) Synonymy: hedydipna Kiriakoff,1954 Range (as code): **ZR**
6642. **Semioptila hilaris Rebel,1906** (Himantopteridae) Synonymy: hilaris Rebel,1906 Range (as code): **TZ**
6643. **Semioptila hyalina Talbot,1926** (Himantopteridae) Synonymy: hyalina Talbot,1926 Range (as code): **ZR**

6644.Semioptila latifulva Hampson,1919 (Himantopteridae) Synonymy: latifulva Hampson,1919 Range (as code): **TZ**
6645.Semioptila longipennis M.Hering,1937 (Himantopteridae) Synonymy: longipennis M.Hering,1937 Range (as code): **ZR**
6646.Semioptila lufirensis Joicey & Talbot,1921 (Himantopteridae) Synonymy: lufirensis Joicey & Talbot,1921 Range (as code): **ZA**
6647.Semioptila lydia Weymer,1908 (Himantopteridae) Synonymy: lydia Weymer,1908 Range (as code): **AO**
6648.Semioptila macrodipteryx Kiriakoff,1954 (Himantopteridae) Synonymy: macrodipteryx Kiriakoff,1954 Range (as code): **ZR**
6649.Semioptila marshalli Rothschild,1907 (Himantopteridae) Synonymy: marshalli Rothschild,1907 Range (as code): **ZA**
6650.Semioptila monochroma M.Hering,1932 (Himantopteridae) Synonymy: monochroma M.Hering,1932 Range (as code): **ZR**
6651.Semioptila opaca M.Hering,1937 (Himantopteridae) Synonymy: opaca M.Hering,1937 Range (as code): **ZR**
6652.Semioptila overlaeti M.Hering,1937 (Himantopteridae) Synonymy: overlaeti M.Hering,1937 Range (as code): **ZR**
6653.Semioptila papilionaria (Walker,1864) (Himantopteridae) Synonymy: papilionaria Walker,1864 Range (as code): **KE**
6654.Semioptila psalidoprocne Kiriakoff,1954 (Himantopteridae) Synonymy: psalidoprocne Kiriakoff,1954 Range (as code): **ZR BE**
6655.Semioptila satanas M.Hering,1937 (Himantopteridae) Synonymy: satanas M.Hering,1937 Range (as code): **ZR**
6656.Semioptila semiflava Talbot,1928 (Himantopteridae) Synonymy: semiflava Talbot,1928 Range (as code): **ZR**
6657.Semioptila seminigra Talbot,1928 (Himantopteridae) Synonymy: seminigra Talbot,1928 Range (as code): **ZR**
6658.Semioptila spatulipennis M.Hering,1937 (Himantopteridae) Synonymy: spatulipennis M.Hering,1937 Range (as code): **ZR**
6659.Semioptila splendida M.Hering,1937 (Himantopteridae) Synonymy: splendida M.Hering,1937 Range (as code): **ZR**
6660.Semioptila stenopteryx M.Hering,1932 (Himantopteridae) Synonymy: stenopteryx M.Hering,1932 Range (as code): **ZR**
6661.Semioptila torta Butler,1887 (Himantopteridae) Synonymy: torta Butler,1887 Range (as code): **MZ ZW ZM MW ZR**
6662.Semioptila trogoloba Hampson,1919 (Himantopteridae) Synonymy: trogoloba Hampson,1919 Range (as code): **MW ZR**
6663.Semioptila ursula M.Hering,1937 (Himantopteridae) Synonymy: ursula M.Hering,1937 Range (as code): **ZR**
6664.Semioptila vinculum M.Hering,1937 (Himantopteridae) Synonymy: vinculum M.Hering,1937 Range (as code): **ZR**

Hyblaeidae

6665.Hyblaea fontainei Berio,1967 (Hyblaeidae) Synonymy: fontainei Berio,1967 Range (as code): **ZA**
6666.Hyblaea occidentalium Holland,1894 (Hyblaeidae) Synonymy: occidentalium Holland,1894; flavifasciata Hampson,1910; flavipicta Hampson,1910; inferna Gaede,1917; dilatata Gaede,1917; rosacea Gaede,1917; euryzona Prout,1921. Range (as code): **ZA**
6667.Hyblaea puera (Cramer,[1777]) (Hyblaeidae) Synonymy: puera Cramer,[1777]; saga Fabricius,1787; unxia Hübner,[1813]; apricans Boisduval,1833; limacodella Walker,1866; mirificum Strecker,1876; #nigra Stebbing,1903; insula Gaede,1917. Range (as code): **SR US ZA MG MM JM AU QAu WS PC FJ SB PG MY IN Mh Nsk Ndb LK Dck Pdy TH CMa CDo CRa Lmp TAk Knc Sbu Nna Bnk Cbi Trat Npt Pht ID Ja**

Lacturidae

6668.Anticrates crocophaea Meyrick,1921 (Lacturidae) Synonymy: crocophaea Meyrick,1921 Range (as code): **ZA Ec Cto**

Lasiocampidae

6669."Lasiocampa" angulifera Walker,1865 (Lasiocampidae) Synonymy: angulifera Walker,1865 Range (as code): **ZA**
6670.Afrocesa schultzei (Aurivillius,1905) (Lasiocampidae) Synonymy: schultzei Aurivillius,1905; scythropa M.Hering,1928 Range (as code): **GH ZM**
6671.Anadiasa affinis Aurivillius,1911 (Lasiocampidae) Synonymy: affinis Aurivillius,1911; swierstrai Aurivillius,1922 Range (as code): **ZA Fs MZ**
6672.Anadiasa colenettei Hartig,1940 (Lasiocampidae) Synonymy: colenettei Hartig,1940 Range (as code): **SO**
6673.Anadiasa fuscofasciata Aurivillius,1922 (Lasiocampidae) Synonymy: fuscofasciata Aurivillius,1922 Range (as code): **ZA Nta Kzu Dbn ZR KE UG ZW**
6674.Anadiasa hartigi Szent-Ivany,1942 (Lasiocampidae) Synonymy: hartigi Szent-Ivany,1942 Range (as code): **TZ**
6675.Anadiasa jansei Aurivillius,1927 (Lasiocampidae) Synonymy: jansei Aurivillius,1927 Range (as code): **ZA Tva Lpo**
6676.Anadiasa nicotrai Hartig,1940 (Lasiocampidae) Synonymy: nicotrai Hartig,1940 Range (as code): **SO**
6677.Anadiasa obsoleta (Klug,1830) (Lasiocampidae) Synonymy: obsoleta Klug,1830; bisrati Rougeot,1984 Range (as code): **NA ET ET29**
6678.Anadiasa pseudometoides Tams,1929 (Lasiocampidae) Synonymy: pseudometoides Tams,1929 Range (as code): **CM**
6679.Anadiasa punctifascia (Walker,1855) (Lasiocampidae) Synonymy: punctifascia Walker,1855; sobria Walker,1865. Range (as code): **ZA Nta Kzu NA TZ**
6680.Anadiasa schoenheiti (Wichgraf,1922) (Lasiocampidae) Synonymy: schoenheiti Wichgraf,1922 Range (as code): **ZA MZ**
6681.Anadiasa simplex Pagenstecher,1903 (Lasiocampidae) Synonymy: simplex Pagenstecher,1903; definita Bethune-Baker,1911 Range (as code): **KE SO SD**
6682.Anadiasa undata (Klug,1830) (Lasiocampidae) Synonymy: undata Klug,1830 Range (as code): **MR MA NE LY SD EG DZ Idl Tmn Ah**
6683.Berelade bettoni Aurivillius,1905 (Lasiocampidae) Synonymy: bettoni Aurivillius,1905 Range (as code): **KE TZ**
6684.Berelade bistrigata Strand,1909 (Lasiocampidae) Synonymy: bistrigata Strand,1909; senegalensis Oberthür,1916 Range (as code): **TZ SN NE CM**
6685.Berelade continua Aurivillius,1905 (Lasiocampidae) Synonymy: continua Aurivillius,1905 Range (as code): **KE TZ UG NG**
6686.Berelade convergens M.Hering,1932 (Lasiocampidae) Synonymy: convergens M.Hering,1932 Range (as code): **KE**
6687.Berelade curvistriga M.Hering,1929 (Lasiocampidae) Synonymy: curvistriga M.Hering,1929 Range (as code): **ZR**
6688.Berelade jordani Tams,1936 (Lasiocampidae) Synonymy: jordani Tams,1936 Range (as code): **NA ZA**
6689.Berelade niphoessa Strand,1909 (Lasiocampidae) Synonymy: niphoessa Strand,1909 Range (as code): **TZ**
6690.Berelade obliquata (Klug,1830) (Lasiocampidae) Synonymy: obliquata Klug,1830; pura W.Warren & Rothschild,1905 Range (as code): **EG SD**
6691.Berelade pelodes (Tams,1937) (Lasiocampidae) Synonymy: pelodes Tams,1937 Range (as code): **KE**
6692.Berelade perobliqua Walker,1855 (Lasiocampidae) Synonymy: perobliqua Walker,1855; fumosa Distant,1897 Range (as code): **ZA ZW ER**
6693.Berelade pulla Strand,1909 (Lasiocampidae) Synonymy: pulla Strand,1909 Range (as code): **TZ**

6694. **Berelade signinervis Strand,1912** (Lasiocampidae) Synonymy: signinervis Strand,1912 Range (as code): **ZA**
6695. **Berelade sobrina (Druce,1900)** (Lasiocampidae) Synonymy: sobrina Druce,1900; fulvostriata Pagenstecher,1903 Range (as code): **SO**
6696. **Berelade sorana (Le Cerf,1922)** (Lasiocampidae) Synonymy: sorana Le Cerf,1922 Range (as code): **KE**
6697. **Berelade unistriga M.Hering,1928** (Lasiocampidae) Synonymy: unistriga M.Hering,1928 Range (as code): **CM**
6698. **Berelade wallengreni Aurivillius,1892** (Lasiocampidae) Synonymy: obliquata sensu Klug nec Walleng.,1865; wallengreni Aurivillius,1892 Range (as code): **ZA**
6699. **Beriola anagnostarai (Berio,1939)** (Lasiocampidae) Synonymy: anagnostarai Berio,1939; sanmarcoi Rougeot,1984 Range (as code): **ER ET**
6700. **Bombycomorpha bifascia (Walker,1855)** (Lasiocampidae) Synonymy: bifascia Walker,1855; nupta R.Felder,1874 Range (as code): **ZA NA MZ LS SZ Eca Pel Fs Gau Tva Lpo Nta Kzu Nca KE TZ Nai**
6701. **Bombycomorpha dukei Joannou & Gurkovich,2009** (Lasiocampidae) Synonymy: dukei Joannou & Gurkovich,2009 Range (as code): **ZA Nca**
6702. **Bombycomorpha pallida Distant,1897** (Lasiocampidae) Synonymy: pallida Distant,1897 Range (as code): **ZA Tva Gau Pre LS Fs Lpo Mpu Nta Kzu SZ Mdd**
6703. **Bombycopsis bipars (Walker,1855)** (Lasiocampidae) Synonymy: bipars Walker,1855; incompta Walker,1855 Range (as code): **ZA**
6704. **Bombycopsis capicola Aurivillius,1921** (Lasiocampidae) Synonymy: capicola Aurivillius,1921 Range (as code): **ZA**
6705. **Bombycopsis das M.Hering,1929** (Lasiocampidae) Synonymy: das M.Hering,1929 Range (as code): **ET**
6706. **Bombycopsis indecora (Walker,1865)** (Lasiocampidae) Synonymy: indecora Walker,1865 Range (as code): **ZA**
6707. **Bombycopsis metallica (Distant,1898)** (Lasiocampidae) Synonymy: metallica Distant,1898 Range (as code): **ZA**
6708. **Bombycopsis nigrovittata Aurivillius,1927** (Lasiocampidae) Synonymy: nigrovittata Aurivillius,1927; #nigrovitta Pinhey,1975 Range (as code): **ZA**
6709. **Bombycopsis ochroleuca R.Felder,1874** (Lasiocampidae) Synonymy: ochroleuca R.Felder,1874 Range (as code): **ZA**
6710. **Bombycopsis venosa (Butler,1895)** (Lasiocampidae) Synonymy: venosa Butler,1895 Range (as code): **ZA**
6711. **Braura concolor (Rothschild,1921)** (Lasiocampidae) Synonymy: concolor Rothschild,1921 Range (as code): **NE**
6712. **Braura elgonensis (Kruck,1940)** (Lasiocampidae) Synonymy: elgonensis Kruck,1940 Range (as code): **TZ KE Elg BI ZR UG ET**
6713. **Braura ligniclusa Walker,1855** (Lasiocampidae) Synonymy: ligniclusa Walker,1855 Range (as code): **ZA Nwe Rtb Tva Lpo Tza Pel Spb Ltr Vvo Elo Dbn SZ Mpu Ec Pte Brb Mdd Ptb Nta Kzu BI CG KE MW TZ ZW Har Uma**
6714. **Braura nilotica (Aurivillius,1925)** (Lasiocampidae) Synonymy: nilotica Aurivillius,1925 Range (as code): **SD**
6715. **Braura othello Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: othello Zolotuhin & Gurkovitch,2009 Range (as code): **MR EG?**
6716. **Braura picturata (Grünberg,1910)** (Lasiocampidae) Synonymy: picturata Grünberg,1910 Range (as code): **NA ZA Tza Tva**
6717. **Braura truncatum (Walker,1855)** (Lasiocampidae) Synonymy: truncatum Walker,1855; plagiogramma Mabille,1879 Range (as code): **ZA AO TZ**
6718. **Catalebeda cuneilinea (Walker,1856)** (Lasiocampidae) Synonymy: cuneilinea Walker,1856; bimaculata Walker,1865 Range (as code): **ZA**
6719. **Catalebeda jamesoni (Bethune-Baker,1908)** (Lasiocampidae) Synonymy: jamesoni Bethune-Baker,1908; violascens Aurivillius,1908; tamsi M.Hering,1932 Range (as code): **ZR ZW**
6720. **Cesacampa haigi (Tams,1935)** (Lasiocampidae) Synonymy: haigi Tams,1935 Range (as code): **NG**
6721. **Cesacampa haigi (Tams,1935)** (Lasiocampidae) Synonymy: haigi Tams,1935 Range (as code): **NG**
6722. **Cheligium choerocampoides (Holland,1893)** (Lasiocampidae) Synonymy: choerocampoides Holland,1893 Range (as code): **CM GA GO**

6723.Cheligium licrisonia Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: licrisonia Zolotuhin & Gurkovitch,2009 Range (as code): **GA CM**

6724.Cheligium lineatum (Aurivillius,1893) (Lasiocampidae) Synonymy: lineatum Aurivillius,1893; pulchristriata Bethune-Baker,1911; dallana Bethune-Baker,1927 Range (as code): **SL NG CM AO**

6725.Cheligium nigrescens (Aurivillius,1908) (Lasiocampidae) Synonymy: nigrescens Aurivillius,1908; rohdei Aurivillius,1908 Range (as code): **CG ZR CI CM**

6726.Cheligium pinheyi Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: pinheyi Zolotuhin & Gurkovitch,2009 Range (as code): **GA CM CG**

6727.Cheligium sansei Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: sansei Zolotuhin & Gurkovitch,2009 Range (as code): **LR CI**

6728.Cheligium ufo Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: ufo Zolotuhin & Gurkovitch,2009 Range (as code): **CF**

6729.Chilena oberthuri Lucas,1909 (Lasiocampidae) Synonymy: oberthuri Lucas,1909 Range (as code): **TN DZ**

6730.Chionopsyche admirabile Zolotuhin,2010 (Lasiocampidae) Synonymy: admirabile Zolotuhin,2010 Range (as code): **CM**

6731.Chionopsyche grisea Aurivillius,1914 (Lasiocampidae) Synonymy: grisea Aurivillius,1914 Range (as code): **SO**

6732.Chionopsyche montana Aurivillius,1909 (Lasiocampidae) Synonymy: montana Aurivillius,1909 Range (as code): **TZ KE**

6733.Chondrostega longespinatum Aurivillius,1894 (Lasiocampidae) Synonymy: longespinatum Aurivillius,1894 Range (as code): **EG**

6734.Chondrostega murinum Aurivillius,1927 (Lasiocampidae) Synonymy: murina Aurivillius,1927 Range (as code): **ZA**

6735.Chondrostega palaestranum Staudinger,1892 (Lasiocampidae) Synonymy: palaestranum Staudinger,1892 Range (as code): **LB IL Pa EG JO TR IR Lo Fa 13 65**

6736.Chondrostega ruficornis Aurivillius,1921 (Lasiocampidae) Synonymy: ruficornis Aurivillius,1921 Range (as code): **ZA**

6737.Chondrostega subfasciatum (Klug,1832) (Lasiocampidae) Synonymy: subfasciatum Klug,1832 Range (as code): **EG**

6738.Chondrostega tingitana Powell,1916 (Lasiocampidae) Synonymy: tingitana Powell,1916; maghrebica De Joannis,1929 Range (as code): **MA Tgr**

6739.Chondrostegoides capensis Aurivillius,1905 (Lasiocampidae) Synonymy: capensis Aurivillius,1905 Range (as code): **ZA**

6740.Chondrostegoides jamaka Zolotuhin,2007 (Lasiocampidae) Synonymy: jamaka Zolotuhin,2007 Range (as code): **ZA**

6741.Chondrostegoides magna Zolotuhin,2007 (Lasiocampidae) Synonymy: magna Zolotuhin,2007 Range (as code): **ZA**

6742.Chondrostegoides nobilorum Zolotuhin,2007 (Lasiocampidae) Synonymy: nobilorum Zolotuhin,2007 Range (as code): **ZA**

6743.Chrysopsyche bivittata Aurivillius,1927 (Lasiocampidae) Synonymy: bivittata Aurivillius,1927 Range (as code): **ZA**

6744.Chrysopsyche imparilis Aurivillius,1905 (Lasiocampidae) Synonymy: imparilis Aurivillius,1905; ladburyi Bethune-Baker,1911 Range (as code): **ZA**

6745.Chrysopsyche lutulenta Tams,1923 (Lasiocampidae) Synonymy: lutulenta Tams,1923 Range (as code): **ZA**

6746.Cleopatrina bilinea (Walker,1855) (Lasiocampidae) Synonymy: bilinea Walker,1855; auriflua Aurivillius,1908 Range (as code): **NG SL CI KE TZ**

6747.Cleopatrina phocea (Druce,1888) (Lasiocampidae) Synonymy: phocea Druce,1888; mirabilis Distant,1897; laterifascia Berio,1937 Range (as code): **ZA Tva Lpo Ly CG ZR ZM TZ MW CM**

6748.Closterothrix bosei (Saalmüller,1880) (Lasiocampidae) Synonymy: bosei Saalmüller,1880 Range (as code): **MG**

6749.Closterothrix bruncki De Lajonquiere,1974 (Lasiocampidae) Synonymy: bruncki De Lajonquiere,1974 Range (as code): **MG**

6750.Closterothrix diabolus (M.Hering,1928) (Lasiocampidae) Synonymy: diabolus M.Hering,1928 Range (as code): **MG**

6751. **Closterothrix fulvipuncta (Viette,1962)** (Lasiocampidae) Synonymy: fulvipuncta Viette,1962 Range (as code): **MG**
6752. **Closterothrix funebris De Lajonquiere,1970** (Lasiocampidae) Synonymy: funebris De Lajonquiere,1970 Range (as code): **MG**
6753. **Closterothrix gambeyi Mabille,1879** (Lasiocampidae) Synonymy: gambeyi Mabille,1879 Range (as code): **MG**
6754. **Closterothrix goliath (Viette,1962)** (Lasiocampidae) Synonymy: goliath Viette,1962 Range (as code): **MG**
6755. **Closterothrix goudoti Viette,1962** (Lasiocampidae) Synonymy: goudoti Viette,1962 Range (as code): **MG**
6756. **Closterothrix insularis Viette,1962** (Lasiocampidae) Synonymy: insularis Viette,1962 Range (as code): **MG**
6757. **Closterothrix leonina (Butler,1882)** (Lasiocampidae) Synonymy: leonina Butler,1882 Range (as code): **MG**
6758. **Closterothrix peyrierasi Viette,1988** (Lasiocampidae) Synonymy: peyrierasi Viette,1988 Range (as code): **RE**
6759. **Closterothrix sikorae Aurivillius,1909** (Lasiocampidae) Synonymy: sikorae Aurivillius,1909 Range (as code): **MG**
6760. **Craspia marshalli Aurivillius,1909** (Lasiocampidae) Synonymy: marshalli Aurivillius,1909; rhypara Hering,1929 Range (as code): **ZA**
6761. **Craspia wahlbergi Aurivillius,1909** (Lasiocampidae) Synonymy: wahlbergi Aurivillius,1909 Range (as code): **ZA**
6762. **Cymatopacha obscura Aurivillius,1921** (Lasiocampidae) Synonymy: obscura Aurivillius,1921 Range (as code): **ZA**
6763. **Diapalpus axiologa M.Hering,1932** (Lasiocampidae) Synonymy: axiologa M.Hering,1932 Range (as code): **ZR**
6764. **Diapalpus congregarius Strand,1913** (Lasiocampidae) Synonymy: congregarius Strand,1913 Range (as code): **TZ**
6765. **Diapalpus griseus M.Hering,1941** (Lasiocampidae) Synonymy: griseus M.Hering,1941 Range (as code): **ZR**
6766. **Dinometa maputuana (Wichgraff,1906)** (Lasiocampidae) Synonymy: maputuana Wichgraff,1906 Range (as code): **ZA**
6767. **Dollmania cuprea (Distant,1897)** (Lasiocampidae) Synonymy: cuprea Distant,1897 Range (as code): **ZA**
6768. **Dollmania flavia (Fawcett,1915)** (Lasiocampidae) Synonymy: flavia Fawcett,1915 Range (as code): **ZA**
6769. **Dollmania plinthochroa Tams,1930** (Lasiocampidae) Synonymy: plinthochroa Tams,1930 Range (as code): **ZA**
6770. **Dollmania purpurascens (Aurivillius,1909)** (Lasiocampidae) Synonymy: purpurascens Aurivillius,1909; reussi Strand,1913; marwitzi Strand,1913 Range (as code): **ZA**
6771. **Epichnapteroides fuliginosa Pinhey,1973** (Lasiocampidae) Synonymy: fuliginosa Pinhey,1973 Range (as code): **ZA**
6772. **Epichnapteroides lobata Strand,1913** (Lasiocampidae) Synonymy: lobata Strand,1913 Range (as code): **ZA**
6773. **Epichnapteroides marmorata Pinhey,1973** (Lasiocampidae) Synonymy: marmorata Pinhey,1973 Range (as code): **ZA**
6774. **Epitrabala argenteoguttata (Aurivillius,1909)** (Lasiocampidae) Synonymy: argenteoguttata Aurivillius,1909 Range (as code): **ZA**
6775. **Epitrabala nyassana (Aurivillius,1909)** (Lasiocampidae) Synonymy: nyassana Aurivillius,1909; horridula Tams,1925 Range (as code): **ZA**
6776. **Eucraera gemmata (Distant,1897)** (Lasiocampidae) Synonymy: gemmata Distant,1897 Range (as code): **ZA**
6777. **Eucraera koellikeri (Dewitz,1881)** (Lasiocampidae) Synonymy: koellikeri Dewitz,1881 Range (as code): **ZA**
6778. **Eucraera salammbo (Vuillot,1892)** (Lasiocampidae) Synonymy: salammbo Vuillot,1892 Range (as code): **ZA**

6779. **Euphorea ondulosa (Conte,1909)** (Lasiocampidae) Synonymy: ondulosa Conte,1909; androphila M.Hering,1928; #convergens M.Hering,1928 Range (as code): **NG SN LR GH BF**
6780. **Eutricha bifascia (Walker,1855)** (Lasiocampidae) Synonymy: bifascia Walker,1855; albofasciata Aurivillius,1921 Range (as code): **ZA Cto Kzu Nta**
6781. **Eutricha capensis (Linnaeus,1767)** (Lasiocampidae) Synonymy: capensis Linnaeus,1767; aluco Fabricius,1781; pithyocampa Stoll,1781; obscura Walker,1855; ferruginea Felder,1874. Range (as code): **ZA MZ Kzu Nta Tva Lpo Ec Pel Dbn Gau Pre Elo**
6782. **Eutricha denticula (Bethune-Baker,1908)** (Lasiocampidae) Synonymy: denticula Bethune-Baker,1908; pallens Bethune-Baker,1908; sericeofasciata Aurivillius,1921; orientalis Stoneham,1942. Range (as code): **ZW**
6783. **Eutricha fulvida (Distant,1897)** (Lasiocampidae) Synonymy: fulvida Distant,1897 Range (as code): **ZA Tva Lpo**
6784. **Eutricha morosa (Walker,1855)** (Lasiocampidae) Synonymy: morosa Walker,1855; richelmanni Weymer,1892; drucei Bethune-Baker,1908; jamiesoni Bethune-Baker,1915 Range (as code): **ZA CG ZM MZ MW KE TZ ZW Tva Lpo Gau Jh**
6785. **Eutricha obscura (Walker,1855)** (Lasiocampidae) Synonymy: obscura Walker,1855; ferruginea C.Felder & R.Felder,[1874] Range (as code): **ZA Ec Nta Kzu Lpo Tva Dbn Gau Jh SZ**
6786. **Eutricha truncata (Walker,1855)** (Lasiocampidae) Synonymy: truncata Walker,1855; ligniclusa Walker,1865; plagiogramma Mabille,1880; picturata Grünberg,1910; occidentalis Strand,1912. Range (as code): **ZA Lpo Tva Spb Mdk**
6787. **Euwallengrenia rectilineata (Aurivillius,1905)** (Lasiocampidae) Synonymy: rectilineata Aurivillius,1905 Range (as code): **ZA**
6788. **Euwallengrenia reducta (Walker,1855)** (Lasiocampidae) Synonymy: reducta Walker,1855; caffra Wallengren,1860 Range (as code): **ZA**
6789. **Gastropacha (s.str.) africana (Holland,1893)** (Lasiocampidae) Synonymy: africana Holland,1893; muscovit Bryk,1915 Range (as code): **ZA**
6790. **Gastroplakaeis balia Tams,1929** (Lasiocampidae) Synonymy: balia Tams,1929; elongata M.Hering,1941 Range (as code): **CM**
6791. **Gastroplakaeis forficulatus Möschler,1887** (Lasiocampidae) Synonymy: forficulatus Möschler,1887; toroensis Bethune-Baker,1927 Range (as code): **GH UG**
6792. **Gastroplakaeis meridionalis Aurivillius,1901** (Lasiocampidae) Synonymy: meridionalis Aurivillius,1901 Range (as code): **ZA**
6793. **Gastroplakaeis parinarii (Guérin-Méneville,1867)** (Lasiocampidae) Synonymy: parinarii Guérin-Méneville,1867; schultzei Aurivillius,1905; punctifera Riel,1911; agroeca M.Hering,1928 Range (as code): **SN CM**
6794. **Gelo anastella Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: anastella Zolotuhin & Prozorov,2010 Range (as code): **NG GO**
6795. **Gelo calcarales Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: calcarales Zolotuhin & Prozorov,2010 Range (as code): **SL CI**
6796. **Gelo joannoui Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: joannoui Zolotuhin & Prozorov,2010 Range (as code): **ZR UG KE**
6797. **Gelo jordani Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: jordani Zolotuhin & Prozorov,2010 Range (as code): **GA CG AO**
6798. **Gonometa drucei Bethune-Baker,1908** (Lasiocampidae) Synonymy: drucei Bethune-Baker,1908 Range (as code): **ZW**
6799. **Gonometa pallens Bethune-Baker,1908** (Lasiocampidae) Synonymy: pallens Bethune-Baker,1908 Range (as code): **ZW**
6800. **Gonometa postica Walker,1855** (Lasiocampidae) Synonymy: postica Walker,1855; stalii Wallengren,1860; marginata Walker,1862; effusa Walker,1865 Range (as code): **ZA**
6801. **Gonometa rufobrunnea Aurivillius,1922** (Lasiocampidae) Synonymy: rufobrunnea Aurivillius,1922 Range (as code): **ZA**
6802. **Grammodora nigrolineata (Aurivillius,1895)** (Lasiocampidae) Synonymy: nigrolineata Aurivillius,1895 Range (as code): **ZA**
6803. **Grellada enigmatica (M.Hering,1941)** (Lasiocampidae) Synonymy: enigmatica M.Hering,1941 Range (as code): **ZA ZW ZR**
6804. **Grellada imitans (Aurivillius,1893)** (Lasiocampidae) Synonymy: imitans Aurivillius,1893 Range (as code): **CG TZ CI ZR CM KE NG**

6805.Grellada marshalli (Aurivillius,1902) (Lasiocampidae) Synonymy: marshalli Aurivillius,1902 Range (as code): **ZM CG ZR ZW**

6806.Gufria limosa (de Villiers,[1827]) (Lasiocampidae) Synonymy: limosa de Villiers,[1827]; lineosa de Villiers,[1827]; powelli Oberthür,1916; intermedia Rothschild,1917; souresi Chnéour,1955 Range (as code): **DZ Agi Afl Ges Lbs Sbd Orn TN PT ES FR**

6807.Haplopacha cinerea Aurivillius,1905 (Lasiocampidae) Synonymy: cinerea Aurivillius,1905 Range (as code): **ZA Tva Lpo Spb Mdk**

6808.Henometa clarki (Aurivillius,1909) (Lasiocampidae) Synonymy: clarki Aurivillius,1909 Range (as code): **ZA**

6809.Hypotrabala sanguicincta (Aurivillius,1901) (Lasiocampidae) Synonymy: sanguicincta Aurivillius,1901 Range (as code): **ZA**

6810.Laeliopsis punctuligera Aurivillius,1911 (Lasiocampidae) Synonymy: punctuligera Aurivillius,1911 Range (as code): **ZA**

6811.Lasiocampa decolorata (Klug,1832) (Lasiocampidae) Synonymy: decolorata Klug,1832 Range (as code): **DZ BSa Ktr Ges Bsk TN Gab EG EG05 IL Pa**

6812.Lasiocampa serrula (Guenée,1858) (Lasiocampidae) Synonymy: serrula Guenée,1858; almeriaensis Costa & Gomez Bustillo,1976 Range (as code): **ES An MA DZ Bsk TN EG Bsk BSa Orn Agi**

6813.Lasiocampa terreni (Herrich-Schäffer,1847) (Lasiocampidae) Synonymy: terreni Herrich-Schäffer,1847 Range (as code): **MA DZ TN LY Orn Lbs Abe Tgr Ges Rbt Dhm Agi Btna FR Co Rd Sms TR CY LB Bei IL Pa JO Amm SY IQ SA EG 31 33 35**

6814.Lasiocampa trifolii ([Denis & Schiffermüller],1775) (Lasiocampidae) Synonymy: #trifolii [Denis & Schiffermüller],1775; medicaginis Borkhausen,1793; ratamae Herrich-Schäffer,1851; iberica Guenée,1858; romana Calberla,1887; bathseba Staudinger,1891; maculosa Rogenhofer,1891 Range (as code): **MA DZ Sbd PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Dia Ry Rwz Mos DK NO SE FI EE LV LT RU MD UA BY GG Tbl Lag AZ Kir AZ Nv Ord Da Der AM Cc LB Bsa IL Pa Hf 01 05 06 10 12 14 19 32 33 35 42 45 46 49 58 59 60 65 76**

6815.Lasiocampa tripolitania Lewandowski & Fischer,2005 (Lasiocampidae) Synonymy: tripolitania Lewandowski & Fischer,2005 Range (as code): **LY TN EG**

6816.Lasiocesa dogma (Zolotuhin & Gurkovich,2009) (Lasiocampidae) Synonymy: dogma Zolotuhin & Gurkovich,2009 Range (as code): **GH ZR CF LR CM SL CI**

6817.Lasiocesa fulgurata (Aurivillius,1908) (Lasiocampidae) Synonymy: fulgurata Aurivillius,1908; postalbida Schaus,1897 Range (as code): **CG CI SL**

6818.Lasiocesa lanceolata (M.Hering,1932) (Lasiocampidae) Synonymy: lanceolata M.Hering,1932 Range (as code): **ZR KE CM AO SL**

6819.Lasiocesa occidentale (Strand,1912) (Lasiocampidae) Synonymy: occidentale Strand,1912; subhyalina Bethune-Baker,1927 Range (as code): **GN CM CG NG GA CI**

6820.Lebeda mustelina Distant,1899 (Lasiocampidae) Synonymy: mustelina Distant,1899 Range (as code): **ZA**

6821.Leipoxais emarginata Aurivillius,1911 (Lasiocampidae) Synonymy: emarginata Aurivillius,1911; philopseudia M.Hering,1928 Range (as code): **ZA Tva TZ**

6822.Leipoxais major Holland,1893 (Lasiocampidae) Synonymy: major Holland,1893; alazon M.Hering,1928 Range (as code): **GA Ogo CM**

6823.Leipoxais obscura Aurivillius,1908 (Lasiocampidae) Synonymy: obscura Aurivillius,1908; noctis Druce,1910 Range (as code): **GA CG**

6824.Leipoxais peraffinis Holland,1893 (Lasiocampidae) Synonymy: peraffinis Holland,1893; cinerascens Strand,1912 Range (as code): **ZA**

6825.Leipoxais strandi Aurivillius,1927 (Lasiocampidae) Synonymy: strandi Aurivillius,1927; dyaresta M.Hering,1928; castanea Tams,1929 Range (as code): **CM GO**

6826.Leptometa sapelensis Aurivillius,1927 (Lasiocampidae) Synonymy: sapelensis Aurivillius,1927; irrorata Tams,1929 Range (as code): **NG CM**

6827.Macrothylacia digramma Meade-Waldo,1905 (Lasiocampidae) Synonymy: digramma Meade-Waldo,1905 Range (as code): **MA Tgr PT ES**

6828.Malacosoma alpicola Staudinger,1870 (Lasiocampidae) Synonymy: alpicola Staudinger,1870; intermedia Millière,1875 Range (as code): **DZ Orn MA Azr PT ES FR IT DE CH AT Cc KK UZ TJ Pm KG TrA Aa**

6829.Malacosoma alpicola mixtum Rothschild,1925 (Lasiocampidae) Synonymy: mixtum Rothschild,1925 Range (as code): **MA Azr**

6830.Mallocampa audea (Druce,1888) (Lasiocampidae) Synonymy: audea Druce,1888; gabunica Aurivillius,1891; lutescens Holland,1893; jaensis Bethune-Baker,1927 Range (as code): **CM GA Ogo Bit**

6831.Mallocampa leighi Aurivillius,1922 (Lasiocampidae) Synonymy: leighi Aurivillius,1922 Range (as code): **ZA**
6832.Marmonna gella Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: gella Zolotuhin & Prozolov,2010 Range (as code): **TZ**
6833.Marmonna marmorata Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: marmorata Zolotuhin & Prozolov,2010 Range (as code): **TZ MW**
6834.Marmonna murphyi Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: murphyi Zolotuhin & Prozolov,2010 Range (as code): **TZ MW**
6835.Mesocelis monticola Hübner,[1820] (Lasiocampidae) Synonymy: montana Stoll,1781 (homonym); monticola Hübner,[1820]; albiplaga Walker,1862. Range (as code): **ZA**
6836.Metadula indecisa Walker,1865 (Lasiocampidae) Synonymy: indecisa Walker,1865 Range (as code): **ZA**
6837.Mimopacha audeoudi Romieux,1935 (Lasiocampidae) Synonymy: audeoudi Romieux,1935 Range (as code): **ZR**
6838.Mimopacha brunnea M.Hering,1941 (Lasiocampidae) Synonymy: brunnea M.Hering,1941 Range (as code): **GO ZR**
6839.Mimopacha bryki Aurivillius,1927 (Lasiocampidae) Synonymy: bryki Aurivillius,1927 Range (as code): **UG Elg**
6840.Mimopacha cinerascens (Holland,1893) (Lasiocampidae) Synonymy: cinerascens Holland,1893 Range (as code): **NG Ogo**
6841.Mimopacha excavata M.Hering,1935 (Lasiocampidae) Synonymy: excavata M.Hering,1935 Range (as code): **ZR**
6842.Mimopacha gerstaeckerii (Dewitz,1881) (Lasiocampidae) Synonymy: gerstaeckerii Dewitz,1881; #incanata Strand,1912 Range (as code): **ZA ET Sw ET155**
6843.Mimopacha jordani Tams,1936 (Lasiocampidae) Synonymy: jordani Tams,1936 Range (as code): **AO**
6844.Mimopacha knoblauchii (Dewitz,1881) (Lasiocampidae) Synonymy: knoblauchii Dewitz,1881 Range (as code): **ZA**
6845.Mimopacha pelodis M.Hering,1928 (Lasiocampidae) Synonymy: pelodis M.Hering,1928 Range (as code): **CM**
6846.Mimopacha rotundata M.Hering,1941 (Lasiocampidae) Synonymy: rotundata M.Hering,1941 Range (as code): **GM**
6847.Mimopacha similis M.Hering,1935 (Lasiocampidae) Synonymy: similis M.Hering,1935 Range (as code): **ZR TG**
6848.Mimopacha tripunctata (Aurivillius,1905) (Lasiocampidae) Synonymy: tripunctata Aurivillius,1905 Range (as code): **NG**
6849.Morongea arnoldi (Aurivillius,1908) (Lasiocampidae) Synonymy: arnoldi Aurivillius,1908 Range (as code): **CM TZ BI**
6850.Morongea avinoffi (Tams,1929) (Lasiocampidae) Synonymy: avinoffi Tams,1929 Range (as code): **CI CM GA ZR**
6851.Morongea carnaria Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: carnaria Zolotuhin & Prozolov,2010 Range (as code): **ZR**
6852.Morongea cruenta Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: cruenta Zolotuhin & Prozolov,2010 Range (as code): **NG GA**
6853.Morongea elfiora Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: elfiora Zolotuhin & Prozolov,2010 Range (as code): **BF TZ MW**
6854.Morongea elfiora elfiora Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: elfiora Zolotuhin & Prozolov,2010 Range (as code): **TZ MW**
6855.Morongea elfiora galadrielae Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: galadrielae Zolotuhin & Prozolov,2010 Range (as code): **BF**
6856.Morongea flavipicta (Tams,1929) (Lasiocampidae) Synonymy: flavipicta Tams,1929; ochrosticta Kiriakoff,1963 Range (as code): **CI CM GA ZR**
6857.Morongea gemmo Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: gemmo Zolotuhin & Prozolov,2010 Range (as code): **GA**
6858.Morongea lampara Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: lampara Zolotuhin & Prozolov,2010 Range (as code): **CM GA ZR KE**

6859.Morongea mastodont Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: mastodont Zolotuhin & Prozolov,2010 Range (as code): **SL TG NG CI ZR**

6860.Morongea missdebeerae Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: missdebeerae Zolotuhin & Prozolov,2010 Range (as code): **ZA Kzu Nta Dbn**

6861.Muzunguja rectilineata (Aurivillius,1900) (Lasiocampidae) Synonymy: rectilineata Aurivillius,1900; asopha M.Hering,1928; madelineae Tams,1936 Range (as code): **TZ CG ZR CF CI CM GA**

6862.Napta straminea (Aurivillius,1921) (Lasiocampidae) Synonymy: straminea Aurivillius,1921; eborea Tams,1924 Range (as code): **ZA**

6863.Nirbiana micha (Druce,1899) (Lasiocampidae) Synonymy: micha Druce,1899 Range (as code): **ZA Ec Pel Kzu Nta Elo**

6864.Nirbiana obscura (M.Hering,1941) (Lasiocampidae) Synonymy: obscura M.Hering,1941 Range (as code): **ZR**

6865.Ocinaropsis obscura Aurivillius,1905 (Lasiocampidae) Synonymy: obscura Aurivillius,1905 Range (as code): **ZA**

6866.Odontocheilopteryx (Gurkovichia) malagassy Viette,1962 (Lasiocampidae) Synonymy: malagassy Viette,1962 Range (as code): **MG**

6867.Odontocheilopteryx (Gurkovichia) meridionalis Viette,1962 (Lasiocampidae) Synonymy: meridionalis Viette,1962 Range (as code): **MG**

6868.Odontocheilopteryx (Lestina) conzolia Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: conzolia Gurkovich & Zolotuhin,2009 Range (as code): **SL CM CG**

6869.Odontocheilopteryx (Lestina) corvus Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: corvus Gurkovich & Zolotuhin,2009 Range (as code): **KE UG**

6870.Odontocheilopteryx (Lestina) eothina Tams,1931 (Lasiocampidae) Synonymy: eothina Tams,1931 Range (as code): **ET**

6871.Odontocheilopteryx (Lestina) foedifragus Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: foedifragus Gurkovich & Zolotuhin,2009 Range (as code): **KE**

6872.Odontocheilopteryx (Lestina) lajonquierei Rougeot,1977 (Lasiocampidae) Synonymy: lajonquierei Rougeot,1977 Range (as code): **ET**

6873.Odontocheilopteryx (Lestina) pattersoni Tams,1926 (Lasiocampidae) Synonymy: pattersoni Tams,1926 Range (as code): **GH ZR BI KE**

6874.Odontocheilopteryx (Lestina) pica Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: pica Gurkovich & Zolotuhin,2009 Range (as code): **GO ZR**

6875.Odontocheilopteryx (Lestina) similis Tams,1929 (Lasiocampidae) Synonymy: similis Tams,1929 Range (as code): **CM**

6876.Odontocheilopteryx (s.str.) cuanza Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: cuanza Gurkovich & Zolotuhin,2009 Range (as code): **AO**

6877.Odontocheilopteryx (s.str.) dollmani Tams,1930 (Lasiocampidae) Synonymy: dollmani Tams,1930 Range (as code): **ZR MW TZ ZM ZW Har ZA Nca**

6878.Odontocheilopteryx (s.str.) ferlina Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: ferlina Gurkovich & Zolotuhin,2009 Range (as code): **MR**

6879.Odontocheilopteryx (s.str.) gracifica Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: gracifica Gurkovich & Zolotuhin,2009 Range (as code): **ZR**

6880.Odontocheilopteryx (s.str.) haribda Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: haribda Gurkovich & Zolotuhin,2009 Range (as code): **GH CI BF GN CM**

6881.Odontocheilopteryx (s.str.) maculata Aurivillius,1905 (Lasiocampidae) Synonymy: maculata Aurivillius,1905 Range (as code): **BF TG NG CF SD ET ZR UG BI**

6882.Odontocheilopteryx (s.str.) myxa Wallengren,1860 (Lasiocampidae) Synonymy: myxa Wallengren,1860; ungemachi Tams,1931 Range (as code): **ZA Nta Kzu Dbn ZW TZ BI ZR KE ET YE**

6883.Odontocheilopteryx (s.str.) obscura Aurivillius,1927 (Lasiocampidae) Synonymy: obscura Aurivillius,1927 Range (as code): **NA ZW ZA Kzu Nta Gau Tva**

6884.Odontocheilopteryx (s.str.) phoeneus M.Hering,1928 (Lasiocampidae) Synonymy: phoeneus M.Hering,1928; trodonta Tams,1936 Range (as code): **LR CI GH CM GO CF ZR BI AO**

6885.Odontocheilopteryx (s.str.) politzari Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: politzari Gurkovich & Zolotuhin,2009 Range (as code): **SO KE**

6886.Odontocheilopteryx (s.str.) scilla Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: scilla Gurkovich & Zolotuhin,2009 Range (as code): **BI KE TZ**

6887.Odontocheilopteryx (s.str.) spicola Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: spicola Gurkovich & Zolotuhin,2009 Range (as code): **KE**

6888.Odontocheilopteryx (s.str.) stokata Gurkovich & Zolotuhin,2009 (Lasiocampidae) Synonymy: stokata Gurkovich & Zolotuhin,2009 Range (as code): **KE**

6889.Odontopacha fenestrata Aurivillius,1909 (Lasiocampidae) Synonymy: fenestrata Aurivillius,1909 Range (as code): **ZA**

6890.Odontopacha kilwana Strand,1911 (Lasiocampidae) Synonymy: kilwana Strand,1911 Range (as code): **ZA**

6891.Opisthodontia (Psychosida) axividia Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: axividia Zolotuhin & Prozolov,2010 Range (as code): **NG**

6892.Opisthodontia (Psychosida) diva Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: diva Zolotuhin & Prozolov,2010 Range (as code): **CI GA**

6893.Opisthodontia (Psychosida) supramalis Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: supramalis Zolotuhin & Prozolov,2010 Range (as code): **GA ZR UG**

6894.Opisthodontia (Psychosida) varezhka Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: varezhka Zolotuhin & Prozolov,2010 Range (as code): **UG TZ**

6895.Opisthodontia afroio Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: afroio Zolotuhin & Prozolov,2010 Range (as code): **BF NG**

6896.Opisthodontia budamara Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: budamara Zolotuhin & Prozolov,2010 Range (as code): **KE**

6897.Opisthodontia dannfelti Aurivillius,1895 (Lasiocampidae) Synonymy: dannfelti Aurivillius,1895 Range (as code): **ZR**

6898.Opisthodontia pygmy Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: pygmy Zolotuhin & Prozolov,2010 Range (as code): **NG**

6899.Opisthodontia sidha Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: sidha Zolotuhin & Prozolov,2010 Range (as code): **BF CI**

6900.Opisthodontia sonithella Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: sonithella Zolotuhin & Prozolov,2010 Range (as code): **UG**

6901.Opisthodontia spodopasta Tams,1931 (Lasiocampidae) Synonymy: spodopasta Tams,1931 Range (as code): **GH**

6902.Opisthodontia tessmanni M.Hering,1928 (Lasiocampidae) Synonymy: tessmanni M.Hering,1928 Range (as code): **CM**

6903.Opisthodontia vensani Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: vensani Zolotuhin & Prozolov,2010 Range (as code): **KE**

6904.Opisthoheza heza Zolotuhin & Prozolov,2010 (Lasiocampidae) Synonymy: heza Zolotuhin & Prozolov,2010 Range (as code): **GA CG ZR UG**

6905.Pachymeta capreolus Aurivillius,1914 (Lasiocampidae) Synonymy: capreolus Aurivillius,1914 Range (as code): **ZA**

6906.Pachymetana neavei (Aurivillius,1915) (Lasiocampidae) Synonymy: neavei Aurivillius,1915 Range (as code): **ZA**

6907.Pachyna bogema Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: bogema Zolotuhin & Gurkovitch,2009 Range (as code): **CM**

6908.Pachyna crabik Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: crabik Zolotuhin & Gurkovitch,2009 Range (as code): **AET**

6909.Pachyna satanas Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: satanas Zolotuhin & Gurkovitch,2009 Range (as code): **ZR**

6910.Pachyna subfascia (Walker,1855) (Lasiocampidae) Synonymy: subfascia Walker,1855; lomia Druce,1888; trapezina Weymer,1892; nasmythii Ehrmann,1894 Range (as code): **GH NG CG CM LR SL BI CI**

6911.Pachytrina (Gurkognoma) gliharta Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: gliharta Zolotuhin & Gurkovitch,2009 Range (as code): **CG UG CM GA NG ZR LR**

6912.Pachytrina (Gurkognoma) ornata Zolotuhin & Gurkovitch,2009 (Lasiocampidae) Synonymy: ornata Zolotuhin & Gurkovitch,2009 Range (as code): **CI**

6913.Pachytrina (Gurkognoma) papyroides (Tams,1936) (Lasiocampidae) Synonymy: papyroides Tams,1936; senex M.Hering,1941 Range (as code): **ZR GA**

6914.Pachytrina (Gurkognoma) philargyria (M.Hering,1928) (Lasiocampidae) Synonymy: philargyria M.Hering,1928; papyri Tams,1931 Range (as code): **UG CG CM ZR RW TZ KE?**

6915. **Pachytrina (Gurkognoma) rubra (Tams,1929)** (Lasiocampidae) Synonymy: rubra Tams,1929 Range (as code): **ZR CG CM**
6916. **Pachytrina (Gurkognoma) verba Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: verba Zolotuhin & Gurkovitch,2009 Range (as code): **TZ MW BW**
6917. **Pachytrina crestalina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: crestalina Zolotuhin & Gurkovitch,2009 Range (as code): **CM TZ ZR GA**
6918. **Pachytrina diablo Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: diablo Zolotuhin & Gurkovitch,2009 Range (as code): **KE**
6919. **Pachytrina elygara Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: elygara Zolotuhin & Gurkovitch,2009 Range (as code): **CF NG CM GH**
6920. **Pachytrina flamerchena Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: flamerchena Zolotuhin & Gurkovitch,2009 Range (as code): **KE ZR RW**
6921. **Pachytrina honrathi (Dewitz,1881)** (Lasiocampidae) Synonymy: honrathi Dewitz,1881 Range (as code): **CG ZR CI GH GO TZ**
6922. **Pachytrina okzilina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: okzilina Zolotuhin & Gurkovitch,2009 Range (as code): **CM KE GA**
6923. **Pachytrina regeria Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: regeria Zolotuhin & Gurkovitch,2009 Range (as code): **NG**
6924. **Pachytrina trihora Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: trihora Zolotuhin & Gurkovitch,2009 Range (as code): **CG ZR**
6925. **Pachytrina trilineata (Aurivillius,1911)** (Lasiocampidae) Synonymy: trilineata Aurivillius,1911 Range (as code): **UG**
6926. **Pachytrina wenigina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: wenigina Zolotuhin & Gurkovitch,2009 Range (as code): **CI ZR TZ GA AO CF**
6927. **Pallastica (Sompallina) mesoleuca (Strand,1911)** (Lasiocampidae) Synonymy: mesoleuca Strand,1911 Range (as code): **CM CG NG MW GA**
6928. **Pallastica (Sompallina) pyrsocoma (Tams,1936)** (Lasiocampidae) Synonymy: pyrsocoma Tams,1936 Range (as code): **AO CM MW CG**
6929. **Pallastica (Sompallina) redissa Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: redissa Zolotuhin & Gurkovitch,2009 Range (as code): **TZ**
6930. **Pallastica (s.str.) hararia Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: hararia Zolotuhin & Gurkovitch,2009 Range (as code): **ET**
6931. **Pallastica (s.str.) kakamegata Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: kakamegata Zolotuhin & Gurkovitch,2009 Range (as code): **KE**
6932. **Pallastica (s.str.) lateritia (M.Hering,1928)** (Lasiocampidae) Synonymy: lateritia M.Hering,1928; phronema lateritia M.Hering,1928 Range (as code): **GH CG NG TG ML ZA**
6933. **Pallastica (s.str.) litlura Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: litlura Zolotuhin & Gurkovitch,2009 Range (as code): **TZ CG UG**
6934. **Pallastica (s.str.) lucifer Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: lucifer Zolotuhin & Gurkovitch,2009 Range (as code): **Nta Kzu ZA**
6935. **Pallastica (s.str.) meloui (Riel,1909)** (Lasiocampidae) Synonymy: meloui Riel,1909; cornuta Strand,1912; punctulata Aurivillius,1910; orientalis Stoneham,1942 Range (as code): **GO ZW UG SN CG ZR TZ KE**
6936. **Pallastica (s.str.) pallens (Bethune-Baker,1908)** (Lasiocampidae) Synonymy: pallens Bethune-Baker,1908; denticula Bethune-Baker,1908 Range (as code): **ZW KE TZ BI GH CG**
6937. **Pallastica (s.str.) pyrsocorsa (Tams,1936)** (Lasiocampidae) Synonymy: pyrsocorsa Tams,1936 Range (as code): **AO**
6938. **Pallastica (s.str.) rubinia Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: rubinia Zolotuhin & Gurkovitch,2009 Range (as code): **KE**
6939. **Pallastica (s.str.) sanricia Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonymy: sanricia Zolotuhin & Gurkovitch,2009 Range (as code): **NE**
6940. **Pallastica (s.str.) sericeofasciata (Aurivillius,1921)** (Lasiocampidae) Synonymy: sericeofasciata Aurivillius,1921; orientis M.Hering,1928 Range (as code): **CG BI KE?**
6941. **Philotherma clara Bethune-Baker,1908** (Lasiocampidae) Synonymy: clara Bethune-Baker,1908 Range (as code): **ZW**
6942. **Philotherma media Aurivillius,1909** (Lasiocampidae) Synonymy: media Aurivillius,1909 Range (as code): **ZA**

6943.Philotherma obscura Aurivillius,1927 (Lasiocampidae) Synonymy: obscura Aurivillius,1927 Range (as code): **ZA**
6944.Philotherma rennei (Dewitz,1881) (Lasiocampidae) Synonymy: rennei Dewitz,1881; triangulifera Aurivillius,1927 Range (as code): **ZA**
6945.Philotherma rosa (Druce,1888) (Lasiocampidae) Synonymy: rosa Druce,1888; montibia Strand,1912; squamata Strand,1912; ochrascens Strand,1912; natalica Aurivillius,1927 Range (as code): **ZA**
6946.Pseudolyra cervina (Aurivillius,1905) (Lasiocampidae) Synonymy: cervina Aurivillius,1905 Range (as code): **ZA**
6947.Pseudolyra cinerea (Aurivillius,1901) (Lasiocampidae) Synonymy: cinerea Aurivillius,1901 Range (as code): **ZA**
6948.Pseudolyra distincta (Distant,1899) (Lasiocampidae) Synonymy: distincta Distant,1899 Range (as code): **ZA**
6949.Pseudometa andersoni Tams,1925 (Lasiocampidae) Synonymy: andersoni Tams,1925 Range (as code): **KE**
6950.Pseudometa basalis (Walker,1865) (Lasiocampidae) Synonymy: basalis Walker,1865; acuminata Walker,1865 Range (as code): **ZA Nta Kzu**
6951.Pseudometa canescens Tams,1925 (Lasiocampidae) Synonymy: canescens Tams,1925 Range (as code): **ZW**
6952.Pseudometa castanea Hampson,1909 (Lasiocampidae) Synonymy: castanea Hampson,1909 Range (as code): **UG Rz**
6953.Pseudometa choba (Druce,1899) (Lasiocampidae) Synonymy: choba Druce,1899; tenebra Bethune-Baker,1911; nigricans Aurivillius,1925 Range (as code): **NG ZR Lgo**
6954.Pseudometa concava (Strand,1912) (Lasiocampidae) Synonymy: concava Strand,1912 Range (as code): **CM**
6955.Pseudometa dollmani Tams,1925 (Lasiocampidae) Synonymy: dollmani Tams,1925 Range (as code): **ZW**
6956.Pseudometa jordani Tams,1936 (Lasiocampidae) Synonymy: jordani Tams,1936 Range (as code): **AO**
6957.Pseudometa leonina Tams,1929 (Lasiocampidae) Synonymy: leonina Tams,1929 Range (as code): **ZR**
6958.Pseudometa minima (Holland,1893) (Lasiocampidae) Synonymy: minima Holland,1893 Range (as code): **GA**
6959.Pseudometa punctipennis Strand,1912 (Lasiocampidae) Synonymy: punctipennis Strand,1912; erythrina M.Hering,1928 Range (as code): **CM TZ**
6960.Pseudometa viola Aurivillius,1901 (Lasiocampidae) Synonymy: viola Aurivillius,1901 Range (as code): **ZW**
6961.Psilogaster loti (Ochsenheimer,1810) (Lasiocampidae) Synonymy: loti Ochsenheimer,1810; algeriensis Baker,1885; vernetensis Oberthür,1916 Range (as code): **MA LY DZ Orn Gue Btna Lbs Abe Saia TN Gf PT ES FR**
6962.Ptyssophlebia discocellularis (Strand,1912) (Lasiocampidae) Synonymy: discocellularis Strand,1912; elegans Aurivillius,1925; avis Berio,1937 Range (as code): **GO ZA ZM CM**
6963.Ptyssophlebia intermedia (Aurivillius,1925) (Lasiocampidae) Synonymy: intermedia Aurivillius,1925 Range (as code): **CM**
6964.Ptyssophlebia meridionalis (Tams,1936) (Lasiocampidae) Synonymy: meridionalis Tams,1936 Range (as code): **AO**
6965.Rhinobombyx cuneata Aurivillius,1879 (Lasiocampidae) Synonymy: cuneata Aurivillius,1879; ziczac Strand,1912 Range (as code): **ZA**
6966.Schausinna clementsi (Schaus,1897) (Lasiocampidae) Synonymy: clementsi Schaus,1897 Range (as code): **ZA**
6967.Schausinna regia (Grünberg,1910) (Lasiocampidae) Synonymy: regia Grünberg,1910 Range (as code): **ZA**
6968.Sena breyeri (Aurivillius,1922) (Lasiocampidae) Synonymy: breyeri Aurivillius,1922 Range (as code): **ZA Tva**
6969.Sena cardinalli (Tams,1931) (Lasiocampidae) Synonymy: cardinalli Tams,1931 Range (as code): **GH**
6970.Sena donaldsoni Holland & Smith,1901 (Lasiocampidae) Synonymy: donaldsoni Holland & Smith,1901 Range (as code): **ZA Tva ZW KE Nai ET**

6971.**Sena levenna (Wallengren,1875)** (Lasiocampidae) Synonymy: levenna Wallengren,1875 Range (as code): **ZA**
6972.**Sena mendax (Berio,1939)** (Lasiocampidae) Synonymy: mendax Berio,1939 Range (as code): **ER**
6973.**Sena meyi Zolotuhin,2007** (Lasiocampidae) Synonymy: meyi Zolotuhin,2007 Range (as code): **NA**
6974.**Sena oberthueri (D.Lucas,1909)** (Lasiocampidae) Synonymy: oberthueri D.Lucas,1909; hilgerti Rothschild,1913; lucasi Oberthür,1916; virgo Oberthür,1916 Range (as code): **MA DZ Ajj TN EG Sn**
6975.**Sena parva (Aurivillius,1921)** (Lasiocampidae) Synonymy: parva Aurivillius,1921 Range (as code): **ZA TZ**
6976.**Sena poecila (M.Hering,1932)** (Lasiocampidae) Synonymy: poecila M.Hering,1932 Range (as code): **TZ**
6977.**Sena prompta (Walker,1855)** (Lasiocampidae) Synonymy: prompta Walker,1855; interjecta Aurivillius,1909 Range (as code): **ZA Tva TZ**
6978.**Sena punctulata (Aurivillius,1914)** (Lasiocampidae) Synonymy: punctulata Aurivillius,1914 Range (as code): **NG**
6979.**Sena quirimbo (Tams,1936)** (Lasiocampidae) Synonymy: quirimbo Tams,1936 Range (as code): **AO ZA**
6980.**Sena scotti (Tams,1931)** (Lasiocampidae) Synonymy: scotti Tams,1931 Range (as code): **KE**
6981.**Sena simplex (Aurivillius,1905)** (Lasiocampidae) Synonymy: simplex Aurivillius,1905; pygmula Strand,1911 Range (as code): **ZA**
6982.**Sena strigifascia (Hampson,1909)** (Lasiocampidae) Synonymy: strigifascia Hampson,1909 Range (as code): **UG Rz**
6983.**Seydelora semna (M.Hering,1941)** (Lasiocampidae) Synonymy: semna M.Hering,1941 Range (as code): **ZR**
6984.**Sonitha alucard Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: alucard Zolotuhin & Prozorov,2010 Range (as code): **GA ZR**
6985.**Sonitha bernardii Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: bernardii Zolotuhin & Prozorov,2010 Range (as code): **CM GA CF**
6986.**Sonitha chocolatina Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: chocolatina Zolotuhin & Prozorov,2010 Range (as code): **GA**
6987.**Sonitha gelata Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: gelata Zolotuhin & Prozorov,2010 Range (as code): **GA ZR**
6988.**Sonitha integra Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: integra Zolotuhin & Prozorov,2010 Range (as code): **ZR**
6989.**Sonitha libera (Aurivillius,1914)** (Lasiocampidae) Synonymy: libera Aurivillius,1914 Range (as code): **LR CI CM GA CG ZR**
6990.**Sonitha lila Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: lila Zolotuhin & Prozorov,2010 Range (as code): **ZM ZR UG TZ**
6991.**Sonitha myoctona Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: myoctona Zolotuhin & Prozorov,2010 Range (as code): **ZR UG**
6992.**Sonitha picassoi Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: picassoi Zolotuhin & Prozorov,2010 Range (as code): **GA ZR**
6993.**Sophyrita argibasis (Mabille,1893)** (Lasiocampidae) Synonymy: argibasis Mabille,1893; sophax Druce,1896; epithymia M.Hering,1928 Range (as code): **KE MZ TZ**
6994.**Stenophatna accolita Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: accolita Zolotuhin & Prozorov,2010 Range (as code): **TZ**
6995.**Stenophatna cymographa (Hampson,1910)** (Lasiocampidae) Synonymy: cymographa Hampson,1910; bicrenulata Bethune-Baker,1915 Range (as code): **MW TZ ZW MZ**
6996.**Stenophatna dentata (Aurivillius,1899)** (Lasiocampidae) Synonymy: dentata Aurivillius,1899 Range (as code): **SL CI GA ZR**
6997.**Stenophatna foedifraga Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: foedifraga Zolotuhin & Prozorov,2010 Range (as code): **GA**
6998.**Stenophatna hollandi (Tams,1929)** (Lasiocampidae) Synonymy: hollandi Tams,1929 Range (as code): **BF CI CM CF GA CG ZR ZM**
6999.**Stenophatna kahli (Tams,1929)** (Lasiocampidae) Synonymy: kahli Tams,1929 Range (as code): **CI GA CG ZR**
7000.**Stenophatna marshalli Aurivillius,1909** (Lasiocampidae) Synonymy: marshalli Aurivillius,1909 Range (as code): **ZR ZM TZ ZW**

7001.Stenophatna marshalli Aurivillius,1909 (Lasiocampidae) Synonymy: marshalli Aurivillius,1909; proxima Romieux,1943 Range (as code): **ZA**
7002.Stenophatna rothschildi (Tams,1926) (Lasiocampidae) Synonymy: rothschildi Tams,1926; rotundata Berio,1937; denticulata Romieux,1943 Range (as code): **ZR BI AO ZM MW ZW**
7003.Stenophatna tamsi (Kiriakoff,1963) (Lasiocampidae) Synonymy: tamsi Kiriakoff,1963 Range (as code): **ZR UG**
7004.Stoermeriana cuneata (Distant,1897) (Lasiocampidae) Synonymy: cuneata Distant,1897 Range (as code): **ZA Gau Pre Tva**
7005.Stoermeriana regraguii (Rungs,1948) (Lasiocampidae) Synonymy: regraguii Rungs,1948 Range (as code): **MA**
7006.Streblote acaciae (Klug,1829) (Lasiocampidae) Synonymy: acaciae Klug,1829 Range (as code): **MA DZ Ajj EG ER SD CM DJ YE**
7007.Streblote aculeata (Walker,1865) (Lasiocampidae) Synonymy: aculeata Walker,1865; scapulosa Felder,1874 Range (as code): **ZA**
7008.Streblote aegyptiaca (A.Bang-Haas,1906) (Lasiocampidae) Synonymy: aegyptiaca A.Bang-Haas,1906 Range (as code): **EG SD**
7009.Streblote amphilecta (Tams,1936) (Lasiocampidae) Synonymy: amphilecta Tams,1936 Range (as code): **ZA**
7010.Streblote bimaculata (Walker,1865) (Lasiocampidae) Synonymy: bimaculata Walker,1865 Range (as code): **ZA**
7011.Streblote capensis (Aurivillius,1905) (Lasiocampidae) Synonymy: capensis Aurivillius,1905; rangei Gaede,1915 Range (as code): **ZA**
7012.Streblote concava (Strand,1912) (Lasiocampidae) Synonymy: concava Strand,1912 Range (as code): **ZA**
7013.Streblote concolor (Walker,1865) (Lasiocampidae) Synonymy: concolor Walker,1865 Range (as code): **ZA**
7014.Streblote cristata (Stoll,[1782]) (Lasiocampidae) Synonymy: cristata Stoll,[1782]; #crista Hübner,1832; carinata Wallengren,1860. Range (as code): **ZA**
7015.Streblote cuprea (Distant,1899) (Lasiocampidae) Synonymy: cuprea Distant,1899 Range (as code): **ZA**
7016.Streblote diplocyma (Hampson,1909) (Lasiocampidae) Synonymy: diplocyma Hampson,1909; aethiopica Rougeot,1984 Range (as code): **ET ET29 NA**
7017.Streblote distinguenda (Aurivillius,1905) (Lasiocampidae) Synonymy: distinguenda Aurivillius,1905 Range (as code): **ZA**
7018.Streblote jansei (Tams,1936) (Lasiocampidae) Synonymy: jansei Tams,1936 Range (as code): **ZA**
7019.Streblote pancala (Tams,1936) (Lasiocampidae) Synonymy: pancala Tams,1936 Range (as code): **ZA**
7020.Streblote panda Hübner,[1820] (Lasiocampidae) Synonymy: repanda Hübner,[1819] nec Fabr.,1793; panda Hübner,[1820]; tenebrosa Rothschild,1917; roseclara Schawerda,1928; catalaunica Marten,1934 Range (as code): **MA Tgr Rbt DZ Agi Ges Anna PT ES EG IR Fa AF Bsg**
7021.Streblote polydora (Druce,1888) (Lasiocampidae) Synonymy: polydora Druce,1888; obliqua Strand,1912 Range (as code): **ZA**
7022.Streblote singularis (Aurivillius,1893) (Lasiocampidae) Synonymy: singularis Aurivillius,1893 Range (as code): **ZA**
7023.Streblote uniformis (Aurivillius,1927) (Lasiocampidae) Synonymy: uniformis Aurivillius,1927 Range (as code): **ZA**
7024.Theophasida cardinalli (Tams,1926) (Lasiocampidae) Synonymy: cardinalli Tams,1926 Range (as code): **SN CI BF GH NG ET**
7025.Theophasida kawai Zolotuhin & Prozorov,2010 (Lasiocampidae) Synonymy: kawai Zolotuhin & Prozorov,2010 Range (as code): **KE**
7026.Theophasida obusta (Tams,1929) (Lasiocampidae) Synonymy: obusta Tams,1929 Range (as code): **CM GA CG ZR**
7027.Theophasida serafim Zolotuhin & Prozorov,2010 (Lasiocampidae) Synonymy: serafim Zolotuhin & Prozorov,2010 Range (as code): **CI**
7028.Theophasida superba (Aurivillius,1914) (Lasiocampidae) Synonymy: superba Aurivillius,1914 Range (as code): **ZR MW ZM ZW**

7029. **Theophasida valkyria Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonymy: valkyria Zolotuhin & Prozorov,2010 Range (as code): **GA CG CF**
7030. **Trabala charon Druce,1910** (Lasiocampidae) Synonymy: charon Druce,1910 Range (as code): **ZA**
7031. **Trichiura (s.str.) ilicis (Rambur,1866)** (Lasiocampidae) Synonymy: ilicis Rambur,1866 Range (as code): **MA PT ES An Grn FR**
7032. **Trichiura (s.str.) moghrebana Rungs,1940** (Lasiocampidae) Synonymy: moghrebana Rungs,1940 Range (as code): **MA Ifr**
7033. **Trichiura (s.str.) moghrebana Rungs,1941** (Lasiocampidae) Synonymy: moghrebana Rungs,1941 Range (as code): **MA**
7034. **Trichiurana meridionalis Aurivillius,1921** (Lasiocampidae) Synonymy: meridionalis Aurivillius,1921 Range (as code): **ZA**
7035. **Trichopisthia igneotincta (Aurivillius,1909)** (Lasiocampidae) Synonymy: igneotincta Aurivillius,1909; poecilosticta Grünberg,1910; dubia Aurivillius,1922. Range (as code): **ZA**
7036. **Trichopisthia monteiroi (Druce,1888)** (Lasiocampidae) Synonymy: monteiroi Druce,1888; pallida Fawcett,1903 Range (as code): **ZA**
7037. **Typhonoya longipennis (M.Hering,1941)** (Lasiocampidae) Synonymy: longipennis M.Hering,1941 Range (as code): **ZR CI KE LR MW TZ ZM**
7038. **Weberolegra weberi (Tams,1929)** (Lasiocampidae) Synonymy: weberi Tams,1929 Range (as code): **LR CI GA ZR CM**
7039. **Weirdonia baccara Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonymy: baccara Prozorov & Zolotuhin,2012 Range (as code): **ZR**
7040. **Weirdonia helicea Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonymy: helicea Prozorov & Zolotuhin,2012 Range (as code): **GA**
7041. **Weirdonia hypocrita Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonymy: hypocrita Prozorov & Zolotuhin,2012 Range (as code): **ZR**
7042. **Weirdonia idakum (Bethune-Baker,1913)** (Lasiocampidae) Synonymy: idakum Bethune-Baker,1913 Range (as code): **ZR GA NG**
7043. **Weirdonia murena Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonymy: murena Prozorov & Zolotuhin,2012 Range (as code): **NG**

Lecithoceridae

7044. **Atrichozancla cosymbota (Meyrick,1920)** (Lecithoceridae) Synonymy: cosymbota Meyrick,1920 Range (as code): **ZA Ou**
7045. **Atrichozancla gymnopalpa Janse,1963** (Lecithoceridae) Synonymy: gymnopalpa Janse,1963 Range (as code): **ZA**
7046. **Atrichozancla phaeocrossis (Meyrick,1937)** (Lecithoceridae) Synonymy: phaeocrossis Meyrick,1937 Range (as code): **ZA Tva Mpu Pil**
7047. **Carodista flagitiosa (Meyrick,1914)** (Lecithoceridae) Synonymy: flagitiosa Meyrick,1914 Range (as code): **MW Mje**
7048. **Ceuthomadarus atlantis Gozmany,1978** (Lecithoceridae) Synonymy: atlantis Gozmany,1978 Range (as code): **MA**
7049. **Ceuthomadarus derrai Gozmany,2002** (Lecithoceridae) Synonymy: derrai Gozmany,2002 Range (as code): **MA**
7050. **Ceuthomadarus funebrellus (Chrétien,1922)** (Lecithoceridae) Synonymy: funebrellus Chrétien,1922; umbrinella Zerny,1936 Range (as code): **MA Ifr**
7051. **Ceuthomadarus rungsi (Lucas,1937)** (Lecithoceridae) Synonymy: rungsi Lucas,1937 Range (as code): **MA Ifr**
7052. **Cophomantella bifrenata (Meyrick,1921)** (Lecithoceridae) Synonymy: bifrenata Meyrick,1921 Range (as code): **ZA Mna**
7053. **Cophomantella furnaria (Meyrick,1913)** (Lecithoceridae) Synonymy: furnaria Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Wv Mal Wo Nkw Nta Kzu Umk Dbn**
7054. **Cophomantella homogramma (Meyrick,1918)** (Lecithoceridae) Synonymy: homogramma Meyrick,1918 Range (as code): **ZA Ec Pel Nta Kzu Nha Umk**
7055. **Dragmatucha bivia Meyrick,1908** (Lecithoceridae) Synonymy: bivia Meyrick,1908 Range (as code): **ZA Nta Kzu Dbn Dmm**

7056.Dragmatucha proaula Meyrick,1908 (Lecithoceridae) Synonymy: proaula Meyrick,1908 Range (as code): **ZA Tva Lpo Pie Wmb Spb Gau Slpp Mpu Wv Pre Abc ZW Umv**

7057.Epimactis atropunctella (Walsingham,1881) (Lecithoceridae) Synonymy: atropunctella Walsingham,1881 Range (as code): **ZA MZ ZW**

7058.Eridachtha crossogramma (Meyrick,1921) (Lecithoceridae) Synonymy: crossogramma Meyrick,1921 Range (as code): **ZW Vf**

7059.Frisilia compsostoma Meyrick,1921 (Lecithoceridae) Synonymy: compsostoma Meyrick,1921 Range (as code): **ZW Har**

7060.Homaloxestis briantiella (Turati,1879) (Lecithoceridae) Synonymy: briantiella Turati,1879 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT DE CH AT SK HU RO MK Och AL TR IL Pa 05 46**

7061.Homaloxestis cholopis (Meyrick,1906) (Lecithoceridae) Synonymy: cholopis Meyrick,1906; lophophora Janse,1954; surrepta Diakonoff,[1968] Range (as code): **YE NA Abc ZA Tva Gau Pre Mpu Wv Brb Nta Kzu Nha Nyl Mlm Umk Dbn ZW Uma Rtf Rtb IN NP CN Yu Lik TW TH MM Kni MY ID Ja PH Mno**

7062.Idiopteryx obliquella (Walsingham,1881) (Lecithoceridae) Synonymy: obliquella Walsingham,1881; obsepta Meyrick,1918 Range (as code): **ZA Nta Kzu Dbn Lds Imp Ec Stj Kkf Dmm Spr**

7063.Isotypa discopuncta Janse,1954 (Lecithoceridae) Synonymy: discopuncta Janse,1954 Range (as code): **ZA Wca**

7064.Lecithocera aenicta Janse,1954 (Lecithoceridae) Synonymy: aenicta Janse,1954 Range (as code): **ZA Tva Gau Pre Nta Kzu Umk Ver**

7065.Lecithocera anthologella Wallengren,1875 (Lecithoceridae) Synonymy: anthologella Wallengren,1875 Range (as code): **ZA Tva Lpo**

7066.Lecithocera binotata Meyrick,1918 (Lecithoceridae) Synonymy: binotata Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**

7067.Lecithocera flavipalpis Walsingham,1891 (Lecithoceridae) Synonymy: flavipalpis Walsingham,1891 Range (as code): **ZA Nta Kzu Mpu Tst Pot Tva Lpo ZW Bul Hfo Har MZ Mag**

7068.Lecithocera ideologa Meyrick,1937 (Lecithoceridae) Synonymy: ideologa Meyrick,1937 Range (as code): **ZA Ec Stj MZ Blv**

7069.Lecithocera laticostella Turati,1926 (Lecithoceridae) Synonymy: laticostella Turati,1926 Range (as code): **LY Cy**

7070.Lecithocera loxophthalma Meyrick,1934 (Lecithoceridae) Synonymy: loxophthalma Meyrick,1934 Range (as code): **SD**

7071.Lecithocera lucernata Meyrick,1913 (Lecithoceridae) Synonymy: lucernata Meyrick,1913 Range (as code): **ZA Gau Pre Jh Wo Tva Lpo**

7072.Lecithocera myopa Meyrick,1913 (Lecithoceridae) Synonymy: myopa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

7073.Lecithocera officialis Meyrick,1911 (Lecithoceridae) Synonymy: officialis Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**

7074.Lecithocera pauperella Rebel,1916 (Lecithoceridae) Synonymy: pauperella Rebel,1916 Range (as code): **SD Kgl**

7075.Odites (Oditoides) hermatica Meyrick,1915 (Lecithoceridae) Synonymy: hermatica Meyrick,1915 Range (as code): **KM**

7076.Odites (Oditoides) ternatella (Staudinger,1859) (Lecithoceridae) Synonymy: ternatella Staudinger,1859 Range (as code): **DZ Bsk MA Tgr PT ES Si CY**

7077.Odites (s.str.) analogica Meyrick,1917 (Lecithoceridae) Synonymy: analogica Meyrick,1917 Range (as code): **KM**

7078.Odites (s.str.) anisocarpa Meyrick,1930 (Lecithoceridae) Synonymy: anisocarpa Meyrick,1930 Range (as code): **MG**

7079.Odites (s.str.) assidua Meyrick,1914 (Lecithoceridae) Synonymy: assidua Meyrick,1914 Range (as code): **ZA Nta Kzu Srn**

7080.Odites (s.str.) atalanta Le Cerf,1934 (Lecithoceridae) Synonymy: atalanta Le Cerf,1934 Range (as code): **MA**

7081.Odites (s.str.) balanospila Meyrick,1930 (Lecithoceridae) Synonymy: balanospila Meyrick,1930; haplogramma Meyrick,1930 Range (as code): **SL CM**

7082.Odites (s.str.) balsamias Meyrick,1911 (Lecithoceridae) Synonymy: balsamias Meyrick,1911 Range (as code): **ZA Mdt Tva Lpo**

7083.Odites (s.str.) cataxantha Meyrick,1915 (Lecithoceridae) Synonymy: cataxantha Meyrick,1915 Range (as code): **MG**

7084. **Odites (s.str.) circiformis Meyrick,1930** (Lecithoceridae) Synonymy: circiformis Meyrick,1930 Range (as code): **CM**
7085. **Odites (s.str.) citrantha Meyrick,1908** (Lecithoceridae) Synonymy: citrantha Meyrick,1908 Range (as code): **ZA Nta Kzu Dbn**
7086. **Odites (s.str.) citromela Meyrick,1923** (Lecithoceridae) Synonymy: citromela Meyrick,1923 Range (as code): **AO**
7087. **Odites (s.str.) consecrata Meyrick,1917** (Lecithoceridae) Synonymy: consecrata Meyrick,1917 Range (as code): **MG**
7088. **Odites (s.str.) consignata Meyrick,1921** (Lecithoceridae) Synonymy: consignata Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
7089. **Odites (s.str.) crocota Meyrick,1912** (Lecithoceridae) Synonymy: crocota Meyrick,1912 Range (as code): **ZA**
7090. **Odites (s.str.) crossophanta Meyrick,1930** (Lecithoceridae) Synonymy: crossophanta Meyrick,1930 Range (as code): **CM**
7091. **Odites (s.str.) cuculans Meyrick,1918** (Lecithoceridae) Synonymy: cuculans Meyrick,1918 Range (as code): **MZ Blv**
7092. **Odites (s.str.) dilutella (Walsingham,1881)** (Lecithoceridae) Synonymy: dilutella Walsingham,1881 Range (as code): **ZA**
7093. **Odites (s.str.) diopta Meyrick,1917** (Lecithoceridae) Synonymy: diopta Meyrick,1917 Range (as code): **ZR**
7094. **Odites (s.str.) emensa Meyrick,1921** (Lecithoceridae) Synonymy: emensa Meyrick,1921 Range (as code): **ZA Wca**
7095. **Odites (s.str.) exterrita Meyrick,1937** (Lecithoceridae) Synonymy: exterrita Meyrick,1937 Range (as code): **ZA**
7096. **Odites (s.str.) fessa Meyrick,1921** (Lecithoceridae) Synonymy: fessa Meyrick,1921 Range (as code): **ZA Nta Kzu Umk**
7097. **Odites (s.str.) haplonoma Meyrick,1915** (Lecithoceridae) Synonymy: haplonoma Meyrick,1915 Range (as code): **MG**
7098. **Odites (s.str.) hemipercna Meyrick,1914** (Lecithoceridae) Synonymy: hemipercna Meyrick,1914 Range (as code): **MW Mje**
7099. **Odites (s.str.) heptastica Meyrick,1914** (Lecithoceridae) Synonymy: heptastica Meyrick,1914 Range (as code): **MW Mje**
7100. **Odites (s.str.) heptasticta Meyrick,1914** (Lecithoceridae) Synonymy: heptasticta Meyrick,1914 Range (as code): **MW**
7101. **Odites (s.str.) holocitra Meyrick,1925** (Lecithoceridae) Synonymy: holocitra Meyrick,1925 Range (as code): **CM Bit**
7102. **Odites (s.str.) holotorna Meyrick,1925** (Lecithoceridae) Synonymy: holotorna Meyrick,1925 Range (as code): **CM Bit**
7103. **Odites (s.str.) incolumis Meyrick,1918** (Lecithoceridae) Synonymy: incolumis Meyrick,1918 Range (as code): **MZ Blv**
7104. **Odites (s.str.) incusata Meyrick,1921** (Lecithoceridae) Synonymy: incusata Meyrick,1921 Range (as code): **ZW Uma**
7105. **Odites (s.str.) insons Meyrick,1912** (Lecithoceridae) Synonymy: insons Meyrick,1912 Range (as code): **ZA**
7106. **Odites (s.str.) inversa Meyrick,1914** (Lecithoceridae) Synonymy: inversa Meyrick,1914 Range (as code): **ZA**
7107. **Odites (s.str.) laconica Meyrick,1927** (Lecithoceridae) Synonymy: laconica Meyrick,1927 Range (as code): **ZA**
7108. **Odites (s.str.) matura Meyrick,1914** (Lecithoceridae) Synonymy: matura Meyrick,1914 Range (as code): **MW**
7109. **Odites (s.str.) meloxantha Meyrick,1927** (Lecithoceridae) Synonymy: meloxantha Meyrick,1927 Range (as code): **ZA**
7110. **Odites (s.str.) metaclista Meyrick,1915** (Lecithoceridae) Synonymy: metaclista Meyrick,1915 Range (as code): **ZA**
7111. **Odites (s.str.) metaphracta Meyrick,1909** (Lecithoceridae) Synonymy: metaphracta Meyrick,1909 Range (as code): **ZA**

7112. **Odites (s.str.) metascia Meyrick,1937** (Lecithoceridae) Synonymy: metascia Meyrick,1937 Range (as code): **ZA**
7113. **Odites (s.str.) natalensis Walsingham,1891** (Lecithoceridae) Synonymy: natalensis Walsingham,1891 Range (as code): **ZA Nta Kzu Wo Tva Lpo MZ ZW**
7114. **Odites (s.str.) nubeculosa Meyrick,1918** (Lecithoceridae) Synonymy: nubeculosa Meyrick,1918 Range (as code): **ZA Nta Kzu Dbn**
7115. **Odites (s.str.) obumbrata Meyrick,1925** (Lecithoceridae) Synonymy: obumbrata Meyrick,1925 Range (as code): **ZA**
7116. **Odites (s.str.) obvia Meyrick,1914** (Lecithoceridae) Synonymy: obvia Meyrick,1914 Range (as code): **ZA**
7117. **Odites (s.str.) pelochrosta Meyrick,1933** (Lecithoceridae) Synonymy: pelochrosta Meyrick,1933; microbolista Meyrick,1937 Range (as code): **SL UG**
7118. **Odites (s.str.) procellosa Meyrick,1908** (Lecithoceridae) Synonymy: procellosa Meyrick,1908 Range (as code): **NG**
7119. **Odites (s.str.) prosedra Meyrick,1915** (Lecithoceridae) Synonymy: prosedra Meyrick,1915 Range (as code): **NG**
7120. **Odites (s.str.) repetita Meyrick,1932** (Lecithoceridae) Synonymy: repetita Meyrick,1932 Range (as code): **UG**
7121. **Odites (s.str.) semisepta Meyrick,1930** (Lecithoceridae) Synonymy: semisepta Meyrick,1930 Range (as code): **CM**
7122. **Odites (s.str.) siccinervis Meyrick,1930** (Lecithoceridae) Synonymy: siccinervis Meyrick,1930 Range (as code): **UG**
7123. **Odites (s.str.) sucinea Meyrick,1915** (Lecithoceridae) Synonymy: sucinea Meyrick,1915 Range (as code): **ZA Nta Kzu Ptw**
7124. **Odites (s.str.) superscripta Meyrick,1926** (Lecithoceridae) Synonymy: superscripta Meyrick,1926 Range (as code): **ZA**
7125. **Odites (s.str.) typota Meyrick,1915** (Lecithoceridae) Synonymy: typota Meyrick,1915 Range (as code): **MG**
7126. **Odites procellosa Meyrick,1908** (Lecithoceridae) Synonymy: procellosa Meyrick,1908 Range (as code): **NG**
7127. **Plagiocrossa picrodora (Meyrick,1913)** (Lecithoceridae) Synonymy: picrodora Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Brb Nta Kzu Esw Stj Ec**
7128. **Protolychnis maculata (Walsingham,1881)** (Lecithoceridae) Synonymy: maculata Walsingham,1881 Range (as code): **ZA Nta Kzu Abc GM ZW Vf Tva Lpo**
7129. **Ptilothyris aglaocrossa Meyrick,1935** (Lecithoceridae) Synonymy: aglaocrossa Meyrick,1935 Range (as code): **ZR**
7130. **Ptilothyris climacista Meyrick,1926** (Lecithoceridae) Synonymy: climacista Meyrick,1926 Range (as code): **CM**
7131. **Ptilothyris crassiella Park,2019** (Lecithoceridae) Synonymy: crassiella Park,2019 Range (as code): **UG**
7132. **Ptilothyris crossoceros Meyrick,1934** (Lecithoceridae) Synonymy: crossoceros Meyrick,1934 Range (as code): **TZ ZR**
7133. **Ptilothyris drepanodes Park,2019** (Lecithoceridae) Synonymy: drepanodes Park,2019 Range (as code): **UG**
7134. **Ptilothyris enormisella Park,2019** (Lecithoceridae) Synonymy: enormisella Park,2019 Range (as code): **GH**
7135. **Ptilothyris hylodes Park,2019** (Lecithoceridae) Synonymy: hylodes Park,2019 Range (as code): **UG**
7136. **Ptilothyris leifaarviki Park,2019** (Lecithoceridae) Synonymy: leifaarviki Park,2019 Range (as code): **UG**
7137. **Ptilothyris loxocasis Meyrick,1938** (Lecithoceridae) Synonymy: loxocasis Meyrick,1938 Range (as code): **ZR**
7138. **Ptilothyris nausicaa Meyrick,1926** (Lecithoceridae) Synonymy: nausicaa Meyrick,1926 Range (as code): **ZR**
7139. **Ptilothyris neuroplaca Meyrick,1933** (Lecithoceridae) Synonymy: neuroplaca Meyrick,1933 Range (as code): **ZR ZM**
7140. **Ptilothyris pilosa Park,2019** (Lecithoceridae) Synonymy: pilosa Park,2019 Range (as code): **UG**

7141. **Ptilothyris porphyrea Ghesquière,1940** (Lecithoceridae) Synonymy: porphyrea Ghesquière,1940 Range (as code): **ZR**
7142. **Ptilothyris purpurea Walsingham,1897** (Lecithoceridae) Synonymy: purpurea Walsingham,1897 Range (as code): **NG GA GH ZR**
7143. **Ptilothyris serangota Meyrick,1932** (Lecithoceridae) Synonymy: serangota Meyrick,1932; cyanea Ghesquière,1940 Range (as code): **UG GH ZR**
7144. **Ptilothyris subcucullata Park,2019** (Lecithoceridae) Synonymy: subcucullata Park,2019 Range (as code): **CM**
7145. **Ptilothyris vokaensis Park,2019** (Lecithoceridae) Synonymy: vokaensis Park,2019 Range (as code): **CG**
7146. **Thubana amphisticta (Meyrick,1914)** (Lecithoceridae) Synonymy: amphisticta Meyrick,1914 Range (as code): **MZ**

Lemoniidae

7147. **Lemonia philopalus (Donzel,1842)** (Lemoniidae) Synonymy: philopalus Donzel,1842 Range (as code): **PT ES DZ Mage Cst Ges TN**
7148. **Sabalia fulvicincta Hampson,1901** (Lemoniidae) Synonymy: fulvicincta Hampson,1901 Range (as code): **MW**
7149. **Sabalia jacksoni (Sharpe,1890)** (Lemoniidae) Synonymy: jacksoni Sharpe,1890 Range (as code): **KE Mb**
7150. **Sabalia picarina Walker,1865** (Lemoniidae) Synonymy: picarina Walker,1865 Range (as code): **ZA KE**
7151. **Sabalia sericaria Weymer,1896** (Lemoniidae) Synonymy: sericaria Weymer,1896 Range (as code): **KE**
7152. **Sabalia thalia Fawcett,1915** (Lemoniidae) Synonymy: thalia Fawcett,1915 Range (as code): **ZA**
7153. **Sabalia tippelscirchi Karsch,1898** (Lemoniidae) Synonymy: tippelscirchi Karsch,1898 Range (as code): **KE**

Limacodidae

7154. **Achrocerides theorini (Aurivillius,1891)** (Limacodidae) Synonymy: theorini Aurivillius,1891 Range (as code): **CM ZR GA GH KE NG UG**
7155. **Afraltha chionostola (Hampson,1910)** (Limacodidae) Synonymy: chionostola Hampson,1910 Range (as code): **ZR Kga ZA Mpu Brb Kzu Nta Ndu Tva Lpo Spb Slp Mtu ZM ZW Vum Har NA AO BW MW**
7156. **Afraltha luxuriosa (M.Hering,1928)** (Limacodidae) Synonymy: luxuriosa M.Hering,1928 Range (as code): **MW MZ TZ ZM ZW**
7157. **Afraltha xanthocharis (Clench,1955)** (Limacodidae) Synonymy: xanthocharis Clench,1955 Range (as code): **TZ MW**
7158. **Afrobirthama flaccidia (Druce,1899)** (Limacodidae) Synonymy: flaccidia Druce,1899 Range (as code): **ZA Lpo Tva Spb Mdk TZ Dss ZW ZM MZ BW**
7159. **Afrobirthama hobohmi Janse,1964** (Limacodidae) Synonymy: hobohmi Janse,1964 Range (as code): **ZA NA ZW**
7160. **Afrobirthama reducta (M.Hering,1928)** (Limacodidae) Synonymy: reducta M.Hering,1928 Range (as code): **ZA ZW Bul Tva Lpo Buf Mpu Nel Tst Mal TZ ZR**
7161. **Afromiresa ustitermina (Hampson,1910)** (Limacodidae) Synonymy: ustitermina Hampson,1910 Range (as code): **ZA**
7162. **Afroplax didyma M.Hering,1941** (Limacodidae) Synonymy: didyma M.Hering,1941 Range (as code): **TZ**
7163. **Altha ansorgei Bethune-Baker,1911** (Limacodidae) Synonymy: ansorgei Bethune-Baker,1911 Range (as code): **AO**
7164. **Altha rubrifuscalis Hampson,1910** (Limacodidae) Synonymy: rubrifuscalis Hampson,1910 Range (as code): **GH NG SL TZ**
7165. **Anilina janenschi M.Hering,1941** (Limacodidae) Synonymy: janenschi M.Hering,1941 Range (as code): **TZ**

7166. **Anilina minima M.Hering,1941** (Limacodidae) Synonymy: minima M.Hering,1941 Range (as code): **TZ**
7167. **Anilina nubilata (M.Hering,1928)** (Limacodidae) Synonymy: nubilata M.Hering,1928 Range (as code): **TZ**
7168. **Anilina personata (M.Hering,1928)** (Limacodidae) Synonymy: personata M.Hering,1928 Range (as code): **TZ**
7169. **Anilina plebeja (Karsch,1899)** (Limacodidae) Synonymy: plebeja Karsch,1899 Range (as code): **CM**
7170. **Apluda plebeja Wallengren,1863** (Limacodidae) Synonymy: plebeja Wallengren,1863 Range (as code): **ZA**
7171. **Apluda vesana M.Hering,1928** (Limacodidae) Synonymy: vesana M.Hering,1928 Range (as code): **TZ**
7172. **Apreptophanes stevensoni Janse,1964** (Limacodidae) Synonymy: stevensoni Janse,1964 Range (as code): **ZA**
7173. **Arctozygaena quinquemaculata Gaede,1926** (Limacodidae) Synonymy: quinquemaculata Gaede,1926 Range (as code): **ZA**
7174. **Astatophlebia marmarobrunnea Janse,1964** (Limacodidae) Synonymy: marmarobrunnea Janse,1964 Range (as code): **ZW TZ**
7175. **Asteria cineracea Karsch,1896** (Limacodidae) Synonymy: cineracea Karsch,1896 Range (as code): **TG**
7176. **Asteria cretata Karsch,1899** (Limacodidae) Synonymy: cretata Karsch,1899 Range (as code): **CM**
7177. **Asteria nivosa R.Felder,1874** (Limacodidae) Synonymy: nivosa R.Felder,1874 Range (as code): **TG**
7178. **Asteria phlebodes Karsch,1896** (Limacodidae) Synonymy: phlebodes Karsch,1896 Range (as code): **TG**
7179. **Asteria vitilena Karsch,1896** (Limacodidae) Synonymy: vitilena Karsch,1896 Range (as code): **CM**
7180. **Baria elsa (Druce,1887)** (Limacodidae) Synonymy: elsa Druce,1887 Range (as code): **TG NG GH GO ZR CM**
7181. **Baria transversata Karsch,1899** (Limacodidae) Synonymy: transversata Karsch,1899 Range (as code): **CM**
7182. **Birthama basibrunnea Swinhoe,1904** (Limacodidae) Synonymy: basibrunnea Swinhoe,1904 Range (as code): **TZ Dss**
7183. **Birthama saturata Kiriakoff,1954** (Limacodidae) Synonymy: saturata Kiriakoff,1954 Range (as code): **ZR GM**
7184. **Brachia albiviata (Hampson,1910)** (Limacodidae) Synonymy: albiviata Hampson,1910 Range (as code): **ZA Tra Tva Lpo Hae Mpu Spb Ent Wo Nta Kzu Wkk**
7185. **Brachia amblygrapta Janse,1964** (Limacodidae) Synonymy: amblygrapta Janse,1964 Range (as code): **ZA Tva Lpo Mpu Hae Brb Kzu Nta**
7186. **Brachia argentolineata Wichgraf,1922** (Limacodidae) Synonymy: argentolineata Wichgraf,1922 Range (as code): **AO**
7187. **Brachia argyrogramma Karsch,1896** (Limacodidae) Synonymy: argyrogramma Karsch,1896 Range (as code): **ZR ZM**
7188. **Brachia breijeri (Janse,1964)** (Limacodidae) Synonymy: breijeri Janse,1964 Range (as code): **ZA**
7189. **Brachypecta perobliqua Janse,1964** (Limacodidae) Synonymy: perobliqua Janse,1964 Range (as code): **ZA Tz Tva Lpo ZW**
7190. **Caffricola cloeckneria (Stoll,[1781])** (Limacodidae) Synonymy: cloeckneria Stoll,[1781] Range (as code): **ZA Tva Gau Pre ZW MZ**
7191. **Caffricola kenyensis Talbot,1932** (Limacodidae) Synonymy: kenyensis Talbot,1932 Range (as code): **ZA Nta Kzu Wnn Tva Lpo Wo KE**
7192. **Caffricola vicina Alberti,1954** (Limacodidae) Synonymy: vicina Alberti,1954 Range (as code): **ZA Nta Kzu Ec Lad Dbn Gau Pre Tva Lpo Spb**
7193. **Casphalia elongata Jordan,1915** (Limacodidae) Synonymy: elongata Jordan,1915 Range (as code): **KE Mb**
7194. **Casphalia extranea (Walker,1869)** (Limacodidae) Synonymy: extranea Walker,1869 Range (as code): **CM ZR GO GA CI NG UG**
7195. **Casphalia flavicollis Walker,1866** (Limacodidae) Synonymy: flavicollis Walker,1866; buchholzi Plötz,1880 Range (as code): **GH SL**
7196. **Casphalia nigerrima Holland,1893** (Limacodidae) Synonymy: nigerrima Holland,1893 Range (as code): **GO Ogo**

7197. **Chrysamma amabilis Clench,1955** (Limacodidae) Synonymy: amabilis Clench,1955 Range (as code): **ZA**
7198. **Chrysamma purpuripulchra Karsch,1896** (Limacodidae) Synonymy: purpuripulchra Karsch,1896 Range (as code): **ZA TZ TG AO CM ZR GH GN MW MZ SD ZM ZW**
7199. **Chrysectropa roseofasciata (Aurivillius,1900)** (Limacodidae) Synonymy: roseofasciata Aurivillius,1900; unilinea Bethune-Baker,1911 Range (as code): **AO CM CF CG ZR Kvu GA SL**
7200. **Chrysopoloma bicolor (Distant,1897)** (Limacodidae) Synonymy: bicolor Distant,1897 Range (as code): **ZA Tva Pin Gau Pre**
7201. **Chrysopoloma crawshayi Aurivillius,1904** (Limacodidae) Synonymy: crawshayi Aurivillius,1904 Range (as code): **KE Nai**
7202. **Chrysopoloma flavipes Aurivillius,1901** (Limacodidae) Synonymy: flavipes Aurivillius,1901 Range (as code): **ZA**
7203. **Chrysopoloma isabellina Aurivillius,1895** (Limacodidae) Synonymy: isabellina Aurivillius,1895 Range (as code): **ZA Tva Gau Pre Nta Kzu MZ ZW TZ**
7204. **Chrysopoloma pallens M.Hering,1923** (Limacodidae) Synonymy: similis Distant,1903 nec Auriv.,1895; pallens M.Hering,1923. Range (as code): **ZA Tva Gau Pre Wb ZR ZM TZ**
7205. **Chrysopoloma paupera M.Hering,1925** (Limacodidae) Synonymy: paupera M.Hering,1925 Range (as code): **ZA**
7206. **Chrysopoloma restricta Distant,1899** (Limacodidae) Synonymy: restricta Distant,1899 Range (as code): **ZA Tva Mpu Ly TZ ZR**
7207. **Chrysopoloma rosea Druce,1886** (Limacodidae) Synonymy: rosea Druce,1886 Range (as code): **ZA**
7208. **Chrysopoloma rudis (Walker,1865)** (Limacodidae) Synonymy: rudis Walker,1865 Range (as code): **ZA UG SL ZR**
7209. **Chrysopoloma similis Aurivillius,1895** (Limacodidae) Synonymy: similis Aurivillius,1895 Range (as code): **ZA**
7210. **Chrysopoloma varia Distant,1899** (Limacodidae) Synonymy: varia Distant,1899 Range (as code): **ZA Tva Lpo Gau Pre MZ Del TZ ZM ZW**
7211. **Chrysopolomides nivea (Aurivillius,1903)** (Limacodidae) Synonymy: nivea Aurivillius,1903 Range (as code): **CM CF GH**
7212. **Coenobasis albiramosa (Walker,1865)** (Limacodidae) Synonymy: albiramosa Walker,1865 Range (as code): **ZA ZW NA BW TZ ET**
7213. **Coenobasis amoena R.Felder & Rogenhofer,1874** (Limacodidae) Synonymy: amoena R.Felder & Rogenhofer,1874 Range (as code): **ZW ZA Ec Nta Kzu Tva Lpo Ly Mpu Gau Pre Jh Tra MZ ZW ET KE MW UG**
7214. **Coenobasis argentilinea Aurivillius,1899** (Limacodidae) Synonymy: argentilinea Aurivillius,1899 Range (as code): **ZA Tva Gau Pre BW NA**
7215. **Coenobasis chloronoton Hampson,1916** (Limacodidae) Synonymy: chloronoton Hampson,1916 Range (as code): **SO**
7216. **Coenobasis farouki Wiltshire,1947** (Limacodidae) Synonymy: farouki Wiltshire,1947 Range (as code): **EG Sn SA OM YE**
7217. **Coenobasis hemichlora Grünberg,1910** (Limacodidae) Synonymy: hemichlora Grünberg,1910 Range (as code): **ZA**
7218. **Coenobasis intermedia Janse,1964** (Limacodidae) Synonymy: intermedia Janse,1964 Range (as code): **ZA Tva Lpo Kru**
7219. **Coenobasis panochra Janse,1964** (Limacodidae) Synonymy: panochra Janse,1964 Range (as code): **ZA Tva Mpu Brb**
7220. **Coenobasis postflavida Hampson,1910** (Limacodidae) Synonymy: postflavida Hampson,1910 Range (as code): **SD**
7221. **Coenobasis turneri West,1937** (Limacodidae) Synonymy: turneri West,1937 Range (as code): **ZA Eca**
7222. **Cosuma marginata Holland,1892** (Limacodidae) Synonymy: marginata Holland,1892 Range (as code): **KE UG**
7223. **Cosuma polana Druce,1887** (Limacodidae) Synonymy: polana Druce,1887 Range (as code): **ZW ZM TZ Mgr MZ MW**
7224. **Cosuma radiata Carcasson,1965** (Limacodidae) Synonymy: radiata Carcasson,1965 Range (as code): **TZ**
7225. **Cosuma rugosa Walker,1855** (Limacodidae) Synonymy: rugosa Walker,1855 Range (as code): **SL TG CM ZR GO GA GH**

7226. **Crothaema conspicua Janse,1964** (Limacodidae) Synonymy: conspicua Janse,1964 Range (as code): **ZA**
7227. **Crothaema decorata Distant,1892** (Limacodidae) Synonymy: decorata Distant,1892 Range (as code): **ZA Tva Lpo Nta Kzu Ec Gau Pre Mpu Brb TZ ZW ET**
7228. **Crothaema ornata Romieux,1934** (Limacodidae) Synonymy: ornata Romieux,1934 Range (as code): **ZR**
7229. **Crothaema schoutedeni M.Hering,1954** (Limacodidae) Synonymy: schoutedeni M.Hering,1954 Range (as code): **NA ZR Lsb KE**
7230. **Crothaema sericea Butler,1880** (Limacodidae) Synonymy: sericea Butler,1880 Range (as code): **ZA MG**
7231. **Crothaema trichromata West,1937** (Limacodidae) Synonymy: trichromata West,1937 Range (as code): **ZR Kga**
7232. **Ctenocompa hilda (Druce,1887)** (Limacodidae) Synonymy: hilda Druce,1887 Range (as code): **CM**
7233. **Ctenolita anacompa Karsch,1896** (Limacodidae) Synonymy: anacompa Karsch,1896 Range (as code): **TG UG SL NG CI GH GM GO ZR CG CM**
7234. **Ctenolita argyrobapta Karsch,1899** (Limacodidae) Synonymy: argyrobapta Karsch,1899 Range (as code): **CM**
7235. **Ctenolita chrostisa Karsch,1896** (Limacodidae) Synonymy: chrostisa Karsch,1896 Range (as code): **CM**
7236. **Ctenolita epargyra Karsch,1896** (Limacodidae) Synonymy: epargyra Karsch,1896 Range (as code): **ZR GO GM SL TG**
7237. **Delorhachis kilosa West,1940** (Limacodidae) Synonymy: kilosa West,1940 Range (as code): **ZA**
7238. **Delorhachis nigrivenosa Karsch,1896** (Limacodidae) Synonymy: nigrivenosa Karsch,1896 Range (as code): **TG**
7239. **Delorhachis purpurea M.Hering,1928** (Limacodidae) Synonymy: purpurea M.Hering,1928 Range (as code): **CM ZR GA UG**
7240. **Delorhachis viridiplaga Karsch,1896** (Limacodidae) Synonymy: viridiplaga Karsch,1896 Range (as code): **ZR TG CM CF GH MW TZ**
7241. **Deltoptera iphia Janse,1964** (Limacodidae) Synonymy: iphia Janse,1964 Range (as code): **ZA Lpo Tva Spb Mdk Bbg MZ ZM ZW MW**
7242. **Diquishia ansorgei (Bethune-Baker,1911)** (Limacodidae) Synonymy: ansorgei Bethune-Baker,1911 Range (as code): **AO**
7243. **Diquishia morion Kurshakov & Zolotuhin,2016** (Limacodidae) Synonymy: morion Kurshakov & Zolotuhin,2016 Range (as code): **AO**
7244. **Ectropa adam Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: adam Kurshakov & Zolotuhin,2013 Range (as code): **TZ**
7245. **Ectropa alberici Dufrane,1945** (Limacodidae) Synonymy: alberici Dufrane,1945 Range (as code): **CI ZR Kvu**
7246. **Ectropa ancilis Wallengren,1863** (Limacodidae) Synonymy: ancilis Wallengren,1863 Range (as code): **ZA Nta Kzu Tva Wnn Ltr Spb Tva Lpo**
7247. **Ectropa revelli Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: revelli Kurshakov & Zolotuhin,2013 Range (as code): **SL**
7248. **Ectropona aarviki Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: aarviki Kurshakov & Zolotuhin,2013 Range (as code): **TZ Mgr**
7249. **Ectropona dargei Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: dargei Kurshakov & Zolotuhin,2013 Range (as code): **TZ Dss Mgr Usa Ani Mru KE Mb**
7250. **Ectropona kubwa Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: kubwa Kurshakov & Zolotuhin,2013 Range (as code): **TZ Mgr**
7251. **Ectropona larsa Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: larsa Kurshakov & Zolotuhin,2013 Range (as code): **KE Kkm**
7252. **Exanthica atelacma Meyrick,1926** (Limacodidae) Synonymy: atelacma Meyrick,1926 Range (as code): **ZA**
7253. **Exanthica trigonella (R.Felder & Rogenhofer,1875)** (Limacodidae) Synonymy: trigonella R.Felder & Rogenhofer,1875 Range (as code): **ZA**
7254. **Featheria obvia Hampson,1916** (Limacodidae) Synonymy: obvia Hampson,1916 Range (as code): **SO**

7255. **Gavara lamborni (Bethune-Baker,1915)** (Limacodidae) Synonymy: lamborni Bethune-Baker,1915 Range (as code): **NG ZW**
7256. **Gavara velutina Walker,[1858]** (Limacodidae) Synonymy: velutina Walker,[1858]; squamosa Wallengren,1860; leprosa Felder,1874. Range (as code): **ZA Kzu Nta Dbn Srn Mv Umk Ptw Esw Tva Lpo Spb Mpu Tst**
7257. **Gephyrophora mitis Karsch,1896** (Limacodidae) Synonymy: mitis Karsch,1896 Range (as code): **TG**
7258. **Hadraphe aprica Karsch,1899** (Limacodidae) Synonymy: aprica Karsch,1899 Range (as code): **CM ZR GO GM GH NG**
7259. **Hadraphe ethiopica (Bethune-Baker,1915)** (Limacodidae) Synonymy: ethiopica Bethune-Baker,1915 Range (as code): **ZM**
7260. **Halseyia basiclara (M.Hering,1937)** (Limacodidae) Synonymy: basiclara M.Hering,1937 Range (as code): **ZA**
7261. **Halseyia bisecta (Butler,1898)** (Limacodidae) Synonymy: bisecta Butler,1898 Range (as code): **ZA Gau Pre Wo Tst Brb Kzu Nta ZW Bul Tva Lpo**
7262. **Halseyia biumbrata (Hampson,1910)** (Limacodidae) Synonymy: biumbrata Hampson,1910 Range (as code): **ZA**
7263. **Halseyia fimbriata (Karsch,1896)** (Limacodidae) Synonymy: fimbriata Karsch,1896 Range (as code): **AO GH CI KE NG SL SO TG**
7264. **Halseyia intacta (M.Hering,1937)** (Limacodidae) Synonymy: intacta M.Hering,1937 Range (as code): **ZA Tva Gau Pre Mpu Tst ZW Bul**
7265. **Halseyia lacides (Druce,1899)** (Limacodidae) Synonymy: lacides Druce,1899 Range (as code): **ZR KE TZ**
7266. **Halseyia pseudobisecta (M.Hering,1937)** (Limacodidae) Synonymy: pseudobisecta M.Hering,1937 Range (as code): **ZA Gau Pre Mpu Brb Wo Wp Tva Nta Kzu Lpo Spb Elo ZW Bul Har**
7267. **Halseyia rectifascia (M.Hering,1937)** (Limacodidae) Synonymy: rectifascia M.Hering,1937 Range (as code): **ZA Mpu Brb Tva Lpo Spb Sbs Tsh Nta Kzu ZW Bul ZM NA MZ BW**
7268. **Halseyia rufilinea (Bethune-Baker,1909)** (Limacodidae) Synonymy: rufilinea Bethune-Baker,1909 Range (as code): **ZA**
7269. **Halseyia tamsi (M.Hering,1937)** (Limacodidae) Synonymy: tamsi M.Hering,1937 Range (as code): **ZA**
7270. **Halseyia ugandensis (M.Hering,1937)** (Limacodidae) Synonymy: ugandensis M.Hering,1937 Range (as code): **TZ UG**
7271. **Hamartia clarissa M.Hering,1937** (Limacodidae) Synonymy: clarissa M.Hering,1937 Range (as code): **ZA**
7272. **Hamartia medora M.Hering,1937** (Limacodidae) Synonymy: medora M.Hering,1937 Range (as code): **ZA ET**
7273. **Hilopoda gravidipes Karsch,1896** (Limacodidae) Synonymy: gravidipes Karsch,1896 Range (as code): **TG**
7274. **Homosusica eugrapha Janse,1964** (Limacodidae) Synonymy: eugrapha Janse,1964 Range (as code): **ZA**
7275. **Hyphorma subterminalis Hampson,1910** (Limacodidae) Synonymy: subterminalis Hampson,1910 Range (as code): **CI**
7276. **Hyphormoides obliquestrigata Strand,1914** (Limacodidae) Synonymy: obliquestrigata Strand,1914 Range (as code): **CM**
7277. **Inous nigripalpis Walker,1855** (Limacodidae) Synonymy: nigripalpis Walker,1855 Range (as code): **ZA**
7278. **Isozinara pallidifascia Janse,1964** (Limacodidae) Synonymy: pallidifascia Janse,1964 Range (as code): **ZA Tva Lpo Spb Slp BW Okw**
7279. **Jordaniana lactea (Pagenstecher,1903)** (Limacodidae) Synonymy: lactea Pagenstecher,1903 Range (as code): **ZA ZW SO NA KE ET ZR**
7280. **Latoia albicosta (Hampson,1910)** (Limacodidae) Synonymy: albicosta Hampson,1910; #kilimandscharonis Strand Range (as code): **ZA KE TZ ZM UG ZW MZ MW CM**
7281. **Latoia albilinea (Hampson,1910)** (Limacodidae) Synonymy: albilinea Hampson,1910 Range (as code): **ZR GM GH TZ**
7282. **Latoia anagaura Janse,1964** (Limacodidae) Synonymy: anagaura Janse,1964 Range (as code): **ZA**
7283. **Latoia canescens (Walker,1855)** (Limacodidae) Synonymy: canescens Walker,1855 Range (as code): **ZA Nta Kzu CM GO SL**

7284. **Latoia chrysopa D.S.Fletcher,1968** (Limacodidae) Synonymy: chrysopa D.S.Fletcher,1968 Range (as code): **KE RW UG**
7285. **Latoia cineracea (Karsch,1896)** (Limacodidae) Synonymy: cineracea Karsch,1896 Range (as code): **TG UG**
7286. **Latoia cretata (Karsch,1899)** (Limacodidae) Synonymy: cretata Karsch,1899 Range (as code): **CM GA**
7287. **Latoia eremotropha Janse,1964** (Limacodidae) Synonymy: eremotropha Janse,1964 Range (as code): **ZA**
7288. **Latoia johannes (Distant,1898)** (Limacodidae) Synonymy: johannes Distant,1898 Range (as code): **ZA Tva Nta Kzu Dbn Kkf Gau Pre Jh**
7289. **Latoia latistriga (Walker,1855)** (Limacodidae) Synonymy: latistriga Walker,1855 Range (as code): **ZA Tva Nta Kzu Gau Pre NW Har ZM TZ NA MZ KE**
7290. **Latoia urda (Druce,1887)** (Limacodidae) Synonymy: urda Druce,1887; karschi Dyar,1912 Range (as code): **ZA S TZ ZM ZW NG MZ MW LR KE GN GH GA GO ZR CM BW**
7291. **Latoia viridicosta (Hampson,1910)** (Limacodidae) Synonymy: viridicosta Hampson,1910 Range (as code): **ZA**
7292. **Latoia viridifascia Holland,1893** (Limacodidae) Synonymy: viridifascia Holland,1893 Range (as code): **ZA UG NG MZ GH GA ZR CG CM**
7293. **Latoia viridimixta Janse,1964** (Limacodidae) Synonymy: viridimixta Janse,1964 Range (as code): **ZW ZM NG ZR**
7294. **Latoia vitilena (Karsch,1896)** (Limacodidae) Synonymy: vitilena Karsch,1896; #vitilinea Van Eecke,1925 Range (as code): **ZA UG ZM ZW GA ZR CM**
7295. **Latoia vivida (Walker,1865)** (Limacodidae) Synonymy: vivida Walker,1865; arcuata Karsch,1896; neumanni Karsch,1896; viridimixta Janse,1964 Range (as code): **ZA Tva Lpo Spb Mdk Nta Kzu MZ ZW Vum ZM MW AO CM CG ZR ET GH GN CI NA NG SL SO SD TZ TG UG ZM**
7296. **Latoiola albipuncta (Holland,1893)** (Limacodidae) Synonymy: albipuncta Holland,1893 Range (as code): **CG ZR GA KE**
7297. **Latoiola pusilla (Aurivillius,1899)** (Limacodidae) Synonymy: pusilla Aurivillius,1899 Range (as code): **ZA**
7298. **Lepidorytis sulcata Aurivillius,1900** (Limacodidae) Synonymy: sulcata Aurivillius,1900 Range (as code): **ZA ZW UG TZ GM**
7299. **Macroplectra albescens Hampson,1910** (Limacodidae) Synonymy: albescens Hampson,1910 Range (as code): **KE**
7300. **Macroplectra fuscifusa Hampson,1910** (Limacodidae) Synonymy: fuscifusa Hampson,1910; hyperdiffusa Strand,1916 Range (as code): **GH KE NG UG**
7301. **Macroplectra hieroglyphica Bethune-Baker,1911** (Limacodidae) Synonymy: hieroglyphica Bethune-Baker,1911 Range (as code): **AO**
7302. **Macroplectra jacksoni West,1937** (Limacodidae) Synonymy: jacksoni West,1937 Range (as code): **UG**
7303. **Macroplectra meridionalis M.Hering,1928** (Limacodidae) Synonymy: meridionalis M.Hering,1928 Range (as code): **ZA Tva Gau Pre**
7304. **Macroplectra mesocyma Hampson,1910** (Limacodidae) Synonymy: mesocyma Hampson,1910 Range (as code): **UG**
7305. **Macroplectra obliquilinea Hampson,1910** (Limacodidae) Synonymy: obliquilinea Hampson,1910 Range (as code): **ZA**
7306. **Macroplectra rosea Bethune-Baker,1911** (Limacodidae) Synonymy: rosea Bethune-Baker,1911 Range (as code): **AO**
7307. **Macroplectra rosea Bethune-Baker,1911** (Limacodidae) Synonymy: Macroplectra rosea Bethune-Baker,1911 Range (as code): **AO ZR**
7308. **Macroplectra rufopallens Hampson,1910** (Limacodidae) Synonymy: rufopallens Hampson,1910 Range (as code): **UG ZA**
7309. **Macroplectra rufopallens Hampson,1910** (Limacodidae) Synonymy: rufopallens Hampson,1910 Range (as code): **KE ZA UG ZM ZW**
7310. **Macroplectra tripunctata Mabille,1900** (Limacodidae) Synonymy: tripunctata Mabille,1900 Range (as code): **ZA**
7311. **Micraphe lateritia Karsch,1896** (Limacodidae) Synonymy: lateritia Karsch,1896; coccinea Hampson,1910; haematoessa Hampson,1910; #haematoessula Strand,1916; intensior Rothschild,1921. Range (as

code): **TG ZW Har Bul Tva Lpo Spb Wp Mes Suw Mll Brb Tst Pre Dbn Elo Mpu Gau Nta Kzu ZA BW ZR KE MW MZ NA NE NG SD TZ ZM**

7312. **Miresa coccinea Hampson,1910** (Limacodidae) Synonymy: coccinea Hampson,1910; intensior Rothschild,1921 Range (as code): **NG**

7313. **Miresa gilba Karsch,1899** (Limacodidae) Synonymy: gilba Karsch,1899 Range (as code): **GH**

7314. **Miresa gracilis Butler,1882** (Limacodidae) Synonymy: gracilis Butler,1882 Range (as code): **MG**

7315. **Miresa melanosticta (Bethune-Baker,1909)** (Limacodidae) Synonymy: melanosticta Bethune-Baker,1909; habenichti Wichgraf,1913 Range (as code): **AO ZR GH KE MW MZ TZ ZM ZW**

7316. **Miresa pyrosoma Butler,1882** (Limacodidae) Synonymy: pyrosoma Butler,1882 Range (as code): **MG**

7317. **Miresa semicalida Hampson,1910** (Limacodidae) Synonymy: semicalida Hampson,1910 Range (as code): **ZR ZM**

7318. **Miresa strigivena Hampson,1910** (Limacodidae) Synonymy: strigivena Hampson,1910 Range (as code): **NG**

7319. **Miresa ustitermina Hampson,1910** (Limacodidae) Synonymy: ustitermina Hampson,1910 Range (as code): **ZR**

7320. **Monoplecta castanea Janse,1964** (Limacodidae) Synonymy: castanea Janse,1964 Range (as code): **ZA Tva Lpo Mes ZW Crd**

7321. **Narosa castanea Mabille,1900** (Limacodidae) Synonymy: castanea Mabille,1900 Range (as code): **MG**

7322. **Narosa hedychroa Bethune-Baker,1909** (Limacodidae) Synonymy: hedychroa Bethune-Baker,1909 Range (as code): **UG**

7323. **Narosa nephochloeropis Bethune-Baker,1909** (Limacodidae) Synonymy: nephochloeropis Bethune-Baker,1909 Range (as code): **UG**

7324. **Narosa trilinea Bethune-Baker,1909** (Limacodidae) Synonymy: trilinea Bethune-Baker,1909 Range (as code): **UG**

7325. **Natada amicta Swinhoe,1906** (Limacodidae) Synonymy: amicta Swinhoe,1906 Range (as code): **AO**

7326. **Natada chrysaspis Hampson,1910** (Limacodidae) Synonymy: chrysaspis Hampson,1910; chrysaspodes Strand,1916 Range (as code): **ZA Tva Lpo Mpu Brb Crl**

7327. **Natada kochi Janse,1964** (Limacodidae) Synonymy: kochi Janse,1964 Range (as code): **ZA**

7328. **Natada undina Druce,1887** (Limacodidae) Synonymy: undina Druce,1887 Range (as code): **CM**

7329. **Neogavara imitans Janse,1964** (Limacodidae) Synonymy: imitans Janse,1964 Range (as code): **ZA Tva Lpo Spb Slp Nel Pot Mpu Bbg ZW Bul Har Vum MW MZ NA SZ ZM TZ**

7330. **Neomocena brunneocrossa Janse,1964** (Limacodidae) Synonymy: brunneocrossa Janse,1964 Range (as code): **ZA**

7331. **Neomocena convergens (M.Hering,1928)** (Limacodidae) Synonymy: convergens M.Hering,1928 Range (as code): **ZA ZW Har Umv Tva Spb Lpo Wp Tz Srn Mpu Brb Umk Nta Kzu BW ZR GA GM MW MZ SL TZ ZM**

7332. **Niphadolepis auricincta Butler,1898** (Limacodidae) Synonymy: auricincta Butler,1898 Range (as code): **KE**

7333. **Niphadolepis bipunctata M.Hering,1929** (Limacodidae) Synonymy: bipunctata M.Hering,1929 Range (as code): **ZA ZR TZ**

7334. **Niphadolepis luxurians M.Hering,1928** (Limacodidae) Synonymy: luxurians M.Hering,1928 Range (as code): **ZR MW MZ TZ ZM ZW**

7335. **Niphadolepis sinistra M.Hering,1928** (Limacodidae) Synonymy: sinistra M.Hering,1928 Range (as code): **KE TZ**

7336. **Niphadolepis soluta Karsch,1896** (Limacodidae) Synonymy: soluta Karsch,1896 Range (as code): **GM TG**

7337. **Omocena dollmani West,1940** (Limacodidae) Synonymy: dollmani West,1940 Range (as code): **ZR ZM**

7338. **Omocena syrtis (Schaus & Clements,1893)** (Limacodidae) Synonymy: syrtis Schaus & Clements,1893; ganale Pagenstecher,1903 Range (as code): **AO CM CF ZR ET GH CI KE NG UG SN SL ZM TG**

7339. **Omocenoides isophanes Janse,1964** (Limacodidae) Synonymy: isophanes Janse,1964 Range (as code): **ZA Tva Lpo Spb Ent Kzu Nta Dbn Umk Srn Mpu Brb Pel Stj SZ MZ**

7340. **Omocenoides prismallae Janse,1964** (Limacodidae) Synonymy: prismallae Janse,1964 Range (as code): **ZM NG ZR**

7341. **Pantoctenia gemmans R.Felder & Rogenhofer,1874** (Limacodidae) Synonymy: gemmans R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu Tva Lpo MZ ZW**

7342. **Paraphlebs singularis Aurivillius,1921** (Limacodidae) Synonymy: singularis Aurivillius,1921; dentilinea Janse,1964 Range (as code): **ZA**
7343. **Parapluda incincta (Hampson,1909)** (Limacodidae) Synonymy: incincta Hampson,1909; schaliphlebia Hampson,1910 Range (as code): **UG Rz KE MW Zom ZM**
7344. **Parapluda invitabilis (Wallengren,1860)** (Limacodidae) Synonymy: invitabilis Wallengren,1860; similis Distant,1897. Range (as code): **ZA Gau Pre Tva Lpo Wb Spb Mdk Ec Ntz Kzu ZW BW ZR DJ ET GA MW MZ TZ UG ZM**
7345. **Parapluda neglecta (M.Hering,1928)** (Limacodidae) Synonymy: neglecta M.Hering,1928 Range (as code): **ZW MW TZ**
7346. **Parasa affinis Mabille,1890** (Limacodidae) Synonymy: affinis Mabille,1890 Range (as code): **MG**
7347. **Parasa ananii Karsch,1896** (Limacodidae) Synonymy: ananii Karsch,1896; infuscata Wichgraf,1908 Range (as code): **GM GH TG UG**
7348. **Parasa cambouei (Mabille,1892)** (Limacodidae) Synonymy: cambouei Mabille,1892 Range (as code): **MG**
7349. **Parasa carnapi Karsch,1899** (Limacodidae) Synonymy: carnapi Karsch,1899 Range (as code): **CM**
7350. **Parasa chapmani Kirby,1892** (Limacodidae) Synonymy: chapmani Kirby,1892 Range (as code): **ZR ZA Kzu Nta**
7351. **Parasa chlorophila M.Hering,1935** (Limacodidae) Synonymy: chlorophila M.Hering,1935 Range (as code): **GM SL**
7352. **Parasa decolor Karsch,1899** (Limacodidae) Synonymy: decolor Karsch,1899 Range (as code): **CM**
7353. **Parasa ebenaui (Saalmüller,1878)** (Limacodidae) Synonymy: ebenaui Saalmüller,1878 Range (as code): **MG**
7354. **Parasa euchlora Karsch,1896** (Limacodidae) Synonymy: euchlora Karsch,1896 Range (as code): **CM GH LR NG TG**
7355. **Parasa fulvicorpus Hampson,1896** (Limacodidae) Synonymy: fulvicorpus Hampson,1896 Range (as code): **YE Ad SO KE TZ**
7356. **Parasa humilis Mabille,1890** (Limacodidae) Synonymy: humilis Mabille,1890 Range (as code): **MG**
7357. **Parasa irrationalis M.Hering,1933** (Limacodidae) Synonymy: irrationalis M.Hering,1933 Range (as code): **KE**
7358. **Parasa lanceolata M.Hering,1928** (Limacodidae) Synonymy: lanceolata M.Hering,1928 Range (as code): **TZ**
7359. **Parasa mesochloris Hampson,1910** (Limacodidae) Synonymy: mesochloris Hampson,1910 Range (as code): **GH NG**
7360. **Parasa satura Karsch,1896** (Limacodidae) Synonymy: satura Karsch,1896 Range (as code): **CM**
7361. **Parasa singularis Butler,1878** (Limacodidae) Synonymy: singularis Butler,1878 Range (as code): **MG**
7362. **Parasa smaragdina Bethune-Baker,1908** (Limacodidae) Synonymy: smaragdina Bethune-Baker,1908 Range (as code): **NG**
7363. **Parasa thamia Rungs,1951** (Limacodidae) Synonymy: thamia Rungs,1951 Range (as code): **MA DZ**
7364. **Parasa valida Butler,1879** (Limacodidae) Synonymy: valida Butler,1879 Range (as code): **MG**
7365. **Parasa viridissima Holland,1893** (Limacodidae) Synonymy: viridissima Holland,1893 Range (as code): **AO CM ZR GA GH NG UG**
7366. **Phlebodicha afflata Karsch,1896** (Limacodidae) Synonymy: afflata Karsch,1896 Range (as code): **TG CM**
7367. **Phorma pepon Karsch,1896** (Limacodidae) Synonymy: pepon Karsch,1896; aurifrons Bethune-Baker,1911 Range (as code): **AO CM CG ZR GO GM GH GN CI NG RW SL TZ TG UG**
7368. **Probalintha inclusa Walker,1865** (Limacodidae) Synonymy: inclusa Walker,1865 Range (as code): **ZA**
7369. **Pseudothosea albisignata Janse,1964** (Limacodidae) Synonymy: albisignata Janse,1964 Range (as code): **NA ZM ZW**
7370. **Rhypteira hyperocha Tams,1930** (Limacodidae) Synonymy: hyperocha Tams,1930 Range (as code): **ZR**
7371. **Rhypteira sordida Holland,1893** (Limacodidae) Synonymy: sordida Holland,1893 Range (as code): **TG CM ZR GA NG SL**
7372. **Scirrhoma callima Bethune-Baker,1915** (Limacodidae) Synonymy: callima Bethune-Baker,1915 Range (as code): **ZW**

7373.**Scirrhoma ethiopica Bethune-Baker,1915** (Limacodidae) Synonymy: ethiopica Bethune-Baker,1915 Range (as code): **ZW**
7374.**Scirrhoma lamborni Bethune-Baker,1915** (Limacodidae) Synonymy: lamborni Bethune-Baker,1915 Range (as code): **ZW**
7375.**Scotinocerides fasciata M.Hering,1937** (Limacodidae) Synonymy: fasciata M.Hering,1937 Range (as code): **ZA**
7376.**Scotinocerides pseudorestricta M.Hering,1937** (Limacodidae) Synonymy: pseudorestricta M.Hering,1937 Range (as code): **ZA**
7377.**Scotinochroa diplothysana Tams,1932** (Limacodidae) Synonymy: diplothysana Tams,1932 Range (as code): **ZA**
7378.**Scotinochroa inconsequens Butler,1897** (Limacodidae) Synonymy: inconsequens Butler,1897; peringueyi Aurivillius,1921. Range (as code): **BW ZR KE MZ NA ZM ZA Tva Lpo Spb Mdk Slp ZW MW**
7379.**Scotinochroa minor Hampson,1916** (Limacodidae) Synonymy: minor Hampson,1916 Range (as code): **SO**
7380.**Scotinochroa rufescens Janse,1964** (Limacodidae) Synonymy: rufescens Janse,1964 Range (as code): **ZA**
7381.**Semibirthama rotundata (M.Hering,1928)** (Limacodidae) Synonymy: rotundata M.Hering,1928 Range (as code): **TZ**
7382.**Semyrilla lineata (Holland,1893)** (Limacodidae) Synonymy: lineata Holland,1893; obliquestrigata Strand,1914 Range (as code): **ZA**
7383.**Sporetolepis platti Janse,1964** (Limacodidae) Synonymy: platti Janse,1964 Range (as code): **ZA**
7384.**Sporetolepis venusta M.Hering,1928** (Limacodidae) Synonymy: venusta M.Hering,1928 Range (as code): **CM ZR KE UG**
7385.**Strigivenifera albidiscalis (Hampson,1910)** (Limacodidae) Synonymy: albidiscalis Hampson,1910 Range (as code): **ZR Kga RW**
7386.**Strigivenifera bartschi Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: bartschi Kurshakov & Zolotuhin,2013 Range (as code): **KE UG**
7387.**Strigivenifera cruisa Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: cruisa Kurshakov & Zolotuhin,2013 Range (as code): **KE UG ZR BI**
7388.**Strigivenifera eborea Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: eborea Kurshakov & Zolotuhin,2013 Range (as code): **CI SL GH**
7389.**Strigivenifera livingstonei Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: livingstonei Kurshakov & Zolotuhin,2013 Range (as code): **ZR CM CF AO**
7390.**Strigivenifera marina Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: marina Kurshakov & Zolotuhin,2013 Range (as code): **CF**
7391.**Strigivenifera neo Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: neo Kurshakov & Zolotuhin,2013 Range (as code): **NG CM CF**
7392.**Strigivenifera ocellaris Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: ocellaris Kurshakov & Zolotuhin,2013 Range (as code): **SL CI BF TG GH**
7393.**Strigivenifera oris Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: oris Kurshakov & Zolotuhin,2013 Range (as code): **CI**
7394.**Strigivenifera tanja Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: tanja Kurshakov & Zolotuhin,2013 Range (as code): **TG NG CF**
7395.**Strigivenifera tatooifera Kurshakov & Zolotuhin,2013** (Limacodidae) Synonymy: tatooifera Kurshakov & Zolotuhin,2013 Range (as code): **ZR**
7396.**Strigivenifera venata (Aurivillius,1895)** (Limacodidae) Synonymy: venata Aurivillius,1895 Range (as code): **GO Ogo CM CF ZR GA GH LR NG TG**
7397.**Stroter capillatus Karsch,1899** (Limacodidae) Synonymy: capillatus Karsch,1899; tripartita Bethune-Baker,1911 Range (as code): **ZA AO CM ZR KE MZ NG UG ZM ZW**
7398.**Stroter comatus Karsch,1899** (Limacodidae) Synonymy: comatus Karsch,1899 Range (as code): **CM ZR GH RW**
7399.**Stroter dukei Janse,1964** (Limacodidae) Synonymy: dukei Janse,1964 Range (as code): **ZA**
7400.**Stroter intermissa (Walker,1865)** (Limacodidae) Synonymy: intermissa Walker,1865 Range (as code): **ZA ZR ZM TZ**
7401.**Susica confusa Walker,1865** (Limacodidae) Synonymy: confusa Walker,1865 Range (as code): **SL**
7402.**Susica molybdea Hampson,1910** (Limacodidae) Synonymy: molybdea Hampson,1910 Range (as code): **AET**

7403. **Susicina pyrocausta (Hampson,1910)** (Limacodidae) Synonymy: pyrocausta Hampson,1910 Range (as code): **ZA**
7404. **Taeda aetitis Wallengren,1863** (Limacodidae) Synonymy: aetitis Wallengren,1863; albipuncta Druce,1888; argentifera Westwood,1881. Range (as code): **ZA Nta Kzu Tva Lpo Pin Gau Pre LS BW ZW TZ SZ NA**
7405. **Taeda connexa (Janse,1964)** (Limacodidae) Synonymy: connexa Janse,1964 Range (as code): **ZA Tva Lpo LS**
7406. **Taeda gemmans (Felder,1874)** (Limacodidae) Synonymy: gemmans Felder,1874 Range (as code): **LS MW MZ ZA ZW**
7407. **Taeda prasina Butler,1896** (Limacodidae) Synonymy: prasina Butler,1896 Range (as code): **ZA Tva Lpo Spb Lj TZ MW AO ZR ZM ZW UG**
7408. **Thosea cataractae West,1937** (Limacodidae) Synonymy: cataractae West,1937 Range (as code): **ZW Vf**
7409. **Thosea catori Bethune-Baker,1908** (Limacodidae) Synonymy: catori Bethune-Baker,1908 Range (as code): **NG**
7410. **Thosea chloris Fawcett,1917** (Limacodidae) Synonymy: chloris Fawcett,1917 Range (as code): **KE**
7411. **Thosea perseis Fawcett,1917** (Limacodidae) Synonymy: perseis Fawcett,1917 Range (as code): **KE**
7412. **Thosea platti West,1937** (Limacodidae) Synonymy: platti West,1937 Range (as code): **ZA Nta Kzu Tva Gau Jh Ptw**
7413. **Thosea rufimacula Joicey & Talbot,1921** (Limacodidae) Synonymy: rufimacula Joicey & Talbot,1921 Range (as code): **MZ ZR**
7414. **Thosea undosa Fawcett,1917** (Limacodidae) Synonymy: undosa Fawcett,1917 Range (as code): **KE**
7415. **Trachyptena holobrunnea (Janse,1964)** (Limacodidae) Synonymy: holobrunnea Janse,1964 Range (as code): **ZW TZ MW NG**
7416. **Trogocrada atmota Janse,1964** (Limacodidae) Synonymy: atmota Janse,1964 Range (as code): **TZ**
7417. **Trogocrada deleter Tams,1953** (Limacodidae) Synonymy: deleter Tams,1953 Range (as code): **MZ TZ**
7418. **Trogocrada dimorpha Janse,1964** (Limacodidae) Synonymy: dimorpha Janse,1964 Range (as code): **ZA**
7419. **Tryphax cinereus (Holland,1893)** (Limacodidae) Synonymy: cinereus Holland,1893 Range (as code): **CM**
7420. **Tryphax vigoratus Karsch,1896** (Limacodidae) Synonymy: vigoratus Karsch,1896 Range (as code): **TG**
7421. **Unipectiphora delosignata Janse,1964** (Limacodidae) Synonymy: delosignata Janse,1964 Range (as code): **ZA**
7422. **Unithosea albilineata (Hampson,1910)** (Limacodidae) Synonymy: albilineata Hampson,1910 Range (as code): **ZA ZW**
7423. **Vansoniella chirindensis Mey,2018** (Limacodidae) Synonymy: chirindensis Mey,2018 Range (as code): **ZW Crd**
7424. **Zarachella specularis Jordan,1915** (Limacodidae) Synonymy: specularis Jordan,1915 Range (as code): **ZA Nta Kzu Dbn**
7425. **Zinara discophora Hampson,1910** (Limacodidae) Synonymy: discophora Hampson,1910 Range (as code): **ZW ZM TZ MZ**
7426. **Zinara nervosa Walker,1869** (Limacodidae) Synonymy: nervosa Walker,1869 Range (as code): **ZR GH KE MZ**
7427. **Zinara ploetzi (Schaus,1893)** (Limacodidae) Synonymy: ploetzi Schaus,1893 Range (as code): **SL TG**
7428. **Zinara unilineata M.Hering,1928** (Limacodidae) Synonymy: unilineata M.Hering,1928 Range (as code): **ZR NG**
7429. **Zorostola melanoxantha Janse,1964** (Limacodidae) Synonymy: melanoxantha Janse,1964 Range (as code): **ZA**

Lymantriidae

7430. **Abynotha hylomima (Holland,1893)** (Lymantriidae) Synonymy: hylomima Holland,1893 Range (as code): **NG**
7431. **Abynotha meinickei M.Hering,1926** (Lymantriidae) Synonymy: meinickei M.Hering,1926 Range (as code): **TZ**

7432. **Abynotha preussi (Mabille & Vuillot,1892)** (Lymantriidae) Synonymy: preussi Mabille & Vuillot,1892 Range (as code): **CM**
7433. **Aclonophlebia callista Collenette,1933** (Lymantriidae) Synonymy: callista Collenette,1933 Range (as code): **KE**
7434. **Aclonophlebia civilis M.Hering,1926** (Lymantriidae) Synonymy: civilis M.Hering,1926 Range (as code): **TZ**
7435. **Aclonophlebia diffusa M.Hering,1926** (Lymantriidae) Synonymy: diffusa M.Hering,1926 Range (as code): **CM**
7436. **Aclonophlebia flaveola M.Hering,1926** (Lymantriidae) Synonymy: flaveola M.Hering,1926 Range (as code): **TZ**
7437. **Aclonophlebia flavinotata Butler,1898** (Lymantriidae) Synonymy: flavinotata Butler,1898 Range (as code): **KE**
7438. **Aclonophlebia ganymedes M.Hering,1926** (Lymantriidae) Synonymy: ganymedes M.Hering,1926 Range (as code): **CM**
7439. **Aclonophlebia inconspicua Hampson,1910** (Lymantriidae) Synonymy: inconspicua Hampson,1910 Range (as code): **SO**
7440. **Aclonophlebia lymantrioides M.Hering,1926** (Lymantriidae) Synonymy: lymantrioides M.Hering,1926 Range (as code): **TZ**
7441. **Aclonophlebia perspicua M.Hering,1928** (Lymantriidae) Synonymy: perspicua M.Hering,1928 Range (as code): **TZ**
7442. **Aclonophlebia poecilanthes Collenette,1931** (Lymantriidae) Synonymy: poecilanthes Collenette,1931 Range (as code): **KE**
7443. **Aclonophlebia rufotincta M.Hering,1926** (Lymantriidae) Synonymy: rufotincta M.Hering,1926 Range (as code): **KE YE**
7444. **Albarracina warionis (Oberthür,1881)** (Lymantriidae) Synonymy: warionis Oberthür,1881; korbi Staudinger,1883; syriaca Standfuss,[1890]; banghaasi Rothschild,1909; deundulata Strand,1910; schindlerae Oberthür,1922; alluaudi Oberthür,1922; syrticola C.G.Krüger,1932; littoralis Le Cerf,1933; autumnalis C.G.Krüger,1939; humilis Rungs,1975; thoracica Rungs,1975 Range (as code): **IL Jf Pa DZ Tou Gea Eal Onç Kdr MA MR LY Cy ES Alb TN Gf**
7445. **Anexotamos flavibasis M.Hering,1926** (Lymantriidae) Synonymy: flavibasis M.Hering,1926 Range (as code): **KE**
7446. **Arctornis kenya (Collenette,1931)** (Lymantriidae) Synonymy: kenya Collenette,1931 Range (as code): **KE**
7447. **Arctornis macrocera (Sharp,1890)** (Lymantriidae) Synonymy: macrocera Sharp,1890 Range (as code): **KE Mb**
7448. **Arctornis melanocraspis (Hampson,1905)** (Lymantriidae) Synonymy: melanocraspis Hampson,1905 Range (as code): **ZA Tva Nta Kzu**
7449. **Argyrostagma niobe (Weymer,1896)** (Lymantriidae) Synonymy: niobe Weymer,1896; thomsoni Druce,1898; mediofasciata M.Hering,1926 Range (as code): **CM TZ KE**
7450. **Aroa achrodisca Hampson,1910** (Lymantriidae) Synonymy: achrodisca Hampson,1910; deflecta M.Hering,1926 Range (as code): **TG ZR ZW SN**
7451. **Aroa anthora (R.Felder & Rogenhofer,1874)** (Lymantriidae) Synonymy: anthora R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Grh**
7452. **Aroa callima Bethune-Baker,1911** (Lymantriidae) Synonymy: callima Bethune-Baker,1911 Range (as code): **NG**
7453. **Aroa difficilis Walker,1865** (Lymantriidae) Synonymy: difficilis Walker,1865 Range (as code): **ZA Nta Kzu**
7454. **Aroa discalis Walker,1855** (Lymantriidae) Synonymy: discalis Walker,1855; hypoxantha Wallengren,1863; ochraceata Walker,1865; signata Walker,1865; xanthypopteros Wichgraf,1921 Range (as code): **ZA Cto Ec Nta Kzu**
7455. **Aroa incerta Rogenhofer,1891** (Lymantriidae) Synonymy: incerta Rogenhofer,1891 Range (as code): **KE**
7456. **Aroa leonensis Hampson,1910** (Lymantriidae) Synonymy: leonensis Hampson,1910 Range (as code): **SL**
7457. **Aroa melanoleuca Hampson,1905** (Lymantriidae) Synonymy: melanoleuca Hampson,1905; decolorata M.Hering,1926 Range (as code): **ZA AO**
7458. **Aroa noctuaeformis (Aurivillius,1925)** (Lymantriidae) Synonymy: noctuaeformis Aurivillius,1925 Range (as code): **ZR**

7459. **Aroa omissa Holland,1893** (Lymantriidae) Synonymy: omissa Holland,1893 Range (as code): **GA**
7460. **Aroa pampoecila Collenette,1930** (Lymantriidae) Synonymy: pampoecila Collenette,1930 Range (as code): **TZ**
7461. **Aroa pinodes Bethune-Baker,1911** (Lymantriidae) Synonymy: pinodes Bethune-Baker,1911 Range (as code): **AO**
7462. **Aroa quadrimaculata (Janse,1915)** (Lymantriidae) Synonymy: quadrimaculata Janse,1915 Range (as code): **ZA ZW**
7463. **Aroa quadriplagata Pagenstecher,1903** (Lymantriidae) Synonymy: quadriplagata Pagenstecher,1903 Range (as code): **ET**
7464. **Aroa ticana Schaus & Clements,1893** (Lymantriidae) Synonymy: ticana Schaus & Clements,1893 Range (as code): **SL**
7465. **Aroa tomisa Druce,1896** (Lymantriidae) Synonymy: tomisa Druce,1896 Range (as code): **TZ**
7466. **Aroa umbrata Bethune-Baker,1908** (Lymantriidae) Synonymy: umbrata Bethune-Baker,1908 Range (as code): **AO**
7467. **Aroa yakoae Bethune-Baker,1927** (Lymantriidae) Synonymy: yakoae Bethune-Baker,1927 Range (as code): **CM**
7468. **Barlowia charax (Druce,1896)** (Lymantriidae) Synonymy: charax Druce,1896 Range (as code): **ZA TZ**
7469. **Barlowia nephodes Collenette,1932** (Lymantriidae) Synonymy: nephodes Collenette,1932 Range (as code): **AO**
7470. **Barlowia pyrilampres Collenette,1931** (Lymantriidae) Synonymy: pyrilampres Collenette,1931 Range (as code): **ZW**
7471. **Barlowia zelotes Talbot,1929** (Lymantriidae) Synonymy: zelotes Talbot,1929 Range (as code): **MW ZW**
7472. **Bicelluphora argentea Janse,1915** (Lymantriidae) Synonymy: argentea Janse,1915 Range (as code): **ZA Mpu Tva Brb**
7473. **Bracharoa dregei (Herrich-Schäffer,1854)** (Lymantriidae) Synonymy: dregei Herrich-Schäffer,1854 Range (as code): **ZA Wca Cto Cld**
7474. **Bracharoa mixta (Snellen,1872)** (Lymantriidae) Synonymy: mixta Snellen,1872; vetusta Hampson,1910 Range (as code): **ZA**
7475. **Bracharoa quadripunctata (Wallengren,1875)** (Lymantriidae) Synonymy: quadripunctata Wallengren,1875; bistigmigera Butler,1897; #quadripuncta Janse,1915 Range (as code): **ZA Gau Pre Mpu Brb Tst Ptc Pie Wv Tva Lpo Spb Suw Nta Kzu Est Esw MW ZW TZ**
7476. **Bracharoa reducta M.Hering,1926** (Lymantriidae) Synonymy: reducta M.Hering,1926 Range (as code): **TZ Dss**
7477. **Bracharoa tricolor (Herrich-Schäffer,1856)** (Lymantriidae) Synonymy: tricolor Herrich-Schäffer,1856 Range (as code): **ZA**
7478. **Cadurca dianeura M.Hering,1928** (Lymantriidae) Synonymy: dianeura M.Hering,1928 Range (as code): **TZ**
7479. **Cadurca moco Collenette,1936** (Lymantriidae) Synonymy: moco Collenette,1936 Range (as code): **AO Mco**
7480. **Cadurca venata Swinhoe,1906** (Lymantriidae) Synonymy: venata Swinhoe,1906 Range (as code): **AO ZM**
7481. **Carpenterella chionobosca Collenette,1960** (Lymantriidae) Synonymy: chionobosca Collenette,1960 Range (as code): **UG**
7482. **Carpenterella nesiotica Collenette,1933** (Lymantriidae) Synonymy: nesiotica Collenette,1933 Range (as code): **ZW**
7483. **Casama griseola Rothschild,1921** (Lymantriidae) Synonymy: griseola Rothschild,1921 Range (as code): **SN GM GN CI LR**
7484. **Casama impura (M.Hering,1926)** (Lymantriidae) Synonymy: impura M.Hering,1926 Range (as code): **ET SA YE**
7485. **Casama innotata (Walker,1855)** (Lymantriidae) Synonymy: innotata Walker,1855; flavipalpata Staudinger,1896; uniformis Rothschild,1913; leporina Zerny,1935; alfierii C.G.Krüger,1939. Range (as code): **MT MA DZ Ath Thh Ah Omy Tth Gtt TD Tbt TN LY Cy EG SA JO IL Pa Jt OM AE YE**
7486. **Casama intermissa (M.Hering,1926)** (Lymantriidae) Synonymy: intermissa M.Hering,1926 Range (as code): **TZ**
7487. **Casama vilis (Walker,1865)** (Lymantriidae) Synonymy: vilis Walker,1865; indeterminata Walker,1865; richteri Daniel,1960 Range (as code): **IN Nl LK Tcm IR SA SO ET OM AE YE**

7488. **Chrysocyma mesopotamia Hampson,1905** (Lymantriidae) Synonymy: mesopotamia Hampson,1905 Range (as code): **ZA**
7489. **Cifuna marginenotata M.Hering,1926** (Lymantriidae) Synonymy: marginenotata M.Hering,1926 Range (as code): **CI**
7490. **Cifuna nigroplagata Bethune-Baker,1913** (Lymantriidae) Synonymy: nigroplagata Bethune-Baker,1913 Range (as code): **UG CM**
7491. **Cimola opalina Walker,1855** (Lymantriidae) Synonymy: opalina Walker,1855; thymiathis Druce,1883 Range (as code): **ZA Nta Kzu Dbn Ptw Ngg Tra**
7492. **Creagra atricosta (Hampson,1909)** (Lymantriidae) Synonymy: atricosta Hampson,1909 Range (as code): **UG Rz**
7493. **Creagra kahli (Holland,1920)** (Lymantriidae) Synonymy: kahli Holland,1920; batesi Bethune-Baker,1927 Range (as code): **CM**
7494. **Creagra liturata (Guérin-Méneville,[1844])** (Lymantriidae) Synonymy: liturata Guérin-Méneville,[1844]; dealbata Herrich-Schäffer,1854; aliena Wallengren,1860 Range (as code): **ZA Tva Lpo Spb Suw Gau Jh Tst Mpu Brb Srn Nta Kzu Dbn Umk Ngg Tra Ec Elo**
7495. **Cropera dianeura M.Hering,1928** (Lymantriidae) Synonymy: dianeura M.Hering,1928 Range (as code): **TZ**
7496. **Cropera phlebitis (Hampson,1905)** (Lymantriidae) Synonymy: phlebitis Hampson,1905 Range (as code): **ZA**
7497. **Cropera sericea (Hampson,1910)** (Lymantriidae) Synonymy: sericea Hampson,1910; #cericea Janse,1917 Range (as code): **ZA Gau Pre Ptc Wb Tva Lpo Wv Mpu Brb Dbn Nta Kzu**
7498. **Cropera sericoptera Collenette,1932** (Lymantriidae) Synonymy: sericoptera Collenette,1932 Range (as code): **AO**
7499. **Cropera stilpnaroma M.Hering,1926** (Lymantriidae) Synonymy: stilpnaroma M.Hering,1926 Range (as code): **ZA**
7500. **Cropera testacea Walker,1855** (Lymantriidae) Synonymy: testacea Walker,1855; #seminuda Hampson,1910 Range (as code): **ZA Tva Lpo Spb Suw Nha Srn Dbn Umk Ngg Tra Ec**
7501. **Cropera unipunctata Wichgraf,1921** (Lymantriidae) Synonymy: unipunctata Wichgraf,1921 Range (as code): **TZ**
7502. **Crorema adspersa (Herrich-Schäffer,1854)** (Lymantriidae) Synonymy: adspersa Herrich-Schäffer,1854; prolixa Wallengren,1860; sulphurea Plötz,1880 Range (as code): **ZA Tva Lpo Spb Suw Gau Pre Wb Wo Rtf Wv Nel Mpu Tst Brb Nha Srn Ptw Umk Nta Kzu KE NG CM**
7503. **Crorema cartera Collenette,1939** (Lymantriidae) Synonymy: cartera Collenette,1939 Range (as code): **ZR ZW ZM**
7504. **Crorema collenettei M.Hering,1932** (Lymantriidae) Synonymy: collenettei M.Hering,1932; rossi Berio,1939 Range (as code): **ER ET SD KE TZ**
7505. **Crorema crocipes (Boisduval,1833)** (Lymantriidae) Synonymy: crocipes Boisduval,1833 Range (as code): **MG**
7506. **Crorema desperata M.Hering,1929** (Lymantriidae) Synonymy: desperata M.Hering,1929 Range (as code): **ZR**
7507. **Crorema eleuteria (Stoll,[1781])** (Lymantriidae) Synonymy: eleuteria Stoll,[1781] Range (as code): **SL ZR**
7508. **Crorema evanescens Hampson,1910** (Lymantriidae) Synonymy: evanescens Hampson,1910 Range (as code): **SD ET KE UG**
7509. **Crorema fulvinotata (Butler,1893)** (Lymantriidae) Synonymy: fulvinotata Butler,1893; bipunctata Wichgraf,1921; euproctoides M.Hering,1926 Range (as code): **MZ TZ ZW**
7510. **Crorema mentiens Walker,1855** (Lymantriidae) Synonymy: mentiens Walker,1855; obliqua Walker,1855; ampla Walker,1865; sulphurea Plötz,1880; albida Hampson,1910; phaulia Collenette,1960 Range (as code): **KE SL ZR ST**
7511. **Crorema moco Collenette,1953** (Lymantriidae) Synonymy: moco Collenette,1953 Range (as code): **AO Mco**
7512. **Crorema nigropunctata Collenette,1931** (Lymantriidae) Synonymy: nigropunctata Collenette,1931 Range (as code): **AO**
7513. **Crorema quadristrigata Talbot,1929** (Lymantriidae) Synonymy: quadristrigata Talbot,1929 Range (as code): **ST**
7514. **Crorema sandoa Collenette,1936** (Lymantriidae) Synonymy: sandoa Collenette,1936; phaedra Collenette,1960; unipunctata Collenette,1960 Range (as code): **ZR UG**

7515. **Crorema setinoides (Holland,1893)** (Lymantriidae) Synonymy: setinoides Holland,1893 Range (as code): **GA AO ZA Nta Kzu CG KE NG SD**
7516. **Crorema staphylinochrous M.Hering,1926** (Lymantriidae) Synonymy: staphylinochrous M.Hering,1926 Range (as code): **AO ZR ZM**
7517. **Crorema submaculata Collenette,1931** (Lymantriidae) Synonymy: submaculata Collenette,1931 Range (as code): **ZR UG NG KE**
7518. **Crorema sudanica Strand,1915** (Lymantriidae) Synonymy: sudanica Strand,1915 Range (as code): **SU**
7519. **Crorema thermochrous M.Hering,1929** (Lymantriidae) Synonymy: thermochrous M.Hering,1929 Range (as code): **ZR**
7520. **Croremopsis innocens M.Hering,1926** (Lymantriidae) Synonymy: innocens M.Hering,1926 Range (as code): **MG**
7521. **Dasyarctia grisea Gaede,1923** (Lymantriidae) Synonymy: grisea Gaede,1923 Range (as code): **TZ ZA Wca**
7522. **Dasychira abbreviata Kenrick,1913** (Lymantriidae) Synonymy: abbreviata Kenrick,1913 Range (as code): **MG**
7523. **Dasychira acrisia (Plötz,1880)** (Lymantriidae) Synonymy: acrisia Plötz,1880 Range (as code): **NG**
7524. **Dasychira acroleuca M.Hering,1926** (Lymantriidae) Synonymy: acroleuca M.Hering,1926 Range (as code): **MG**
7525. **Dasychira aeana Collenette,1931** (Lymantriidae) Synonymy: aeana Collenette,1931 Range (as code): **ZM**
7526. **Dasychira aenotata Tams,1930** (Lymantriidae) Synonymy: aenotata Tams,1930 Range (as code): **ZM**
7527. **Dasychira aeschra (Hampson,1926)** (Lymantriidae) Synonymy: aeschra Hampson,1926; ruandana M.Hering,1926 Range (as code): **UG KE RW**
7528. **Dasychira aethalodes Collenette,1931** (Lymantriidae) Synonymy: aethalodes Collenette,1931 Range (as code): **MW Mje**
7529. **Dasychira affinis Holland,1893** (Lymantriidae) Synonymy: affinis Holland,1893 Range (as code): **NG**
7530. **Dasychira agrotoides (Holland,1893)** (Lymantriidae) Synonymy: agrotoides Holland,1893 Range (as code): **GA**
7531. **Dasychira albiapex M.Hering,1926** (Lymantriidae) Synonymy: albiapex M.Hering,1926 Range (as code): **CM**
7532. **Dasychira albibasalis (Holland,1893)** (Lymantriidae) Synonymy: albibasalis Holland,1893 Range (as code): **GA**
7533. **Dasychira albicostata (Holland,1893)** (Lymantriidae) Synonymy: albicostata Holland,1893 Range (as code): **GA TZ**
7534. **Dasychira albilinea (Holland,1893)** (Lymantriidae) Synonymy: albilinea Holland,1893 Range (as code): **CM GA**
7535. **Dasychira albinotata (Holland,1893)** (Lymantriidae) Synonymy: albinotata Holland,1893 Range (as code): **CM GA**
7536. **Dasychira albospargata (Holland,1893)** (Lymantriidae) Synonymy: albospargata Holland,1893 Range (as code): **GA**
7537. **Dasychira allotria M.Hering,1926** (Lymantriidae) Synonymy: allotria M.Hering,1926 Range (as code): **GO**
7538. **Dasychira amydropa Collenette,1960** (Lymantriidae) Synonymy: amydropa Collenette,1960 Range (as code): **ZR**
7539. **Dasychira anisozyga Collenette,1960** (Lymantriidae) Synonymy: anisozyga Collenette,1960 Range (as code): **NG**
7540. **Dasychira anoista Collenette,1960** (Lymantriidae) Synonymy: anoista Collenette,1960 Range (as code): **NG**
7541. **Dasychira antica (Walker,1855)** (Lymantriidae) Synonymy: antica Walker,1855; albilunulata Karsch,1895 Range (as code): **CM**
7542. **Dasychira aphanta Collenette,1960** (Lymantriidae) Synonymy: aphanta Collenette,1960 Range (as code): **NG**
7543. **Dasychira apicata (Holland,1893)** (Lymantriidae) Synonymy: apicata Holland,1893 Range (as code): **GA**

7544. **Dasychira arctioides (Holland,1893)** (Lymantriidae) Synonymy: arctioides Holland,1893; postalba Swinhoe,1906 Range (as code): **NG**
7545. **Dasychira argiloides (Holland,1893)** (Lymantriidae) Synonymy: argiloides Holland,1893 Range (as code): **GA**
7546. **Dasychira astraphaea Collenette,1931** (Lymantriidae) Synonymy: astraphaea Collenette,1931 Range (as code): **CI**
7547. **Dasychira azelota Collenette,1933** (Lymantriidae) Synonymy: azelota Collenette,1933 Range (as code): **ZW**
7548. **Dasychira bacchans (Karsch,1898)** (Lymantriidae) Synonymy: bacchans Karsch,1898; magnifica Hampson,1910; maculata Wichgraf,1921; eremita Collenette,1955 Range (as code): **TG NG SL**
7549. **Dasychira barbara M.Hering,1926** (Lymantriidae) Synonymy: barbara M.Hering,1926 Range (as code): **TZ**
7550. **Dasychira basalis (Walker,1855)** (Lymantriidae) Synonymy: basalis Walker,1855 Range (as code): **SL CM**
7551. **Dasychira basigutta (Walker,1855)** (Lymantriidae) Synonymy: basigutta Walker,1855; castor M.Hering,1926 Range (as code): **CM TG NG**
7552. **Dasychira basileus M.Hering,1932** (Lymantriidae) Synonymy: basileus M.Hering,1932 Range (as code): **ZR**
7553. **Dasychira basilinea M.Hering,1926** (Lymantriidae) Synonymy: basilinea M.Hering,1926 Range (as code): **CM**
7554. **Dasychira bergmanni Swinhoe,1904** (Lymantriidae) Synonymy: bergmanni Swinhoe,1904 Range (as code): **GH Asn**
7555. **Dasychira bimaculata Aurivillius,1926** (Lymantriidae) Synonymy: bimaculata Aurivillius,1926 Range (as code): **CM**
7556. **Dasychira blastema M.Hering,1926** (Lymantriidae) Synonymy: blastema M.Hering,1926 Range (as code): **ZR**
7557. **Dasychira bokuma Collenette,1960** (Lymantriidae) Synonymy: bokuma Collenette,1960 Range (as code): **GO**
7558. **Dasychira brunneata Kenrick,1913** (Lymantriidae) Synonymy: brunneata Kenrick,1913 Range (as code): **MG**
7559. **Dasychira brunneicosta (Holland,1893)** (Lymantriidae) Synonymy: brunneicosta Holland,1893 Range (as code): **CM GA**
7560. **Dasychira burtti Collenette,1960** (Lymantriidae) Synonymy: burtti Collenette,1960 Range (as code): **TZ**
7561. **Dasychira caeca (Plötz,1880)** (Lymantriidae) Synonymy: caeca Plötz,1880; nubilata Holland,1893 Range (as code): **GA CM**
7562. **Dasychira caeruleifascia (Holland,1893)** (Lymantriidae) Synonymy: caeruleifascia Holland,1893; #orthogramma M.Hering,1926 Range (as code): **NG CM**
7563. **Dasychira callipepla Collenette,1960** (Lymantriidae) Synonymy: callipepla Collenette,1960 Range (as code): **KE Mb**
7564. **Dasychira callipluta Collenette,1933** (Lymantriidae) Synonymy: callipluta Collenette,1933 Range (as code): **UG**
7565. **Dasychira cameruna Aurivillius,[1905]** (Lymantriidae) Synonymy: cameruna Aurivillius,[1905] Range (as code): **CM**
7566. **Dasychira cangia Druce,1887** (Lymantriidae) Synonymy: cangia Druce,1887 Range (as code): **MZ**
7567. **Dasychira canovirescens Aurivillius,1925** (Lymantriidae) Synonymy: canovirescens Aurivillius,1925 Range (as code): **CM**
7568. **Dasychira capnora Collenette,1933** (Lymantriidae) Synonymy: capnora Collenette,1933 Range (as code): **ZW**
7569. **Dasychira castanea Kenrick,1913** (Lymantriidae) Synonymy: castanea Kenrick,1913 Range (as code): **MG**
7570. **Dasychira castor M.Hering,1926** (Lymantriidae) Synonymy: castor M.Hering,1926 Range (as code): **LR TG CM**
7571. **Dasychira catadela Collenette,1960** (Lymantriidae) Synonymy: catadela Collenette,1960 Range (as code): **CM**
7572. **Dasychira chalcocrata Collenette,1931** (Lymantriidae) Synonymy: chalcocrata Collenette,1931 Range (as code): **MG**

7573. **Dasychira chloebapha Collenette,1930** (Lymantriidae) Synonymy: chloebapha Collenette,1930 Range (as code): **MG**
7574. **Dasychira chlorobasis M.Hering,1926** (Lymantriidae) Synonymy: chlorobasis M.Hering,1926 Range (as code): **GO**
7575. **Dasychira chlorophila M.Hering,1926** (Lymantriidae) Synonymy: chlorophila M.Hering,1926 Range (as code): **CM TG**
7576. **Dasychira chloroscia M.Hering,1926** (Lymantriidae) Synonymy: chloroscia M.Hering,1926 Range (as code): **TG ZA**
7577. **Dasychira chorista M.Hering,1926** (Lymantriidae) Synonymy: chorista M.Hering,1926 Range (as code): **CI**
7578. **Dasychira cinerea Collenette,1933** (Lymantriidae) Synonymy: cinerea Collenette,1933 Range (as code): **ZW**
7579. **Dasychira circumdata (Holland,1893)** (Lymantriidae) Synonymy: circumdata Holland,1893 Range (as code): **GA**
7580. **Dasychira citana (Schaus & Clements,1893)** (Lymantriidae) Synonymy: citana Schaus & Clements,1893 Range (as code): **SL**
7581. **Dasychira clathrata (Holland,1893)** (Lymantriidae) Synonymy: clathrata Holland,1893 Range (as code): **CI**
7582. **Dasychira clavis (Saalmüller,1884)** (Lymantriidae) Synonymy: clavis Saalmüller,1884 Range (as code): **MG**
7583. **Dasychira compsa Collenette,1933** (Lymantriidae) Synonymy: compsa Collenette,1933 Range (as code): **ZW**
7584. **Dasychira crecadia Collenette,1931** (Lymantriidae) Synonymy: crecadia Collenette,1931 Range (as code): **KE**
7585. **Dasychira cromptoni Swinhoe,1903** (Lymantriidae) Synonymy: cromptoni Swinhoe,1903 Range (as code): **NG**
7586. **Dasychira crucifera (Holland,1893)** (Lymantriidae) Synonymy: crucifera Holland,1893 Range (as code): **GA**
7587. **Dasychira curvivirgata (Karsch,1893)** (Lymantriidae) Synonymy: curvivirgata Karsch,1893 Range (as code): **ZA TG**
7588. **Dasychira danva (Schaus & Clements,1893)** (Lymantriidae) Synonymy: danva Schaus & Clements,1893 Range (as code): **CM SL**
7589. **Dasychira daphne M.Hering,1926** (Lymantriidae) Synonymy: daphne M.Hering,1926 Range (as code): **TZ YE**
7590. **Dasychira daphneoides M.Hering,1926** (Lymantriidae) Synonymy: daphneoides M.Hering,1926 Range (as code): **TZ**
7591. **Dasychira delicata (Holland,1893)** (Lymantriidae) Synonymy: delicata Holland,1893 Range (as code): **CM GA**
7592. **Dasychira deplagiata M.Hering,1926** (Lymantriidae) Synonymy: deplagiata M.Hering,1926 Range (as code): **CM**
7593. **Dasychira diatoma M.Hering,1926** (Lymantriidae) Synonymy: diatoma M.Hering,1926 Range (as code): **TZ**
7594. **Dasychira diluta (Holland,1893)** (Lymantriidae) Synonymy: diluta Holland,1893 Range (as code): **GA**
7595. **Dasychira dollmani Collenette,1931** (Lymantriidae) Synonymy: dollmani Collenette,1931 Range (as code): **ZW**
7596. **Dasychira dubia Kenrick,1913** (Lymantriidae) Synonymy: dubia Kenrick,1913 Range (as code): **MG**
7597. **Dasychira elaeochroa Collenette,1931** (Lymantriidae) Synonymy: elaeochroa Collenette,1931 Range (as code): **ZW**
7598. **Dasychira elegans (Butler,1882)** (Lymantriidae) Synonymy: elegans Butler,1882 Range (as code): **MG**
7599. **Dasychira embrithes Collenette,1933** (Lymantriidae) Synonymy: embrithes Collenette,1933 Range (as code): **ZW**
7600. **Dasychira endophaea Hampson,1910** (Lymantriidae) Synonymy: endophaea Hampson,1910 Range (as code): **CI CM**

7601. **Dasychira enos (Druce,1896)** (Lymantriidae) Synonymy: enos Druce,1896; insolita Aurivillius,[1905] Range (as code): **NE NG**
7602. **Dasychira ertli Wichgraf,1921** (Lymantriidae) Synonymy: ertli Wichgraf,1921 Range (as code): **AO**
7603. **Dasychira erubescens (Holland,1893)** (Lymantriidae) Synonymy: erubescens Holland,1893 Range (as code): **GA**
7604. **Dasychira exoleta Bethune-Baker,1911** (Lymantriidae) Synonymy: exoleta Bethune-Baker,1911 Range (as code): **AO**
7605. **Dasychira flava (Holland,1893)** (Lymantriidae) Synonymy: flava Holland,1893 Range (as code): **GA**
7606. **Dasychira fuliginosa (Saalmüller,1884)** (Lymantriidae) Synonymy: fuliginosa Saalmüller,1884 Range (as code): **MG**
7607. **Dasychira fumosa (Holland,1893)** (Lymantriidae) Synonymy: fumosa Holland,1893 Range (as code): **GA**
7608. **Dasychira fuscoplagiata Aurivillius,1925** (Lymantriidae) Synonymy: fuscoplagiata Aurivillius,1925 Range (as code): **CM**
7609. **Dasychira fuscula M.Hering,1926** (Lymantriidae) Synonymy: fusca Holland,1893 nec Wlk.; fuscula M.Hering,1926 Range (as code): **GA**
7610. **Dasychira gentilis Butler,1879** (Lymantriidae) Synonymy: gentilis Butler,1879 Range (as code): **MG**
7611. **Dasychira gephyra M.Hering,1926** (Lymantriidae) Synonymy: gephyra M.Hering,1926 Range (as code): **ZR TZ ZA Nta Kzu**
7612. **Dasychira glovera Swinhoe,1906** (Lymantriidae) Synonymy: glovera Swinhoe,1906 Range (as code): **UG**
7613. **Dasychira gloveroides M.Hering,1926** (Lymantriidae) Synonymy: gloveroides M.Hering,1926 Range (as code): **GO**
7614. **Dasychira gnava Swinhoe,1903** (Lymantriidae) Synonymy: virescens Möschler,1889 (praeocc.); gnava Swinhoe,1903 Range (as code): **CI TG NG**
7615. **Dasychira gonophora (Holland,1893)** (Lymantriidae) Synonymy: gonophora Holland,1893; prospera M.Hering,1926 Range (as code): **GA**
7616. **Dasychira goodii Holland,1893** (Lymantriidae) Synonymy: goodii Holland,1893 Range (as code): **SL**
7617. **Dasychira grammodes M.Hering,1926** (Lymantriidae) Synonymy: grammodes M.Hering,1926 Range (as code): **MG**
7618. **Dasychira grandidleri (Butler,1882)** (Lymantriidae) Synonymy: grandidleri Butler,1882 Range (as code): **MG**
7619. **Dasychira grisea Pagenstecher,1903** (Lymantriidae) Synonymy: grisea Pagenstecher,1903 Range (as code): **ET**
7620. **Dasychira griseinubes Hampson,1910** (Lymantriidae) Synonymy: griseinubes Hampson,1910 Range (as code): **NG**
7621. **Dasychira griseipennis M.Hering,1941** (Lymantriidae) Synonymy: griseipennis M.Hering,1941 Range (as code): **ZR**
7622. **Dasychira gwelila Swinhoe,1903** (Lymantriidae) Synonymy: gwelila Swinhoe,1903 Range (as code): **KE TZ**
7623. **Dasychira hastifera M.Hering,1926** (Lymantriidae) Synonymy: hastifera M.Hering,1926 Range (as code): **TZ**
7624. **Dasychira heringiana Bryk,1934** (Lymantriidae) Synonymy: leucogramma M.Hering,1926 nec Hamps.,1910; heringiana Bryk,1934 Range (as code): **CM**
7625. **Dasychira hieroglyphica Swinhoe,1904** (Lymantriidae) Synonymy: hieroglyphica Swinhoe,1904 Range (as code): **GH Asn**
7626. **Dasychira hodoepora Collenette,1960** (Lymantriidae) Synonymy: hodoepora Collenette,1960 Range (as code): **NG**
7627. **Dasychira horrida Swinhoe,1903** (Lymantriidae) Synonymy: horrida Swinhoe,1903 Range (as code): **NG**
7628. **Dasychira hyloica (Holland,1893)** (Lymantriidae) Synonymy: hyloica Holland,1893 Range (as code): **GA**
7629. **Dasychira hypocrita M.Hering,1926** (Lymantriidae) Synonymy: hypocrita M.Hering,1926 Range (as code): **CM**

7630. **Dasychira ila Swinhoe,1904** (Lymantriidae) Synonymy: ila Swinhoe,1904 Range (as code): **GH Asn**
7631. **Dasychira ilesha Collenette,1931** (Lymantriidae) Synonymy: ilesha Collenette,1931 Range (as code): **NG**
7632. **Dasychira infima (Holland,1893)** (Lymantriidae) Synonymy: infima Holland,1893 Range (as code): **GA**
7633. **Dasychira isozyga Collenette,1960** (Lymantriidae) Synonymy: isozyga Collenette,1960 Range (as code): **NG**
7634. **Dasychira jacksoni Collenette,1936** (Lymantriidae) Synonymy: jacksoni Collenette,1936 Range (as code): **AO**
7635. **Dasychira kivuensis Collenette,1939** (Lymantriidae) Synonymy: kivuensis Collenette,1939 Range (as code): **ZR Kvu**
7636. **Dasychira klajim Bryk,1934** (Lymantriidae) Synonymy: achatina M.Hering,1926 nec Abb. & Smth.,1797; klajim Bryk,1934 Range (as code): **TG GO**
7637. **Dasychira laeliopsis M.Hering,1926** (Lymantriidae) Synonymy: laeliopsis M.Hering,1926 Range (as code): **CM**
7638. **Dasychira lampra M.Hering,1926** (Lymantriidae) Synonymy: lampra M.Hering,1926 Range (as code): **SL**
7639. **Dasychira landburyi Bethune-Baker,1911** (Lymantriidae) Synonymy: landburyi Bethune-Baker,1911 Range (as code): **UG**
7640. **Dasychira leucogramma Hampson,1910** (Lymantriidae) Synonymy: leucogramma Hampson,1910 Range (as code): **SL**
7641. **Dasychira leucostigmata M.Hering,1926** (Lymantriidae) Synonymy: leucostigmata M.Hering,1926 Range (as code): **KE**
7642. **Dasychira libella Swinhoe,1904** (Lymantriidae) Synonymy: libella Swinhoe,1904 Range (as code): **GH Asn**
7643. **Dasychira lignea (Butler,1879)** (Lymantriidae) Synonymy: lignea Butler,1879 Range (as code): **MG**
7644. **Dasychira likelembae Aurivillius,1925** (Lymantriidae) Synonymy: likelembae Aurivillius,1925 Range (as code): **CM**
7645. **Dasychira lipara Collenette,1960** (Lymantriidae) Synonymy: lipara Collenette,1960 Range (as code): **UG**
7646. **Dasychira litigiosa M.Hering,1926** (Lymantriidae) Synonymy: litigiosa M.Hering,1926 Range (as code): **TZ**
7647. **Dasychira loxogramma M.Hering,1926** (Lymantriidae) Synonymy: loxogramma M.Hering,1926 Range (as code): **CM**
7648. **Dasychira macrodonta M.Hering,1926** (Lymantriidae) Synonymy: macrodonta M.Hering,1926 Range (as code): **NG**
7649. **Dasychira madagascarensis Kemal & Koçak,2019** (Lymantriidae) Synonymy: maculata Griveaud,1974 nec Wichgraf,1921; #madagascarensis Koçak & Kemal,2013; madagascarensis Kemal & Koçak,2019 Range (as code): **MG**
7650. **Dasychira magnifica Hampson,1910** (Lymantriidae) Synonymy: magnifica Hampson,1910 Range (as code): **NG TG SL**
7651. **Dasychira maligna (Butler,1882)** (Lymantriidae) Synonymy: maligna Butler,1882 Range (as code): **MG**
7652. **Dasychira mascarena Butler,1878** (Lymantriidae) Synonymy: mascarena Butler,1878 Range (as code): **MG**
7653. **Dasychira mediofasciata M.Hering,1926** (Lymantriidae) Synonymy: mediofasciata M.Hering,1926 Range (as code): **CM TZ**
7654. **Dasychira melanoproctis M.Hering,1926** (Lymantriidae) Synonymy: melanoproctis M.Hering,1926 Range (as code): **CM**
7655. **Dasychira melochlora M.Hering,1926** (Lymantriidae) Synonymy: melochlora M.Hering,1926 Range (as code): **NE NG**
7656. **Dasychira miselioides Kenrick,1913** (Lymantriidae) Synonymy: miselioides Kenrick,1913 Range (as code): **MG**
7657. **Dasychira miserata (Holland,1893)** (Lymantriidae) Synonymy: miserata Holland,1893 Range (as code): **GA**

7658. **Dasychira mkattana Strand,1912** (Lymantriidae) Synonymy: mkattana Strand,1912 Range (as code): **TZ**
7659. **Dasychira multilinea M.Hering,1926** (Lymantriidae) Synonymy: multilinea M.Hering,1926 Range (as code): **CM**
7660. **Dasychira multipunctis Strand,1912** (Lymantriidae) Synonymy: multipunctis Strand,1912 Range (as code): **TZ**
7661. **Dasychira muscosa Holland,1893** (Lymantriidae) Synonymy: muscosa Holland,1893 Range (as code): **GA**
7662. **Dasychira nebulifera M.Hering,1926** (Lymantriidae) Synonymy: nebulifera M.Hering,1926 Range (as code): **TZ**
7663. **Dasychira nigristriata (Holland,1893)** (Lymantriidae) Synonymy: nigristriata Holland,1893 Range (as code): **GA**
7664. **Dasychira nigrosparsata Kenrick,1913** (Lymantriidae) Synonymy: nigrosparsata Kenrick,1913 Range (as code): **MG**
7665. **Dasychira nolana Mabille,1882** (Lymantriidae) Synonymy: nolana Mabille,1882 Range (as code): **MG**
7666. **Dasychira notia M.Hering,1926** (Lymantriidae) Synonymy: notia M.Hering,1926 Range (as code): **GA**
7667. **Dasychira nubifera (Holland,1893)** (Lymantriidae) Synonymy: nubifera Holland,1893 Range (as code): **GA**
7668. **Dasychira nyctopa Collenette,1960** (Lymantriidae) Synonymy: nyctopa Collenette,1960 Range (as code): **NG**
7669. **Dasychira obliquilinea Fawcett,1915** (Lymantriidae) Synonymy: obliquilinea Fawcett,1915 Range (as code): **KE**
7670. **Dasychira obscura Holland,1893** (Lymantriidae) Synonymy: obscura Holland,1893 Range (as code): **GA**
7671. **Dasychira obsoletissima Bethune-Baker,1911** (Lymantriidae) Synonymy: obsoletissima Bethune-Baker,1911 Range (as code): **AO**
7672. **Dasychira ocellata (Holland,1893)** (Lymantriidae) Synonymy: ocellata Holland,1893 Range (as code): **CM GA**
7673. **Dasychira ocellatula M.Hering,1926** (Lymantriidae) Synonymy: ocellata Kenrick,1913 nec Holl.,1893; ocellatula M.Hering,1926 Range (as code): **MG CM**
7674. **Dasychira ocellifera (Holland,1893)** (Lymantriidae) Synonymy: ocellifera Holland,1893 Range (as code): **GA CM**
7675. **Dasychira ochroderoea Mabille,1897** (Lymantriidae) Synonymy: ochroderoea Mabille,1897 Range (as code): **MG**
7676. **Dasychira omissa M.Hering,1926** (Lymantriidae) Synonymy: omissa M.Hering,1926 Range (as code): **CI TG**
7677. **Dasychira ophtalmodes M.Hering,1926** (Lymantriidae) Synonymy: ophtalmodes M.Hering,1926 Range (as code): **MW**
7678. **Dasychira orgyioides Aurivillius,1925** (Lymantriidae) Synonymy: orgyioides Aurivillius,1925 Range (as code): **CM**
7679. **Dasychira orphnina M.Hering,1926** (Lymantriidae) Synonymy: orphnina M.Hering,1926 Range (as code): **CM**
7680. **Dasychira pachytaenia M.Hering,1926** (Lymantriidae) Synonymy: pachytaenia M.Hering,1926 Range (as code): **KE**
7681. **Dasychira pais M.Hering,1926** (Lymantriidae) Synonymy: pais M.Hering,1926 Range (as code): **CI**
7682. **Dasychira pallida Butler,1882** (Lymantriidae) Synonymy: pallida Butler,1882 Range (as code): **MG GA**
7683. **Dasychira pastor (Butler,1882)** (Lymantriidae) Synonymy: pastor Butler,1882 Range (as code): **MG**
7684. **Dasychira peculiaris (Butler,1879)** (Lymantriidae) Synonymy: peculiaris Butler,1879 Range (as code): **MG**
7685. **Dasychira perdita Bethune-Baker,1911** (Lymantriidae) Synonymy: perdita Bethune-Baker,1911 Range (as code): **AO**
7686. **Dasychira phaeocericea Mabille,1884** (Lymantriidae) Synonymy: phaeocericea Mabille,1884; variegata Kenrick,1913 (praeocc.); ornata Oberthür,1923; kenricki Swinhoe,1923 Range (as code): **MG**

7687. **Dasychira phaeosia Hampson,1910** (Lymantriidae) Synonymy: phaeosia Hampson,1910 Range (as code): **CI CM**
7688. **Dasychira phasa Collenette,1960** (Lymantriidae) Synonymy: phasa Collenette,1960 Range (as code): **ZR**
7689. **Dasychira phasiana (Butler,1882)** (Lymantriidae) Synonymy: phasiana Butler,1882 Range (as code): **MG**
7690. **Dasychira phoca Hampson,1910** (Lymantriidae) Synonymy: phoca Hampson,1910 Range (as code): **UG**
7691. **Dasychira phylax M.Hering,1926** (Lymantriidae) Synonymy: phylax M.Hering,1926 Range (as code): **CM**
7692. **Dasychira pista M.Hering,1926** (Lymantriidae) Synonymy: pista M.Hering,1926 Range (as code): **CM**
7693. **Dasychira plagiata (Walker,1855)** (Lymantriidae) Synonymy: plagiata Walker,1855 Range (as code): **CI**
7694. **Dasychira ploetzi M.Hering,1926** (Lymantriidae) Synonymy: ploetzi M.Hering,1926; cymatophorina M.Hering,1926 Range (as code): **CM**
7695. **Dasychira pollux M.Hering,1926** (Lymantriidae) Synonymy: pollux M.Hering,1926 Range (as code): **CM CI**
7696. **Dasychira polyploca Collenette,1960** (Lymantriidae) Synonymy: polyploca Collenette,1960 Range (as code): **ZR**
7697. **Dasychira praeoccupata Bryk,1934** (Lymantriidae) Synonymy: costiplaga Holland,1893 nec Wlk.,1862; praeoccupata Bryk,1934 Range (as code): **GA**
7698. **Dasychira prasina (Butler,1882)** (Lymantriidae) Synonymy: prasina Butler,1882; malgassica M.Hering,1926 Range (as code): **MG**
7699. **Dasychira problematica M.Hering,1926** (Lymantriidae) Synonymy: problematica M.Hering,1926 Range (as code): **MG**
7700. **Dasychira procincta Saalmüller,1880** (Lymantriidae) Synonymy: procincta Saalmüller,1880 Range (as code): **MG**
7701. **Dasychira proleprota Hampson,1905** (Lymantriidae) Synonymy: proleprota Hampson,1905 Range (as code): **KE Mb**
7702. **Dasychira proletaria Holland,1893** (Lymantriidae) Synonymy: proletaria Holland,1893 Range (as code): **CM**
7703. **Dasychira pulcherrima M.Hering,1926** (Lymantriidae) Synonymy: pulcherrima M.Hering,1926 Range (as code): **CI**
7704. **Dasychira pulchra Swinhoe,1906** (Lymantriidae) Synonymy: pulchra Swinhoe,1906 Range (as code): **NG**
7705. **Dasychira pulchripes Aurivillius,1905** (Lymantriidae) Synonymy: pulchripes Aurivillius,1905 Range (as code): **CM**
7706. **Dasychira punctifera (Walker,1857)** (Lymantriidae) Synonymy: punctifera Walker,1857 Range (as code): **ZR**
7707. **Dasychira pytna (Druce,1898)** (Lymantriidae) Synonymy: pytna Druce,1898 Range (as code): **GM**
7708. **Dasychira remota Druce,1884** (Lymantriidae) Synonymy: remota Druce,1884 Range (as code): **GM**
7709. **Dasychira renominata Strand,1915** (Lymantriidae) Synonymy: moerens Butler,1882 (praeocc.); renominata Strand,1915; butleri Swinhoe,1923 Range (as code): **MG**
7710. **Dasychira rhabdota Collenette,1933** (Lymantriidae) Synonymy: rhabdota Collenette,1933 Range (as code): **SL**
7711. **Dasychira rhopalum M.Hering,1926** (Lymantriidae) Synonymy: rhopalum M.Hering,1926 Range (as code): **CM**
7712. **Dasychira robusta (Walker,1855)** (Lymantriidae) Synonymy: robusta Walker,1855 Range (as code): **SL**
7713. **Dasychira rubricosta M.Hering,1926** (Lymantriidae) Synonymy: rubricosta M.Hering,1926 Range (as code): **CM**
7714. **Dasychira ruficosta Bethune-Baker,1911** (Lymantriidae) Synonymy: ruficosta Bethune-Baker,1911 Range (as code): **AO**
7715. **Dasychira ruptilinea Holland,1893** (Lymantriidae) Synonymy: ruptilinea Holland,1893 Range (as code): **CM GA**

7716. **Dasychira sagittiphora M.Hering,1926** (Lymantriidae) Synonymy: sagittiphora M.Hering,1926 Range (as code): **GO**
7717. **Dasychira sanguinea M.Hering,1926** (Lymantriidae) Synonymy: sanguinea M.Hering,1926 Range (as code): **MG**
7718. **Dasychira saussurii Dewitz,1881** (Lymantriidae) Synonymy: saussurii Dewitz,1881 Range (as code): **CM**
7719. **Dasychira scotina M.Hering,1926** (Lymantriidae) Synonymy: scotina M.Hering,1926 Range (as code): **TZ**
7720. **Dasychira scurra M.Hering,1926** (Lymantriidae) Synonymy: scurra M.Hering,1926 Range (as code): **CM**
7721. **Dasychira seitzi M.Hering,1926** (Lymantriidae) Synonymy: seitzi M.Hering,1926 Range (as code): **CM**
7722. **Dasychira semotheta Collenette,1933** (Lymantriidae) Synonymy: semotheta Collenette,1933 Range (as code): **KE**
7723. **Dasychira sociodes Collenette,1960** (Lymantriidae) Synonymy: sociodes Collenette,1960 Range (as code): **ZR**
7724. **Dasychira spargata M.Hering,1926** (Lymantriidae) Synonymy: spargata M.Hering,1926 Range (as code): **CM**
7725. **Dasychira sphalera M.Hering,1926** (Lymantriidae) Synonymy: sphalera M.Hering,1926 Range (as code): **CM**
7726. **Dasychira sphaleroides M.Hering,1926** (Lymantriidae) Synonymy: sphaleroides M.Hering,1926 Range (as code): **CM**
7727. **Dasychira stegmanni Grünberg,1910** (Lymantriidae) Synonymy: stegmanni Grünberg,1910 Range (as code): **ZR GH KE TZ**
7728. **Dasychira stigmatica Holland,1893** (Lymantriidae) Synonymy: stigmatica Holland,1893 Range (as code): **GA CM TZ KE**
7729. **Dasychira striata (Holland,1893)** (Lymantriidae) Synonymy: striata Holland,1893 Range (as code): **GA**
7730. **Dasychira strigidentata Bethune-Baker,1911** (Lymantriidae) Synonymy: strigidentata Bethune-Baker,1911 Range (as code): **GA NG**
7731. **Dasychira styx Bethune-Baker,1911** (Lymantriidae) Synonymy: styx Bethune-Baker,1911 Range (as code): **AO**
7732. **Dasychira suarezia Mabille,1897** (Lymantriidae) Synonymy: suarezia Mabille,1897 Range (as code): **MG**
7733. **Dasychira subflava (Walker,1855)** (Lymantriidae) Synonymy: subflava Walker,1855 Range (as code): **GH**
7734. **Dasychira subochracea Aurivillius,1910** (Lymantriidae) Synonymy: subochracea Aurivillius,1910 Range (as code): **TZ KE**
7735. **Dasychira suspecta M.Hering,1926** (Lymantriidae) Synonymy: suspecta M.Hering,1926 Range (as code): **SL**
7736. **Dasychira symbolum M.Hering,1926** (Lymantriidae) Synonymy: symbolum M.Hering,1926 Range (as code): **CM**
7737. **Dasychira taberna M.Hering,1926** (Lymantriidae) Synonymy: taberna M.Hering,1926 Range (as code): **CF**
7738. **Dasychira thanatos M.Hering,1926** (Lymantriidae) Synonymy: thanatos M.Hering,1926 Range (as code): **CM**
7739. **Dasychira thermoplaga Hampson,1910** (Lymantriidae) Synonymy: thermoplaga Hampson,1910; poecila M.Hering,1926 Range (as code): **SL CM**
7740. **Dasychira thersites (Holland,1893)** (Lymantriidae) Synonymy: thersites Holland,1893 Range (as code): **GA**
7741. **Dasychira thysanoessa Collenette,1933** (Lymantriidae) Synonymy: thysanoessa Collenette,1933 Range (as code): **KE Nai**
7742. **Dasychira thysanogramma Collenette,1930** (Lymantriidae) Synonymy: thysanogramma Collenette,1930 Range (as code): **RW**
7743. **Dasychira torniplaga M.Hering,1926** (Lymantriidae) Synonymy: torniplaga M.Hering,1926 Range (as code): **TZ**

7744. **Dasychira trapezimaculata Strand,1909** (Lymantriidae) Synonymy: trapezimaculata Strand,1909 Range (as code): **GN**
7745. **Dasychira triselena Collenette,1931** (Lymantriidae) Synonymy: triselena Collenette,1931 Range (as code): **KE**
7746. **Dasychira umbricolora Hampson,1911** (Lymantriidae) Synonymy: umbricolora Hampson,1911 Range (as code): **NG**
7747. **Dasychira vibicipennis Butler,1879** (Lymantriidae) Synonymy: vibicipennis Butler,1879 Range (as code): **MG**
7748. **Dasychira viola (Butler,1879)** (Lymantriidae) Synonymy: viola Butler,1879 Range (as code): **MG**
7749. **Dasychira violacea M.Hering,1926** (Lymantriidae) Synonymy: violacea M.Hering,1926 Range (as code): **CM**
7750. **Dasychira viridipallens M.Hering,1926** (Lymantriidae) Synonymy: pallida Holland,1893 nec Butl.,1882; viridipallens M.Hering,1926 Range (as code): **GA**
7751. **Dasychira viridipicta Kenrick,1913** (Lymantriidae) Synonymy: viridipicta Kenrick,1913 Range (as code): **MG**
7752. **Dasychira viridis (Holland,1893)** (Lymantriidae) Synonymy: viridis Holland,1893; chloromorpha Holland,1893 Range (as code): **GA**
7753. **Dasychira xylopoecila M.Hering,1926** (Lymantriidae) Synonymy: xylopoecila M.Hering,1926 Range (as code): **CM**
7754. **Dasychira zena M.Hering,1926** (Lymantriidae) Synonymy: zena M.Hering,1926 Range (as code): **MG**
7755. **Dasychirana crenulata Bethune-Baker,1911** (Lymantriidae) Synonymy: crenulata Bethune-Baker,1911 Range (as code): **NG**
7756. **Dasychirana obliqualinea Bethune Baker,1911** (Lymantriidae) Synonymy: obliqualinea Bethune Baker,1911 Range (as code): **AO**
7757. **Dasychirana unilineata Bethune-Baker,1911** (Lymantriidae) Synonymy: unilineata Bethune-Baker,1911 Range (as code): **NG**
7758. **Dasychirinula chrysogramma M.Hering,1926** (Lymantriidae) Synonymy: chrysogramma M.Hering,1926 Range (as code): **TZ KE**
7759. **Dasylaelia strigata Aurivillius,1925** (Lymantriidae) Synonymy: strigata Aurivillius,1925 Range (as code): **CM**
7760. **Dicranuropsis vilis R.Felder & Rogenhofer,1874** (Lymantriidae) Synonymy: vilis R.Felder & Rogenhofer,1874 Range (as code): **ZA**
7761. **Dyasma thaumatopoeides Collenette,1960** (Lymantriidae) Synonymy: thaumatopoeides Collenette,1960 Range (as code): **ZR**
7762. **Eopirga candida M.Hering,1926** (Lymantriidae) Synonymy: candida M.Hering,1926 Range (as code): **MG**
7763. **Eudasychira abellii Dall'Asta,1983** (Lymantriidae) Synonymy: abellii Dall'Asta,1983 Range (as code): **ZR**
7764. **Eudasychira amata (M.Hering,1926)** (Lymantriidae) Synonymy: amata M.Hering,1926 Range (as code): **TZ**
7765. **Eudasychira ampliata (Butler,1878)** (Lymantriidae) Synonymy: ampliata Butler,1878; denudata M.Hering,1926; tsaratananae Griveaud,1970 Range (as code): **MG**
7766. **Eudasychira anisozyga (Collenette,1960)** (Lymantriidae) Synonymy: anisozyga Collenette,1960 Range (as code): **NG**
7767. **Eudasychira audeoudi (Collenette,1939)** (Lymantriidae) Synonymy: audeoudi Collenette,1939 Range (as code): **MG**
7768. **Eudasychira aurantiaca (Kenrick,1913)** (Lymantriidae) Synonymy: aurantiaca Kenrick,1913; luteolata Kenrick,1914 Range (as code): **MG**
7769. **Eudasychira aureotincta (Kenrick,1913)** (Lymantriidae) Synonymy: aureotincta Kenrick,1913 Range (as code): **MG**
7770. **Eudasychira bokuma (Collenette,1960)** (Lymantriidae) Synonymy: bokuma Collenette,1960 Range (as code): **ZR**
7771. **Eudasychira calliprepes (Collenette,1933)** (Lymantriidae) Synonymy: calliprepes Collenette,1933 Range (as code): **ZR**
7772. **Eudasychira demoulini Dall'Asta,1983** (Lymantriidae) Synonymy: demoulini Dall'Asta,1983 Range (as code): **ZR**

7773. **Eudasychira diaereta (Collenette,1959)** (Lymantriidae) Synonymy: diaereta Collenette,1959 Range (as code): **MG**
7774. **Eudasychira dina (M.Hering,1926)** (Lymantriidae) Synonymy: dina M.Hering,1926 Range (as code): **NG Lgo**
7775. **Eudasychira enigmatica Dall'Asta,1983** (Lymantriidae) Synonymy: enigmatica Dall'Asta,1983 Range (as code): **ZR**
7776. **Eudasychira errata Dall'Asta,1983** (Lymantriidae) Synonymy: errata Dall'Asta,1983 Range (as code): **ZR**
7777. **Eudasychira eudela (Collenette,1954)** (Lymantriidae) Synonymy: eudela Collenette,1954 Range (as code): **ZR**
7778. **Eudasychira gainsfordi Dall'Asta,2009** (Lymantriidae) Synonymy: gainsfordi Dall'Asta,2009 Range (as code): **ZR CM**
7779. **Eudasychira galactina (Mabille,1880)** (Lymantriidae) Synonymy: galactina Mabille,1880; colini Mabille,1880; lemuria M.Hering,1926 Range (as code): **MG**
7780. **Eudasychira geoffreyi (Bethune-Baker,1913)** (Lymantriidae) Synonymy: geoffreyi Bethune-Baker,1913 Range (as code): **UG**
7781. **Eudasychira georgiana (Fawcett,1900)** (Lymantriidae) Synonymy: georgiana Fawcett,1900; tessmanni M.Hering,1926 Range (as code): **ZA Nta Kzu Dbn TZ**
7782. **Eudasychira incristata (Collenette,1931)** (Lymantriidae) Synonymy: incristata Collenette,1931 Range (as code): **GH**
7783. **Eudasychira isozyga (Collenette,1960)** (Lymantriidae) Synonymy: isozyga Collenette,1960 Range (as code): **NG**
7784. **Eudasychira leucopsaroma (Collenette,1959)** (Lymantriidae) Synonymy: leucopsaroma Collenette,1959 Range (as code): **MG**
7785. **Eudasychira macnultyi (Collenette,1957)** (Lymantriidae) Synonymy: macnultyi Collenette,1957 Range (as code): **NG**
7786. **Eudasychira metathermes (Hampson,1905)** (Lymantriidae) Synonymy: metathermes Hampson,1905; xanthochroma M.Hering,1926; blasphemia M.Hering,1926 Range (as code): **ZA TZ**
7787. **Eudasychira nadinae Dall'Asta,1983** (Lymantriidae) Synonymy: nadinae Dall'Asta,1983 Range (as code): **ZR**
7788. **Eudasychira poliotis (Hampson,1910)** (Lymantriidae) Synonymy: poliotis Hampson,1910; polia M.Hering,1926 Range (as code): **ZA TZ**
7789. **Eudasychira proleprota (Hampson,1905)** (Lymantriidae) Synonymy: proleprota Hampson,1905; greeni Janse,1915; cratista Collenette,1960 Range (as code): **ZA Cto WCa Nta Kzu Dbn KE Mb**
7790. **Eudasychira quinquepunctata (Möschler,1887)** (Lymantriidae) Synonymy: quinquepunctata Möschler,1887; carpenteri Bethune-Baker,1913 Range (as code): **CI GH UG**
7791. **Eudasychira sciodes (Collenette,1960)** (Lymantriidae) Synonymy: sciodes Collenette,1960 Range (as code): **ZR**
7792. **Eudasychira shabana Dall'Asta,1983** (Lymantriidae) Synonymy: shabana Dall'Asta,1983 Range (as code): **ZR**
7793. **Eudasychira subeudela Dall'Asta,1983** (Lymantriidae) Synonymy: subeudela Dall'Asta,1983 Range (as code): **BI**
7794. **Eudasychira sublutescens (Holland,1893)** (Lymantriidae) Synonymy: sublutescens Holland,1893 Range (as code): **GA Ogo**
7795. **Eudasychira subpolia Dall'Asta,1983** (Lymantriidae) Synonymy: subpolia Dall'Asta,1983 Range (as code): **ZR**
7796. **Eudasychira thomensis (Talbot,1929)** (Lymantriidae) Synonymy: thomensis Talbot,1929 Range (as code): **ST**
7797. **Eudasychira tshuapana Dall'Asta,1983** (Lymantriidae) Synonymy: tshuapana Dall'Asta,1983 Range (as code): **ZR**
7798. **Eudasychira ultima Dall'Asta,1983** (Lymantriidae) Synonymy: ultima Dall'Asta,1983 Range (as code): **ZR**
7799. **Eudasychira umbrensis (Bethune-Baker,1913)** (Lymantriidae) Synonymy: umbrensis Bethune-Baker,1913 Range (as code): **UG**
7800. **Eudasychira unicolora Dall'Asta,1983** (Lymantriidae) Synonymy: unicolora Dall'Asta,1983 Range (as code): **ZR**

7801. **Eudasychira vuattouxi Dall'Asta,1983** (Lymantriidae) Synonymy: vuattouxi Dall'Asta,1983 Range (as code): **ZR**
7802. **Euproctidion conradti Collenette,1931** (Lymantriidae) Synonymy: conradti Collenette,1931 Range (as code): **CM**
7803. **Euproctidion gabunica Holland,1893** (Lymantriidae) Synonymy: gabunica Holland,1893 Range (as code): **GA**
7804. **Euproctidion rhodobaphes Collenette,1931** (Lymantriidae) Synonymy: rhodobaphes Collenette,1931 Range (as code): **ZW**
7805. **Euproctidion rhodoides Collenette,1931** (Lymantriidae) Synonymy: rhodoides Collenette,1931 Range (as code): **ZW**
7806. **Euproctidion striata Collenette,1931** (Lymantriidae) Synonymy: striata Collenette,1931 Range (as code): **ZW**
7807. **Euproctillopsis affinis M.Hering,1926** (Lymantriidae) Synonymy: affinis M.Hering,1926 Range (as code): **CM**
7808. **Euproctis aethiopica Snellen,1872** (Lymantriidae) Synonymy: aethiopica Snellen,1872; natalensis Janse,1915 Range (as code): **ZA Nta Kzu Dbn Umk Ptw Est ZR KE GM NG TZ UG ZM ZW ET**
7809. **Euproctis aethodigmata Collenette,1960** (Lymantriidae) Synonymy: aethodigmata Collenette,1960 Range (as code): **ZR**
7810. **Euproctis africola Kemal & Koçak,2019** (Lymantriidae) Synonymy: aethiopica Bethune-Baker,1908 nec Snell.,1872; #africola Koçak & Kemal,2013; africola Kemal & Koçak,2019 Range (as code): **ZA ZM UG NG**
7811. **Euproctis alberici (Dufrane,1939)** (Lymantriidae) Synonymy: alberici Dufrane,1939 Range (as code): **ZR**
7812. **Euproctis albinula M.Hering,1926** (Lymantriidae) Synonymy: albinula M.Hering,1926 Range (as code): **GA**
7813. **Euproctis annulipes (Boisduval,1833)** (Lymantriidae) Synonymy: annulipes Boisduval,1833 Range (as code): **RE**
7814. **Euproctis apatela (Tams,1930)** (Lymantriidae) Synonymy: apatela Tams,1930 Range (as code): **ZW**
7815. **Euproctis apateloides (Holland,1893)** (Lymantriidae) Synonymy: apateloides Holland,1893 Range (as code): **CM**
7816. **Euproctis apicipuncta (Holland,1893)** (Lymantriidae) Synonymy: apicipuncta Holland,1893; ndalla Bethune-Baker,1911 Range (as code): **CM GO Bio**
7817. **Euproctis aplegia Collenette,1953** (Lymantriidae) Synonymy: aplegia Collenette,1953 Range (as code): **UG RW**
7818. **Euproctis apoblepta Collenette,1953** (Lymantriidae) Synonymy: apoblepta Collenette,1953; bernardi Griveaud,1973 Range (as code): **MG**
7819. **Euproctis arenacea (Linnaeus,1767)** (Lymantriidae) Synonymy: arenacea Linnaeus,1767; squamosa Walker,1855; holdingii R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu**
7820. **Euproctis areolata M.Hering,1928** (Lymantriidae) Synonymy: areolata M.Hering,1928 Range (as code): **TZ**
7821. **Euproctis aurantia Mabille,1879** (Lymantriidae) Synonymy: aurantia Mabille,1879 Range (as code): **MG**
7822. **Euproctis aureoplaga Kenrick,1913** (Lymantriidae) Synonymy: aureoplaga Kenrick,1913 Range (as code): **MG**
7823. **Euproctis beato Bryk,1934** (Lymantriidae) Synonymy: distincta Wichgraf,1921 nec Feld.1874; #distanti Hering,1926; beato Bryk,1934 Range (as code): **ZA**
7824. **Euproctis bigutta Holland,1893** (Lymantriidae) Synonymy: bigutta Holland,1893 Range (as code): **CM ZR GA KE MW TZ UG**
7825. **Euproctis bipunctata Wichgraf,1921** (Lymantriidae) Synonymy: bipunctata Wichgraf,1921 Range (as code): **TZ**
7826. **Euproctis boulifa Dumont,1922** (Lymantriidae) Synonymy: boulifa Dumont,1922 Range (as code): **TN IR Ss**
7827. **Euproctis cana Wichgraf,1921** (Lymantriidae) Synonymy: cana Wichgraf,1921 Range (as code): **TZ**
7828. **Euproctis canariensis Kenrick,1913** (Lymantriidae) Synonymy: canariensis Kenrick,1913 Range (as code): **MG**

7829. **Euproctis carcassoni Collenette,1960** (Lymantriidae) Synonymy: carcassoni Collenette,1960 Range (as code): **UG**
7830. **Euproctis castaneostriata Kenrick,1913** (Lymantriidae) Synonymy: castaneostriata Kenrick,1913 Range (as code): **MG**
7831. **Euproctis ceramozona Collenette,1931** (Lymantriidae) Synonymy: ceramozona Collenette,1931 Range (as code): **NG**
7832. **Euproctis cerealces Collenette,1960** (Lymantriidae) Synonymy: cerealces Collenette,1960 Range (as code): **ZR**
7833. **Euproctis chrysophaea (Walker,1865)** (Lymantriidae) Synonymy: chrysophaea Walker,1865; charmetanti Vuillot,1890; boulifa Dumont,1922; rorida M.Hering,1926; durandi Lucas,1926 Range (as code): **MA DZ Bsk TN EG ET SD**
7834. **Euproctis chrysorrhoea (Linnaeus,1758)** (Lymantriidae) Synonymy: chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803; xanthorrhoea Oberthür,1916 nec Koll.,[1844] Range (as code): **DZ Clo Blid Khh TN Dhm PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag Mng DK SE EE LV LT RU MD UA Lvv BY 01 04 05 06 08 12 13 14 16 19 24 25 36 38 42 46 49 50 55 56 58 60 65 66 71 75 76**
7835. **Euproctis confluens M.Hering,1926** (Lymantriidae) Synonymy: confluens M.Hering,1926 Range (as code): **KE**
7836. **Euproctis coniorta Collenette,1960** (Lymantriidae) Synonymy: coniorta Collenette,1960 Range (as code): **UG**
7837. **Euproctis conizona (Collenette,1933)** (Lymantriidae) Synonymy: conizona Collenette,1933 Range (as code): **MW**
7838. **Euproctis consocia Walker,1865** (Lymantriidae) Synonymy: consocia Walker,1865; modesta Schaus & Clements,1893 Range (as code): **ZA SL**
7839. **Euproctis crocata (Boisduval,1847)** (Lymantriidae) Synonymy: crocata Boisduval,1847; cateja Wallengren,1860; #crocota Hering,1926 Range (as code): **ZA Tva Lpo Wo Mpu Brb Nha Nta Kzu Dbn Umk Wca Cto TZ MW GM GO ZR**
7840. **Euproctis croceisticta Hampson,1909** (Lymantriidae) Synonymy: croceisticta Hampson,1909 Range (as code): **UG Rz ZR**
7841. **Euproctis crocosticta Hampson,1905** (Lymantriidae) Synonymy: crocosticta Hampson,1905 Range (as code): **ZW MW**
7842. **Euproctis dewitzi (Grünberg,1907)** (Lymantriidae) Synonymy: dewitzi Grünberg,1907; isis Bethune-Baker,1911 Range (as code): **AO CM ZR CI KE TZ UG**
7843. **Euproctis discipuncta Holland,1893** (Lymantriidae) Synonymy: discipuncta Holland,1893 Range (as code): **SL GA**
7844. **Euproctis disticta Bethune-Baker,1909** (Lymantriidae) Synonymy: disticta Bethune-Baker,1909 Range (as code): **UG**
7845. **Euproctis erythropoecila Collenette,1933** (Lymantriidae) Synonymy: erythropoecila Collenette,1933 Range (as code): **UG TZ**
7846. **Euproctis erythrosticta (Hampson,1910)** (Lymantriidae) Synonymy: erythrosticta Hampson,1910 Range (as code): **SD Kht YE**
7847. **Euproctis eurychroa Collenette,1953** (Lymantriidae) Synonymy: eurychroa Collenette,1953 Range (as code): **KE Elg UG RW ZR**
7848. **Euproctis fasciata (Walker,1855)** (Lymantriidae) Synonymy: fasciata Walker,1855; squamiplaga Walker,1869; stellata Distant,1897; torrida Distant,1897; angolae Bethune-Baker,1911; plana Fawcett,1915. Range (as code): **ZA Tva Lpo Spb Suw Gau Pre Mpu Tst Brb Nha Ptb Nta Kzu Srn Dbn Umk Ngg Tra Ec SL SA YE IL Jt Pa EG KE AO ZR**
7849. **Euproctis fervida (Walker,1863)** (Lymantriidae) Synonymy: fervida Walker,1863 Range (as code): **MG**
7850. **Euproctis flavicincta Janse,1915** (Lymantriidae) Synonymy: flavicincta Janse,1915 Range (as code): **ZA Gau Tva Pre**
7851. **Euproctis fleuriotii (Guérin-Méneville,1862)** (Lymantriidae) Synonymy: fleuriotii Guérin-Méneville,1862; fleuriotti Kirby,1892 Range (as code): **MG**
7852. **Euproctis floridula M.Hering,1926** (Lymantriidae) Synonymy: floridula M.Hering,1926 Range (as code): **TZ**
7853. **Euproctis frigidior Collenette,1932** (Lymantriidae) Synonymy: frigidior Collenette,1932 Range (as code): **MG**
7854. **Euproctis fulvipennis Hampson,1910** (Lymantriidae) Synonymy: fulvipennis Hampson,1910 Range (as code): **ZM ZW ZR**

7855. **Euproctis fumitincta Hampson,1910** (Lymantriidae) Synonymy: fumitincta Hampson,1910; suspensa M.Hering,1926 Range (as code): **CI**
7856. **Euproctis geminata (Collenette,1933)** (Lymantriidae) Synonymy: geminata Collenette,1933 Range (as code): **UG MW**
7857. **Euproctis griseostriata Kenrick,1913** (Lymantriidae) Synonymy: griseostriata Kenrick,1913 Range (as code): **MG**
7858. **Euproctis haemodetes Hampson,1905** (Lymantriidae) Synonymy: haemodetes Hampson,1905 Range (as code): **ZA Ngg Tra Ec**
7859. **Euproctis hardenbergia (Janse,1915)** (Lymantriidae) Synonymy: hardenbergia Janse,1915 Range (as code): **ZA Nta Kzu**
7860. **Euproctis hargreavesi Collenette,1931** (Lymantriidae) Synonymy: hargreavesi Collenette,1931 Range (as code): **UG ZR KE**
7861. **Euproctis impuncta (Butler,1898)** (Lymantriidae) Synonymy: impuncta Butler,1898 Range (as code): **KE**
7862. **Euproctis incommoda (Butler,1882)** (Lymantriidae) Synonymy: incommoda Butler,1882; pallilimba Collenette,1956 Range (as code): **MG**
7863. **Euproctis iridescens Janse,1915** (Lymantriidae) Synonymy: iridescens Janse,1915 Range (as code): **ZA Tva Mpu Wv**
7864. **Euproctis jefferyi Collenette,1931** (Lymantriidae) Synonymy: jefferyi Collenette,1931 Range (as code): **KE**
7865. **Euproctis kamerunica M.Hering,1926** (Lymantriidae) Synonymy: kamerunica M.Hering,1926 Range (as code): **CM**
7866. **Euproctis lemuria (M.Hering,1926)** (Lymantriidae) Synonymy: lemuria M.Hering,1926 Range (as code): **MG**
7867. **Euproctis lepidographa Hampson,1910** (Lymantriidae) Synonymy: lepidographa Hampson,1910 Range (as code): **CI**
7868. **Euproctis limonea (Butler,1882)** (Lymantriidae) Synonymy: limonea Butler,1882 Range (as code): **MG**
7869. **Euproctis lyona Swinhoe,1904** (Lymantriidae) Synonymy: lyona Swinhoe,1904 Range (as code): **CM**
7870. **Euproctis macnultyi Collenette,1960** (Lymantriidae) Synonymy: macnultyi Collenette,1960 Range (as code): **NG**
7871. **Euproctis mediosquamosa Bethune-Baker,1909** (Lymantriidae) Synonymy: mediosquamosa Bethune-Baker,1909 Range (as code): **ZR**
7872. **Euproctis melalepia Hampson,1909** (Lymantriidae) Synonymy: melalepia Hampson,1909; rorida M.Hering,1926 Range (as code): **ET UG Rz**
7873. **Euproctis melaleuca Holland,1893** (Lymantriidae) Synonymy: melaleuca Holland,1893 Range (as code): **CM**
7874. **Euproctis melanopholis Hampson,1910** (Lymantriidae) Synonymy: melanopholis Hampson,1910 Range (as code): **CI**
7875. **Euproctis melanovis Strand,1912** (Lymantriidae) Synonymy: melanovis Strand,1912 Range (as code): **TZ**
7876. **Euproctis melanura (Wallengren,1860)** (Lymantriidae) Synonymy: melanura Wallengren,1860 Range (as code): **ZA**
7877. **Euproctis mima (Strand,1912)** (Lymantriidae) Synonymy: mima Strand,1912 Range (as code): **CM**
7878. **Euproctis miniata Kenrick,1913** (Lymantriidae) Synonymy: miniata Kenrick,1913 Range (as code): **MG**
7879. **Euproctis molunduana Aurivillius,1925** (Lymantriidae) Synonymy: molunduana Aurivillius,1925 Range (as code): **CM**
7880. **Euproctis muesser Koçak & Kemal,2006** (Lymantriidae) Synonymy: bicolor Janse,1915 nec Heyl.,1892; muesser Koçak & Kemal,2006 Range (as code): **ZA**
7881. **Euproctis multidentata M.Hering,1926** (Lymantriidae) Synonymy: multidentata M.Hering,1926 Range (as code): **TZ**
7882. **Euproctis neavei Tams,1924** (Lymantriidae) Synonymy: neavei Tams,1924; turficator Collenette,1931 Range (as code): **ZR GO KE RW TZ ZM MW**
7883. **Euproctis nessa Swinhoe,1903** (Lymantriidae) Synonymy: nessa Swinhoe,1903 Range (as code): **UG**

7884. **Euproctis nigrifinis (Swinhoe,1903)** (Lymantriidae) Synonymy: nigrifinis Swinhoe,1903; nigrifrons Swinhoe,1922 Range (as code): **KE**
7885. **Euproctis nigripuncta Janse,1915** (Lymantriidae) Synonymy: nigripuncta Janse,1915 Range (as code): **ZA Gau Tva Pre**
7886. **Euproctis nigrosquamosa Bethune-Baker,1911** (Lymantriidae) Synonymy: nigrosquamosa Bethune-Baker,1911 Range (as code): **ZR**
7887. **Euproctis ochrea (Butler,1878)** (Lymantriidae) Synonymy: ochrea Butler,1878; aureoplaga Kenrick,1914; frigidior Collenette,1932; silacea Collenette,1953 Range (as code): **ZA MG**
7888. **Euproctis onii Bethune-Baker,1911** (Lymantriidae) Synonymy: onii Bethune-Baker,1911 Range (as code): **NG Lgo**
7889. **Euproctis ostra Swinhoe,1903** (Lymantriidae) Synonymy: ostra Swinhoe,1903 Range (as code): **KE**
7890. **Euproctis ouria Collenette,1931** (Lymantriidae) Synonymy: ouria Collenette,1931 Range (as code): **RW**
7891. **Euproctis pallida (Kirby,1896)** (Lymantriidae) Synonymy: pallida Kirby,1896; unipuncta Swinhoe,1923 (preocc.); dentata M.Hering,1926 Range (as code): **ZA Tva Mpu Wv Brb Srn Dbn Nta Kzu Umk Esw Est TZ Dss ZW RW MZ MW KE ZR**
7892. **Euproctis parallela Holland,1893** (Lymantriidae) Synonymy: parallela Holland,1893 Range (as code): **CM**
7893. **Euproctis perpusilla M.Hering,1926** (Lymantriidae) Synonymy: perpusilla M.Hering,1926 Range (as code): **UG**
7894. **Euproctis producta Walker,1863** (Lymantriidae) Synonymy: producta Walker,1863; depauperata Mabille,1880; #ukamica Strand,1912; #pusillima Strand,1912 Range (as code): **ZA MG KM TZ**
7895. **Euproctis punctifera (Walker,1855)** (Lymantriidae) Synonymy: punctifera Walker,1855; gaudens Walker,1865 Range (as code): **MZ ZA Nta Kzu Dbn Srn Umk**
7896. **Euproctis putilla Saalmüller,1884** (Lymantriidae) Synonymy: putilla Saalmüller,1884 Range (as code): **MG**
7897. **Euproctis putris M.Hering,1926** (Lymantriidae) Synonymy: putris M.Hering,1926 Range (as code): **TZ**
7898. **Euproctis pygmaea (Walker,1855)** (Lymantriidae) Synonymy: pygmaea Walker,1855 Range (as code): **SL**
7899. **Euproctis quadrifascia Bethune-Baker,1911** (Lymantriidae) Synonymy: quadrifascia Bethune-Baker,1911 Range (as code): **NG Lgo**
7900. **Euproctis rivularis Gaede,1915** (Lymantriidae) Synonymy: rivularis Gaede,1915 Range (as code): **CM**
7901. **Euproctis rotunda (Holland,1893)** (Lymantriidae) Synonymy: rotunda Holland,1893 Range (as code): **ZR**
7902. **Euproctis ruanda Collenette,1933** (Lymantriidae) Synonymy: ruanda Collenette,1933 Range (as code): **RW**
7903. **Euproctis rubricosta Fawcett,1917** (Lymantriidae) Synonymy: rubricosta Fawcett,1917 Range (as code): **ZR MW TZ KE**
7904. **Euproctis rubroguttata Aurivillius,[1905]** (Lymantriidae) Synonymy: rubroguttata Aurivillius,[1905] Range (as code): **CM GA**
7905. **Euproctis rufiterga Hampson,1910** (Lymantriidae) Synonymy: rufiterga Hampson,1910 Range (as code): **CI**
7906. **Euproctis rufopunctata (Walker,1862)** (Lymantriidae) Synonymy: rufopunctata Walker,1862; #rufopuncta Janse,1915 Range (as code): **ZW TZ MZ MW KE ZR ZA Tva Mpu Brb Nta Kzu Dbn**
7907. **Euproctis sanguigutta Hampson,1905** (Lymantriidae) Synonymy: sanguigutta Hampson,1905 Range (as code): **MW ZM ZW ZA**
7908. **Euproctis sericaria Tams,1924** (Lymantriidae) Synonymy: sericaria Tams,1924 Range (as code): **KE**
7909. **Euproctis sjoestedti Aurivillius,1904** (Lymantriidae) Synonymy: sjoestedti Aurivillius,1904; #sjostedti Collenette,1933 Range (as code): **CM**
7910. **Euproctis straminicolor Janse,1915** (Lymantriidae) Synonymy: straminicolor Janse,1915 Range (as code): **ZA Gau Pre Tva Lpo Spb**
7911. **Euproctis subalba (Janse,1915)** (Lymantriidae) Synonymy: subalba Janse,1915 Range (as code): **ZA Nha Stj Ec Nta Kzu**

7912. **Euproctis sundara Swinhoe,1903** (Lymantriidae) Synonymy: sundara Swinhoe,1903 Range (as code): **UG**
7913. **Euproctis taylori Collenette,1953** (Lymantriidae) Synonymy: taylori Collenette,1953 Range (as code): **UG Etb Kmp**
7914. **Euproctis terminalis (Walker,1855)** (Lymantriidae) Synonymy: terminalis Walker,1855; mesozona Hampson,1905 Range (as code): **ZA Tva Lpo Spb Lj Wca Cto Grh Ec ZR ET LS MW SZ**
7915. **Euproctis tessmanni M.Hering,1926** (Lymantriidae) Synonymy: tessmanni M.Hering,1926 Range (as code): **GO Bio**
7916. **Euproctis titania Butler,1879** (Lymantriidae) Synonymy: titania Butler,1879 Range (as code): **MG**
7917. **Euproctis turificator Collenette,1931** (Lymantriidae) Synonymy: turificator Collenette,1931 Range (as code): **RW**
7918. **Euproctis ugandicola Strand,1911** (Lymantriidae) Synonymy: ugandicola Strand,1911 Range (as code): **UG**
7919. **Euproctis utilis Swinhoe,1903** (Lymantriidae) Synonymy: utilis Swinhoe,1903 Range (as code): **NG**
7920. **Euproctis vagans (M.Hering,1926)** (Lymantriidae) Synonymy: vagans M.Hering,1926 Range (as code): **CM**
7921. **Euproctis xanthomelaena (Holland,1893)** (Lymantriidae) Synonymy: xanthomelaena Holland,1893 Range (as code): **ZR**
7922. **Euproctis xanthosoma Hampson,1910** (Lymantriidae) Synonymy: xanthosoma Hampson,1910 Range (as code): **SD**
7923. **Euproctoides ertli Wichgraf,1921** (Lymantriidae) Synonymy: ertli Wichgraf,1921 Range (as code): **ZA**
7924. **Euproctoides miniata Bethune-Baker,1911** (Lymantriidae) Synonymy: miniata Bethune-Baker,1911 Range (as code): **AO**
7925. **Grammoa striata Aurivillius,[1905]** (Lymantriidae) Synonymy: striata Aurivillius,[1905] Range (as code): **CM**
7926. **Griveaudyria cangia (Druce,1887)** (Lymantriidae) Synonymy: cangia Druce,1887 Range (as code): **ZA**
7927. **Griveaudyria ila (Swinhoe,1904)** (Lymantriidae) Synonymy: ila Swinhoe,1904 Range (as code): **ZA**
7928. **Gynaephora anthora (Felder,1874)** (Lymantriidae) Synonymy: anthora Felder,1874 Range (as code): **ZA**
7929. **Gynaephora difficilis Walker,1865** (Lymantriidae) Synonymy: difficilis Walker,1865 Range (as code): **ZA Nta Kzu Dbn**
7930. **Gynaephora discalis Walker,1855** (Lymantriidae) Synonymy: discalis Walker,1855; hypoxantha Wallengren,1863; ochraceata Walker,1865; signata Walker,1865 Range (as code): **ZA Tva Lpo Wo Wv Mpu Tst Brb Nha Mll Srn Nta Kzu Dbn Umk Ngg Tra Ec Stj ZW**
7931. **Gynaephora melanoleuca Hampson,1905** (Lymantriidae) Synonymy: melanoleuca Hampson,1905 Range (as code): **ZA**
7932. **Gynaephora quadrimaculata (Janse,1915)** (Lymantriidae) Synonymy: quadrimaculata Janse,1915 Range (as code): **ZW**
7933. **Hemerophanes diatoma (M.Hering,1926)** (Lymantriidae) Synonymy: diatoma M.Hering,1926 Range (as code): **ZA**
7934. **Hemerophanes libyra (Druce,1896)** (Lymantriidae) Synonymy: libyra Druce,1896 Range (as code): **TZ Dss ZA Lpo Tva Spb Mdk Mpu Brb Wo**
7935. **Heptaptosis perelegans (Aurivillius,1925)** (Lymantriidae) Synonymy: perelegans Aurivillius,1925; joiceyi Talbot,1929 Range (as code): **ST**
7936. **Heteronygmia chismona Swinhoe,1903** (Lymantriidae) Synonymy: chismona Swinhoe,1903 Range (as code): **CI**
7937. **Heteronygmia dissimilis Aurivillius,1910** (Lymantriidae) Synonymy: dissimilis Aurivillius,1910; leucogyna Hampson,1910; #rufescens M.Hering,1926 Range (as code): **ZA ZW TZ**
7938. **Heteronygmia flavescens Holland,1893** (Lymantriidae) Synonymy: flavescens Holland,1893 Range (as code): **TG CM**
7939. **Heteronygmia manicata (Aurivillius,1892)** (Lymantriidae) Synonymy: manicata Aurivillius,1892; rhodapicata Holland,1893 Range (as code): **CM SL GA Ogo GH Asn NG Caa**
7940. **Heteronygmia strigitorna Hampson,1910** (Lymantriidae) Synonymy: strigitorna Hampson,1910 Range (as code): **ZR**

7941. **Homochira rendalli (Distant,1897)** (Lymantriidae) Synonymy: rendalli Distant,1897 Range (as code): **ZA Tva Lpo Spb Gau Pre Wv Mpu Tst Dbn Umk**
7942. **Homoeomeria flavicapilla (Wallengren,1860)** (Lymantriidae) Synonymy: flavicapilla Wallengren,1860 Range (as code): **ZA**
7943. **Homoeomeria nivea Aurivillius,1910** (Lymantriidae) Synonymy: nivea Aurivillius,1910 Range (as code): **ZA**
7944. **Hyaloperina abyssinica M.Hering,1926** (Lymantriidae) Synonymy: abyssinica M.Hering,1926 Range (as code): **ET**
7945. **Hyaloperina erythroma Collenette,1960** (Lymantriidae) Synonymy: erythroma Collenette,1960 Range (as code): **TZ**
7946. **Hyaloperina nudiuscula Aurivillius,[1905]** (Lymantriidae) Synonymy: nudiuscula Aurivillius,[1905] Range (as code): **ZR**
7947. **Hyaloperina vitrina M.Hering,1926** (Lymantriidae) Synonymy: vitrina M.Hering,1926 Range (as code): **MW**
7948. **Imaus lata Holland,1893** (Lymantriidae) Synonymy: lata Holland,1893 Range (as code): **CM**
7949. **Imaus malgassica Kenrick,1913** (Lymantriidae) Synonymy: malgassica Kenrick,1913 Range (as code): **MG**
7950. **Lacipa ? sarcistoides M.Hering,1926** (Lymantriidae) Synonymy: sarcistoides M.Hering,1926 Range (as code): **TZ**
7951. **Lacipa albula Fawcett,1917** (Lymantriidae) Synonymy: albula Fawcett,1917 Range (as code): **KE**
7952. **Lacipa argyroleuca Hampson,1910** (Lymantriidae) Synonymy: argyroleuca Hampson,1910 Range (as code): **NG**
7953. **Lacipa bizonoides Butler,1893** (Lymantriidae) Synonymy: bizonoides Butler,1893; #bizonides Vari & Kroon,1986 Range (as code): **ZA**
7954. **Lacipa croceigramma Hampson,1910** (Lymantriidae) Synonymy: croceigramma Hampson,1910 Range (as code): **NG**
7955. **Lacipa flavitincta Hampson,1910** (Lymantriidae) Synonymy: flavitincta Hampson,1910 Range (as code): **KE**
7956. **Lacipa florida (Swinhoe,1903)** (Lymantriidae) Synonymy: florida Swinhoe,1903 Range (as code): **ZA KE Nai**
7957. **Lacipa gemmata Distant,1897** (Lymantriidae) Synonymy: gemmata Distant,1897 Range (as code): **ZA Tva Gau Pre Mpu Brb Nta Kzu Est Tra Ngg Ec**
7958. **Lacipa gemmatula M.Hering,1926** (Lymantriidae) Synonymy: gemmatula M.Hering,1926 Range (as code): **KE**
7959. **Lacipa gracilis Hopffer,1857** (Lymantriidae) Synonymy: gracilis Hopffer,1857 Range (as code): **ZA MW MZ**
7960. **Lacipa heterosticta Hampson,1910** (Lymantriidae) Synonymy: heterosticta Hampson,1910 Range (as code): **UG**
7961. **Lacipa innocens M.Hering,1928** (Lymantriidae) Synonymy: innocens M.Hering,1928 Range (as code): **KE**
7962. **Lacipa melanosticta Hampson,1910** (Lymantriidae) Synonymy: melanosticta Hampson,1910 Range (as code): **TZ UG**
7963. **Lacipa nobilis (Herrich-Schäffer,1855)** (Lymantriidae) Synonymy: nobilis Herrich-Schäffer,1855 Range (as code): **ZA**
7964. **Lacipa picta (Boisduval,1847)** (Lymantriidae) Synonymy: picta Boisduval,1847 Range (as code): **ZA Wca Cto**
7965. **Lacipa pulverea Distant,1898** (Lymantriidae) Synonymy: pulverea Distant,1898; pubescens Swinhoe,1903 Range (as code): **ZA Gau Pre Rtf Tva Mdt Rtb Srn Kzu Nta Dbn Nha**
7966. **Lacipa quadripunctata (Dewitz,1881)** (Lymantriidae) Synonymy: quadripunctata Dewitz,1881; quinquepunctata Distant,1898 Range (as code): **ZA Gau Pre Ptc Tva Lpo Hae Wb Nta Kzu Ptw**
7967. **Lacipa robusta M.Hering,1926** (Lymantriidae) Synonymy: robusta M.Hering,1926 Range (as code): **CM**
7968. **Lacipa sarcistis Hampson,1905** (Lymantriidae) Synonymy: sarcistis Hampson,1905; pactor M.Hering,1926 Range (as code): **ZA Nta Kzu Dbn Ptw**
7969. **Lacipa sexpunctata Distant,1897** (Lymantriidae) Synonymy: sexpunctata Distant,1897 Range (as code): **ZA Tva Gau Pre**
7970. **Lacipa tau Collenette,1931** (Lymantriidae) Synonymy: tau Collenette,1931 Range (as code): **KE**

7971. **Laelia actuosa M.Hering,1926** (Lymantriidae) Synonymy: actuosa M.Hering,1926 Range (as code): **ZA**
7972. **Laelia aegra M.Hering,1926** (Lymantriidae) Synonymy: aegra M.Hering,1926 Range (as code): **NG**
7973. **Laelia albimaculata (M.Hering,1926)** (Lymantriidae) Synonymy: albimaculata M.Hering,1926 Range (as code): **ZA**
7974. **Laelia amabilis Aurivillius,1897** (Lymantriidae) Synonymy: amabilis Aurivillius,1897 Range (as code): **ZA**
7975. **Laelia amata (Hering,1926)** (Lymantriidae) Synonymy: amata Hering,1926 Range (as code): **ZA**
7976. **Laelia amaura M.Hering,1926** (Lymantriidae) Synonymy: amaura M.Hering,1926 Range (as code): **ZA**
7977. **Laelia andricela Collenette,1936** (Lymantriidae) Synonymy: andricela Collenette,1936 Range (as code): **ZR**
7978. **Laelia angustipennis (Walker,1855)** (Lymantriidae) Synonymy: angustipennis Walker,1855 Range (as code): **ZA**
7979. **Laelia atrifilata (Hampson,1905)** (Lymantriidae) Synonymy: atrifilata Hampson,1905 Range (as code): **ZA**
7980. **Laelia aureus Janse,1915** (Lymantriidae) Synonymy: aureus Janse,1915 Range (as code): **ZA Nta Kzu Umk**
7981. **Laelia aurivilii (M.Hering,1926)** (Lymantriidae) Synonymy: aurivilii M.Hering,1926 Range (as code): **ZA**
7982. **Laelia basalis (Walker,1855)** (Lymantriidae) Synonymy: basalis Walker,1855 Range (as code): **ZA**
7983. **Laelia basibrunnea (Holland,1893)** (Lymantriidae) Synonymy: basibrunnea Holland,1893; cromptoni Swinhoe,1903; silvicola Schultze,1934 Range (as code): **NG CG**
7984. **Laelia basifurca (Walker,1865)** (Lymantriidae) Synonymy: basifurca Walker,1865 Range (as code): **ZA**
7985. **Laelia batoides (Plötz,1880)** (Lymantriidae) Synonymy: batoides Plötz,1880 Range (as code): **ZA Nta Kzu Dbn NG Caa**
7986. **Laelia bethuneana Strand,1914** (Lymantriidae) Synonymy: acuta Bethune-Baker,1913 (preocc.); bethuneana Strand,1914 Range (as code): **UG**
7987. **Laelia bifascia Hampson,1905** (Lymantriidae) Synonymy: bifascia Hampson,1905 Range (as code): **ZA Tva Rtf Gau Pre Nha Nta Kzu Ptw Umk Ngg Tra Ec**
7988. **Laelia blasphemia (M.Hering,1926)** (Lymantriidae) Synonymy: blasphemia M.Hering,1926 Range (as code): **ZA**
7989. **Laelia bonaberiensis (Strand,1915)** (Lymantriidae) Synonymy: bonaberiensis Strand,1915; hildoides Holland,1920 Range (as code): **ZA ZR CM**
7990. **Laelia bryophilina (Hampson,1910)** (Lymantriidae) Synonymy: bryophilina Hampson,1910 Range (as code): **ZA**
7991. **Laelia clarki Janse,1915** (Lymantriidae) Synonymy: clarki Janse,1915 Range (as code): **ZA Tva Nta Kzu Umk Mpu Brb Wb Dbn**
7992. **Laelia confinis (Distant,1899)** (Lymantriidae) Synonymy: confinis Distant,1899 Range (as code): **ZA**
7993. **Laelia conioptera Collenette,1936** (Lymantriidae) Synonymy: conioptera Collenette,1936 Range (as code): **MG**
7994. **Laelia curvivirgata (Karsch,1895)** (Lymantriidae) Synonymy: curvivirgata Karsch,1895 Range (as code): **ZA Ec Stj Kzu Nta Dbn**
7995. **Laelia dabano Collenette,1934** (Lymantriidae) Synonymy: dabano Collenette,1934; promisa Berio,1940 Range (as code): **ER ET**
7996. **Laelia danva (Schaus & Clements,1893)** (Lymantriidae) Synonymy: danva Schaus & Clements,1893 Range (as code): **ZA**
7997. **Laelia diascia Hampson,1905** (Lymantriidae) Synonymy: diascia Hampson,1905 Range (as code): **ZA Suw Tva Lpo Spb Gau Pre Mpu Tst Brb Nha Srn Dbn Nta Kzu Umk**
7998. **Laelia dochmia Collenette,1961** (Lymantriidae) Synonymy: dochmia Collenette,1961 Range (as code): **ZR**
7999. **Laelia ecscota (Hampson,1905)** (Lymantriidae) Synonymy: ecscota Hampson,1905 Range (as code): **ZA**
8000. **Laelia eos M.Hering,1926** (Lymantriidae) Synonymy: eos M.Hering,1926 Range (as code): **TZ Dss**
8001. **Laelia esthlopis (Collenette,1953)** (Lymantriidae) Synonymy: esthlopis Collenette,1953 Range (as code): **ZA**

8002.Laelia eutricha Collenette,1931 (Lymantriidae) Synonymy: eutricha Collenette,1931 Range (as code): **KE Kit**
8003.Laelia extatura (Distant,1897) (Lymantriidae) Synonymy: extatura Distant,1897 Range (as code): **ZA**
8004.Laelia extorta (Distant,1897) (Lymantriidae) Synonymy: extorta Distant,1897 Range (as code): **ZA Tva Gau Pre Rtf Jh Mpu Tst Nta Kzu Dbn Umk**
8005.Laelia extrema M.Hering,1926 (Lymantriidae) Synonymy: extrema M.Hering,1926 Range (as code): **TZ**
8006.Laelia figlina Distant,1899 (Lymantriidae) Synonymy: figlina Distant,1899 Range (as code): **ZA Tva Lpo Gau Pre Ly Nha Nta Kzu Ptw Dbn Ngg Tra Ec**
8007.Laelia flandria Collenette,1937 (Lymantriidae) Synonymy: flandria Collenette,1937 Range (as code): **ZR**
8008.Laelia fracta Schaus & Clemens,1893 (Lymantriidae) Synonymy: fracta Schaus & Clemens,1893; diascia Hampson,1905 Range (as code): **SL ZA Nta Kzu SD SD08 KE Kky**
8009.Laelia fusca (Walker,1855) (Lymantriidae) Synonymy: fusca Walker,1855 Range (as code): **ZA Wca Cto**
8010.Laelia gephyra (M.Hering,1926) (Lymantriidae) Synonymy: gephyra M.Hering,1926 Range (as code): **ZA**
8011.Laelia gwelila (Swinhoe,1903) (Lymantriidae) Synonymy: gwelila Swinhoe,1903 Range (as code): **KE ZA**
8012.Laelia haematica Hampson,1905 (Lymantriidae) Synonymy: haematica Hampson,1905; angolensis M.Hering,1926 Range (as code): **AO KE ZW Har**
8013.Laelia hampsoni (M.Hering,1926) (Lymantriidae) Synonymy: postfusca Hamp.,1905 nec Swinh.,1895; hampsoni M.Hering,1926 Range (as code): **ZA Cto**
8014.Laelia herbida (Walker,1856) (Lymantriidae) Synonymy: herbida Walker,1856 Range (as code): **ZA**
8015.Laelia heringi Schultze,1934 (Lymantriidae) Synonymy: heringi Schultze,1934 Range (as code): **ZR**
8016.Laelia hughesi (Collenete,1933) (Lymantriidae) Synonymy: hughesi Collenete,1933 Range (as code): **ZA**
8017.Laelia hypoleucis Holland,1893 (Lymantriidae) Synonymy: hypoleucis Holland,1893 Range (as code): **CI ...**
8018.Laelia janenschi M.Hering,1926 (Lymantriidae) Synonymy: janenschi M.Hering,1926 Range (as code): **TZ**
8019.Laelia lavia Swinhoe,1903 (Lymantriidae) Synonymy: lavia Swinhoe,1903 Range (as code): **KE**
8020.Laelia leucostigmata (M.Hering,1926) (Lymantriidae) Synonymy: leucostigmata M.Hering,1926 Range (as code): **ZA**
8021.Laelia lunensis (Hampson,1905) (Lymantriidae) Synonymy: lunensis Hampson,1905 Range (as code): **ZA Nta Kzu Dbn Ngg Tra Ec**
8022.Laelia lusambo Collenette,1960 (Lymantriidae) Synonymy: lusambo Collenette,1960 Range (as code): **ZR**
8023.Laelia lutulenta Collenette,1960 (Lymantriidae) Synonymy: lutulenta Collenette,1960 Range (as code): **ZR**
8024.Laelia marginepunctata Bethune-Baker,1908 (Lymantriidae) Synonymy: marginepunctata Bethune-Baker,1908 Range (as code): **ZW NG UG**
8025.Laelia mediofasciata (M.Hering,1926) (Lymantriidae) Synonymy: mediofasciata M.Hering,1926 Range (as code): **ZA**
8026.Laelia melaxantha (Walker,1865) (Lymantriidae) Synonymy: melaxantha Walker,1865 Range (as code): **ZA**
8027.Laelia mesoxantha M.Hering,1926 (Lymantriidae) Synonymy: mesoxantha M.Hering,1926 Range (as code): **CM**
8028.Laelia municipalis (Distant,1897) (Lymantriidae) Synonymy: municipalis Distant,1897;diffusa Distant,1897 Range (as code): **ZA Gau Pre Lpo Tva Spb Wv Wo Suw Mpu Brb Tst Srn Nta Kzu Dbn Umk Ngg Tra Ec Stj**
8029.Laelia nigripulverea Janse,1915 (Lymantriidae) Synonymy: nigripulverea Janse,1915 Range (as code): **ZA Tva Gau Pre**
8030.Laelia nubifuga (Holland,1893) (Lymantriidae) Synonymy: nubifuga Holland,1893 Range (as code): **ZA**

8031.Laelia octophora (Hampson,1905) (Lymantriidae) Synonymy: octophora Hampson,1905 Range (as code): **ZA Tva Lpo Spb Lj Nta Kzu Dbn**
8032.Laelia ordinata (Karsch,1895) (Lymantriidae) Synonymy: ordinata Karsch,1895 Range (as code): **ET**
8033.Laelia orthra Collenette,1936 (Lymantriidae) Synonymy: orthra Collenette,1936 Range (as code): **ZR**
8034.Laelia paetula (M.Hering,1926) (Lymantriidae) Synonymy: paetula M.Hering,1926; madagascariensis Collenette,1934 Range (as code): **MG**
8035.Laelia perbrunnea Hampson,1910 (Lymantriidae) Synonymy: perbrunnea Hampson,1910 Range (as code): **KE**
8036.Laelia phenax (Collenette,1932) (Lymantriidae) Synonymy: phenax Collenette,1932 Range (as code): **ZA**
8037.Laelia pheosia (Hampson,1910) (Lymantriidae) Synonymy: pheosia Hampson,1910 Range (as code): **ZA**
8038.Laelia pluto (M.Hering,1926) (Lymantriidae) Synonymy: pluto M.Hering,1926 Range (as code): **ZA**
8039.Laelia polia Collenette,1934 (Lymantriidae) Synonymy: polia Collenette,1934 Range (as code): **MG**
8040.Laelia postpura (Hampson,1905) (Lymantriidae) Synonymy: postpura Hampson,1905 Range (as code): **ZA Cto WCa**
8041.Laelia pulcherrima (Hering,1926) (Lymantriidae) Synonymy: pulcherrima Hering,1926 Range (as code): **ZA**
8042.Laelia punctifera (Walker,1858) (Lymantriidae) Synonymy: punctifera Walker,1858 Range (as code): **ZA**
8043.Laelia punctulata (Butler,1875) (Lymantriidae) Synonymy: punctulata Butler,1875 Range (as code): **ZA Nta Kzu Ptw Dbn Umk Ngg Tra Ec Stj**
8044.Laelia pyrosoma (Hampson,1910) (Lymantriidae) Synonymy: pyrosoma Hampson,1910 Range (as code): **ZA Mpu Brb Tva Nta Kzu Dbn**
8045.Laelia pyrrhothrix Collenette,1938 (Lymantriidae) Synonymy: pyrrhothrix Collenette,1938 Range (as code): **ZR**
8046.Laelia rivularis Hampson,1910 (Lymantriidae) Synonymy: rivularis Hampson,1910; maseniensis Strand,1917 Range (as code): **UG Rz**
8047.Laelia robusta Janse,1915 (Lymantriidae) Synonymy: robusta Janse,1915 Range (as code): **ZA Nta Kzu Dbn**
8048.Laelia rocana (Swinhoe,1906) (Lymantriidae) Synonymy: rocana Swinhoe,1906 Range (as code): **ZA Nta Kzu Dbn Tva Ly**
8049.Laelia rogersi Bethune-Baker,1913 (Lymantriidae) Synonymy: rogersi Bethune-Baker,1913 Range (as code): **KE Kky**
8050.Laelia rosea Schaus & Clements,1893 (Lymantriidae) Synonymy: rosea Schaus & Clements,1893 Range (as code): **ZA SL**
8051.Laelia rubrifilata (Hampson,1905) (Lymantriidae) Synonymy: rubrifilata Hampson,1905 Range (as code): **ZA**
8052.Laelia rufolavia M.Hering,1928 (Lymantriidae) Synonymy: rufolavia M.Hering,1928; corallina Collenette,1930 Range (as code): **RW ZR**
8053.Laelia siga M.Hering,1926 (Lymantriidae) Synonymy: siga M.Hering,1926 Range (as code): **ZR**
8054.Laelia stigmatica (Holland,1893) (Lymantriidae) Synonymy: stigmatica Holland,1893; aurelia Fawcett,1918; propensa M.Hering,1926 Range (as code): **KE TZ**
8055.Laelia straminea Hampson,1910 (Lymantriidae) Synonymy: straminea Hampson,1910 Range (as code): **NG Caa**
8056.Laelia subrosea (Walker,1855) (Lymantriidae) Synonymy: subrosea Walker,1855; subrufa Snellen,1872; xyleutis Hampson,1905; infracta Bethune-Baker,1911; gigas Collenette,1956 Range (as code): **ZA Tva Lpo Spb Nta Kzu Dbn SA UG GN SL AO MZ YE**
8057.Laelia subviridis Janse,1915 (Lymantriidae) Synonymy: subviridis Janse,1915 Range (as code): **ZA Mpu Tva Wv**
8058.Laelia swinnyi Janse,1915 (Lymantriidae) Synonymy: swinnyi Janse,1915 Range (as code): **ZA Ec Tra Ngg Stj Tva Lpo Mdt**
8059.Laelia thanatos (M.Hering,1926) (Lymantriidae) Synonymy: thanatos M.Hering,1926 Range (as code): **ZA**
8060.Laeliolina paetula M.Hering,1926 (Lymantriidae) Synonymy: paetula M.Hering,1926 Range (as code): **MG**

8061.Laelioproctis leucosphena Collenette,1939 (Lymantriidae) Synonymy: leucosphena Collenette,1939 Range (as code): **ZA**
8062.Laelioproctis taeniosoma M.Hering,1926 (Lymantriidae) Synonymy: taeniosoma M.Hering,1926 Range (as code): **CM**
8063.Laeloroa flavimargo M.Hering,1926 (Lymantriidae) Synonymy: flavimargo M.Hering,1926 Range (as code): **NE**
8064.Lepidopalpus hyalina Janse,1915 (Lymantriidae) Synonymy: hyalina Janse,1915 Range (as code): **ZA Kzu Nta Dbn Ngg Tra**
8065.Leptaroa paupera M.Hering,1926 (Lymantriidae) Synonymy: paupera M.Hering,1926 Range (as code): **ZA**
8066.Leucoma brontonepha Collenette,1931 (Lymantriidae) Synonymy: brontonepha Collenette,1931 Range (as code): **MG**
8067.Leucoma nigrolineata Bethune-Baker,1927 (Lymantriidae) Synonymy: nigrolineata Bethune-Baker,1927 Range (as code): **CM**
8068.Leucoma ogovensis (Holland,1893) (Lymantriidae) Synonymy: ogovensis Holland,1893 Range (as code): **ZA**
8069.Leucoma parva (Plötz,1880) (Lymantriidae) Synonymy: parva Plötz,1880 Range (as code): **ZA**
8070.Leucoma sevastopuloi Collenette,1955 (Lymantriidae) Synonymy: sevastopuloi Collenette,1955 Range (as code): **UG Kmp**
8071.Leucoma vosseleri Grünberg,1907 (Lymantriidae) Synonymy: vosseleri Grünberg,1907 Range (as code): **TZ**
8072.Leucoperina atroguttata Aurivillius,1909 (Lymantriidae) Synonymy: atroguttata Aurivillius,1909; umbrinorma M.Hering,1926 Range (as code): **ZR**
8073.Liparodonta convexa M.Hering,1926 (Lymantriidae) Synonymy: convexa M.Hering,1926 Range (as code): **CM**
8074.Liparodonta uniformis M.Hering,1926 (Lymantriidae) Synonymy: uniformis M.Hering,1926 Range (as code): **NG**
8075.Lomadonta callipepla Collenette,1960 (Lymantriidae) Synonymy: callipepla Collenette,1960 Range (as code): **ZR**
8076.Lomadonta citrago M.Hering,1926 (Lymantriidae) Synonymy: citrago M.Hering,1926 Range (as code): **CI**
8077.Lomadonta erythrina Holland,1893 (Lymantriidae) Synonymy: erythrina Holland,1893; albisigna Druce,1910 Range (as code): **CM**
8078.Lomadonta hoesemanni Bryk,1913 (Lymantriidae) Synonymy: hoesemanni Bryk,1913 Range (as code): **CM**
8079.Lomadonta johnstoni Swinhoe,1903 (Lymantriidae) Synonymy: johnstoni Swinhoe,1903 Range (as code): **ZR**
8080.Lomadonta obscura Swinhoe,1904 (Lymantriidae) Synonymy: obscura Swinhoe,1904 Range (as code): **GH Asn**
8081.Lomadonta ochriaria Hampson,1910 (Lymantriidae) Synonymy: ochriaria Hampson,1910 Range (as code): **CI**
8082.Lomadonta saturata Swinhoe,1904 (Lymantriidae) Synonymy: saturata Swinhoe,1904 Range (as code): **NE**
8083.Lomadonta umbrata Hampson,1910 (Lymantriidae) Synonymy: umbrata Hampson,1910 Range (as code): **CM**
8084.Lymantria (Griveaudtria) flavicilia Hampson,1910 (Lymantriidae) Synonymy: flavicilia Hampson,1910 Range (as code): **ZW**
8085.Lymantria (Griveaudtria) joannisi Le Cerf,1921 (Lymantriidae) Synonymy: joannisi Le Cerf,1921 Range (as code): **MG**
8086.Lymantria (Griveaudtria) rosea Butler,1879 (Lymantriidae) Synonymy: rosea Butler,1879; rufotincta Kenrick,1913 Range (as code): **MG LK Kndy Nwp**
8087.Lymantria (Griveaudtria) russula Collenette,1933 (Lymantriidae) Synonymy: russula Collenette,1933 Range (as code): **MG**
8088.Lymantria (Griveaudtria) vacillans Walker,1855 (Lymantriidae) Synonymy: vacillans Walker,1855; #dubiosissima Strand,1909 Range (as code): **ZR CM TG**
8089.Lymantria (Porthetria) dispar (Linnaeus,1758) (Lymantriidae) Synonymy: dispar Linnaeus,1758; disparina Müller,1802; disparoides Mabille,1876; bordigalensis Mabille,1876; asiatica Wnukowsky,1926;

andalusica Reinig,1938; hokkaidoensis Goldschmidt,1940; mediterraneae Goldschmidt,1940; bocharae Goldschmidt,1940; chosensis Goldschmidt,1940; koreibia Bryk,[1948]; kolthoffi Bryk,[1948] Range (as code): **MA DZ Sbd Btna TN Dhm PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Sb At Us To Vv MD UA BY AM AZ Len GG Bjo Smt Mng Lag Cc KK KG IQ Hjo Dk LB IR Mz Elb Sari Ha Ab Oru CN Lng Pkn Ui Kön Sz Mc SY CY AF Db Kdy JP MN KP KR TM Hkk TJ UZ IN TW CA On BCo US Col Ut Cf Fl Io Mai Ny Oh Org Krl Gls Lvv 06 07 10 11 12 13 17 19 23 25 30 31 33 36 46 48 49 50 56 62 65 67 71 76**

8090. Lymantria (Pyramocera) barica (Mabille,1878) (Lymantriidae) Synonymy: barica Mabille,1878; fuliginea Butler,1880; fumosa Saalmüller,1884; uxor Saalmüller,1884 Range (as code): **MG**

8091. Lymantria albimacula (Wallengren,1865) (Lymantriidae) Synonymy: albimacula Wallengren,1865; mosera Druce,1898 Range (as code): **MZ Del**

8092. Lymantria arete Fawcett,1915 (Lymantriidae) Synonymy: arete Fawcett,1915 Range (as code): **KE**

8093. Lymantria atala Swinhoe,1923 (Lymantriidae) Synonymy: binotata Mabille,1880 nec Butl.; atala Swinhoe,1923 Range (as code): **MG**

8094. Lymantria carriala Swinhoe,1903 (Lymantriidae) Synonymy: carriala Swinhoe,1903; #carriola Swinhoe,1923 Range (as code): **AO**

8095. Lymantria dictyodigma Collenette,1930 (Lymantriidae) Synonymy: dictyodigma Collenette,1930 Range (as code): **ZR**

8096. Lymantria dulcinea Butler,1882 (Lymantriidae) Synonymy: dulcinea Butler,1882; didymata Kenrick,1913 Range (as code): **MG**

8097. Lymantria eddela Swinhoe,1903 (Lymantriidae) Synonymy: eddela Swinhoe,1903 Range (as code): **KE**

8098. Lymantria finitorum Collenette,1931 (Lymantriidae) Synonymy: finitorum Collenette,1931 Range (as code): **SO**

8099. Lymantria gondona Swinhoe,1903 (Lymantriidae) Synonymy: gondona Swinhoe,1903; melete Fawcett,1915 Range (as code): **KE**

8100. Lymantria hemipyra Collenette,1932 (Lymantriidae) Synonymy: hemipyra Collenette,1932 Range (as code): **KE**

8101. Lymantria heptasticta (Mabille,1878) (Lymantriidae) Synonymy: heptasticta Mabille,1878 Range (as code): **MG**

8102. Lymantria hera Druce,1898 (Lymantriidae) Synonymy: hera Druce,1898 Range (as code): **TZ Dss**

8103. Lymantria heringi Kemal & Koçak,2005 (Lymantriidae) Synonymy: disparina Hering,1926 nec Müll.,1802; heringi Kemal & Koçak,2005 Range (as code): **ZA Tva Lpo**

8104. Lymantria kettleweli Collenette,1953 (Lymantriidae) Synonymy: kettleweli Collenette,1953 Range (as code): **ZA**

8105. Lymantria leucerythra Collenette,1930 (Lymantriidae) Synonymy: leucerythra Collenette,1930 Range (as code): **MW**

8106. Lymantria marwitzi Grünberg,1907 (Lymantriidae) Synonymy: marwitzi Grünberg,1907 Range (as code): **TZ**

8107. Lymantria melia Fawcett,1915 (Lymantriidae) Synonymy: melia Fawcett,1915 Range (as code): **KE**

8108. Lymantria melissa Fawcett,1915 (Lymantriidae) Synonymy: melissa Fawcett,1915 Range (as code): **KE**

8109. Lymantria menecles Fawcett,1915 (Lymantriidae) Synonymy: menecles Fawcett,1915 Range (as code): **KE**

8110. Lymantria metella Fawcett,1915 (Lymantriidae) Synonymy: metella Fawcett,1915 Range (as code): **KE**

8111. Lymantria miniata Grünberg,1907 (Lymantriidae) Synonymy: miniata Grünberg,1907 Range (as code): **TZ KE**

8112. Lymantria modesta (Walker,1855) (Lymantriidae) Synonymy: modesta Walker,1855; rhodopepla C.Felder & R.Felder,1868 Range (as code): **ZA Nta Kzu**

8113. Lymantria multiscripta Holland,1893 (Lymantriidae) Synonymy: multiscripta Holland,1893 Range (as code): **ZR**

8114. Lymantria nigrostriata Kenrick,1913 (Lymantriidae) Synonymy: nigrostriata Kenrick,1913 Range (as code): **MG**

8115. Lymantria oberthueri D.Lucas,1906 (Lymantriidae) Synonymy: oberthueri D.Lucas,1906; belvalettei Dumont,1928 Range (as code): **MA DZ Ah Ajj Eod Gha Tou TN**

8116. Lymantria parvula Kenrick,1913 (Lymantriidae) Synonymy: parvula Kenrick,1913 Range (as code): **MG**

8117. **Lymantria polysticta Collenette,1929** (Lymantriidae) Synonymy: polysticta Collenette,1929 Range (as code): **MG**
8118. **Lymantria pruinosa M.Hering,1927** (Lymantriidae) Synonymy: pruinosa M.Hering,1927 Range (as code): **TZ**
8119. **Lymantria rebuti (Poujade,1889)** (Lymantriidae) Synonymy: rebuti Poujade,1889 Range (as code): **MG**
8120. **Lymantria rhodophora (Mabille,1879)** (Lymantriidae) Synonymy: rhodophora Mabille,1879 Range (as code): **MG**
8121. **Lymantria rufofusca Mabille,1909** (Lymantriidae) Synonymy: rufofusca Mabille,1909 Range (as code): **MG**
8122. **Lymantria rusticana M.Hering,1927** (Lymantriidae) Synonymy: rusticana M.Hering,1927 Range (as code): **MG**
8123. **Lymantria tacita M.Hering,1927** (Lymantriidae) Synonymy: tacita M.Hering,1927 Range (as code): **KE Nai ZA**
8124. **Lymantria taurina M.Hering,1927** (Lymantriidae) Synonymy: taurina M.Hering,1927 Range (as code): **KE**
8125. **Lymantria tottea Swinhoe,1903** (Lymantriidae) Synonymy: tottea Swinhoe,1903 Range (as code): **NG**
8126. **Lymantria velutina (Mabille,1878)** (Lymantriidae) Synonymy: velutina Mabille,1878 Range (as code): **MG**
8127. **Lymantria vitrina (Mabille,1878)** (Lymantriidae) Synonymy: vitrina Mabille,1878 Range (as code): **MG**
8128. **Macrolaelia corticina Aurivillius,1925** (Lymantriidae) Synonymy: corticina Aurivillius,1925 Range (as code): **CM**
8129. **Marbla affinis (M.Hering,1926)** (Lymantriidae) Synonymy: affinis M.Hering,1926 Range (as code): **NG**
8130. **Marbla divisa (Walker,1855)** (Lymantriidae) Synonymy: divisa Walker,1855 Range (as code): **MG GA**
8131. **Marbla paradoxa (M.Hering,1926)** (Lymantriidae) Synonymy: paradoxa M.Hering,1926; heteropa Collenette,1953 Range (as code): **CI NE KE UG**
8132. **Marbla proxantha Holland,1893** (Lymantriidae) Synonymy: proxantha Holland,1893 Range (as code): **GA**
8133. **Marblepsis dolosa M.Hering,1926** (Lymantriidae) Synonymy: dolosa M.Hering,1926 Range (as code): **CM**
8134. **Marblepsis flabellaria (Fabricius,1787)** (Lymantriidae) Synonymy: flabellaria Fabricius,1787; crocicollis Herrich-Schäffer,1854; temperata Walker,1855; vecontia Druce,1899 Range (as code): **ZA**
8135. **Marblepsis melanocraspis (Hampson,1905)** (Lymantriidae) Synonymy: melanocraspis Hampson,1905 Range (as code): **ZA Ec Stj Ngg Tra Kzu Nta Esw Dbn Est Ptw Ptb**
8136. **Marblepsis niveola M.Hering,1926** (Lymantriidae) Synonymy: niveola M.Hering,1926 Range (as code): **CM**
8137. **Marblepsis pirgula M.Hering,1926** (Lymantriidae) Synonymy: pirgula M.Hering,1926 Range (as code): **KE**
8138. **Micraroa minima Janse,1915** (Lymantriidae) Synonymy: minima Janse,1915 Range (as code): **ZA Nta Kzu**
8139. **Micraroa rufescens Hampson,1905** (Lymantriidae) Synonymy: rufescens Hampson,1905 Range (as code): **ZA Tva Lpo Gau Nha Dbn Nta Kzu**
8140. **Morasa modesta Walker,1855** (Lymantriidae) Synonymy: modesta Walker,1855 Range (as code): **ZA Tva Lpo Spb Brb Mpu Srn Nta Kzu Ptw Dbn Est Umk**
8141. **Naroma nigrolunata Collenette,1931** (Lymantriidae) Synonymy: nigrolunata Collenette,1931 Range (as code): **CM**
8142. **Naroma signifera Walker,1856** (Lymantriidae) Synonymy: signifera Walker,1856; lunifera Walker,1869; cadica Plötz,1880 Range (as code): **GH SL ZR KE GA YE**
8143. **Naroma varipes (Walker,1865)** (Lymantriidae) Synonymy: varipes Walker,1865; weyenbergi Snellen,1872 Range (as code): **ZA Tva Stj Ec Dbn Nta Kzu Mpu Brb SA YE**
8144. **Neomardara africana (Holland,1893)** (Lymantriidae) Synonymy: africana Holland,1893 Range (as code): **SL NG**
8145. **Neomardara divergens Collenette,1931** (Lymantriidae) Synonymy: divergens Collenette,1931 Range (as code): **ZW**

8146.Noliproctis pumila (Butler,1882) (Lymantriidae) Synonymy: pumila Butler,1882 Range (as code): **MG**
8147.Numenes hypoxantha (Holland,1893) (Lymantriidae) Synonymy: hypoxantha Holland,1893 Range (as code): **GA**
8148.Numenes praestans Saalmüller,1884 (Lymantriidae) Synonymy: praestans Saalmüller,1884; chelonia Le Cerf,1921; aurantiaca Oberthür,1922 Range (as code): **MG**
8149.Numenoides grandis Butler,1879 (Lymantriidae) Synonymy: grandis Butler,1879 Range (as code): **MG**
8150.Ocneria rubea ([Denis & Schiffermüller],1775) (Lymantriidae) Synonymy: #rubea [Denis & Schiffermüller],1775 Range (as code): **DZ Phv Hmk TN Dhm PT ES FR Si IT DE CH AT CZ SK HU RO YU AL BG GR RU MD UA BY**
8151.Ogoa fuscovenata Wichgraf,1921 (Lymantriidae) Synonymy: fuscovenata Wichgraf,1921 Range (as code): **TZ**
8152.Ogoa neavei Rothschild,1916 (Lymantriidae) Synonymy: neavei Rothschild,1916 Range (as code): **MW**
8153.Ogoa oberthueri Rothschild,1916 (Lymantriidae) Synonymy: oberthueri Rothschild,1916 Range (as code): **KM**
8154.Ogoa simplex Walker,1856 (Lymantriidae) Synonymy: simplex Walker,1856 Range (as code): **ZA Nta Kzu Dbn Ngg Tra Est KE**
8155.Olapa argenna (Mabille,1899) (Lymantriidae) Synonymy: argenna Mabille,1899 Range (as code): **MG**
8156.Olapa bipunctata (Holland,1920) (Lymantriidae) Synonymy: bipunctata Holland,1920 Range (as code): **ZR**
8157.Olapa brachycerca Collenette,1936 (Lymantriidae) Synonymy: brachycerca Collenette,1936 Range (as code): **AO**
8158.Olapa fulviceps Hampson,1910 (Lymantriidae) Synonymy: fulviceps Hampson,1910 Range (as code): **ZR ZA KE**
8159.Olapa furva Hampson,1905 (Lymantriidae) Synonymy: furva Hampson,1905; opalescens Rebel,1914 Range (as code): **ZA ZW ZR**
8160.Olapa imitans Aurivillius,1910 (Lymantriidae) Synonymy: imitans Aurivillius,1910 Range (as code): **GA**
8161.Olapa ituri Collenette,1931 (Lymantriidae) Synonymy: ituri Collenette,1931 Range (as code): **ZR**
8162.Olapa jacksoni Collenette,1957 (Lymantriidae) Synonymy: jacksoni Collenette,1957 Range (as code): **UG**
8163.Olapa leptomita Collenette,1931 (Lymantriidae) Synonymy: leptomita Collenette,1931 Range (as code): **UG**
8164.Olapa macrocerca Collenette,1936 (Lymantriidae) Synonymy: macrocerca Collenette,1936 Range (as code): **AO**
8165.Olapa makala Bethune-Baker,1909 (Lymantriidae) Synonymy: makala Bethune-Baker,1909; opalescens Rebel,1914 Range (as code): **ZR**
8166.Olapa malagasy Griveaud,1977 (Lymantriidae) Synonymy: malagasy Griveaud,1977 Range (as code): **MG**
8167.Olapa melanocera Hampson,1909 (Lymantriidae) Synonymy: melanocera Hampson,1909 Range (as code): **UG Rz**
8168.Olapa nigribasis Janse,1926 (Lymantriidae) Synonymy: nigribasis Janse,1926 Range (as code): **ZA**
8169.Olapa nigricosta Hampson,1905 (Lymantriidae) Synonymy: nigricosta Hampson,1905; minima M.Hering,1926 Range (as code): **ZA Ec Stj Tra Ngg Nta Kzu Esw TZ ZR**
8170.Olapa notia Collenette,1959 (Lymantriidae) Synonymy: notia Collenette,1959 Range (as code): **MG**
8171.Olapa nuda Holland,1897 (Lymantriidae) Synonymy: nuda Holland,1897 Range (as code): **ZA Nta Kzu ZM ZW ZR SO**
8172.Olapa phaeospila Collenette,1953 (Lymantriidae) Synonymy: phaeospila Collenette,1953 Range (as code): **CM Bit**
8173.Olapa sakania (Berio,1937) (Lymantriidae) Synonymy: sakania Berio,1937 Range (as code): **ZR**
8174.Olapa sobo Collenette,1960 (Lymantriidae) Synonymy: sobo Collenette,1960 Range (as code): **NG**
8175.Olapa tavetensis (Holland,1892) (Lymantriidae) Synonymy: tavetensis Holland,1892; telesilla Druce,1899 Range (as code): **KE Tvt TZ Zz**
8176.Olapa terina Collenette,1959 (Lymantriidae) Synonymy: terina Collenette,1959 Range (as code): **MG**

8177. **Orgyia dubia (Tauscher,1806)** (Lymantriidae) Synonymy: dubia Tauscher,1806; judaea Staudinger,1901; interrupta Grum-Grshimailo,1890; seleniaca Fischer de Waldheim,1824; transcaspica Krulikowsky,1906; obliterata Strand,1910; isolatella Strand,1910; deserticola Powell,1916; orana Powell,1916; aurea Oberthür,1922; intermedia Turati,1936 (preocc.) Range (as code): **MA DZ Btna Ges Amu Agi Orn Sbd EG PT ES Si RU Cc AM MD UA BY TR LB Bsa Ksr IL Hf Pa IR Gls CY TM Kp UZ KG Ssn 05 06 18 19 42 38 50 58 60 65 71 76**

8178. **Orgyia malagassica Kenrick,1913** (Lymantriidae) Synonymy: malagassica Kenrick,1913 Range (as code): **MG**

8179. **Orgyia ochrodorsalis Rebel,1948** (Lymantriidae) Synonymy: ochrodorsalis Rebel,1948 Range (as code): **EG JE**

8180. **Orgyia panlacroixii Oberthür,1876** (Lymantriidae) Synonymy: panlacroixii Oberthür,1876 Range (as code): **DZ Tue TN MR**

8181. **Orgyia splendida Rambur,1837** (Lymantriidae) Synonymy: splendida Rambur,1837 Range (as code): **ES MA DZ**

8182. **Orgyia trigotephras Boisduval,1829** (Lymantriidae) Synonymy: trigotephras Boisduval,1829; anceps Oberthür,1884; sicula Staudinger,1887; transiens Staudinger,1901; orientalis Staudinger,1901; etrusca Verity,1905; holli Oberthür,1916; sebdouensis Oberthür,1916; calabra Stauder,1916 Range (as code): **MR MA Tgr DZ Sbd Agi TN MR PT ES An FR Si IT MT TR LB Ale IL Pa UZ Fe MN 31**

8183. **Orgyia vaporata M.Hering,1926** (Lymantriidae) Synonymy: vaporata M.Hering,1926 Range (as code): **CI**

8184. **Orgyia vetusta Hampson,1910** (Lymantriidae) Synonymy: vetusta Hampson,1910 Range (as code): **NG**

8185. **Pachycispia picta Butler,1882** (Lymantriidae) Synonymy: picta Butler,1882 Range (as code): **MG**

8186. **Palasea albimacula Wallengren,1863** (Lymantriidae) Synonymy: albimacula Wallengren,1863 Range (as code): **ZA Tva Lpo Spb Mdk Wb Dbn Umk Nta Kzu**

8187. **Paramarbla abyssinica Collenette,1955** (Lymantriidae) Synonymy: abyssinica Collenette,1955 Range (as code): **ET**

8188. **Paramarbla ansorgei Collenette,1960** (Lymantriidae) Synonymy: ansorgei Collenette,1960 Range (as code): **ZR**

8189. **Paramarbla azami (Kheil,1909)** (Lymantriidae) Synonymy: azami Kheil,1909 Range (as code): **GO**

8190. **Paramarbla beni (Bethune-Baker,1909)** (Lymantriidae) Synonymy: beni Bethune-Baker,1909 Range (as code): **ZR KE**

8191. **Paramarbla catharia (Collenette,1933)** (Lymantriidae) Synonymy: catharia Collenette,1933 Range (as code): **UG KE ZR**

8192. **Paramarbla coelebs (Collenette,1931)** (Lymantriidae) Synonymy: coelebs Collenette,1931 Range (as code): **ZR**

8193. **Paramarbla elegantula (M.Hering,1926)** (Lymantriidae) Synonymy: elegantula M.Hering,1926 Range (as code): **CM**

8194. **Paramarbla hemileuca (Rebel,1914)** (Lymantriidae) Synonymy: hemileuca Rebel,1914; semihyalina Joicey & Talbot,1924 Range (as code): **ZR**

8195. **Paramarbla indentata (Holland,1893)** (Lymantriidae) Synonymy: indentata Holland,1893 Range (as code): **SL CM GO GA**

8196. **Paramarbla lindblomi (Aurivillius,1921)** (Lymantriidae) Synonymy: lindblomi Aurivillius,1921 Range (as code): **KE**

8197. **Paramarbla lutulenta (Collenette,1931)** (Lymantriidae) Synonymy: lutulenta Collenette,1931 Range (as code): **CM Bit**

8198. **Paramarbla nyctemerina (Rebel,1914)** (Lymantriidae) Synonymy: nyctemerina Rebel,1914 Range (as code): **ZR**

8199. **Paramarbla tenera (Holland,1893)** (Lymantriidae) Synonymy: tenera Holland,1893 Range (as code): **GA**

8200. **Paramarbla teroensis Collenette,1937** (Lymantriidae) Synonymy: teroensis Collenette,1937 Range (as code): **UG**

8201. **Paraproctis chionopeza Collenette,1954** (Lymantriidae) Synonymy: chionopeza Collenette,1954 Range (as code): **ZA**

8202. **Paraproctis osiris Bethune-Baker,1911** (Lymantriidae) Synonymy: osiris Bethune-Baker,1911 Range (as code): **KE**

8203. **Paraxena angola Bethune-Baker,1911** (Lymantriidae) Synonymy: angola Bethune-Baker,1911 Range (as code): **AO**

8204.Penthophera lutea (Boisduval,1847) (Lymantriidae) Synonymy: lutea Boisduval,1847 Range (as code): **ZA**
8205.Penthophera subfusca (Boisduval,1847) (Lymantriidae) Synonymy: subfusca Boisduval,1847 Range (as code): **ZA**
8206.Pirga bipuncta M.Hering,1926 (Lymantriidae) Synonymy: bipuncta M.Hering,1926 Range (as code): **KE**
8207.Pirga cryptogena Collenette,1931 (Lymantriidae) Synonymy: cryptogena Collenette,1931 Range (as code): **UG**
8208.Pirga loveni Aurivillius,1934 (Lymantriidae) Synonymy: loveni Aurivillius,1934; loveni Bryk,1934 Range (as code): **KE**
8209.Pirga lutea Grünberg,1907 (Lymantriidae) Synonymy: lutea Grünberg,1907 Range (as code): **TZ Dss**
8210.Pirga luteola M.Hering,1926 (Lymantriidae) Synonymy: luteola M.Hering,1926 Range (as code): **ZR**
8211.Pirga magna Swinhoe,1903 (Lymantriidae) Synonymy: magna Swinhoe,1903 Range (as code): **KE**
8212.Pirga mnemosyne Rebel,1914 (Lymantriidae) Synonymy: mnemosyne Rebel,1914 Range (as code): **CM TZ**
8213.Pirga pellucida Wichgraf,1921 (Lymantriidae) Synonymy: pellucida Wichgraf,1921 Range (as code): **ZA TZ**
8214.Pirga perfasciata Wichgraf,1913 (Lymantriidae) Synonymy: perfasciata Wichgraf,1913 Range (as code): **TZ**
8215.Pirga transvalensis Janse,1915 (Lymantriidae) Synonymy: transvalensis Janse,1915 Range (as code): **ZA Tva Lpo Spb**
8216.Pirga turbida Grünberg,1907 (Lymantriidae) Synonymy: turbida Grünberg,1907 Range (as code): **KE Nai**
8217.Pirga weisei Karsch,1900 (Lymantriidae) Synonymy: weisei Karsch,1900 Range (as code): **TZ**
8218.Pirgula atrinotata (Butler,1896) (Lymantriidae) Synonymy: atrinotata Butler,1896 Range (as code): **MW TZ**
8219.Pirgula delicata Griveaud,1973 (Lymantriidae) Synonymy: delicata Griveaud,1973 Range (as code): **MG**
8220.Pirgula delosema Collenette,1953 (Lymantriidae) Synonymy: delosema Collenette,1953 Range (as code): **ZW Swz**
8221.Pirgula jordani (M.Hering,1926) (Lymantriidae) Synonymy: jordani M.Hering,1926 Range (as code): **MG**
8222.Pirgula melanoma Collenette,1936 (Lymantriidae) Synonymy: melanoma Collenette,1936 Range (as code): **MG**
8223.Pirgula monopunctata Griveaud,1973 (Lymantriidae) Synonymy: monopunctata Griveaud,1973 Range (as code): **MG**
8224.Pirgula ottoguttata Tessmann,1921 (Lymantriidae) Synonymy: ottoguttata Tessmann,1921; adusta Tessmann,1921 [ssp.]; Range (as code): **CM**
8225.Pirgula quinquepunctata Wichgraf,1921 (Lymantriidae) Synonymy: quinquepunctata Wichgraf,1921 Range (as code): **TZ**
8226.Pirgula sexpunctata Griveaud,1973 (Lymantriidae) Synonymy: sexpunctata Griveaud,1973 Range (as code): **MG**
8227.Pirgula stictogonia Collenette,1936 (Lymantriidae) Synonymy: stictogonia Collenette,1936 Range (as code): **AO**
8228.Polymona atlantica (Rambur,1837) (Lymantriidae) Synonymy: atlantica Rambur,1837; mus Oberthür,1916 Range (as code): **MR MA Ess Ndr Ges BSa Bsk Khh Cst Dhm Tun TN DZ ES FR Co Sa Si**
8229.Polymona ellisoni Collenette,1938 (Lymantriidae) Synonymy: ellisoni Collenette,1938 Range (as code): **ET SA OM**
8230.Polymona inaffinis M.Hering,1926 (Lymantriidae) Synonymy: inaffinis M.Hering,1926 Range (as code): **TZ**
8231.Polymona philbyi Wiltshire,1980 (Lymantriidae) Synonymy: philbyi Wiltshire,1980 Range (as code): **SA YE KE**
8232.Polymona rubescens Rebel,1948 (Lymantriidae) Synonymy: rubescens Rebel,1948 Range (as code): **EG JE SA YE**
8233.Polymona rufifemur Walker,1855 (Lymantriidae) Synonymy: rufifemur Walker,1855; scurrilis Wallengren,1860; lorimeri Butler,1878 Range (as code): **ZA Nta Kzu Dbn Tva Gau Pre Mpu Wv Brb Nha**

8234.Porthesaroa maculata Collenette,1938 (Lymantriidae) Synonymy: maculata Collenette,1938 Range (as code): **ZA**
8235.Psalis africana Kiriakoff,1956 (Lymantriidae) Synonymy: africana Kiriakoff,1956 Range (as code): **ZA Nta Kzu KE AO ZR GH MW MZ NG ZW TZ**
8236.Psalis punctuligera (Mabille,1880) (Lymantriidae) Synonymy: punctuligera Mabille,1880 Range (as code): **MG**
8237.Pseudobazisa perculta (Distant,1897) (Lymantriidae) Synonymy: perculta Distant,1897 Range (as code): **ZA Tva Lpo Gau Pre Rtf Pot Wv**
8238.Pteredoa atripalpia Hampson,1910 (Lymantriidae) Synonymy: atripalpia Hampson,1910 Range (as code): **ET**
8239.Pteredoa hololeuca Hampson,1910 (Lymantriidae) Synonymy: hololeuca Hampson,1910 Range (as code): **UG**
8240.Pteredoa monosticta (Butler,1898) (Lymantriidae) Synonymy: monosticta Butler,1898 Range (as code): **ZA Gau Tva Pre Jh Mpu Wv Ptw Dbn Nta Kzu**
8241.Pteredoa nigropuncta M.Hering,1926 (Lymantriidae) Synonymy: nigropuncta M.Hering,1926 Range (as code): **CM**
8242.Pteredoa plumosa Hampson,1905 (Lymantriidae) Synonymy: plumosa Hampson,1905 Range (as code): **ZA**
8243.Pteredoa siderea M.Hering,1926 (Lymantriidae) Synonymy: siderea M.Hering,1926 Range (as code): **KE Nai**
8244.Pteredoa subapicalis Hering,1926 (Lymantriidae) Synonymy: subapicalis Hering,1926 Range (as code): **ZA MZ Del**
8245.Pteredoa usebia (Swinhoe,1903) (Lymantriidae) Synonymy: usebia Swinhoe,1903; #usebria Janse,1915 Range (as code): **ZA TZ**
8246.Redoa kenya Collenette,1931 (Lymantriidae) Synonymy: kenya Collenette,1931 Range (as code): **KE**
8247.Redoa kibwezi Collenette,1932 (Lymantriidae) Synonymy: kibwezi Collenette,1932 Range (as code): **KE Kib**
8248.Redoa marginepunctata (Saalmüller,1878) (Lymantriidae) Synonymy: marginepunctata Saalmüller,1878 Range (as code): **MG**
8249.Redoa mayotta Collenette,1931 (Lymantriidae) Synonymy: mayotta Collenette,1931 Range (as code): **KM**
8250.Redoa rufiterga Hampson,1910 (Lymantriidae) Synonymy: rufiterga Hampson,1910 Range (as code): **NG**
8251.Redoa xanthoma Collenette,1931 (Lymantriidae) Synonymy: xanthoma Collenette,1931 Range (as code): **MG**
8252.Repena fusca (Walker,1855) (Lymantriidae) Synonymy: fusca Walker,1855; tephra Herrich-Schäffer,1855; subviridis Walker,1865 Range (as code): **CM ZA Cto WCa**
8253.Rhodesana crenulata Bethune-Baker,1908 (Lymantriidae) Synonymy: crenulata Bethune-Baker,1908 Range (as code): **ZW**
8254.Rhypopteryx bowdeni Collenette,1960 (Lymantriidae) Synonymy: bowdeni Collenette,1960 Range (as code): **UG**
8255.Rhypopteryx diplogramma M.Hering,1927 (Lymantriidae) Synonymy: diplogramma M.Hering,1927 Range (as code): **TZ ZA**
8256.Rhypopteryx fontainei Collenette,1960 (Lymantriidae) Synonymy: fontainei Collenette,1960 Range (as code): **ZR**
8257.Rhypopteryx hemichrysa Collenette,1960 (Lymantriidae) Synonymy: hemichrysa Collenette,1960 Range (as code): **ZA**
8258.Rhypopteryx hemichrysa Collenette,1960 (Lymantriidae) Synonymy: hemichrysa Collenette,1960 Range (as code): **ZW Har**
8259.Rhypopteryx lugardi (Swinhoe,1903) (Lymantriidae) Synonymy: lugardi Swinhoe,1903 Range (as code): **ZA TZ**
8260.Rhypopteryx psoloconiama Collenette,1960 (Lymantriidae) Synonymy: psoloconiama Collenette,1960 Range (as code): **ZR**
8261.Rhypopteryx psolozona (Collenette,1938) (Lymantriidae) Synonymy: psolozona Collenette,1938 Range (as code): **ZA**

8262.Rhypopteryx rhodalipha (R.Felder & Rogenhofer,1874) (Lymantriidae) Synonymy: rhodalipha R.Felder & Rogenhofer,1874; tessellata Distant,1897 Range (as code): **ZA Tva Lpo Ly Nta Kzu Dbn**

8263.Rhypopteryx rhodea (Hampson,1905) (Lymantriidae) Synonymy: rhodea Hampson,1905 Range (as code): **ZA MZ Del**

8264.Rhypopteryx rubripunctata (Weymer,1892) (Lymantriidae) Synonymy: rubripunctata Weymer,1892 Range (as code): **ZA TZ**

8265.Rhypopteryx sordida Aurivillius,1879 (Lymantriidae) Synonymy: sordida Aurivillius,1879 Range (as code): **NG NA ZA**

8266.Rhypopteryx summissa M.Hering,1926 (Lymantriidae) Synonymy: summissa M.Hering,1926 Range (as code): **KE Nai**

8267.Rhypopteryx triangulifera (Hampson,1910) (Lymantriidae) Synonymy: triangulifera Hampson,1910 Range (as code): **ZA KE**

8268.Rhypopteryx uele Collenette,1960 (Lymantriidae) Synonymy: uele Collenette,1960 Range (as code): **ZR**

8269.Ruanda aetheria Strand,1909 (Lymantriidae) Synonymy: aetheria Strand,1909 Range (as code): **RW TZ**

8270.Ruanda furva (Hampson,1905) (Lymantriidae) Synonymy: furva Hampson,1905 Range (as code): **ZA Cto Ec Nta Kzu Lpo Tva Spb Mdk Suw MZ ZW**

8271.Ruanda nuda (Holland,1897) (Lymantriidae) Synonymy: nuda Holland,1897 Range (as code): **ZA Wb ZW ZM TZ**

8272.Salvatgea xanthosoma (Hampson,1910) (Lymantriidae) Synonymy: xanthosoma Hampson,1910 Range (as code): **SD SA YE**

8273.Schalidomitra ambages Strand,1911 (Lymantriidae) Synonymy: ambages Strand,1911 Range (as code): **TZ ZA**

8274.Sevastopuloa celaenocera Collenette,1960 (Lymantriidae) Synonymy: celaenocera Collenette,1960 Range (as code): **KE Mb**

8275.Somatoxena lasea (Druce,1899) (Lymantriidae) Synonymy: lasea Druce,1899 Range (as code): **SL**

8276.Stenaroa ignepicta Hampson,1910 (Lymantriidae) Synonymy: ignepicta Hampson,1910 Range (as code): **MG**

8277.Stilpnaroma nasisi Collenette,1960 (Lymantriidae) Synonymy: nasisi Collenette,1960 Range (as code): **KE**

8278.Stracena aegrotes Le Cerf,1922 (Lymantriidae) Synonymy: aegrotes Le Cerf,1922 Range (as code): **ET**

8279.Stracena bananae (Butler,1896) (Lymantriidae) Synonymy: bananae Butler,1896 Range (as code): **ZA ZR KE**

8280.Stracena bananoides M.Hering,1927 (Lymantriidae) Synonymy: bananoides M.Hering,1927 Range (as code): **GA**

8281.Stracena barnsi Collenette,1930 (Lymantriidae) Synonymy: barnsi Collenette,1930 Range (as code): **AO**

8282.Stracena bipunctata (Holland,1920) (Lymantriidae) Synonymy: bipunctata Holland,1920 Range (as code): **ZR**

8283.Stracena flavipectus Swinhoe,1904 (Lymantriidae) Synonymy: flavipectus Swinhoe,1904 Range (as code): **NG**

8284.Stracena fuscivena Swinhoe,1903 (Lymantriidae) Synonymy: fuscivena Swinhoe,1903; limpida Swinhoe,1903 Range (as code): **NG Caa**

8285.Stracena oloris (M.Hering,1926) (Lymantriidae) Synonymy: oloris M.Hering,1926 Range (as code): **TG**

8286.Stracena pellucida Grünberg,1907 (Lymantriidae) Synonymy: pellucida Grünberg,1907 Range (as code): **KE**

8287.Stracena promelaena (Holland,1893) (Lymantriidae) Synonymy: promelaena Holland,1893; #intermedia Aurivillius,[1905] Range (as code): **AO CM**

8288.Stracena sulphureivena (Aurivillius,[1905]) (Lymantriidae) Synonymy: sulphureivena Aurivillius,[1905] Range (as code): **CM**

8289.Stracena tavetensis (Holland,1892) (Lymantriidae) Synonymy: tavetensis Holland,1892; telesilla Druce,1899; #tellisilla Swinhoe,1922 Range (as code): **ZA KE CM TZ**

8290.Stracena xanthocephala (M.Hering,1926) (Lymantriidae) Synonymy: xanthocephala M.Hering,1926 Range (as code): **GA CM TZ**

8291.Stracilla translucida (Oberthür,1880) (Lymantriidae) Synonymy: translucida Oberthür,1880 Range (as code): **ET**
8292.Tearosoma aspersum R.Felder & Rogenhofer,1874 (Lymantriidae) Synonymy: aspersum R.Felder & Rogenhofer,1874 Range (as code): **ZA Kzu Nta**
8293.Terphotrix lanaria Holland,1893 (Lymantriidae) Synonymy: lanaria Holland,1893 Range (as code): **CM**
8294.Terphotrix tenuis Holland,1893 (Lymantriidae) Synonymy: tenuis Holland,1893 Range (as code): **CM**
8295.Theriophila miara M.Hering,1932 (Lymantriidae) Synonymy: miara M.Hering,1932 Range (as code): **ZR CM**

Lyonetiidae

8296.Bedellia cathareuta Meyrick,1911 (Lyonetiidae) Synonymy: cathareuta Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
8297.Bedellia somnulentella (Zeller,1847) (Lyonetiidae) Synonymy: somnulentella Zeller,1847; orpheella Stainton,1849; convolutella Heydenreich,1851; staintoniella Clemens,1860; mnesileuca Meyrick,1928; ipomoeae Bradley,1953 Range (as code): **DZ Bsk TN Gf Md PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI LV LT RU MD UA BY DZ KG A-D Uk UZ TR CY SA ZA Tva Lpo Hae JP AU NZ TH**
8298.Chrysolytis deliarcha Meyrick,1937 (Lyonetiidae) Synonymy: deliarcha Meyrick,1937 Range (as code): **ZA**
8299.Copobathra menodora Meyrick,1911 (Lyonetiidae) Synonymy: menodora Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
8300.Crobylophora daricella Meyrick,1881 (Lyonetiidae) Synonymy: daricella Meyrick,1881 Range (as code): **ZA**
8301.Crobylophora metallifera (Walsingham,1891) (Lyonetiidae) Synonymy: metallifera Walsingham,1891 Range (as code): **ZA**
8302.Crobylophora xanthochyta Meyrick,1918 (Lyonetiidae) Synonymy: xanthochyta Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
8303.Cycloponympha hermione Meyrick,1921 (Lyonetiidae) Synonymy: hermione Meyrick,1921 Range (as code): **MZ**
8304.Cycloponympha julia Meyrick,1913 (Lyonetiidae) Synonymy: julia Meyrick,1913 Range (as code): **ZA Mpu Tva Brb**
8305.Cycloponympha perspicua Meyrick,1913 (Lyonetiidae) Synonymy: perspicua Meyrick,1913 Range (as code): **ZA Mpu Tva Brb**
8306.Leucoptera autographa Meyrick,1918 (Lyonetiidae) Synonymy: autographa Meyrick,1918 Range (as code): **ZA Nta Kzu Dbn**
8307.Leucoptera clerodendrella Vari,1955 (Lyonetiidae) Synonymy: clerodendrella Vari,1955 Range (as code): **ZA Tva Gau Pre**
8308.Leucoptera karsholti Mey,1994 (Lyonetiidae) Synonymy: karsholti Mey,1994 Range (as code): **MA**
8309.Leucoptera loxaula Meyrick,1928 (Lyonetiidae) Synonymy: loxaula Meyrick,1928 Range (as code): **ZA Tva Gau Pre ZW Bul**
8310.Leucoptera meyricki Ghesquière,1940 (Lyonetiidae) Synonymy: meyricki Ghesquière,1940 Range (as code): **ZA**
8311.Leucoptera parinaricola Vari,1955 (Lyonetiidae) Synonymy: parinaricola Vari,1955 Range (as code): **ZA Tva Gau Pre**
8312.Leucoptera pulchricola Vari,1955 (Lyonetiidae) Synonymy: pulchricola Vari,1955 Range (as code): **ZA Tva Gau Pre**
8313.Leucoptera scammatias Meyrick,1909 (Lyonetiidae) Synonymy: scammatias Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
8314.Lyonetia cotifraga Meyrick,1909 (Lyonetiidae) Synonymy: cotifraga Meyrick,1909 Range (as code): **ZA**
8315.Phyllobrostis (Pilotocoma) apathetica (Meyrick,1921) (Lyonetiidae) Synonymy: apathetica Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
8316.Phyllobrostis (Pilotocoma) calcaria Meyrick,1911 (Lyonetiidae) Synonymy: calcaria Meyrick,1911 Range (as code): **ZA Tva Gau Pre**

8317. **Phyllobrostis (Pilotocoma) tephroleuca (Meyrick,1913)** (Lyonetiidae) Synonymy: tephroleuca Meyrick,1913 Range (as code): **ZA Tva Nta Kzu ZW**
8318. **Phyllobrostis (s.str.) daphneella Staudinger,1859** (Lyonetiidae) Synonymy: daphneella Staudinger,1859 Range (as code): **MA DZ Cst TN PT ES An AD FR Co Sa IT**
8319. **Phyllobrostis (s.str.) fregenella Hartig,1941** (Lyonetiidae) Synonymy: fregenella Hartig,1941 Range (as code): **MA TN PT ES FR Co Si IT**

Metarbelidae

8320. **Aethiopina argentifera Gaede,1929** (Metarbelidae) Synonymy: argentifera Gaede,1929 Range (as code): **KE**
8321. **Aethiopina semicirculata Gaede,1929** (Metarbelidae) Synonymy: semicirculata Gaede,1929 Range (as code): **ET**
8322. **Arbeloides collaris Aurivillius,1921** (Metarbelidae) Synonymy: collaris Aurivillius,1921 Range (as code): **ZA**
8323. **Arbeloides griseata (Janse,1925)** (Metarbelidae) Synonymy: griseata Janse,1925 Range (as code): **ZA**
8324. **Arbeloides heringi Janse,1930** (Metarbelidae) Synonymy: heringi Janse,1930 Range (as code): **ZA**
8325. **Arbeloides meridialis Karsch,1896** (Metarbelidae) Synonymy: meridialis Karsch,1896; meridionalis Dalla Torre & Strand,1923 Range (as code): **ZA**
8326. **Indarbela tegula (Distant,1897)** (Metarbelidae) Synonymy: tegula Distant,1897 Range (as code): **ZA ZM**
8327. **Lebedodes castanea Janse,1925** (Metarbelidae) Synonymy: castanea Janse,1925 Range (as code): **ZA**
8328. **Lebedodes fumealis Janse,1925** (Metarbelidae) Synonymy: fumealis Janse,1925 Range (as code): **ZA**
8329. **Lebedodes natalica Hampson,1910** (Metarbelidae) Synonymy: natalica Hampson,1910 Range (as code): **ZA Nta Kzu**
8330. **Lebedodes reticulata Gaede,1929** (Metarbelidae) Synonymy: reticulata Gaede,1929 Range (as code): **ZA**
8331. **Lebedodes wichgrafi (Grünberg,1910)** (Metarbelidae) Synonymy: wichgrafi Grünberg,1910; durbanica Hampson,1910 Range (as code): **ZA Nta Kzu Dbn**
8332. **Marschalliana bivittata Aurivillius,1901** (Metarbelidae) Synonymy: bivittata Aurivillius,1901 Range (as code): **ZA**
8333. **Marschalliana jansei Gaede,1929** (Metarbelidae) Synonymy: jansei Gaede,1929 Range (as code): **ZA**
8334. **Metarbela albitorquata Hampson,1910** (Metarbelidae) Synonymy: albitorquata Hampson,1910 Range (as code): **ZA Tva**
8335. **Metarbela alluaudi Le Cerf,1914** (Metarbelidae) Synonymy: alluaudi Le Cerf,1914 Range (as code): **KE**
8336. **Metarbela arcifera Hampson,1909** (Metarbelidae) Synonymy: arcifera Hampson,1909 Range (as code): **KE**
8337. **Metarbela bipuncta Hampson,1920** (Metarbelidae) Synonymy: bipuncta Hampson,1920 Range (as code): **MW**
8338. **Metarbela bueana Strand,1912** (Metarbelidae) Synonymy: bueana Strand,1912 Range (as code): **CM**
8339. **Metarbela cinereolimbata Le Cerf,1914** (Metarbelidae) Synonymy: cinereolimbata Le Cerf,1914 Range (as code): **KE**
8340. **Metarbela cremorna Hampson,1920** (Metarbelidae) Synonymy: cremorna Hampson,1920 Range (as code): **GH**
8341. **Metarbela cymaphora Hampson,1910** (Metarbelidae) Synonymy: cymaphora Hampson,1910; neurosticta Hampson,1910 Range (as code): **ZA ZW**
8342. **Metarbela dialeuca Hampson,1910** (Metarbelidae) Synonymy: dialeuca Hampson,1910 Range (as code): **KE ZA**
8343. **Metarbela diodonta Hampson,1916** (Metarbelidae) Synonymy: diodonta Hampson,1916 Range (as code): **SO**
8344. **Metarbela erecta Gaede,1929** (Metarbelidae) Synonymy: erecta Gaede,1929 Range (as code): **KE**

8345.Metarbela flavicolor Janse,1925 (Metarbelidae) Synonymy: flavicolor Janse,1925 Range (as code): **ZA**
8346.Metarbela fumida Karsch,1896 (Metarbelidae) Synonymy: fumida Karsch,1896 Range (as code): **TG**
8347.Metarbela funebris Gaede,1929 (Metarbelidae) Synonymy: funebris Gaede,1929 Range (as code): **NG**
8348.Metarbela haberlandorum I.Lehmann,1997 (Metarbelidae) Synonymy: haberlandorum I.Lehmann,1997 Range (as code): **KE Kmu Kwl**
8349.Metarbela heringi Janse,1930 (Metarbelidae) Synonymy: heringi Janse,1930 Range (as code): **NA**
8350.Metarbela inconspicua Gaede,1929 (Metarbelidae) Synonymy: inconspicua Gaede,1929 Range (as code): **KE**
8351.Metarbela iridescens Janse,1925 (Metarbelidae) Synonymy: iridescens Janse,1925 Range (as code): **ZA**
8352.Metarbela laguna Hampson,1920 (Metarbelidae) Synonymy: laguna Hampson,1920 Range (as code): **GH**
8353.Metarbela latifasciata Gaede,1929 (Metarbelidae) Synonymy: latifasciata Gaede,1929 Range (as code): **KE**
8354.Metarbela leucostigma (Hampson,1910) (Metarbelidae) Synonymy: leucostigma Hampson,1910 Range (as code): **ZA**
8355.Metarbela micra Karsch,1896 (Metarbelidae) Synonymy: micra Karsch,1896 Range (as code): **TG**
8356.Metarbela nubifera (Bethune-Baker,1909) (Metarbelidae) Synonymy: nubifera Bethune-Baker,1909 Range (as code): **KE**
8357.Metarbela onusta Karsch,1896 (Metarbelidae) Synonymy: onusta Karsch,1896 Range (as code): **TG GN**
8358.Metarbela pagana Strand,1909 (Metarbelidae) Synonymy: pagana Strand,1909 Range (as code): **RW**
8359.Metarbela pallescens Le Cerf,1914 (Metarbelidae) Synonymy: pallescens Le Cerf,1914 Range (as code): **KE**
8360.Metarbela perstriata Hampson,1916 (Metarbelidae) Synonymy: perstriata Hampson,1916 Range (as code): **SO**
8361.Metarbela plagifera Gaede,1929 (Metarbelidae) Synonymy: plagifera Gaede,1929 Range (as code): **KE**
8362.Metarbela rava Karsch,1896 (Metarbelidae) Synonymy: rava Karsch,1896 Range (as code): **CM**
8363.Metarbela recticulosana Strand,1912 (Metarbelidae) Synonymy: recticulosana Strand,1912 Range (as code): **CM**
8364.Metarbela rufa Gaede,1929 (Metarbelidae) Synonymy: rufa Gaede,1929 Range (as code): **CM**
8365.Metarbela splendida D.S.Fletcher,1968 (Metarbelidae) Synonymy: splendida D.S.Fletcher,1968 Range (as code): **UG Rz**
8366.Metarbela stivafer Holland,1893 (Metarbelidae) Synonymy: stivafer Holland,1893 Range (as code): **GA Ogo**
8367.Metarbela triangularis Gaede,1929 (Metarbelidae) Synonymy: triangularis Gaede,1929 Range (as code): **KE**
8368.Metarbela triguttata Aurivillius,1905 (Metarbelidae) Synonymy: triguttata Aurivillius,1905 Range (as code): **KE**
8369.Metarbela trisignata Gaede,1929 (Metarbelidae) Synonymy: trisignata Gaede,1929 Range (as code): **ZA NA**
8370.Metarbela tuckeri (Butler,1875) (Metarbelidae) Synonymy: tuckeri Butler,1875 Range (as code): **ZA**
8371.Metarbela vaualba Hampson,1920 (Metarbelidae) Synonymy: vaualba Hampson,1920 Range (as code): **MW**
8372.Metarbelodes sticticosta (Hampson,1910) (Metarbelidae) Synonymy: sticticosta Hampson,1910 Range (as code): **ZA**
8373.Metarbelodes umtaliana (Aurivillius,1901) (Metarbelidae) Synonymy: umtaliana Aurivillius,1901 Range (as code): **ZA**
8374.Ortharbela albivenata (Hampson,1910) (Metarbelidae) Synonymy: albivenata Hampson,1910 Range (as code): **ZA**
8375.Ortharbela rufithorax (Hampson,1910) (Metarbelidae) Synonymy: rufithorax Hampson,1910 Range (as code): **ZA**

8376.Paralebedella carnescens (Hampson,1910) (Metarbelidae) Synonymy: carnescens Hampson,1910 Range (as code): **ZA**
8377.Salagena albicilia Hampson,1920 (Metarbelidae) Synonymy: albicilia Hampson,1920; #denigrata Gaede,1929 Range (as code): **MW ZR**
8378.Salagena albonotata (Butler,1898) (Metarbelidae) Synonymy: albonotata Butler,1898 Range (as code): **KE**
8379.Salagena arcys D.S.Fletcher,1968 (Metarbelidae) Synonymy: arcys D.S.Fletcher,1968 Range (as code): **UG Rz**
8380.Salagena atridiscata Hampson,1910 (Metarbelidae) Synonymy: atridiscata Hampson,1910 Range (as code): **KE**
8381.Salagena cuprea Gaede,1929 (Metarbelidae) Synonymy: cuprea Gaede,1929 Range (as code): **TD**
8382.Salagena discata Gaede,1929 (Metarbelidae) Synonymy: discata Gaede,1929 Range (as code): **SN**
8383.Salagena eustrigata Hampson,1916 (Metarbelidae) Synonymy: eustrigata Hampson,1916 Range (as code): **SO**
8384.Salagena fetlaworkae Rougeot,1977 (Metarbelidae) Synonymy: fetlaworkae Rougeot,1977 Range (as code): **ET**
8385.Salagena fuscata Gaede,1929 (Metarbelidae) Synonymy: fuscata Gaede,1929 Range (as code): **CI**
8386.Salagena inversa Gaede,1929 (Metarbelidae) Synonymy: inversa Gaede,1929 Range (as code): **SN**
8387.Salagena irrorata Le Cerf,1914 (Metarbelidae) Synonymy: irrorata Le Cerf,1914 Range (as code): **KE**
8388.Salagena narses Fawcett,1916 (Metarbelidae) Synonymy: narses Fawcett,1916 Range (as code): **SO ZA**
8389.Salagena obsolescens Hampson,1910 (Metarbelidae) Synonymy: obsolescens Hampson,1910 Range (as code): **ZA**
8390.Salagena reticulata Janse,1925 (Metarbelidae) Synonymy: reticulata Janse,1925 Range (as code): **ZA**
8391.Salagena tessellata Distant,1897 (Metarbelidae) Synonymy: tessellata Distant,1897 Range (as code): **ZA**
8392.Salagena transversa Walker,1865 (Metarbelidae) Synonymy: transversa Walker,1865; spiculata Karsch,1895; strigosa Aurivillius,1901 Range (as code): **ZA**
8393.Salagena violetta Gaede,1929 (Metarbelidae) Synonymy: violetta Gaede,1929 Range (as code): **MW**
8394.Teragra althodes Hampson,1910 (Metarbelidae) Synonymy: althodes Hampson,1910 Range (as code): **ZA**
8395.Teragra conspersa Walker,1855 (Metarbelidae) Synonymy: conspersa Walker,1855 Range (as code): **ZA**
8396.Teragra guttifera Hampson,1910 (Metarbelidae) Synonymy: guttifera Hampson,1910 Range (as code): **ZA**
8397.Teragra irvingi Janse,1925 (Metarbelidae) Synonymy: irvingi Janse,1925 Range (as code): **ZA**
8398.Teragra lemairei Rougeot,1977 (Metarbelidae) Synonymy: lemairei Rougeot,1977 Range (as code): **ET**
8399.Teragra villiersi Rougeot,1977 (Metarbelidae) Synonymy: villiersi Rougeot,1977 Range (as code): **ET**
8400.Teragra vogti Bethune-Baker,1927 (Metarbelidae) Synonymy: vogti Bethune-Baker,1927 Range (as code): **ZA**

Micropterigidae

8401.Agrionympha capensis Whalley,1978 (Micropterigidae) Synonymy: capensis Whalley,1978 Range (as code): **ZA**
8402.Agrionympha pseliacma Meyrick,1921 (Micropterigidae) Synonymy: pseliacma Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
8403.Agrionympha vari Whalley,1978 (Micropterigidae) Synonymy: vari Whalley,1978 Range (as code): **ZA**

Momphidae

8404. **Bifascia nigralbella (Chrétien,1915)** (Momphidae) Synonymy: nigralbella Chrétien,1915; asteroleuca Meyrick,1917 Range (as code): **ES DZ Bsk Gf TN SA IR Hz B-A PK IN MN TM Bdz**
8405. **Bifascioides leucomelanellus (Rebel,1917)** (Momphidae) Synonymy: leucomelanellus Rebel,1917; pirastica Meyrick,1936 Range (as code): **LY IR Ss Hz B-A EG SD Kdf KE IN? LK?**
8406. **Mompha (s.str.) ochraceella (Curtis,1839)** (Momphidae) Synonymy: ochraceella Curtis,1839 Range (as code): **MA ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK SE LV RU MD UA BY IR 46**
8407. **Mompha antibathra Meyrick,1914** (Momphidae) Synonymy: antibathra Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
8408. **Mompha cyclocosma Meyrick,1921** (Momphidae) Synonymy: cyclocosma Meyrick,1921 Range (as code): **MZ L-M ,**

Nepticulidae

8409. **Acalyptris acumenta (Scoble,1980)** (Nepticulidae) Synonymy: acumenta Scoble,1980 Range (as code): **ZA**
8410. **Acalyptris bispinata (Scoble,1980)** (Nepticulidae) Synonymy: bispinata Scoble,1980 Range (as code): **ZA**
8411. **Acalyptris combretella (Vari,1955)** (Nepticulidae) Synonymy: combretella Vari,1955 Range (as code): **ZA Tva Gau Pre**
8412. **Acalyptris fagarivora (Vari,1955)** (Nepticulidae) Synonymy: fagarivora Vari,1955 Range (as code): **ZA Tva Gau Pre**
8413. **Acalyptris fulva (Scoble,1980)** (Nepticulidae) Synonymy: fulva Scoble,1980 Range (as code): **ZA**
8414. **Acalyptris fuscofascia (Scoble,1980)** (Nepticulidae) Synonymy: fuscofascia Scoble,1980 Range (as code): **ZA**
8415. **Acalyptris krooni (Scoble,1980)** (Nepticulidae) Synonymy: krooni Scoble,1980 Range (as code): **ZA**
8416. **Acalyptris lanneivora (Vari,1955)** (Nepticulidae) Synonymy: lanneivora Vari,1955 Range (as code): **ZA Tva Gau Pre**
8417. **Acalyptris limoniastri Nieukerken,2007** (Nepticulidae) Synonymy: limoniastri Nieukerken,2007 Range (as code): **DZ Bsk TN**
8418. **Acalyptris lorantivora (Janse,1948)** (Nepticulidae) Synonymy: lorantivora Janse,1948 Range (as code): **ZA**
8419. **Acalyptris lundiensis (Scoble,1980)** (Nepticulidae) Synonymy: lundiensis Scoble,1980 Range (as code): **ZA**
8420. **Acalyptris mariepsensis (Scoble,1980)** (Nepticulidae) Synonymy: mariepsensis Scoble,1980 Range (as code): **ZA**
8421. **Acalyptris minimella (Rebel,1924)** (Nepticulidae) Synonymy: minimella Rebel,1924; lentiscella Groschke,1944 Range (as code): **MA DZ TN PT ES Cz Gi Sa Co Si IT YU HV GR CY**
8422. **Acalyptris molleivora (Scoble,1980)** (Nepticulidae) Synonymy: molleivora Scoble,1980 Range (as code): **ZA**
8423. **Acalyptris obliquella (Scoble,1980)** (Nepticulidae) Synonymy: obliquella Scoble,1980 Range (as code): **ZA**
8424. **Acalyptris pundaensis (Scoble,1980)** (Nepticulidae) Synonymy: pundaensis Scoble,1980 Range (as code): **ZA**
8425. **Acalyptris rubiaevora (Scoble,1980)** (Nepticulidae) Synonymy: rubiaevora Scoble,1980 Range (as code): **ZA**
8426. **Acalyptris sellata (Scoble,1980)** (Nepticulidae) Synonymy: sellata Scoble,1980 Range (as code): **ZA**
8427. **Acalyptris staticis (Walsingham,1908)** (Nepticulidae) Synonymy: staticis Walsingham,1908 Range (as code): **Cn**
8428. **Acalyptris umdoniensis (Scoble,1980)** (Nepticulidae) Synonymy: umdoniensis Scoble,1980 Range (as code): **ZA**
8429. **Acalyptris vacuolata (Scoble,1980)** (Nepticulidae) Synonymy: vacuolata Scoble,1980 Range (as code): **ZA**
8430. **Acalyptris vepricola (Vari,1963)** (Nepticulidae) Synonymy: vepricola Vari,1963 Range (as code): **ZA**

8431.Acalyptris vumbaensis (Scoble,1980) (Nepticulidae) Synonymy: vumbaensis Scoble,1980 Range (as code): **ZA**
8432.Acalyptris zeyheriae (Scoble,1980) (Nepticulidae) Synonymy: zeyheriae Scoble,1980 Range (as code): **ZA**
8433.Areticulata leucosideae Scoble,1983 (Nepticulidae) Synonymy: leucosideae Scoble,1983 Range (as code): **ZA**
8434.Ectoedemia (Etainia) crypsixantha (Meyrick,1918) (Nepticulidae) Synonymy: crypsixantha Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
8435.Ectoedemia (Etainia) kruegerensis (Scoble,1983) (Nepticulidae) Synonymy: kruegerensis Scoble,1983 Range (as code): **ZA**
8436.Ectoedemia (Etainia) nigricapitella (Janse,1948) (Nepticulidae) Synonymy: nigricapitella Janse,1948 Range (as code): **ZA**
8437.Ectoedemia (Etainia) zimbabwiensis (Scoble,1983) (Nepticulidae) Synonymy: zimbabwiensis Scoble,1983 Range (as code): **ZW ZA**
8438.Ectoedemia (Fomoria) alexandria Scoble,1983 (Nepticulidae) Synonymy: alexandria Scoble,1983 Range (as code): **ZA**
8439.Ectoedemia (Fomoria) fuscata (Janse,1948) (Nepticulidae) Synonymy: fuscata Janse,1948 Range (as code): **ZA**
8440.Ectoedemia (Fomoria) hobohmi (Janse,1948) (Nepticulidae) Synonymy: hobohmi Janse,1948 Range (as code): **ZA**
8441.Ectoedemia (Fomoria) incisaevora Scoble,1983 (Nepticulidae) Synonymy: incisaevora Scoble,1983 Range (as code): **ZA**
8442.Ectoedemia (Fomoria) indicaevora Scoble,1983 (Nepticulidae) Synonymy: indicaevora Scoble,1983 Range (as code): **ZA**
8443.Ectoedemia (Fomoria) knysnaensis Scoble,1983 (Nepticulidae) Synonymy: knysnaensis Scoble,1983 Range (as code): **ZA**
8444.Ectoedemia (Fomoria) leptodictyae Scoble,1983 (Nepticulidae) Synonymy: leptodictyae Scoble,1983 Range (as code): **ZA**
8445.Ectoedemia (Fomoria) lucidae Scoble,1983 (Nepticulidae) Synonymy: lucidae Scoble,1983 Range (as code): **ZA**
8446.Ectoedemia (Fomoria) malenanensis Scoble,1983 (Nepticulidae) Synonymy: malenanensis Scoble,1983 Range (as code): **ZA**
8447.Ectoedemia (Fomoria) myrtinaecola Scoble,1983 (Nepticulidae) Synonymy: myrtinaecola Scoble,1983 Range (as code): **ZA**
8448.Ectoedemia (Fomoria) oleivora (Vari,1955) (Nepticulidae) Synonymy: oleivora Vari,1955 Range (as code): **ZA Tva Gau Pre**
8449.Ectoedemia (Fomoria) pappeivora (Vari,1963) (Nepticulidae) Synonymy: pappeivora Vari,1963 Range (as code): **ZA**
8450.Ectoedemia (Fomoria) portensis Scoble,1983 (Nepticulidae) Synonymy: portensis Scoble,1983 Range (as code): **ZA**
8451.Ectoedemia (Fomoria) ruwenzoriensis (Bradley,1965) (Nepticulidae) Synonymy: ruwenzoriensis Bradley,1965 Range (as code): **UG Rz**
8452.Ectoedemia (Fomoria) tecomariae (Vari,1955) (Nepticulidae) Synonymy: tecomariae Vari,1955 Range (as code): **ZA Wca Cto Grh Ec**
8453.Ectoedemia (Fomoria) thermae Scoble,1983 (Nepticulidae) Synonymy: thermae Scoble,1983 Range (as code): **ZA**
8454.Ectoedemia (Fomoria) vannifera (Meyrick,1914) (Nepticulidae) Synonymy: vannifera Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
8455.Ectoedemia (Fomoria) variicapitella (Chrétien,1908) (Nepticulidae) Synonymy: variicapitella Chrétien,1908 Range (as code): **Cn**
8456.Ectoedemia (Muhabbetana) bicarina Scoble,1983 (Nepticulidae) Synonymy: bicarina Scoble,1983 Range (as code): **ZA**
8457.Ectoedemia (Muhabbetana) capensis Scoble,1983 (Nepticulidae) Synonymy: capensis Scoble,1983 Range (as code): **ZA**
8458.Ectoedemia (Muhabbetana) craspedota (Vari,1963) (Nepticulidae) Synonymy: craspedota Vari,1963 Range (as code): **ZA**

8459.Ectoedemia (Muhabbetana) crispae Scoble,1983 (Nepticulidae) Synonymy: crispae Scoble,1983 Range (as code): **ZA**

8460.Ectoedemia (Muhabbetana) denticulata Scoble,1983 (Nepticulidae) Synonymy: denticulata Scoble,1983 Range (as code): **ZA**

8461.Ectoedemia (Muhabbetana) digitata Scoble,1983 (Nepticulidae) Synonymy: digitata Scoble,1983 Range (as code): **ZA**

8462.Ectoedemia (Muhabbetana) furcella Scoble,1983 (Nepticulidae) Synonymy: furcella Scoble,1983 Range (as code): **ZA**

8463.Ectoedemia (Muhabbetana) grandinosa (Meyrick,1911) (Nepticulidae) Synonymy: grandinosa Meyrick,1911 Range (as code): **ZA Tva Gau Pre**

8464.Ectoedemia (Muhabbetana) guerkiae Scoble,1983 (Nepticulidae) Synonymy: guerkiae Scoble,1983 Range (as code): **ZA**

8465.Ectoedemia (Muhabbetana) gymnosporiae (Vari,1955) (Nepticulidae) Synonymy: gymnosporiae Vari,1955 Range (as code): **ZA Tva Gau Pre**

8466.Ectoedemia (Muhabbetana) jupiteri Scoble,1983 (Nepticulidae) Synonymy: jupiteri Scoble,1983 Range (as code): **ZA**

8467.Ectoedemia (Muhabbetana) kowynensis Scoble,1983 (Nepticulidae) Synonymy: kowynensis Scoble,1983 Range (as code): **ZA**

8468.Ectoedemia (Muhabbetana) limburgensis Scoble,1983 (Nepticulidae) Synonymy: limburgensis Scoble,1983 Range (as code): **ZA**

8469.Ectoedemia (Muhabbetana) macrochaeta (Meyrick,1921) (Nepticulidae) Synonymy: macrochaeta Meyrick,1921 Range (as code): **ZA Tva Gau Pre**

8470.Ectoedemia (Muhabbetana) maritima Scoble,1983 (Nepticulidae) Synonymy: maritima Scoble,1983 Range (as code): **ZA**

8471.Ectoedemia (Muhabbetana) nigrisquama Scoble,1983 (Nepticulidae) Synonymy: nigrisquama Scoble,1983 Range (as code): **ZA**

8472.Ectoedemia (Muhabbetana) nylstroomensis Scoble,1983 (Nepticulidae) Synonymy: nylstroomensis Scoble,1983 Range (as code): **ZA**

8473.Ectoedemia (Muhabbetana) psarodes (Vari,1963) (Nepticulidae) Synonymy: psarodes Vari,1963 Range (as code): **ZA**

8474.Ectoedemia (Muhabbetana) rhabdophora Scoble,1983 (Nepticulidae) Synonymy: rhabdophora Scoble,1983 Range (as code): **ZA**

8475.Ectoedemia (Muhabbetana) royenicola (Vari,1955) (Nepticulidae) Synonymy: royenicola Vari,1955 Range (as code): **ZA Nta Kzu Tva Gau Pre**

8476.Ectoedemia (Muhabbetana) scabridae Scoble,1983 (Nepticulidae) Synonymy: scabridae Scoble,1983 Range (as code): **ZA**

8477.Ectoedemia (Muhabbetana) simiicola Scoble,1983 (Nepticulidae) Synonymy: simiicola Scoble,1983 Range (as code): **ZA**

8478.Ectoedemia (Muhabbetana) stimulata (Meyrick,1913) (Nepticulidae) Synonymy: stimulata Meyrick,1913 Range (as code): **ZA Tva Gau Pre Mpu Brb**

8479.Ectoedemia (Muhabbetana) subnitescens (Meyrick,1937) (Nepticulidae) Synonymy: subnitescens Meyrick,1937 Range (as code): **ZA**

8480.Ectoedemia (Muhabbetana) umdoniella Scoble,1983 (Nepticulidae) Synonymy: umdoniella Scoble,1983 Range (as code): **ZA**

8481.Ectoedemia (Muhabbetana) undatae Scoble,1983 (Nepticulidae) Synonymy: undatae Scoble,1983 Range (as code): **ZA**

8482.Ectoedemia (Muhabbetana) wilkinsoni Scoble,1983 (Nepticulidae) Synonymy: wilkinsoni Scoble,1983 Range (as code): **ZA**

8483.Ectoedemia (s.str.) albifasciella (Heinemann,1871) (Nepticulidae) Synonymy: albifasciella Heinemann,1871 Range (as code): **PT ES FR IT IE GB BE LU NL DE CH AT PL CZ SK HU YU? GR DK NO SE FI EE LV LT RU RO TN Dhm**

8484.Ectoedemia (s.str.) algeriensis van Nieukerken,1985 (Nepticulidae) Synonymy: algeriensis van Nieukerken,1985 Range (as code): **MA DZ Dja Btna FR**

8485.Ectoedemia (s.str.) commiphorella Scoble,1978 (Nepticulidae) Synonymy: commiphorella Scoble,1978 Range (as code): **ZA**

8486.Ectoedemia (s.str.) erythrogenella (De Joannis,1908) (Nepticulidae) Synonymy: erythrogenella De Joannis,1908 Range (as code): **PT ES FR Co Si Sa TR TN Dhm IT GB CH YU GR CY 07**

8487.Ectoedemia (s.str.) haraldi (Soffner,1942) (Nepticulidae) Synonymy: haraldi Soffner,1942 Range (as code): **MA PT ES FR IT TR GR Le Cr 07**
8488.Ectoedemia (s.str.) heringella (Mariani,1939) (Nepticulidae) Synonymy: heringella Mariani,1939 Range (as code): **Co Si IT Sa YU CY TN Dhm**
8489.Ectoedemia (s.str.) mauni Scoble,1979 (Nepticulidae) Synonymy: mauni Scoble,1979 Range (as code): **ZA**
8490.Ectoedemia (s.str.) nigrimacula (Janse,1948) (Nepticulidae) Synonymy: nigrimacula Janse,1948 Range (as code): **ZA**
8491.Ectoedemia (s.str.) primaria (Meyrick,1913) (Nepticulidae) Synonymy: primaria Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst Gau Pre**
8492.Ectoedemia (s.str.) subbimaculella (Haworth,1828) (Nepticulidae) Synonymy: subbimaculella Haworth,1828; bistrimaculella Heyden,1861 Range (as code): **TN Dhm PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV RU MD UA BY IR Gls**
8493.Ectoedemia (s.str.) suberis (Stainton,1869) (Nepticulidae) Synonymy: suberis Stainton,1869 Range (as code): **MA DZ Agi TN Dhm PT ES FR Co Sa Si? IL**
8494.Simplimorpha lanceifoliella (Vari,1955) (Nepticulidae) Synonymy: lanceifoliella Vari,1955 Range (as code): **ZW ZA Tva Gau Pre**
8495.Stigmella abutilonica Scoble,1978 (Nepticulidae) Synonymy: abutilonica Scoble,1978 Range (as code): **ZA**
8496.Stigmella allophylica Scoble,1978 (Nepticulidae) Synonymy: allophylica Scoble,1978 Range (as code): **ZA**
8497.Stigmella allophylivora Gustafsson,1985 (Nepticulidae) Synonymy: allophylivora Gustafsson,1985 Range (as code): **GM**
8498.Stigmella ampullata Scoble,1978 (Nepticulidae) Synonymy: ampullata Scoble,1978 Range (as code): **ZA**
8499.Stigmella androflava Scoble,1978 (Nepticulidae) Synonymy: androflava Scoble,1978 Range (as code): **ZA**
8500.Stigmella angustivalva Scoble,1978 (Nepticulidae) Synonymy: angustivalva Scoble,1978 Range (as code): **ZA**
8501.Stigmella basiguttella (Heinemann,1862) (Nepticulidae) Synonymy: basiguttella Heinemann,1862; cerricolella Klimesch,1946 Range (as code): **TN Dhm PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU HV BG GR TR DK NO SE FI EE LT RU MD UA BY Cc GG AZ Lag Len IR Gls 01 33**
8502.Stigmella birgittae Gustafsson,1984 (Nepticulidae) Synonymy: birgittae Gustafsson,1984 Range (as code): **GM SA**
8503.Stigmella caliginosa (Meyrick,1921) (Nepticulidae) Synonymy: caliginosa Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
8504.Stigmella celtifoliella Vari,1955 (Nepticulidae) Synonymy: celtifoliella Vari,1955 Range (as code): **ZA Tva Lpo Gau Pre Spb**
8505.Stigmella charistis Vari,1963 (Nepticulidae) Synonymy: charistis Vari,1963 Range (as code): **ZA**
8506.Stigmella confinalis Scoble,1978 (Nepticulidae) Synonymy: confinalis Scoble,1978 Range (as code): **ZA ZW Mpu**
8507.Stigmella crenulatae (Klimesch,1975) (Nepticulidae) Synonymy: crenulatae Klimesch,1975 Range (as code): **Cn ES PT**
8508.Stigmella crotonica Scoble,1978 (Nepticulidae) Synonymy: crotonica Scoble,1978 Range (as code): **ZA**
8509.Stigmella dombeyivora Scoble,1978 (Nepticulidae) Synonymy: dombeyivora Scoble,1978 Range (as code): **ZA**
8510.Stigmella fluida (Meyrick,1911) (Nepticulidae) Synonymy: fluida Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
8511.Stigmella freyella (Heyden,1858) (Nepticulidae) Synonymy: freyella Heyden,1858 Range (as code): **DZ Bsk TN Gf ES FR Co Sa IT NL DE CH AT PL CZ SK HU RO GR LV LT RU MD UA Cm TJ**
8512.Stigmella galactacma (Meyrick,1924) (Nepticulidae) Synonymy: galactacma Meyrick,1924 Range (as code): **ZA Nta Kzu Wnn**
8513.Stigmella generalis Scoble,1978 (Nepticulidae) Synonymy: generalis Scoble,1978 Range (as code): **ZA**
8514.Stigmella geranica Scoble,1978 (Nepticulidae) Synonymy: geranica Scoble,1978 Range (as code): **ZA**

8515.Stigmella grewiae Scoble,1978 (Nepticulidae) Synonymy: grewiae Scoble,1978 Range (as code): **ZA Kzu Nta**
8516.Stigmella gustafssoni (Capuse,1975) (Nepticulidae) Synonymy: gustafssoni Capuse,1975 Range (as code): **ZM**
8517.Stigmella hortorum Scoble,1978 (Nepticulidae) Synonymy: hortorum Scoble,1978 Range (as code): **ZA**
8518.Stigmella ingens (Meyrick,1913) (Nepticulidae) Synonymy: ingens Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
8519.Stigmella irrorata (Janse,1948) (Nepticulidae) Synonymy: irrorata Janse,1948 Range (as code): **NA**
8520.Stigmella karsholti Nieukerken & Johansson,2003 (Nepticulidae) Synonymy: karsholti Nieukerken & Johansson,2003 Range (as code): **TN**
8521.Stigmella kruegeri Vari,1963 (Nepticulidae) Synonymy: kruegeri Vari,1963 Range (as code): **ZA**
8522.Stigmella letabensis Scoble,1978 (Nepticulidae) Synonymy: letabensis Scoble,1978 Range (as code): **ZA**
8523.Stigmella liota Vari,1963 (Nepticulidae) Synonymy: liota Vari,1963 Range (as code): **ZA**
8524.Stigmella nigrata (Meyrick,1913) (Nepticulidae) Synonymy: nigrata Meyrick,1913 Range (as code): **MA ZA Wv Mpu Tva Gau Pre**
8525.Stigmella panconista (Meyrick,1920) (Nepticulidae) Synonymy: panconista Meyrick,1920 Range (as code): **ZA**
8526.Stigmella parinarella Vari,1955 (Nepticulidae) Synonymy: parinarella Vari,1955 Range (as code): **ZA Tva Gau Pre**
8527.Stigmella perplexa (Janse,1948) (Nepticulidae) Synonymy: perplexa Janse,1948 Range (as code): **ZA**
8528.Stigmella platyzona Vari,1963 (Nepticulidae) Synonymy: platyzona Vari,1963 Range (as code): **ZA**
8529.Stigmella porphyreuta (Meyrick,1917) (Nepticulidae) Synonymy: porphyreuta Meyrick,1917 Range (as code): **ZA**
8530.Stigmella potgieteri Scoble,1978 (Nepticulidae) Synonymy: potgieteri Scoble,1978 Range (as code): **ZA**
8531.Stigmella pretoriata Scoble,1978 (Nepticulidae) Synonymy: pretoriata Scoble,1978 Range (as code): **ZA Tva Gau Pre**
8532.Stigmella protosema (Meyrick,1921) (Nepticulidae) Synonymy: protosema Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
8533.Stigmella rhynchosiella Vari,1955 (Nepticulidae) Synonymy: rhynchosiella Vari,1955 Range (as code): **ZA Tva Gau Pre**
8534.Stigmella satarensis Scoble,1978 (Nepticulidae) Synonymy: satarensis Scoble,1978 Range (as code): **ZA**
8535.Stigmella suberivora (Stainton,1869) (Nepticulidae) Synonymy: suberivora Stainton,1869; aureocaputella Millière,1870; aureocapitella Millière,1870; ilicivora Peyerimhoff,1871 Range (as code): **DZ Btna Dja TN Dhm PT ES An FR Co Sa Si IT GB SS HV B-H GB**
8536.Stigmella tragilis Scoble,1978 (Nepticulidae) Synonymy: tragilis Scoble,1978 Range (as code): **ZA**
8537.Stigmella triumfettica Scoble,1978 (Nepticulidae) Synonymy: triumfettica Scoble,1978 Range (as code): **ZA**
8538.Stigmella urbica (Meyrick,1913) (Nepticulidae) Synonymy: urbica Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
8539.Stigmella varii Scoble,1978 (Nepticulidae) Synonymy: varii Scoble,1978 Range (as code): **ZA**
8540.Stigmella worcesteri Scoble,1983 (Nepticulidae) Synonymy: worcesteri Scoble,1983 Range (as code): **ZA**
8541.Stigmella xanthomitra (Meyrick,1921) (Nepticulidae) Synonymy: xanthomitra Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
8542.Stigmella ziziphivora Gustafsson,1984 (Nepticulidae) Synonymy: ziziphivora Gustafsson,1984 Range (as code): **GM**
8543.Stigmella zizyphi (Walsingham,1911) (Nepticulidae) Synonymy: zizyphi Walsingham,1911 Range (as code): **DZ Bsk TN Gf**
8544.Trifurcula (Glaucolepis) rosmarinella (Chrétien,1914) (Nepticulidae) Synonymy: rosmarinella Chrétien,1914 Range (as code): **TN PT ES FR Co CY**
8545.Trifurcula (Levarchama) ortneri (Klimesch,1951) (Nepticulidae) Synonymy: ortneri Klimesch,1951 Range (as code): **MA DZ ES FR IT DE AT SK HU YU CZ DE**

8546.Trifurcula (s.str.) subnitidella (Duponchel,1843) (Nepticulidae) Synonymy: subnitidella Duponchel,1843; griseella Wolff,1957 Range (as code): **TN ES FR IT IE GB BE NL DE AT CZ SK RO YU BG GR TR DK SE FI EE LV RU MD UA Cm BY 06**
8547.Trifurcula barbertonensis Scoble,1980 (Nepticulidae) Synonymy: barbertonensis Scoble,1980 Range (as code): **ZA Tva Mpu Brb**
8548.Trifurcula pulla Scoble,1980 (Nepticulidae) Synonymy: pulla Scoble,1980 Range (as code): **ZA**
8549.Varius ochnicola (Vari,1955) (Nepticulidae) Synonymy: ochnicola Vari,1955 Range (as code): **ZA Tva Gau Pre**

Noctuidae

8550."Capnodes" acidalia Holland,1894 (Noctuidae) Synonymy: acidalia Holland,1894 Range (as code): **GA Ogo**
8551."Capnodes" albicostata Poole,1989 (Noctuidae) Synonymy: albicosta Bethune-Baker,1911 nec Dya.,1909; albicostata Poole,1989 Range (as code): **NG Lgo**
8552."Cirroedia" accola R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: accola R.Felder & Rogenhofer,1874 Range (as code): **ZA**
8553."Craterestra" definiens (Walker,1857) (Noctuidae) Synonymy: definiens Walker,1857 Range (as code): **ZA Ec**
8554."Craterestra" subvelata (Walker,1875) (Noctuidae) Synonymy: subvelata Walker,1875 Range (as code): **ZA**
8555."Erastria" varipalpis Walker,1865 (Noctuidae) Synonymy: varipalpis Walker,1865 Range (as code): **ZA**
8556."Hadena" bulgeri (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: bulgeri R.Felder & Rogenhofer,1874 Range (as code): **KE ZA Tva Gau Pre Jh Ec Tra Nta Kzu Est Qt**
8557."Hadena" fusifasciata Walker,1865 (Noctuidae) Synonymy: fusifasciata Walker,1865 Range (as code): **ZA**
8558."Hadena" mamestroides Walker,1865 (Noctuidae) Synonymy: mamestroides Walker,1865 Range (as code): **ZA**
8559."Hadena" ruptilinea (Walker,1857) (Noctuidae) Synonymy: ruptilinea Walker,1857 Range (as code): **ZA Nta Kzu Dbn**
8560."Lycophotia" ecvinacea Hampson,1903 (Noctuidae) Synonymy: ecvinacea Hampson,1903 Range (as code): **ZA**
8561."Lycophotia" melanephra Hampson,1909 (Noctuidae) Synonymy: melanephra Hampson,1909 Range (as code): **ZA**
8562."Lycophotia" postventa (Geyer,1837) (Noctuidae) Synonymy: postventa Geyer,1837 Range (as code): **ZA**
8563."Mamestra" catephiodes Walker,1865 (Noctuidae) Synonymy: catephiodes Walker,1865 Range (as code): **ZA**
8564."Miana" adactricula Guenée,1852 (Noctuidae) Synonymy: adactricula Guenée,1852 Range (as code): **ET**
8565."Ophiodes" wahlbbergi Wallengren,1856 (Noctuidae) Synonymy: wahlbbergi Wallengren,1856 Range (as code): **ZA**
8566."Perigea" bicyclata Gaede,1915 (Noctuidae) Synonymy: bicyclata Gaede,1915 Range (as code): **ZA**
8567."Perigea" grandirena (Hampson,1902) (Noctuidae) Synonymy: grandirena Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
8568."Perigea" quadrimacula (Mabille,1900) (Noctuidae) Synonymy: quadrimacula Mabille,1900 Range (as code): **ZA Nta Kzu Umk**
8569."Plusia" ablusa R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: ablusa R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu Est Ec Kny**
8570."Plusia" angulum Guenée,1852 (Noctuidae) Synonymy: angulum Guenée,1852 Range (as code): **ZA Nta Kzu Est Dbn Ec**
8571."Plusia" aranea Hampson,1909 (Noctuidae) Synonymy: aranea Hampson,1909 Range (as code): **ZA**
8572."Plusia" argyrodonta Hampson,1910 (Noctuidae) Synonymy: argyrodonta Hampson,1910 Range (as code): **ZA**
8573."Plusia" clarki Hampson,1900 (Noctuidae) Synonymy: clarki Hampson,1900 Range (as code): **ZA**

8574."Plusia" dalei Wollaston,1879 (Noctuidae) Synonymy: dalei Wollaston,1879 Range (as code): **ZA**
8575."Plusia" distalagma (Hampson,1913) (Noctuidae) Synonymy: distalagma Hampson,1913 Range (as code): **ZA**
8576."Plusia" euchroa (Hampson,1918) (Noctuidae) Synonymy: euchroa Hampson,1918 Range (as code): **ZA**
8577."Plusia" euchroides Carcasson,1965 (Noctuidae) Synonymy: euchroides Carcasson,1965 Range (as code): **ZA**
8578."Plusia" geminipuncta Hampson,1902 (Noctuidae) Synonymy: geminipuncta Hampson,1902 Range (as code): **ZA Nta Kzu**
8579."Plusia" guenei Wallengren,1865 (Noctuidae) Synonymy: guenei Wallengren,1865 Range (as code): **ZA**
8580."Plusia" lavendula Hampson,1902 (Noctuidae) Synonymy: lavendula Hampson,1902 Range (as code): **ZA Ec**
8581."Plusia" melanocephala Möschler,1883 (Noctuidae) Synonymy: melanocephala Möschler,1883 Range (as code): **ZA Ec**
8582."Plusia" rectilinea Wallengren,1865 (Noctuidae) Synonymy: rectilinea Wallengren,1865 Range (as code): **ZA**
8583."Plusia" tetrastigma Hampson,1910 (Noctuidae) Synonymy: tetrastigma Hampson,1910 Range (as code): **ZA**
8584."Plusia" violascens (Hampson,1913) (Noctuidae) Synonymy: violascens Hampson,1913 Range (as code): **ZA**
8585."Polia" cuprescens Hampson,1905 (Noctuidae) Synonymy: cuprescens Hampson,1905 Range (as code): **ZA**
8586."Rhizotype" palliata W.Warren,1914 (Noctuidae) Synonymy: palliata W.Warren,1914 Range (as code): **ZA**
8587."Tarache" sphaerophora Hampson,1914 (Noctuidae) Synonymy: sphaerophora Hampson,1914 Range (as code): **NG**
8588."Thalpochares" aquamilinea R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: aquamilinea R.Felder & Rogenhofer,1874 Range (as code): **ZA**
8589."Thalpochares" caffrorum Wallengren,1860 (Noctuidae) Synonymy: caffrorum Wallengren,1860 Range (as code): **ZA**
8590."Trachea" normalis Hampson,1914 (Noctuidae) Synonymy: normalis Hampson,1914 Range (as code): **ZA Tva Gau Pre ZW Bul**
8591."Trachea" oxyla (Fawcett,1917) (Noctuidae) Synonymy: oxyla Fawcett,1917; lobisemastis Hampson,1918 Range (as code): **TZ ZA Kzu Nta**
8592.Ableptina nubifera (Hampson,1902) (Noctuidae) Synonymy: nubifera Hampson,1902 Range (as code): **ZA**
8593.Abrostola bettoni Dufay,1958 (Noctuidae) Synonymy: bettoni Dufay,1958 Range (as code): **KE DJ DJ44**
8594.Abrostola brevipennis (Walker,1858) (Noctuidae) Synonymy: brevipennis Walker,1858 Range (as code): **ZA Nta Kzu Dbn KE Nai DJ DJ44**
8595.Abrostola canariensis Hampson,1913 (Noctuidae) Synonymy: canariensis Hampson,1913 Range (as code): **Cn**
8596.Abrostola confusa Dufay,1958 (Noctuidae) Synonymy: confusa Dufay,1958 Range (as code): **ML**
8597.Abrostola congolensis Dufay,1958 (Noctuidae) Synonymy: congolensis Dufay,1958 Range (as code): **ZR**
8598.Abrostola fallax Dufay,1975 (Noctuidae) Synonymy: fallax Dufay,1975 Range (as code): **CM**
8599.Abrostola marmorea Dufay,1958 (Noctuidae) Synonymy: marmorea Dufay,1958 Range (as code): **KE Nai**
8600.Abrostola obliqua Dufay,1958 (Noctuidae) Synonymy: obliqua Dufay,1958 Range (as code): **ET ET204**
8601.Abrostola oculea Dufay,1958 (Noctuidae) Synonymy: oculea Dufay,1958 Range (as code): **ZA**
8602.Abrostola pulverea Dufay,1958 (Noctuidae) Synonymy: pulverea Dufay,1958 Range (as code): **TZ Kmj**
8603.Abrostola rougeoti Dufay,1977 (Noctuidae) Synonymy: rougeoti Dufay,1977 Range (as code): **ET ET24 Ars ET196**
8604.Abrostola triopis (Hampson,1902) (Noctuidae) Synonymy: triopis Hampson,1902 Range (as code): **ZA Nta Kzu Dbn Ec**

8605.Abrostola violacea Dufay,1958 (Noctuidae) Synonymy: violacea Dufay,1958 Range (as code): **TZ Aus**
8606.Aburina chrysa Gaede,1940 (Noctuidae) Synonymy: chrysa Gaede,1940 Range (as code): **CM**
8607.Aburina coerulescens Hampson,1926 (Noctuidae) Synonymy: coerulescens Hampson,1926 Range (as code): **ZA MW Mje**
8608.Aburina dufayi Viette,1979 (Noctuidae) Synonymy: dufayi Viette,1979 Range (as code): **MG**
8609.Aburina electa Karsch,1896 (Noctuidae) Synonymy: electa Karsch,1896 Range (as code): **CM Yau**
8610.Aburina endoxantha Hampson,1926 (Noctuidae) Synonymy: endoxantha Hampson,1926 Range (as code): **ZR**
8611.Aburina exangulata Gaede,1940 (Noctuidae) Synonymy: exangulata Gaede,1940 Range (as code): **CM**
8612.Aburina jucunda Karsch,1896 (Noctuidae) Synonymy: jucunda Karsch,1896 Range (as code): **TG**
8613.Aburina leucocharagma Hampson,1926 (Noctuidae) Synonymy: leucocharagma Hampson,1926 Range (as code): **GH**
8614.Aburina morosa (Holland,1920) (Noctuidae) Synonymy: morosa Holland,1920 Range (as code): **ZR Mdj**
8615.Aburina multilineata (Holland,1920) (Noctuidae) Synonymy: multilineata Holland,1920 Range (as code): **ZR Mdj**
8616.Aburina phoenocrosmena Hampson,1926 (Noctuidae) Synonymy: phoenocrosmena Hampson,1926 Range (as code): **GH**
8617.Aburina poliophaea Hampson,1926 (Noctuidae) Synonymy: poliophaea Hampson,1926 Range (as code): **ZA MW Mje**
8618.Aburina sobrina Möschler,1887 (Noctuidae) Synonymy: sobrina Möschler,1887 Range (as code): **GH**
8619.Aburina tetragramma Hampson,1926 (Noctuidae) Synonymy: tetragramma Hampson,1926 Range (as code): **NG**
8620.Aburina transversata (Holland,1920) (Noctuidae) Synonymy: transversata Holland,1920 Range (as code): **GA Ogo**
8621.Aburina uncinata Berio,1974 (Noctuidae) Synonymy: uncinata Berio,1974 Range (as code): **ZR**
8622.Acaenica diaperas Hampson,1918 (Noctuidae) Synonymy: diaperas Hampson,1918 Range (as code): **ZA MZ**
8623.Acanthodelta distriga Hampson,1908 (Noctuidae) Synonymy: distriga Hampson,1908 Range (as code): **ZA**
8624.Acanthofrontia lithosiana Hampson,1910 (Noctuidae) Synonymy: lithosiana Hampson,1910 Range (as code): **KE**
8625.Acantholipes acephala Strand,1912 (Noctuidae) Synonymy: acephala Strand,1912 Range (as code): **CG**
8626.Acantholipes aurea Berio,1966 (Noctuidae) Synonymy: aurea Berio,1966 Range (as code): **SN ET Sw ET24**
8627.Acantholipes circumdata (Walker,1858) (Noctuidae) Synonymy: circumdata Walker,1858; vetustalis Walker,[1866]; flavisigna Moore,1881 Range (as code): **NG ZR Sk KE MW MZ Del PK Sd Krc IN Bba IR Ss Chh Hz B-A AF Dwe Ca ZA EG Sn**
8628.Acantholipes namacensis (Guenée,1852) (Noctuidae) Synonymy: namacensis Guenée,1852 Range (as code): **ZA**
8629.Acantholipes plumbeonitens Hampson,1926 (Noctuidae) Synonymy: plumbeonitens Hampson,1926 Range (as code): **AO**
8630.Acantholipes semiaurea Berio,1966 (Noctuidae) Synonymy: semiaurea Berio,1966 Range (as code): **SN**
8631.Acantholipes trajecta (Walker,1865) (Noctuidae) Synonymy: trajecta Walker,1865; inconspicua Butler,1880; trifasciata Moore,[1885] Range (as code): **ZA TW LK IN CN JP Ri VN TH Nan Dpk**
8632.Acantholipes transiens Berio,1955 (Noctuidae) Synonymy: transiens Berio,1955 Range (as code): **MG**
8633.Acantholipes trimeni R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: trimeni R.Felder & Rogenhofer,1874 Range (as code): **ZW Har BW Nga ZA Nta Kzu Est**
8634.Acantuerta thomensis (Jordan,1904) (Noctuidae) Synonymy: thomensis Jordan,1904 Range (as code): **ST**
8635.Achaea albicilia (Walker,1858) (Noctuidae) Synonymy: albicilia Walker,1858 Range (as code): **SL CG ZA Nta Kzu**

8636.Achaea albifimbria (Walker,1869) (Noctuidae) Synonymy: albifimbria Walker,1869; apiciplaga Holland,1894 Range (as code): **GA Ogo**
8637.Achaea albilimba Berio,1954 (Noctuidae) Synonymy: albilimba Berio,1954 Range (as code): **ZR Itu**
8638.Achaea apinigra Laporte,1979 (Noctuidae) Synonymy: apinigra Laporte,1979 Range (as code): **TZ Usa**
8639.Achaea atrimacula Gaede,1917 (Noctuidae) Synonymy: atrimacula Gaede,1917 Range (as code): **TZ Usa Tnga Ani**
8640.Achaea balteata De Joannis,1912 (Noctuidae) Synonymy: balteata De Joannis,1912 Range (as code): **MG**
8641.Achaea basalis Berio,1954 (Noctuidae) Synonymy: basalis Berio,1954 Range (as code): **ZR Lsb**
8642.Achaea basilewskyi Berio,1954 (Noctuidae) Synonymy: basilewskyi Berio,1954 Range (as code): **ZR Lsb**
8643.Achaea bergeri Berio,1954 (Noctuidae) Synonymy: bergeri Berio,1954 Range (as code): **ZR Skr**
8644.Achaea boris (Geyer,1837) (Noctuidae) Synonymy: boris Geyer,1837; mundissima Walker,1858; senior Walker,1858; sinistra Mabille,1880; debilis Holland,1894 Range (as code): **ZA Nta Kzu SL CI NG Caa GA Ogo**
8645.Achaea busira Strand,1918 (Noctuidae) Synonymy: busira Strand,1918 Range (as code): **ZR Bsi**
8646.Achaea canuta Berio,1978 (Noctuidae) Synonymy: canuta Berio,1978 Range (as code): **KE**
8647.Achaea catella Guenée,1852 (Noctuidae) Synonymy: catella Guenée,1852; #catilla Butler,1879 Range (as code): **SH LS SA ZR SN EG ER ET Sk RE MU SC GH GM MW MR NE NG SN SO SD ZM TZ UG KE ZW Har BW Nga ZA Tva Lpo Spb Mdk Nta Kzu YE Sk Ad IR Bu AE OM**
8648.Achaea chrysopera Druce,1912 (Noctuidae) Synonymy: chrysopera Druce,1912 Range (as code): **ZA TZ Dss**
8649.Achaea cupreitincta Hampson,1918 (Noctuidae) Synonymy: cupreitincta Hampson,1918 Range (as code): **UG Etb**
8650.Achaea cyanobathra A.E.Prout,1919 (Noctuidae) Synonymy: cyanobathra A.E.Prout,1919 Range (as code): **CM Bit**
8651.Achaea cymatias A.E.Prout,1919 (Noctuidae) Synonymy: cymatias A.E.Prout,1919 Range (as code): **CM Bit**
8652.Achaea dallolmoi Berio,1974 (Noctuidae) Synonymy: dallolmoi Berio,1974 Range (as code): **TZ Iko**
8653.Achaea dasybasis Hampson,1913 (Noctuidae) Synonymy: dasybasis Hampson,1913 Range (as code): **ZA Nta Kzu ZW ZM**
8654.Achaea dejeanii (Boisduval,1833) (Noctuidae) Synonymy: dejeanii Boisduval,1833; madagascariensis Guenée,1852; orea Mabille,1881 Range (as code): **MG**
8655.Achaea determinata A.E.Prout,1921 (Noctuidae) Synonymy: determinata A.E.Prout,1921 Range (as code): **CF**
8656.Achaea diplographa Hampson,1913 (Noctuidae) Synonymy: diplographa Hampson,1913 Range (as code): **KM**
8657.Achaea dmoe L.B.Prout,1919 (Noctuidae) Synonymy: dmoe L.B.Prout,1919 Range (as code): **MG**
8658.Achaea durfa Plötz,1880 (Noctuidae) Synonymy: durfa Plötz,1880 Range (as code): **CM**
8659.Achaea ebenaui (Saalmüller,1880) (Noctuidae) Synonymy: ebenaui Saalmüller,1880 Range (as code): **MG**
8660.Achaea echo (Walker,1858) (Noctuidae) Synonymy: echo Walker,1858; mariaca Plötz,1880 Range (as code): **ZA Tva Mpu Ly Lpo Nta Kzu Dbn ZW Uma SL GH**
8661.Achaea euryplaga (Hampson,1913) (Noctuidae) Synonymy: euryplaga Hampson,1913 Range (as code): **MG**
8662.Achaea ezea (Cramer,1779) (Noctuidae) Synonymy: ezea Cramer,1779; hircus Fabricius,1794; leona R.Felder & Rogenhofer,1874; thomensis A.E.Prout,1927 Range (as code): **ZA ST**
8663.Achaea ezeoides Strand,1915 (Noctuidae) Synonymy: ezeoides Strand,1915 Range (as code): **CM**
8664.Achaea faber Holland,1894 (Noctuidae) Synonymy: faber Holland,1894 Range (as code): **ZA Nta Kzu Dbn SL MG NG Caa GA Ogo**
8665.Achaea ferreotincta Hampson,1918 (Noctuidae) Synonymy: ferreotincta Hampson,1918 Range (as code): **MW Mje**
8666.Achaea finita (Guenée,1852) (Noctuidae) Synonymy: finita Guenée,1852; limbata R.Felder & Rogenhofer,1874 Range (as code): **ZA ZR ZW Har MZ Del Nta Kzu MG RE MU**
8667.Achaea flexuosa A.E.Prout,1927 (Noctuidae) Synonymy: flexuosa A.E.Prout,1927 Range (as code): **ST**
8668.Achaea fontainei Berio,1956 (Noctuidae) Synonymy: fontainei Berio,1956 Range (as code): **ZR Skr**

8669.Achaea illustrata Walker,1858 (Noctuidae) Synonymy: illustrata Walker,1858; mabillii Saalmüller,1879 Range (as code): **ZA Nta Kzu Dbn SL NG YE**
8670.Achaea imperatrix Saalmüller,1881 (Noctuidae) Synonymy: imperatrix Saalmüller,1881 Range (as code): **MG**
8671.Achaea indeterminata (Walker,1865) (Noctuidae) Synonymy: indeterminata Walker,1865; demta Möschler,1883 Range (as code): **ZA Nta Kzu Dbn Est Ec**
8672.Achaea indicabilis Walker,1858 (Noctuidae) Synonymy: indicabilis Walker,1858 Range (as code): **SL**
8673.Achaea infinita (Guenée,1852) (Noctuidae) Synonymy: infinita Guenée,1852 Range (as code): **ZA MU**
8674.Achaea intercisa Walker,1865 (Noctuidae) Synonymy: intercisa Walker,1865 Range (as code): **SL**
8675.Achaea intermedia Wallengren,1856 (Noctuidae) Synonymy: intermedia Wallengren,1856 Range (as code): **ZA**
8676.Achaea jamesoni L.B.Prout,1919 (Noctuidae) Synonymy: jamesoni L.B.Prout,1919 Range (as code): **ZR**
8677.Achaea joiceyi A.E.Prout,1921 (Noctuidae) Synonymy: joiceyi A.E.Prout,1921 Range (as code): **CI**
8678.Achaea lenzi Saalmüller,1881 (Noctuidae) Synonymy: lenzi Saalmüller,1881 Range (as code): **MG**
8679.Achaea leucopasa Walker,1858 (Noctuidae) Synonymy: leucopasa Walker,1858; karschi Pagenstecher,1907 Range (as code): **MG**
8680.Achaea leucopera Druce,1912 (Noctuidae) Synonymy: leucopera Druce,1912 Range (as code): **CM Bit**
8681.Achaea lienardi (Boisduval,1833) (Noctuidae) Synonymy: lienardi Boisduval,1833; cebrena Guenée,1852; chamaeleon Guenée,1852; zabulon Guenée,1852; spectatura Walker,1858; ophismoides Walker,1869; partita Walker,1869; hilaris Plötz,1880; locra Plötz,1880; externesignata Saalmüller,1880. Range (as code): **ZA Tva Lpo Spb Mdk Nta Kzu Est Dbn Ver Ec Grh SL NG ZR EG KE TZ UG**
8682.Achaea mercatoria (Fabricius,1775) (Noctuidae) Synonymy: mercatoria Fabricius,1775; vulpina Fabricius,1794; ino Hübner,[1823]; accelerans Walker,1858 Range (as code): **MZ ZA IN LK ID Ja Sum TH? VN MY**
8683.Achaea monodi Laporte,1975 (Noctuidae) Synonymy: monodi Laporte,1975 Range (as code): **ET ET24 ET196 ET204**
8684.Achaea mormoides Walker,1858 (Noctuidae) Synonymy: mormoides Walker,1858; mania R.Felder & Rogenhofer,1874; schuetzei Bryk,1915 Range (as code): **NG Caa ZA Nta Kzu Dbn**
8685.Achaea nigristriata Laporte,1979 (Noctuidae) Synonymy: nigristriata Laporte,1979 Range (as code): **TZ Usa Tnga**
8686.Achaea obvia Hampson,1913 (Noctuidae) Synonymy: obvia Hampson,1913 Range (as code): **ZA CM UG Rz ET ET204 NG MW**
8687.Achaea oedipodina Mabille,1879 (Noctuidae) Synonymy: oedipodina Mabille,1879 Range (as code): **MG**
8688.Achaea orthogramma (Mabille,1879) (Noctuidae) Synonymy: orthogramma Mabille,1879; sarcopasa Druce,1912 Range (as code): **MG**
8689.Achaea phaeobasis Hampson,1913 (Noctuidae) Synonymy: phaeobasis Hampson,1913 Range (as code): **SD**
8690.Achaea poliopasta Hampson,1913 (Noctuidae) Synonymy: poliopasta Hampson,1913 Range (as code): **CM**
8691.Achaea praestans Guenée,1852 (Noctuidae) Synonymy: praestans Guenée,1852; bryoxantha Hampson,1902; arabella Bryk,1915; #bryoxantha Poole,1989 Range (as code): **ZA Nta Kzu MZ Del MG**
8692.Achaea radama R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: radama R.Felder & Rogenhofer,1874 Range (as code): **MG**
8693.Achaea regularidia (Strand,1912) (Noctuidae) Synonymy: regularidia Strand,1912 Range (as code): **TZ**
8694.Achaea renata A.E.Prout,1927 (Noctuidae) Synonymy: renata A.E.Prout,1927 Range (as code): **NG**
8695.Achaea retrorsa Hampson,1913 (Noctuidae) Synonymy: retrorsa Hampson,1913 Range (as code): **MG**
8696.Achaea rothkirchi (Strand,1914) (Noctuidae) Synonymy: rothkirchi Strand,1914; hypopolia Hampson,1918; ochrocraspeda A.E.Prout,1921 Range (as code): **CM SD MW Mje**
8697.Achaea rufobrunnea Strand,1914 (Noctuidae) Synonymy: rufobrunnea Strand,1914 Range (as code): **ZA**
8698.Achaea russoi Strand,1918 (Noctuidae) Synonymy: russoi Strand,1918 Range (as code): **ZR**
8699.Achaea saboeaereginae Laporte,1975 (Noctuidae) Synonymy: saboeaereginae Laporte,1975 Range (as code): **ET ET204**

8700.Achaea sakaraha Griveaud,1981 (Noctuidae) Synonymy: sakaraha Griveaud,1981 Range (as code): **MG**
8701.Achaea semiflava Carcasson,1965 (Noctuidae) Synonymy: semiflava Carcasson,1965 Range (as code): **UG**
8702.Achaea seyrigi Griveaud,1981 (Noctuidae) Synonymy: seyrigi Griveaud,1981 Range (as code): **MG**
8703.Achaea sordida (Walker,1865) (Noctuidae) Synonymy: sordida Walker,1865; pretoriae Distant,1892 Range (as code): **ZA Tva Gau Pre Ec**
8704.Achaea stumpffi Saalmüller,1880 (Noctuidae) Synonymy: stumpffi Saalmüller,1880 Range (as code): **MG**
8705.Achaea thermopera Hampson,1913 (Noctuidae) Synonymy: thermopera Hampson,1913 Range (as code): **NG Caa**
8706.Achaea tolnaodes Berio,1956 (Noctuidae) Synonymy: tolnaodes Berio,1956 Range (as code): **ZA ZR**
8707.Achaea tornistigma A.E.Prout,1921 (Noctuidae) Synonymy: tornistigma A.E.Prout,1921 Range (as code): **ZA RW**
8708.Achaea trapezoides (Guenée,1862) (Noctuidae) Synonymy: trapezoides Guenée,1862 Range (as code): **RE ZA**
8709.Achaea umbrigera Mabille,1898 (Noctuidae) Synonymy: umbrigera Mabille,1898 Range (as code): **MU ZA**
8710.Achaea usitata A.E.Prout,1927 (Noctuidae) Synonymy: usitata A.E.Prout,1927 Range (as code): **ST**
8711.Achaea violascens Hampson,1918 (Noctuidae) Synonymy: violascens Hampson,1918 Range (as code): **ZW Har**
8712.Achaea xanthodera (Holland,1894) (Noctuidae) Synonymy: xanthodera Holland,1894 Range (as code): **GA Ogo**
8713.Acontia (Acontarache) bechuana Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: bechuana Hacker, Legrain & Fibiger,2008 Range (as code): **BW ZA Gau Tva**
8714.Acontia (Acontarache) somaliensis (Berio,1977) (Noctuidae) Synonymy: somaliensis Berio,1977 Range (as code): **SO Mga**
8715.Acontia (Emmelia) amarei Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: amarei Hacker, Legrain & Fibiger,2008 Range (as code): **ET Gm**
8716.Acontia (Emmelia) antica Walker,1862 (Noctuidae) Synonymy: antica Walker,1862; acontina Mabille,1900; semiplumbea Hampson,1902; brabanti Le Cerf,1911 Range (as code): **ZA Nta Kzu NA AO BW NG KE TZ ET CF YE MG**
8717.Acontia (Emmelia) atripars (Hampson,1914) (Noctuidae) Synonymy: atripars Hampson,1914 Range (as code): **KE TZ**
8718.Acontia (Emmelia) aureola Hacker,2007 (Noctuidae) Synonymy: aureola Hacker,2007 Range (as code): **NA**
8719.Acontia (Emmelia) aurivillii Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: aurivillii Hacker, Legrain & Fibiger,2008 Range (as code): **NA**
8720.Acontia (Emmelia) basifera Walker,[1858] (Noctuidae) Synonymy: basifera Walker,[1858] Range (as code): **SD Kht SA As YE YE30 OM SO ET KE TZ Mgr CM NE ML SN GM IN PK NP CV**
8721.Acontia (Emmelia) bellula Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: bellula Hacker, Legrain & Fibiger,2008 Range (as code): **TZ**
8722.Acontia (Emmelia) bethunebakeri Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: bethunebakeri Hacker, Legrain & Fibiger,2008 Range (as code): **AO**
8723.Acontia (Emmelia) bidentata (Hampson,1902) (Noctuidae) Synonymy: bidentata Hampson,1902 Range (as code): **ZW Har ZA Tva Lpo**
8724.Acontia (Emmelia) binominata (Butler,1892) (Noctuidae) Synonymy: costalis Walker,1865 nec Wlk.,[1858]; binominata Butler,1892; inquinata W.Warren,1913 Range (as code): **PK Cp Sd Krc IN Mh Cu Bba Mad OM Dh IR Ss Chh Hz B-A SA YE Sna ET TZ KE**
8725.Acontia (Emmelia) callima (Bethune-Baker,1911) (Noctuidae) Synonymy: callima Bethune-Baker,1911 Range (as code): **AO CM ZR KE TZ**
8726.Acontia (Emmelia) citrelinea (Bethune-Baker,1911) (Noctuidae) Synonymy: citrelinea Bethune-Baker,1911; albida Bethune-Baker,1914 Range (as code): **AO NG ML NE SN GN GH ZR UG**
8727.Acontia (Emmelia) conifrons Aurivillius,1879 (Noctuidae) Synonymy: conifrons Aurivillius,1879 Range (as code): **NA ZA Gau Mpu Tva Plo Spb ZW BW TZ**
8728.Acontia (Emmelia) delphinensis (Viette,1968) (Noctuidae) Synonymy: delphinensis Viette,1968 Range (as code): **MG**

8729.Acontia (Emmelia) dichroa (Hampson,1914) (Noctuidae) Synonymy: dichroa Hampson,1914; seminigra Rebel,1948 Range (as code): **SD EG JE TZ KE ET DJ YE SA**

8730.Acontia (Emmelia) ectorrida (Hampson,1916) (Noctuidae) Synonymy: ectorrida Hampson,1916 Range (as code): **SO ET KE TZ ZW ZA Mpu Gau Tva Nta Kzu NA NG**

8731.Acontia (Emmelia) esperiana Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: esperiana Hacker, Legrain & Fibiger,2008 Range (as code): **BF**

8732.Acontia (Emmelia) fastrei Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: fastrei Hacker, Legrain & Fibiger,2008 Range (as code): **NG CI**

8733.Acontia (Emmelia) feae (Berio,1937) (Noctuidae) Synonymy: feae Berio,1937 Range (as code): **CV**

8734.Acontia (Emmelia) flavitermina (Hampson,1902) (Noctuidae) Synonymy: flavitermina Hampson,1902 Range (as code): **ZA Ec Tra**

8735.Acontia (Emmelia) fuscoalba Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: fuscoalba Hacker, Legrain & Fibiger,2008 Range (as code): **TZ**

8736.Acontia (Emmelia) gratiosa Wallengren,1856 (Noctuidae) Synonymy: gratiosa Wallengren,1856; zelleri Wallengren,1856; olivescens Hampson,1910 Range (as code): **ZA Gau Pre Jh Tva Wb**

8737.Acontia (Emmelia) hemiselenias (Hampson,1918) (Noctuidae) Synonymy: hemiselenias Hampson,1918 Range (as code): **CM Bit TG GH SL NG**

8738.Acontia (Emmelia) hemixanthia (Hampson,1910) (Noctuidae) Synonymy: hemixanthia Hampson,1910 Range (as code): **ZA TZ KE Kib ET ET29**

8739.Acontia (Emmelia) homonyma Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: dileuca Berio,1937 nec Hampsn.,1910; homonyma Hacker, Legrain & Fibiger,2008 Range (as code): **ET Gm Ogd**

8740.Acontia (Emmelia) imitatrix Wallengren,1856 (Noctuidae) Synonymy: imitatrix Wallengren,1856 Range (as code): **ZA Tva Lpo NA AO MZ MG ZW TZ SO ET RW YE YE30 CM TG GN GH SN CV MA**

8741.Acontia (Emmelia) karachiensis (Swinhoe,1889) (Noctuidae) Synonymy: karachiensis Swinhoe,1889; carachiensis Hampson,1910; elegantissima Berio,1937 Range (as code): **YE Sna ET TZ SD NE EG PK Sd Krc IN Mh Bba Cu**

8742.Acontia (Emmelia) lanzai (Berio,1985) (Noctuidae) Synonymy: lanzai Berio,1985 Range (as code): **SO ET TZ**

8743.Acontia (Emmelia) luteola Saalmüller,1891 (Noctuidae) Synonymy: luteola Saalmüller,1891 Range (as code): **MG**

8744.Acontia (Emmelia) mascheriniae (Berio,1985) (Noctuidae) Synonymy: mascheriniae Berio,1985 Range (as code): **SO KE**

8745.Acontia (Emmelia) natalis Guenée,1852 (Noctuidae) Synonymy: natalis Guenée,1852; adulterina Wallengren,1856; parilis Wallengren,1856; formosa Butler,1875; rectangularis Aurivillius,1879 Range (as code): **ZA Nta Kzu Gau Jh Ec Tva NA ZW TZ KE ET**

8746.Acontia (Emmelia) nephele Hampson,1911 (Noctuidae) Synonymy: nephele Hampson,1911 Range (as code): **TZ Mgr ZR MW ZW Bul ZA Nta Kzu Tva Mpu Nel Gau**

8747.Acontia (Emmelia) notha Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: notha Hacker, Legrain & Fibiger,2008 Range (as code): **TZ SO KE Kib**

8748.Acontia (Emmelia) nubila (Hampson,1916) (Noctuidae) Synonymy: nubila Hampson,1910 Range (as code): **SO KE Kib TZ**

8749.Acontia (Emmelia) nubilata (Hampson,1902) (Noctuidae) Synonymy: nubilata Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**

8750.Acontia (Emmelia) obliqua Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: obliqua Hacker, Legrain & Fibiger,2008 Range (as code): **KE TZ ZR**

8751.Acontia (Emmelia) paraalba Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: paraalba Hacker, Legrain & Fibiger,2008 Range (as code): **TZ**

8752.Acontia (Emmelia) praealba Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: praealba Hacker, Legrain & Fibiger,2008 Range (as code): **TZ ET**

8753.Acontia (Emmelia) purpurata Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: purpurata Hacker, Legrain & Fibiger,2008 Range (as code): **KE TZ ET**

8754.Acontia (Emmelia) purpureofacta Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: purpureofacta Hacker, Legrain & Fibiger,2008 Range (as code): **KE Kib ET Gm**

8755.Acontia (Emmelia) robertbecki Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: robertbecki Hacker, Legrain & Fibiger,2008 Range (as code): **ET ET29**

8756.Acontia (Emmelia) schreieri Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: schreieri Hacker, Legrain & Fibiger,2008 Range (as code): **KE TZ**

8757.Acontia (Emmelia) semialba (Hampson,1910) (Noctuidae) Synonymy: semialba Hampson,1910 Range (as code): **KE Kky ET ET87 NE ML SD Wme**

8758.Acontia (Emmelia) stassarti Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: stassarti Hacker, Legrain & Fibiger,2008 Range (as code): **SN**

8759.Acontia (Emmelia) subnotha Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: subnotha Hacker, Legrain & Fibiger,2008 Range (as code): **TZ Mgr**

8760.Acontia (Emmelia) szunyoghyi Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: szunyoghyi Hacker, Legrain & Fibiger,2008 Range (as code): **TZ KE ET**

8761.Acontia (Emmelia) tanzaniae Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: olivescens Hampson,1910 nec Hmpsn.,1910; tanzaniae Hacker, Legrain & Fibiger,2008 Range (as code): **TZ Ngn KE LS ZA Nta Kzu Tva Gau Ec Tra Tre Jh**

8762.Acontia (Emmelia) torrefacta (Distant,1898) (Noctuidae) Synonymy: torrefacta Distant,1898 Range (as code): **ZA Gau Trav Pre NA KE**

8763.Acontia (Emmelia) trabealis (Scopoli,1763) (Noctuidae) Synonymy: trabealis Scopoli,1763; arabica Hufnagel,1766; sulphuralis Linnaeus,1767; sulphurea [Denis & Schiffermüller],1775; lugubris Fabricius,1777; histrionella Goeze,1783; arlequinetta Fourcroy,1785; trabeata Borkhausen,1790; pardalina Walker,1865; deleta Staudinger,1877; flavonitens Austaut,1880; algira Oberthür,1881 Range (as code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY LB Bei IL Hf Pa SY JO DK NO SE FI EE LV LT RU Tv Am Sb MD UA BY IR Ab Mak Mz Th Elb Kd Snj Km Lo Kz Yas Ss Bk Qz IQ Agh Amr AM GG AZ Len Cc AF PK Bl Qu Ui Ku SA SA63 Us MN MU KK Ik Skm Osh Ro Kr St Kb Kc Nt Ich Ing Kyi Da Oru Bne Mrv Bjr Zj Gls Bsk Abe Sbd Rbt Anna KG Db Kdy 01 04 05 06 07 08 11 13 16 18 30 32 33 36 38 41 42 46 50 55 56 58 59 60 65 66 71 75 76**

8764.Acontia (Emmelia) transfigurata Wallengren,1856 (Noctuidae) Synonymy: transfigurata Wallengren,1856 Range (as code): **MG ZA Ec Lpo Tva Gau Nta Kzu Pre Jh Wnn NA ZW BW ZR BI TZ ET ER SO SA YE CM GH NG SN GM**

8765.Acontia (Emmelia) veroxanthia Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: veroxanthia Hacker, Legrain & Fibiger,2008 Range (as code): **UG NG GH**

8766.Acontia (Metapioplasta) insocia (Walker,[1858]) (Noctuidae) Synonymy: insocia Walker,[1858]; concinnula Walker,[1858]; pyralina Walker,[1858] Range (as code): **ZA Tva Lpo Spb Mdk Gau Nta Kzu SL GH GM GN SN CV BF NG CM TZ Mgr KE SA YE YE68 DJ ET UG MZ NA**

8767.Acontia (Metapioplasta) microptera Mabille,1879 (Noctuidae) Synonymy: microptera Mabille,1879; naevulosa Saalmüller,1891; costosa Mabille,1900; decoripennis Mabille,1900 Range (as code): **MG KM IN Sd Mh Bba**

8768.Acontia (Metapioplasta) silus Wallengren,1875 nomen dubium! (Noctuidae) Synonymy: silus Wallengren,1875 Range (as code): **ZA Tva Lpo**

8769.Acontia (Metapioplasta) simo Wallengren,1860 (Noctuidae) Synonymy: simo Wallengren,1860 Range (as code): **ZA Tva Lpo Gau Jh Pre BW NA AO ZW TZ Mgr**

8770.Acontia (Uracontia) goateri Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: goateri Hacker, Legrain & Fibiger,2008 Range (as code): **KE Kib**

8771.Acontia (s.str.) aarviki Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: aarviki Hacker, Legrain & Fibiger,2008 Range (as code): **TZ Ani KE Kib**

8772.Acontia (s.str.) akbar Wiltshire,1984 (Noctuidae) Synonymy: akbar Wiltshire,1984 Range (as code): **OM Dh YE ET**

8773.Acontia (s.str.) albatrigona Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: albatrigona Hacker, Legrain & Fibiger,2008 Range (as code): **ET ET29 KE**

8774.Acontia (s.str.) albida Hampson,1914 (Noctuidae) Synonymy: albida Hampson,1914 Range (as code): **NG**

8775.Acontia (s.str.) amhara Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: amhara Hacker, Legrain & Fibiger,2008 Range (as code): **ET Amh Gm**

8776.Acontia (s.str.) annemaria Hacker,2007 (Noctuidae) Synonymy: annemaria Hacker,2007 Range (as code): **NA AO**

8777.Acontia (s.str.) apatelia (Swinhoe,1907) (Noctuidae) Synonymy: apatelia Swinhoe,1907 Range (as code): **AO CM KE**

8778.Acontia (s.str.) asbenensis (Rothschild,1921) (Noctuidae) Synonymy: asbenensis Rothschild,1921; hemipentha Wiltshire,1947 Range (as code): **NE SA ET ET87 YE Sna OM Dh EG Sn**

8779.Acontia (s.str.) aurelia Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: aurelia Hacker, Legrain & Fibiger,2008 Range (as code): **CG AO BW ZM TZ KE ET ET29**

8780.Acontia (s.str.) berioi Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: berioi Hacker, Legrain & Fibiger,2008 Range (as code): **SO Mga**

8781.Acontia (s.str.) biskrensis Oberthür,1887 (Noctuidae) Synonymy: biskrensis Oberthür,1887; #biscraensis Rothschild,1913; orientalis Brandt,1939; agacinoi Rungs,1945; grisescens Rebel,1948 Range (as code): **Cn MR MA DZ Ajj Eal Tou Gea Onç BSa Out Dhm Gha Ear Gle Ogl Omy Bsk LY TN IQ Agh Bgd Kbl IR Ahz Hz Ss Lo Hz B-A Chh SA IL Pa JO Sn EG AE**

8782.Acontia (s.str.) bohemani Wallengren,1856 (sp.rev.) (Noctuidae) Synonymy: margaritata Drury,1782 nec Linn.,1767; bohemani Wallengren,1856; includens Walker,[1858]; monilifera Walker,[1858]; unio C.Felder,1874 Range (as code): **ZA Nta Kzu Dbn Elo Tva Lpo**

8783.Acontia (s.str.) bollandi Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: bollandi Hacker, Legrain & Fibiger,2008 Range (as code): **MG**

8784.Acontia (s.str.) buchanani (Rothschild,1921) (Noctuidae) Synonymy: buchanani Rothschild,1921 Range (as code): **NE SN ML SD ET UG**

8785.Acontia (s.str.) caeruleopicta (Hampson,1916) (Noctuidae) Synonymy: caeruleopicta Hampson,1916 Range (as code): **SA SA39 Hj OM AE YE SO ET TZ KE JO EG Sn**

8786.Acontia (s.str.) caffraria (Cramer,1777) (Noctuidae) Synonymy: caffraria Cramer,1777; caloris Hübner,[1808]; komaga R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Gau Jh Tva Lpo Nta Kzu Dbn TZ Mgr MZ**

8787.Acontia (s.str.) capensis Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: capensis Hacker, Legrain & Fibiger,2008 Range (as code): **ZA Tra Ec Grh**

8788.Acontia (s.str.) carnescens (Hampson,1910) (Noctuidae) Synonymy: carnescens Hampson,1910 Range (as code): **KE TZ ER ET EG Sn?**

8789.Acontia (s.str.) chiaromontei (Berio,1936) (Noctuidae) Synonymy: chiaromontei Berio,1936; esmeralda Brandt,1939 Range (as code): **SO ET ET87 YE IR Ss**

8790.Acontia (s.str.) chrysoproctis (Hampson,1902) (Noctuidae) Synonymy: chrysoproctis Hampson,1902 Range (as code): **NA ZW Har ZA BW ZR**

8791.Acontia (s.str.) cimbebasia Hacker,2007 (Noctuidae) Synonymy: cimbebasia Hacker,2007 Range (as code): **NA**

8792.Acontia (s.str.) citripennis (Hampson,1910) (Noctuidae) Synonymy: citripennis Hampson,1910 Range (as code): **ZA Nta Kzu Est ZW**

8793.Acontia (s.str.) crassivalva (Wiltshire,1947) (Noctuidae) Synonymy: crassivalva Wiltshire,1947 Range (as code): **Sn EG SA As YE**

8794.Acontia (s.str.) dileuca (Hampson,1910) (Noctuidae) Synonymy: dileuca Hampson,1910 Range (as code): **KE TZ**

8795.Acontia (s.str.) discoidea Hopffer,1857 (Noctuidae) Synonymy: discoidea Hopffer,1857 Range (as code): **MZ ZW ZA Tva Lpo Spb Ltr NA AO BW TZ KE ET**

8796.Acontia (s.str.) discoidoides Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: discoidoides Hacker, Legrain & Fibiger,2008 Range (as code): **TZ KE ET SD**

8797.Acontia (s.str.) dispar Walker,[1858] (Noctuidae) Synonymy: dispar Walker,[1858] Range (as code): **ZA Nta Kzu Tva Lpo LS**

8798.Acontia (s.str.) dorothea Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: dorothea Hacker, Legrain & Fibiger,2008 Range (as code): **ZA BW**

8799.Acontia (s.str.) ectorrida (Hampson,1916) (Noctuidae) Synonymy: ectorrida Hampson,1916 Range (as code): **SO NA TZ**

8800.Acontia (s.str.) erffai (Grünberg,1913) (Noctuidae) Synonymy: erffai Grünberg,1913 Range (as code): **ZA**

8801.Acontia (s.str.) florentissima Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: florentissima Hacker, Legrain & Fibiger,2008 Range (as code): **TZ**

8802.Acontia (s.str.) gradata Walker,[1858] (Noctuidae) Synonymy: gradata Walker,[1858] Range (as code): **ZA Fs**

8803.Acontia (s.str.) guttifera R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: guttifera R.Felder & Rogenhofer,1874 Range (as code): **ZA Tva Lpo Spb Mdk Nta Kzu MZ ZW AO MW TZ Mgr KE**

8804.Acontia (s.str.) hampsoni Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: hampsoni Hacker, Legrain & Fibiger,2008 Range (as code): **TZ Zz ET KE MW SN**

8805.Acontia (s.str.) hoppei Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: hoppei Hacker, Legrain & Fibiger,2008 Range (as code): **YE Hd ET ER KE**

8806.Acontia (s.str.) hortensis Swinhoe,1884 (Noctuidae) Synonymy: hortensis Swinhoe,1884; audeoudi Brandt,1939; #audeouti Ebert & Hacker,2002 Range (as code): **PK Sd Krc IR Ss Chh YE Sk SA ET SD KE**

8807.Acontia (s.str.) katrina Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: katrina Hacker, Legrain & Fibiger,2008 Range (as code): **ZA Fs Tva Lpo**

8808.Acontia (s.str.) kruegeri Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: kruegeri Hacker, Legrain & Fibiger,2008 Range (as code): **ZA Tva Lpo Spb Ltr**

8809.Acontia (s.str.) leucotrigona (Hampson,1905) (Noctuidae) Synonymy: leucotrigona Hampson,1905 Range (as code): **ZA MZ ZW MW**

8810.Acontia (s.str.) lucida (Hufnagel,1766) (Noctuidae) Synonymy: lucida Hufnagel,1766; solaris [Denis & Schiffermüller],1775; albicollis Fabricius,1781; rupicola Borkhausen,1792; insolatrix Hübner,[1822]; triradiata Walker,[1858]; lugens Alpheraky,1889; heliodora Schawerda,1923 Range (as code): **Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LB Bsa IQ Mos Agh kut Bgd Kro Bji SA FI LV RU MD UA BY IR Hz Ss Fa Elb Men Ahz GG AZ Len Cc AM TJ Pm AF Asm Nu Kab Hr Pli Gbh Bd Fz Dwe PK IN CN Ui Ku Ii Txl Tek IL Pa Hf Md At KG SY JO Sn Th Mia Kaz Mz B-A UZ N-A KK Skm Osh Ro Kr St Kb Ich Kyi Da IN Pj C-P Kba Cp Smt Tbl Bjo Mng Der Btna Bsk Ktr Hmk Khh Ahr Ktr Perr Hrh Berr Saia Ges Lgt Ndr Abe Sbd Agi Orn Rbt Phv Tgr Hrh Hes Onç 01 05 06 13 16 18 23 24 30 31 32 33 34 35 41 42 46 50 51 58 65 71 73 76**

8811.Acontia (s.str.) malagasy (Viette,1965) (Noctuidae) Synonymy: malagasy Viette,1965 Range (as code): **MG**

8812.Acontia (s.str.) malgassica Mabille,1881 (Noctuidae) Synonymy: malgassica Mabille,1881 Range (as code): **MG SC**

8813.Acontia (s.str.) mekki (Rungs,1953) (Noctuidae) Synonymy: mekki Rungs,1953 Range (as code): **DZ MA**

8814.Acontia (s.str.) mellicula Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: mellicula Hacker, Legrain & Fibiger,2008 Range (as code): **ZA**

8815.Acontia (s.str.) miogona (Hampson,1916) (Noctuidae) Synonymy: miogona Hampson,1916 Range (as code): **ET ET87 SO TZ**

8816.Acontia (s.str.) mionides (Hampson,1905) (Noctuidae) Synonymy: mionides Hampson,1905 Range (as code): **ZA Ec**

8817.Acontia (s.str.) namibiensis Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: namibiensis Hacker, Legrain & Fibiger,2008 Range (as code): **NA**

8818.Acontia (s.str.) natalis (Guenée,1852) (Noctuidae) Synonymy: natalis Guenée,1852 Range (as code): **ZA Nta Kzu**

8819.Acontia (s.str.) nigrimacula Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: nigrimacula Hacker, Legrain & Fibiger,2008 Range (as code): **GH BF NG**

8820.Acontia (s.str.) niphogona (Hampson,1909) (Noctuidae) Synonymy: niphogona Hampson,1909 Range (as code): **UG Rz TZ KE ZM MZ AO ZR**

8821.Acontia (s.str.) nitidula (Fabricius,1787) (Noctuidae) Synonymy: nitidula Fabricius,1787 Range (as code): **IN NP MM CN ZA TH**

8822.Acontia (s.str.) okahandja Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: okahandja Hacker, Legrain & Fibiger,2008 Range (as code): **NA**

8823.Acontia (s.str.) olivescens (Hampson,1910) (Noctuidae) Synonymy: olivescens Hampson,1910 Range (as code): **ZA**

8824.Acontia (s.str.) opalinoides Guenée,1852 (Noctuidae) Synonymy: opalinoides Guenée,1852 Range (as code): **ML CV MR YE ET SD KE TZ AO NA IN IR Hz Ss**

8825.Acontia (s.str.) oranjensis Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: oranjensis Hacker, Legrain & Fibiger,2008 Range (as code): **ZA Fs Tva Lpo**

8826.Acontia (s.str.) paratrigona Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: paratrigona Hacker, Legrain & Fibiger,2008 Range (as code): **ZA Tva Lpo Spb Ltr**

8827.Acontia (s.str.) pauliani (Viette,1965) (Noctuidae) Synonymy: pauliani Viette,1965 Range (as code): **MG**

8828.Acontia (s.str.) perilis (Wallengren,1856) (Noctuidae) Synonymy: perilis Wallengren,1856 Range (as code): **ZA**

8829.Acontia (s.str.) permutata Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: permutata Hacker, Legrain & Fibiger,2008 Range (as code): **NA ZA Tva Ly Gau Jh**

8830.Acontia (s.str.) porphyrea (Butler,1898) (Noctuidae) Synonymy: porphyrea Butler,1898 Range (as code): **KE Mb ZA TZ Mgr SO ET OM Dh YE BW NA ZW TG SN GH**

8831.Acontia (s.str.) proesei Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: proesei Hacker, Legrain & Fibiger,2008 Range (as code): **ET**

8832.Acontia (s.str.) psaliphora (Hampson,1910) (Noctuidae) Synonymy: psaliphora Hampson,1910 Range (as code): **ZA Nta Kzu Tva Lpo MZ**

8833.Acontia (s.str.) rigatoi Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: rigatoi Hacker, Legrain & Fibiger,2008 Range (as code): **so**

8834.Acontia (s.str.) ruficincta (Hampson,1910) (Noctuidae) Synonymy: ruficincta Hampson,1910 Range (as code): **SD SDo8 ET**
8835.Acontia (s.str.) santalucia Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: santalucia Hacker, Legrain & Fibiger,2008 Range (as code): **ZA**
8836.Acontia (s.str.) secta Guenée,1852 (Noctuidae) Synonymy: secta Guenée,1852; dissecta Guenée,1852 Range (as code): **KE TZ UG BI ZR ET**
8837.Acontia (s.str.) spangbergi Aurivillius,1879 (Noctuidae) Synonymy: spangbergi Aurivillius,1879 Range (as code): **NA**
8838.Acontia (s.str.) sphendonistis (Hampson,1902) (Noctuidae) Synonymy: sphendonistis Hampson,1902 Range (as code): **ZA Gau Tva LS**
8839.Acontia (s.str.) sphendonistis (Hampson,1902) (Noctuidae) Synonymy: sphendonistis Hampson,1902 Range (as code): **ZA**
8840.Acontia (s.str.) submutata Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: submutata Hacker, Legrain & Fibiger,2008 Range (as code): **ZM**
8841.Acontia (s.str.) tetragonisa (Hampson,1910) (Noctuidae) Synonymy: tetragonisa Hampson,1910 Range (as code): **ZA Tva Gau Jh Spb**
8842.Acontia (s.str.) tinctilis Wallengren,1875 (Noctuidae) Synonymy: tinctilis Wallengren,1875; hyperlophia Hampson,1902 Range (as code): **ZA Tva Lpo Gau Jh Nta Kzu**
8843.Acontia (s.str.) trimaculata Aurivillius,1879 (Noctuidae) Synonymy: trimaculata Aurivillius,1879 Range (as code): **NA ZA AO ZW KE TZ ET NE YE Sna AE SA**
8844.Acontia (s.str.) trychaenoides (Wallengren,1856) (Noctuidae) Synonymy: trychaenoides Wallengren,1856 Range (as code): **ZA Tva Lpo Nta Kzu NA**
8845.Acontia (s.str.) uhlenhuthi Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: uhlenhuthi Hacker, Legrain & Fibiger,2008 Range (as code): **ET ET87**
8846.Acontia (s.str.) umbrigera (R.Felder & Rogenhofer,[1875]) (Noctuidae) Synonymy: umbrigera R.Felder & Rogenhofer,[1875]; trimaculata Aurivillius,1879 Range (as code): **ZA Tva Lpo Sbp Mdk IR Hz B-A NA**
8847.Acontia (s.str.) vaualbum (Hampson,1914) (Noctuidae) Synonymy: vaualbum Hampson,1914 Range (as code): **NG**
8848.Acontia (s.str.) wahlbergi Wallengren,1856 (Noctuidae) Synonymy: wahlbergi Wallengren,1856; urbani R.Felder & Rogenhofer,1874; valbergi Hampson,1910; nephata Bethune-Baker,1911 Range (as code): **ZA Nta Kzu Dbn NA BW ZW ZM TZ ZR CM BF GM SN NG GH CI**
8849.Acontia (s.str.) wallengreni Aurivillius,1879 (Noctuidae) Synonymy: wallengreni Aurivillius,1879; vallengreni Hampson,1910 Range (as code): **ZA NA**
8850.Acontia (s.str.) wiltshirei Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonymy: wiltshirei Hacker, Legrain & Fibiger,2008 Range (as code): **TZ Mgr KE**
8851.Acontia (s.str.) wolframmeyi Hacker,2007 (Noctuidae) Synonymy: wolframmeyi Hacker,2007 Range (as code): **NA**
8852.Acontia briola Holland,1894 (Noctuidae) Synonymy: briola Holland,1894 Range (as code): **CM**
8853.Acontia cyanocraspis (Hampson,1910) (Noctuidae) Synonymy: cyanocraspis Hampson,1910 Range (as code): **ZA**
8854.Acontia mesoleucoides Poole,1989 (Noctuidae) Synonymy: mesoleuca Hampson,1916 nec Holl.,1894; mesoleucoides Poole,1989 Range (as code): **SO**
8855.Acontia nephata (Bethune-Baker,1911) (Noctuidae) Synonymy: nephata Bethune-Baker,1911 Range (as code): **AO**
8856.Acontia trimacula Saalmüller,1891 (Noctuidae) Synonymy: trimacula Saalmüller,1891; chavanei Viette,1975 Range (as code): **MG**
8857.Acontiola sancta Staudinger,[1900] (Noctuidae) Synonymy: sancta Staudinger,[1900] Range (as code): **IR Hz Ss SA SO SD KE IL Pa Jt JO LB Bei**
8858.Acosmetia arida De Joannis,1909 (Noctuidae) Synonymy: arida De Joannis,1909 Range (as code): **EG**
8859.Acrapex abbayei Laporte,1984 (Noctuidae) Synonymy: abbayei Laporte,1984 Range (as code): **ET ET86**
8860.Acrapex aenigma (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: aenigma R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Ans**
8861.Acrapex albicostata Hampson,1916 (Noctuidae) Synonymy: albicostata Hampson,1916 Range (as code): **SO**

8862.Acrapex albivena Hampson,1910 (Noctuidae) Synonymy: albivena Hampson,1910 Range (as code): **ZA Tra**
8863.Acrapex apexangula Laporte,1984 (Noctuidae) Synonymy: apexangula Laporte,1984 Range (as code): **ET ET196**
8864.Acrapex apicestriata (Bethune-Baker,1911) (Noctuidae) Synonymy: apicestriata Bethune-Baker,1911 Range (as code): **AO**
8865.Acrapex ausseili Laporte,1984 (Noctuidae) Synonymy: ausseili Laporte,1984 Range (as code): **ET ET110**
8866.Acrapex biroseata Berio,1976 (Noctuidae) Synonymy: biroseata Berio,1976 Range (as code): **ZR**
8867.Acrapex boulardi Laporte,1984 (Noctuidae) Synonymy: boulardi Laporte,1984 Range (as code): **ET ET196**
8868.Acrapex breviptera Janse,1939 (Noctuidae) Synonymy: breviptera Janse,1939 Range (as code): **ZA**
8869.Acrapex brunnea Hampson,1910 (Noctuidae) Synonymy: brunnea Hampson,1910; brunneosa Bethune-Baker,1911; ochracea Bethune-Baker,1911. Range (as code): **ZA KE Nai**
8870.Acrapex brunneolimbata Berio,1974 (Noctuidae) Synonymy: brunneolimbata Berio,1974 Range (as code): **TZ Iko**
8871.Acrapex bryae Laporte,1984 (Noctuidae) Synonymy: bryae Laporte,1984 Range (as code): **ET ET204**
8872.Acrapex carnea Hampson,1905 (Noctuidae) Synonymy: carnea Hampson,1905 Range (as code): **ZA**
8873.Acrapex concolorana Berio,1973 (Noctuidae) Synonymy: concolorana Berio,1973 Range (as code): **ZR**
8874.Acrapex congitae Laporte,1984 (Noctuidae) Synonymy: congitae Laporte,1984 Range (as code): **ET ET196**
8875.Acrapex cuprescens (Hampson,1914) (Noctuidae) Synonymy: cuprescens Hampson,1914 Range (as code): **NG**
8876.Acrapex curvata Hampson,1902 (Noctuidae) Synonymy: curvata Hampson,1902 Range (as code): **ZA KE**
8877.Acrapex dallolmoi Berio,1973 (Noctuidae) Synonymy: dallolmoi Berio,1973 Range (as code): **TZ Iko**
8878.Acrapex fayei Laporte,1984 (Noctuidae) Synonymy: fayei Laporte,1984 Range (as code): **ET ET204**
8879.Acrapex ferenigra Berio,1973 (Noctuidae) Synonymy: ferenigra Berio,1973 Range (as code): **ZR**
8880.Acrapex festiva Janse,1939 (Noctuidae) Synonymy: festiva Janse,1939 Range (as code): **ZA Tva Gau Mpu Pre Brb**
8881.Acrapex fletcheri Laporte,1984 (Noctuidae) Synonymy: fletcheri Laporte,1984 Range (as code): **KE**
8882.Acrapex franeyae Laporte,1984 (Noctuidae) Synonymy: franeyae Laporte,1984 Range (as code): **ET ET86**
8883.Acrapex fuscifaciata Janse,1939 (Noctuidae) Synonymy: fuscifaciata Janse,1939 Range (as code): **ZW Har**
8884.Acrapex genrei Laporte,1984 (Noctuidae) Synonymy: genrei Laporte,1984 Range (as code): **ET ET86**
8885.Acrapex gibbosa Berio,1973 (Noctuidae) Synonymy: gibbosa Berio,1973 Range (as code): **TZ Iko**
8886.Acrapex girardi Laporte,1984 (Noctuidae) Synonymy: girardi Laporte,1984 Range (as code): **ET ET86**
8887.Acrapex guiffrayorum Laporte,1984 (Noctuidae) Synonymy: guiffrayorum Laporte,1984 Range (as code): **ET ET86**
8888.Acrapex hemiphlebia (Hampson,1914) (Noctuidae) Synonymy: hemiphlebia Hampson,1914 Range (as code): **ZA NG**
8889.Acrapex holoscota (Hampson,1914) (Noctuidae) Synonymy: holoscota Hampson,1914 Range (as code): **NG**
8890.Acrapex ignota Berio,1973 (Noctuidae) Synonymy: ignota Berio,1973 Range (as code): **ZR**
8891.Acrapex malagasy Viette,1967 (Noctuidae) Synonymy: malagasy Viette,1967 Range (as code): **MG**
8892.Acrapex mastawatae Laporte,1984 (Noctuidae) Synonymy: mastawatae Laporte,1984 Range (as code): **ET ET29**
8893.Acrapex matilei Laporte,1984 (Noctuidae) Synonymy: matilei Laporte,1984 Range (as code): **ET ET86**
8894.Acrapex metaphaea Hampson,1910 (Noctuidae) Synonymy: metaphaea Hampson,1910 Range (as code): **ZW Har**

8895.Acrapex minima Janse,1939 (Noctuidae) Synonymy: minima Janse,1939 Range (as code): **ZA Nha Nta Kzu Srn**
8896.Acrapex mutans Berio,1973 (Noctuidae) Synonymy: mutans Berio,1973 Range (as code): **TZ Iko**
8897.Acrapex mystica Janse,1939 (Noctuidae) Synonymy: mystica Janse,1939 Range (as code): **ZW Uma**
8898.Acrapex obsoleta Berio,1973 (Noctuidae) Synonymy: obsoleta Berio,1973 Range (as code): **ZR**
8899.Acrapex ottusa Berio,1973 (Noctuidae) Synonymy: ottusa Berio,1973 Range (as code): **TZ Iko**
8900.Acrapex parvaclara Berio,1973 (Noctuidae) Synonymy: parvaclara Berio,1973 Range (as code): **ZR**
8901.Acrapex permystica Berio,1974 (Noctuidae) Synonymy: permystica Berio,1974 Range (as code): **RW**
8902.Acrapex pertusa Berio,1973 (Noctuidae) Synonymy: pertusa Berio,1973 Range (as code): **ZR**
8903.Acrapex punctosa Berio,1973 (Noctuidae) Synonymy: punctosa Berio,1973 Range (as code): **TZ Iko**
8904.Acrapex quadrata Berio,1973 (Noctuidae) Synonymy: quadrata Berio,1973 Range (as code): **ZR**
8905.Acrapex rhabdoneura Hampson,1910 (Noctuidae) Synonymy: rhabdoneura Hampson,1910 Range (as code): **KE**
8906.Acrapex roseola Hampson,1918 (Noctuidae) Synonymy: roseola Hampson,1918 Range (as code): **MW**
8907.Acrapex roseonigra Berio,1976 (Noctuidae) Synonymy: roseonigra Berio,1976 Range (as code): **TZ**
8908.Acrapex satanas Laporte,1984 (Noctuidae) Synonymy: satanas Laporte,1984 Range (as code): **ET ET86**
8909.Acrapex seydeli Berio,1973 (Noctuidae) Synonymy: seydeli Berio,1973 Range (as code): **ZR**
8910.Acrapex simbaensis Le Cerf,1922 (Noctuidae) Synonymy: simbaensis Le Cerf,1922 Range (as code): **KE**
8911.Acrapex simplex Janse,1939 (Noctuidae) Synonymy: simplex Janse,1939 Range (as code): **ZW Hfo**
8912.Acrapex sparsipuncta Laporte,1984 (Noctuidae) Synonymy: sparsipuncta Laporte,1984 Range (as code): **ET ET86**
8913.Acrapex spoliata (Walker,1863) (Noctuidae) Synonymy: spoliata Walker,1863 Range (as code): **ZA SL**
8914.Acrapex stygiata (Hampson,1910) (Noctuidae) Synonymy: stygiata Hampson,1910 Range (as code): **ZA Tva**
8915.Acrapex subalbissima Berio,1973 (Noctuidae) Synonymy: subalbissima Berio,1973 Range (as code): **TZ Iko**
8916.Acrapex syscia D.S.Fletcher,1961 (Noctuidae) Synonymy: syscia D.S.Fletcher,1961 Range (as code): **UG Rz**
8917.Acrapex syscioides Berio,1973 (Noctuidae) Synonymy: syscioides Berio,1973 Range (as code): **ZR**
8918.Acrapex totalba Berio,1973 (Noctuidae) Synonymy: totalba Berio,1973 Range (as code): **TZ Iko**
8919.Acrapex tristrigata W.Warren,1914 (Noctuidae) Synonymy: tristrigata W.Warren,1914 Range (as code): **ZA Fs Cto Ec**
8920.Acrapex uncina Berio,1973 (Noctuidae) Synonymy: uncina Berio,1973 Range (as code): **TZ Iko**
8921.Acrapex uncinoides Berio,1973 (Noctuidae) Synonymy: uncinoides Berio,1973 Range (as code): **TZ**
8922.Acrapex unicolora (Hampson,1910) (Noctuidae) Synonymy: unicolora Hampson,1910 Range (as code): **ZR**
8923.Acripia banakana Bryk,1913 (Noctuidae) Synonymy: banakana Bryk,1913 Range (as code): **CM**
8924.Acripia chloropera Hampson,1902 (Noctuidae) Synonymy: chloropera Hampson,1902 Range (as code): **ZA Ec Ans**
8925.Acripia kilimandjaronis Strand,1915 (Noctuidae) Synonymy: kilimandjaronis Strand,1915 Range (as code): **TZ Kmj**
8926.Acripia leprosa (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: leprosa R.Felder & Rogenhofer,1874 Range (as code): **ZA Wca Cto**
8927.Acripia scapularis (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: scapularis R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Kny**
8928.Acripia semiviridis Hampson,1902 (Noctuidae) Synonymy: semiviridis Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
8929.Acripia subolivacea Walker,1863 (Noctuidae) Synonymy: subolivacea Walker,1863; marginea R.Felder & Rogenhofer,1874. Range (as code): **ZA Ec**

8930.Acrobyla kneuckeri (Rebel,1903) (Noctuidae) Synonymy: kneuckeri Rebel,1903; ariefera Hampson,1926; turcorum C.G.Krüger,1939 nec Zny.; gloriosa Rungs,1945 Range (as code): **MR DZ Cn EG SA YE IQ Agh TD MR MA LY TD OM BH IR Ahz Hz Ss Chh Bu Dlk B-A AE PK Sd Krc IL Pa**

8931.Acronicta (Subacronicta) megacephala (Fabricius,1787) (Noctuidae) Synonymy: megacephala Fabricius,1787; ankarensis Hering,1933. Range (as code): **MA PT ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Mz Elb Kd Snj SY DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag AZ Kir Ro Kr St Kc Kb Nt Ich Da Sb MD UA Lvv BY KG Uk Ui CN KP KR JP 01 04 06 08 13 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 53 58 60 62 65 66 75 76**

8932.Acronicta (Triaena) psi (Linnaeus,1758) (Noctuidae) Synonymy: psi Linnaeus,1758 Range (as code): **MA DZ Abe Fzz PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Pa LB Bsa Bei IR Elb Mz Gls Th Kdj AF DK NO SE FI EE LV LT RU Cc GG Bjo Smt Lag AZ Kir Ro Kr St Kc MD UA Lvv BY KG Sb At MN KK TeA TrA Ax TJ UZ N-A 01 05 06 08 13 18 23 25 28 30 35 33 36 37 46 50 51 56 58 61 62 65 66 72 75 80**

8933.Acronicta (Triaena) tridens ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: tridens [Denis & Schiffermüller],1775; karghalika Moore,1878 Range (as code): **DZ TN Hrh Hmk Dhm BSa Btna Sét Gue PT ES Mu FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag Ro Kr St Nt Kyi Da Der MD UA Lvv BY Ui Yk 10 20 50 66**

8934.Acronicta (Viminia) euphorbiae (Denis,1785) (Noctuidae) Synonymy: #euphorbiae [Denis & Schiffermüller],1775; euphorbiae Denis,1785; montivaga Guenée,1852; ottomana Draudt,1931; garbowskii Wojtusiak & Niesiolowski,1946. Range (as code): **MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da At Sb MD UA BY CN Ui Kl TR GG Smt Bjo Mng AM AZ Cc IR LB Bei Bsa 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75**

8935.Acronicta (Viminia) rumicis (Linnaeus,1758) (Noctuidae) Synonymy: rumicis Linnaeus,1758; litterata Panzer,1804; salicis Curtis,1826; diffusa Walker,1857 Range (as code): **MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Kyi Da MD UA BY CY LB Bsa JO SY AF Pli Srb Fz Kab KG Lvv Tk Dj KK Skm Ik Ui CN KP KR Sh Sb UZ Fe JP Tbl Da Der Len Nv Ord Abe Hrh Sét Btna Tgr Clo Dhm Sbd Anna TN 01 03 05 06 07 08 14 16 21 25 26 30 31 33 37 42 45 46 50 51 55 56 58 62 63 65 66 67 72**

8936.Acronicta niveogrisea M.Krüger,2001 (Noctuidae) Synonymy: niveogrisea M.Krüger,2001 Range (as code): **ZA**

8937.Acronicta silvicola M.Krüger,2001 (Noctuidae) Synonymy: silvicola M.Krüger,2001 Range (as code): **ZA**

8938.Acronicta transvalica Hampson,1911 (Noctuidae) Synonymy: transvalica Hampson,1911 Range (as code): **ZA Tva Mpu Brb Nta Kzu Esw Fs Blo Gau Pre Nca Kim**

8939.Acronicta vumbae M.Krüger,2001 (Noctuidae) Synonymy: vumbae M.Krüger,2001 Range (as code): **ZA ZW Vum**

8940.Adisura aerugo (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: aerugo R.Felder & Rogenhofer,1874 Range (as code): **ZW Har ZA Ec Ans**

8941.Adisura bella Gaede,1915 (Noctuidae) Synonymy: bella Gaede,1915 Range (as code): **ZA**

8942.Adisura callima Bethune-Baker,1911 (Noctuidae) Synonymy: callima Bethune-Baker,1911 Range (as code): **AO**

8943.Adisura straminea Hampson,1902 (Noctuidae) Synonymy: straminea Hampson,1902 Range (as code): **ZA**

8944.Aedia leucomelas (Linnaeus,1758) (Noctuidae) Synonymy: leucomelas Linnaeus,1758; ramburii Boisduval,1829; adepta Geyer,[1832]; olivascens Guenée,1852; acronyctoides Guenée,1852; limitaris Walker,[1863]; shisa Strand,1920; thomae A.E.Prout,1927; albodiscalis Roepke,1932; diluta Roepke,1941; ermanniae Berio,1989 Range (as code): **ZA BF SC NG MA DZ Hrh Agi TN PT ES Mu FR Co Sa Si IT MT CH AT HU RO YU AL BG GR TR GG Tbl Mng AZ Kir Len AM Cc RU Kr CY LB IR Mz Elb Clu Th Gls KP KR JP CN NC FJ GU NH LA KH VN MM MY Bor Swk Sbh TH Knc CMa Int Lmp Nan Rng PG WS IN Mh Nsk NP TW PH Boh Ceb Luz Pq Mdo Neg Mpl Pal Mno Crg ID Ja Sum Tim Flo Sbw Clb AU VAu TA NSw QAu SAu LK 01 05 07 11 16 28 30 34 52 55 59**

8945.Aegle exsiccata (W.Warren,1905) (Noctuidae) Synonymy: exsiccata W.Warren,1905 Range (as code): **SD**

8946.Aegle semicana (Esper,[1798]) (Noctuidae) Synonymy: semicana Esper,[1798]; vespertalis Hübner,[1813]; mimetes Brandt,1938; #verspertalis Hacker,1986. Range (as code): **MA Tgr DZ Ges Dhm Orn TN Khh Dzc Abe Hrh Hmk Sbd LY Sa Si IT MT HU RO YU AL BG GR TR GG Cc CY EG IR Fa Ab Sdt Mia Km AF LB Bei IL Hf Pa Js JO 01 03 06 13 17 19 22 23 32 33 36 40 42 46 47 50 51 56 58 66**

8947.Aegocera affinis Druce,1883 (Noctuidae) Synonymy: affinis Druce,1883; norma Karsch,1895 Range (as code): **KE MW**

8948.Aegocera brevivitta Hampson,1901 (Noctuidae) Synonymy: brevivitta Hampson,1901; irangiana Wichgraf,1913; rectilineoides Rothschild,1921 Range (as code): **KE AO**

8949.Aegocera fervida Walker,1854 (Noctuidae) Synonymy: fervida Walker,1854; triphaenoides Wallengren,1860; fimbria Möschler,1872 Range (as code): **ZA Gau Pre Mpu Brb Nta Kzu Ec Tva Lpo Spb Ltr Lem Ptb Umk Ptw Dbn ZW Swm ZR**

8950.Aegocera geometrica Hampson,1910 (Noctuidae) Synonymy: geometrica Hampson,1910 Range (as code): **CG**

8951.Aegocera humphreyi (Hampson,1911) (Noctuidae) Synonymy: humphreyi Hampson,1911 Range (as code): **NG**

8952.Aegocera kibwezensis Strand,1909 (Noctuidae) Synonymy: kibwezensis Strand,1909 Range (as code): **KE**

8953.Aegocera menete (Cramer,1775) (Noctuidae) Synonymy: menete Cramer,1775; formosa Fabricius,1787; magna Walker,1854 Range (as code): **SL NE UG Rz ZR**

8954.Aegocera obliqua Mabille,1893 (Noctuidae) Synonymy: obliqua Mabille,1893 Range (as code): **TG**

8955.Aegocera obliquisigna Hampson,1901 (Noctuidae) Synonymy: obliquisigna Hampson,1901 Range (as code): **KE**

8956.Aegocera obzyros (Mabille,1878) (Noctuidae) Synonymy: obzyros Mabille,1878 Range (as code): **MG**

8957.Aegocera rectilinea Boisduval,1836 (Noctuidae) Synonymy: rectilinea Boisduval,1836 Range (as code): **SA YE ET KE NG GH ZR AO**

8958.Aegocera rubida R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: rubida R.Felder & Rogenhofer,1874 Range (as code): **ER ET**

8959.Aegocera tigrina (Druce,1882) (Noctuidae) Synonymy: tigrina Druce,1882; fabricata Karsch,1895; nigrimargo Jordan,1913; castaneimargo Jordan,1913; albifascia Jordan,1913; flavifascia Jordan,1913 Range (as code): **GN CG CM NG Caa**

8960.Aegocera tricolora Bethune-Baker,1909 (Noctuidae) Synonymy: tricolora Bethune-Baker,1909 Range (as code): **CG ZW**

8961.Africalpe intrusa C.G.Krüger,1939 (Noctuidae) Synonymy: intrusa C.G.Krüger,1939 Range (as code): **IL Pa JO SD YE IR Ss PK OM AE SA SO LY MR**

8962.Africalpe vagabunda (Swinhoe,1884) (Noctuidae) Synonymy: vagabunda Swinhoe,1884; anubis Rebel,1948; #anubia Poole,1989 Range (as code): **EG JE PK Krc IN IR Ss Chh Hz B-A**

8963.Afrogortyna altimontana M.Krüger,1997 (Noctuidae) Synonymy: altimontana M.Krüger,1997 Range (as code): **ZA**

8964.Afrogortyna trinota (Herrich-Schäffer,[1854]) (Noctuidae) Synonymy: trinota Herrich-Schäffer,[1854] Range (as code): **ZA**

8965.Agamana ectrogia (Hampson,1926) (Noctuidae) Synonymy: ectrogia Hampson,1926 Range (as code): **ZA**

8966.Agamana pentagonalis (Butler,1894) (Noctuidae) Synonymy: pentagonalis Butler,1894 Range (as code): **KE SZ TZ ZM ZA Tva Lpo Spb Mdk**

8967.Agnatha dorfmeisteri (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: dorfmeisteri R.Felder & Rogenhofer,1874; siculifera Holland,1894; rhodochrysa Joannis,1906 Range (as code): **ZA Nta Kzu Est Ec Kny SN ZR ZW Har IN ET ET04 CM SL GH CI**

8968.Agoma trimenii (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: trimenii R.Felder & Rogenhofer,1874; tricolor Druce,1883; elegantula Mabille,1893; agoma Karsch,1895; halans Karsch,1895; ovifera Hampson,1910; #semialba Jordan,1913 Range (as code): **ZA Nta Kzu Umk Elo Dbn Ktz Lem Tva Lpo Spb Lj Mdk ZW Har Bul TG SA YE**

8969.Agrapha ogovana (Holland,1894) (Noctuidae) Synonymy: ogovana Holland,1894 Range (as code): **ET ET24 MG**

8970.Agrochola (Anchoscelis) agnorista Boursin,1955 (Noctuidae) Synonymy: agnorista Boursin,1955 Range (as code): **MA DZ Lbs**

8971.Agrochola (Anchoscelis) deleta (Staudinger,1881) (Noctuidae) Synonymy: deleta Staudinger,1881; decolorata Boursin,1951 Range (as code): **MA DZ Clo BG GR Cc TR 05 06 07 08 33 46 50 64 70**

8972.Agrochola (Anchoscelis) litura (Linnaeus,1761) (Noctuidae) Synonymy: litura Linnaeus,1761; polluta Esper,[1788]; ornatrix Freyer,1833; borealis Sparre-Schneider,1882 Range (as code): **MA DZ PT ES Mu FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr Kc Kyi Da MD UA Lvv BY LB Bsa**

8973.Agrochola (Leptologia) lota (Clerck,1759) (Noctuidae) Synonymy: #lota Clerck,1759; hippophae Goeze,1781; hippophaes Retzius,1783; americana Morris,1876; abdita W.Warren,1911; plumbea Wiltshire,1941; convergens Wiltshire,1946; schreieri Hacker & Weigert,1986 Range (as code): **MA DZ Btna Blid PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ AM Cc LB DK NO SE FI EE LV LT RU Cc Ro Kr MD UA Lvv BY 24 25 42 60 65**

8974.Agrochola (s.str.) pistacina (Goeze,1781) (Noctuidae) Synonymy: #lychnidis [Denis & Schiffermüller],1775; #pistacina [Denis & Schiffermüller],1775; pistacina Goeze,1781; rubetra Esper,[1791]; canaria Esper,[1791]; serina Esper,[1791]; lineola Donovan,1801 nec Panzer,1785; sphaerulatina Haworth,1809; venosa Haworth,1809 nec Hw.1809; occulta Hacker,[1997]; aequalis Hacker,[1997] Range (as code): **DZ Hrh Btna Abe Agi**

Blid MA TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc CY LB IL Pa Hf JO IQ IR Fa Elb Th DK SE FI RU Kr Da MD UA BY UZ 02 05 06 13 20 21 31 35 46 56 60 62 63 65 80

8975.Agrotis (Crassagrotis) bigramma (Esper,[1790]) (Noctuidae) Synonymy: bigramma Esper,[1790]; crassa Hübner,[1803]; lata Treitschke,1835; golickei Erschoff,1872; huguenini Rühl,1891 Range (as code): **PT MA DZ TN ES FR Co Sa Si IT IE GB BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM GG Smt Bjo Lag AZ Kir CY IQ Brs Dia Ry Rwz Bgd Mos Agh Amr Dy Mj DK RU Ro Kr Da At MD UA BY IR Kh Gh Elb Th TM Kp CN EG AF LB IL Pa Hf SY Hal JO Abe Sbd Orn Tun Agi Rbt Dhm Perr 01 03 05 06 07 08 13 14 18 21 25 33 36 42 46 50 56 58 59 61 62 63 65 70 72 73 75**

8976.Agrotis (Crassagrotis) obesa (Boisduval,1829) (Noctuidae) Synonymy: obesa Boisduval,1840 Range (as code): **MA DZ Ges Btna Lbs Sbd Tlm Abe Afl LY MT PT ES FR IT MK BG GR RO MD UA Cm TR RU Ro Kr St Da IQ Brs AZ Kir GG Tbl Cc AM SY IR Gh Elb Th UZ Fe KK Osh KG TM CN LB IL Pa JO 01 03 04 06 08 13 18 20 23 25 26 30 36 44 46 50 56 58 62 63 65 71 72 73**

8977.Agrotis (Leucagrotis) graslini Rambur,1848 (Noctuidae) Synonymy: graslini Rambur,1848; rufotincta Strand,1916; gouini Oberthür,1919; joannisi Glais & Le Pontois,1923. Range (as code): **MA PT ES FR**

8978.Agrotis (Powellinia) boetica (Boisduval,[1837]) (Noctuidae) Synonymy: boetica Boisduval,[1837]; noctambulatrix Chrétien,1911; orana Oberthür,1912 (preocc.); mateui Rungs,1952; variata Rungs,1952 (preocc.) Range (as code): **MA DZ Sbd Eba Orn TN Gf ES IQ Agh Mj Qg Kbl IR Fa Cc GG TR**

8979.Agrotis (Powellinia) lasserrei (Oberthür,1881) (Noctuidae) Synonymy: lasserrei Oberthür,1881; sabura Mabille,1888; ptolemaidea Turati,1924 Range (as code): **MA DZ Mage Sbd Ges Btna Afl Tun Gab TN Gf Cn ES MT DZ TN LY EG TR IL Hf Pa LB SY Hal CY JO IQ Agh Bgd Kq TM Kp IR Kz 33 46 47 56 63**

8980.Agrotis (Powellinia) pictifascia (Hampson,1896) (Noctuidae) Synonymy: pictifascia Hampson,1896 Range (as code): **ER SO Zai EG JE SA**

8981.Agrotis (Powellinia) pierreti (Bugnion,1837) (Noctuidae) Synonymy: pierreti Bugnion,1837; messaouda Oberthür,1884; marsdeni Bethune-Baker,1894 Range (as code): **MA DZ Anna Ges Afl Sbd TN LY IR Kz IQ Agh Bgd Bji IL Pa JO ES**

8982.Agrotis (Putagrotis) herzogi (Rebel,1911) (Noctuidae) Synonymy: herzogi Rebel,1911; hoggari Rothschild,1920; minima Turati,1924; securifera Turati,1924; saracenica Tams,1925; leroyi Lucas,1940 Range (as code): **Cn MR MA DZ Ah Ajj Bsk Ceg TN LY Cy EG Sn Sa MT GR Rd CY TR LB IL Pa SY JO IR Ss IQ Agh IN SA 01 23 27 31 33 46 47 56 63**

8983.Agrotis (Putagrotis) puta (Hübner,[1803]) (Noctuidae) Synonymy: puta Hübner,[1803]; radius Haworth,1803; renitens Hübner,[1824]; lignosa Godart,1825; erythroxylea Treitschke,1826; radiola Stephens,1829; meridionalis Spuler,1905; minima Turati,1924; silvestrii Turati,1924; insula Richardson,1958; Range (as code): **MA DZ Onç Hrh Kdr Bsk Agi Sét Ceg Btna Ges Abe BSa Afl Perr Sbd Orn TN PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL HU RO YU AL BG GR Cr CY TR IQ Agh Kku Kq DK RU Cc Kr MD UA BY AF Hr IR Hz Fa Bu Dlk TM Kp LB IL Hf Pa SY JO Sn 01 05 06 07 09 11 14 15 16 17 18 20 26 27 31 33 34 35 46 50 52 55 56 59 57 63 67 71 72 80**

8984.Agrotis (s.str.) alexandriensis Bethune-Baker,1894 (Noctuidae) Synonymy: alexandriensis Bethune-Baker,1894; arens Turati,1926; albonitens C.G.Krüger,1933; griseifusa C.G.Krüger,1933 Range (as code): **TN LY EG EG05 ES An Cz IL Pa Sn**

8985.Agrotis (s.str.) alluaudi Viette,1958 (Noctuidae) Synonymy: alluaudi Viette,1958 Range (as code): **RE**

8986.Agrotis (s.str.) baleense Laporte,1977 (Noctuidae) Synonymy: baleense Laporte,1977 Range (as code): **ET ET86**

8987.Agrotis (s.str.) bialbifasciata Berio,1953 (Noctuidae) Synonymy: bialbifasciata Berio,1953 Range (as code): **SO**

8988.Agrotis (s.str.) biconicus Kollar,[1844] (Noctuidae) Synonymy: spinifera Hübner,[1808] nec Vill.,1789; biconica Kollar,[1844]; aristifera Guenée,1852; spiculifera Guenée,1852; ferina Felder & Rogenhofer,1874; hodnae Oberthür,1878 Range (as code): **Cn MA DZ TN LY PT ES FR Co Sa Si IT MT GB? DE YU AL BG GR Rd Cr TR CY EG IR Fa Lo Hz SA IQ Mq Agh Bgd Amr kut AF Dwe PK Ch IN Up Bhi Nnt Kil LK MM MC ZA Tva Lpo Spb Mdk Gau Pre Jh Nta Kzu Est Ec ZW Har ER ET ET24 KE TJ TM NP TH CN Sn JO SY IL Hf LB Bei Cp Rw Krc Elb Gh Mz Gls Ss Th Pa DJ DJ44 Ges Dhm Abe Sbd Ktr Sét BSa Omy Lgt Bsk Btna Rbt Blid Agi Hrh Hes Ceg Ah Idl Txl 01 07 31 33 45 46 56 63**

8989.Agrotis (s.str.) bilix Guenée,1852 (Noctuidae) Synonymy: bilix Guenée,1852 Range (as code): **ZA**

8990.Agrotis (s.str.) bitriangulus Hampson,1902 (Noctuidae) Synonymy: bitriangula Hampson,1902 Range (as code): **ZA Ec Tra**

8991.Agrotis (s.str.) blematica Strand,1915 (Noctuidae) Synonymy: blematica Strand,1915 Range (as code): **CM**

8992.Agrotis (s.str.) brachypecten Hampson,1899 (Noctuidae) Synonymy: brachypecten Hampson,1899 Range (as code): **YE Sk**

8993.Agrotis (s.str.) caffer (Hampson,1903) (Noctuidae) Synonymy: caffer Hampson,1903 Range (as code): **ZA**

8994.Agrotis (s.str.) cinchonina Guenée,1852 (Noctuidae) Synonymy: cinchonina Guenée,1852 Range (as code): **ET**

8995.Agrotis (s.str.) cinctithorax (Walker,1857) (Noctuidae) Synonymy: cinctithorax Walker,1857 Range (as code): **ZA Tva Gau Pre Jh**

8996.Agrotis (s.str.) contingens (W.Warren,1914) (Noctuidae) Synonymy: contingens W.Warren,1914 Range (as code): **ZA**

8997.Agrotis (s.str.) costalis Walker,[1857] (Noctuidae) Synonymy: costalis Walker,[1857] Range (as code): **ZA**

8998.Agrotis (s.str.) crassilinea Wallengren,1860 (Noctuidae) Synonymy: crassilinea Wallengren,1860 Range (as code): **ZA**

8999.Agrotis (s.str.) edentifera Berio,1978 (Noctuidae) Synonymy: edentifera Berio,1978 Range (as code): **KE**

9000.Agrotis (s.str.) endogaea Boisduval,[1837] (Noctuidae) Synonymy: endogaea Boisduval,[1837] Range (as code): **Cn TN Co Sa GR**

9001.Agrotis (s.str.) exclamationis (Linnaeus,1758) (Noctuidae) Synonymy: exclamationis Linnaeus,1758; clavus Hufnagel,1766; murina Goeze,1781 nec Hufnagel,1766; bimaculata Geoffroy,1785; picea Haworth,1809; plaga Stephens,1835; haruspex Le Cerf,1924; nigriorbis Zerny,1934. Range (as code): **MA DZ TN LY PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY CY TR AZ AM GG Cc IR Th Elb Kd Ab Es Ke Kh Fa Bk MN UZ KK KG Ava Ui Ku Tlk AF Hr Pli Adr IQ Mos LB Bsa IL Lvv Pa Oru 01 03 04 05 06 07 08 12 13 14 18 24 25 28 30 33 34 36 37 39 36 42 44 45 46 50 51 55 58 60 65 71**

9002.Agrotis (s.str.) haifae Staudinger,1897 (Noctuidae) Synonymy: haifae Staudinger,1897 Range (as code): **Cn MR MA DZ TN LY IL Pa Hf JO GR TR IQ Bgd Dy Jd 63**

9003.Agrotis (s.str.) incommodoides Berio,1950 (Noctuidae) Synonymy: incommoda Berio,1939 nec Wlk.1865; incommodoides Berio,1950 Range (as code): **ER**

9004.Agrotis (s.str.) inobtrusa Walker,1870 (Noctuidae) Synonymy: inobtrusa Walker,1870 Range (as code): **EG Sn**

9005.Agrotis (s.str.) ipsilon (Hufnagel,1766) (Noctuidae) Synonymy: ipsilon Hufnagel,1766; suffusa [Denis & Schiffermüller],1775; idonea Cramer,[1780]; spinula Esper,[1786]; spinifera De Villers,1789. Range (as code): **PT MR MA DZ TN LY ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo Kh IQ Agh Amr kut MN PK Bl Qu AF Kab Gbh Srb Arh LB Bsa SY IL Pa JO Sn EG IN Up Bhi Nnt Kil ZA Tva Lpo Spb Mdk Gg Cls Lvv Hu Rd Hf Nwf AU NC FJ NZ HW EA Th Elb Mz Dam Hz GG Smt Bjo Lag Len AZ AM Cc UZ KK KG TJ TM Ro Kr St Kc Kb Nt Ich Ing Da Kyi ET ET24 Rw Thu LK Pdy Dck Pdn Ab Oru Gls Kh Ges Ah Sbd Btna Bsk Orn BSa Abe Dhm Afl Onç Ah Ajj Idl Ath 01 03 05 06 07 08 11 13 14 15 16 18 20 21 25 27 29 30 31 32 33 35 36 37 42 44 46 47 48 49 50 51 56 57 58 62 63 65 67 69 71 72 73 80**

9006.Agrotis (s.str.) isopleura Hampson,1902 (Noctuidae) Synonymy: isopleura Hampson,1902 Range (as code): **ZW Har**

9007.Agrotis (s.str.) lanidorsa Guenée,1852 (Noctuidae) Synonymy: lanidorsa Guenée,1852 Range (as code): **ZA**

9008.Agrotis (s.str.) lata Treitschke,1835 (Noctuidae) Synonymy: lata Treitschke,1835; dirempta Staudinger,1859; sabura Mabille,1888; fulva Turati,1922; castellana Fernandez,1929; afflouensis Corti,1932 Range (as code): **MA DZ TN LY EG PT ES Sa Si MT TR SY IL Pa 13 65**

9009.Agrotis (s.str.) liouvillei (Le Cerf,1932) (Noctuidae) Synonymy: liouvillei Le Cerf,1932 Range (as code): **MA**

9010.Agrotis (s.str.) lividoradiata Berio,1940 (Noctuidae) Synonymy: lividoradiata Berio,1940 Range (as code): **ER**

9011.Agrotis (s.str.) longiclava (De Joannis,1913) (Noctuidae) Synonymy: longiclava De Joannis,1913; #longiclavis Laporte,1977 Range (as code): **ER ET ET29**

9012.Agrotis (s.str.) longidentifera (Hampson,1903) (Noctuidae) Synonymy: longidentifera Hampson,1903 Range (as code): **ZA SA**

9013.Agrotis (s.str.) longidentifera (Hampson,1903) (Noctuidae) Synonymy: longidentifera Hampson,1903; microtica Hampson,1908; ranvalo Viette,1958 Range (as code): **KE MG**

9014.Agrotis (s.str.) marginata Walker,1870 (Noctuidae) Synonymy: marginata Walker,1870 Range (as code): **EG Sn**

9015.Agrotis (s.str.) melamesa Hampson,1913 (Noctuidae) Synonymy: melamesa Hampson,1913 Range (as code): **NG**

9016.Agrotis (s.str.) negrottoi Berio,1938 (Noctuidae) Synonymy: negrottoi Berio,1938 Range (as code): **SO**

9017.Agrotis (s.str.) neodecolor M.Krüger,2006 (Noctuidae) Synonymy: decolor M.Krüger,2005 nec Morr.,1852; neodecolor M.Krüger,2006 Range (as code): **ZA Eca**

9018.Agrotis (s.str.) nicotrai Berio,1945 (Noctuidae) Synonymy: nicotrai Berio,1945 Range (as code): **SO**

9019.Agrotis (s.str.) oliveatus Hampson,1902 (Noctuidae) Synonymy: oliveatus Hampson,1902 Range (as code): **ZA**

9020.Agrotis (s.str.) pallidulus Walker,1875 (Noctuidae) Synonymy: pallidulus Walker,1875 Range (as code): **ZA**

9021.Agrotis (s.str.) perirrorata Hampson,1902 (Noctuidae) Synonymy: perirrorata Hampson,1902 Range (as code): **ZA Ec Tra Nta Kzu Est ZW Har**

9022.Agrotis (s.str.) pictivaria (Berio,1962) (Noctuidae) Synonymy: pictivaria Berio,1962 Range (as code): **SO**

9023.Agrotis (s.str.) plumbeocandida Berio,1974 (Noctuidae) Synonymy: plumbeocandida Berio,1974 Range (as code): **TZ**

9024.Agrotis (s.str.) putativa Berio,1941 (Noctuidae) Synonymy: putativa Berio,1941 Range (as code): **ER**

9025.Agrotis (s.str.) sardzeana Brandt,1941 (Noctuidae) Synonymy: sardzeana Brandt,1941 Range (as code): **Cn ES Svl An CV MR MA DZ EG TR IR Ss Hz Lo IQ Agh KW BH OM SA IN PK TD Tbt SD IL Pa JO 65**

9026.Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praeocc.); nigricornis De Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicula Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversa Walker,1857; correctus Walker,1857; obliviosus Walker,1857; denticulosus Wallengren,1860; certificata Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886. Range (as code): **Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Fa Lo Ss Kh Ha Mz IQ MN CN Ui Ku PK Bl Qu AF Hr Srb Gbh Blh Arh Fz ZW Har ZA Mpu Brb Gau Pre Jh Tva Lpo Spb Mdk Nta Kzu LB Bsa IL Hf Pa SY JO Sn Tkr Agh Bgd Mj Up Bhi Nnt Kil Kml Gh Th Ab Oru Kz Hz Gls UZ KK KG TJ TM Cc Ro Kr St Kc Kb Nt Ing Ich Da Kyi ET ET24 Mre Cp Thu Rw LK Pdy Smt Tbl Bjo Kir Kus IN Hp Sml Haz Cte Mh Nsk Ges Afl BSa Khh Ktr Btna Dhm Abe Lbs Agi Gg Cls Bsk Bdj Lgt Ah Sbd Ess Mzg Hrh Dzc Clo Ah Ajj Idl Lvv Kdy 01 05 06 07 11 13 14 15 16 18 21 24 25 27 30 31 32 33 35 36 37 38 42 44 46 49 50 51 56 57 58 60 62 63 65 67 71 72 73 80**

9027.Agrotis (s.str.) separata Guenée,1852 (Noctuidae) Synonymy: separata Guenée,1852 Range (as code): **ET**

9028.Agrotis (s.str.) sesamioides (Rebel,1907) (Noctuidae) Synonymy: sesamioides Rebel,1907 Range (as code): **YE Sk**

9029.Agrotis (s.str.) subalba Walker,[1857] (Noctuidae) Synonymy: subalba Walker,[1857] Range (as code): **ZA**

9030.Agrotis (s.str.) trux (Hübner,[1824]) (Noctuidae) Synonymy: trux Hübner,[1824]; lenticulosa Duponchel,1826; lunigera Stephens,1829; terranea Freyer,1831; obesula Smith,1888; nili Bethune-Baker,1894; amasina Staudinger,1901; euxoides Rothschild,1920; subalba Corti & Draudt,1933; adolfi Corti & Draudt,1933; #rubrofusca Schawerda,1931; rubrofusca Boursin,1964; maderensis Pinker,1971 Range (as code): **ZA Tva Gau Pre MR MA DZ TN Cn PT ES FR Co Sa Si IT MT IE GB CH AT PL RO YU AL BG GR Cr CY TR Cc RU Kr MD UA BY EG IR Gh Ss Hz IQ Agh Bgd LB SY IL Hf Pa JO Ges Afl Sfr Perr Abe Lbs Btna Sbd Hrh Ges Afl Sfr Perr Abe Lbs Btna Sbd 05 06 08 18 25 33 38 42 44 46 49 50 51 52 58 63 68**

9031.Agrotis (s.str.) vestigialis (Hufnagel,1766) (Noctuidae) Synonymy: vestigialis Hufnagel,1766 Range (as code): **TN DZ Lbs PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Ro Kr St Kyi Da Sb At Am MD UA BY KG TM**

9032.Aiteta thermistis (Hampson,1910) (Noctuidae) Synonymy: thermistis Hampson,1910 Range (as code): **ZA**

9033.Aiteta veluta Hampson,1912 (Noctuidae) Synonymy: veluta Hampson,1912 Range (as code): **ZA**

9034.Alelimma pallicostalis Hampson,1902 (Noctuidae) Synonymy: pallicostalis Hampson,1902 Range (as code): **ZA**

9035.Allophyes (s.str.) powelli Rungs,1953 (Noctuidae) Synonymy: powelli Rungs,1953 Range (as code): **MA Ifr**

9036.Amazonides ascia D.S.Fletcher,1961 (Noctuidae) Synonymy: ascia D.S.Fletcher,1961 Range (as code): **KE**

9037.Amazonides asciodes Berio,1972 (Noctuidae) Synonymy: asciodes Berio,1972 Range (as code): **TZ Iko**

9038.Amazonides atrisigna (Hampson,1911) (Noctuidae) Synonymy: atrisigna Hampson,1911 Range (as code): **ZA Kzu Nta Dbn**

9039.Amazonides atrisignoides Laporte,1974 (Noctuidae) Synonymy: atrisignoides Laporte,1974 Range (as code): **CI**

9040.Amazonides axyliaesimilis (Berio,1939) (Noctuidae) Synonymy: axyliaesimilis Berio,1939 Range (as code): **ER**

9041. **Amazonides berliozi Laporte,1974** (Noctuidae) Synonymy: berliozi Laporte,1974 Range (as code): **ET ET86**
9042. **Amazonides bioculata Berio,1974** (Noctuidae) Synonymy: bioculata Berio,1974 Range (as code): **TZ**
9043. **Amazonides dividens (Walker,[1857])** (Noctuidae) Synonymy: dividens Walker,[1857] Range (as code): **ZA Nta Kzu**
9044. **Amazonides dubiomeodes Laporte,1977** (Noctuidae) Synonymy: dubiomeodes Laporte,1977 Range (as code): **ET ET204**
9045. **Amazonides ecstrigata (Hampson,1903)** (Noctuidae) Synonymy: ecstrigata Hampson,1903 Range (as code): **ZW Har**
9046. **Amazonides elaeopis Hampson,1907** (Noctuidae) Synonymy: elaeopis Hampson,1907 Range (as code): **UG Rz**
9047. **Amazonides epipyria (Hampson,1903)** (Noctuidae) Synonymy: epipyria Hampson,1903 Range (as code): **ZW Har**
9048. **Amazonides fumicolor (Hampson,1902)** (Noctuidae) Synonymy: fumicolor Hampson,1902 Range (as code): **ZW Har**
9049. **Amazonides fuscirufa (Hampson,1903)** (Noctuidae) Synonymy: fuscirufa Hampson,1903 Range (as code): **KE**
9050. **Amazonides griseofusca Hampson,1913** (Noctuidae) Synonymy: griseofusca Hampson,1913 Range (as code): **KE Nai**
9051. **Amazonides intermedia Berio,1972** (Noctuidae) Synonymy: intermedia Berio,1972 Range (as code): **TZ Iko**
9052. **Amazonides invertita Berio,1962** (Noctuidae) Synonymy: invertita Berio,1962 Range (as code): **ZR**
9053. **Amazonides koffoleense Laporte,1977** (Noctuidae) Synonymy: koffoleense Laporte,1977 Range (as code): **ET**
9054. **Amazonides laheuderiae Laporte,1984** (Noctuidae) Synonymy: laheuderiae Laporte,1984 Range (as code): **ET**
9055. **Amazonides meineri Laporte,1974** (Noctuidae) Synonymy: meineri Laporte,1974 Range (as code): **DJ**
9056. **Amazonides pseudoberliozi Rougeot & Laporte,1983** (Noctuidae) Synonymy: pseudoberliozi Rougeot & Laporte,1983 Range (as code): **ET**
9057. **Amazonides putrefacta (Guenée,1852)** (Noctuidae) Synonymy: putrefacta Guenée,1852 Range (as code): **ZA ET**
9058. **Amazonides rufescens (Hampson,1913)** (Noctuidae) Synonymy: rufescens Hampson,1913 Range (as code): **NG**
9059. **Amazonides ruficeps (Hampson,1903)** (Noctuidae) Synonymy: ruficeps Hampson,1903 Range (as code): **ZW Har**
9060. **Amazonides rufomixta (Hampson,1903)** (Noctuidae) Synonymy: rufomixta Hampson,1903 Range (as code): **ZA Ec Cto**
9061. **Amazonides tabida (Guenée,1852)** (Noctuidae) Synonymy: tabida Guenée,1852 Range (as code): **ZA SN**
9062. **Amazonides ustula (Hampson,1913)** (Noctuidae) Synonymy: ustula Hampson,1913 Range (as code): **ZA KE Nai**
9063. **Amazonides zarajokobi Laporte,1984** (Noctuidae) Synonymy: zarajokobi Laporte,1984 Range (as code): **ET ET86**
9064. **Amblyprora acholi (Bethune-Baker,1906)** (Noctuidae) Synonymy: acholi Bethune-Baker,1906 Range (as code): **UG**
9065. **Amblyprora alboporphyrea (Pagenstecher,1907)** (Noctuidae) Synonymy: alboporphyrea Pagenstecher,1907 Range (as code): **MG**
9066. **Amblyprora magnifica (Schaus,1893)** (Noctuidae) Synonymy: magnifica Schaus,1893 Range (as code): **ZA SL**
9067. **Amblyprora pacifica (Bryk,1915)** (Noctuidae) Synonymy: pacifica Bryk,1915 Range (as code): **TZ**
9068. **Amblyprora subalba (Seydel,1937)** (Noctuidae) Synonymy: subalba Seydel,1937 Range (as code): **BI**
9069. **Amblyprora superba (Seydel,1937)** (Noctuidae) Synonymy: superba Seydel,1937 Range (as code): **ZR**

9070.Amefrontia purpurea Hampson,1899 (Noctuidae) Synonymy: purpurea Hampson,1899 Range (as code): **ZA**

9071.Ametropalpis nasuta Mabille,1884 (Noctuidae) Synonymy: nasuta Mabille,1884 Range (as code): **MG**

9072.Ametropalpis vidua (Holland,1894) (Noctuidae) Synonymy: vidua Holland,1894 Range (as code): **GA Ogo**

9073.Amphia gigantea Viette,1958 (Noctuidae) Synonymy: gigantea Viette,1958 Range (as code): **MG**

9074.Amphia hepialoides Guenée,1852 (Noctuidae) Synonymy: hepialoides Guenée,1852 Range (as code): **ET**

9075.Amphia sogai Viette,1967 (Noctuidae) Synonymy: sogai Viette,1967 Range (as code): **MG**

9076.Amphia subunita Guenée,1852 (Noctuidae) Synonymy: subunita Guenée,1852; exunita Guenée,1852 Range (as code): **ZA Ec Cto**

9077.Amphia voeltzkowi Viette,1979 (Noctuidae) Synonymy: voeltzkowi Viette,1979 Range (as code): **KM**

9078.Amphipyra (Pyrois) effusa (Boisduval,1828) (Noctuidae) Synonymy: effusa Boisduval,1828; sciaphila Staudinger,1871 Range (as code): **MA DZ Hrh Blid Hmk LY ES FR Co Sa Si IT YU AL BG GR Cr CY TR IL Pa Hf LB Bei IR 20 35 33 42 46 48 51**

9079.Amphipyra (s.str.) berbera Rungs,1949 (Noctuidae) Synonymy: #variegata W.Warren,1911; berbera Rungs,1949; svenssoni D.S.Fletcher,1968 Range (as code): **MA DZ TN ES FR Sa Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO SS MK BG GR TR Cc IR Elb Gls DK SE FI EE LT RU Kr Kb Nt Ich Ing Da MD UA Lvv BY 05 06 08 13 14 16 39 53**

9080.Amphipyra (s.str.) pyramidea (Linnaeus,1758) (Noctuidae) Synonymy: pyramidea Linnaeus,1758; navicularis Geoffroy,1785; obscura Oberthür,1880; obliquilimbata Graeser,1888; satinea Rougemont,1901; variegata W.Warren,1911; yama Swinhoe,1918; apyra Bryk,1942; cuprior Fletcher,1968 Range (as code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Len Kir GG Smt Bjo Lag Tbl Mng Cc LB SY IL Pa IQ Shq IR Mz DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi MD UA BY TM Sb Prj Us Hkk CN T-S Sz Ch Mre Haz PK SI IN Ass Drm Hp Lvv JP DZ Blid Btna Dhm TN Hrh Abe 01 05 06 08 14 16 30 31 33 43 56 59**

9081.Amphipyra (s.str.) tetra (Fabricius,1787) (Noctuidae) Synonymy: tetra Fabricius,1787 Range (as code): **MR MA DZ Sfr Ges TN EG ES Mu FR Si IT CH AT PL CZ SK HU RO YU BG GR TR AZ Kir Cc RU Ro St Kyi Ur Sb Sj At IR Fa Ss Kd Mrv Lo Gls IL Pa AF TM Ui Ku KK LB EG Sn 01 05 06 13 39 42 45 50 58 65**

9082.Amphipyra (s.str.) tragopoginis (Clerck,1759) (Noctuidae) Synonymy: #tragopoginis Clerck,1759; luciola Hufnagel,1766; repressus Grote,1871 Range (as code): **MA DZ ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG Smt Bjo Mng AZ Kir AM Cc LB IR Maz Gls Fa Lo By Yas Ke Mia Kz Kd Mrv DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb At MD UA BY Ch IN Hp Kul Ui Kön CA US Pns Mss Ny Lvv 01 05 06 08 09 13 14 16 17 18 30 32 33 38 39 42 43 46 50 58 60 65 76 78**

9083.Amyna acuta Berio,1960 (Noctuidae) Synonymy: acuta Berio,1960 Range (as code): **MG**

9084.Amyna axis Guenée,1852 (Noctuidae) Synonymy: axis Guenée,1852; octo Guenée,1852; colon Guenée,1852; flavigutta Walker,1858; perfundens Walker,1858; stricta Walker,1858; cephusalis Walker,[1859]; obstructa Walker,1862; vexabilis Wallengren,1863; inornata Walker,1865; leucospila Walker,1865; albigutta Walker,1869; stigmatula Snellen,1872; bavia R.Felder & Rogenhofer,1874; orbica Morrison,1875; undulifera Butler,1875; tecta Grote,1876; monotretalis Mabille,1879; supplex Swinhoe,1885; rufa Bethune-Baker,1906. Range (as code): **SL GH SD GM NG ZR RE ZA Lpo Tva Spb Mdk Nta Kzu Dbn UG Rz KE Mb ZW Har ET ET24 YE Ad YE47 CN JP RU Sb Us Ch PK Sd Krc Cp Abb IN Hp Drm Cu Nl Poo Guj LK MM Adm CN Fkn ID Bor AU QAu Hw NF FJ NC WS TO RA Glb NH MY NW PG CX JM VE AR**

9085.Amyna magnifoveata Hampson,1918 (Noctuidae) Synonymy: magnifoveata Hampson,1918 Range (as code): **KE**

9086.Amyna natalica Pinhey,1975 (Noctuidae) Synonymy: natalica Pinhey,1975 Range (as code): **ZA Nta Kzu**

9087.Amyna punctum (Fabricius,1794) (Noctuidae) Synonymy: punctum Fabricius,1794; annulata Fabricius,1794; selenampha Guenée,1852; spoliata Walker,[1858]; latipennis Wallenren,1860; subtracta Walker,1862; urba Wallengren,1863; trivenefica Wallengren,1863; natalensis Wallengren,1865; latipennis Walker,1865; paradoxa Saalmüller,1880; #trivenifica Hampson,1902. Range (as code): **SO Zai YE Ad ET ET24 ZW Har ZA Lpo Tva Spb Mdk Nta Kzu Kkf Dbn Ec MG Sk IN Adm AU NC NF FJ CN LK MY Bor Ja CX PH Luz**

9088.Amyna rubrirena Hampson,1918 (Noctuidae) Synonymy: rubrirena Hampson,1918 Range (as code): **CM Bit**

9089.Amyna ruptirena Hampson,1910 (Noctuidae) Synonymy: ruptirena Hampson,1910 Range (as code): **ZM**

9090.Amyna vibrioides Pagenstecher,1907 (Noctuidae) Synonymy: vibrioides Pagenstecher,1907 Range (as code): **MG**

9091.Anarta myrtilli (Linnaeus,1761) (Noctuidae) Synonymy: myrtilli Linnaeus,1761; ericae Hufnagel,1766 Range (as code): **MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
9092.Anathetis atrirena (Hampson,1902) (Noctuidae) Synonymy: atrirena Hampson,1902 Range (as code): **ZA Wca Wr**
9093.Anathetis melanofascia Janse,1938 (Noctuidae) Synonymy: melanofascia Janse,1938 Range (as code): **ZA**
9094.Androlymnia torsivena (Hampson,1902) (Noctuidae) Synonymy: torsivena Hampson,1902 Range (as code): **ZA**
9095.Anedhella interrupta (Janse,1938) (Noctuidae) Synonymy: interrupta Janse,1938 Range (as code): **ZA**
9096.Anedhella nigrivittata (Hampson,1902) (Noctuidae) Synonymy: nigrivittata Hampson,1902 Range (as code): **ZW Har**
9097.Anedhella rectiradiata (Hampson,1902) (Noctuidae) Synonymy: rectiradiata Hampson,1902 Range (as code): **ZA Lpo Tva Spb Mdk Nta Kzu MZ BW ZW**
9098.Anedhella stigmata (Janse,1938) (Noctuidae) Synonymy: stigmata Janse,1938 Range (as code): **ZA**
9099.Anoba angulilinea (Holland,1894) (Noctuidae) Synonymy: angulilinea Holland,1894; unipuncta Hampson,1902 Range (as code): **ZA Nta Kzu Dbn MW GA Ogo**
9100.Anoba atriplaga (Walker,1858) (Noctuidae) Synonymy: atriplaga Walker,1858; anguliplaga Walker,1858; remota Walengren,1860 Range (as code): **ZA Nta Kzu Kkf Dbn**
9101.Anoba atripuncta (Hampson,1902) (Noctuidae) Synonymy: atripuncta Hampson,1902 Range (as code): **ZA GH**
9102.Anoba biangulata (Walker,1869) (Noctuidae) Synonymy: biangulata Walker,1869 Range (as code): **CG TG**
9103.Anoba carcassoni Berio,1971 (Noctuidae) Synonymy: carcassoni Berio,1971 Range (as code): **KE**
9104.Anoba cowani Viette,1966 (Noctuidae) Synonymy: cowani Viette,1966 Range (as code): **MG**
9105.Anoba disjuncta (Walker,1865) (Noctuidae) Synonymy: disjuncta Walker,1865 Range (as code): **ZA Nta Kzu**
9106.Anoba dujardini Viette,1970 (Noctuidae) Synonymy: dujardini Viette,1970 Range (as code): **MG**
9107.Anoba glyphica (Bethune-Baker,1911) (Noctuidae) Synonymy: glyphica Bethune-Baker,1911; endophaea Hampson,1926 Range (as code): **AO GH**
9108.Anoba hamifera (Hampson,1902) (Noctuidae) Synonymy: hamifera Hampson,1902 Range (as code): **ZA ZW Har MW**
9109.Anoba jaculifera (Holland,1894) (Noctuidae) Synonymy: jaculifera Holland,1894 Range (as code): **GA Ogo**
9110.Anoba kampfi Berio,1971 (Noctuidae) Synonymy: kampfi Berio,1971 Range (as code): **CM**
9111.Anoba ligondesi Viette,1970 (Noctuidae) Synonymy: ligondesi Viette,1970 Range (as code): **MG**
9112.Anoba malagasy Viette,1970 (Noctuidae) Synonymy: malagasy Viette,1970 Range (as code): **MG**
9113.Anoba microloba Hampson,1926 (Noctuidae) Synonymy: microloba Hampson,1926 Range (as code): **ZA Tva Lpo**
9114.Anoba microphaea Hampson,1926 (Noctuidae) Synonymy: microphaea Hampson,1926 Range (as code): **NG**
9115.Anoba nigribasis (Holland,1894) (Noctuidae) Synonymy: nigribasis Holland,1894 Range (as code): **GA Ogo**
9116.Anoba phaeotermesia Hampson,1926 (Noctuidae) Synonymy: phaeotermesia Hampson,1926 Range (as code): **ZA ZW Har**
9117.Anoba piriformis Gaede,1939 (Noctuidae) Synonymy: piriformis Gaede,1939 Range (as code): **CM**
9118.Anoba plumipes (Wallengren,1860) (Noctuidae) Synonymy: plumipes Wallengren,1860 Range (as code): **ZA Lpo Tva Spb Mdk**
9119.Anoba rufitermina Hampson,1926 (Noctuidae) Synonymy: rufitermina Hampson,1926 Range (as code): **KE**
9120.Anoba sokotrensis Hampson,1926 (Noctuidae) Synonymy: sokotrensis Hampson,1926 Range (as code): **Sk**
9121.Anoba subatriplaga D.S.Fletcher & Viette,1955 (Noctuidae) Synonymy: subatriplaga D.S.Fletcher & Viette,1955 Range (as code): **CM Bit**
9122.Anoba trigonosema (Hampson,1916) (Noctuidae) Synonymy: trigonosema Hampson,1916 Range (as code): **SO**

9123.Anoba turlini Viette,1970 (Noctuidae) Synonymy: turlini Viette,1970 Range (as code): **MG**
9124.Anomis alluaudi Viette,1965 (Noctuidae) Synonymy: alluaudi Viette,1965 Range (as code): **MG**
9125.Anomis benitensis (Holland,1894) (Noctuidae) Synonymy: benitensis Holland,1894 Range (as code): **GA Ogo**
9126.Anomis bidentata (Hampson,1910) (Noctuidae) Synonymy: bidentata Hampson,1910 Range (as code): **ZM ZA**
9127.Anomis bipunctata (Kenrick,1917) (Noctuidae) Synonymy: bipunctata Kenrick,1917 Range (as code): **MG**
9128.Anomis capensis (Gaede,1940) (Noctuidae) Synonymy: capensis Gaede,1940 Range (as code): **ZA Tva Gau Jh**
9129.Anomis curvifera (Walker,[1858]) (Noctuidae) Synonymy: curvifera Walker,[1858] Range (as code): **SL**
9130.Anomis elegans Berio,1956 (Noctuidae) Synonymy: elegans Berio,1956 Range (as code): **ZR Lsb**
9131.Anomis endochlora Hampson,1926 (Noctuidae) Synonymy: endochlora Hampson,1926 Range (as code): **GH ET ET24 Sw**
9132.Anomis flava (Fabricius,1775) (Noctuidae) Synonymy: flava Fabricius,1775; stigmatizans Fabricius,1775; fimbriago Stephens,1829; xanthindyma Boisduval,1833; auragoides Guenée,1852; indica Guenée,1852; variolosa Walker,1857; edentata Walker,1857; aurantiaca Prittwitz,1867; serrata Barnes & McDunnough,1913 Range (as code): **ET Sw ET24 ZA IN RE MU AU US Fl TH CMa Cuo Cu07 Int Nrt Kao VN NP PK Txl Abb CN TW JP KP KR RU Us PH ID WS NH NC NZ SB Cn SA OM MA DZ TN MG MA Hw**
9133.Anomis fulvida Guenée,1852 (Noctuidae) Synonymy: fulvida Guenée,1852; inducens Walker,1858; cuprina Walker,1865; privata Walker,1865; albipuncta Snellen,1880; nagaloa Mabille & Vuillot,1890 Range (as code): **ZA TH MY MM LA VN IN LK Pdy CN TW PH ID Bor Ja Bli Tim Flo Amb Clb Sbw Ij PG WS FJ NH AU**
9134.Anomis grisea Pagenstecher,1907 (Noctuidae) Synonymy: grisea Pagenstecher,1907; bicolorata Pagenstecher,1907 Range (as code): **MG**
9135.Anomis involuta (Walker,[1858]) (Noctuidae) Synonymy: involuta Walker,[1858]; basalis Walker,[1858]; colligata Walker,1865; vitiensis Butler,1886; dona Swinhoe,1919; brima Swinhoe,1920 Range (as code): **ET ET24 TH CMa Pph Nan VN IN LK Pdy NP AF PK Psu Gg Hu CN TW JP KP KR RU Us ID NZ AU QAu FJ**
9136.Anomis iobapta A.E.Prout,1927 (Noctuidae) Synonymy: iobapta A.E.Prout,1927 Range (as code): **ST**
9137.Anomis leona (Schaus & Clementis,1893) (Noctuidae) Synonymy: leona Schaus & Clementis,1893; africana Holland,1894 Range (as code): **ZA SL GA Ogo**
9138.Anomis leucosema Hampson,1926 (Noctuidae) Synonymy: leucosema Hampson,1926 Range (as code): **UG Etb**
9139.Anomis luperca Möschler,1883 (Noctuidae) Synonymy: luperca Möschler,1883 Range (as code): **ZA**
9140.Anomis melanosema Berio,1956 (Noctuidae) Synonymy: melanosema Berio,1956 Range (as code): **ZR**
9141.Anomis mesogona (Walker,[1858]) (Noctuidae) Synonymy: mesogona Walker,[1858] Range (as code): **SO LK CN TW JP KP KR RU Us TH VN NP PK Swa Alp Sgl Kkar Dir Abb IN ID Ja PH Luz Pq MY Bor KBa**
9142.Anomis microdonta Hampson,1926 (Noctuidae) Synonymy: microdonta Hampson,1926 Range (as code): **ZA NG**
9143.Anomis modesta Berio,1956 (Noctuidae) Synonymy: modesta Berio,1956 Range (as code): **ZR Skr**
9144.Anomis polymorpha Hampson,1926 (Noctuidae) Synonymy: polymorpha Hampson,1926 Range (as code): **ZA MW Mje**
9145.Anomis punctulata (Holland,1894) (Noctuidae) Synonymy: punctulata Holland,1894 Range (as code): **GA Ogo**
9146.Anomis pyrocausta Hampson,1926 (Noctuidae) Synonymy: pyrocausta Hampson,1926 Range (as code): **NG**
9147.Anomis sabulifera (Guenée,1852) (Noctuidae) Synonymy: sabulifera Guenée,1852; propinqua Butler,1884; marginata Holland,1894 Range (as code): **AO BW ER GH KE LS MZ NA NG RW SL SO SZ TZ UG ZM ZW GA MA ZA Lpo Tva Spb Mdk AF Gbh IL Pa Hf ET ET10 Sw ET24 ET153 YE**
9148.Anomis simulatrix (Walker,1865) (Noctuidae) Synonymy: simulatrix Walker,1865 Range (as code): **ZA SL**
9149.Anomis subfuscata Berio,1956 (Noctuidae) Synonymy: subfuscata Berio,1956 Range (as code): **ZR**
9150.Anomis subrosealis (Walker,[1866]) (Noctuidae) Synonymy: subrosealis Walker,[1866] Range (as code): **ZA Nta Kzu**
9151.Anomis tamsi Berio,1940 (Noctuidae) Synonymy: tamsi Berio,1940 Range (as code): **ER**

9152.Antarchaea conicephala (Staudinger,1870) (Noctuidae) Synonymy: conicephala Staudinger,1870 [April]; conicephala Staudinger,1870 [Oct.]; barcinonensis Milliéré,1872; fumicollis Rogenhofer,1873. Range (as code): **MA FR ES An Mlg Mu BG MK GR Cr CY RU IR Gor Hz Ss Ab Mak Elb Th TR Cc AZ Nv Ord IT Si HV SY SA YE AM EG AE SD 04 05 08 33 36 44 56 76**

9153.Antarchaea digramma (Walker,1863) (Noctuidae) Synonymy: digramma Walker,1863; mansueta Walker,1864; erubescens Walker,1864; scitula Walker,1866 Range (as code): **SA YE SO PK Krc IN Hp LK**

9154.Antarchaea erubescens (A.Bang-Haas,1910) (Noctuidae) Synonymy: erubescens A.Bang-Haas,1910 nec Wlk.,1864 Range (as code): **MA DZ Orn Sfr ET Sw ET24 ET153 YE IR AF**

9155.Antarchaea fragilis (Butler,1875) (Noctuidae) Synonymy: fragilis Butler,1875 Range (as code): **ET Sw ET24**

9156.Antarchaea sapora (Swinhoe,1884) (Noctuidae) Synonymy: sapora Swinhoe,1884; amseli Brandt,1941. Range (as code): **PK Krc IR Ss Hz Chh SD**

9157.Anthracia ephialtes (Hübner,1822) (Noctuidae) Synonymy: ephialtes Hübner,1822; nubilaris Graslin,1836 Range (as code): **DZ Abe Sbd MA PT ES Mu FR Sa Si IT**

9158.Anthracia eriopoda (Herrich-Schäffer,[1851]) (Noctuidae) Synonymy: eriopoda Herrich-Schäffer,[1851]; sareptae Guenée,1852; eriopodoides Strand,1916 Range (as code): **MA RO MK BG GR CY TR SY LB IL Hf Pa JO RU Sr 02 07 09 13 16 17 30 33 46 62 65**

9159.Anticarsia irrorata (Fabricius,1781) (Noctuidae) Synonymy: irrorata Fabricius,1781; sordida Fabricius,1794 nec Denis & Schiff.,1775; jocosa Hübner,[1823]; transducta Walker,1865; consueta Walker,1869; loxigramma Hampson,1902; #irorata Hacker & Fibiger,2001 Range (as code): **SA YE SC KE CM SL ZR SD ET MW Zom ZA Nta Kzu Dbn Ec MG WS PC FJ TO NH SB PG MY OW JP MM Bor ID Ja Nia Sum Amb Clb Mlc Crm SB NC TH CMa Int LA VN NP IN LK TW NF Ms GU AU PH Boh**

9160.Antiophlebia bourgognei Laporte,1975 (Noctuidae) Synonymy: bourgognei Laporte,1975 Range (as code): **ET ET29 ET204**

9161.Antiophlebia bracteata R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: bracteata R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu BW Nga Ec Ans**

9162.Antiophlebia dublicata Grünberg,1910 (Noctuidae) Synonymy: dublicata Grünberg,1910 Range (as code): **ZA**

9163.Antiophlebia griveaudi Viette,1966 (Noctuidae) Synonymy: griveaudi Viette,1966 Range (as code): **MG**

9164.Antitype africana Berio,1939 (Noctuidae) Synonymy: africana Berio,1939 Range (as code): **ER**

9165.Anua hampsoni Holland,1920 (Noctuidae) Synonymy: hampsoni Holland,1920 Range (as code): **SL GH NG**

9166.Anua overlaeti Berio,1956 (Noctuidae) Synonymy: overlaeti Berio,1956 Range (as code): **ZR**

9167.Anumeta cestis (Ménétriés,1848) (Noctuidae) Synonymy: cestis Ménétriés,1848; punctata Ménétriés,1848; parvimacula Rothschild,1920 Range (as code): **MR MA DZ Ah Ajj Onç Ogl Gle Agi Gha BSa TN MT SA JO RU UZ Br MN KG Ui Ku IR Hz B-A YE AF**

9168.Anumeta harterti Rothschild,1913 (Noctuidae) Synonymy: harterti Rothschild,1913; ? tazelikoula Dumont,1920 Range (as code): **MR MA DZ Thh Ah Ajj Gle Gha TN MR LY EG Sn SA**

9169.Anumeta hilgerti Rothschild,1909 (Noctuidae) Synonymy: hilgerti Rothschild,1909; brunnea W.Warren,1913; comosa Dumont,1920; popovi Wiltshire,1982 Range (as code): **MA DZ Idl Ah Gle Ogl Ajj TN MT SA OM AE YE IL Pa**

9170.Anumeta major Rothschild,1913 (Noctuidae) Synonymy: major Rothschild,1913 Range (as code): **DZ Ogl Abe Gle LY**

9171.Anumeta sabulosa Rothschild,1913 (Noctuidae) Synonymy: sabulosa Rothschild,1913 Range (as code): **MR MA DZ Thh Ah Ajj Omy IQ Bgd SA**

9172.Anumeta straminea (A.Bang-Haas,1906) (Noctuidae) Synonymy: straminea A.Bang-Haas,1906 Range (as code): **MR MA DZ Ah Ajj TN BSa Nbr Mri Heh Tou Gf Bsk Ogl Gle Tun BH OM AE YE SA SD Sn EG IL Pa**

9173.Anumeta surcoufi C.Dumont,1920 (Noctuidae) Synonymy: surcoufi C.Dumont,1920; ? quatuor Berio,1934 Range (as code): **MR MA DZ Ajj Hdd Gle LY SA**

9174.Anydrophila fouadi Wiltshire,1947 (Noctuidae) Synonymy: fouadi Wiltshire,1947 Range (as code): **SA IR Fa EG Sn**

9175.Anydrophila sabouraudi (D.Lucas,1907) (Noctuidae) Synonymy: sabouraudi D.Lucas,1907 Range (as code): **MA DZ Ajj Ah Onç TN Sfr**

9176.Anydrophila stuebeli (Calberla,1891) (Noctuidae) Synonymy: stuebeli Calberla,1891; fouadi Wiltshire,1947. Range (as code): **SA EG Sn IL Pa JO**

9177.Apaegocera argyrogramma Hampson,1905 (Noctuidae) Synonymy: argyrogramma Hampson,1905 Range (as code): **GH**

9178.Apamea (s.str.) alpigena (Boisduval,[1837]) (Noctuidae) Synonymy: alpigena Boisduval,[1837]; meissonieri Guenée,1852 Range (as code): **FR ES MA DZ Khh**

9179.Apamea (s.str.) anceps ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: anceps [Denis & Schiffermüller],1775; sordida Borkhausen,1792; infesta Ochsenheimer,1816; renardii Boisduval,1829; engelhardtii Duurloo,1889; pyxina A.Bang-Haas,1910; siegeli Berio,1985; mazeli Lutran,1993 [ssp.] Range (as code): **MA DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR TR Lo Es Elb Th Dam Kh DK NO SE FI EE LV LT RU AZ Kir Cc Ro Kyi Sb MD UA Lvv BY TM MN CN Ui LB Bsa IL Pa KG Uk 01 04 06 18 20 25 32 33 38 42 46 49 50 51 58 60 65 66 68**

9180.Apamea (s.str.) arabs (Oberthür,1881) (Noctuidae) Synonymy: arabs Oberthür,1881; ribbei Püngeler,1906; standfussi Turati,1908; biskrae Oberthür,1919; superba Turati,1926; boursini Powell & Rungs,[1952] Range (as code): **MA LY DZ Bsk Blid Tlm Sbd Btna Khh PT ES Si**

9181.Apamea (s.str.) maroccana (Zerny,1934) (Noctuidae) Synonymy: monoglypha sensu Rothschild,1920; maroccana Zerny,1934 Range (as code): **DZ Btna MA Ouk**

9182.Apamea (s.str.) platinea (Treitschke,1825) (Noctuidae) Synonymy: platinea Treitschke,1825; grisescens Touleschkov,1951 nec Stgr.,1889; touleschkoffi Koçak,1980. Range (as code): **MA ES FR Si IT DE CH AT CZ SK RO YU AL GR TR GG Bku Cc AZ Kir IR Fa Kh KuB Mz Elb Com LB TM IL Pa He RU Ich Ing Da Sr 04 08 24 25 30 33 36 38 42 50 51 58 60 65 70 73 76**

9183.Apopestes spectrum (Esper,[1787]) (Noctuidae) Synonymy: spectrum Esper,[1787]; genistae De Villers,1789; socrus Giorna,1791; innotata W.Warren,1913; maura W.Warren,1913 Range (as code): **DZ Btna Ktr MA Mzg Sbd Abe Ges Perr Afl Sfr Bdj Dzc Anna PT ES FR Co Sa Si IT CH RO YU AL BG GR Cr TR IR Fa Ha Km Elb Th Gls Kh Qz DK RU GG Tbl Smt Bjo AZ Kir Nv Ord AM Eri Cc St Nt PK Bl Qu LB IQ Kku Su 05 06 08 16 17 18 33 34 35 56 76**

9184.Aporophoba subaustralis Berio,1977 (Noctuidae) Synonymy: subaustralis Berio,1977 Range (as code): **ET ET09**

9185.Aporophyla chioleuca (Herrich-Schäffer,1850) (Noctuidae) Synonymy: chioleuca Herrich-Schäffer,1850 Range (as code): **MR MA DZ Hrh Blid Bdj Afl Abe TN PT ES Sa Si IT? MT GR Cr**

9186.Aporophyla nigra (Haworth,[1809]) (Noctuidae) Synonymy: lunula Ström,1783 nec Hfn.,1766; nigra Haworth,[1809]; nigricans Hbn.,[1813]; aethiops Ochsenheimer,1816; seileri Fuchs,1901 Range (as code): **DZ Ges Afl Abe PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK RO YU AL BG GR Cr DK NO RU Cc Kr MD UA BY MA DZ TN LY Cy MT EG Sn LB IL Pa CY TR IQ 01 06 13 33 46 56 63**

9187.Apospasta aethalopa D.S.Fletcher,1961 (Noctuidae) Synonymy: aethalopa D.S.Fletcher,1961 Range (as code): **CM**

9188.Apospasta albirenalis Laporte,1974 (Noctuidae) Synonymy: albirenalis Laporte,1974 Range (as code): **ET ET45**

9189.Apospasta ancilottoi Berio,1978 (Noctuidae) Synonymy: ancilottoi Berio,1978 Range (as code): **KE Njr**

9190.Apospasta cailloisi Laporte,1984 (Noctuidae) Synonymy: cailloisi Laporte,1984 Range (as code): **ET ET204**

9191.Apospasta claudicans (Guenée,1852) (Noctuidae) Synonymy: claudicans Guenée,1852 Range (as code): **ET**

9192.Apospasta deprivata (A.E.Prout,1927) (Noctuidae) Synonymy: deprivata A.E.Prout,1927 Range (as code): **ST**

9193.Apospasta diffusa Laporte,1974 (Noctuidae) Synonymy: diffusa Laporte,1974 Range (as code): **ET ET86**

9194.Apospasta dipterigidia (Hampson,1902) (Noctuidae) Synonymy: dipterigidia Hampson,1902; fulvida D.S.Fletcher,1961 Range (as code): **ZA Ec Ans TZ**

9195.Apospasta erici Laporte,1984 (Noctuidae) Synonymy: erici Laporte,1984 Range (as code): **ET ET86**

9196.Apospasta eriopygiodes (Aurivillius,1910) (Noctuidae) Synonymy: eriopygiodes Aurivillius,1910 Range (as code): **TZ Kmj**

9197.Apospasta fuscirufa (Hampson,1905) (Noctuidae) Synonymy: fuscirufa Hampson,1905 Range (as code): **ZA ZW Har SO KE**

9198.Apospasta incongrua Laporte,1974 (Noctuidae) Synonymy: incongrua Laporte,1974 Range (as code): **ET**

9199.Apospasta intricata (Saalmüller,1891) (Noctuidae) Synonymy: intricata Saalmüller,1891 Range (as code): **MG**

9200.Apospasta jacksoni D.S.Fletcher,1961 (Noctuidae) Synonymy: jacksoni D.S.Fletcher,1961 Range (as code): **UG Kzi**

9201.Apospasta kennedyi D.S.Fletcher,1961 (Noctuidae) Synonymy: kennedyi D.S.Fletcher,1961 Range (as code): **UG Rz**

9202.Apospasta maryamae Laporte,1984 (Noctuidae) Synonymy: maryamae Laporte,1984 Range (as code): **ET ET86**

9203.Apospasta montana (Aurivillius,1910) (Noctuidae) Synonymy: montana Aurivillius,1910 Range (as code): **TZ Kmj**
9204.Apospasta niger Laporte,1974 (Noctuidae) Synonymy: niger Laporte,1974 Range (as code): **ET ET86**
9205.Apospasta nigerrima Laporte,1973 (Noctuidae) Synonymy: nigerrima Laporte,1973 Range (as code): **CM**
9206.Apospasta rhodina D.S.Fletcher,1961 (Noctuidae) Synonymy: rhodina D.S.Fletcher,1961 Range (as code): **UG Rz**
9207.Apospasta rougeoti Laporte,1974 (Noctuidae) Synonymy: rougeoti Laporte,1974 Range (as code): **ET ET60**
9208.Apospasta rubiana (Guenée,1852) (Noctuidae) Synonymy: rubiana Guenée,1852 Range (as code): **RE**
9209.Apospasta ruffoi Berio,1978 (Noctuidae) Synonymy: ruffoi Berio,1978 Range (as code): **KE Njr**
9210.Apospasta sabulosa D.S.Fletcher,1961 (Noctuidae) Synonymy: sabulosa D.S.Fletcher,1961 Range (as code): **ET**
9211.Apospasta synclera D.S.Fletcher,1961 (Noctuidae) Synonymy: synclera D.S.Fletcher,1961 Range (as code): **UG Rz**
9212.Apospasta townsendi D.S.Fletcher,1961 (Noctuidae) Synonymy: townsendi D.S.Fletcher,1961 Range (as code): **KE**
9213.Apospasta venata (Hampson,1905) (Noctuidae) Synonymy: venata Hampson,1905 Range (as code): **KE**
9214.Apospasta verini Viette,1981 (Noctuidae) Synonymy: verini Viette,1981 Range (as code): **KM**
9215.Araea indecora (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: indecora R.Felder & Rogenhofer,1874 Range (as code): **ZA Wca Cto Ec Pel**
9216.Araeopteron ecphaea Hampson,1914 (Noctuidae) Synonymy: ecphaea Hampson,1914 Range (as code): **MA YE YE68 Co Cr FR MT GR Cr BG IT Si MT TR ES B-I Maj TN EG ZR NA MW NG TZ KE 01**
9217.Araeopteron griseatum Hampson,1907 (Noctuidae) Synonymy: griseatum Hampson,1907 Range (as code): **ZA**
9218.Araeopteron obliquifascia (De Joannis,1910) (Noctuidae) Synonymy: obliquifascia De Joannis,1910 Range (as code): **MU**
9219.Araeopteron papaziani Guillermet,2009 (Noctuidae) Synonymy: papaziani Guillermet,2009 Range (as code): **RE**
9220.Archephia basilinea (Hampson,1902) (Noctuidae) Synonymy: basilinea Hampson,1902 Range (as code): **ZA Nta Kzu**
9221.Arctiopais ambusta (Mabille,1881) (Noctuidae) Synonymy: ambusta Mabille,1881 Range (as code): **MG**
9222.Arcyophora elegantula Grünberg,1910 (Noctuidae) Synonymy: elegantula Grünberg,1910 Range (as code): **ZA**
9223.Arcyophora endoglauca (Hampson,1910) (Noctuidae) Synonymy: endoglauca Hampson,1910 Range (as code): **ZR TZ ZM**
9224.Arcyophora ledereri (Wallengren,1863) (Noctuidae) Synonymy: ledereri Wallengren,1863 Range (as code): **NA ZA Ec**
9225.Arcyophora longivalvis Guenée,1852 (Noctuidae) Synonymy: longivalvis Guenée,1852; lonidorsis Zeller,1863; apicalis Walker,1865; clathrimaculata Strand,1909; somnambula Bryk,1913; verticalis Berio,1944 Range (as code): **ZW BW CM ZR ER ET GN MW MZ NA SA SO SD ZM YE Ad ZA Tva Gau Pre Nta Kzu**
9226.Arcyophora nudipes Wallengren,1856 (Noctuidae) Synonymy: nudipes Wallengren,1856 Range (as code): **ZA**
9227.Arcyophora patricula (Hampson,1902) (Noctuidae) Synonymy: patricula Hampson,1902; riggenbachi Bryk,1913; patriculella Strand,1917. Range (as code): **ZA Lpo Tva Spb Mdk ZW Har ET SA SD NG MR**
9228.Arcyophora piperitella (Strand,1909) (Noctuidae) Synonymy: piperitella Strand,1909; carniola Hampson,1912. Range (as code): **ZA**
9229.Arcyophora stalii Wallengren,1863 (Noctuidae) Synonymy: stalii Wallengren,1863 Range (as code): **BW**
9230.Arcyophora zanderi R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: zanderi R.Felder & Rogenhofer,1874; #zauderi Gaede,1935. Range (as code): **ZA**
9231.Arenarba destituta (Moore,[1884]) (Noctuidae) Synonymy: destituta Moore,[1884] Range (as code): **ZA**

9232.Arenostola deserticola (Staudinger,1900) (Noctuidae) Synonymy: deserticola Staudinger,1900; modesta Staudinger,1900; chimaera Rothschild,1920 Range (as code): **MR MA DZ Hes Bsk Sfr Btna TN IL Pa Jt JO TR**

9233.Argyrogramma signata (Fabricius,1775) (Noctuidae) Synonymy: signata Fabricius,1775; diminuta Walker,1865; hainanensis Chou & Lu,1979 Range (as code): **ZA SL Nta Kzu Dbn CN Hn IN LK ID Ja Nia Sbw Flo Tim FJ TH VN NP TW Bor Sum Nia Tim Flo Sbw TO Bsm PG NIr Bsm NC YE Cn MG KM MU SC AU PH Luz**

9234.Ariathisa abyssinia (Guenée,1852) (Noctuidae) Synonymy: abyssinia Guenée,1852; excisa Herrich-Schäffer,[1854]; atrosignata Walker,1865; europaea Fernandez,1928 Range (as code): **DZ Bsk MA Rbt Sk KE ZW Har SL NG ET ET204 ZA Ec Kny Nta Kzu Dbn Tra ZW Har**

9235.Ariathisa semiluna (Hampson,1909) (Noctuidae) Synonymy: semiluna Hampson,1909 Range (as code): **ZA**

9236.Armada nilotica A.Bang-Haas,1912 (Noctuidae) Synonymy: nilotica A.Bang-Haas,1912 Range (as code): **EG Sn**

9237.Armada panaceorum (Ménétriés,1849) (Noctuidae) Synonymy: panaceorum Ménétriés,1849; distincta Rothschild,1915. Range (as code): **Cn MR MA DZ Ah BSa Sfr Ear Onç TN LY EG Sn IL Pa Hf JO SY TR IQ Agh Qg KW SA IR Ss Elb Th Kdj Ab Khy Mrd Ak Ma Chh Hz B-A TM UZ Br N-A AF Dwe KG Tk sKG Tks MN CN Ui Ti RU Cc Da 33 50 63**

9238.Armada philbyi Wiltshire,1979 (Noctuidae) Synonymy: philbyi Wiltshire,1979 Range (as code): **EG Sn SA KW OM AE**

9239.Arrothia bicolor Rothschild,1896 (Noctuidae) Synonymy: bicolor Rothschild,1896 Range (as code): **MG**

9240.Ascalapha odorata (Linnaeus,1758) (Noctuidae) Synonymy: odorata Linnaeus,1758; odora Linnaeus,1764; agarista Cramer,[1777] Range (as code): **ZA FR**

9241.Aspidhampsonia binagwahoi Laporte,1978 (Noctuidae) Synonymy: binagwahoi Laporte,1978 Range (as code): **KE**

9242.Aspidhampsonia glaucescens (Hampson,1905) (Noctuidae) Synonymy: glaucescens Hampson,1905; russoi Strand,1918 Range (as code): **ZW Har ZR**

9243.Aspidhampsonia ungemachi Laporte,1978 (Noctuidae) Synonymy: ungemachi Laporte,1978 Range (as code): **ET**

9244.Aspidhampsonia villiersi Laporte,1972 (Noctuidae) Synonymy: villiersi Laporte,1972 Range (as code): **SN**

9245.Aspidifrontia anomala Berio,1955 (Noctuidae) Synonymy: anomala Berio,1955 Range (as code): **ZR**

9246.Aspidifrontia berhauti Laporte,1972 (Noctuidae) Synonymy: berhauti Laporte,1972 Range (as code): **SN**

9247.Aspidifrontia biarcuata Berio,1964 (Noctuidae) Synonymy: biarcuata Berio,1964 Range (as code): **TZ**

9248.Aspidifrontia bussindii Berio,1937 (Noctuidae) Synonymy: bussindii Berio,1937 Range (as code): **UG**

9249.Aspidifrontia cinerea Berio,1966 (Noctuidae) Synonymy: cinerea Berio,1966 Range (as code): **ZR**

9250.Aspidifrontia contrastata A.E.Prout,1921 (Noctuidae) Synonymy: contrastata A.E.Prout,1921 Range (as code): **ZR**

9251.Aspidifrontia corticea (Hampson,1910) (Noctuidae) Synonymy: corticea Hampson,1910 Range (as code): **ZM**

9252.Aspidifrontia lamtoensis Laporte,1974 (Noctuidae) Synonymy: lamtoensis Laporte,1974 Range (as code): **CI**

9253.Aspidifrontia oblata Berio,1973 (Noctuidae) Synonymy: oblata Berio,1973 Range (as code): **TZ**

9254.Aspidifrontia pulverea Hampson,1913 (Noctuidae) Synonymy: pulverea Hampson,1913 Range (as code): **NG**

9255.Aspidifrontia radiata Hampson,1905 (Noctuidae) Synonymy: radiata Hampson,1905 Range (as code): **ZA KE**

9256.Aspidifrontia rufescens Hampson,1902 (Noctuidae) Synonymy: rufescens Hampson,1902 Range (as code): **ZA ZW Uma**

9257.Aspidifrontia sagitta Berio,1964 (Noctuidae) Synonymy: sagitta Berio,1964 Range (as code): **KE**

9258.Aspidifrontia semiarcuata Berio,1973 (Noctuidae) Synonymy: semiarcuata Berio,1973 Range (as code): **TZ Iko**

9259.Aspidifrontia semipallida Hampson,1902 (Noctuidae) Synonymy: semipallida Hampson,1902; hemileuca Hampson,1909 Range (as code): **ZA ZW Uma SL**

9260.Aspidifrontia senegalensis Berio,1966 (Noctuidae) Synonymy: senegalensis Berio,1966 Range (as code): **SN**
9261.Aspidifrontia tanganykae Berio,1964 (Noctuidae) Synonymy: tanganykae Berio,1964 Range (as code): **TZ**
9262.Asplenia melanodonta (Hampson,1896) (Noctuidae) Synonymy: melanodonta Hampson,1896 Range (as code): **YE SD ET SO KE ZA ZW AO NE TZ**
9263.Atethmia ambusta (Fabricius,1787) (Noctuidae) Synonymy: #ambusta [Denis & Schiffermüller],1775; ambusta Fabricius,1787; xerampelina Esper,1793; rufescens Turner,1942 Range (as code): **IT DE CH AT PL CZ SK HU RO YU BG GR LT RU GG Lag Cc Ro MD UA BY CY TR LB IL Pa Js JO EG 05 06 07 10 13 27 30 35 46**
9264.Atethmia centrago (Haworth,[1809]) (Noctuidae) Synonymy: centrago Haworth,[1809]. Range (as code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR AM Eri Cc GG Bjo TR CY LB Bei IL Js Pa SY JO Sn EG RU Ro Kr MD UA BY IR Elb Th Fa Shr TM Kp PK Bbu Mlk 05 06 13 20 25 30 33 42 44 46 50 56 63 65**
9265.Athetis absorbens (Walker,[1857]) (Noctuidae) Synonymy: absorbens Walker,[1857] Range (as code): **ZA Ec**
9266.Athetis aeneolineata M.Krüger,2001 (Noctuidae) Synonymy: aeneolineata M.Krüger,2001 Range (as code): **ZA**
9267.Athetis aeschria Hampson,1909 (Noctuidae) Synonymy: aeschria Hampson,1909 Range (as code): **ZA**
9268.Athetis aeschrioides Berio,1940 (Noctuidae) Synonymy: aeschrioides Berio,1940 Range (as code): **ER**
9269.Athetis albipuncta (Hampson,1902) (Noctuidae) Synonymy: albipuncta Hampson,1902 Range (as code): **ZA Ec Tra**
9270.Athetis albirena (Hampson,1902) (Noctuidae) Synonymy: albirena Hampson,1902 Range (as code): **ZW Har**
9271.Athetis alpina M.Krüger,2001 (Noctuidae) Synonymy: alpina M.Krüger,2001 Range (as code): **ZA**
9272.Athetis alternata (Janse,1938) (Noctuidae) Synonymy: alternata Janse,1938 Range (as code): **ZA**
9273.Athetis anomoeosis Hampson,1909 (Noctuidae) Synonymy: anomoeosis Hampson,1909 Range (as code): **KE ZA**
9274.Athetis assecta M.Krüger,2001 (Noctuidae) Synonymy: assecta M.Krüger,2001 Range (as code): **ZA**
9275.Athetis atrispherica Hampson,1914 (Noctuidae) Synonymy: atrispherica Hampson,1914 Range (as code): **KE Nai**
9276.Athetis atristicta Hampson,1918 (Noctuidae) Synonymy: atristicta Hampson,1918 Range (as code): **ZW Har**
9277.Athetis aurobrunnea (Janse,1938) (Noctuidae) Synonymy: aurobrunnea Janse,1938 Range (as code): **ZA**
9278.Athetis aurogrisea M.Krüger,2000 (Noctuidae) Synonymy: aurogrisea M.Krüger,2000 Range (as code): **ZA**
9279.Athetis auronitens M.Krüger,2000 (Noctuidae) Synonymy: auronitens M.Krüger,2000 Range (as code): **ZA**
9280.Athetis bicornuta M.Krüger,2000 (Noctuidae) Synonymy: bicornuta M.Krüger,2000 Range (as code): **ZA**
9281.Athetis bilimbata Berio,1976 (Noctuidae) Synonymy: bilimbata Berio,1976 Range (as code): **ZR**
9282.Athetis biumbrosa Berio,1940 (Noctuidae) Synonymy: biumbrosa Berio,1940 Range (as code): **ER**
9283.Athetis brunneaplagata (Bethune-Baker,1911) (Noctuidae) Synonymy: brunneaplagata Bethune-Baker,1911 Range (as code): **ZA**
9284.Athetis camptogramma (Hampson,1910) (Noctuidae) Synonymy: camptogramma Hampson,1910 Range (as code): **ZM**
9285.Athetis carayoni Laporte,1977 (Noctuidae) Synonymy: carayoni Laporte,1977 Range (as code): **ET ET86 ET24**
9286.Athetis chionephra (Hampson,1911) (Noctuidae) Synonymy: chionephra Hampson,1911 Range (as code): **ZW Vf**
9287.Athetis chionopis Hampson,1909 (Noctuidae) Synonymy: chionopis Hampson,1909 Range (as code): **ZA**
9288.Athetis collaris (Wallengren,1856) (Noctuidae) Synonymy: collaris Wallengren,1856; caeca Hampson,1902. Range (as code): **ZA**

9289.**Athetis collicola M.Krüger,2001** (Noctuidae) Synonymy: collicola M.Krüger,2001 Range (as code): **ZA**
9290.**Athetis consocia M.Krüger,2001** (Noctuidae) Synonymy: consocia M.Krüger,2001 Range (as code): **ZA**
9291.**Athetis contorta Berio,1976** (Noctuidae) Synonymy: contorta Berio,1976 Range (as code): **ZR**
9292.**Athetis dallolmoi (Berio,1974)** (Noctuidae) Synonymy: dallolmoi Berio,1974 Range (as code): **TZ Iko**
9293.**Athetis debilis M.Krüger,2000** (Noctuidae) Synonymy: debilis M.Krüger,2000 Range (as code): **ZA**
9294.**Athetis duplex (Janse,1938)** (Noctuidae) Synonymy: duplex Janse,1938 Range (as code): **ZA**
9295.**Athetis ectomelaena Hampson,1916** (Noctuidae) Synonymy: ectomelaena Hampson,1916 Range (as code): **SO**
9296.**Athetis elephantula Berio,1976** (Noctuidae) Synonymy: elephantula Berio,1976 Range (as code): **TZ**
9297.**Athetis euxoa M.Krüger,2001** (Noctuidae) Synonymy: euxoa M.Krüger,2001 Range (as code): **ZA**
9298.**Athetis excurvata (Janse,1938)** (Noctuidae) Synonymy: excurvata Janse,1938 Range (as code): **ZA Tva Gau Pre**
9299.**Athetis flavipuncta Hampson,1909** (Noctuidae) Synonymy: flavipuncta Hampson,1909; croceipuncta Hampson,1909; tanzaniae Berio,1976 Range (as code): **TZ ZW Har**
9300.**Athetis fontainei (Berio,1974)** (Noctuidae) Synonymy: fontainei Berio,1974 Range (as code): **ZR**
9301.**Athetis foveata Hampson,1909** (Noctuidae) Synonymy: foveata Hampson,1909 Range (as code): **ZA Tva Lpo Wri**
9302.**Athetis fraus M.Krüger,2000** (Noctuidae) Synonymy: fraus M.Krüger,2000 Range (as code): **ZA**
9303.**Athetis fulgens M.Krüger,2001** (Noctuidae) Synonymy: fulgens M.Krüger,2001 Range (as code): **ZA**
9304.**Athetis fumicolor (Janse,1938)** (Noctuidae) Synonymy: fumicolor Janse,1938 Range (as code): **ZA Tva Gau Pre**
9305.**Athetis glauca (Hampson,1902)** (Noctuidae) Synonymy: glauca Hampson,1902 Range (as code): **ZW Har KE**
9306.**Athetis glaucopis (Bethune-Baker,1911)** (Noctuidae) Synonymy: glaucopis Bethune-Baker,1911 Range (as code): **KE Nai**
9307.**Athetis gonionephra Hampson,1909** (Noctuidae) Synonymy: gonionephra Hampson,1909; nephrogonia Berio,1976. Range (as code): **TZ ZA Nta Kzu**
9308.**Athetis gracilis M.Krüger,2001** (Noctuidae) Synonymy: gracilis M.Krüger,2001 Range (as code): **ZA**
9309.**Athetis heliastis Hampson,1909** (Noctuidae) Synonymy: heliastis Hampson,1909 Range (as code): **ZA Tva Lpo Wri**
9310.**Athetis heringi Viette,1963** (Noctuidae) Synonymy: heringi Viette,1963 Range (as code): **MG**
9311.**Athetis humberti Viette,1963** (Noctuidae) Synonymy: humberti Viette,1963 Range (as code): **MG**
9312.**Athetis hypereschra Hampson,1909** (Noctuidae) Synonymy: hypereschra Hampson,1909 Range (as code): **KE**
9313.**Athetis ignava (Guenée,1852)** (Noctuidae) Synonymy: ignava Guenée,1852; pervicax Wallengren,1875. Range (as code): **MU ZA Tva**
9314.**Athetis instrata M.Krüger,2001** (Noctuidae) Synonymy: instrata M.Krüger,2001 Range (as code): **ZA**
9315.**Athetis interlata (Walker,1857)** (Noctuidae) Synonymy: interlata Walker,1857 Range (as code): **ZA Nta Kzu Est**
9316.**Athetis intricata M.Krüger,2001** (Noctuidae) Synonymy: intricata M.Krüger,2001 Range (as code): **ZA**
9317.**Athetis leuconephra Hampson,1909** (Noctuidae) Synonymy: leuconephra Hampson,1909 Range (as code): **ZW Har**
9318.**Athetis leucopis (Hampson,1902)** (Noctuidae) Synonymy: leucopis Hampson,1902 Range (as code): **ZA Ec Tra**
9319.**Athetis longidigitus Berio,1976** (Noctuidae) Synonymy: longidigitus Berio,1976 Range (as code): **TZ**
9320.**Athetis magniplagia (Hampson,1918)** (Noctuidae) Synonymy: magniplagia Hampson,1918 Range (as code): **ZA NG**
9321.**Athetis melanephra Hampson,1909** (Noctuidae) Synonymy: melanephra Hampson,1909 Range (as code): **ZA**

9322.Athetis melanomma Hampson,1920 (Noctuidae) Synonymy: melanomma Hampson,1920 Range (as code): **ZA Nta Kzu Dbn**
9323.Athetis melanopis Hampson,1909 (Noctuidae) Synonymy: melanopis Hampson,1909 Range (as code): **ZA Tva Lpo Wri**
9324.Athetis melanosema Hampson,1914 (Noctuidae) Synonymy: melanopis Hampson,1909 nec Hamps.,1909; melanosema Hampson,1914 Range (as code): **ZW Har**
9325.Athetis melanosticta Hampson,1891 (Noctuidae) Synonymy: melanosticta Hampson,1891 Range (as code): **ZA Nta Kzu Dbn IN**
9326.Athetis metis (Janse,1938) (Noctuidae) Synonymy: metis Janse,1938 Range (as code): **ZA**
9327.Athetis micra (Hampson,1902) (Noctuidae) Synonymy: micra Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
9328.Athetis microtera (Hampson,1902) (Noctuidae) Synonymy: microtera Hampson,1902 Range (as code): **ZW Har**
9329.Athetis morbidensis Berio,1976 (Noctuidae) Synonymy: morbidensis Berio,1976 Range (as code): **ZR**
9330.Athetis mozambica Hampson,1918 (Noctuidae) Synonymy: mozambica Hampson,1918 Range (as code): **MZ ZA**
9331.Athetis nephrosticta Hampson,1909 (Noctuidae) Synonymy: nephrosticta Hampson,1909 Range (as code): **ZA Tva Lpo Wri**
9332.Athetis nigra (Janse,1938) (Noctuidae) Synonymy: nigra Janse,1938 Range (as code): **ZA Ec Ste**
9333.Athetis nigrilla Berio,1976 (Noctuidae) Synonymy: nigrilla Berio,1976 Range (as code): **ZR**
9334.Athetis nigristriata M.Krüger,2000 (Noctuidae) Synonymy: nigristriata M.Krüger,2000 Range (as code): **ZA**
9335.Athetis obscuroides Poole,1989 (Noctuidae) Synonymy: obscura Janse,1938 (praeocc.); obscuroides Poole,1989 Range (as code): **ZA Nta Kzu**
9336.Athetis ocellata (Janse,1938) (Noctuidae) Synonymy: ocellata Janse,1938 Range (as code): **ZA Nta Kzu Dbn Tva Gau pre**
9337.Athetis pallescens (Janse,1938) (Noctuidae) Synonymy: pallescens Janse,1938 Range (as code): **ZA**
9338.Athetis pallicornis (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: pallicornis R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Tra Kny**
9339.Athetis percnopis (Bethune-Baker,1911) (Noctuidae) Synonymy: percnopis Bethune-Baker,1911 Range (as code): **AO**
9340.Athetis perplexa (Janse,1938) (Noctuidae) Synonymy: perplexa Janse,1938 Range (as code): **ZA Tva Hae**
9341.Athetis pigra (Guenée,1852) (Noctuidae) Synonymy: pigra Guenée,1852; partita Walker,[1857]; orbata Möschler,1883 Range (as code): **ZA Ec Tra Nta Kzu ZR Sk ZW RE IN MM**
9342.Athetis poliostrota Hampson,1909 (Noctuidae) Synonymy: poliostrota Hampson,1909 Range (as code): **ZW Har**
9343.Athetis pulvisculum Berio,1976 (Noctuidae) Synonymy: pulvisculum Berio,1976 Range (as code): **ZR**
9344.Athetis restricta (Janse,1938) (Noctuidae) Synonymy: restricta Janse,1938 Range (as code): **ZA Ec**
9345.Athetis rhigognostis M.Krüger,2001 (Noctuidae) Synonymy: rhigognostis M.Krüger,2001 Range (as code): **ZA**
9346.Athetis robertsi (Janse,1938) (Noctuidae) Synonymy: robertsi Janse,1938 Range (as code): **ZA**
9347.Athetis robusta M.Krüger,2000 (Noctuidae) Synonymy: robusta M.Krüger,2000 Range (as code): **ZA**
9348.Athetis rufipuncta (Hampson,1902) (Noctuidae) Synonymy: rufipuncta Hampson,1902 Range (as code): **ZA Ec Ans**
9349.Athetis satellitia (Hampson,1902) (Noctuidae) Synonymy: satellitia Hampson,1902 Range (as code): **ZA MZ Del Nta Kzu Dbn**
9350.Athetis scopsis Berio,1976 (Noctuidae) Synonymy: scopsis Berio,1976 Range (as code): **ZR**
9351.Athetis scotopis (Bethune-Baker,1911) (Noctuidae) Synonymy: scotopis Bethune-Baker,1911 Range (as code): **KE Nai**
9352.Athetis signata (Janse,1938) (Noctuidae) Synonymy: signata Janse,1938 Range (as code): **ZA Tva Gau Pre**
9353.Athetis singula (Möschler,1883) (Noctuidae) Synonymy: singula Möschler,1883; pallida Janse,1938 Range (as code): **ZA ZW Vf Hfo**
9354.Athetis sinistra Berio,1976 (Noctuidae) Synonymy: sinistra Berio,1976 Range (as code): **ZR**

9355.Athetis smintha (Hampson,1902) (Noctuidae) Synonymy: smintha Hampson,1902 Range (as code): **ZA Nta Kzu Dbn Ec Tra**

9356.Athetis sordida M.Krüger,2001 (Noctuidae) Synonymy: sordida M.Krüger,2001 Range (as code): **ZA**

9357.Athetis splendidula M.Krüger,2001 (Noctuidae) Synonymy: splendidula M.Krüger,2001 Range (as code): **ZA**

9358.Athetis tetraglypha Berio,1939 (Noctuidae) Synonymy: tetraglypha Berio,1939 Range (as code): **ER**

9359.Athetis tornipuncta Berio,1976 (Noctuidae) Synonymy: tornipuncta Berio,1976 Range (as code): **TZ**

9360.Athetis transvalensis (Janse,1938) (Noctuidae) Synonymy: transvalensis Janse,1938 Range (as code): **ZA Tva Lpo Gau Pre**

9361.Athetis transversistriata Strand,1911 (Noctuidae) Synonymy: transversistriata Strand,1911 Range (as code): **UG**

9362.Athetis tristigmatica M.Krüger,2000 (Noctuidae) Synonymy: tristigmatica M.Krüger,2000 Range (as code): **ZA**

9363.Athetis umbrigera M.Krüger,2000 (Noctuidae) Synonymy: umbrigera M.Krüger,2000 Range (as code): **ZA**

9364.Athetis xantholopha (Hampson,1902) (Noctuidae) Synonymy: xantholopha Hampson,1902 Range (as code): **ZA Nta Kzu Est Tra Ec**

9365.Athyrma anuliplaga Walker,1865 (Noctuidae) Synonymy: anuliplaga Walker,1865 Range (as code): **ZA Nta Kzu**

9366.Athyrma discimacula Hampson,1926 (Noctuidae) Synonymy: discimacula Hampson,1926 Range (as code): **GH**

9367.Attatha attathoides (Karsch,1896) (Noctuidae) Synonymy: attathoides Karsch,1896 Range (as code): **ZA TZ**

9368.Attatha barlowi A.E.Prout,1921 (Noctuidae) Synonymy: barlowi A.E.Prout,1921 Range (as code): **MW**

9369.Attatha ethiopica Hampson,1910 (Noctuidae) Synonymy: ethiopica Hampson,1910 Range (as code): **ET ZA ZW ZM**

9370.Attatha gaetana Oberthür,1923 (Noctuidae) Synonymy: gaetana Oberthür,1923 Range (as code): **MG**

9371.Attatha metaleuca Hampson,1913 (Noctuidae) Synonymy: metaleuca Hampson,1913 Range (as code): **NG**

9372.Attatha sinuosa Laporte,1973 (Noctuidae) Synonymy: sinuosa Laporte,1973 Range (as code): **CM**

9373.Attatha superba Janse,1917 (Noctuidae) Synonymy: superba Janse,1917 Range (as code): **ZA Tva Lpo Brb**

9374.Attonda adspersa (R.Felder & Rogenhofer,[1875]) (Noctuidae) Synonymy: adspersa R.Felder & Rogenhofer,[1875]; trifasciata Moore,1877; pallens Moore,1882; stellata Moore,1883; alboguttata Heyden,1891; alboserrata Bethune-Baker,1906; aroana Bethune-Baker,1906; nigriplaga Bethune-Baker,1906; coniochroa Turner,1906; natha Swinhoe,1919 Range (as code): **ID Clb Adm PK Cp IN Clc SG TH Ntt Hba MG PG Aro NP TW SB FJ AU**

9375.Auchenisa callipona Bethune-Baker,1911 (Noctuidae) Synonymy: callipona Bethune-Baker,1911 Range (as code): **ZA**

9376.Auchenisa cookei Pinhey,1958 (Noctuidae) Synonymy: cookei Pinhey,1958 Range (as code): **ZA**

9377.Auchenisa dukei Pinhey,1968 (Noctuidae) Synonymy: dukei Pinhey,1968 Range (as code): **ZA**

9378.Auchenisa nigrimacula Pinhey,1968 (Noctuidae) Synonymy: nigrimacula Pinhey,1968 Range (as code): **ZA**

9379.Auchenisa roseotincta Pinhey,1962 (Noctuidae) Synonymy: roseotincta Pinhey,1962 Range (as code): **SA ZA**

9380.Auchmis (s.str.) detersa (Esper,[1791]) (Noctuidae) Synonymy: comma [Denis & Schiffermüller],1775; detersa Esper,[1791] Range (as code): **MA DZ ES Mu FR Si IT DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc RU Ro St Kb Kc Kr Nt Ich Da IR Fa Elb Gls Kh Mz Dam Com Lo AF TM Kp LB Bsa 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75 76**

9381.Audea albifasciata Pinhey,1968 (Noctuidae) Synonymy: albifasciata Pinhey,1968 Range (as code): **ZA**

9382.Audea antennalis Berio,1954 (Noctuidae) Synonymy: antennalis Berio,1954 Range (as code): **ZA**

9383.Audea bipunctata Walker,[1858] (Noctuidae) Synonymy: bipunctata Walker,[1858]; fatua R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu Dbn**

9384.Audea fatilega (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: fatilega R.Felder & Rogenhofer,1874 Range (as code): **KE ZA Nta Kzu Est Ec Qt**

9385.Audea fumata (Wallengren,1860) (Noctuidae) Synonymy: fumata Wallengren,1860 Range (as code): **ZA Nta Kzu Est Ec Tra**

9386.Audea humeralis Hampson,1902 (Noctuidae) Synonymy: humeralis Hampson,1902 Range (as code): **BW Nga ZW Har**

9387.Audea hypostigmata Hampson,1913 (Noctuidae) Synonymy: hypostigmata Hampson,1913 Range (as code): **ZA**

9388.Audea melaleuca Walker,1865 (Noctuidae) Synonymy: melaleuca Walker,1865 Range (as code): **ZA**

9389.Audea melanoplaga Hampson,1902 (Noctuidae) Synonymy: melanoplaga Hampson,1902 Range (as code): **BW Nga ZA Tva**

9390.Audea subligata Distant,1902 (Noctuidae) Synonymy: subligata Distant,1902 Range (as code): **ZA Tva Ly**

9391.Audea tegulata Hampson,1902 (Noctuidae) Synonymy: tegulata Hampson,1902 Range (as code): **ZW Har**

9392.Authadistis metaleuca Hampson,1902 (Noctuidae) Synonymy: metaleuca Hampson,1902 Range (as code): **ZW Har**

9393.Autoba admota (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: admota R.Felder & Rogenhofer,1874 Range (as code): **ZA Kny**

9394.Autoba beraudi (De Joannis,1909) (Noctuidae) Synonymy: beraudi De Joannis,1909 Range (as code): **EG EG05**

9395.Autoba brachygonia (Hampson,1910) (Noctuidae) Synonymy: brachygonia Hampson,1910 Range (as code): **LK TH ZA**

9396.Autoba olivacea Walker,[1858] (Noctuidae) Synonymy: olivacea Walker,[1858]; nebulifera Walker,1865 Range (as code): **IN Pj ZA Tva Lpo Spb Mdk**

9397.Autoba teilhardi (De Joannis,1909) (Noctuidae) Synonymy: teilhardi De Joannis,1909 Range (as code): **EG EG11**

9398.Autoba versicolor Walker,[1863] (Noctuidae) Synonymy: versicolor Walker,[1863]; rubricosa Snellen,1880 Range (as code): **ZA MY Bor Swk ID Clb**

9399.Autographa gamma (Linnaeus,1758) (Noctuidae) Synonymy: gamma Linnaeus,1758; messmeri Schadewald,1992; voelkeri Schadewald,1992. Range (as code): **PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY LB Bsa DK NO SE FI EE LV LT RU MD UA BY IQ Agh Mj IR Fa Elb Mz Dam Th Kdj Kz Yas Skh Bu Dlk AF Jla Kab Bsg Nu Adr CN Ui Ku IL Pa Hf JO EG Sn GG AZ AM Cc KK Ik Lvv TrA Ax UZ KG Ro Kr St Kb Kc Nt Ing Da Kyi ET ET24 SY Hal Ak Shf Ab Ar Gh Gls Kh Se Qz Zj Kd Km Lo By Bk Es Bu Ss MA DZ Blid Bsk Tlm Btna Orn Lbs Agi Hrh Abe Khh Ahr Hmk Ges Perr Bdj Ndr Dhm TN BSa Sbd Tgr Hes Clo Ajj 01 03 04 05 06 07 08 10 13 14 16 17 18 19 21 24 25 26 28 30 31 32 33 35 37 38 39 42 43 44 47 48 49 50 51 52 56 58 61 62 63 65 66 72 73 75 76 80**

9400.Autophila (Cheirophanes) cataphanes (Hübner,[1813]) (Noctuidae) Synonymy: cataphanes Hübner,[1813] Range (as code): **MA DZ Btna Hrh Sbd Abe PT ES Mu FR Co Si IT RU MD UA BY LB Bsa AM AZ Kir Cc**

9401.Autophila (Cheirophanes) cymaenotaenia Boursin,1940 (Noctuidae) Synonymy: cymaenotaenia Boursin,1940 Range (as code): **KW IQ Kbl TN Gf MA**

9402.Autophila (s.str.) asiatica (Staudinger,1888) (Noctuidae) Synonymy: asiatica Staudinger,1888; amseli Draudt,1936 Range (as code): **GR AM TR RU Cc Ro St Nt Da IR Lo Hz Ss Fa Kz Yas Skh Gls Kh Fe IQ EG UZ KK Skm KG CN Ui Ku Au Shs 01 13 25 30 33 35 36 38 42 46 49 50 56 58 65 73**

9403.Autophila (s.str.) cerealis (Staudinger,1871) (Noctuidae) Synonymy: cerealis Staudinger,1871 Range (as code): **IR Fa Lo Hz Ss Kh Kz Yas Skh SY Cc AM TR LB AF Hr Pli Blh Ca Fz IQ Bsy Agh EG 47**

9404.Autophila (s.str.) libanotica (Staudinger,1901) (Noctuidae) Synonymy: libanotica Staudinger,1901; osthelderi Boursin,1940; libanopsis Boursin,1962. Range (as code): **DZ Ktr Btna Ges Agi Abe BSa Hrh GR TR Cc LB Bsa IL Pa EG Sn IR Elb Mz Kdv Kh Fa Ss Kz Yas Skh TM AF Gbh PK Qu Bl 04 06 12 08 24 30 38 42 46 51 58 62 65 73**

9405.Autophila (s.str.) rosea (Staudinger,1888) (Noctuidae) Synonymy: rosea Staudinger,1888 Range (as code): **MA DZ Hes Hmk Gle Onç Bsk Gf Ges BSa Lgt Omy Ogl Sfr Hmk TN LY EG Si MT HU GR**

9406.Avitta lineosa (Saalmüller,1891) (Noctuidae) Synonymy: lineosa Saalmüller,1891 Range (as code): **ZA MG**

9407.Axylia annularis Saalmüller,1891 (Noctuidae) Synonymy: annularis Saalmüller,1891; transjecta Distant,1898 Range (as code): **KE ZA Tva Gau Pre MG ZR ZM ZW**

9408.Axylia aregashae Laporte,1984 (Noctuidae) Synonymy: aregashae Laporte,1984 Range (as code): **ET ET204**

9409.Axylia belophora D.S.Fletcher,1961 (Noctuidae) Synonymy: belophora D.S.Fletcher,1961 Range (as code): **UG Rz**

9410.Axylia bryi Laporte,1984 (Noctuidae) Synonymy: bryi Laporte,1984 Range (as code): **ET ET86**

9411. **Axylia coniorta (Hampson,1903)** (Noctuidae) Synonymy: coniorta Hampson,1903 Range (as code): **ZA KE RW**
9412. **Axylia corrupta Guenée,1852** (Noctuidae) Synonymy: corrupta Guenée,1852 Range (as code): **SN**
9413. **Axylia dallolmoi Berio,1972** (Noctuidae) Synonymy: dallolmoi Berio,1972 Range (as code): **TZ Iko**
9414. **Axylia destefanii Berio,1944** (Noctuidae) Synonymy: destefanii Berio,1944 Range (as code): **ET**
9415. **Axylia dispilata Swinhoe,1891** (Noctuidae) Synonymy: dispilata Swinhoe,1891 Range (as code): **ZA IN Poo**
9416. **Axylia edwardsi D.S.Fletcher,1961** (Noctuidae) Synonymy: edwardsi D.S.Fletcher,1961 Range (as code): **UG Rz**
9417. **Axylia gabriellae Laporte,1975** (Noctuidae) Synonymy: gabriellae Laporte,1975 Range (as code): **ET ET60 ET139 ET196 ET204**
9418. **Axylia ikondae Berio,1972** (Noctuidae) Synonymy: ikondae Berio,1972 Range (as code): **TZ Iko**
9419. **Axylia infusa Berio,1972** (Noctuidae) Synonymy: infusa Berio,1972 Range (as code): **TZ Iko**
9420. **Axylia intimima D.S.Fletcher,1961** (Noctuidae) Synonymy: intimima D.S.Fletcher,1961 Range (as code): **UG Rz**
9421. **Axylia marthae Laporte,1984** (Noctuidae) Synonymy: marthae Laporte,1984 Range (as code): **ET ET196**
9422. **Axylia orbicularis Laporte,1984** (Noctuidae) Synonymy: orbicularis Laporte,1984 Range (as code): **ET ET204**
9423. **Axylia posterioducta D.S.Fletcher,1961** (Noctuidae) Synonymy: posterioducta D.S.Fletcher,1961 Range (as code): **UG Rz KE**
9424. **Axylia putris (Linnaeus,1761)** (Noctuidae) Synonymy: putris Linnaeus,1761; subcorticalis Hufnagel,1766; pallium De Villers,1789; lignosa Hübner,[1803] Range (as code): **MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Gh Mz Enz DK NO SE FI EE LV LT RU Cc GG Lag AZ Kir Ro Kr St Kc Kb Nt Ing Da Sb Am Us MD UA BY KG Tk CN Mc Ui Hun KP KR Lvv Sgl Alp Kkar JP ID Sum Ja TW 11 14 28 34 37 52 57 61 75**
9425. **Axylia rhodopea (Hampson,1907)** (Noctuidae) Synonymy: rhodopea Hampson,1907 Range (as code): **UG Rz**
9426. **Axylia sanyetiensis Laporte,1984** (Noctuidae) Synonymy: sanyetiensis Laporte,1984 Range (as code): **ET**
9427. **Axylia sciodes D.S.Fletcher,1961** (Noctuidae) Synonymy: sciodes D.S.Fletcher,1961 Range (as code): **UG Rz**
9428. **Axylia sicca (Guenée,1852)** (Noctuidae) Synonymy: sicca Guenée,1852; renalis Moore,1881 Range (as code): **ZA Tra IN Hp Pj Sd Sml Dlh Drm Kgr Up Bhi Nnt Bba SI Djl TH CMa NP CN ET ET196**
9429. **Axylia striata Laporte,1984** (Noctuidae) Synonymy: striata Laporte,1984 Range (as code): **KE**
9430. **Axylia ustula (Hampson,1913)** (Noctuidae) Synonymy: ustula Hampson,1913 Range (as code): **ZR KE UG ZW**
9431. **Axylia vespertina Laporte,1984** (Noctuidae) Synonymy: vespertina Laporte,1984 Range (as code): **ET ET204**
9432. **Bamra delicata Hampson,1922** (Noctuidae) Synonymy: delicata Hampson,1922 Range (as code): **ZA NG**
9433. **Bamra glaucopasta (Bethune-Baker,1911)** (Noctuidae) Synonymy: glaucopasta Bethune-Baker,1911 Range (as code): **KE Nai**
9434. **Bamra jucunda Griveaud & Viette,1961** (Noctuidae) Synonymy: jucunda Griveaud & Viette,1961 Range (as code): **MG**
9435. **Bamra marmorifera (Walker,1858)** (Noctuidae) Synonymy: marmorifera Walker,1858 Range (as code): **ZA Nta Kzu Dbn**
9436. **Baniana arvorum (Guenée,1852)** (Noctuidae) Synonymy: arvorum Guenée,1852; recussa Distant,1898 Range (as code): **ZA Tva Gau Pre**
9437. **Baniana culminifera Hampson,1910** (Noctuidae) Synonymy: culminifera Hampson,1910 Range (as code): **ZA**
9438. **Barasa hulstaerti Hacker,2012** (Noctuidae) Synonymy: hulstaerti Hacker,2012 Range (as code): **ZR Lsb**
9439. **Barasa katbergensis Hacker,2012** (Noctuidae) Synonymy: katbergensis Hacker,2012 Range (as code): **ZA**
9440. **Bareia incidens Walker,1858** (Noctuidae) Synonymy: incidens Walker,1858 Range (as code): **ZA Ec Tra Nta Kzu Dbn KE ZR NG ET ET204**
9441. **Batuana abbahoyegarana Rougeot,1983** (Noctuidae) Synonymy: abbahoyegarana Rougeot,1983 Range (as code): **ET**

9442.Batuana exspectata Laporte & Rougeot,1981 (Noctuidae) Synonymy: exspectata Laporte & Rougeot,1981 Range (as code): **ET**
9443.Batuana lobeliarum Laporte,1976 (Noctuidae) Synonymy: lobeliarum Laporte,1976 Range (as code): **ET ET86**
9444.Batuana rougeoti Laporte,1976 (Noctuidae) Synonymy: rougeoti Laporte,1976 Range (as code): **ET**
9445.Beihania hyatti Wiltshire,1967 (Noctuidae) Synonymy: hyatti Wiltshire,1967 Range (as code): **SO**
9446.Beihania montaguei Wiltshire,1980 (Noctuidae) Synonymy: montaguei Wiltshire,1980 Range (as code): **KE**
9447.Belciana euchlora Hampson,1926 (Noctuidae) Synonymy: euchlora Hampson,1926 Range (as code): **GH**
9448.Bena africana (W.Warren,1913) (Noctuidae) Synonymy: africana W.Warren,1913 Range (as code): **TN Dhm**
9449.Beriohansa hansali (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: hansali R.Felder & Rogenhofer,[1874] Range (as code): **ZA Nta Kzu Dbn Ec Tra EG KE**
9450.Blenina albifascia Pinhey,1968 (Noctuidae) Synonymy: albifascia Pinhey,1968; sinefascia Pinhey,1978. Range (as code): **ZA ZW KE ET**
9451.Blenina astarte (Fawcett,1916) (Noctuidae) Synonymy: astarte Fawcett,1916 Range (as code): **KE**
9452.Blenina brevicosta A.E.Prout,1921 (Noctuidae) Synonymy: brevicosta A.E.Prout,1921 Range (as code): **SL**
9453.Blenina chloromelana (Mabille,1890) (Noctuidae) Synonymy: chloromelana Mabille,1890; chloroptila Holland,1894; #maculata Berio,1964 Range (as code): **SN GA SL CM ZR**
9454.Blenina chrysochlora (Walker,1865) (Noctuidae) Synonymy: chrysochlora Walker,1865 Range (as code): **ID Crm NG GA**
9455.Blenina diagona Hampson,1912 (Noctuidae) Synonymy: diagona Hampson,1912 Range (as code): **NG ZA**
9456.Blenina frederici Gaede,1935 (Noctuidae) Synonymy: frederici Gaede,1935 Range (as code): **UG**
9457.Blenina miota Hampson,1905 (Noctuidae) Synonymy: miota Hampson,1905 Range (as code): **SL**
9458.Blenina quadripuncta Hampson,1902 (Noctuidae) Synonymy: quadripuncta Hampson,1902 Range (as code): **ZA MZ Del**
9459.Blenina richardi Viette,1958 (Noctuidae) Synonymy: richardi Viette,1958 Range (as code): **RE**
9460.Blenina squamifera (Wallengren,1860) (Noctuidae) Synonymy: squamifera Wallengren,1860; lichenosa R.Felder,1874; autumnalis Distant,1898. Range (as code): **ZA Lpo Tva Spb Mdk Mpu Brb Gau Pre Ec Fs Ans Nta Kzu Est BW ZW ZM ZR TZ KE MZ ET ER**
9461.Bleptina frontalis Walker,1862 (Noctuidae) Synonymy: frontalis Walker,1862 Range (as code): **ZA**
9462.Bleptina intractalis Walker,1862 (Noctuidae) Synonymy: intractalis Walker,1862 Range (as code): **ZA**
9463.Bocula metochrea Hampson,1926 (Noctuidae) Synonymy: metochrea Hampson,1926 Range (as code): **ZA**
9464.Bocula terminata (Walker,1869) (Noctuidae) Synonymy: terminata Walker,1869 Range (as code): **ZA**
9465.Bonaberiana crassisquama Strand,1915 (Noctuidae) Synonymy: crassisquama Strand,1915 Range (as code): **ZA**
9466.Boursinia discordans (Boursin,1940) (Noctuidae) Synonymy: discrepans Staudinger,1892 nec Wlk.,1865; discordans Boursin,1940 Range (as code): **LY TR IL Pa Js JO EG 27 63**
9467.Boursinia lithoxylea (A.Bang-Haas,1912) (Noctuidae) Synonymy: lithoxylea A.Bang-Haas,1912; beduina Wiltshire,1948 Range (as code): **MA DZ Btna TN LY EG Sn**
9468.Brachygalea albolineata (Blachier,1905) (Noctuidae) Synonymy: albolineata Blachier,1905; leucorhabda Hampson,1906; albolineata Hampson,1906 Range (as code): **MR MA DZ Hes Sfr BSa Ceg Kdr Ktr Onç Ogl Bsk Tun TN Gf LY ES Mu IQ Bgd SA IR Fa IL Pa JO EG Sn**
9469.Brachypteragrotis patricei Viette,1959 (Noctuidae) Synonymy: patricei Viette,1959 Range (as code): **ZA**
9470.Brephos ansorgei (Jordan,1904) (Noctuidae) Synonymy: ansorgei Jordan,1904 Range (as code): **ZA**
9471.Brephos decora (Linnaeus,1764) (Noctuidae) Synonymy: decora Linnaeus,1764; julia Cramer,1776; dubia Hübner,1827; moldaenkei Dewitz,1881 Range (as code): **ZA Tva Gau Pre Wca Grg Nta Kzu Dbn Blf Lds Fs Cto**
9472.Brephos festiva (Jordan,1913) (Noctuidae) Synonymy: festiva Jordan,1913 Range (as code): **ZA Nta Kzu Rie Dbn Tva**

9473. **Brephos incongruella W.Warren,1914** (Noctuidae) Synonymy: incongruella W.Warren,1914 Range (as code): **ZA**
9474. **Brephos nyassana (Bartel,1903)** (Noctuidae) Synonymy: nyassana Bartel,1903 Range (as code): **ZR MW**
9475. **Britha brithodes D.S.Fletcher,1961** (Noctuidae) Synonymy: brithodes D.S.Fletcher,1961 Range (as code): **UG**
9476. **Brithys crini (Fabricius,1775)** (Noctuidae) Synonymy: crini Fabricius,1775; dominica Cramer,1872; nipponica Matsumura,1931 Range (as code): **MA DZ Agi Anna Dhm Tun Sét TN PT ES FR Sa Si IT GB AL GR ZA Tva Gau Pre Nta Kzu Dbn Ec Grh ZW Har MU IN LK Pdy Kndy Pj MM SG ID Ja JP TH Bnk CMa Nan Phe Rat Nth**
9477. **Brithys encausta (Hübner,[1808])** (Noctuidae) Synonymy: encausta Hübner,[1808] Range (as code): **MT LY Cy IT Si GR TN**
9478. **Brithysana speyeri (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: speyeri R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu Est Dbn Ec Qt**
9479. **Bryomima codeti (Oberthür,1881)** (Noctuidae) Synonymy: codeti Oberthür,1881; nisseni Rothschild,1913 Range (as code): **MA DZ Sfr Sbd Ges**
9480. **Bryophilopsis anomoiota (Bethune-Baker,1911)** (Noctuidae) Synonymy: anomoiota Bethune-Baker,1911 Range (as code): **ZA**
9481. **Bryophilopsis curvifera Hampson,1912** (Noctuidae) Synonymy: curvifera Hampson,1912 Range (as code): **ZA**
9482. **Bryophilopsis tarachoides Mabille,1900** (Noctuidae) Synonymy: tarachoides Mabille,1900 Range (as code): **ZA MG SA OM YE NG MR**
9483. **Bryothripa miophaea Hampson,1912** (Noctuidae) Synonymy: miophaea Hampson,1912; transvaalensis Strand,1917 Range (as code): **ZA Tva Lpo**
9484. **Brythisana africana Laporte,1973** (Noctuidae) Synonymy: africana Laporte,1973 Range (as code): **ET ET196 CM**
9485. **Brythisana maura (Saalmüller,1891)** (Noctuidae) Synonymy: maura Saalmüller,1891 Range (as code): **MG**
9486. **Brythisana pauliani Viette,1967** (Noctuidae) Synonymy: pauliani Viette,1967 Range (as code): **MG**
9487. **Busseola fusca (Fuller,1901)** (Noctuidae) Synonymy: fusca Fuller,1901 Range (as code): **ZA ET ET24**
9488. **Busseola obliquifascia (Hampson,1902)** (Noctuidae) Synonymy: obliquifascia Hampson,1902 Range (as code): **ZA**
9489. **Busseola pallidicosta (Hampson,1902)** (Noctuidae) Synonymy: pallidicosta Hampson,1902 Range (as code): **ZA**
9490. **Busseola phaia Bowden,1956** (Noctuidae) Synonymy: phaia Bowden,1956 Range (as code): **ZA**
9491. **Caffristis ferrogrisea (Hampson,1902)** (Noctuidae) Synonymy: ferrogrisea Hampson,1902 Range (as code): **ZA**
9492. **Calamia flavirufa Hampson,1910** (Noctuidae) Synonymy: flavirufa Hampson,1910 Range (as code): **ZA**
9493. **Calesia karschi (Bartel,1903)** (Noctuidae) Synonymy: karschi Bartel,1903 Range (as code): **ZA**
9494. **Calesia othello (Fawcett,1916)** (Noctuidae) Synonymy: othello Fawcett,1916 Range (as code): **ZA Nta Dbn KE**
9495. **Calesia phaiosoma (Hampson,1891)** (Noctuidae) Synonymy: phaiosoma Hampson,1891; #phaeosoma Janse,1917 Range (as code): **ZA Ec Ans Tra IN**
9496. **Calesia xanthognatha Hampson,1926** (Noctuidae) Synonymy: xanthognatha Hampson,1926; desdemona Wiltshire,1983 Range (as code): **ZA**
9497. **Calesia zambesita Walker,1865** (Noctuidae) Synonymy: zambesita Walker,1865; roseiventris Gerstaecker,1871; #sambesita Hampson,1902 Range (as code): **ZA KE**
9498. **Caligatus angasii Wing,[1850]** (Noctuidae) Synonymy: angasii Wing,[1850]; venutissima Walker,1865 Range (as code): **NG ZA Nta Kzu**
9499. **Calliodes appollina Guenée,1852** (Noctuidae) Synonymy: appollina Guenée,1852 Range (as code): **ET Sw ZA**
9500. **Calliodes pretiosissima Holland,1892** (Noctuidae) Synonymy: pretiosissima Holland,1892; rivuligera Butler,1893 Range (as code): **ET Sw ZA Nta Kzu MZ Del KE**
9501. **Callixena versicolora Saalmüller,1891** (Noctuidae) Synonymy: versicolora Saalmüller,1891 Range (as code): **CI Tva MG ZA Nta Kzu Wca Ec Dbn Mpu Tst ET ET204**
9502. **Callixena viettei (Berio,1955)** (Noctuidae) Synonymy: viettei Berio,1955 Range (as code): **ZA MG**

9503.Callophisma flavicornis Hampson,1913 (Noctuidae) Synonymy: flavicornis Hampson,1913 Range (as code): **NG**

9504.Callophisma viettei Laporte,1975 (Noctuidae) Synonymy: viettei Laporte,1975 Range (as code): **ET ET29**

9505.Callopistria albivitta (Hampson,1918) (Noctuidae) Synonymy: albivitta Hampson,1918 Range (as code): **ZA Ec**

9506.Callopistria antithetica Wiltshire,1977 (Noctuidae) Synonymy: antithetica Wiltshire,1977 Range (as code): **SD Kgl Kdf**

9507.Callopistria benguellae Weymer,1908 (Noctuidae) Synonymy: benguellae Weymer,1908 Range (as code): **AO**

9508.Callopistria bergeri Berio,1976 (Noctuidae) Synonymy: bergeri Berio,1976 Range (as code): **TZ**

9509.Callopistria cariei (De Joannis,1915) (Noctuidae) Synonymy: cariei De Joannis,1915 Range (as code): **MU**

9510.Callopistria chera (A.E.Prout,1927) (Noctuidae) Synonymy: chera A.E.Prout,1927 Range (as code): **ST**

9511.Callopistria complicata (Holland,1894) (Noctuidae) Synonymy: complicata Holland,1894 Range (as code): **GA**

9512.Callopistria cornuscopiae (Holland,1894) (Noctuidae) Synonymy: cornuscopiae Holland,1894 Range (as code): **GA**

9513.Callopistria cyanopera (Hampson,1911) (Noctuidae) Synonymy: cyanopera Hampson,1911 Range (as code): **NG**

9514.Callopistria dascia D.S.Fletcher,1961 (Noctuidae) Synonymy: dascia D.S.Fletcher,1961 Range (as code): **UG**

9515.Callopistria equatorialis Berio,1970 (Noctuidae) Synonymy: equatorialis Berio,1970 Range (as code): **ZR**

9516.Callopistria flabellum Berio,1976 (Noctuidae) Synonymy: flabellum Berio,1976 Range (as code): **ZR**

9517.Callopistria grassei Laporte,1970 (Noctuidae) Synonymy: grassei Laporte,1970 Range (as code): **GA**

9518.Callopistria insularis Butler,1882 (Noctuidae) Synonymy: insularis Butler,1882 Range (as code): **ZA PG NBr**

9519.Callopistria juventina (Stoll,[1782]) (Noctuidae) Synonymy: juventina Stoll,[1782]; purpureofasciata Piller & Mitterpacher,1783; lagopus Esper,[1788]; pteridis Thunberg,1788; manicata De Villers,1789; formissimalis Hübner,1796; obscura Butler,1878 Range (as code): **DZ Dhm TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Mz Elb Clu Th Fa Mia Sse Shr DK LT RU Kr MD UA BY 08 28 31 33 34 52 53**

9520.Callopistria latreillei (Duponchel,1827) (Noctuidae) Synonymy: latreillei Duponchel,1827; quieta Treitschke,1826; roseitelum Walker,[1858]; rakoto Viette,1865; rechingeri Koutsaftikis,1973. Range (as code): **MG Md Cn MA DZ Ges BSa Mii Dhm Sbd TN LY PT ES FR Co Sa Si IT MT CH AT HU RO YU AL BG GR Cr TR Cc RU Da LB Bsa IL Pa Hf IN Pj NP AF IR Ke Fa Hz Ss Gh Gls Kh PK Cls Swa Alp Kkar ZA Tva Gau Pre Mpu Tst Nha Nta Kzu Ec ZR KE SA ET ET24 SO Zai YE AE PK OM Ld Cls 01 03 05 06 07 08 16 30 31 32 33 35 42 44 46 50 51 52 65 80**

9521.Callopistria maillardi (Guenée,1862) (Noctuidae) Synonymy: maillardi Guenée,1862; recurvata Moore,1882; nauticorum Tams,1935; pseudintermissa Viette,1965. Range (as code): **SL ZR Sk MU YE PK IN SI Pj Djl Clc LK TH Bnk CMa Lmp Nan NP VN TW PH Luz Mno Crg CN PG WS ID Ja NH AU QAu Hw NC ZA Nta Kzu Uma ZW FJ RA RE NZ**

9522.Callopistria nana (Hampson,1911) (Noctuidae) Synonymy: nana Hampson,1911 Range (as code): **NG**

9523.Callopistria natalensis (Hampson,1908) (Noctuidae) Synonymy: natalensis Hampson,1908 Range (as code): **ZA Nta Kzu Kkf**

9524.Callopistria nephrosticta (Hampson,1908) (Noctuidae) Synonymy: nephrosticta Hampson,1908 Range (as code): **NG Caa**

9525.Callopistria nervurata Laporte,1974 (Noctuidae) Synonymy: nervurata Laporte,1974 Range (as code): **CM**

9526.Callopistria nigeriensis (Hampson,1918) (Noctuidae) Synonymy: nigeriensis Hampson,1918; miosticta A.E.Prout,1927 Range (as code): **NG ST**

9527.Callopistria occidens (Hampson,1908) (Noctuidae) Synonymy: occidens Hampson,1908 Range (as code): **NG Caa**

9528.Callopistria rectilinea Saalmüller,1891 (Noctuidae) Synonymy: rectilinea Saalmüller,1891 Range (as code): **ZA MG**

9529. **Callopistria subroseata Berio,1966** (Noctuidae) Synonymy: subroseata Berio,1966 Range (as code): **ZR**
9530. **Callopistria thermochroa (Hampson,1911)** (Noctuidae) Synonymy: thermochroa Hampson,1911 Range (as code): **NG**
9531. **Callopistria unica Laporte,1973** (Noctuidae) Synonymy: unica Laporte,1973 Range (as code): **CM**
9532. **Callopistria yerburii Butler,1884** (Noctuidae) Synonymy: yerburii Butler,1884; promiscua Saalmüller,1891. Range (as code): **ZA Tva Gau Jh IN SC YE Ad Buf Mpu Wv SO Zai**
9533. **Callyna constratans Hampson,1914** (Noctuidae) Synonymy: constratans Hampson,1914 Range (as code): **GH**
9534. **Callyna cupricolor Hampson,1902** (Noctuidae) Synonymy: cupricolor Hampson,1902 Range (as code): **ZA**
9535. **Callyna decora Walker,[1858]** (Noctuidae) Synonymy: decora Walker,[1858] Range (as code): **ZA**
9536. **Callyna figurans Walker,1858** (Noctuidae) Synonymy: figurans Walker,1858 Range (as code): **ZA**
9537. **Callyna holophaea Hampson,1911** (Noctuidae) Synonymy: holophaea Hampson,1911 Range (as code): **NG**
9538. **Callyna monoleuca Walker,1858** (Noctuidae) Synonymy: monoleuca Walker,1858; apicalis Snellen,1880; japonibia Strand,1920; #demaculata Roepke,1938 Range (as code): **ZA IN Up Bhi Nk CN TW TH Knc CMa Lmp MY PH Mno Bkd Ktd Pal Olg ID Ja Clb JP AU**
9539. **Callyna nigerrima Hampson,1902** (Noctuidae) Synonymy: nigerrima Hampson,1902 Range (as code): **ZA**
9540. **Callyna obscura Hampson,1910** (Noctuidae) Synonymy: obscura Hampson,1910 Range (as code): **ZA**
9541. **Callyna unicolor Hampson,1920** (Noctuidae) Synonymy: unicolor Hampson,1920 Range (as code): **ZA**
9542. **Calophasia almoravida Graslin,1863** (Noctuidae) Synonymy: almoravida Graslin,1863 Range (as code): **DZ Ges BSa Hmk Khh MA PT ES An Grn Mu FR Co Sa Si**
9543. **Calophasia angularis Chrétien,1911** (Noctuidae) Synonymy: angularis Chrétien,1911; stigmatica Rothschild,1913; liberatii Turati,1924; danieli Le Cerf,1924; pintori Turati,1924; volmeri Hering,1930 Range (as code): **MR MA DZ Bsk Ogl Gle Ges Omy TN Gf LY TM Kp EG SA IQ IL Pa JO IR Ss B-A**
9544. **Calophasia hamifera Staudinger,1863** (Noctuidae) Synonymy: hamifera Staudinger,1863 Range (as code): **MA DZ PT ES Mu Si?**
9545. **Calophasia opalina (Esper,[1796])** (Noctuidae) Synonymy: casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stdauder,1923. Range (as code): **MA DZ Clo PT ES FR IT CH AT SK RO YU AL BG GR TR GG Lag Cc AM RU Ro Kr Ich Da MD UA BY IQ LB Bsa SA IR Fa Kh Elb Th CN Ui UZ Fe AF Hk KK Ik Skm KG TJ Pm MN 03 05 06 16 18 24 25 36 46 50 51 56 58 65 70**
9546. **Calophasia pauli (Staudinger,1892)** (Noctuidae) Synonymy: pauli Staudinger,1892 Range (as code): **MA DZ Berr Ges BSa Tun Sfr TN LY IL Pa Js JO TR**
9547. **Calophasia platyptera (Esper,[1788])** (Noctuidae) Synonymy: platyptera Esper,[1788]; canterius De Villers,1789; tenera Hübner,[1803]; olbiena Duponchel,1842; subalbida Staudinger,1901; signata Constantini,1916 Range (as code): **Cn MR MA DZ Dhm Hrh Dzc Agi Ahr TN LY PT ES Mu FR Co Sa Si IT MT GB CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU MD UA LB Bsa IL Pa Hf IR Elb SY JO SA YE 01 05 07 13 15 16 21 23 24 27 31 32 33 44 46 47 50 58 66**
9548. **Calophasia sinaica (Wiltshire,1948)** (Noctuidae) Synonymy: sinaica Wiltshire,1948 Range (as code): **EG Sn IL Pa JO SA As**
9549. **Calpiformis craushayi (Hampson,1905)** (Noctuidae) Synonymy: craushayi Hampson,1905 Range (as code): **ZA**
9550. **Calyptra imperialis (Grünberg,1910)** (Noctuidae) Synonymy: imperialis Grünberg,1910 Range (as code): **RW**
9551. **Calyptra provocans Walker** (Noctuidae) Synonymy: Range (as code): **ET ET24**
9552. **Campydelta campyla (Hampson,1909)** (Noctuidae) Synonymy: campyla Hampson,1909 Range (as code): **ZA**
9553. **Capillamentum galleyi Laporte,1984** (Noctuidae) Synonymy: galleyi Laporte,1984 Range (as code): **ET ET09**
9554. **Capillamentum nigrofasciatum Pinhey,1956** (Noctuidae) Synonymy: nigrofasciatum Pinhey,1956 Range (as code): **KE Kit**
9555. **Caradrina (Boursinidrina) germainii (Duponchel,1835)** (Noctuidae) Synonymy: germainii Duponchel,1835; laciniosa Donzel,1847; leprii Berio,1942; psammopsis Boursin,1967 Range (as code): **MA DZ Ges PT ES Mu FR Co Sa Si MT**

9556.Caradrina (Boursinidrina) oberthuri (Rothschild,1913) (Noctuidae) Synonymy: oberthuri Rothschild,1913; apicimaculata Rebel,[1948] Range (as code): **Cn MA DZ Rhr Onç Omy LY ES Mu SA AE IR Hz B-A Ss Chh Kz Yas Lo IL Pa JO OM EG Sn JE**

9557.Caradrina (Boursinidrina) soudanensis (Hampson,1918) (Noctuidae) Synonymy: soudanensis Hampson,1918 Range (as code): **MR MA DZ? LY? TD? SD SD95 EG SA SA39 IR Hz B-A Ss Chh JO OM**

9558.Caradrina (Eremodrina) alfierii (Boursin,1937) (Noctuidae) Synonymy: alfierii Boursin,1937 Range (as code): **EG Sn IR Hz SA SA34 IL Pa JO**

9559.Caradrina (Eremodrina) armeniaca (Boursin,1936) (Noctuidae) Synonymy: armeniaca Boursin,1936; #clara Schawerda,1928; clara Schawerda,1931 nec Harvey,1878; barbarica Boursin,1936 Range (as code): **DZ Perr MA ES Mu TR Cc AM Nv Dz AZ IR Gh Elb Mz Th Kdj Lo Fa Kh Es Ss Ab By TM Kp UZ KK KG 76**

9560.Caradrina (Eremodrina) casearia (Staudinger,1900) (Noctuidae) Synonymy: casearia Staudinger,1900; tauorgensis C.G.Krüger,1939 Range (as code): **DZ Bsk MA LY TN IL Pa JO**

9561.Caradrina (Eremodrina) distigma Chrétien,1913 (Noctuidae) Synonymy: distigma Chrétien,1913; halimi Chrétien,1913 Range (as code): **DZ Bsk MA ES TN**

9562.Caradrina (Eremodrina) ectomelaena (Hampson,1916) (Noctuidae) Synonymy: ectomelaena Hampson,1916 Range (as code): **SO YE Hd**

9563.Caradrina (Eremodrina) flava Oberthür,1876 (Noctuidae) Synonymy: flava Oberthür,1876; approximans Rothschild,1914 Range (as code): **NE CV AE MR Cn ES Mu MA DZ Gtt Tlm Ges Onç Clo Gha Bsk BSa Khh Omy Sét Berr Btna Ktr Sfr Mii Sbd TN Gf LY TD EG SA IL Hf Pa JO IQ Kbl IR Hz Ss Chh**

9564.Caradrina (Eremodrina) ibeasi (Fernandez,[1918]) (Noctuidae) Synonymy: ibeasi Fernandez,[1918]; iberica Hampson,1918; bermeja Zerny,1927 Range (as code): **MA ES**

9565.Caradrina (Eremodrina) inumbrata (Staudinger,1900) (Noctuidae) Synonymy: inumbrata Staudinger,1900; inumbratella Pinker,1980 Range (as code): **DZ Prr EG Sn TR IR Kh KuB Gh Elb Th Nss Lo Gh Fa Ab Ak Mz By Es Ha Cc AM Eri AZ RU Or TM Kp AF BdA 01 02 04 08 13 25 36 44 46 58 62 65**

9566.Caradrina (Eremodrina) melanurina (Staudinger,1901) (Noctuidae) Synonymy: melanurina Staudinger,1901 Range (as code): **IL Pa EG Sn SA SA34 SA63 SY JO IR Fa**

9567.Caradrina (Kalchbergiana) ingrata (Staudinger,1897) (Noctuidae) Synonymy: infusca Constant,1865 nec Rmbr.,1858; ingrata Staudinger,1897 Range (as code): **MR MA DZ Btna Bsk LY Cy PT ES FR Co Si? CH GR Cr TR LB Bei IL Hf Pa SY JO IQ Amr CY EG SA BH**

9568.Caradrina (Paradrina) afrotropicalis Hacker,2004 (Noctuidae) Synonymy: afrotropicalis Hacker,2004 Range (as code): **CM**

9569.Caradrina (Paradrina) atriluna Guenée,1852 (Noctuidae) Synonymy: atriluna Guenée,1852; indicata Walker,1857; mediterraneae Bethune-Baker,1894; distincta Staudinger,1898; angularis Turati,1935 Range (as code): **CV SH MA DZ Ah Abe Prr ZA ET LY EG Sn IL Pa LB CY JO TR IR Hz Fa Ss Hz B-A CY 31**

9570.Caradrina (Paradrina) clavipalpis (Scopoli,1763) (Noctuidae) Synonymy: clavipalpis Scopoli,1763; grisea Hufnagel,1766; quadripunctata Fabricius,1775; cubicularis [Denis & Schiffermüller],1775; leucoptera Thunberg,1791; milleri Schultz,1862; avicula Krulikovsky,1909; teidovolans Pinker,1974; pinkeri Kobes,1975 Range (as code): **MA MR DZ TN EG PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY DK NO SE FI EE LV LT RU MD UA BY KG Uk SD SA IQ Agh Ry Rwz Dia Brs Kum IR Fa Es Plr Dam Kdj AF Hk Hr Nu Bsg MN Ui Chk ZA Gau Pre Tva LB Bsa IL Pa Lvv SY JO TJ UZ N-A Th Kd Bne Kz Yas Mia Mz Gls Kh GG Tbl Lag Da Der AZ Kir Nv Ord PK Gg Bt Hu Haz Mnr Mre Ds Psu Bl Zi IN Hp Ch Bsk Dja Blid Tlm Clo Agi Ges Abe Perr Sfr Btna Dhm BSa Khh Sbd Ktr Hrh Mzg Hmk Onç Omy 01 05 06 10 13 16 20 21 22 24 25 29 30 32 33 35 42 44 46 47 50 51 53 56 58 60 62 63 64 65 72**

9571.Caradrina (Paradrina) eugraphis Janse,1938 (Noctuidae) Synonymy: eugraphis Janse,1938 Range (as code): **ZA**

9572.Caradrina (Paradrina) flavirena (Guenée,1852) (Noctuidae) Synonymy: flavirena Guenée,1852; minor Staudinger,1897; subdita W.Warren,1911; muricolor Boursin,1933; subdita Leraut,1980 Range (as code): **MA DZ Blid Btna Ges Agi Berr TN PT ES Mu FR Co Sa Si IT MT CH YU AL BG GR Cr TR Cc IL Pa CY RU IQ Agh Mos Bgd IR Elb Kdj Th 01 06 07 08 09 10 13 17 27 31 32 33 35 46 51 56 58 64 65 72**

9573.Caradrina (Paradrina) glaucistis Hampson,1902 (Noctuidae) Synonymy: glaucistis Hampson,1902 Range (as code): **ZA**

9574.Caradrina (Paradrina) jacobsi (Rothschild,1914) (Noctuidae) Synonymy: jacobsi Rothschild,1914; lignea Turati,1930 Range (as code): **DZ Ges Mii Btna MA TN LY Cy**

9575.Caradrina (Paradrina) katherina (Wiltshire,1947) (Noctuidae) Synonymy: katherina Wiltshire,1947 Range (as code): **SA As YE EG Sn**

9576.Caradrina (Paradrina) noctivaga (Bellier,1863) (Noctuidae) Synonymy: noctivaga Bellier,1863; litigiosa Rambur,1838 Range (as code): **MA DZ Dja Abe Blid Ahr PT ES An Mu FR Co Sa Si IT GB**

9577.Caradrina (Paradrina) rebeli Staudinger,1901 (Noctuidae) Synonymy: rebeli Staudinger,1901; lapalmae Pinker,1962; grancanariae Pinker,1962; lanzarotensis Pinker,1962; fuerteventurensis Pinker & Bacallado,1975 Range (as code): **Cn**

9578.Caradrina (Paradrina) selini (Boisduval,1840) (Noctuidae) Synonymy: selini Boisduval,1840; selinoides Bellier,1862; milleri Schultz,1862; jurassica Riggenbach-Stehlin,1876; minor Staudinger,1897; #puengeleri Draudt,1934; telekii Dioszeghy,[1935] Range (as code): **MA Rf DZ TN LY EG JO PT ES Mu FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag CY IL Pa Hf IR Mz Elb Dam Plr DK NO SE FI EE LV LT RU MD UA BY KG 06 07 13 16 36 64 76**

9579.Caradrina (Paradrina) zandi (Wiltshire,1952) (Noctuidae) Synonymy: zandi Wiltshire,1952 Range (as code): **Cr CY LB Bei JO IL Pa TR EG IR Fa Shr**

9580.Caradrina (Platyperigea) aspersa (Rambur,1834) (Noctuidae) Synonymy: aspersa Rambur,1834; anceps Herrich-Schäffer,1849; culoti Turati,1913; predotae Schawerda,1934; alfacaria Draudt,1934; pujoli Agenjo,1954; buddenbrocki Gross,1956; proverai Berio,1977 Range (as code): **MA DZ PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU YU AL BG GR Cr TR Cc GG Smt Bjo IR Fa Kh TM Kp RU Nt Sb LB IL Pa Hf CY 01 03 05 06 07 08 14 17 18 22 29 32 33 39 42 46 50 51 62 65 66**

9581.Caradrina (Platyperigea) proxima (Rambur,1837) (Noctuidae) Synonymy: proxima Rambur,1837; infusca Rambur,1858; rufostigmata Rothschild,1914 Range (as code): **MA DZ Hrh Ges Abe Saia Prr Btna Khh Sbd TN PT ES An Mu FR Si Sa**

9582.Caradrina (Platyperigea) terrea (Freyer,[1840]) (Noctuidae) Synonymy: terrea Freyer,[1840]; ustirena Boisduval,1840 Range (as code): **MA FR Sa Si IT CH AT CZ HU RO YU BG GR TR Cc AM Eri RU Sr Ro Kr St Nt Ing SY AF Kab Bd PK Kjb Bbu Hu Ti IR Kh KuB TJ Pm Chr TM Kp KG Tk Dj Ii Ui Um KK Ik Na Ax UZ 01 03 04 06 08 12 13 18 23 25 30 36 42 49 50 51 65 66**

9583.Caradrina (Weigertrina) eremicola (Plante,1998) (Noctuidae) Synonymy: eremicola Plante,1998 Range (as code): **OM PK IN Rj SD**

9584.Caradrina (Weigertrina) senecai Hacker,2004 (Noctuidae) Synonymy: senecai Hacker,2004 Range (as code): **LY**

9585.Caradrina (s.str.) callicora Le Cerf,1922 (Noctuidae) Synonymy: callicora Le Cerf,1922 Range (as code): **KE**

9586.Caradrina (s.str.) melanosema Hampson,1914 (Noctuidae) Synonymy: melanosema Hampson,1914 Range (as code): **ZA MZ**

9587.Caradrina (s.str.) pexicera Hampson,1909 (Noctuidae) Synonymy: pexicera Hampson,1909 Range (as code): **ZA Ec Cap**

9588.Caradrina (s.str.) pseudagrotis Hampson,1918 (Noctuidae) Synonymy: pseudagrotis Hampson,1918 Range (as code): **MW**

9589.Caradrina (s.str.) sinistra Janse,1938 (Noctuidae) Synonymy: sinistra Janse,1938 Range (as code): **ZA Kzu Nta Pel**

9590.Caradrina ferida Pagenstecher,1893 (Noctuidae) Synonymy: ferida Pagenstecher,1893 Range (as code): **ZA**

9591.Caradrina superciliata Wallengren,1856 (Noctuidae) Synonymy: superciliata Wallengren,1856 Range (as code): **ZA**

9592.Caradrina tenebrata Hampson,1902 (Noctuidae) Synonymy: tenebrata Hampson,1902 Range (as code): **ZA Ec Tra ZW Har**

9593.Caradrina torpens Guenée,1852 (Noctuidae) Synonymy: torpens Guenée,1852 Range (as code): **ET**

9594.Caradrina xanthopis (Hampson,1909) (Noctuidae) Synonymy: xanthopis Hampson,1909 Range (as code): **ZA**

9595.Carcharoda erlangeri Rothschild,1924 (Noctuidae) Synonymy: erlangeri Rothschild,1924 Range (as code): **ET**

9596.Carcharoda flavirosea Hampson,1910 (Noctuidae) Synonymy: flavirosea Hampson,1910 Range (as code): **KE Mb**

9597.Cardepia affinis Rothschild,1913 (Noctuidae) Synonymy: affinis Rothschild,1913; ghigli Turati,1921; strobilacei Dumont,1925. Range (as code): **Cn MA DZ Kdr TN ES Mu CY LB IL Pa SY JO EG Sn IR Fa**

9598.Cardepia emmanueli Berio,1993 (Noctuidae) Synonymy: emmanueli Berio,1993 Range (as code): **KE**

9599.Cardepia mixta Pagenstecher,1907 (Noctuidae) Synonymy: mixta Pagenstecher,1907 Range (as code): **MG**

9600.Cardepia sociabilis (Graslin,1850) (Noctuidae) Synonymy: sociabilis Graslin,1850; ghigii Turati,1926; pedrosai Monteiro,1972; grisea Berio,1986. Range (as code): **Cn DZ Hes Khh Perr Out BSa Ges Ceg TN LY Cy AE PT ES Mu FR Py Sa Si GR TR RU Ro Kb St Da Kap Kyi IR Kz Ab Khy Mar Mak Ak Mz Elb Dam Kh Fa Ss Bu Dlk Hz IL Pa SY EG Sn IN Rj TM AF Pli TJ Cc AM Eri 01 04 06 35 38 42 44 51 63 76**

9601.Catada ndalla Bethune-Baker,1911 (Noctuidae) Synonymy: ndalla Bethune-Baker,1911; icelomorpha Bethune-Baker,1911 Range (as code): **AO**

9602.Catada phaeopasta Hampson,1909 (Noctuidae) Synonymy: phaeopasta Hampson,1909 Range (as code): **UG Rz**
9603.Catada psychis Lödl & Paumkirchner,2001 (Noctuidae) Synonymy: psychis Lödl & Paumkirchner,2001 Range (as code): **GH CI CM Bit NG Wrr**
9604.Catada rex Bethune-Baker,1911 (Noctuidae) Synonymy: rex Bethune-Baker,1911 Range (as code): **NG Lgo**
9605.Catamecia connectens (Hampson,1902) (Noctuidae) Synonymy: connectens Hampson,1902 Range (as code): **BW ZA**
9606.Catamecia minima (Swinhoe,1889) (Noctuidae) Synonymy: minima Swinhoe,1889; jordana Staudinger,1897; bacheri Staudinger,1901; balestrei Lucas,1907; arabica Wiltshire,1949 Range (as code): **MR MA DZ IQ Amr Agh IN Sd SA As TN YE Ad IR Ss Ahz Hz B-A IL Pa Jt JO EG Sn**
9607.Catephia abrostolica Hampson,1926 (Noctuidae) Synonymy: abrostolica Hampson,1926 Range (as code): **TZ Tnga**
9608.Catephia albirena Hampson,1926 (Noctuidae) Synonymy: albirena Hampson,1926 Range (as code): **ET ET168**
9609.Catephia alchymista ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: alchymista [Denis & Schiffermüller],1775 Range (as code): **MA DZ Btna Hrh Dhm Sét Anna Sbd TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Smt Bjo Der AZ Kir Hkd Cc IR Mz Gls IQ Mos CY IL Pa LV LT RU Ro St Kr Ich Da MD UA BY 06 07 17 18 30 33 34 39 42 56 62 65**
9610.Catephia barrettae Hampson,1905 (Noctuidae) Synonymy: barrettae Hampson,1905 Range (as code): **ZA Ec Tra**
9611.Catephia corticea Le Cerf,1922 (Noctuidae) Synonymy: corticea Le Cerf,1922 Range (as code): **KE**
9612.Catephia cryptodisca Hampson,1926 (Noctuidae) Synonymy: cryptodisca Hampson,1926 Range (as code): **GH**
9613.Catephia dipterygia Hampson,1926 (Noctuidae) Synonymy: dipterygia Hampson,1926 Range (as code): **GH**
9614.Catephia discophora Hampson,1926 (Noctuidae) Synonymy: discophora Hampson,1926 Range (as code): **ZA Tva Lpo Wri**
9615.Catephia endoplaga Hampson,1926 (Noctuidae) Synonymy: endoplaga Hampson,1926 Range (as code): **GH**
9616.Catephia eurymelas Hampson,1916 (Noctuidae) Synonymy: eurymelas Hampson,1916 Range (as code): **SO**
9617.Catephia holophaea Hampson,1926 (Noctuidae) Synonymy: holophaea Hampson,1926 Range (as code): **NG**
9618.Catephia iridocosma (Bethune-Baker,1911) (Noctuidae) Synonymy: iridocosma Bethune-Baker,1911 Range (as code): **ZA UG Etb**
9619.Catephia mesonephele Hampson,1916 (Noctuidae) Synonymy: mesonephele Hampson,1916 Range (as code): **SO**
9620.Catephia metaleuca Hampson,1926 (Noctuidae) Synonymy: metaleuca Hampson,1926 Range (as code): **KE**
9621.Catephia microcelis Hampson,1926 (Noctuidae) Synonymy: microcelis Hampson,1926 Range (as code): **NG**
9622.Catephia pallididisca Hampson,1926 (Noctuidae) Synonymy: pallididisca Hampson,1926 Range (as code): **ZA Tva Lpo Wv**
9623.Catephia pericyma Hampson,1916 (Noctuidae) Synonymy: pericyma Hampson,1916 Range (as code): **SO**
9624.Catephia personata Walker,1865 (Noctuidae) Synonymy: personata Walker,1865 Range (as code): **ZA**
9625.Catephia poliochroa Hampson,1916 (Noctuidae) Synonymy: poliochroa Hampson,1916 Range (as code): **SO**
9626.Catephia pyramidalis Hampson,1916 (Noctuidae) Synonymy: pyramidalis Hampson,1916 Range (as code): **SO**
9627.Catephia sciras Fawcett,1916 (Noctuidae) Synonymy: sciras Fawcett,1916; #scitas Laporte,1977 Range (as code): **KE ET ET29**
9628.Catephia scotosa (Holland,1894) (Noctuidae) Synonymy: scotosa Holland,1894 Range (as code): **GA Ogo**
9629.Catephia scylla Fawcett,1916 (Noctuidae) Synonymy: scylla Fawcett,1916 Range (as code): **KE**
9630.Catephia sospita Fawcett,1916 (Noctuidae) Synonymy: sospita Fawcett,1916 Range (as code): **KE**

9631.Catephia squamosa (Wallengren,1856) (Noctuidae) Synonymy: squamosa Wallengren,1856; discistriga Walker,[1858]; inconclusa Walker,[1858]; trispilosa Saalmüller,1880; #aquamosa Janse,1917. Range (as code): **ZA Lpo Tva Spb Mdk Nta Kzu Dbn KE BW Nga**

9632.Catephia striata Hampson,1902 (Noctuidae) Synonymy: striata Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**

9633.Catephia virescens Hampson,1902 (Noctuidae) Synonymy: virescens Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**

9634.Catocala (Ephesia) nymphaea (Esper,[1787]) (Noctuidae) Synonymy: nymphaea Esper,[1787]; vestalis Geyer,[1835]; conjux Freyer,1850 Range (as code): **DZ Anna Blid Agi Ktr Dhm Btna Sfr Abe Sbd MA Mzg TN PT ES Mu FR Co Sa Si IT MT DE CH AT YU AL BG GR Cr TR GG AM Cc DK RU Ro MD UA BY Ch PK AF Srb Gbh Bm Pag Kab CY IL Pa IR Elb Th Kz Yas Skh 01 06 07 16 18 30 33 35 36 48 56 62 73**

9635.Catocala (Mormonia) dilecta (Hübner,[1808]) (Noctuidae) Synonymy: dilecta Hübner,[1808]; dayremi Oberthür,1907; powelli Oberthür,1907; laetita Schawerda,1931 Range (as code): **DZ Sbd Agi Dhm TN Abe Btna PT ES Mu FR Co Sa Si IT DE CH AT SK HU RO YU BG GR Cr CY TR RU MD UA BY 05 06 33 46**

9636.Catocala (Mormonia) sponsa (Linnaeus,1767) (Noctuidae) Synonymy: sponsa Linnaeus,1767; rejecta Fischer v. Waldheim,1820; laeta Oberthür,1907; purpurea Oberthür,1922 Range (as code): **MA DZ Dhm TN Sbd PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Cc Ro Kr St Ich MD UA Lvv BY KG Uk 65**

9637.Catocala (s.str.) conjuncta (Esper,[1787]) (Noctuidae) Synonymy: conjuncta Esper,[1787]; conjuga Hübner,[1803]; vivida W.Warren,1913; perrettei Seyer,1976 Range (as code): **DZ Abe Dhm TN Agi Sbd PT ES Mu FR Co Sa Si IT MT YU AL BG GR Cr TR LB IL Pa He Mer 07 17 22 33 35**

9638.Catocala (s.str.) conversa (Esper,1783) (Noctuidae) Synonymy: conversa Esper,[1787]; pasythea Hübner,[1809]; agamos Hübner,[1813] Range (as code): **MA DZ Lbs Tun Dhm Hrh Dzc Abe Sbd Btna TN PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR CY DK RU Ro Kr MD UA Cc AM GG AZ Kir LB Bsa IL Pa JO SY Hal 01 06 07 08 11 13 16 17 22 25 27 30 33 35 42 45 48 51 56 65 70**

9639.Catocala (s.str.) elocata (Esper,[1787]) (Noctuidae) Synonymy: elocata Esper,[1787]; marita Hübner,[1813]; nurus Hübner,[1822]; gitana Mabille,1885 Range (as code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Tbl Smt Bjo AZ Kir Len Cc IR Ab Oru Sro Elb Th Km Qz Kz Yas Skh SE LT RU Ro Kr St Nt Ing Kyi Da MD UA BY LB IL HV SY IQ Bgd JHa JO Ui Ku Chk UZ Fe PK Swa Mdy Btna Bdj Dhm Sfr Abe Clo Anna Orn 01 08 13 16 17 18 21 30 33 38 46 48 50 51 56 58 60 62 63 65**

9640.Catocala (s.str.) lesbia Christoph,1887 (Noctuidae) Synonymy: lesbia Christoph,1887 Range (as code): **TR EG Sn IL Pa Ngv IQ Kq JO IR Fa Kaz Mia Lo Elb Th Ss Es Kz AF PK Nf TM Kp 13 23 30 56 65 73**

9641.Catocala (s.str.) nymphagoga (Esper,[1787]) (Noctuidae) Synonymy: nymphagoga Esper,[1787]; v-nigrum De Villers,1789; tmolia Lederer,1865; vallantini Oberthür,1894 Range (as code): **DZ TN Blid Sbd Abe PT ES Mu FR Co Sa Si IT MT GB CH AT CZ SK HU RO YU AL BG GR Cr Rd CY IR Fa Kz Yas Skh Mz Gls TR RU Cc AZ Len MD UA BY LB Bsa IL Pa JO IQ 01 05 06 07 11 12 13 16 17 30 33 35 39 44 45 48 50 56 62 65 73**

9642.Catocala (s.str.) oberthuri Austaut,1879 (Noctuidae) Synonymy: oberthuri Austaut,1879; gitana Mabille,1885 Range (as code): **DZ Abe Btna Agi Sfr Dhm Sbd Eba MA ES**

9643.Catocala (s.str.) olgaorlovae Kravchenko et al.,2008 (Noctuidae) Synonymy: olgaorlovae Kravchenko et al.,2008 Range (as code): **IL Pa EG Sn JO**

9644.Catocala (s.str.) optata (Godart,1824) (Noctuidae) Synonymy: optata Godart,1824; amanda Boisduval,1840; sultana A.Bang-Haas,1910; intermedia Hampson,1913 Range (as code): **DZ Btna Abe Dhm TN MA Tgr PT ES Mu FR IT**

9645.Catocala (s.str.) promissa ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: #promissa [Denis & Schiffermüller],1775; mneste Hübner,[1813]; hilaris Oberthür,1907; ochracea Oberthür,1907; electra A.Bang-Haas,1910 Range (as code): **DZ Clo Sbd Dhm TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY TR DK SE FI EE LV LT RU GG Smt Bjo AZ Len Cc Ro Kr St Ich Ing MD UA Lvv BY 06 08 09 16 17 39 56 73 75**

9646.Catocala (s.str.) puerpera (Giorna,1791) (Noctuidae) Synonymy: puerpera Giorna,1791; amasia Esper,[1804] nec Sm.,1797; pellex Hübner,[1809]; orientalis Staudinger,1877; ?pudica Moore,1879; romana Schultz,1909; syriaca Schultz,1909 Range (as code): **MA DZ TN PT ES FR IT CH AT PL CZ SK HU RO YU AL BG GR Rd TR GG Smt Bjo Lag AZ Hkd Cc LB Bei MD BY Ld IN Tar Br TM K-A Kp IL Pa SY JO EG Sn IQ IR Ab Qba Fa Km Elb Th Kd Snj Lo Kh Msh Ui Chk Au Ln Kl AF Slg Kab Srb KK Skm Sfr Sbd KG Uk RU Or Ro Kr St Sr Dds Ur Cc UA UZ TJ Abe 01 05 06 08 16 18 19 23 25 33 42 50 51 58 65 73 76**

9647.Centrartha albiapicata W.Warren,1914 (Noctuidae) Synonymy: albiapicata W.Warren,1914 Range (as code): **ZA**

9648.Centrartha albinotata Janse,1938 (Noctuidae) Synonymy: albinotata Janse,1938 Range (as code): **ZA**

9649.Centrartha albipuncta Janse,1938 (Noctuidae) Synonymy: albipuncta Janse,1938 Range (as code): **ZA**

9650.Centrartha albistriga Janse,1938 (Noctuidae) Synonymy: albistriga Janse,1938 Range (as code): **ZA**

9651.Centrartha albogrisea Janse,1938 (Noctuidae) Synonymy: albogrisea Janse,1938 Range (as code): **ZA**
9652.Centrartha argentea W.Warren,1914 (Noctuidae) Synonymy: argentea W.Warren,1914 Range (as code): **ZA**
9653.Centrartha brevipectinata Janse,1938 (Noctuidae) Synonymy: brevipectinata Janse,1938 Range (as code): **ZA**
9654.Centrartha brunnea W.Warren,1914 (Noctuidae) Synonymy: brunnea W.Warren,1914 Range (as code): **ZA**
9655.Centrartha cretacea W.Warren,1914 (Noctuidae) Synonymy: cretacea W.Warren,1914 Range (as code): **ZA**
9656.Centrartha dentata Janse,1938 (Noctuidae) Synonymy: dentata Janse,1938 Range (as code): **ZA**
9657.Centrartha dicksoni Janse,1938 (Noctuidae) Synonymy: dicksoni Janse,1938 Range (as code): **ZA**
9658.Centrartha diffusa Janse,1938 (Noctuidae) Synonymy: diffusa Janse,1938 Range (as code): **ZA**
9659.Centrartha fulvinotata W.Warren,1914 (Noctuidae) Synonymy: fulvinotata W.Warren,1914 Range (as code): **ZA**
9660.Centrartha fulvitincta W.Warren,1914 (Noctuidae) Synonymy: fulvitincta W.Warren,1914 Range (as code): **ZA**
9661.Centrartha furcivitta Hampson,1909 (Noctuidae) Synonymy: furcivitta Hampson,1909 Range (as code): **ZA**
9662.Centrartha griseola Janse,1938 (Noctuidae) Synonymy: griseola Janse,1938 Range (as code): **ZA**
9663.Centrartha hexistigma Janse,1938 (Noctuidae) Synonymy: hexistigma Janse,1938 Range (as code): **ZA**
9664.Centrartha modesta Janse,1938 (Noctuidae) Synonymy: modesta Janse,1938 Range (as code): **ZA**
9665.Centrartha monochroma Janse,1938 (Noctuidae) Synonymy: monochroma Janse,1938 Range (as code): **ZA**
9666.Centrartha nigrosignata Janse,1938 (Noctuidae) Synonymy: nigrosignata Janse,1938 Range (as code): **ZA**
9667.Centrartha ochrealis Janse,1938 (Noctuidae) Synonymy: ochrealis Janse,1938 Range (as code): **ZA**
9668.Centrartha ossicolor W.Warren,1914 (Noctuidae) Synonymy: ossicolor W.Warren,1914; roseitincta Gaede,1915. Range (as code): **ZA**
9669.Centrartha pallescens W.Warren,1914 (Noctuidae) Synonymy: pallescens W.Warren,1914 Range (as code): **ZA**
9670.Centrartha pectinata Janse,1938 (Noctuidae) Synonymy: pectinata Janse,1938 Range (as code): **ZA**
9671.Centrartha pygmaea Janse,1938 (Noctuidae) Synonymy: pygmaea Janse,1938 Range (as code): **ZA**
9672.Centrartha serricornis Janse,1938 (Noctuidae) Synonymy: serricornis Janse,1938 Range (as code): **ZA**
9673.Centrartha similus Janse,1938 (Noctuidae) Synonymy: similus Janse,1938 Range (as code): **ZA**
9674.Centrartha vansoni Janse,1938 (Noctuidae) Synonymy: vansoni Janse,1938; #vanseni Janse,1940. Range (as code): **ZA**
9675.Centrogone chlorochrysa Hampson,1910 (Noctuidae) Synonymy: chlorochrysa Hampson,1910 Range (as code): **ZA**
9676.Cerapoda aegyptiaca Joannis,1910 (Noctuidae) Synonymy: aegyptiaca Joannis,1910 Range (as code): **EG**
9677.Ceraptila reniferalis Guenée,1854 (Noctuidae) Synonymy: reniferalis Guenée,1854; megaproctis Hampson,1902. Range (as code): **ZA Cap Ec**
9678.Cerastis faceta (Treitschke,1835) (Noctuidae) Synonymy: faceta Treitschke,1835; amicta Donzel,1847; variicollis Delahaye,1886 Range (as code): **DZ Hrh Blid Hmk Agi MA Tgr TN PT ES FR Co Sa Si IT YU MT**
9679.Cerocala albimacula Hampson,1916 (Noctuidae) Synonymy: albimacula Hampson,1916 Range (as code): **SO**
9680.Cerocala algiriae Oberthür,1876 (Noctuidae) Synonymy: algiriae Oberthür,1876; biskrensis Culot,1916; machadoi Bacallado,1974 Range (as code): **Cn MA DZ Ajj Onç Hes Bsk BSa Lgt Ceg Gha Ges Ktr Afl Ogl Gle Gf Sfr TN MT LY**
9681.Cerocala basilewskyi Berio,1954 (Noctuidae) Synonymy: basilewskyi Berio,1954 Range (as code): **ZR**

9682.Cerocala caelata Karsch,1896 (Noctuidae) Synonymy: caelata Karsch,1896 Range (as code): **TG SN**
9683.Cerocala confusa W.Warren,1913 (Noctuidae) Synonymy: confusa W.Warren,1913 Range (as code): **ET**
9684.Cerocala contraria (Walker,1865) (Noctuidae) Synonymy: contraria Walker,1865; revulsa Wallengren,1875. Range (as code): **ZA Tva Gau Pre Jh KE Nai Ec Ans Kzu Nta Dbn Mv**
9685.Cerocala decaryi Griveaud & Viette,1961 (Noctuidae) Synonymy: decaryi Griveaud & Viette,1961 Range (as code): **MG**
9686.Cerocala grandirena Berio,1954 (Noctuidae) Synonymy: grandirena Berio,1954 Range (as code): **SO**
9687.Cerocala ilia Viette,1973 (Noctuidae) Synonymy: ilia Viette,1973 Range (as code): **MG**
9688.Cerocala illustrata Holland,1897 (Noctuidae) Synonymy: illustrata Holland,1897; lineata Druce,1900 Range (as code): **SO ET**
9689.Cerocala insana (Herrich-Schäffer,1854) (Noctuidae) Synonymy: insana Herrich-Schäffer,1854 Range (as code): **ZA Ec**
9690.Cerocala masaica Hampson,1913 (Noctuidae) Synonymy: masaica Hampson,1913 Range (as code): **KE**
9691.Cerocala mindingiensis Romieux,1937 (Noctuidae) Synonymy: mindingiensis Romieux,1937; bergeri Berio,1954 Range (as code): **ZR**
9692.Cerocala munda Druce,1900 (Noctuidae) Synonymy: munda Druce,1900 Range (as code): **SO**
9693.Cerocala oppia Druce,1900 (Noctuidae) Synonymy: oppia Druce,1900 Range (as code): **SO**
9694.Cerocala ratovosoni Viette,1973 (Noctuidae) Synonymy: ratovosoni Viette,1973 Range (as code): **MG**
9695.Cerocala rothschildi Turati,1924 (Noctuidae) Synonymy: rothschildi Turati,1924 Range (as code): **MA DZ Ajj TN LY Cy EG SA IR**
9696.Cerocala sana Staudinger,1901 (Noctuidae) Synonymy: insana Staudinger,1871 nec H-S.,1858; sana Staudinger,1901; albifusa de Joannis,1910; perorsorum Turati,1924; rothschildi Turati,1924; autumnalis Turati,1926; fulgens Berio,2002; turatii Berio,2002 Range (as code): **DZ Onç Amu Sfr Bsk Orn BSa Lgt Ceg Ogl Gle Gha Ges Dje Hrh LY EG Sn SA TR IR Hz Ss Ahz Chh B-A JO BH IQ IL Pa LB 07 31 56**
9697.Cerocala scapulosa (Hübner,[1808]) (Noctuidae) Synonymy: scapulosa Hübner,[1808] Range (as code): **MA PT ES MT**
9698.Cerocala sokotrensis Hampson,1899 (Noctuidae) Synonymy: sokotrensis Hampson,1899; socotrensis Hampson,1913 Range (as code): **Sk**
9699.Cerocala subrufa Griveaud & Viette,1961 (Noctuidae) Synonymy: subrufa Griveaud & Viette,1961 Range (as code): **MG**
9700.Cerocala vermiculosa Herrich-Schäffer,1854 (Noctuidae) Synonymy: vermiculosa Herrich-Schäffer,1854; megalesia Griveaud & Viette,1961. Range (as code): **ZA Tva Gau Pre Lpo Spb Mdk Ec Kny BW Nga Grh**
9701.Cerynea acidalia Berio,1960 (Noctuidae) Synonymy: acidalia Berio,1960 Range (as code): **MG**
9702.Cerynea albivitta Hampson,1918 (Noctuidae) Synonymy: albivitta Hampson,1918 Range (as code): **MW Mje**
9703.Cerynea digonia Hampson,1914 (Noctuidae) Synonymy: digonia Hampson,1914 Range (as code): **NG Minn**
9704.Cerynea endotrichalis Hampson,1910 (Noctuidae) Synonymy: endotrichalis Hampson,1910 Range (as code): **ZA KE**
9705.Cerynea flavibasalis Hampson,1910 (Noctuidae) Synonymy: flavibasalis Hampson,1910 Range (as code): **GH**
9706.Cerynea flavicostata (Holland,1894) (Noctuidae) Synonymy: flavicostata Holland,1894 Range (as code): **GA Ogo**
9707.Cerynea ignealis Hampson,1910 (Noctuidae) Synonymy: ignealis Hampson,1910 Range (as code): **ZA KE**
9708.Cerynea limbobrunnea D.S.Fletcher,1961 (Noctuidae) Synonymy: limbobrunnea D.S.Fletcher,1961 Range (as code): **NG Lgo**
9709.Cerynea nigropuncta D.S.Fletcher,1961 (Noctuidae) Synonymy: nigropuncta D.S.Fletcher,1961 Range (as code): **UG Rz**
9710.Cerynea ovata Berio,1977 (Noctuidae) Synonymy: ovata Berio,1977 Range (as code): **TZ Zz**
9711.Cerynea ragazzii Berio,1937 (Noctuidae) Synonymy: ragazzii Berio,1937 Range (as code): **ET Sw**
9712.Cerynea thermesialis (Walker,[1866]) (Noctuidae) Synonymy: thermesialis Walker,[1866]; rhodotrichia Hampson,1910 Range (as code): **ZA Nta Kzu KE Kky**

9713.Cerynea trichobasis Hampson,1910 (Noctuidae) Synonymy: trichobasis Hampson,1910 Range (as code): **SL**
9714.Cerynea vinosa Berio,1960 (Noctuidae) Synonymy: vinosa Berio,1960 Range (as code): **MG**
9715.Cerynea virescens Hampson,1910 (Noctuidae) Synonymy: virescens Hampson,1910 Range (as code): **ZA Ec Tra**
9716.Cetola costata Gaede,1915 (Noctuidae) Synonymy: costata Gaede,1915 Range (as code): **TZ Iri ZA**
9717.Cetola obscurior Laporte,1972 (Noctuidae) Synonymy: obscurior Laporte,1972 Range (as code): **CM**
9718.Cetola phaleroides Rothschild,1924 (Noctuidae) Synonymy: phaleroides Rothschild,1924 Range (as code): **MG**
9719.Cetola puechredoni (Berio,1993) (Noctuidae) Synonymy: puechredoni Berio,1993 Range (as code): **TZ**
9720.Cetola pulchra (Bethune-Baker,1911) (Noctuidae) Synonymy: pulchra Bethune-Baker,1911 Range (as code): **AO ZA ET ET24**
9721.Cetola radiata Hampson,1909 (Noctuidae) Synonymy: radiata Hampson,1909 Range (as code): **ZA Nta Kzu Dbn**
9722.Cetola vicina De Joannis,1913 (Noctuidae) Synonymy: vicina De Joannis,1913 Range (as code): **ER**
9723.Chabuata rufilinea Hampson,1910 (Noctuidae) Synonymy: rufilinea Hampson,1910 Range (as code): **ZW ZA**
9724.Chaetostephana inclusa (Karsch,1895) (Noctuidae) Synonymy: inclusa Karsch,1895 Range (as code): **TZ GN AO**
9725.Chaetostephana rendalli (Rothschild,1896) (Noctuidae) Synonymy: rendalli Rothschild,1896 Range (as code): **AO CG TZ MW**
9726.Chalciope delta (Boisduval,1833) (Noctuidae) Synonymy: delta Boisduval,1833 Range (as code): **ZA BW Nga Wca Plt MG MU**
9727.Chalciope erecta Hampson,1902 (Noctuidae) Synonymy: erecta Hampson,1902 Range (as code): **ZA Nta Kzu Tva Lpo Ly KE**
9728.Chalciope pusilla (Holland,1894) (Noctuidae) Synonymy: pusilla Holland,1894 Range (as code): **ZA**
9729.Chalestra podaresalis Walker,1859 (Noctuidae) Synonymy: podaresalis Walker,1859 Range (as code): **ZA**
9730.Characoma adiabunensis Berio,1940 (Noctuidae) Synonymy: adiabunensis Berio,1940 Range (as code): **ET**
9731.Characoma ferrigrisea (Hampson,1905) (Noctuidae) Synonymy: ferrigrisea Hampson,1905 Range (as code): **GM**
9732.Characoma glaphyra (Holland,1894) (Noctuidae) Synonymy: glaphyra Holland,1894 Range (as code): **GA**
9733.Characoma melanographa Hampson,1918 (Noctuidae) Synonymy: melanographa Hampson,1918 Range (as code): **ZA Tva Lpo**
9734.Characoma micropuncta Berio,1957 (Noctuidae) Synonymy: micropuncta Berio,1957 Range (as code): **ZR**
9735.Characoma miophora Hampson,1912 (Noctuidae) Synonymy: miophora Hampson,1912 Range (as code): **ZA Tva Lpo**
9736.Characoma nigricollaris Hampson,1918 (Noctuidae) Synonymy: nigricollaris Hampson,1918 Range (as code): **ZA Tva Gau Pre**
9737.Characoma nilotica (Rogenhofer,1882) (Noctuidae) Synonymy: nilotica Rogenhofer,1882; chamaeleon Möschler,1890; littora Bethune-Baker,1894; laurea Druce,1898; proteella Dyar,1898; #albifascia Draudt,1939 Range (as code): **PR MX EG Co MT GR Cr IT LB IL Pa IR Hz B-A Ss Chh Fa Kaz Mia Cn ER SA**
9738.Characoma pica (Strand,1918) (Noctuidae) Synonymy: pica Strand,1918 Range (as code): **ZR**
9739.Characoma sexilinea (Bethune-Baker,1909) (Noctuidae) Synonymy: sexilinea Bethune-Baker,1909 Range (as code): **ZR**
9740.Characoma stictigrapta Hampson,1914 (Noctuidae) Synonymy: stictigrapta Hampson,1914 Range (as code): **GH ZA**
9741.Characoma submediana Wiltshire,1986 (Noctuidae) Synonymy: submediana Wiltshire,1986 Range (as code): **ZA**
9742.Characoma triangulum Berio,1957 (Noctuidae) Synonymy: triangulum Berio,1957 Range (as code): **ZR**

9743. **Chasmina candida (Walker,1865)** (Noctuidae) Synonymy: candida Walker,1865; sericea Hampson,1893 Range (as code): **ZA LK Cbo ID Clb PG SB NH FJ WS TO MP**

9744. **Chasmina tibialis (Fabricius,1775)** (Noctuidae) Synonymy: tibialis Fabricius,1775; vestae Guenée,1852; cygnus Walker,1856; glabra Walker,1865; celebensis Snellen,1880; mariae Mabille,1881 Range (as code): **IN WS FJ TO NH NC PG NIr MY ID Clb AU QAu NSw PF Ms RA ZA Nta Kzu Dbn ZW ET ET24**

9745. **Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonymy: fimbriola Esper,[1798] Range (as code): **MA Rf ES FR Si IT CH AT SK HU RO YU AL BG GR Cr TR Cc AM Eri Geg GG AZ Nv Ord RU Ro Kb Nt Ich MD UA Cm BY IR Kh KuB Elb Kdv Dam Fa Bk By Es Ha Zj Mz Th Ab Bne Sqq Mrv Oru Sdt Lo Kd TM IQ 01 03 04 05 06 08 12 13 18 19 23 24 25 29 30 33 36 38 42 44 46 49 50 51 56 58 60 65 66 69 70 73 76**

9746. **Chersotis (s.str.) kacem (Le Cerf,1933)** (Noctuidae) Synonymy: kacem Le Cerf,1933 Range (as code): **MA Afr DZ**

9747. **Chersotis (s.str.) margaritacea (De Villers,1789)** (Noctuidae) Synonymy: margaritacea De Villers,1789; i-intactum Hübner,[1803]; #abruzzensis Corti & Draudt,1933; espunensis Calle,1982 Range (as code): **MA DZ PT ES Mu FR Sa? Si IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR RU Ro Kr St Nt Ich Ing Da MD UA BY AM Cc GG Smt Bjo AZ TM Kp LB Us IR Elb Th Gh LB Bsa IL Pa He 01 06 08 13 14 16 18 25 30 33 36 42 46 50 56 58 61 65 70 72 75**

9748. **Chersotis (s.str.) multangula (Hübner,[1803])** (Noctuidae) Synonymy: multangula Hübner,[1803]; dissoluta Staudinger,1900; travunia Schawerda,1912; stojanovi Touleschkov,1951. Range (as code): **MA Py ES FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU Nt Ich Ing Da MD UA BY LB Bsa SY IR Zj Elb Th Dam Lo AM Cc TM Am Us IL Pa 03 04 05 08 13 14 18 25 30 32 33 36 42 46 50 51 58 60 66 76**

9749. **Chitasida diplogramma Hampson,1905** (Noctuidae) Synonymy: diplogramma Hampson,1905 Range (as code): **ZA**

9750. **Chlorozada metaleuca (Hampson,1905)** (Noctuidae) Synonymy: metaleuca Hampson,1905; esmeralda Hampson,1910. Range (as code): **ZA**

9751. **Chlorozada verna (Hampson,1902)** (Noctuidae) Synonymy: verna Hampson,1902 Range (as code): **ZW Har**

9752. **Chlumetia albiapicata (Hampson,1902)** (Noctuidae) Synonymy: albiapicata Hampson,1902 Range (as code): **ZA**

9753. **Chlumetia lichenosa (Hampson,1902)** (Noctuidae) Synonymy: lichenosa Hampson,1902 Range (as code): **ZA**

9754. **Chlumetia polymorpha Hampson,1920** (Noctuidae) Synonymy: polymorpha Hampson,1920 Range (as code): **ZA**

9755. **Chortodes dulcis (Oberthür,1918)** (Noctuidae) Synonymy: dulcis Oberthür,1918 Range (as code): **MA DZ Eba ES Mu FR Co**

9756. **Chrysodeixis acuta (Walker,1858)** (Noctuidae) Synonymy: acuta Walker,1858; furihatai Okano,1963; nigribursa Chou & Lu,1974 Range (as code): **ZA Lpo Tva Spb Mdk GB TH CMa Dst VN Ton Tda IN Mh Nsk LK NP PK Nar Abb CN TW JP PH ID Sum Bor Bli Flo PG AU ET ET29 ET204 KE MG AF NP JP**

9757. **Chrysodeixis chalcites (Esper,[1789])** (Noctuidae) Synonymy: chalcites Esper,[1789]; chalsytis Hübner,1790; bengalensis Rossi,1794; quaestionis Fabricius,1794; verticillata Guenée,1852; integra Walker,1858; adjuncta Walker,1865 Range (as code): **PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT HU RO YU AL BG GR Cr Rd TR CY IQ Mj Amr LB Bsa Bei SY IL Pa Hf JO DK RU Cc St MD UA BY ZA Sk KE MW ZW Har BW Nga Nta Kzu Kkf Dbn YE Ad IN LK MM CN JP HW WS FJ TO NH SB PG AU MY IR Mz Elb Th Fa Kaz Mia Hz B-A Kd Mrv Dam Qz Se Lo Ss By Hal DZ Anna Clo Abe Hrh Btna Agi Lbs MA 01 05 06 07 13 16 31 33 36 46 56 61 63**

9758. **Chrysodeixis eriosoma (Doubleday,1843)** (Noctuidae) Synonymy: eriosoma Doubleday,1843; verticillata Guenée,1852 Range (as code): **Tah NZ ID Ja Sum Tim Flo Sbw Bor PG TH Cbi CMa CDo Cuo Cu01 Cu06 Cu07 Nrt Bnk Nst VN MY KH MM IN NP PK CN TW JP KP KR PH Boh Mno Crg Neg Mpl Luz Pq NF NIr NC FJ AU OM SY EG**

9759. **Chrysozonata latiflavaria (Swinhoe,1904)** (Noctuidae) Synonymy: latiflavaria Swinhoe,1904 Range (as code): **ZA**

9760. **Chrysozonata purpurascens Hampson,1914** (Noctuidae) Synonymy: purpurascens Hampson,1914 Range (as code): **ZA**

9761. **Churia typhla Wiltshire,1977** (Noctuidae) Synonymy: typhla Wiltshire,1977; sudana Wiltshire,1977; gallagheri Wiltshire,1985 Range (as code): **SA As YE AE OM SD**

9762. **Chusaris venata W.Warren,1914** (Noctuidae) Synonymy: venata W.Warren,1914 Range (as code): **ZA**

9763. **Chytonix brunnea Gaede,1915** (Noctuidae) Synonymy: brunnea Gaede,1915 Range (as code): **ZA**

9764. **Cirrodes phoenicea Hampson,1910** (Noctuidae) Synonymy: phoenicea Hampson,1910 Range (as code): **ZA**

9765. **Cleonymia (Serryvania) fatima (A.Bang-Haas,1907)** (Noctuidae) Synonymy: fatima A.Bang-Haas,1907 Range (as code): **DZ Onç Gha Tun TN Gf LY JO**

9766.Cleonymia (Serryvania) pectinicornis (Staudinger,1859) (Noctuidae) Synonymy: pectinicornis Staudinger,1859; youngi Rothschild,1925 Range (as code): **MA DZ BSa Ktr Gf Ges Sbd Tun TN ES IQ IL Pa JO TR SY IR**

9767.Cleonymia (s.str.) baetica (Rambur,1837) (Noctuidae) Synonymy: baetica Rambur,1837 Range (as code): **Cn MA DZ BSa Berr Khh Ahr Btna Ges Sbd Abe TN LY PT ES Mu FR Co Sa Si TR IR Fa Hz B-A Kz SA IL Js Pa SY JO Amm RU Cc Kr 21 27 44 46 47 56 58 63 72 73**

9768.Cleonymia (s.str.) chabordis (Oberthür,1876) (Noctuidae) Synonymy: chabordis Oberthür,1876; #charbordis Brandt,1939. Range (as code): **MR MA Ess TN DZ Idl Ah Eal Ear Heh Hdd Gle Gea Tou Onç BSa Ktr Ges Ceg Bsk Gha Lgt Sfr Dhm Gf Omy Ogl Hes LY MT IL Pa Jt JO EG Sn IQ IR Fa Ss Bu Hz B-A SA PK Bl**

9769.Cleonymia (s.str.) diffluens (Staudinger,1870) (Noctuidae) Synonymy: diffluens Staudinger,1870; lusitanica Culot,1914; mauretaniae Rothschild,1920 Range (as code): **DZ Hmk MA PT ES An**

9770.Cleonymia (s.str.) marocana (Staudinger,1901) (Noctuidae) Synonymy: marocana Staudinger,1901 Range (as code): **MA DZ Tgr Rbt Sbd**

9771.Cleonymia (s.str.) versicolor (Rothschild,1920) (Noctuidae) Synonymy: #versicolor Staudinger,1901; versicolor Rothschild,1920 Range (as code): **DZ Cst Dhm TN Hrh BSa Ges Sfr Sbd**

9772.Cleonymia (s.str.) warionis (Oberthür,1876) (Noctuidae) Synonymy: warionis Oberthür,1876 Range (as code): **MA DZ Orn BSa Bsk Gf Ges Sfr Out Sbd Tun TN LY IL Pa Sn**

9773.Cleonymia jubata (Oberthür,1890) (Noctuidae) Synonymy: jubata Oberthür,1890 Range (as code): **MR MA DZ TN Gab Sfr BSa Ges Sbd Tun LY SA IQ Qg Kbl IL Pa JO IR Hz B-A**

9774.Cleonymia vaulogeri (Staudinger,1900) (Noctuidae) Synonymy: vaulogeri Staudinger,1900 Range (as code): **DZ Ah Hes Bsk Onç Out Ktr Dhm TN BSa Sfr**

9775.Clytie (Hypoglaucitis) infrequens (Swinhoe,1884) (Noctuidae) Synonymy: infrequens Swinhoe,1884; benenotata W.Warren,1888 Range (as code): **IR Ke Ss Bu Dlk Hz B-A PK Sd Krc Rw Pj MR MA DZ Ah Thh Omy Ndr Lgt TN LY SD EG EG11 Sn YE OM SA IL Jf Pa JO IQ Agh Bgd Zbr**

9776.Clytie (s.str.) arenosa Rothschild,1913 (Noctuidae) Synonymy: arenosa Rothschild,1913; seifersi Gaede,1933. Range (as code): **MR MA DZ Thh Ah Omy LY IL Pa Dds JO IQ Amr kut**

9777.Clytie (s.str.) haifae (Habich,1905) (Noctuidae) Synonymy: haifae Habich,1905 Range (as code): **MR MA DZ SD EG YE IL Hf Pa LB**

9778.Clytie (s.str.) illunaris (Hübner,[1813]) (Noctuidae) Synonymy: illunaris Hübner,[1813]; canaria Pinker,1974. Range (as code): **Cn DZ Bsk TN LY PT ES Mu FR Sa Si IT MT Dds IL Pa YE**

9779.Clytie (s.str.) micra Wiltshire,1973 (Noctuidae) Synonymy: micra Wiltshire,1973 Range (as code): **SD**

9780.Clytie (s.str.) rungsi Laporte,1975 (Noctuidae) Synonymy: rungsi Laporte,1975 Range (as code): **ET ET29 KE**

9781.Clytie (s.str.) sabaea Wiltshire,1947 (Noctuidae) Synonymy: sabaea Wiltshire,1947 Range (as code): **MR MA DZ Ah Ajj YE SA As**

9782.Clytie (s.str.) sancta (Staudinger,1898) (Noctuidae) Synonymy: sancta Staudinger,1898 Range (as code): **Cn DZ Ah Ajj Omy Sfr Ges Ktr Btna MA TN LY LB IL Pa Jt SY JO MT EG Sn TR SA OM IR Fa Ke Kz Yas Kd Snj Km Lo Ss Chh Hz B-A SD MR TD 30**

9783.Clytie (s.str.) scotorrhiza Hampson,1913 (Noctuidae) Synonymy: scotorrhiza Hampson,1913 Range (as code): **SA As SA50 IL Pa EG Sn**

9784.Clytie (s.str.) tropicalis Rungs,1975 (Noctuidae) Synonymy: tropicalis Rungs,1975 Range (as code): **DZ YE OM SO SD SN MR SA Hj SA39 SD SD95**

9785.Cnodifrontia dissimilis (Distant,1898) (Noctuidae) Synonymy: dissimilis Distant,1898 Range (as code): **ZA**

9786.Colbusa euclidica Walker,1865 (Noctuidae) Synonymy: euclidica Walker,1865 Range (as code): **ZA**

9787.Cometaster pyrula (Hopffer,1858) (Noctuidae) Synonymy: pyrula Hopffer,1858; lucida R.Felder & Rogenhofer,1874 Range (as code): **ZA Lpo Tva Spb Mdk Nta Kzu Est MZ ZW MW BW ZM**

9788.Compsotata elegantissima (Guenée,1852) (Noctuidae) Synonymy: elegantissima Guenée,1852 Range (as code): **ZA Wca Cto MZ**

9789.Condica capensis (Guenée,1852) (Noctuidae) Synonymy: capensis Guenée,1852; afra Guenée,1852; prodita Walker,1862; canorufa Walker,1865; funesta Walker,1865; spargens Walker,1865. Range (as code): **GB DK ZA Wca Ec Fs Nta Kzu Srn Umk Nkw Nha Blo Mpu Brb Tst Wv Gau Pre Wv Tva Lpo ZW Vf ZR SL SH Sk EG ET ET24 YE Ad MU MG PK Abb IN CN MM TH TW LK PG SB AU QAu**

9790.Condica conducta (Walker,1857) (Noctuidae) Synonymy: conducta Walker,1857; inexacta Walker,1865. Range (as code): **ZA Ec MG ZR SC YE Ad IL Pa IR Ss KM NF PK Txl**

9791.Condica palaestinensis (Staudinger,1895) (Noctuidae) Synonymy: palaestinensis Staudinger,1895; persicola Draudt,1934; persicola Wiltshire,1952 Range (as code): **EG SA IL Pa Jt IR Fa Ss IQ PK**

9792.Condica pauperata (Walker,1858) (Noctuidae) Synonymy: pauperata Walker,1858; leonina Walker,1865; aenea Saalmüller,1891; coptica Wiltshire,1948. Range (as code): **ZA SL EG Sn RE ST KM SC MG SA YE Sk**

9793.Condica viscosa (Freyer,1831) (Noctuidae) Synonymy: viscosa Freyer,[1831]; inamoena W.Warren,1914 [ssp.]; indelicata Turati,1934; europaea Parenzan,1980 Range (as code): **Cn MA DZ Bsk Perr TN EN PT ES Si IT YU AL BG GR Cr TR CY IQ Bsr LB IL Pa Hf SY JO IR Fa Mia Ss Irs 07 31 33**

9794.Conicofrontia diamesa (Hampson,1902) (Noctuidae) Synonymy: diamesa Hampson,1902 Range (as code): **ZA**

9795.Conicofrontia sesamoides Hampson,1902 (Noctuidae) Synonymy: sesamoides Hampson,1902 Range (as code): **ZA Ec Tra**

9796.Conistra (Dasycampa) erythrocephala (Fabricius,1787) (Noctuidae) Synonymy: #erythrocephala [Denis & Schiffermüller],1775; erythrocephala Fabricius,1787. Range (as code): **MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LT RU Cc Ro Kc Kr Da MD UA BY IQ JO 06 11 25 42 58 62 66**

9797.Conistra (Dasycampa) staudingeri (Graslin,1863) (Noctuidae) Synonymy: staudingeri Graslin,1863; rubigo Rambur,1871 Range (as code): **MA DZ Sbd Btna Py PT ES FR IT CH?**

9798.Conistra (s.str.) alicia Lajonquière,1939 (Noctuidae) Synonymy: alicia Lajonquière,1939; barbarica Boursin,1943; mixtoides Nepveu,1952 Range (as code): **MA DZ TN ES FR Py**

9799.Conistra (s.str.) daubei (Duponchel,1838) (Noctuidae) Synonymy: daubei Duponchel,1838; buxi Boisduval,1840; maura Rungs,1972 Range (as code): **MA ES FR**

9800.Conistra (s.str.) gallica (Lederer,1857) (Noctuidae) Synonymy: gallica Lederer,1857 Range (as code): **MA Ifr ES FR**

9801.Conistra (s.str.) intricata (Boisduval,1829) (Noctuidae) Synonymy: intricata Boisduval,1829 Range (as code): **MA ES FR Sa Si IT**

9802.Conistra (s.str.) ligula (Esper,1791) (Noctuidae) Synonymy: ligula Esper,[1791]; subnigra Haworth,1809; jullieni Culot,1913 Range (as code): **MA PT ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Th Kdv LT RU Cc AM Kr MD UA BY 06 09 25 33**

9803.Conistra (s.str.) plantei Rungs,1972 (Noctuidae) Synonymy: plantei Rungs,1972 Range (as code): **MA**

9804.Conistra (s.str.) vaccinii (Linnaeus,1761) (Noctuidae) Synonymy: vaccinii Linnaeus,1761; polita [Denis & Schiffermüller],1775; spadicea [Denis & Schiffermüller],1775; nigra A.Bang-Haas,1907 Range (as code): **DZ TN PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr Kc Kb Da At No Sb MD UA Lvv BY IR Elb Mz Gls 06 08 09 12 13 14 15 25 30 42 50 56 62 65 73**

9805.Conistra (s.str.) veronicae (Hübner,[1813]) (Noctuidae) Synonymy: veronicae Hübner,[1813]; dolosa Hübner,[1817]; nigrovenosa Preissecker,1913; metria Boursin,1940; camastra Delaever,1979; pseudopolitina Hacker,1990 Range (as code): **MA DZ ES FR Si IT DE CH AT SK HU RO YU BG GR Cr TR IQ Cc GG AZ IR Bu RU Ro Kr Da IL Pa He TM Kp 05 06 07 09 11 13 15 23 30 46 56 58 62 65 73**

9806.Conservula alambica Gaede,1915 (Noctuidae) Synonymy: alambica Gaede,1915 Range (as code): **CM ZA Tva Mal Nta Kzu Ktz**

9807.Conservula anthophyes (D.S.Fletcher,1963) (Noctuidae) Synonymy: anthophyes D.S.Fletcher,1963 Range (as code): **ZA**

9808.Conservula cinisigna Joannis,1906 (Noctuidae) Synonymy: cinisigna Joannis,1906 Range (as code): **ZA MZ Tva MU Nta Kzu Esw Kkf ET ET24**

9809.Conservula clarki Janse,1937 (Noctuidae) Synonymy: clarki Janse,1937 Range (as code): **ZA Nta Kzu Dbn**

9810.Conservula minor Holland,1896 (Noctuidae) Synonymy: minor Holland,1896 Range (as code): **ZA Wca Ste Nta Kzu Rie**

9811.Cophanta occidentalis Hampson,1910 (Noctuidae) Synonymy: occidentalis Hampson,1910 Range (as code): **SL**

9812.Copifrontia purpurea (Gaede,1915) (Noctuidae) Synonymy: purpurea Gaede,1915 Range (as code): **ZA**

9813.Copifrontia xantherythra Hampson,1905 (Noctuidae) Synonymy: xantherythra Hampson,1905 Range (as code): **ZA**

9814.Corgatha chionocraspis Hampson,1918 (Noctuidae) Synonymy: chionocraspis Hampson,1918 Range (as code): **ZA Nta Kzu**

9815.Corgatha drepanodes Hampson,1910 (Noctuidae) Synonymy: drepanodes Hampson,1910 Range (as code): **KE**

9816.Corgatha hypoxantha Hampson,1910 (Noctuidae) Synonymy: hypoxantha Hampson,1910 Range (as code): **ZW**

9817.Corgatha laginia Gaede,1916 (Noctuidae) Synonymy: laginia Gaede,1916 Range (as code): **CM**

9818.Corgatha odontota D.S.Fletcher,1961 (Noctuidae) Synonymy: odontota D.S.Fletcher,1961 Range (as code): **ZA**

9819.Corgatha producta Hampson,1902 (Noctuidae) Synonymy: producta Hampson,1902 Range (as code): **ZA**

9820.Corgatha regula Gaede,1916 (Noctuidae) Synonymy: regula Gaede,1916 Range (as code): **ZA**

9821.Corgatha tenuilineata Gaede,1916 (Noctuidae) Synonymy: tenuilineata Gaede,1916 Range (as code): **CM**

9822.Cornutiplusia circumflexa (Linnaeus,1767) (Noctuidae) Synonymy: circumflexa Linnaeus,1767; lunata Fabricius,1787; flexuosa Donovan,1807; daubii Freyer,1838; graphica Herrich-Schäffer,1851; patefacta Walker,[1858]; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005 Range (as code): **Md Cn PT ES Si IT GB CH RO AL BG GR TR Cc CY IQ kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz Ss Ke Kh Ab Oru Mak Elb Th Mz CN Ui Ku KK Ik UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tva Ec Grh Cto Wca Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMa Php MM GG AM AZ Cc Skh Sdt Ak Ar Gh Gls Kh Se Ha Kd Km By Bk Es Bu Ke Hz Ss Snj Lo Kaz Mia Dlk B-A TM Kp N-A TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44 Smt Bjo Lag Dar Nv Ord Hal 01 04 05 06 07 08 13 16 18 20 21 22 24 25 27 30 31 33 34 35 38 44 46 47 48 50 51 56 60 63 65 66 72 73 76 80**

9823.Cornutiplusia grosmornensis Guillermet,2000 (Noctuidae) Synonymy: grosmornensis Guillermet,2000 Range (as code): **YE RE**

9824.Cortyta canescens Walker,[1858] (Noctuidae) Synonymy: canescens Walker,[1858] Range (as code): **ZA Nta Kzu Est YE Ad**

9825.Cortyta diapera Hampson,1913 (Noctuidae) Synonymy: diapera Hampson,1913 Range (as code): **ZA**

9826.Cortyta phaeocyma Hampson,1913 (Noctuidae) Synonymy: phaeocyma Hampson,1913 Range (as code): **ZA**

9827.Cortyta polycyma (Hampson,1909) (Noctuidae) Synonymy: polycyma Hampson,1909 Range (as code): **ZA**

9828.Cortyta setifera Hampson,1918 (Noctuidae) Synonymy: setifera Hampson,1918 Range (as code): **ZA**

9829.Cosmia (Calymnia) monotona (Hampson,1914) (Noctuidae) Synonymy: monotona Hampson,1914 Range (as code): **KE Nai**

9830.Cosmia (Calymnia) trapezina (Linnaeus,1758) (Noctuidae) Synonymy: trapezina Linnaeus,1758; rhombica Hufnagel,1766; badiofasciata Teich,1883; obscura Aurivillius,1888; exigua Butler,1881 [ssp.]; saturata Staudinger,1892 Range (as code): **MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag AZ Kir IR Ha Mz Elb Th Kd Mrv Gls DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Kb Ich Ing Sb MD UA Lvv BY JP 05 06 08 12 13 14 16 17 18 30 34 37 43 53 65 75 67 81**

9831.Cosmia (Ulmia) affinis (Linnaeus,1767) (Noctuidae) Synonymy: affinis Linnaeus,1767; palliata Fabricius,1794 Range (as code): **MA DZ Anna PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag AZ Kir Len DK SE FI LV LT RU Ro Kr St Ich Ing Da MD UA BY KK Skm Feg IR Gls JP 08 13 65**

9832.Cosmia natalensis (A.E.Prout,1925) (Noctuidae) Synonymy: natalensis A.E.Prout,1925 Range (as code): **ZA Nta Kzu Ptw**

9833.Cosmia polymorpha Pinhey,1968 (Noctuidae) Synonymy: polymorpha Pinhey,1968 Range (as code): **ZW**

9834.Crameria amabilis (Drury,1773) (Noctuidae) Synonymy: amabilis Drury,1773; alienata Fabricius,1794; intercis R.Felder & Rogenhofer,1874; #abyssinica Strand,1912; #nyassica Strand,1912; #accra Strand,1912; istsariensis Steneham,1963 Range (as code): **ZA Nta Kzu Swe ZW Har MW ET KE GH**

9835.Craniophora paragrapha (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: paragrapha R.Felder & Rogenhofer,1874; inversa Gaede,1915. Range (as code): **ZA Ec Kny Nta Kzu Est Dbn MG**

9836.Craniophora pontica (Staudinger,1879) (Noctuidae) Synonymy: pontica Staudinger,1879 Range (as code): **MA DZ Dzc Hmk Sét Hrh Sbd Btna Dhm Gue TN PT ES AD FR IT RO HU MK BG TR IQ IL Pa IR Fa Lo Qz Kz Yas Elb Th Dam AF LB RU Cc Ro Kr Da AZ Nv Ord 05 06 08 13 18 24 30 44 46 51 56 62 72 73**

9837.Cremopalpus inquirendus Strand,1909 (Noctuidae) Synonymy: inquirendus Strand,1909 Range (as code): **ZA**

9838.Cretonia ethiopica Hampson,1910 (Noctuidae) Synonymy: ethiopica Hampson,1910 Range (as code): **ZA**

9839.Cretonia vegeta (Swinhoe,1885) (Noctuidae) Synonymy: Range (as code): **ZA**

9840.Crionica cervicornis (Fawcett,1917) (Noctuidae) Synonymy: Range (as code): **ZA**

9841.Crionica diversipennis Gaede,1939 (Noctuidae) Synonymy: diversipennis Gaede,1939 Range (as code): **ZA**

9842.Cryphia (Bryoleuca) minima (Wiltshire,1949) (Noctuidae) Synonymy: minima Wiltshire,1949 Range (as code): **EG**

9843.Cryphia (Bryoleuca) petrea (Guenée,1852) (Noctuidae) Synonymy: petrea Guenée,1852; contristans Lederer,1857; hoerhammeri Schawerda,1927 Range (as code): **MR MA DZ Lbs Btna Ges Ktr PT ES An Mu FR Co GR Cr CY TR LB Bei IQ IR SY IL Pa Hf 01 04 07 13 30 33 42 46 65 66**

9844.Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: raptricula [Denis & Schiffermüller],1775; divisa Esper,[1791]; divisa Esper,1791; palliola Borkhausen,1792; pomula Borkhausen,1792; deceptricula Hübner,[1803]; carbonis Freyer,1849; oxybiensis Millière,1875; #striata Staudinger,1879; eretina Calberla,1888; raptriculoides Turati,1912; bryophiloides Rothschild,1914; #persica Strand,1915; cretica Reisser,1962 Range (as code): **MA DZ TN EG PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc CY DK NO SE FI EE LT RU LB Bsa IL Pa SY Hal JO EG IR Fa Lo By Yas Ss Es Ke Ha Mz Kz Kdj Elb Dam Mia Km Kd Snj IQ Tkr AF Gbh Pli Srb CN Ui PK KG Tk Dj KK Skm Ik TrA Feg UZ N-A Ro Kr St Kb Nt Ich Da Kir Bak Nv Ord Bne Mrv Kh Ges Agi Sfr Abe Sbd Blid Hrh 01 03 05 06 07 08 12 13 19 24 25 28 30 32 33 36 39 42 46 49 50 51 56 58 62 65 66 70 73**

9845.Cryphia (Bryoleuca) ravula (Hübner,[1813]) (Noctuidae) Synonymy: ravula Hübner,[1813]; lupula Hübner,[1813]; troglodyta Freyer,1832; grisescens Oberthür,1918 [ssp.]; ereptriculoides Boursin,1952 [ssp.]; ravulatra Aubert,1953 [ssp.] Range (as code): **DZ Btna Abe Sbd Prr Dzc MA TN Dhm ES Mu FR Co Sa Si IT BE DE CH AT RO YU BG TR RU MD UA BY IL Pa Hf 05 16 33 46 56 61**

9846.Cryphia (Bryoleuca) trilinea (Bethune-Baker,1894) (Noctuidae) Synonymy: trilinea Bethune-Baker,1894 Range (as code): **EG**

9847.Cryphia (Bryophila) paulina (Staudinger,1892) (Noctuidae) Synonymy: paulina Staudinger,1892; keltana Amsel,1933. Range (as code): **IL Js Pa JO EG Sn SA**

9848.Cryphia (Euthales) algae (Fabricius,1775) (Noctuidae) Synonymy: algae Fabricius,1775; degener [Denis & Schiffermüller],1775; alni Fabricius,1787; calligrapha Borkhausen,1792; mendacula Hübner,[1813]. Range (as code): **DZ Abe Btna Dhm TN Rbt MA PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ DK SE FI LT RU Ro Kr St Kb Ich MD UA BY IL Pa GG Smt Bjo Lag Kir AM AZ Cc IR Gls 05 06 08 13 14 15 16 18 20 25 30 32 33 42 46 56 60 65 66**

9849.Cryphia (Euthales) pallida (Bethune-Baker,1894) (Noctuidae) Synonymy: pallida Bethune-Baker,1894 Range (as code): **DZ Abe Sbd Orn Prr Btna Dhm TN MA Rbt EG EG05 PT ES Mu FR Co Sa IT MT**

9850.Cryphia (s.str.) aerumna (Culot,1912) (Noctuidae) Synonymy: aerumna Culot,1912; mimouna Oberthür,1922; atlantis Schwingenschuss,1935 Range (as code): **MA DZ TN Eba Ouk Abe Sbd Dhm**

9851.Cryphia (s.str.) barbaria Schawerda,1934 (Noctuidae) Synonymy: barbaria Schawerda,1934; squamosa Schwingenschuss,1935 Range (as code): **MA**

9852.Cryphia (s.str.) blepharista Boursin,1964 (Noctuidae) Synonymy: blepharista Boursin,1964; katiba Rungs,1972 Range (as code): **MA**

9853.Cryphia (s.str.) duseutrei (Oberthür,1922) (Noctuidae) Synonymy: duseutrei Oberthür,1922 Range (as code): **MA Azr**

9854.Cryphia (s.str.) rungsi Boursin,1940 (Noctuidae) Synonymy: rungsi Boursin,1940; #chlorocharis Boursin,1941 Range (as code): **MA Rbt**

9855.Cryphia deceptura (Walker,1865) (Noctuidae) Synonymy: deceptura Walker,1865 Range (as code): **ZA**

9856.Cryphia fulvifusa (Hampson,1911) (Noctuidae) Synonymy: fulvifusa Hampson,1911 Range (as code): **ZA Tva Gau Jh**

9857.Cryphia leucomelaena (Hampson,1908) (Noctuidae) Synonymy: leucomelaena Hampson,1908 Range (as code): **KE ZA Tva Gau Pre**

9858.Crypsotidia glaucata (Holland,1897) (Noctuidae) Synonymy: glaucata Holland,1897 Range (as code): **SO**

9859.Crypsotidia maculifera (Staudinger,1898) (Noctuidae) Synonymy: maculifera Staudinger,1898; wollastoni Rothschild,1901; voolastoni Hampson,1913; ? maculata Tams,1926. Range (as code): **TR ET SD EG NG MW IL Pa CY PK**

9860.Crypsotidia mesosema Hampson,1913 (Noctuidae) Synonymy: mesosema Hampson,1913 Range (as code): **ZA**

9861.Cryptothripa polythymnia (Hampson,1902) (Noctuidae) Synonymy: polythymnia Hampson,1902; bifurcata Gaede,1939. Range (as code): **ZA Kzu Nta Dbn**

9862.Ctenoplusia (s.str.) aenescens (A.E.Prout,1921) (Noctuidae) Synonymy: aenescens A.E.Prout,1921 Range (as code): **ZM ET ET204 ET234 CM KE TZ ZW**

9863.Ctenoplusia (s.str.) amydra (Dufay,1972) (Noctuidae) Synonymy: amydra Dufay,1972 Range (as code): **CM ZR UG Rz KE TZ ZW Vum ZA ET ET60 ET196 ET204**

9864.Ctenoplusia (s.str.) caelata (Dufay,1972) (Noctuidae) Synonymy: caelata Dufay,1972 Range (as code): **UG ZA**

9865.Ctenoplusia (s.str.) dargei (Dufay,1972) (Noctuidae) Synonymy: dargei Dufay,1972 Range (as code): **CM ET ET60 ET204**

9866.Ctenoplusia (s.str.) fracta (Walker,1857) (Noctuidae) Synonymy: fracta Walker,1857 Range (as code): **ZA Nta Kzu Dbn ZR ET ET24 ET29 ET60 Ble ET86 ET196 ET 204 KE CM UG ZW SN NG IN LK**

9867.Ctenoplusia (s.str.) furcifera (Walker,[1858]) (Noctuidae) Synonymy: furcifera Walker,[1858]; mutans Walker,1865; ogovana Holland,1894; babooni Bethune-Baker,1906; polisha Strand,1920. Range (as code): **CN Yu TH Nan Dpk VN IN Pj NP PK AF TW ID Sum Clb PG? AU GA ZA**

9868.Ctenoplusia (s.str.) limbirena (Guenée,1852) (Noctuidae) Synonymy: limbirena Guenée,1852 Range (as code): **MG ID Sum Tim Clb Bli ES PT GB DK SH KE Md MA Cn CV Az SA ET ET24 ET196 ET93 Ble IN LK RE MU SH VN MY ZA Tva Gau Pre Nta Kzu Est Ec ZW Har MG MZ Del YE Ad**

9869.Ctenoplusia (s.str.) pauliana (Dufay,1968) (Noctuidae) Synonymy: pauliana Dufay,1968 Range (as code): **MG**

9870.Ctenoplusia (s.str.) perispomena (Dufay,1972) (Noctuidae) Synonymy: perispomena Dufay,1972 Range (as code): **KE UG TZ ET ET60 ET204**

9871.Ctenoplusia (s.str.) perispomena Dufay,1972 (Noctuidae) Synonymy: perispomena Dufay,1972 Range (as code): **KE**

9872.Ctenoplusia (s.str.) perplexa Dufay,1975 (Noctuidae) Synonymy: perplexa Dufay,1975 Range (as code): **CM**

9873.Ctenoplusia (s.str.) phocea (Hampson,1910) (Noctuidae) Synonymy: phocea Hampson,1910 Range (as code): **ZA Nta Kzu Dbn ET ET24 ET196 ET204 CI CM GA BI UG KE TZ ZW ST**

9874.Ctenoplusia (s.str.) phoceoides (Dufay,1972) (Noctuidae) Synonymy: phoceoides Dufay,1972 Range (as code): **ZA**

9875.Ctenoplusia (s.str.) phoceoides Dufay,1972 (Noctuidae) Synonymy: phoceoides Dufay,1972 Range (as code): **CM**

9876.Ctenoplusia (s.str.) polycampta (Dufay,1972) (Noctuidae) Synonymy: polycampta Dufay,1972 Range (as code): **ZA**

9877.Ctenoplusia (s.str.) scoteina (Dufay,1972) (Noctuidae) Synonymy: scoteina Dufay,1972 Range (as code): **KE Nai ZA**

9878.Ctenusa curvilinea Hampson,1913 (Noctuidae) Synonymy: curvilinea Hampson,1913; rectilinea Fawcett,1916. Range (as code): **ET ZA**

9879.Ctenusa pallida (Hampson,1902) (Noctuidae) Synonymy: pallida Hampson,1902; carnicolor Hampson,1902; rufirena Hampson,1910; brevipecten Hampson,1913. Range (as code): **BW Nga NA Mtb Dmr**

9880.Ctenusa varians (Wallengren,1863) (Noctuidae) Synonymy: marginalis Walker,1858 (praeocc.); varians Wallengren,1863; marginifera Walker,1864; pretoriae Distant,1902; seriopuncta Hampson,1916 Range (as code): **ZA Tva Gau Pre Lpo Spb Mdk BW Nga Ec**

9881.Cucullia (s.str.) albifuscata Janse,1939 (Noctuidae) Synonymy: albifuscata Janse,1939 Range (as code): **ZA**

9882.Cucullia (s.str.) albilineata Gaede,1934 (Noctuidae) Synonymy: albilineata Gaede,1934 Range (as code): **ZA**

9883.Cucullia (s.str.) argentivitta (Hampson,1906) (Noctuidae) Synonymy: argentivitta Hampson,1906 Range (as code): **ZA**

9884.Cucullia (s.str.) atrimacula Hampson,1909 (Noctuidae) Synonymy: atrimacula Hampson,1909 Range (as code): **ZA**

9885.Cucullia (s.str.) brunnea Hampson,1902 (Noctuidae) Synonymy: brunnea Hampson,1902 Range (as code): **ZA Ec ET ET24**

9886.Cucullia (s.str.) calendulae Treitschke,1835 (Noctuidae) Synonymy: calendulae Treitschke,1835; wredowi Costa,[1836]; leucanthemi Rambur,1858; dellabrunai Berio,1980. Range (as code): **Cn MA DZ Ges BSa Ahr Khh Ktr Ceg Hrh Berr Bsk TN PT ES Mu FR Co Sa Si IT MK MT AL GR Cr Rd TR LB JO IQ Bgd Sel IL Pa Hf SA CY IR Ahz TM Kp AF 07 31 33 46**

9887.Cucullia (s.str.) chamomillae ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: chamomillae [Denis & Schiffermüller],1775; fissina Haworth,1809; chrysanthemi Hübner,[1822]. Range (as code): **MA DZ Tlm Abe TN EG PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE EE LV LT RU Cc Ro Kr MD UA Lvv BY 16 44 46 50**

9888.Cucullia (s.str.) chrysota Hampson,1902 (Noctuidae) Synonymy: chrysota Hampson,1902 Range (as code): **ZA Nta Kzu Est Dbn ET ET24**

9889.Cucullia (s.str.) clausa Walker,1857 (Noctuidae) Synonymy: clausa Walker,1857 Range (as code): **ZA**

9890.Cucullia (s.str.) consimilis R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: consimilis R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Kny Ans**

9891.Cucullia (s.str.) daedalis Janse,1939 (Noctuidae) Synonymy: daedalis Janse,1939; #daedalus Janse,1939. Range (as code): **ZA**
9892.Cucullia (s.str.) extricata (Walker,1857) (Noctuidae) Synonymy: extricata Walker,1857 Range (as code): **ZA Tva Gau Pre Nta Kzu Ec Ans Kny**
9893.Cucullia (s.str.) hemidiaphana Graeser,1892 (Noctuidae) Synonymy: hemidiaphana Graeser,1892 Range (as code): **IR Fa Kh KuB KK Ax TM Kp TJ Pm Cc AZ AE OM JO EG Sn**
9894.Cucullia (s.str.) hutchinsoni Hampson,1902 (Noctuidae) Synonymy: hutchinsoni Hampson,1902 Range (as code): **ZA Nta Kzu Est Ec Ans**
9895.Cucullia (s.str.) inaequalis Janse,1939 (Noctuidae) Synonymy: inaequalis Janse,1939 Range (as code): **ZA**
9896.Cucullia (s.str.) leucopis Hampson,1906 (Noctuidae) Synonymy: leucopis Hampson,1906 Range (as code): **ZA**
9897.Cucullia (s.str.) macara Rebel,1948 (Noctuidae) Synonymy: macara Rebel,1948 Range (as code): **SA SA63 EG JE IL Pa JO**
9898.Cucullia (s.str.) magdalenae Laporte,1976 (Noctuidae) Synonymy: magdalenae Laporte,1976 Range (as code): **ET ET86**
9899.Cucullia (s.str.) minuta Möschler,1883 (Noctuidae) Synonymy: minuta Möschler,1883 Range (as code): **ZA**
9900.Cucullia (s.str.) nigrilinea Janse,1939 (Noctuidae) Synonymy: nigrilinea Janse,1939 Range (as code): **ZA Fs Blo**
9901.Cucullia (s.str.) nocturnalis Gaede,1934 (Noctuidae) Synonymy: nocturnalis Gaede,1934 Range (as code): **ZA Tva**
9902.Cucullia (s.str.) pallidicolor Janse,1939 (Noctuidae) Synonymy: pallidicolor Janse,1939 Range (as code): **ZA**
9903.Cucullia (s.str.) pallidistria R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: pallidistria R.Felder & Rogenhofer,1874 Range (as code): **ZA**
9904.Cucullia (s.str.) perstriata Hampson,1906 (Noctuidae) Synonymy: perstriata Hampson,1906; simplex Gaede,1934. Range (as code): **ZA Ec Cap Nta**
9905.Cucullia (s.str.) platti A.E.Prout,1925 (Noctuidae) Synonymy: platti A.E.Prout,1925 Range (as code): **ZA**
9906.Cucullia (s.str.) pusilla Möschler,1883 (Noctuidae) Synonymy: pusilla Möschler,1883 Range (as code): **ZA**
9907.Cucullia (s.str.) pyrostrota (Hampson,1906) (Noctuidae) Synonymy: pyrostrota Hampson,1906 Range (as code): **ZA**
9908.Cucullia (s.str.) ruptifascia (Hampson,1909) (Noctuidae) Synonymy: ruptifascia Hampson,1909 Range (as code): **ZA Tva Lpo Wri**
9909.Cucullia (s.str.) santolinae Rambur,1834 (Noctuidae) Synonymy: santolinae Rambur,1834 Range (as code): **MA DZ Ges BSa Ktr Bsk Bdj Hrh Btna Khh Hmk Agi PT ES Mu FR Co Sa? Si IT TR Cc AZ TM Kp IL Js Pa JO IR Mz Elb Th Kdj Yz 42 44**
9910.Cucullia (s.str.) simoneaui Laporte,1976 (Noctuidae) Synonymy: simoneaui Laporte,1976; #simoneuai Poole,1989 Range (as code): **ET ET86**
9911.Cucullia (s.str.) tanaceti (Goeze,1781) (Noctuidae) Synonymy: tanaceti Goeze,1781; beata Rothschild,1920 Range (as code): **MA DZ Sbd PT ES Mu FR Co Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR AM Cc GG Tbl Smt Bjo Lag DK SE LV LT RU Ro Kr Da MD UA BY KG CN Ui KK Ik Ax UZ Fe IR Enz Elb Gls 16 66 70**
9912.Cucullia (s.str.) tedjicolora Laporte,1977 (Noctuidae) Synonymy: tedjicolora Laporte,1977 Range (as code): **ET ET204**
9913.Cucullia (s.str.) terensis R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: terensis R.Felder & Rogenhofer,1874; africana Aurivillius,1879 Range (as code): **ZA Nta Kzu Dbn Wca Cto Ec Grh Ans TZ**
9914.Cucullia (s.str.) thiacourti Laporte,1977 (Noctuidae) Synonymy: thiacourti Laporte,1977 Range (as code): **DJ**
9915.Culicula pachycera (Hampson,1910) (Noctuidae) Synonymy: pachycera Hampson,1910 Range (as code): **ZW**
9916.Cuneisigna cumamita (Bethune-Baker,1911) (Noctuidae) Synonymy: cumamita Bethune-Baker,1911 Range (as code): **ZA ET ET93**
9917.Cuneisigna obstans (Walker,1858) (Noctuidae) Synonymy: obstans Walker,1858 Range (as code): **ZA Nta Kzu Est Wca Cto**

9918.Cuneisigna rivulata (Hampson,1902) (Noctuidae) Synonymy: rivulata Hampson,1902 Range (as code): **ZA Nta Kzu Wnn Ec Tra KE**

9919.Cyclopera bucephalidia (Hampson,1902) (Noctuidae) Synonymy: bucephalidia Hampson,1902 Range (as code): **ZA**

9920.Cyclopera galactiplaga (Hampson,1902) (Noctuidae) Synonymy: galactiplaga Hampson,1902 Range (as code): **ZA**

9921.Cyclopera similis (Hampson,1902) (Noctuidae) Synonymy: similis Hampson,1902 Range (as code): **ZA**

9922.Cyligramma conradsi Berio,1954 (Noctuidae) Synonymy: conradsi Berio,1954 Range (as code): **TZ**

9923.Cyligramma fluctuosa (Drury,1773) (Noctuidae) Synonymy: fluctuosa Drury,1773; rudilinea Walker,1858 Range (as code): **SL ZA KE TZ ZW Har**

9924.Cyligramma griseata Gaede,1936 (Noctuidae) Synonymy: griseata Gaede,1936 Range (as code): **NG UG SN ET**

9925.Cyligramma latona (Cramer,1775) (Noctuidae) Synonymy: latona Cramer,1775; troglodyta Fabricius,1794. Range (as code): **GN EG KE BW Nga MZ Del YE Ad Sn MG ZA Lpo Tva Spb Mdk Lj Mpu Brb Gau Pre Jh MW Zom ET ET08 Sw ET24 ET153 ET10**

9926.Cyligramma limacina (Guérin-Méneville,[1832]) (Noctuidae) Synonymy: limacina Guérin-Méneville,[1832]; acutior Guenée,1852; argillosa Guenée,1852; bisignata Walker,1858; importuna Keferstein,1870; intellecta Keferstein,1870 Range (as code): **ET ET24 ZA Nta Kzu NG SN EG KE MG MU**

9927.Cyligramma magus (Guérin-Méneville,[1844]) (Noctuidae) Synonymy: magus Guérin-Méneville,[1844]; goudotii Guenée,1852; buccholzi Plötz,1880 Range (as code): **GH MG ZA**

9928.Cyligramma simplex Grünberg,1910 (Noctuidae) Synonymy: simplex Grünberg,1910 Range (as code): **TZ**

9929.Cytothymia absita (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: absita R.Felder & Rogenhofer,1874; #obsita Hampson,1902. Range (as code): **ZA**

9930.Dargeochaeta bangeni Laporte,1973 (Noctuidae) Synonymy: bangeni Laporte,1973 Range (as code): **CM**

9931.Dargeochaeta elodiae Laporte,1974 (Noctuidae) Synonymy: elodiae Laporte,1974 Range (as code): **KE Mru**

9932.Dargeochaeta turlini Laporte,1975 (Noctuidae) Synonymy: turlini Laporte,1975 Range (as code): **RW**

9933.Daseuplexia boursini (Rungs,1967) (Noctuidae) Synonymy: boursini Rungs,1967 Range (as code): **MA**

9934.Dasypolia (s.str.) informis (Walker,[1857]) (Noctuidae) Synonymy: informis Walker,[1857] Range (as code): **ZA**

9935.Dasypolia (s.str.) templi (Thunberg,1792) (Noctuidae) Synonymy: templi Thunberg,1792; alpina Rogenhofer,1866; caflischi Rühl,1892; banghaasi Turati,1909. Range (as code): **MA Ouk PT ES FR Si IT IE GB NL DE CH AT PL CZ SK RO YU BG GR TR GG Tbl AZ Kir Cc DK NO SE FI EE LV RU Ro Kb MD UA BY CN Ui TJ Pm Chr IR Elb Th Kdv Kld TM Kp Du 01 06 04 08 25 42 44 49 53 56 58 65 75**

9936.Deinopa flavida Hampson,1926 (Noctuidae) Synonymy: flavida Hampson,1926 Range (as code): **ZA**

9937.Diaphone angolensis Weymer,1901 (Noctuidae) Synonymy: angolensis Weymer,1901 Range (as code): **AO ZA**

9938.Diaphone eumela (Stoll,1781) (Noctuidae) Synonymy: eumela Stoll,1781; elegans Fabricius,1787; sylviana Stoll,1790; evidens Guérin-Méneville,[1832]; libertina Bartel,1903; barnsi A.E.Prout,1921 Range (as code): **SN KE MZ ZA Nta Kzu Kkf Ec**

9939.Diaphone lampra Karsch,1894 (Noctuidae) Synonymy: lampra Karsch,1894; pyrsonata Tams,1930 Range (as code): **ZA**

9940.Diaphone mossambicensis Hopffer,1862 (Noctuidae) Synonymy: mossambicensis Hopffer,1862 Range (as code): **MZ ZA**

9941.Dicerogastra furvilinea (Hampson,1902) (Noctuidae) Synonymy: furvilinea Hampson,1902 Range (as code): **ZA Ec Tra ZW Har**

9942.Dicerogastra proleuca (Hampson,1913) (Noctuidae) Synonymy: proleuca Hampson,1913 Range (as code): **ZA**

9943.Dichagyris (Albocosta) flammatra ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: flammatra [Denis & Schiffermüller],1775; bimaculata Milliere,1885. Range (as code): **MA PT ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Akh Smt Cc AZ Hkd IR Fa Yas By Lo Kh Mz Elb Kdj Dam Kz LB Bsa CY IL SY JO Sn EG IQ Mos TlH DK RU At Sb MD UA BY Ui Ii KG TrA Aa Tk Dj AF Hr Pli Gbh Ch PK Rw Ti SI**

UZ N-A KK Ro St Nt Kb Ich Ing Kyi Da Tbl Bjo Kir Lag Nv Ord Bak Len Gls Kh DZ Sfr Sbd Ges Psu Gg Sai 01 04 06 07 13 21 24 25 28 30 32 33 36 38 39 43 44 45 46 47 49 50 51 53 58 60 61 63 65 66 70 73

9944. Dichagyris (Grisyigoga) candelisequa ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: candelisequa [Denis & Schiffermüller],1775; sagittifera Hübner,[1813]; piemonticola Schwingenschuss,1954; zapateri Schwingenschuss,1962. Range (as code): **MA ES FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bsa IL Pa He RU St Kr Nt Ich Ing At Sb Am MD UA BY UZ KK Ik TrA KG IR Th Elb Ha Kd Lo Fa Kz Km Ke TM AF 01 04 05 06 12 13 16 23 25 30 32 33 36 38 40 42 44 46 50 51 56 58 61 62 63 65 73 76**

9945. Dichagyris (Stenosomides) mansoura (Chrétien,1911) (Noctuidae) Synonymy: mansoura Chrétien,1911 Range (as code): **ES TN Gf DZ Ges**

9946. Dichagyris (Yigoga) fidelis (Joannis,1903) (Noctuidae) Synonymy: fidelis Joannis,1903; mansoura Chrétien,1911; agrotina Rothschild,1914; kaaba Oberthür,1918; synesia Turati,1924 Range (as code): **MA DZ Btna Eba Ges PT TN Gf ES Afl Dja Lbs LY Cy**

9947. Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: forcipula [Denis & Schiffermüller],1775; denticulosa Esper,[1794]; bornicensis Fuchs,1884; helladica Rebel,1905; samnitica Dannehl,1933; romanoi Berio,1980. Range (as code): **MA ES FR Sa? Si IT DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU Ro Kr Sr Kb Nt Ich Ing Da MD UA BY LB IR Mz Elb Th Lo Fa Kz Kd Bne By Yas Es IQ AZ Kir AM GG Smt Bjo Cc 01 03 05 06 07 08 11 12 18 23 24 25 29 30 32 33 36 42 43 44 46 49 50 51 58 60 65 66 69**

9948. Dichagyris (Yigoga) signifera ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: #signifera [Denis & Schiffermüller],1775 Range (as code): **TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU BG GR TR IR Fa Es Elb Ab Oru Kz Km Kd Mrv Bne Yas Lo IQ Shq LB LV LT RU Ro Kyi Da MD UA BY AZ Kir AM GG Tbl Akh Smt Cc 01 03 05 06 07 08 12 13 14 24 25 30 32 33 36 42 43 46 49 50 51 56 58 65 66 70 73**

9949. Dichagyris (s.str.) constanti (Millière,1860) (Noctuidae) Synonymy: constanti Millière,1860; eos Oberthür,1913; clarescens Fernandez,1929; schawerdae Agenjo,1941 Range (as code): **DZ Afl Ges Btna TN ES FR IT**

9950. Dichagyris (s.str.) erubescens (Staudinger,1892) (Noctuidae) Synonymy: erubescens Staudinger,1892 Range (as code): **TR GR IR Kh AF Srb LB Bsa IL Pa SY Bld JO Sn EG IQ 01 02 06 07 13 24 25 27 30 33 42 44 46 47 50 51 56 58 63 65 72**

9951. Dichagyris (s.str.) imperator (A.Bang-Haas,1912) (Noctuidae) Synonymy: imperator A.Bang-Haas,1912; alcarriensis Calle & Agenjo,1981 Range (as code): **MA DZ Ajj Bsk BSa Gle Omy Cst Btna Gtt TN LY EG Sn ES SA IL Pa JO**

9952. Dichagyris (s.str.) leucomelas Brandt,1941 (Noctuidae) Synonymy: leucomelas Brandt,1941 Range (as code): **MA IR Fa Ss Kh Bk Lo Es Ke Ha Yz Th Elb Km Kd Snj Mrv TR RU Cc Ro AF Pli Gbh Srb KK Skm UZ TJ PK Bt Skd Gg Cls Psu IN Ld IL Pa Sn EG 13 25 30 58 65**

9953. Dichromia (Ametropalpis) mutilata (Strand,1909) (Noctuidae) Synonymy: mutilata Strand,1909; effusa A.E.Prout,1927; albistrigata Laporte,1991 Range (as code): **ZA ZW ET RW ST UG**

9954. Dichromia (Camphypena) erastrialis (Walker,[1866]) (Noctuidae) Synonymy: erastrialis Walker,[1866]; velatipennis Butler,1875. Range (as code): **ZA TZ UG**

9955. Dichromia (Camphypena) mesomelaena (Hampson,1902) (Noctuidae) Synonymy: mesomelaena Hampson,1902 Range (as code): **ZA ZR TZ UG KE**

9956. Dichromia (Camphypena) semlikiensis (A.E.Prout,1921) (Noctuidae) Synonymy: semlikiensis A.E.Prout,1921; tolmeta A.E.Prout,1925. Range (as code): **ZA ZR**

9957. Dimorphinoctua cunhaensis Viette,1952 (Noctuidae) Synonymy: cunhaensis Viette,1952 Range (as code): **ZA**

9958. Dimorphinoctua goughensis D.S.Fletcher,1963 (Noctuidae) Synonymy: goughensis D.S.Fletcher,1963 Range (as code): **ZA**

9959. Dimorphinoctua pilifera (Walker,[1857]) (Noctuidae) Synonymy: pilifera Walker,[1857] Range (as code): **ZA**

9960. Diparopsis castanea Hampson,1902 (Noctuidae) Synonymy: castanea Hampson,1902 Range (as code): **ZA MZ Del Tva Gau Rtb Nwe Buf**

9961. Diphtherocome verbenata (Distant,1898) (Noctuidae) Synonymy: verbenata Distant,1898 Range (as code): **ZA Tva Mpu Brb Gau Pre Nta Kzu Kkf Umk Ec Kwi**

9962. Disticta atava (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: atava R.Felder & Rogenhofer,1874 Range (as code): **ZA Lpo Tva Spb Mdk**

9963. Dorstiana aethiopica Laporte,1974 (Noctuidae) Synonymy: aethiopica Laporte,1974 Range (as code): **ET ET86**

9964. Dorstiana chojnakii Laporte,1984 (Noctuidae) Synonymy: chojnakii Laporte,1984 Range (as code): **ET ET86**

9965. Dorstiana dorsti Laporte,1976 (Noctuidae) Synonymy: dorsti Laporte,1976 Range (as code): **ET ET86**

9966. Dorstiana johannidorsti Laporte,1984 (Noctuidae) Synonymy: johannidorsti Laporte,1984 Range (as code): **ET ET86**

9967.Drasteria cailino (Lefèbvre,1827) (Noctuidae) Synonymy: cailino Lefèbvre,1827; caylino Lederer,1857 Range (as code): **MA PT ES Mu FR Si IT RO YU AL BG GR TR IL Pa LB Bsa SY IQ Dia Ry Rwz Brs RU Sr Ro Da AF Kab Nu Bsg Hr Bd Adr IR Bk Ke Ha Es Lo Fa Ss Kh Elb Th Dam Kz Skh Yas Sqq Kd Snj Km Hz AZ Kir Nv Ord Cc GG AM KG Ssn Lps At CN Ui Ga Au Pm Tk Dj KK Ik Skm PK SA YE Ab Sdt Kd Snj Bjr Zj Bne Mrv DZ BSa Ktr Orn Bsk Onç TN Gf 01 02 03 04 05 06 08 13 14 18 21 24 25 29 30 33 42 44 45 46 47 50 51 56 58 60 62 65 66 69 73**

9968.Drasteria flexuosa (Ménétriés,1848) (Noctuidae) Synonymy: flexuosa Ménétriés,1848; singularis Kollar,[1849]; inepta Butler,1881. Range (as code): **RU Cc Kyi Da TR EG IL Pa SY JO IQ Agh Tkr IR Kh Lo Fa Ss Bu Dlk Ke Fa Ab Elb Th Mak Ak Oru Sdt Mrd Kd Snj Ariz Bjr Shr Ma AF Gbh Arh Pag Nu Bsg Srb Kab Pli Blh Bd Fz Hr PK Bl Chm TM KG Tk Dj Aa KK Ik CN Ui Ku Kl Ga Kml MN Uli AZ Bak Nv Ord UZ Fe Smk Br 04 05 21 23 36 63 76**

9969.Drasteria herzi (Alpheraky,1895) (Noctuidae) Synonymy: herzi Alpheraky,1895 Range (as code): **TR Cc RU Da GG AM AZ Kir Nv Ord IL Pa JO EG Sn IR Kh TM Kp KK Ax Skm Ui KG Tk Dj 06 13 36 51 65**

9970.Drasteria kabylaria (A.Bang-Haas,1906) (Noctuidae) Synonymy: kabylaria A.Bang-Haas,1906 Range (as code): **MR MA DZ Idl Ah Gha Ceg Ogl Gle Tun BSa TN Gf EG Sn JO IL Pa OM AE IR Ahz Ss Chh Hz B-A IQ SA YE LY**

9971.Drasteria oranensis Rothschild,1920 (Noctuidae) Synonymy: oranensis Rothschild,1920 Range (as code): **DZ Sfr TN LY EG SA IL Pa**

9972.Drasteria philippina (Austaut,1880) (Noctuidae) Synonymy: philippina Austaut,1880; aziza Rungs,1981. Range (as code): **DZ Ah Ajj Orn Onç MA**

9973.Drasteriodes eurytaenia Wiltshire,1979 (Noctuidae) Synonymy: eurytaenia Wiltshire,1979 Range (as code): **SO**

9974.Dryobota labecula (Esper,[1788]) (Noctuidae) Synonymy: labecula Esper,[1788]; furva Esper,[1791]; occlusa Hübner,[1824]; didymoides Duponchel,1827 Range (as code): **MA DZ Btna Ges Lbs EG PT ES FR Co Sa Si IT CH YU GR Cr TR CY IL Pa 21 35 42 45**

9975.Dryobotodes (Dichonioxa) tenebrosa (Esper,[1789]) (Noctuidae) Synonymy: tenebrosa Esper,[1789]; saportae Duponchel,1826. Range (as code): **MA DZ PT ES FR Co Sa Si IT MT YU BG GR Cr TR CY IL Pa 46**

9976.Dryobotodes (s.str.) eremita (Fabricius,1775) (Noctuidae) Synonymy: eremita Fabricius,1775; protea [Denis & Schiffermüller],1775; seladonia Fabricius,1794; corsica Spuler,1905; #dejecta W.Warren,1911; #grisea W.Warren,1911 Range (as code): **MA DZ Btna Lbs Afl Ges PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ IR Fa Gls LB IL Pa SY DK NO SE FI EE LV LT RU GG Lag Cc Ro Ich MD UA BY 05 06 13 18 24 38 56 60 64**

9977.Dryobotodes (s.str.) monochroma (Esper,1790) (Noctuidae) Synonymy: monochroma Esper,[1790]; distans Hübner,[1813]; suberis Duponchel,1827 Range (as code): **MA DZ Btna Lbs Afl Dhm Abe Dhm Ges PT ES FR Co Sa Si IT CH AT CZ SK HU YU BG GR TR RU Cc Ro Kr St Da IR Gls 06 13**

9978.Dysgnathia nigropunctata (Bethune-Baker,1906) (Noctuidae) Synonymy: nigropunctata Bethune-Baker,1906 Range (as code): **ZA**

9979.Dysgonia abnegans (Walker,1858) (Noctuidae) Synonymy: abnegans Walker,1858 Range (as code): **ZA ET ET204**

9980.Dysgonia albilinea (Hampson,1918) (Noctuidae) Synonymy: albilinea Hampson,1918 Range (as code): **ZA**

9981.Dysgonia algira (Linnaeus,1767) (Noctuidae) Synonymy: algira Linnaeus,1767; achatina Sulzer,1776; alterna De Villers,1789; triangularis Hübner,[1803] nec Thunb.,1784; albivitta Guenée,1852; festina Walker,1858; olympia Swinhoe,1885; europea Schawerda,1912 Range (as code): **Cn MA DZ PT ES Mu FR Co Sa Si IT MT GB DE CH AT PL SK HU RO YU AL GR Cr Rd TR Cc CY IQ Akr Bsr Amr DK RU Am MD UA BY KK TM AF IR Fa LB Bsa IL Pa SY JO UZ Fe CN KP KR JP ZA Tva Lpo Spb Mdk Mpu Brb Gau Pre Nta Kzu Dbn Ec Grh SL NG ZR KE YE Ad MU IN CN PK LK Kndy Pdy MM Ab Elb Mz Th AZ Nv Ord Der Len AM GG Cc Ro Kr St Ich Da CV Cp Sdt Gls Agi Hmk Hrh Dhm TN Dzc Ges Afr Perr Afl Orn Ktr Bsk Sbd Abe Clo 01 05 07 08 10 13 16 17 18 21 22 23 27 28 30 31 33 34 35 39 40 42 44 45 48 50 52 56 61 62 63 65 72 73**

9982.Dysgonia angularis (Boisduval,1833) (Noctuidae) Synonymy: angularis Boisduval,1833; camerunica Holland,1894 Range (as code): **ZA Nta Kzu MU MG RE KE CM GM ZW GH NG UG SL ST SC IN**

9983.Dysgonia chiliensis (Guenée,1852) (Noctuidae) Synonymy: chiliensis Guenée,1852 Range (as code): **ZA**

9984.Dysgonia conjunctura (Walker,1858) (Noctuidae) Synonymy: conjunctura Walker,1858 Range (as code): **ZA**

9985.Dysgonia crameri Moore,[1885] (Noctuidae) Synonymy: achatina Cramer,1780 nec Sulz.,1776; crameri Moore,[1885]; discalis Moore,[1885] Range (as code): **ZA LK Kndy Pdy IN TH Knc CMa Dst KH VN MM NP PH Luz Pq Neg Knl PK Txl CN Adm ID Sum**

9986.Dysgonia derogans (Walker,1858) (Noctuidae) Synonymy: derogans Walker,1858 Range (as code): **ZA MW Zom Nta Kzu Ec**

9987.Dysgonia erectata (Hampson,1902) (Noctuidae) Synonymy: erectata Hampson,1902 Range (as code): **ZA**

9988.Dysgonia latifascia (W.Warren,1888) (Noctuidae) Synonymy: latifascia W.Warren,1888 Range (as code): **ZA PK Pj Cp Haz Mre**

9989.Dysgonia macrorhyncha (Hampson,1913) (Noctuidae) Synonymy: macrorhyncha Hampson,1913 Range (as code): **ZA**

9990.Dysgonia orbata Berio,1955 (Noctuidae) Synonymy: orbata Berio,1955 Range (as code): **IQ Amr SD**

9991.Dysgonia properans (Walker,1858) (Noctuidae) Synonymy: properans Walker,1858 Range (as code): **ZA**

9992.Dysgonia proxima (Hampson,1902) (Noctuidae) Synonymy: proxima Hampson,1902 Range (as code): **ZA Nta Kzu**

9993.Dysgonia solomonensis (Hampson,1913) (Noctuidae) Synonymy: solomonensis Hampson,1913 Range (as code): **SB PG Bsm RE NC NH AU QAu NAu NSw ID Kei Ja Mlc PH Mno**

9994.Dysgonia torrida (Guenée,1852) (Noctuidae) Synonymy: torrida Guenée,1852; albivitta Guenée,1852; festina Walker,1858; #zorrida Hacker,[1987] Range (as code): **MA DZ PT ES Mu Si IT MT YU HV AL BG GR CY TR IR IQ Agh Bgd UZ N-A NP LB IL Pa SY JO AE AF Srb Nu Gbh PK Cp IN ZR ZA ET ET24 01 07 20 21 23 27 30 31 33 35 50 56 72 73**

9995.Dysgonia triplocyma (Hampson,1913) (Noctuidae) Synonymy: triplocyma Hampson,1913 Range (as code): **ZA**

9996.Dysmilichia flavonigra (Swinhoe,1884) (Noctuidae) Synonymy: flavonigra Swinhoe,1884 Range (as code): **SN YE Ad IN Mad PK Krc Sd SA IR Kz**

9997.Dysmilichia namibiae Hacker,2007 (Noctuidae) Synonymy: namibiae Hacker,2007 Range (as code): **NA**

9998.Dysmilichia purpurascens Hampson,1910 (Noctuidae) Synonymy: purpurascens Hampson,1910 Range (as code): **ZA**

9999.Earias albovenosana Oberthür,1917 (Noctuidae) Synonymy: albovenosana Oberthür,1917 Range (as code): **DZ Lbs Khh Dhm TN Hrh Sfr Abe Si**

10000.Earias ansorgei Tams,1930 (Noctuidae) Synonymy: ansorgei Tams,1930 Range (as code): **AO**

10001.Earias biplaga Walker,1866 (Noctuidae) Synonymy: biplaga Walker,1866; maculana Snellen,1872; fusciciliana Snellen,1872; plaga Felder,1874; citrina Saalmüller,1884; luteolaria Hampson,1891; crocea Mabille,1899; aurantiaca Strand,1917 Range (as code): **SL MR SA ZA Lpo Tva Spb Mdk MG ET ET24 ET29 KE Mru WS PC FJ TO NC AU MY IN QAu LK Pdy LO**

10002.Earias chlorophyllana Staudinger,1892 (Noctuidae) Synonymy: chlorophyllana Staudinger,1892; syrticola Turati,1926; watersoni Wiltshire,1947. Range (as code): **DZ Ajj Abe LY MA SA SD TM Kp TR IL Pa JO IR Hz Enz Fa Kaz Mia Hz B-A IQ 07 47**

10003.Earias cupreoviridis (Walker,1862) (Noctuidae) Synonymy: cupreoviridis Walker,1862; chromataria Walker,1863; fulvidana Wallengren,1863; fervida Walker,1866; limbana Snellen,1879; decolorata W.Warren,1913; #cellularis Strand,1917 Range (as code): **SA ZA BW ZR ER ET GM KE NG SL TG UG ZW LK Pdy PK Txl Abb IN CN MY Bor ID Mlc Sla Ja Clb JP KP KR PH Boh**

10004.Earias insulana (Boisduval,1833) (Noctuidae) Synonymy: insulana Boisduval,1833; smaragdinana Zeller,1852; frondosana Walker,1863; xanthophila Walker,1863; siliquana Stainton,1865; simillima Walker,1866; chlorion Rambur,1866; gossypii Frauenfeld,1867; anthophilana Snellen,1879; trigostrigosa Butler,1881 Range (as code): **MA DZ Bsk TN LY Cn PT ES An Mu FR Si IT MT GB BG GR Cr TR CY RU IQ Agh Bgd IR Fa Ke Hz Ss Elb Th Kdj Mz Lo B-A SY IL Pa Hf JO LB EG SA OM SD Sk ET ET29 AF Ca Arh PK Sd Krc Cp JP IN PH Luz TH TW ID Clb Bor Swk AU ZA Nta Kzu Est Fs Tva Gau Jh Pre Ec Cto MZ Ad YE47 SO Zai MG MR Abe TD Tbt ER GM KE RE MG MW MU MZ NA NG RW SL SO TZ TG UG ZM ZW 13 31 48 56 58 63 65 72**

10005.Earias ogovana Holland,1893 (Noctuidae) Synonymy: ogovana Holland,1893 Range (as code): **KM ZR GA GH NG**

10006.Earias vittella (Fabricius,1794) (Noctuidae) Synonymy: vittella Fabricius,1794; fabia Stoll,1781; speiplena Walker,1857; partita Walker,1865; huegeli Rogenhofer,1870; #vitella Sherborn,1902 Range (as code): **SA SA39 IR IL Pa NC IN QAu LK Cob TO LO PK Abb MY Bor WS PC FJ AU GM SL**

10007.Ecpatia dulcistriga (Walker,1858) (Noctuidae) Synonymy: dulcistriga Walker,1858 Range (as code): **ZA NG MW Zom Nta Kzu Dbn Ec IN MM**

10008.Ectochela aberrans Gaede,1915 (Noctuidae) Synonymy: aberrans Gaede,1915 Range (as code): **ZA**

10009.Ectochela albilunata Gaede,1915 (Noctuidae) Synonymy: albilunata Gaede,1915 Range (as code): **ZA**

10010.Ectochela canina (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: canina R.Felder & Rogenhofer,1874 Range (as code): **ZA Wca Cv**

10011.Ectochela flavilunata Gaede,1915 (Noctuidae) Synonymy: flavilunata Gaede,1915 Range (as code): **ZA**

10012.Ectochela nigrilineata Gaede,1915 (Noctuidae) Synonymy: nigrilineata Gaede,1915 Range (as code): **ZA**

10013.Ectochela turneri Tams,1930 (Noctuidae) Synonymy: turneri Tams,1930 Range (as code): **ZA**
10014.Ectolopha marginata Hampson,1910 (Noctuidae) Synonymy: marginata Hampson,1910 Range (as code): **ZA**
10015.Ectolopha viridescens Hampson,1902 (Noctuidae) Synonymy: viridescens Hampson,1902; hypochlora Gaede,1915. Range (as code): **ZA**
10016.Effractilis effracta (Distant,1898) (Noctuidae) Synonymy: effracta Distant,1898; subtilis Berio,1974 Range (as code): **ZA Tva Gau Pre**
10017.Egira conspicillaris (Linnaeus,1758) (Noctuidae) Synonymy: conspicillaris Linnaeus,1758 Range (as code): **MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE Bw CH AT PL CZ SK HU RO YU TR GR EE RU GG Tbl Smt Bjo Cc Ro Kr Da Sb MD UA Lvv BY CN Ui Ku 06 07 33 43**
10018.Egira natalensis (Butler,1875) (Noctuidae) Synonymy: natalensis Butler,1875 Range (as code): **ZA Nta Kzu Dbn**
10019.Egnasia apicata Berio,1956 (Noctuidae) Synonymy: apicata Berio,1956 Range (as code): **ZR**
10020.Egnasia berioi Viette,1954 (Noctuidae) Synonymy: berioi Viette,1954 Range (as code): **MG**
10021.Egnasia dimorfica Berio,1956 (Noctuidae) Synonymy: dimorfica Berio,1956 Range (as code): **ZR**
10022.Egnasia dolabrata Viette,1958 (Noctuidae) Synonymy: dolabrata Viette,1958 Range (as code): **MG**
10023.Egnasia hypomochla D.S.Fletcher,1963 (Noctuidae) Synonymy: hypomochla D.S.Fletcher,1963 Range (as code): **ZR**
10024.Egnasia lioperas A.E.Prout,1922 (Noctuidae) Synonymy: lioperas A.E.Prout,1922 Range (as code): **ZA Gau Pre Tva**
10025.Egnasia microsema Hampson,1926 (Noctuidae) Synonymy: microsema Hampson,1926 Range (as code): **GH**
10026.Egnasia microtype Hampson,1926 (Noctuidae) Synonymy: microtype Hampson,1926 Range (as code): **NG**
10027.Egnasia mimetica Berio,1957 (Noctuidae) Synonymy: mimetica Berio,1957 Range (as code): **ZR**
10028.Egnasia rufifusalis Hampson,1926 (Noctuidae) Synonymy: rufifusalis Hampson,1926 Range (as code): **CM Bit**
10029.Egnasia scoliogramma A.E.Prout,1921 (Noctuidae) Synonymy: scoliogramma A.E.Prout,1921 Range (as code): **ZR**
10030.Egnasia scotopasta Hampson,1926 (Noctuidae) Synonymy: scotopasta Hampson,1926 Range (as code): **NG**
10031.Egnasia trogocraspia Hampson,1926 (Noctuidae) Synonymy: trogocraspia Hampson,1926 Range (as code): **NG**
10032.Egnasia vicaria (Walker,1866) (Noctuidae) Synonymy: vicaria Walker,1866; treicegcroma Bethune-Baker,1911 Range (as code): **ZA KE Nai**
10033.Egybolis vaillantina (Stoll,[1790]) (Noctuidae) Synonymy: vaillantina Stoll,[1790] Range (as code): **ZA**
10034.Eligma allardi Pinhey,1968 (Noctuidae) Synonymy: allardi Pinhey,1968 Range (as code): **ZR ZM**
10035.Eligma bettiana A.E.Prout,1923 (Noctuidae) Synonymy: bettiana A.E.Prout,1923; overlaeti Berio,1964 Range (as code): **ZR CG**
10036.Eligma duplicata Aurivillius,1892 (Noctuidae) Synonymy: duplicata Aurivillius,1892 Range (as code): **CM**
10037.Eligma gloriosa (Butler,1875) (Noctuidae) Synonymy: gloriosa Butler,1875 Range (as code): **AO NG**
10038.Eligma hypsoides (Walker,1869) (Noctuidae) Synonymy: hypsoides Walker,1869; duplicata Aurivillius,1892 Range (as code): **CM ZR GO ET GA MW NG UG**
10039.Eligma laetepicta Oberthür,1893 (Noctuidae) Synonymy: laetepicta Oberthür,1893; #uncata Strand,1915 Range (as code): **KE MW**
10040.Eligma malagassica Rothschild,1896 (Noctuidae) Synonymy: malagassica Rothschild,1896 Range (as code): **MG**
10041.Eligma neumanni Rothschild,1924 (Noctuidae) Synonymy: neumanni Rothschild,1924 Range (as code): **ET ET196 ET204**
10042.Elyptron ethiopicum (Hampson,1909) (Noctuidae) Synonymy: ethiopicum Hampson,1909 Range (as code): **ZA**
10043.Enispa albigrisea (W.Warren,1914) (Noctuidae) Synonymy: albigrisea W.Warren,1914 Range (as code): **ZA**
10044.Entomogramma grisea Wallengren,1856 (Noctuidae) Synonymy: grisea Wallengren,1856 Range (as code): **ZA**

10045.Entomogramma pardus Guenée,1852 (Noctuidae) Synonymy: pardus Guenée,1852; venusta Walker,1865; anteponens Walker,1858; panthera R.Felder & Rogenhofer,1874; pardalis Saalmüller,1880; syngrammata Mabille,1880 Range (as code): **SL NG KE ZW MZ Del ZA Ec Nta Kzu Dbn Mv ET Sw ET24**

10046.Epharmottomena albiluna (Hampson,1899) (Noctuidae) Synonymy: albiluna Hampson,1899 Range (as code): **Sk**

10047.Epharmottomena eremophila (Rebel,1895) (Noctuidae) Synonymy: eremophila Rebel,1895; plumbizonata W.Warren,1913; costiplaga W.Warren,1913; lacroixi Lucas,1914. Range (as code): **MR MA DZ Ogl Gha Tun Sfr LY TN EG Sn SY**

10048.Epharmottomena gorgonula Wiltshire,1979 (Noctuidae) Synonymy: gorgonula Wiltshire,1979; sublimbata Berio,1984 Range (as code): **SO KE YE**

10049.Epimeciodes abunda (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: abunda R.Felder & Rogenhofer,1874 Range (as code): **ZA**

10050.Episema scillae (Chrétien,1888) (Noctuidae) Synonymy: scillae Chrétien,1888 Range (as code): **DZ TN Dhm**

10051.Episparina hieroglyphica Holland,1894 (Noctuidae) Synonymy: hieroglyphica Holland,1894 Range (as code): **GA GO**

10052.Episparis fenestrifera Bryk,1915 (Noctuidae) Synonymy: fenestrifera Bryk,1915; pyrocausta Hampson,1926 Range (as code): **CM GO GA GH NG SL TZ CF ZR CI**

10053.Episparis gomphiona Hampson,1926 (Noctuidae) Synonymy: gomphiona Hampson,1926 Range (as code): **GH SL**

10054.Episparis hannemanni Pelletier,1982 (Noctuidae) Synonymy: hannemanni Pelletier,1982 Range (as code): **RW**

10055.Episparis heiroglyphica Holland,1894 (Noctuidae) Synonymy: heiroglyphica Holland,1894 Range (as code): **CG GO GN GA SL UG**

10056.Episparis homoeosoma Hampson,1926 (Noctuidae) Synonymy: homoeosoma Hampson,1926 Range (as code): **MW TZ**

10057.Episparis hyalinata (Holland,1920) (Noctuidae) Synonymy: hyalinata Holland,1920 Range (as code): **ZR**

10058.Episparis lamprima Holland,1894 (Noctuidae) Synonymy: lamprima Holland,1894 Range (as code): **GA CG**

10059.Episparis leucotessellis Hampson,1902 (Noctuidae) Synonymy: leucotessellis Hampson,1902 Range (as code): **ZA**

10060.Episparis penetrata Walker,[1857] (Noctuidae) Synonymy: penetrata Walker,[1857] Range (as code): **GA CM CG GO GM NG SL TZ**

10061.Episparis xanthographa Hampson,1926 (Noctuidae) Synonymy: xanthographa Hampson,1926 Range (as code): **ZA**

10062.Ercheia subsignata (Walker,1865) (Noctuidae) Synonymy: subsignata Walker,1865 Range (as code): **ZA**

10063.Erebus atavistis (Hampson,1913) (Noctuidae) Synonymy: atavistis Hampson,1913 Range (as code): **ZA**

10064.Erebus macrops (Linnaeus,1768) (Noctuidae) Synonymy: macrops Linnaeus,1768; bubo Fabricius,1775; boopis Guenée,1852; walkeri Butler,1875. Range (as code): **ZA Tva Mpu Brb Nta Kzu Mv Dbn ZW Har MG PK Abb IN Mh Nsk LK Pdy MM KE TZ CI NG TH Phr CMa Cuo Cu01 MY VN CN NP BD TW ID Sum Ja Bor PH JP KP KR RU Us**

10065.Erebus walkeri (Butler,1875) (Noctuidae) Synonymy: walkeri Butler,1875; valceri Hampson,1913. Range (as code): **ZA Nta Kzu Dbn ET ET24 Sw ET153**

10066.Eremobastis dimorpha (Rungs,1948) (Noctuidae) Synonymy: dimorpha Rungs,1948; hackeri De Freina & Behounek,1996 Range (as code): **MA**

10067.Eremobastis loslobensis Fischer, Saldaitis & Ivinkis,2007 (Noctuidae) Synonymy: loslobensis Fischer, Saldaitis & Ivinkis,2007 Range (as code): **Cn**

10068.Eremohadena (s.str.) chenopodiphaga (Rambur,1832) (Noctuidae) Synonymy: chenopodiphaga Rambur,1832; erubescens Staudinger,1901; roseotincta Turati,1929 Range (as code): **MA DZ Hes Ges Tou Sfr BSa Khh Gle Bsk TN LY PT ES FR Co Si IT TR CY Cc GG Tbl Mng AM LB Bsa SY IR Th Fa IQ TM UZ CN Ui 46 47**

10069.Eremopola lenis (Staudinger,1892) (Noctuidae) Synonymy: lenis Staudinger,1892 Range (as code): **DZ Ges MA EG ES IL Pa Js LY Cy**

10070.Eremopola oranoides (Boursin,1953) (Noctuidae) Synonymy: oranoides Boursin,1953 Range (as code): **MA Rbt**

10071.Eremotrachea bacheri (Püngeler,1902) (Noctuidae) Synonymy: bacheri Püngeler,1902; hagar Rothschild,1912; sahariensis Rothschild,1915; salmonea Oberthür,1918 Range (as code): **Cn MR MA DZ Rhr Ah BSa Bsk TN EG SA IL Pa JO**

10072.Ericeia albangula (Saalmüller,1880) (Noctuidae) Synonymy: albangula Saalmüller,1880; terrena Mabille,1882; dodo Viette,1975 Range (as code): **ZA**

10073.Ericeia congregata (Walker,1858) (Noctuidae) Synonymy: congregata Walker,1858; taedia R.Felder & Rogenhofer,1874; infirma Holland,1894; watersoni Wiltshire,1982 Range (as code): **ZA Nta Kzu**

10074.Ericeia congressa (Walker,1858) (Noctuidae) Synonymy: congressa Walker,1858; sandii Guenée,1862 Range (as code): **ZA**

10075.Ericeia inangulata (Guenée,1852) (Noctuidae) Synonymy: inangulata Guenée,1852; optativa Walker,1858; optatura Walker,1858; zeta Walker,1864; intracta Walker,1864; comitata Walker,1865; umbrosa Walker,1869; subcinerea Snellen,1880; intextilia Schultze,1908; levuensis A.E.Prout,1929; certilinea A.E.Prout,1929 Range (as code): **ZA KM ER ET GM GH KE RE MG MU MZ NG SC SL TZ UG ZM ZW WS PG MY Bor Swk IN TH Nrt Kao CMa CDo Fn Php LA KH VN BD Syl LK PK Thu Abb JP CN TW ID PH Luz Mnl Pq Boh Pan Bly Mno Crg**

10076.Ericeia sobria Walker,[1858] (Noctuidae) Synonymy: sobria Walker,[1858]; aliena Walker,1858; statina Möschler,1883; pampoecila Bethune-Baker,1914 Range (as code): **ZA**

10077.Ethiopica cupricolor (Hampson,1902) (Noctuidae) Synonymy: cupricolor Hampson,1902 Range (as code): **ZA MZ Del**

10078.Ethiopica polyastra Hampson,1909 (Noctuidae) Synonymy: polyastra Hampson,1909 Range (as code): **ZA**

10079.Ethiopica vinosa (Hampson,1902) (Noctuidae) Synonymy: vinosa Hampson,1902 Range (as code): **ZW Har**

10080.Ethioterpia lichenea Janse,1938 (Noctuidae) Synonymy: lichenea Janse,1938 Range (as code): **ZA**

10081.Ethioterpia marmorata Janse,1938 (Noctuidae) Synonymy: marmorata Janse,1938 Range (as code): **ZA Lpo Tva Spb Mdk**

10082.Ethioterpia neavei Hampson,1910 (Noctuidae) Synonymy: neavei Hampson,1910; janenschi Gaede,1915. Range (as code): **ZA**

10083.Eublemma acarodes Swinhoe,1907 (Noctuidae) Synonymy: acarodes Swinhoe,1907 Range (as code): **ZA**

10084.Eublemma albidior Rothschild,1915 (Noctuidae) Synonymy: albidior Rothschild,1915 Range (as code): **DZ Idl Ah SD**

10085.Eublemma albivenum (Hampson,1905) (Noctuidae) Synonymy: albivena Hampson,1905; pallescens Le Cerf,1911. Range (as code): **ZA**

10086.Eublemma albivestalis (Hampson,1910) (Noctuidae) Synonymy: vestalis Staudinger,1900 nec Btl.,1886; albivestalis Hampson,1910 Range (as code): **DZ Onç Sbd Omy Gha TN TR Jt IL Pa LB JO**

10087.Eublemma albivium Hampson,1914 (Noctuidae) Synonymy: albivia Hampson,1914 Range (as code): **ZA**

10088.Eublemma alienum (C.G.Krüger,1939) (Noctuidae) Synonymy: aliena C.G.Krüger,1939 Range (as code): **LY**

10089.Eublemma amydrosanum Rebel,1948 (Noctuidae) Synonymy: amydrosana Rebel,1948 Range (as code): **EG JE**

10090.Eublemma anachoresis (Wallengren,1863) (Noctuidae) Synonymy: anachoresis Wallengren,1863; accedens R.Felder & Rogenhofer,[1875]; divisa Moore,1881; leonata Butler,1886. Range (as code): **ZA YE Ad OM LK IN Up Alh Clc ID Ja TH CMa Cuo Cu01 Cu07 PH PG AU NC SB NH FJ**

10091.Eublemma apicatum Distant,1898 (Noctuidae) Synonymy: apicata Distant,1898; acrochiona Mabille,1900. Range (as code): **ZA Tva Gau Pre**

10092.Eublemma apicimaculum (Mabille,1880) (Noctuidae) Synonymy: apicimacula Mabille,1880; truncata Hampson,1905 Range (as code): **MG ZA Nta Kzu YE SA**

10093.Eublemma apicipunctum (Saalmüller,1891) (Noctuidae) Synonymy: apicipuncta Saalmüller,1891 Range (as code): **ZA**

10094.Eublemma aurantiaca Hampson,1910 (Noctuidae) Synonymy: aurantiaca Hampson,1910 Range (as code): **ZA**

10095.Eublemma baccalix (Swinhoe,1886) (Noctuidae) Synonymy: baccalix Swinhoe,1886; fasciosa Moore,[1887]. Range (as code): **IN Mhw LK Cn YE AF PK Abb Txl NP ID ZA CN NH TW FJ NC**

10096.Eublemma bifasciatum (Moore,1881) (Noctuidae) Synonymy: bifasciata Moore,1881 Range (as code): **IN Up Alh YE Ad SA SA39 Hj AE IR Ss ET NG ZA Spb Mdk Tva Lpo**

10097. **Eublemma bipartita Hampson,1902** (Noctuidae) Synonymy: bipartita Hampson,1902 Range (as code): **ZA**
10098. **Eublemma bolinia (Hampson,1902)** (Noctuidae) Synonymy: bolinia Hampson,1902 Range (as code): **ZA**
10099. **Eublemma bullum (Swinhoe,1884)** (Noctuidae) Synonymy: bulla Swinhoe,1884; tomentalis Rebel,1948. Range (as code): **IL Pa JO IR SA YE Ad PK Krc Sd IN Sml Hp Mh Bba Poo EG JE SD NG**
10100. **Eublemma candicans (Rambur,1858)** (Noctuidae) Synonymy: candicans Rambur,1858; grata Guenée,1852; faroulti Rothschild,1911; ramburi Culot,1913 Range (as code): **MA DZ Ges Lbs Orn Btna Sbd BSa PT ES An**
10101. **Eublemma caniceps Rebel,1917** (Noctuidae) Synonymy: caniceps Rebel,1917 Range (as code): **SD**
10102. **Eublemma chionophlebia Hampson,1910** (Noctuidae) Synonymy: albivena Hampson,1910 nec Hamps.,1905; chionophlebia Hampson,1910. Range (as code): **ZA**
10103. **Eublemma cochylioides (Guenée,1852)** (Noctuidae) Synonymy: cochylioides Guenée,1852; rosita Guenée,1852; phoenissa Lederer,1855; derogata Walker,1858; calida Rebel,1894; calida Staudinger,1895; confuscata W.Warren,1913. Range (as code): **DZ Abe FR Cn ES Mu MT GR Rd TR CY SY IQ Agh IR Fa Shr LB Bei IL Pa Hf JO ZA RE LK PK TH Lmp AU IN LK PH Luz MY Bor ID Ja NC FJ TO YE OM 31 56**
10104. **Eublemma costimacula (Saalmüller,1880)** (Noctuidae) Synonymy: costimacula Saalmüller,1880; plagiopera Hampson,1902 Range (as code): **MG ZA Nta Kzu Cto SA YE**
10105. **Eublemma costivinata Berio,1945** (Noctuidae) Synonymy: costivinata Berio,1945 Range (as code): **ET**
10106. **Eublemma cyrenaeum (Turati,1924)** (Noctuidae) Synonymy: cyrenaea Turati,1924 Range (as code): **LY Cy JO**
10107. **Eublemma daphoena Hampson,1910** (Noctuidae) Synonymy: daphoena Hampson,1910 Range (as code): **ZA**
10108. **Eublemma delicata (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: delicata R.Felder & Rogenhofer,1874 Range (as code): **ZA**
10109. **Eublemma deserti (Rothschild,1909)** (Noctuidae) Synonymy: deserti Rothschild,1909 Range (as code): **TM IR Cc AM DZ Mri Bsk MT EG SA LY Cy IL Pa SY Dms Sn**
10110. **Eublemma desertum (Staudinger,1900)** (Noctuidae) Synonymy: deserta Staudinger,1900; lacteola Rothschild,1914; ernesti Rothschild,1915; cremorna Hampson,1918; cremorna Rothschild,1920; pernivea Rothschild,1920 Range (as code): **DZ Ath Idl Thh Onç Hes Bsk Omy Gtt Ah Ges Sfr Gle TN LY MT**
10111. **Eublemma dichromum Rebel,1907** (Noctuidae) Synonymy: dichroma Rebel,1907 Range (as code): **YE Sk**
10112. **Eublemma dissoluta Rothschild,1921** (Noctuidae) Synonymy: dissoluta Rothschild,1921 Range (as code): **NE**
10113. **Eublemma dyscapna D.S.Fletcher,1961** (Noctuidae) Synonymy: dyscapna D.S.Fletcher,1961 Range (as code): **UG**
10114. **Eublemma eburnea (Turati,1927)** (Noctuidae) Synonymy: eburnea Turati,1927 Range (as code): **LY Cy**
10115. **Eublemma ecthaematum Hampson,1896** (Noctuidae) Synonymy: ecthaemata Hampson,1896; spirogramma Rebel,1912 Range (as code): **YE YE6o EG ZA ER GM KE MR NA ZW**
10116. **Eublemma eupethecica Hampson,1910** (Noctuidae) Synonymy: eupethecica Hampson,1910 Range (as code): **ZA**
10117. **Eublemma exanimis Hampson,1918** (Noctuidae) Synonymy: exanimis Hampson,1918 Range (as code): **MW Mje**
10118. **Eublemma exiguum (Walker,[1858])** (Noctuidae) Synonymy: exigua Walker,[1858]; nuga Snellen,1872; parvula Moore,1881. Range (as code): **ZA MG YE SA**
10119. **Eublemma flavescens Hampson,1918** (Noctuidae) Synonymy: flavescens Hampson,1918 Range (as code): **MW Mje**
10120. **Eublemma flavibasis Hampson,1918** (Noctuidae) Synonymy: flavibasis Hampson,1918 Range (as code): **KE**
10121. **Eublemma flaviceps Hampson,1902** (Noctuidae) Synonymy: flaviceps Hampson,1902 Range (as code): **ZW Har**
10122. **Eublemma flaviciliata Hampson,1910** (Noctuidae) Synonymy: flaviciliata Hampson,1910 Range (as code): **NG**
10123. **Eublemma flavicosta Hampson,1910** (Noctuidae) Synonymy: flavicosta Hampson,1910 Range (as code): **ZA Tva Lpo Wri**

10124. **Eublemma flavida Hampson,1902** (Noctuidae) Synonymy: flavida Hampson,1902 Range (as code): **ZA Ec Tra**
10125. **Eublemma flavinia (Hampson,1902)** (Noctuidae) Synonymy: flavinia Hampson,1902 Range (as code): **ZA Tva Ptc**
10126. **Eublemma flavistriata Hampson,1910** (Noctuidae) Synonymy: flavistriata Hampson,1910 Range (as code): **KE**
10127. **Eublemma flavitermina Hampson,1910** (Noctuidae) Synonymy: flavitermina Hampson,1910 Range (as code): **ZA Fs Blo**
10128. **Eublemma foedosa (Guenée,1852)** (Noctuidae) Synonymy: foedosa Guenée,1852 Range (as code): **ZA**
10129. **Eublemma fulvitermina Hampson,1910** (Noctuidae) Synonymy: fulvitermina Hampson,1910 Range (as code): **ZA**
10130. **Eublemma gayneri (Rothschild,1901)** (Noctuidae) Synonymy: gayneri Rothschild,1901 Range (as code): **ZA EG ER SA SD YE IL Pa JO**
10131. **Eublemma geyri Rothschild,1915** (Noctuidae) Synonymy: geyri Rothschild,1915 Range (as code): **DZ Thh Ah Sfr Ajj TN**
10132. **Eublemma glaucizona Hampson,1908** (Noctuidae) Synonymy: glaucizona Hampson,1908 Range (as code): **ZA**
10133. **Eublemma goniogramma Hampson,1910** (Noctuidae) Synonymy: goniogramma Hampson,1910 Range (as code): **ZA Tva**
10134. **Eublemma griseofimbriata Gaede,1935** (Noctuidae) Synonymy: griseofimbriata Gaede,1935 Range (as code): **ZA Tva**
10135. **Eublemma guiera Bradley,1969** (Noctuidae) Synonymy: guiera Bradley,1969 Range (as code): **NG**
10136. **Eublemma hemichiona Hampson,1918** (Noctuidae) Synonymy: hemichiona Hampson,1918 Range (as code): **ZA MW Mje**
10137. **Eublemma himmighoffeni (Millière,[1867])** (Noctuidae) Synonymy: himmighoffeni Millière,[1867] Range (as code): **ZA ES FR YU AL**
10138. **Eublemma hypozonata Hampson,1910** (Noctuidae) Synonymy: hypozonata Hampson,1910 Range (as code): **KE**
10139. **Eublemma kettlewelli Wiltshire,1988** (Noctuidae) Synonymy: kettlewelli Wiltshire,1988 Range (as code): **ZA**
10140. **Eublemma kruegeri (Wiltshire,1970)** (Noctuidae) Synonymy: kruegeri Wiltshire,1970 Range (as code): **SD LY IL Pa JO**
10141. **Eublemma lentirosea Hampson,1910** (Noctuidae) Synonymy: lentirosea Hampson,1910 Range (as code): **ZA Fs Blo**
10142. **Eublemma leucanitis Hampson,1910** (Noctuidae) Synonymy: leucanitis Hampson,1910 Range (as code): **ZA**
10143. **Eublemma leucodicranon Grünberg,1910** (Noctuidae) Synonymy: leucodicranon Grünberg,1910 Range (as code): **ZA**
10144. **Eublemma leucomelana Hampson,1902** (Noctuidae) Synonymy: leucomelana Hampson,1902 Range (as code): **ZA**
10145. **Eublemma leuconeura Hampson,1910** (Noctuidae) Synonymy: leuconeura Hampson,1910 Range (as code): **ZA**
10146. **Eublemma leucozona Hampson,1910** (Noctuidae) Synonymy: leucozona Hampson,1910 Range (as code): **ZA**
10147. **Eublemma melabasis Hampson,1914** (Noctuidae) Synonymy: melabasis Hampson,1914 Range (as code): **ZA NG**
10148. **Eublemma melanodonta Hampson,1910** (Noctuidae) Synonymy: melanodonta Hampson,1910 Range (as code): **ZA Tva Gau Jh**
10149. **Eublemma mesophaeum Hampson,1910** (Noctuidae) Synonymy: mesophaea Hampson,1910 Range (as code): **ZA Tva Gau Jh**
10150. **Eublemma mesozona Hampson,1914** (Noctuidae) Synonymy: mesozona Hampson,1914 Range (as code): **GH**
10151. **Eublemma minimum (Guenée,1852)** (Noctuidae) Synonymy: minima Guenée,1852; pennula R.Felder & Rogenhofer,1874; carmelita Morrison,1875; pallida Schaus,1904. Range (as code): **US Tx Fl Arz KE MG YE ZA Cto**

10152. **Eublemma minutoides Poole,1989** (Noctuidae) Synonymy: minuta Hampson,1910 nec Hbn.,[1809]; minutoides Poole,1989 Range (as code): **KE**
10153. **Eublemma misturata Hampson,1910** (Noctuidae) Synonymy: misturata Hampson,1910 Range (as code): **ZA UG**
10154. **Eublemma monotona Le Cerf,1911** (Noctuidae) Synonymy: monotona Le Cerf,1911 Range (as code): **KE**
10155. **Eublemma morosum (Wiltshire,1970)** (Noctuidae) Synonymy: morosa Wiltshire,1970 Range (as code): **SD**
10156. **Eublemma nigrivitta Hampson,1902** (Noctuidae) Synonymy: nigrivitta Hampson,1902 Range (as code): **ZA Ec Ans**
10157. **Eublemma nyctichroa Hampson,1910** (Noctuidae) Synonymy: nyctichroa Hampson,1910 Range (as code): **KE**
10158. **Eublemma nyctopa Bethune-Baker,1911** (Noctuidae) Synonymy: nyctopa Bethune-Baker,1911 Range (as code): **AO**
10159. **Eublemma obscura (C.G.Krüger,1939)** (Noctuidae) Synonymy: obscura C.G.Krüger,1939 Range (as code): **LY**
10160. **Eublemma ochricosta Hampson,1916** (Noctuidae) Synonymy: ochricosta Hampson,1916 Range (as code): **SO**
10161. **Eublemma ochricosta Hampson,1916** (Noctuidae) Synonymy: ochricosta Hampson,1916 Range (as code): **SO**
10162. **Eublemma ochrobasis Hampson,1910** (Noctuidae) Synonymy: ochrobasis Hampson,1910 Range (as code): **ZA Ec**
10163. **Eublemma ochrochroa Hampson,1910** (Noctuidae) Synonymy: ochrochroa Hampson,1910 Range (as code): **SL**
10164. **Eublemma odontophora Hampson,1910** (Noctuidae) Synonymy: odontophora Hampson,1910 Range (as code): **YE Sk**
10165. **Eublemma olmii Berio,1937** (Noctuidae) Synonymy: olmii Berio,1937 Range (as code): **ET Ogd**
10166. **Eublemma ornatula (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: ornatula R.Felder & Rogenhofer,1874 Range (as code): **ZA**
10167. **Eublemma ostrinum (Hübner,[1808])** (Noctuidae) Synonymy: ostrina Hübner,[1808]; carthami Herrich-Schäffer,[1851]; aestivalis Guenée,1852; numida Lucas,1849; thasia Koutsaftikis,1973. Range (as code): **Cn PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT HU RO YU AL BG GR Cr Rd CY TR AZ Kir Cc RU Ro St Nt Ich Ing Da MD UA SY JO IL Hf Pa LB Bsa IQ Brs Ry Rwz Dia Agh Bgd IR Fa Hz Ss Ke Mz Elb Kd Km Snj Lo Mia Kz Yas Kaz Shr Hz B-A AF Bsg Nu IN PK MN KG Tk Dj Gg Sdt Gls Hrh Ges Dzc Dhm Ktr Afr Bdj BSa Btna Abe Sbd Khh Hmk Ahr Gha Bsk Gf Orn Tlm Rbt Phv Hes Lbs Clo DZ MA Tgr 01 05 07 08 09 10 13 16 21 27 30 31 33 35 44 46 47 48 50 51 56 58 60 62 63 64 65 66 72**
10168. **Eublemma pallidulum (Herrich-Schäffer,1856)** (Noctuidae) Synonymy: pallidula Herrich-Schäffer,1856 Range (as code): **DZ Ath Gle Omy RU Ro TR Cc AZ Nv Ord BH IR Elb Lo Kd Snj Kz Yas CY TM UZ Fe KK Ik Na CN Ui Ii LB Bsa SA AF PK Gg Jug NG 01 05 12 13 23 24 25 30 36 42 44 47 50 51 56 58 62 65 66 73 76**
10169. **Eublemma parvum (Hübner,[1808])** (Noctuidae) Synonymy: parva Hübner,[1808]; rubefacta Mabille,1869; chalybea Swinhoe,1884; nymphodora Meyrick,1902. Range (as code): **MA DZ TN LY EG SD PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU PL YU AL BG GR Cr CY TR DK RU MD UA IL Hf SY IQ Brs Ry Rwz Dia Agh Amr LB Bsa JO SA IR Ab Mrd Elb Th Kdj Kd Sqq Mak Fa Ss Kh Bk Ha AF Hr Srb Gbh Kab Ca Dwe Arh PK IN TH ID ZA YE Ad AU Snj Mia Km Kz Yas Hz B-A Cc St Da Len AZ Nv Ord Bne Mrv Hrh Ges Perr Sfr Sbd Abe Btna Clo Tgr Hes 01 05 07 08 13 16 25 30 31 33 44 46 47 48 50 56 58 63 65 80**
10170. **Eublemma penicillata Hampson,1902** (Noctuidae) Synonymy: penicillata Hampson,1902 Range (as code): **ZA**
10171. **Eublemma peralbidum (Turati & C.G.Krüger,1936)** (Noctuidae) Synonymy: peralbida Turati & C.G.Krüger,1936 Range (as code): **LY Cy**
10172. **Eublemma perkeo Rothschild,1921** (Noctuidae) Synonymy: perkeo Rothschild,1921 Range (as code): **NE**
10173. **Eublemma perobliqua Hampson,1910** (Noctuidae) Synonymy: perobliqua Hampson,1910 Range (as code): **KE**
10174. **Eublemma phaeapera Hampson,1910** (Noctuidae) Synonymy: phaeapera Hampson,1910 Range (as code): **NG Lgo**
10175. **Eublemma plumbosa Distant,1899** (Noctuidae) Synonymy: plumbosa Distant,1899 Range (as code): **ZA Tva Gau Pre ZW Har**
10176. **Eublemma porphyrescens Hampson,1914** (Noctuidae) Synonymy: porphyrescens Hampson,1914 Range (as code): **NG**

10177. **Eublemma postrosea Gaede,1935** (Noctuidae) Synonymy: postrosea Gaede,1935 Range (as code): **ZA**
10178. **Eublemma postrufa Hampson,1914** (Noctuidae) Synonymy: postrufa Hampson,1914 Range (as code): **ZA KE Nai**
10179. **Eublemma proleuca Hampson,1910** (Noctuidae) Synonymy: proleuca Hampson,1910 Range (as code): **NG**
10180. **Eublemma psamathea Hampson,1910** (Noctuidae) Synonymy: psamathea Hampson,1910 Range (as code): **KE**
10181. **Eublemma pseudonoctua Rothschild,1921** (Noctuidae) Synonymy: pseudonoctua Rothschild,1921 Range (as code): **NE**
10182. **Eublemma pseudostrinum Rothschild,1914** (Noctuidae) Synonymy: pseudostrina Rothschild,1914 Range (as code): **MA DZ Ges TN**
10183. **Eublemma pulverulenta (W.Warren & Rothschild,1905)** (Noctuidae) Synonymy: pulverulenta W.Warren & Rothschild,1905 Range (as code): **SD**
10184. **Eublemma punctilinea Hampson,1902** (Noctuidae) Synonymy: punctilinea Hampson,1902 Range (as code): **ZA**
10185. **Eublemma purinula (Turati,1934)** (Noctuidae) Synonymy: purinula Turati,1934 Range (as code): **LY Cy**
10186. **Eublemma purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonymy: purpurina [Denis & Schiffermüller],1775; secunda Staudinger,1901. Range (as code): **DZ Dhm Lbs TN Khh PT ES Mu FR Si IT CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Mz Th FI RU GG Smt Bjo Lag AZ Kir Nv Ord Cc Ro Kr St Ich Da Kyi MD UA BY CN Ui Ku 03 05 10 14 18 24 34 36 42 44 50 56 60 62 65**
10187. **Eublemma purulentum (Turati,1934)** (Noctuidae) Synonymy: purulenta Turati,1934 Range (as code): **LY Cy**
10188. **Eublemma pyrastis Hampson,1910** (Noctuidae) Synonymy: pyrastis Hampson,1910 Range (as code): **ZA Tva**
10189. **Eublemma pyrochroa Hampson,1918** (Noctuidae) Synonymy: pyrochroa Hampson,1918 Range (as code): **GH**
10190. **Eublemma pyrosticta De Joannis,1910** (Noctuidae) Synonymy: pyrosticta De Joannis,1910 Range (as code): **RE**
10191. **Eublemma quadrilineatum (Moore,1881)** (Noctuidae) Synonymy: quadrilineata Moore,1881 Range (as code): **MW ER IN Ben Clc Pj Sd ?IQ PK Krc TH Lmp ID Sum NH**
10192. **Eublemma quinarioides Berio,1947** (Noctuidae) Synonymy: quinarioides Berio,1947 Range (as code): **ER**
10193. **Eublemma ragusanum (Freyer,1844)** (Noctuidae) Synonymy: ragusana Freyer,1844; virginea Guenée,1852; cinerina Ghiliani,1854; psilogramma Lederer,1855; quinquelinealis Moore,1877; dividens Lucas,1892; polygramma Hampson,1894; #basialbida Strand,1917 Range (as code): **Sa Si IT AL BG GR Cr TR CY LB Bei TM ZA Nta Tva SC SD NG CI IN Adm Nk MM BT SG VN MY ?TH AU QAu NH NC PG PH Luz ID Ja FJ CN TQ Ri 07 17 20 31 33 48**
10194. **Eublemma reductum Butler,1894** (Noctuidae) Synonymy: reducta Butler,1894 Range (as code): **KE SA As YE**
10195. **Eublemma reninigra Berio,1945** (Noctuidae) Synonymy: reninigra Berio,1945 Range (as code): **SO Mga**
10196. **Eublemma reussi Gaede,1935** (Noctuidae) Synonymy: reussi Gaede,1935 Range (as code): **TZ Dss**
10197. **Eublemma rivula (Moore,1882)** (Noctuidae) Synonymy: rivula Moore,1882; pusilla Butler,1886 Range (as code): **WS FJ AU MY IN PC NC PF ZA**
10198. **Eublemma roseocincta Hampson,1910** (Noctuidae) Synonymy: roseocincta Hampson,1910 Range (as code): **KE**
10199. **Eublemma rosinans D.Lucas,1938** (Noctuidae) Synonymy: rosinans D.Lucas,1938 Range (as code): **MA**
10200. **Eublemma rubripuncta (Hampson,1902)** (Noctuidae) Synonymy: rubripuncta Hampson,1902 Range (as code): **ZA**
10201. **Eublemma rufimixta Hampson,1918** (Noctuidae) Synonymy: rufimixta Hampson,1918 Range (as code): **ZA**
10202. **Eublemma sabia (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: sabia R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Cto**
10203. **Eublemma savour Berio,1950** (Noctuidae) Synonymy: savour Berio,1950 Range (as code): **ER**
10204. **Eublemma scituloides Rebel,1917** (Noctuidae) Synonymy: scituloides Rebel,1917 Range (as code): **SD**

10205. **Eublemma scitulum (Rambur,1833)** (Noctuidae) Synonymy: scitula Rambur,1833; exasperata Lederer,1855; gibbosa Snellen,1872; futilis Swinhoe,1884; cretacea Hampson,1893; turatii Berio,2002. Range (as code): **DZ Clo Abe Sfr LY PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr CY TR LB IL Hf Pa JO YE PK LK ZA ID Ij**

10206. **Eublemma scotina D.S.Fletcher,1963** (Noctuidae) Synonymy: scotina D.S.Fletcher,1963 Range (as code): **UG**

10207. **Eublemma scotopis Bethune-Baker,1911** (Noctuidae) Synonymy: scotopis Bethune-Baker,1911 Range (as code): **NG**

10208. **Eublemma seminivea Hampson,1896** (Noctuidae) Synonymy: seminivea Hampson,1896 Range (as code): **ZA YE Ad**

10209. **Eublemma semiochreum (C.G.Krüger,1939)** (Noctuidae) Synonymy: semiochrea C.G.Krüger,1939 Range (as code): **LY Cy**

10210. **Eublemma siticulosum (Lederer,1858)** (Noctuidae) Synonymy: siticulosa Lederer,1858; rushi Wiltshire,1961. Range (as code): **TR SY Dms BH SA EG Sn JO**

10211. **Eublemma sperans (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: sperans R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Cto**

10212. **Eublemma staudingeri (Wallengren,1875)** (Noctuidae) Synonymy: staudingeri Wallengren,1875; pretoriae Distant,1898 Range (as code): **ZA Tva Gau Pre**

10213. **Eublemma stictilinea Hampson,1910** (Noctuidae) Synonymy: stictilinea Hampson,1910 Range (as code): **ZA Ec Tra**

10214. **Eublemma stygiodonta Hampson,1910** (Noctuidae) Synonymy: stygiodonta Hampson,1910 Range (as code): **ZA**

10215. **Eublemma subvenatum (Staudinger,1892)** (Noctuidae) Synonymy: subvenata Staudinger,1892 Range (as code): **DZ Ktr Sfr Tun TN IL Jt Pa**

10216. **Eublemma symphona A.E.Prout,1925** (Noctuidae) Synonymy: symphona A.E.Prout,1925 Range (as code): **MA**

10217. **Eublemma therma Hampson,1910** (Noctuidae) Synonymy: therma Hampson,1910 Range (as code): **ZA KE**

10218. **Eublemma thermochroa Hampson,1910** (Noctuidae) Synonymy: thermochroa Hampson,1910 Range (as code): **ZA Ec**

10219. **Eublemma thermosticta Hampson,1910** (Noctuidae) Synonymy: thermosticta Hampson,1910 Range (as code): **ZA Tva**

10220. **Eublemma titanica Hampson,1910** (Noctuidae) Synonymy: titanica Hampson,1910 Range (as code): **ZA Tva**

10221. **Eublemma trigramma Hampson,1910** (Noctuidae) Synonymy: trigramma Hampson,1910 Range (as code): **ZW Uma**

10222. **Eublemma tritonium (Hampson,1902)** (Noctuidae) Synonymy: tritonia Hampson,1902; atristipata Hampson,1926. Range (as code): **ZW Uma**

10223. **Eublemma uninotatum Hampson,1902** (Noctuidae) Synonymy: uninotata Hampson,1902 Range (as code): **ZA Nta Kzu Est**

10224. **Eublemma wollastoni (Rothschild,1901)** (Noctuidae) Synonymy: wollastoni Rothschild,1901; vollastoni Hampson,1910 Range (as code): **DZ Onç SD**

10225. **Eublemma xanthocraspis Hampson,1910** (Noctuidae) Synonymy: xanthocraspis Hampson,1910 Range (as code): **ZA KE**

10226. **Eublemmistis chlorozonea Hampson,1902** (Noctuidae) Synonymy: chlorozonea Hampson,1902 Range (as code): **ZA**

10227. **Euchalcia maria (Staudinger,1892)** (Noctuidae) Synonymy: maria Staudinger,1892 Range (as code): **TR IL Pa Js JO LB SY EG Sn 47 72**

10228. **Eucladodes achrorophilus Laporte,1976** (Noctuidae) Synonymy: achrorophilus Laporte,1976 Range (as code): **ET ET45**

10229. **Eucladodes baleensis Laporte,1976** (Noctuidae) Synonymy: baleensis Laporte,1976 Range (as code): **ET Ble ET86**

10230. **Eucladodes oeneus (Fawcett,1917)** (Noctuidae) Synonymy: oeneus Fawcett,1917 Range (as code): **KE Mru**

10231. **Eucoptocnemis (Cladocerotis) optabilis (Boisduval,1834)** (Noctuidae) Synonymy: optabilis Boisduval,1834; murina Culot,1909; ochrea Culot,1909 Range (as code): **MA DZ Mage Btna Abe Perr Ges Afl TN PT ES FR Si IT**

10232.Eudocima cajeta (Cramer,1779) (Noctuidae) Synonymy: cajeta Cramer,1779; multiscripta Walker,[1858]; talboti A.E.Prout,1922 Range (as code): **IN LK Pdy TH CMa Int Knc Hgd VN ID Sum Ja Bor MY Clb Mlc Crm PH ZA**

10233.Eudocima divitiosa (Walker,1869) (Noctuidae) Synonymy: divitiosa Walker,1869; banakus Plötz,1880; intricatus Butler,1892 Range (as code): **SL NG Caa NE KE MW Zom ZA Nta Kzu Dbn ZR GN**

10234.Eudocima materna (Linnaeus,1767) (Noctuidae) Synonymy: materna Linnaeus,1767; hybrida Fabricius,1775; apta Walker,[1858]; chalcogramma Walker,1865 Range (as code): **AU NG ET Sw ET24 KE MW ZM ZW Har ZA Nta Kzu Dbn YE Ad IN Mh Nsk LK Cbo MM ID Ja CX**

10235.Eudocima phalonia (Linnaeus,1763) (Noctuidae) Synonymy: phalonia Linnaeus,1763; fullonia Clerck,[1764]; dioscoreae Fabricius,1775; pomona Cramer,1776; princeps Guenée,1852; obliterans Walker,1858 Range (as code): **ZA ZR GA AU NZ ID PH Pan Bly Mno Bkd Ktd RU Us KP KR JP TW CN VN NP IN Mh Nsk TH Nrt Kao Bnk CMa Cuo Cu05 Phr Loe Knc Nna Nth Cbi Cph Srt Udo MM**

10236.Eugnorisma (Metagnorisma) depuncta (Linnaeus,1761) (Noctuidae) Synonymy: depuncta Linnaeus,1761; meridionalis Dannehl,1925. Range (as code): **MA ES FR Si IT GB DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE RU Cc Ro Kr St Kc Nt Ich Ing MD UA BY 01 14 42 46**

10237.Eugnorisma arenoflavida (Schawerda,1934) (Noctuidae) Synonymy: arenoflavida Schawerda,1934 Range (as code): **MA PT ES**

10238.Eugnorisma glareosa (Esper,1788) (Noctuidae) Synonymy: glareosa Esper,1788; decempunctata De Villers,1789; hebraeica Hübner,[1819]; i-geminum Duponchel,1826; suffusa Tutt,1892 Range (as code): **MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE TR 33**

10239.Euippodes euprepes Hampson,1926 (Noctuidae) Synonymy: euprepes Hampson,1926 Range (as code): **ZA**

10240.Eulocastra aethiops (Distant,1898) (Noctuidae) Synonymy: aethiops Distant,1898 Range (as code): **ZA Tva Gau Pre ZW**

10241.Eulocastra alfierii Wiltshire,1948 (Noctuidae) Synonymy: alfierii Wiltshire,1948 Range (as code): **Sn EG SA YE**

10242.Eulocastra argyrogramma Hampson,1914 (Noctuidae) Synonymy: argyrogramma Hampson,1914 Range (as code): **NG**

10243.Eulocastra argyrostrota Hampson,1916 (Noctuidae) Synonymy: argyrostrota Hampson,1916 Range (as code): **SO**

10244.Eulocastra carnibasalis Hampson,1918 (Noctuidae) Synonymy: carnibasalis Hampson,1918 Range (as code): **MW Mje ZA**

10245.Eulocastra diaphora (Staudinger,1879) (Noctuidae) Synonymy: diaphora Staudinger,1879; triangularis W.Warren,1888; atribasalis Hampson,1896; laticincta Staudinger,1898. Range (as code): **Cn MR MA DZ Ajj Ah Hes Omy Bsk TN RU TR YE Ad Cc GG AZ Nv Ord AM IR Fa Hz Ss Kd Bjr Zj Bne Mrv Lo Snj Ab Oru Mak Hz B-A Chh AF IQ IL Pa SA LB SY JO Sn EG ER PK Cp Gg Cls IN 04 05 06 08 09 13 18 24 25 30 33 36 42 44 47 50 51 58 65 69 70 73 76**

10246.Eulocastra hypotaenia (Wallengren,1860) (Noctuidae) Synonymy: hypotaenia Wallengren,1860 Range (as code): **ZA Tva Mpu Brb Gau Pre**

10247.Eulocastra incognita Berio,1954 (Noctuidae) Synonymy: incognita Berio,1954 Range (as code): **MG**

10248.Eulocastra melaena (Hampson,1899) (Noctuidae) Synonymy: melaena Hampson,1899 Range (as code): **Sk**

10249.Eulocastra monozona Hampson,1910 (Noctuidae) Synonymy: monozona Hampson,1910 Range (as code): **GM**

10250.Eulocastra nigrata Berio,1960 (Noctuidae) Synonymy: nigrata Berio,1960 Range (as code): **MG**

10251.Eulocastra pallida Hampson,1918 (Noctuidae) Synonymy: pallida Hampson,1918 Range (as code): **MW Mje**

10252.Eulocastra poliogramma Hampson,1918 (Noctuidae) Synonymy: poliogramma Hampson,1918 Range (as code): **ZA MW Mje**

10253.Eulocastra sahariensis Rothschild,1921 (Noctuidae) Synonymy: sahariensis Rothschild,1921 Range (as code): **NE**

10254.Eulocastra seminigra Hampson,1914 (Noctuidae) Synonymy: seminigra Hampson,1914 Range (as code): **NG**

10255.Eulocastra sudanensis Rebel,1917 (Noctuidae) Synonymy: sudanensis Rebel,1917 Range (as code): **SD**

10256.Eulocastra tamsi Berio,1938 (Noctuidae) Synonymy: tamsi Berio,1938 Range (as code): **SO**

10257.Eulocastra tarachodes Hampson,1914 (Noctuidae) Synonymy: tarachodes Hampson,1914 Range (as code): **GH**

10258.Eulocastra undulata (Snellen,1880) (Noctuidae) Synonymy: undulata Snellen,1880 Range (as code): **ID Sum Sk**
10259.Eulocastra zavattarii Berio,1944 (Noctuidae) Synonymy: zavattarii Berio,1944 Range (as code): **ET**
10260.Eulymnia pulcherrima (Hampson,1902) (Noctuidae) Synonymy: pulcherrima Hampson,1902 Range (as code): **ZW Har**
10261.Eumichtis rubrimixta Hampson,1906 (Noctuidae) Synonymy: rubrimixta Hampson,1906 Range (as code): **ZA**
10262.Euonychodes albivenata W.Warren,1914 (Noctuidae) Synonymy: albivenata W.Warren,1914 Range (as code): **ZA**
10263.Euphiusa harmonica (Hampson,1902) (Noctuidae) Synonymy: harmonica Hampson,1902 Range (as code): **BW Nga**
10264.Euplexia augens R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: augens R.Felder & Rogenhofer,1874; saldanha R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Kny Tva Lpo Nta Kzu Wca Cto Dbn Gau Pre Jh Rie**
10265.Euplexia azyga Hampson,1908 (Noctuidae) Synonymy: azyga Hampson,1908 Range (as code): **KE Nai**
10266.Euplexia catephiodes Hampson,1908 (Noctuidae) Synonymy: catephiodes Hampson,1908 Range (as code): **ZA Tva Lpo Wri**
10267.Euplexia chalybsa Hampson,1908 (Noctuidae) Synonymy: chalybsa Hampson,1908 Range (as code): **KE Kky**
10268.Euplexia ikondae Berio,1973 (Noctuidae) Synonymy: ikondae Berio,1973 Range (as code): **TZ Iko**
10269.Euplexia imperator Laporte,1984 (Noctuidae) Synonymy: imperator Laporte,1984 Range (as code): **ET ET86**
10270.Euplexia lucipara (Linnaeus,1758) (Noctuidae) Synonymy: lucipara Linnaeus,1758; dubia Hufnagel,1766; leonhardi Rebel,1909; brittanica Turner,1943 Range (as code): **MA DZ Clo Dhm Agi Sét Ges TN EG PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Lag AZ AM Cc IR Gh Elb Mz Th DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da MD UA Lvv BY JP 14 28 34 53 61 67**
10271.Euplexia melanocycla Hampson,1908 (Noctuidae) Synonymy: melanocycla Hampson,1908; pullomedia Bethune-Baker,1911; depravata Gaede,1915 Range (as code): **KE Nai Kky**
10272.Euplexia mercieri Laporte,1984 (Noctuidae) Synonymy: mercieri Laporte,1984 Range (as code): **ET ET196**
10273.Euplexia nyassana Gaede,1915 (Noctuidae) Synonymy: nyassana Gaede,1915 Range (as code): **ZA**
10274.Euplexia pericalles D.S.Fletcher,1961 (Noctuidae) Synonymy: pericalles D.S.Fletcher,1961 Range (as code): **UG Rz**
10275.Euplexia pinoni Laporte,1984 (Noctuidae) Synonymy: pinoni Laporte,1984 Range (as code): **ET ET204**
10276.Euplexia rhoda Hampson,1908 (Noctuidae) Synonymy: rhoda Hampson,1908 Range (as code): **KE**
10277.Euplexia shoana Laporte,1984 (Noctuidae) Synonymy: shoana Laporte,1984 Range (as code): **ET Sw**
10278.Euplexia viridisparsa Berio,1939 (Noctuidae) Synonymy: viridisparsa Berio,1939 Range (as code): **ER**
10279.Eustrotia albibasis (Hampson,1902) (Noctuidae) Synonymy: albibasis Hampson,1902 Range (as code): **ZA**
10280.Eustrotia albifascia (Walker,1865) (Noctuidae) Synonymy: albifascia Walker,1865 Range (as code): **ZA**
10281.Eustrotia albifissa (Hampson,1902) (Noctuidae) Synonymy: albifissa Hampson,1902 Range (as code): **ZA**
10282.Eustrotia angulissima Gaede,1935 (Noctuidae) Synonymy: angulissima Gaede,1935 Range (as code): **ZA**
10283.Eustrotia bella Bethune-Baker,1911 (Noctuidae) Synonymy: bella Bethune-Baker,1911 Range (as code): **ZA**
10284.Eustrotia bryophilina Hampson,1910 (Noctuidae) Synonymy: bryophilina Hampson,1910 Range (as code): **ZA**
10285.Eustrotia catoxantha Hampson,1910 (Noctuidae) Synonymy: catoxantha Hampson,1910 Range (as code): **ZA**
10286.Eustrotia cumalinea Bethune-Baker,1911 (Noctuidae) Synonymy: cumalinea Bethune-Baker,1911 Range (as code): **ZA**

10287. **Eustrotia decissima (Walker,1865)** (Noctuidae) Synonymy: decissima Walker,1865 Range (as code): **ZA**
10288. **Eustrotia genuflexa (Hampson,1902)** (Noctuidae) Synonymy: genuflexa Hampson,1902 Range (as code): **ZA**
10289. **Eustrotia loxosema Bethune-Baker,1911** (Noctuidae) Synonymy: loxosema Bethune-Baker,1911 Range (as code): **ZA**
10290. **Eustrotia megalena (Mabille,1900)** (Noctuidae) Synonymy: megalena Mabille,1900 Range (as code): **ZA**
10291. **Eustrotia olivula (Guenée,1852)** (Noctuidae) Synonymy: olivula Guenée,1852 Range (as code): **ZA**
10292. **Eustrotia schencki Strand,1912** (Noctuidae) Synonymy: schencki Strand,1912 Range (as code): **ZA**
10293. **Eutamsia africana (Schaus,1893)** (Noctuidae) Synonymy: africana Schaus,1893; leucura Hampson,1914; phoenicolopha Hampson,1914 Range (as code): **GH SL ET ET204**
10294. **Eutamsia annosa Viette,1963** (Noctuidae) Synonymy: annosa Viette,1963 Range (as code): **MG**
10295. **Eutamsia berioi Viette,1963** (Noctuidae) Synonymy: berioi Viette,1963 Range (as code): **MG**
10296. **Eutamsia breviuscula (Walker,1858)** (Noctuidae) Synonymy: breviuscula Walker,1858 Range (as code): **ZA Nta Kzu**
10297. **Eutamsia confusa Laporte,1973** (Noctuidae) Synonymy: confusa Laporte,1973 Range (as code): **CM**
10298. **Eutamsia consummata (Walker,1857)** (Noctuidae) Synonymy: consummata Walker,1857 Range (as code): **ZA Nta Kzu**
10299. **Eutamsia dargei Laporte,1973** (Noctuidae) Synonymy: dargei Laporte,1973 Range (as code): **CM**
10300. **Eutamsia duponti Laporte,1974** (Noctuidae) Synonymy: duponti Laporte,1974 Range (as code): **ET ET204**
10301. **Eutamsia germainae Laporte,1975** (Noctuidae) Synonymy: germainae Laporte,1975 Range (as code): **ET ET204**
10302. **Eutamsia grisea Laporte,1973** (Noctuidae) Synonymy: grisea Laporte,1973 Range (as code): **CM**
10303. **Eutamsia gueneei Laporte,1973** (Noctuidae) Synonymy: gueneei Laporte,1973 Range (as code): **CM**
10304. **Eutamsia hoplista Viette,1963** (Noctuidae) Synonymy: hoplista Viette,1963 Range (as code): **MG**
10305. **Eutamsia hosplitoides Laporte,1979** (Noctuidae) Synonymy: hosplitoides Laporte,1979 Range (as code): **GH**
10306. **Eutamsia medleri Laporte,1973** (Noctuidae) Synonymy: medleri Laporte,1973 Range (as code): **NG**
10307. **Eutamsia milloti Viette,1961** (Noctuidae) Synonymy: milloti Viette,1961 Range (as code): **MG**
10308. **Eutamsia nigribarbata (Hampson,1908)** (Noctuidae) Synonymy: nigribarbata Hampson,1908 Range (as code): **KE**
10309. **Eutamsia satellitis Berio,1974** (Noctuidae) Synonymy: satellitis Berio,1974 Range (as code): **TZ**
10310. **Eutamsia septentrionalis Rougeot & Laporte,1983** (Noctuidae) Synonymy: septentrionalis Rougeot & Laporte,1983 Range (as code): **ET**
10311. **Eutamsia somaliensis Laporte,1974** (Noctuidae) Synonymy: somaliensis Laporte,1974 Range (as code): **DJ**
10312. **Eutamsia subsagula D.S.Fletcher,1961** (Noctuidae) Synonymy: subsagula D.S.Fletcher,1961 Range (as code): **ET UG Rz**
10313. **Eutamsia tamsi Berio,1974** (Noctuidae) Synonymy: tamsi Berio,1974 Range (as code): **ZR**
10314. **Eutamsia theryi Laporte,1975** (Noctuidae) Synonymy: theryi Laporte,1975 Range (as code): **ET ET196**
10315. **Eutamsia thoracica (Walker,1858)** (Noctuidae) Synonymy: thoracica Walker,1858 Range (as code): **ZA Nta Kzu**
10316. **Eutamsia tulipifera (Saalmüller,1891)** (Noctuidae) Synonymy: tulipifera Saalmüller,1891 Range (as code): **MG**
10317. **Eutelia adoxodes Bethune-Baker,1911** (Noctuidae) Synonymy: adoxodes Bethune-Baker,1911 Range (as code): **AO**
10318. **Eutelia adulatrix (Hübner,[1813])** (Noctuidae) Synonymy: adulatrix Hübner,[1813] Range (as code): **Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT CH PL SK HU RO YU AL BG GR Rd Cr TR IR Fa Lo OM RU AZ Kir GG Smt Bjo Lag Cc Ro Kr Ich Da UA Cm CY IL Pa Hf LB SY JO IQ ZA Tva Lpo L Nta Kzu ZW BW KE TZ UZ Fe AF Pli Srb Nu Bsg Kab PK KK KG TM IN Hrh Agi Hmk Abe Dhm Sét Ktr Bsk BSa Ges Sbd Hes AM 01 05 06 07 08 10 13 14 16 17 18 21 24 25 27 30 31 32 33 35 42 46 50 55 56 58 65 80**

10319. **Eutelia albiluna Hampson,1905** (Noctuidae) Synonymy: albiluna Hampson,1905 Range (as code): **NG**
10320. **Eutelia amatrix Walker,1858** (Noctuidae) Synonymy: amatrix Walker,1858; exquisita Saalmüller,1891 Range (as code): **ZA KE Nta Kzu Sk ET ET287 MG**
10321. **Eutelia blandiatrix Guenée,1852** (Noctuidae) Synonymy: blandiatrix Guenée,1852 Range (as code): **ZA**
10322. **Eutelia bouveti Viette,1984** (Noctuidae) Synonymy: bouveti Viette,1984 Range (as code): **MG**
10323. **Eutelia bowkeri (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: bowkeri R.Felder & Rogenhofer,1874; leucographa Hampson,1905. Range (as code): **ZA Tva Mpu Brb Ec**
10324. **Eutelia catephioides (Guenée,1852)** (Noctuidae) Synonymy: catephioides Guenée,1852 Range (as code): **ZA Nta Kzu Dbn Ec ET SA**
10325. **Eutelia cautabasis Hampson,1905** (Noctuidae) Synonymy: cautabasis Hampson,1905 Range (as code): **NG Caa**
10326. **Eutelia chlorobasis Hampson,1905** (Noctuidae) Synonymy: chlorobasis Hampson,1905 Range (as code): **NG**
10327. **Eutelia curiosa (Clench,1954)** (Noctuidae) Synonymy: curiosa Clench,1954 Range (as code): **CM**
10328. **Eutelia discistriga Walker,1865** (Noctuidae) Synonymy: discistriga Walker,1865; petrificata Walker,1870 Range (as code): **IN Mh Bba NG ET KE ZW Bul ZA Nta Kzu Dbn SC YE Ad PK Sd Krc LK**
10329. **Eutelia discitriga Walker,1865** (Noctuidae) Synonymy: discitriga Walker,1865 Range (as code): **ZA**
10330. **Eutelia distorta Hampson,1912** (Noctuidae) Synonymy: distorta Hampson,1912 Range (as code): **GH**
10331. **Eutelia endoleuca (Hampson,1918)** (Noctuidae) Synonymy: endoleuca Hampson,1918 Range (as code): **CM Bit**
10332. **Eutelia favillatrix (Guenée,1852)** (Noctuidae) Synonymy: favillatrix Guenée,1852; #favilatrix Hampson,1902. Range (as code): **ZA KE ZW Uma IN LK**
10333. **Eutelia ferridorsata Hampson,1905** (Noctuidae) Synonymy: ferridorsata Hampson,1905 Range (as code): **NG Caa**
10334. **Eutelia fulvigrisea W.Warren,1914** (Noctuidae) Synonymy: fulvigrisea W.Warren,1914 Range (as code): **ZA Nta Kzu**
10335. **Eutelia gabriela Hampson,1912** (Noctuidae) Synonymy: gabriela Hampson,1912 Range (as code): **ZR**
10336. **Eutelia galleyi Viette,1984** (Noctuidae) Synonymy: galleyi Viette,1984 Range (as code): **KM**
10337. **Eutelia gilvicolor Mabille,1900** (Noctuidae) Synonymy: gilvicolor Mabille,1900 Range (as code): **ZA KE**
10338. **Eutelia glaucocycla Hampson,1912** (Noctuidae) Synonymy: glaucocycla Hampson,1912 Range (as code): **ZA ZW**
10339. **Eutelia grisescens Hampson,1916** (Noctuidae) Synonymy: grisescens Hampson,1916 Range (as code): **ZA SO**
10340. **Eutelia griveaudi Viette,1979** (Noctuidae) Synonymy: griveaudi Viette,1979 Range (as code): **MG**
10341. **Eutelia guerouti Laporte,1970** (Noctuidae) Synonymy: guerouti Laporte,1970 Range (as code): **CI**
10342. **Eutelia hayesi Laporte,1970** (Noctuidae) Synonymy: hayesi Laporte,1970 Range (as code): **CI**
10343. **Eutelia histrio (Saalmüller,1880)** (Noctuidae) Synonymy: histrio Saalmüller,1880; occidentalis Viette,1958. Range (as code): **ZA Nta Kzu MG**
10344. **Eutelia holocausta Hampson,1905** (Noctuidae) Synonymy: holocausta Hampson,1905 Range (as code): **NG**
10345. **Eutelia leighi Hampson,1905** (Noctuidae) Synonymy: leighi Hampson,1905 Range (as code): **ZA Nta Kzu Dbn**
10346. **Eutelia leucodelta Hampson,1905** (Noctuidae) Synonymy: leucodelta Hampson,1905 Range (as code): **ZA NG**
10347. **Eutelia megacycla Berio,1957** (Noctuidae) Synonymy: megacycla Berio,1957 Range (as code): **TZ**
10348. **Eutelia melanopis Hampson,1905** (Noctuidae) Synonymy: melanopis Hampson,1905 Range (as code): **SL**
10349. **Eutelia menalcas (Holland,1894)** (Noctuidae) Synonymy: menalcas Holland,1894 Range (as code): **GA Ogo**
10350. **Eutelia metasarca Hampson,1905** (Noctuidae) Synonymy: metasarca Hampson,1905 Range (as code): **NG**

10351.Eutelia mima A.E.Prout,1925 (Noctuidae) Synonymy: mima A.E.Prout,1925; granvillei Wiltshire,1980. Range (as code): **ZA**

10352.Eutelia nigricans Holland,1920 (Noctuidae) Synonymy: nigricans Holland,1920 Range (as code): **ZR**

10353.Eutelia nigridentula Hampson,1905 (Noctuidae) Synonymy: nigridentula Hampson,1905 Range (as code): **SL**

10354.Eutelia ocellaria Berio,1966 (Noctuidae) Synonymy: ocellaria Berio,1966 Range (as code): **ZA**

10355.Eutelia ocellaris Berio,1966 (Noctuidae) Synonymy: ocellaris Berio,1966 Range (as code): **ZR Lsb**

10356.Eutelia ochricostata Hampson,1905 (Noctuidae) Synonymy: ochricostata Hampson,1905 Range (as code): **NG Caa**

10357.Eutelia ocularis (Saalmüller,1891) (Noctuidae) Synonymy: ocularis Saalmüller,1891 Range (as code): **NG MG ZA Ec Tra Nta Kzu**

10358.Eutelia poliochroa Hampson,1912 (Noctuidae) Synonymy: poliochroa Hampson,1912 Range (as code): **GH**

10359.Eutelia polychorda Hampson,1902 (Noctuidae) Synonymy: polychorda Hampson,1902 Range (as code): **ZA Ec ZW Uma Har BW**

10360.Eutelia porphyriota (Hampson,1912) (Noctuidae) Synonymy: porphyriota Hampson,1912 Range (as code): **NG Lgo**

10361.Eutelia rivata Hampson,1902 (Noctuidae) Synonymy: rivata Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**

10362.Eutelia subrubens (Mabille,1890) (Noctuidae) Synonymy: subrubens Mabille,1890; pyrospila Mabille,1893. Range (as code): **ZA**

10363.Eutelia symphonica Hampson,1902 (Noctuidae) Synonymy: symphonica Hampson,1902 Range (as code): **ZA Nta Kzu TZ**

10364.Eutelia violescens Hampson,1912 (Noctuidae) Synonymy: violescens Hampson,1912 Range (as code): **ZA GM NG**

10365.Eutelia viridacea Berio,1966 (Noctuidae) Synonymy: viridacea Berio,1966 Range (as code): **ZR**

10366.Eutelia vulgaris Mabille,1900 (Noctuidae) Synonymy: vulgaris Mabille,1900 Range (as code): **ZA MZ Del**

10367.Euterpiodes pienaari (Distant,1898) (Noctuidae) Synonymy: pienaari Distant,1898 Range (as code): **ZA Pin**

10368.Euxoa (s.str.) abdallah Oberthür,1918 (Noctuidae) Synonymy: abdallah Oberthür,1918 Range (as code): **MA ES**

10369.Euxoa (s.str.) acronycta (Rebel,1907) (Noctuidae) Synonymy: acronycta Rebel,1907 Range (as code): **Sk**

10370.Euxoa (s.str.) albiorbis Hampson,1909 (Noctuidae) Synonymy: albiorbis Hampson,1909 Range (as code): **ZA**

10371.Euxoa (s.str.) anarmodia (Staudinger,1897) (Noctuidae) Synonymy: anarmodia Staudinger,1897; muriicolor Rothschild,1914; albiorbis Hampson,1920 (praeocc.); albiorboides Poole,1989 Range (as code): **DZ Ges TN Gf LY EG IL Hf Pa SA LB JO Sn**

10372.Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: aquilina [Denis & Schiffermüller],1775; fictilis Hübner,[1813]; unicolor Hübner,[1813]; petrina Mayer,1937. Range (as code): **MA ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo Bku Mng Der AZ Kir AM Cc MD UA BY KK Tk Nrk TeA TrA UZ KG RU Ro Kr Kb Nt Ich Ing Kyi Da Ur IL JO Pa LB Bsa SY TM Kp IR Ab Sdt Kd Snj Mrv Sqq Ak Fa Sse Bk Lo By Skh Es Ke Mz CN DZ Bsk 04 05 06 08 12 13 14 18 19 24 25 30 32 36 40 42 46 50 51 56 58 65 68 75 76**

10373.Euxoa (s.str.) canariensis Rebel,1902 (Noctuidae) Synonymy: canariensis Rebel,1902 Range (as code): **CV Cn DZ Ah Gha BSa Orn MA LY IQ Bgd Kbl IR Fa Ss Kd Lo Hz SA YE EG Sn IL Pa JO**

10374.Euxoa (s.str.) capensis Chrétien,1911 (Noctuidae) Synonymy: capensis Chrétien,1911 Range (as code): **TN Gf**

10375.Euxoa (s.str.) cos (Hübner,[1824]) (Noctuidae) Synonymy: cos Hübner,[1824]; tephra Boisduval,1840; nagyagensis Freyer,1845; vacillans Herrich-Schäffer,[1850]; millierei Staudinger,1870; cycladum Staudinger,1871; aphe Mabille,1885; crimaea A.Bang-Haas,1906; mesopotamica O.Bang-Haas,1922; rubra Corti,1933. Range (as code): **DZ Lbs Ges TN PT ES FR Si IT CH AT RO YU BG GR Cr TR RU Ich MD UA Cm BY IR Kh SY IQ Cc AM TM UZ Fe KK Ik KG LB Bsa CY IL Pa He 01 05 06 08 14 18 25 27 33 36 42 40 50 51 56 58 62 65 68 71 76**

10376.Euxoa (s.str.) cymograpta Hampson,1918 (Noctuidae) Synonymy: cymograpta Hampson,1918 Range (as code): **KE ET ET86**

10377.Euxoa (s.str.) decora ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: decora [Denis & Schiffermüller],1775; nebulosa Hübner,[1808]; nivens Hübner,[1821]; simulatrix Hübner,[1824] Range (as code):

MA DZ ES FR Co IT DE CH AT PL CZ SK HU YU MK AL BG GR TR Cc AM IQ IR RU Nt Ich Ing Da Kus MD UA BY KK Ik 04 08 25 30 58 65 73 76

10378.Euxoa (s.str.) dsheiron Brandt,1938 (Noctuidae) Synonymy: dsheiron Brandt,1938. Range (as code): **TR IR Th Elb Kdj EG RU Ur SY Dms 58**

10379.Euxoa (s.str.) hendersoni Pinhey,1968 (Noctuidae) Synonymy: hendersoni Pinhey,1968 Range (as code): **ZA**

10380.Euxoa (s.str.) mendelis Fernández,1915 (Noctuidae) Synonymy: mendelis Fernández,1915 Range (as code): **MA DZ ES**

10381.Euxoa (s.str.) montigenarum Rougeot & Laporte,1983 (Noctuidae) Synonymy: montigenarum Rougeot & Laporte,1983 Range (as code): **ET ET248**

10382.Euxoa (s.str.) nigricans (Linnaeus,1761) (Noctuidae) Synonymy: nigricans Linnaeus,1761; fumosa [Denis & Schiffermüller],1775; rubricans Esper,[1788]; dubia Haworth,1809; vilis, fuliginea Hübner,[1813]; carbonea Hübner,[1823]; ursina Godart,1825; rustica Eversmann,1842; oppidicola Krulikowsky,1907. Range (as code): **MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Tbl IQ IR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY LB Bsa Sb At Am Us MN CN Ti 03 05 06 08 12 13 14 18 25 31 36 42 49 50 51 58 65 71 75**

10383.Euxoa (s.str.) nigrofusca (Esper,[1788]) (Noctuidae) Synonymy: tritici sensu auct. nec Linn.,1761; nigrofusca Esper,[1788]; praticola Borkhausen,1792; domestica Fabricius,1794; pupillata Haworth,1803; venosus Haworth,1803; pusillus Haworth,1803; lineolata Haworth,1809; sordida Haworth,1809; albilinea Haworth,1809; hortorum Stephens,1829; cuneigera Stephens,1829; nigrina Staudinger,1867; pygmaea Hampson,1903; privigna Püngeler,1906; fumosoides Culot,1909 Range (as code): **MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU At MD UA BY CN Ui Chk Alt 01 04 05 18 25 36 42 50 58 60**

10384.Euxoa (s.str.) oranaria (A.Bang-Haas,1906) (Noctuidae) Synonymy: oranaria A.Bang-Haas,1906; psimmithiosa Boursin,1958 Range (as code): **DZ Orn Ges Sfr Gha Onç Khh TN Gf PT ES LY Si JO SY IL Pa**

10385.Euxoa (s.str.) powelli (Oberthür,1912) (Noctuidae) Synonymy: powelli Oberthür,1912 Range (as code): **MA DZ Eba Sfr Ges TN LY ES**

10386.Euxoa (s.str.) pronycta Hampson,1903 (Noctuidae) Synonymy: pronycta Hampson,1903 Range (as code): **ZA**

10387.Euxoa (s.str.) rugifrons (Mabille,1888) (Noctuidae) Synonymy: rugifrons Mabille,1888; bledi Chrétien,1911; urbana A.Bang-Haas,1912 Range (as code): **TN Gf DZ Btna Gab Ges Afl Bdj MA LY**

10388.Euxoa (s.str.) temera (Hübner,[1808]) (Noctuidae) Synonymy: temera Hübner,[1808]; ruris Hübner,[1808]; villiersii Guenée,1837; declarans Walker,[1857]; alphonsina Fernald,1918; boursini Schawerda,1931; perambulans Corti,1931; leucotera Bytinski-Salz & Brandt,1937. Range (as code): **MA DZ TN PT ES FR Co Sa Si IT CH AT PL CZ SK HU RO YU AL BG GR RU Kr Da MD UA BY TR SY LB IL Pa JO Cc AZ AM GG IR Elb Gh Th Kdj IQ Bgd SA 01 05 06 07 13 25 33 36 42 46 50 58 59 60 65 70 71**

10389.Euxoa (s.str.) wagneri Corti,1926 (Noctuidae) Synonymy: wagneri Corti,1926 Range (as code): **MA DZ ES**

10390.Euxoa (s.str.) waliarum Rougeot & Laporte,1983 (Noctuidae) Synonymy: waliarum Rougeot & Laporte,1983 Range (as code): **ET ET248**

10391.Euxootera abyssinica Berio,1974 (Noctuidae) Synonymy: abyssinica Berio,1974 Range (as code): **ET ET09**

10392.Euxootera ageta D.S.Fletcher,1963 (Noctuidae) Synonymy: ageta D.S.Fletcher,1963 Range (as code): **ZR**

10393.Euxootera atrisparsa (Hampson,1903) (Noctuidae) Synonymy: atrisparsa Hampson,1903 Range (as code): **KE**

10394.Euxootera bilacteata (Berio,1962) (Noctuidae) Synonymy: bilacteata Berio,1962; chrysophaes D.S.Fletcher,1963 Range (as code): **ZA Rz RW**

10395.Euxootera callima D.S.Fletcher,1961 (Noctuidae) Synonymy: callima D.S.Fletcher,1961 Range (as code): **UG Rz**

10396.Euxootera callimorpha Berio,1972 (Noctuidae) Synonymy: callimorpha Berio,1972 Range (as code): **TZ Iko**

10397.Euxootera concolor Berio,1972 (Noctuidae) Synonymy: concolor Berio,1972 Range (as code): **TZ Iko**

10398.Euxootera contraria Berio,1977 (Noctuidae) Synonymy: contraria Berio,1977 Range (as code): **ZR**

10399.Euxootera cyclophora D.S.Fletcher,1961 (Noctuidae) Synonymy: cyclophora D.S.Fletcher,1961 Range (as code): **UG Rz**

10400.Euxootera cyclops D.S.Fletcher,1961 (Noctuidae) Synonymy: cyclops D.S.Fletcher,1961 Range (as code): **TZ**

10401. **Euxootera dinshoensis Laporte,1977** (Noctuidae) Synonymy: dinshoensis Laporte,1977 Range (as code): **ET ET86**
10402. **Euxootera elegans Berio,1972** (Noctuidae) Synonymy: elegans Berio,1972 Range (as code): **TZ Iko**
10403. **Euxootera fletcheri Berio,1977** (Noctuidae) Synonymy: fletcheri Berio,1977 Range (as code): **ZR Kvu**
10404. **Euxootera leucoplaga (Hampson,1907)** (Noctuidae) Synonymy: leucoplaga Hampson,1907 Range (as code): **UG Rz**
10405. **Euxootera marmorata Laporte,1977** (Noctuidae) Synonymy: marmorata Laporte,1977 Range (as code): **ET ET110**
10406. **Euxootera mauricei Laporte,1975** (Noctuidae) Synonymy: mauricei Laporte,1975 Range (as code): **ET ET196**
10407. **Euxootera melanomesa (Hampson,1913)** (Noctuidae) Synonymy: melanomesa Hampson,1913 Range (as code): **KE Nai**
10408. **Euxootera mendeboense Laporte,1984** (Noctuidae) Synonymy: mendeboense Laporte,1984 Range (as code): **ET ET86**
10409. **Euxootera modesta Berio,1972** (Noctuidae) Synonymy: modesta Berio,1972 Range (as code): **TZ Iko**
10410. **Euxootera modestissima Berio,1972** (Noctuidae) Synonymy: modestissima Berio,1972 Range (as code): **TZ Iko**
10411. **Euxootera ochropleurodes Berio,1972** (Noctuidae) Synonymy: ochropleurodes Berio,1972 Range (as code): **TZ Iko**
10412. **Euxootera panconita D.S.Fletcher,1963** (Noctuidae) Synonymy: panconita D.S.Fletcher,1963 Range (as code): **ZR**
10413. **Euxootera posteriobrunnea Laporte,1970** (Noctuidae) Synonymy: posteriobrunnea Laporte,1970 Range (as code): **GA**
10414. **Euxootera scipioni Laporte,1977** (Noctuidae) Synonymy: scipioni Laporte,1977 Range (as code): **ET ET86**
10415. **Euxootera trimaculata Laporte,1984** (Noctuidae) Synonymy: trimaculata Laporte,1984 Range (as code): **KE Nai**
10416. **Evisa schawerdae Reisser,1930** (Noctuidae) Synonymy: schawerdae Reisser,1930 Range (as code): **MA ES FR Co Sa MK GR LB Bei TR IQ Brs IR Fa 07 13 33 42 46**
10417. **Evonima littoralis (van Son,1933)** (Noctuidae) Synonymy: littoralis van Son,1933 Range (as code): **ET Snnp ZA Nta Kzu Dbn Lpo Tva**
10418. **Evonima ruhija Hacker,2012** (Noctuidae) Synonymy: ruhija Hacker,2012 Range (as code): **UG**
10419. **Evonima westafricana Hacker,2012** (Noctuidae) Synonymy: aperta Walker,1865 Range (as code): **CI**
10420. **Exathetis strigata (Hampson,1911)** (Noctuidae) Synonymy: strigata Hampson,1911 Range (as code): **ZA KE**
10421. **Exophyla flexularis Mabille,1890** (Noctuidae) Synonymy: flexularis Mabille,1890 Range (as code): **CI**
10422. **Exophyla melanocleis Hampson,1926** (Noctuidae) Synonymy: melanocleis Hampson,1926 Range (as code): **GH**
10423. **Exophyla molybdea Hampson,1926** (Noctuidae) Synonymy: molybdea Hampson,1926 Range (as code): **ZA Nta Kzu Dbn**
10424. **Exophyla multistriata Hampson,1910** (Noctuidae) Synonymy: multistriata Hampson,1910 Range (as code): **ZA Nta Kzu Dbn**
10425. **Exophyla platti Hampson,1902** (Noctuidae) Synonymy: platti Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
10426. **Exophyla poliotis (Hampson,1902)** (Noctuidae) Synonymy: poliotis Hampson,1902 Range (as code): **ZA Nta Kzu Dbn Ec Cap Grh**
10427. **Exoullia tanzaniae Berio,1973** (Noctuidae) Synonymy: tanzaniae Berio,1973 Range (as code): **TZ Iko**
10428. **Facidia luteilinea Hampson,1926** (Noctuidae) Synonymy: luteilinea Hampson,1926 Range (as code): **NG Caa**
10429. **Facidia vacillans (Walker,1858)** (Noctuidae) Synonymy: vacillans Walker,1858; nigrofusca Walker,1865; fenestrata Möschler,1887; horrida Holland,1894; phaeophoenica Hampson,1905. Range (as code): **ZA Nta Kzu Dbn GH GA Ogo**

10430. **Facidina semifimbria (Walker,[1858])** (Noctuidae) Synonymy: semifimbria Walker,[1858] Range (as code): **ZA SL**
10431. **Faronta exoul (Walker,1856)** (Noctuidae) Synonymy: exoul Walker,1856 Range (as code): **ZA**
10432. **Feliniopsis africana (Schaus & Clements,1893)** (Noctuidae) Synonymy: africana Schaus & Clements,1893; leucura Hampson,1914; phoenicolopha Hampson,1914. Range (as code): **CI MZ Mtp SL ZA Nta Kzu Srn Dbn ET GN**
10433. **Feliniopsis annosa (Viette,1963)** (Noctuidae) Synonymy: annosa Viette,1963 Range (as code): **MG**
10434. **Feliniopsis berioi (Viette,1963)** (Noctuidae) Synonymy: berioi Viette,1963 Range (as code): **MG**
10435. **Feliniopsis breviuscula (Walker,1858)** (Noctuidae) Synonymy: breviuscula Walker,1858 Range (as code): **TZ ZA Tva Gau Pre Mpu Brb Nta Kzu Dbn**
10436. **Feliniopsis confusa (Laporte,1973)** (Noctuidae) Synonymy: confusa Laporte,1973 Range (as code): **CM**
10437. **Feliniopsis connivens (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: connivens R.Felder & Rogenhofer,1874; quadrisigna Moore,1881; placida Moore,1882. Range (as code): **GH ZA Wca Nta Kzu Tva Gau Pre IN Pj PK**
10438. **Feliniopsis consummata (Walker,1857)** (Noctuidae) Synonymy: consummata Walker,1857 Range (as code): **ZA Nta Kzu Dbn Em Umk Ktz Nha Gau Pre Est Tva Lpo Mv MG MU CF YE Ad CN IN LK ID Ja AU QAu**
10439. **Feliniopsis dargei (Laporte,1973)** (Noctuidae) Synonymy: dargei Laporte,1973 Range (as code): **CM**
10440. **Feliniopsis duponti (Laporte,1974)** (Noctuidae) Synonymy: duponti Laporte,1974 Range (as code): **ET**
10441. **Feliniopsis germainae (Laporte,1975)** (Noctuidae) Synonymy: germainae Laporte,1975 Range (as code): **ET**
10442. **Feliniopsis grisea (Laporte,1973)** (Noctuidae) Synonymy: grisea Laporte,1973 Range (as code): **CM**
10443. **Feliniopsis gueneei (Laporte,1973)** (Noctuidae) Synonymy: gueneei Laporte,1973 Range (as code): **CM**
10444. **Feliniopsis hoplista (Viette,1963)** (Noctuidae) Synonymy: hoplista Viette,1963 Range (as code): **MG**
10445. **Feliniopsis hosplitoides (Laporte,1979)** (Noctuidae) Synonymy: hosplitoides Laporte,1979 Range (as code): **ZA Nta Kzu**
10446. **Feliniopsis ivoriensis (Laporte,1973)** (Noctuidae) Synonymy: ivoriensis Laporte,1973 Range (as code): **CI**
10447. **Feliniopsis ligniensis (Laporte,1973)** (Noctuidae) Synonymy: ligniensis Laporte,1973 Range (as code): **CM**
10448. **Feliniopsis medleri (Laporte,1973)** (Noctuidae) Synonymy: medleri Laporte,1973 Range (as code): **NG**
10449. **Feliniopsis milloti (Viette,1961)** (Noctuidae) Synonymy: milloti Viette,1961 Range (as code): **MG**
10450. **Feliniopsis minnecii (Berio,1939)** (Noctuidae) Synonymy: minnecii Berio,1939 Range (as code): **SO**
10451. **Feliniopsis nigribarbata (Hampson,1908)** (Noctuidae) Synonymy: nigribarbata Hampson,1908 Range (as code): **ZA KE Nta Kzu Kkf Imp**
10452. **Feliniopsis normalis (Hampson,1914)** (Noctuidae) Synonymy: normalis Hampson,1914 Range (as code): **ZA Gau Pre**
10453. **Feliniopsis opposita (Walker,1865)** (Noctuidae) Synonymy: opposita Walker,1865 Range (as code): **KE YE Ad IN LK SO**
10454. **Feliniopsis satellitis (Berio,1974)** (Noctuidae) Synonymy: satellitis Berio,1974 Range (as code): **TZ**
10455. **Feliniopsis segreta (Berio,1966)** (Noctuidae) Synonymy: segreta Berio,1966 Range (as code): **MG**
10456. **Feliniopsis septentrionalis (Rougeot & Laporte,1983)** (Noctuidae) Synonymy: septentrionalis Rougeot & Laporte,1983 Range (as code): **ET**
10457. **Feliniopsis somaliensis (Laporte,1974)** (Noctuidae) Synonymy: somaliensis Laporte,1974 Range (as code): **DJ**
10458. **Feliniopsis spinifera (Laporte,1991)** (Noctuidae) Synonymy: spinifera Laporte,1991 Range (as code): **ET**
10459. **Feliniopsis subsagula (D.S.Fletcher,1961)** (Noctuidae) Synonymy: subsagula D.S.Fletcher,1961 Range (as code): **UG Rz**

10460.Feliniopsis tamsi (Berio,1974) (Noctuidae) Synonymy: tamsi Berio,1974 Range (as code): **ZR**
10461.Feliniopsis tenera (Viette,1963) (Noctuidae) Synonymy: tenera Viette,1963 Range (as code): **MG**
10462.Feliniopsis theryi (Laporte,1975) (Noctuidae) Synonymy: theryi Laporte,1975 Range (as code): **ET**
10463.Feliniopsis thoracica (Walker,1858) (Noctuidae) Synonymy: thoracica Walker,1858 Range (as code): **ZA YE Ad**
10464.Feliniopsis tulipifera (Saalmüller,1891) (Noctuidae) Synonymy: tulipifera Saalmüller,1891; #tupulifera Pinhey,1975. Range (as code): **ZA MG**
10465.Fissipunctia corticea (Esper,[1800]) (Noctuidae) Synonymy: #ypsillon [Denis & Schiffermüller],1775; ipsilon Goeze,1781 nec Hufn.,1766; corticea Esper,[1800]; fissipuncta Haworth,1809; upsilon Curtis,1828; plebeja Staudinger,1888; orenburgensis Bartel,1902; obertueri Rothschild,1920; glaisi Lucas,1931 Range (as code): **MA DZ Btna Sbd Abe PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Smt Bjo Lag AZ Kir Cc CY IQ IR Ha Mz Elb Kd Snj Lo Gls Kh DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Kyi Or Sb At Us MD UA Lvv BY AF Balk UZ N-A 01 06 10 13 17 25 30 35 36 49 50 51 58 60 62 66 75**
10466.Fodina albicincta (Walker,1869) (Noctuidae) Synonymy: albicincta Walker,1869 Range (as code): **CG**
10467.Fodina arctioides Walker,1865 (Noctuidae) Synonymy: arctioides Walker,1865 Range (as code): **ZA Nta Kzu**
10468.Fodina decussis (Saalmüller,1891) (Noctuidae) Synonymy: decussis Saalmüller,1891 Range (as code): **MG**
10469.Fodina embolophora Hampson,1902 (Noctuidae) Synonymy: embolophora Hampson,1902 Range (as code): **ZA MZ Del**
10470.Fodina flacourti Viette,1982 (Noctuidae) Synonymy: flacourti Viette,1982 Range (as code): **MG**
10471.Fodina fontalis Gaede,1939 (Noctuidae) Synonymy: fontalis Gaede,1939 Range (as code): **CM**
10472.Fodina hypercompoides Walker,1865 (Noctuidae) Synonymy: hypercompoides Walker,1865 Range (as code): **ZA ZM**
10473.Fodina johnstoni Butler,1896 (Noctuidae) Synonymy: johnstoni Butler,1896 Range (as code): **MW**
10474.Fodina mabillei Viette,1966 (Noctuidae) Synonymy: mabillei Viette,1966 Range (as code): **MG**
10475.Fodina maltzanae Strand,1914 (Noctuidae) Synonymy: maltzanae Strand,1914 Range (as code): **CM**
10476.Fodina maudavei Viette,1982 (Noctuidae) Synonymy: maudavei Viette,1982 Range (as code): **MG**
10477.Fodina megalesia Viette,1966 (Noctuidae) Synonymy: megalesia Viette,1966 Range (as code): **MG**
10478.Fodina oxyprora (Bethune-Baker,1911) (Noctuidae) Synonymy: oxyprora Bethune-Baker,1911 Range (as code): **NG**
10479.Fodina pauliana Viette,1966 (Noctuidae) Synonymy: pauliana Viette,1966 Range (as code): **MG**
10480.Fodina reussiana Strand,1914 (Noctuidae) Synonymy: reussiana Strand,1914 Range (as code): **TZ Dss**
10481.Fodina sakalava Viette,1966 (Noctuidae) Synonymy: sakalava Viette,1966 Range (as code): **MG**
10482.Fodina sogai Viette,1966 (Noctuidae) Synonymy: sogai Viette,1966 Range (as code): **MG**
10483.Fodina toulgoeti Viette,1979 (Noctuidae) Synonymy: toulgoeti Viette,1979 Range (as code): **MG**
10484.Fodina viettei Berio,1960 (Noctuidae) Synonymy: viettei Berio,1960 Range (as code): **MG**
10485.Fodina vieui Viette,1966 (Noctuidae) Synonymy: vieui Viette,1966 Range (as code): **MG**
10486.Fulvarba fulvescens (Hampson,1910) (Noctuidae) Synonymy: fulvescens Hampson,1910 Range (as code): **ZA**
10487.Geniascota patagiata Hampson,1926 (Noctuidae) Synonymy: patagiata Hampson,1926 Range (as code): **ZA**
10488.Gesonia obeditalis Walker,[1859] (Noctuidae) Synonymy: obeditalis Walker,[1859]; pansalis Walker,[1859]; secundalis Walker,[1859]; crambisata Walker,1862; evulsalis Walker,[1866]; binotata Walker,1866; concors Walker,1866; terrosa Snellen,1872; rubicundula Swinhoe,1885; nigrofusca Swinhoe,1885; festina Swinhoe,1885. Range (as code): **TH CMa MY NP IN LK CN TW JP ID Ja Mlc Bor PG SC MG AU**
10489.Gesonia stictigramma Hampson,1926 (Noctuidae) Synonymy: stictigramma Hampson,1926 Range (as code): **ZA**
10490.Giaura arethusa Fawcett,1917 (Noctuidae) Synonymy: arethusa Fawcett,1917 Range (as code): **KE**
10491.Giaura bostrycodes (Bethune-Baker,1911) (Noctuidae) Synonymy: bostrycodes Bethune-Baker,1911 Range (as code): **AO**
10492.Giaura brunneana Berio,1974 (Noctuidae) Synonymy: brunneana Berio,1974 Range (as code): **TZ Iko**
10493.Giaura fumata Berio,1974 (Noctuidae) Synonymy: fumata Berio,1974 Range (as code): **TZ Iko**

10494.Giaura leucotis (Hampson,1905) (Noctuidae) Synonymy: leucotis Hampson,1905 Range (as code): **UG**
10495.Giaura lia A.E.Prout,1927 (Noctuidae) Synonymy: lia A.E.Prout,1927 Range (as code): **ST**
10496.Giaura plumbeofusa Hampson,1920 (Noctuidae) Synonymy: plumbeofusa Hampson,1920 Range (as code): **GH**
10497.Gigantoceras adoxodes Bethune-Baker,1911 (Noctuidae) Synonymy: adoxodes Bethune-Baker,1911 Range (as code): **AO**
10498.Gigantoceras apicibrunnea Laporte,1974 (Noctuidae) Synonymy: apicibrunnea Laporte,1974 Range (as code): **CM**
10499.Gigantoceras camerunica Berio,1957 (Noctuidae) Synonymy: camerunica Berio,1957 Range (as code): **CM**
10500.Gigantoceras curvilinea Gaede,1935 (Noctuidae) Synonymy: curvilinea Gaede,1935 Range (as code): **CM**
10501.Gigantoceras geometroptera Holland,1893 (Noctuidae) Synonymy: geometroptera Holland,1893 Range (as code): **GA Ogo**
10502.Gigantoceras rectilinea Hampson,1912 (Noctuidae) Synonymy: rectilinea Hampson,1912 Range (as code): **ZA GH**
10503.Gigantoceras solstitialis Holland,1893 (Noctuidae) Synonymy: solstitialis Holland,1893 Range (as code): **GA Ogo GH**
10504.Gigantoceras villiersi Laporte,1975 (Noctuidae) Synonymy: villiersi Laporte,1975 Range (as code): **ET ET29**
10505.Gigantoceras viridis Berio,1957 (Noctuidae) Synonymy: viridis Berio,1957 Range (as code): **ZR**
10506.Giubicolanta orientalis Berio,1937 (Noctuidae) Synonymy: orientalis Berio,1937 Range (as code): **SO**
10507.Gnamptogyia diagonalis Hampson,1910 (Noctuidae) Synonymy: diagonalis Hampson,1910 Range (as code): **ZA**
10508.Gnamptonyx innexa (Walker,1858) (Noctuidae) Synonymy: innexa Walker,1858; vilis Walker,1865. Range (as code): **CV MA DZ TN LY EG SD ET ET24 Sw ET153 NG SA IL Pa IR PK Cp BH OM AF IN**
10509.Gnamptonyx vilis (Walker,1865) (Noctuidae) Synonymy: vilis Walker,1865 Range (as code): **AF Pag Bm BH SA SA63 YE Ad SD IN Pj SO ER MA PK Cp Kba H-A**
10510.Godasa sidae (Fabricius,1794) (Noctuidae) Synonymy: sidae Fabricius,1794; maculatrix Walker,1864; mecynoides Mabille,1879; orientis Bartel,1903 Range (as code): **GN CG TZ**
10511.Gondysia pertorrida Berio,1955 (Noctuidae) Synonymy: pertorrida Berio,1955; #pertorida Laporte,1977 Range (as code): **MG ET ET204**
10512.Goniocalpe heteromorpha Hampson,1920 (Noctuidae) Synonymy: heteromorpha Hampson,1920 Range (as code): **ZA**
10513.Goniocalpe sericealis (Hampson,1902) (Noctuidae) Synonymy: sericealis Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
10514.Gortyna (s.str.) xanthenes (Germar,[1842]) (Noctuidae) Synonymy: xanthenes Germar,[1842]; monotona Rungs,1975 Range (as code): **MA Ifr DZ Bdj Btna Dhm TN Hrh Blid ES FR Co Sa Si IT MT BG GR**
10515.Gracilodes caffra Guenée,1852 (Noctuidae) Synonymy: caffra Guenée,1852 Range (as code): **ZA**
10516.Gracilodes nysa Guenée,1852 (Noctuidae) Synonymy: nysa Guenée,1852 Range (as code): **ZA**
10517.Grammodes afrocculta Berio,1956 (Noctuidae) Synonymy: afrocculta Berio,1956 Range (as code): **ZA**
10518.Grammodes bifasciata (Petagna,1787) (Noctuidae) Synonymy: geometrica auct.; bifasciata Petagna,1787; linearis Hübner,1790; parallela Cyrillo,1790; chalciptera Borkhausen,1792; parallelaris Hübner,[1803]. Range (as code): **DZ Hrh TN Dhm PT ES Mu FR Co Sa Si IT MT AT HU YU AL BG GR Cr TR LB IL Pa SY Cc GG Lag IR Mz RU Kr St Ich Da IQ Bsr Agh Bgd Amr MG ZA ET 01 07 16 33 46 53 72**
10519.Grammodes boisdeffrii (Oberthür,1876) (Noctuidae) Synonymy: boisdeffrii Oberthür,1876; palaestinensis Staudinger,1898 Range (as code): **IL Pa Dds JO Sn EG LB MR MA DZ Hes Bsk Btna IR**
10520.Grammodes buchanani Rothschild,1921 (Noctuidae) Synonymy: buchanani Rothschild,1921 Range (as code): **NE**
10521.Grammodes congenita Walker,1858 (Noctuidae) Synonymy: congenita Walker,1858 Range (as code): **ZA KE ZR NG ZW Har BW Nga Nta Kzu Dbn Wca Plt CN TW IN LK ID Ja AU**
10522.Grammodes congesta Berio,1956 (Noctuidae) Synonymy: congesta Berio,1956 Range (as code): **MG**
10523.Grammodes euclidioides Guenée,1852 (Noctuidae) Synonymy: euclidioides Guenée,1852; dubitans Walker,1858 Range (as code): **SD Wme TZ ZA Tva Mpu Brb Gau Pre Jh Ec Nta Kzu Est**

10524.Grammodes exclusiva Pagenstecher,1907 (Noctuidae) Synonymy: exclusiva Pagenstecher,1907 Range (as code): **ZA Tva Lpo Spb Mdk**

10525.Grammodes geometrica (Fabricius,1775) (Noctuidae) Synonymy: geometrica Fabricius,1775; ammonia Cramer,1780 nec Esp.,[1794]; orientalis W.Warren,1913 Range (as code): **TH Knc LA KH VN MM IN Mh Nsk Mys Bang NP PK Txl Abb CN TW JP PH Boh Mno Crg ID Sum Bor KBa Clb AU QAu GH MG**

10526.Grammodes latifera Walker,1870 (Noctuidae) Synonymy: latifera Walker,1870 Range (as code): **EG Sn**

10527.Grammodes marwitzi Gaede,1914 (Noctuidae) Synonymy: marwitzi Gaede,1914 Range (as code): **TZ**

10528.Grammodes microgonia (Hampson,1910) (Noctuidae) Synonymy: microgonia Hampson,1910 Range (as code): **ZA ZM**

10529.Grammodes monodonta Berio,1956 (Noctuidae) Synonymy: monodonta Berio,1956; somaliensis Berio,1956 Range (as code): **SO ZA Gau Tva Jh**

10530.Grammodes netta Holland,1897 (Noctuidae) Synonymy: netta Holland,1897 Range (as code): **SO**

10531.Grammodes stolida (Fabricius,1775) (Noctuidae) Synonymy: stolida Fabricius,1775; cingularis Hübner,[1808]; stupida Herrich-Schäffer,1851; curvilinea Walker,1869. Range (as code): **DZ TN Gf PT ES Mu FR Co Sa Si IT MT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE LT RU MD UA Cm BY GG AZ AM Cc IQ IR Fa Ss LB IL Pa EG SA IN AF Nu Bsg PK Bl Bol ZA Tva Lpo Spb Mdk Gau Pre Jh AU SL ZR ET ET24 SD KE NA Nta Kzu Ec YE Ad Dds He Mz Gls Ak Mrd Lo Mia Kaz UZ N-A Ro Kr Kb Nt Da Kyi BW Dmr Nga Cp C-P Mh Nsk Gha Ges BSa Out Btna Dzc Agi Ktr Abe Sbd Bsk Onç Ah TD Tbt 01 05 06 07 08 09 13 16 18 31 33 35 36 39 44 56 62 63 65 72 73 76**

10532.Grammoscelis leuconeura Hampson,1906 (Noctuidae) Synonymy: leuconeura Hampson,1906 Range (as code): **ZA**

10533.Graphania atavistis (Hampson,1902) (Noctuidae) Synonymy: atavistis Hampson,1902 Range (as code): **ZA**

10534.Hadena (Anepia) avempacei (Tams,1925) (Noctuidae) Synonymy: avempacei Tams,1925; pampaninii C.G.Krüger,1933. Range (as code): **LY Cy SA IQ Kbl JO AE**

10535.Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: perplexa [Denis & Schiffermüller],1775; lepida Esper,[1790] nec Cr.,[1779]; carpophaga Brahm,1791; ochracea Haworth,1809; capsophila Boisduval,1840; nisus Germar,[1842]; repanda Herrich-Schäffer,[1850]; atlas A.E.Prout,1929; sicula Draudt,1933 Range (as code): **MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG At Sb KK CN Ui Ku TJ Pm Tk AF Pag Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ JO PK AZ AM GG Cc TrA UZ Fe IN Ld Ro St Kb Nt Ing Da CY Kir Lag Nv Ord Khy BSa Sbd Ahr Hrh Btna Khh Ges Abe 01 04 05 06 07 11 13 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 70 75**

10536.Hadena (Anepia) sancta (Staudinger,1859) (Noctuidae) Synonymy: sancta Staudinger,1859 Range (as code): **MA DZ Ges TN LY MT ES Co Sa MT IL Pa JO TR CY LB Bei SA YE 01 13 31 33 44 46 56**

10537.Hadena (Anepia) silenes (Hübner,[1822]) (Noctuidae) Synonymy: silenes Hübner,[1822]; sejuncta Herrich-Schäffer,[1850]; trisagittata Rothschild,1914 Range (as code): **DZ Ges Hmk BSa Btna TN Gf PT ES FR Co Si IT SK HU RO YU BG GR Cr TR RU Cc Da AZ Kir MD UA BY TM Kp IR Kz Yas Elb Th IL Pa Hf 01 02 06 07 18 21 25 31 33 34 38 46 47 50 63**

10538.Hadena (Anepia) syriaca (Osthelder,1933) (Noctuidae) Synonymy: syriaca Osthelder,1933; osthelderi Draudt,1933. Range (as code): **Si IT RO YU BG GR CY RU Ro St TR PK Bl Qu EG PL BG MK Cc AZ Nv AM SY Dms IR Fa Sse IQ IL Pa JO 01 02 04 05 06 08 14 18 24 25 27 30 32 36 42 44 46 47 50 51 58 60 65 66 73**

10539.Hadena (Enterpia) laudeti (Boisduval,1840) (Noctuidae) Synonymy: laudeti Boisduval,1840; cretacea Eversmann,1847; loudeti Spuler,1907 Range (as code): **ES FR IT CH YU BG GR TR AM AZ Kir Cc RU Ro Da Ahy Sr IL Pa SY LB Sn EG JO IQ IR Ab Mak Ak Mar Ha Elb Th Kdj Dam Mz TM Kp UZ KG 01 02 04 05 13 30 33 35 36 42 44 46 47 50 51 58 60 63 65 70 75**

10540.Hadena (Pronotestra) silenides (Staudinger,1895) (Noctuidae) Synonymy: silenides Staudinger,1895; cinochrea Chrétien,1911; pampaninii C.G.Krüger,1933. Range (as code): **Cn MR MA DZ Kdr Ges Bsk BSa Gha Ktr Tun Orn TN Gf LY Cy PT ES DZ CY IL Js Pa JO SY LB Sn EG SA IQ Agh Kbl IR Fa**

10541.Hadena (s.str.) adriana (Schawerda,1921) (Noctuidae) Synonymy: adriana Schawerda,1921 Range (as code): **HV IT MK GR BG TR CY LB IL Pa TN Cm 01 07 16 33 63 66**

10542.Hadena (s.str.) albimacula (Borkhausen,1792) (Noctuidae) Synonymy: albimacula Borkhausen,1792; concinna Hübner,[1803]; conserta Hübner,[1820]. Range (as code): **MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV MK BG GR TR Cc GG Mng AM DK NO SE FI EE LV LT RU Ro St Kc Nt Ing Da Sb At MD UA BY IR Elb Zj Fa Plr Dam Kz Yas Lo Kh TM Kp PK Gg AF IN TJ KK TrA Ax UZ LB Bsa YE 04 05 06 08 13 18 24 25 28 30 31 33 42 50 51 58 65 66 69 70 75**

10543.Hadena (s.str.) bicruris (Hufnagel,1766) (Noctuidae) Synonymy: bicruris Hufnagel,1766; capsincoloides Standfuss,1893. Range (as code): **MA DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH PL CZ SK LB Bsa**

10544.Hadena (s.str.) clara (Staudinger,1901) (Noctuidae) Synonymy: clara Staudinger,1901; hyrcana Draudt,1933; transiens Draudt,1938. Range (as code): **MA ES FR Si IT CH YU BG GR TR IR Elb Th Mz Ha Ab Oru Dam Kdj RU Ich Ing Da Ahy Kus Cc AZ Nv AM LB Bsa SY IL Pa 07 08 12 24 25 30 42 50 51 58 65 69**

10545.Hadena (s.str.) confusa (Hufnagel,1766) (Noctuidae) Synonymy: confusa Hufnagel,1766; conspersa [Denis & Schiffermüller],1775; nana Rottemburg,1776 nec Hufnagel,1766; annulata Fabricius,1781; x-scriptum Sowerby,1806; fasciata Tutt,1902; suffusa Tutt,1902; intermedia Tutt,1902. Range (as code): **MA DZ Agi Hmk Hrh Dzc Ges Abe TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr St Kb Nt Ich Ing Da Sb At Prj Us MD UA Lvv BY Cc GG Lag AM AZ IR Mz KK Ik TrA Ax Na KG Tk Aa Ui Ju Ti MN Uli U-B Sda Ket Kyr 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 51 60 65 75**

10546.Hadena (s.str.) filograna (Esper,[1788]) (Noctuidae) Synonymy: filograna Esper,[1788]; filigrama auct.; polymita Hübner,[1803]; xanthocyanea Hübner,[1819]; flavivibica Hübner,[1821]. Range (as code): **MA PT ES FR Co Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU St Nt Ur Sb At MD UA BY KG Ssn DsA KK Ik Cc AM GG Aba Smt Bjo Tbl UZ Fe CN Ui Ii 05 06 08 25 33 36 50 51 60 65**

10547.Hadena (s.str.) luteocincta (Rambur,1834) (Noctuidae) Synonymy: luteocincta Rambur,1834; capsophoba Rambur,1858; kruegeri Turati,1908; dubia Turati,1911; schawerdae Krüger,1914. Range (as code): **MA ES An FR Co Sa Si IT CH HU RO HV MK RU Cc Ro St Kb Nt Ich Ing Da**

10548.Hadena (s.str.) nigricata Pinker,1969 (Noctuidae) Synonymy: nigricata Pinker,1969 Range (as code): **Cn**

10549.Hadena (s.str.) schwingenschussi (Draudt,1934) (Noctuidae) Synonymy: schwingenschussi Draudt,1934 Range (as code): **MA**

10550.Hadjina carcaroda (Distant,1901) (Noctuidae) Synonymy: carcaroda Distant,1901 Range (as code): **ZA Tva Ly**

10551.Hadjina obscura Hampson,1918 (Noctuidae) Synonymy: obscura Hampson,1918 Range (as code): **ZA**

10552.Hadula (Aglossestra) deserticola (Hampson,1905) (Noctuidae) Synonymy: deserticola Hampson,1905; mariaeludovicae Lucas,1914; affinis Rothschild,1914. Range (as code): **DZ Ges Tun TN EG EG61 IL Pa CY**

10553.Hadula (Calocestra) atlantis (Schwingenschuss,1955) (Noctuidae) Synonymy: atlantis Schwingenschuss,1955 Range (as code): **MA**

10554.Hadula (Calocestra) dianthi (Tauscher,1809) (Noctuidae) Synonymy: dianthi Tauscher,1809; dentigera Eversmann,1837; actinobola Eversmann,1837; furculoides F.Wagner,1930. Range (as code): **MA DZ Ah ES IT AT SK HU RO YU BG TR RU Sr Cc GG Tbl Lag AZ Kir Ro St Kyi KG Tk Dj Aa KK Osh Ssn Mn DsA TM Kp CY CN Ui Ku MN TJ UZ IR Ak 01 04 05 06 18 25 42 44 49 50 51 58 66 69**

10555.Hadula (Calocestra) sodae (Boisduval,1829) (Noctuidae) Synonymy: sodae Boisduval,1829; sodae Rambur,1829. Range (as code): **MA DZ Hes BSa Bsk Gf TN LY Cy PT ES Cn Mu FR IT GR Cc AZ Nv Ord AZ Kir AM Eri**

10556.Hadula (Calocestra) trifolii (Hufnagel,1766) (Noctuidae) Synonymy: trifolii Hufnagel,1766; chenopodii [Denis & Schiffermüller],1775; verna Esper,[1787]; saucia Esper,[1790]; infraina Haworth,1809; contribulis Duponchel,1827; farkasii Treitschke,1835; inquieta Walker,1857; albifusa Walker,1857; cinnamomina Rothschild,1913; taylori Rothschild,1921 Range (as code): **CL TN MA DZ LY NE PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR CY IL LB SY IQ Agh Amr MN AF Gbh Pli Arh Ca PK Gg IN US CA DK NO SE FI EE LV LT RU MD UA BY IR Hz Ss Kh Ui Ku Yk CN Ti GG AM AZ Bak Cc JO Gh Elb Th Mz Kdj Dam Km Kd Ab Lo Es Ss Hz Bu Dlk KG Tk Tu Dj Aa TrA TM Kp TJ Pm Chr UZ Br N-A KK Skm Ax Na Ro Kr St Kc Kb Nt Ich Ing Kyi Da CV Az Cp Khy Snj Bne Mrv Gls Kh BSa Lgt Ktr Sét Gha Ela Ceg Bsk Saia Btna Khh Hmk Dhm Hrh Perr Afl Ges Abe Sfr Tlm Onç Mri Lvv Ear Nbr Psu Gg Cls Szh 04 05 06 07 08 10 13 16 17 18 23 25 31 32 36 39 37 39 42 44 45 46 49 50 51 53 56 57 58 60 62 63 65**

10557.Hadula (Cardiestra) parvula Hacker,1998 (Noctuidae) Synonymy: parvula Hacker,1998 Range (as code): **DJ Tk KG Ii**

10558.Hadula (s.str.) sabulorum (Alpheraky,1882) (Noctuidae) Synonymy: sabulorum Alpheraky,1882 Range (as code): **MA DZ Sfr Ceg BSa Bsk Kdr TN Gf LY EG Sn SA YE OM AE KW MT IL Pa IQ Bgd Cc AZ Nv Ord TR IR Ab Mak Fa Ke AF TJ Pm TM Kp UZ KG Aa T-S Tk Tu Aem Ii MN CN Ui Au Khr Ln KK Ik Nrk TeA 04**

10559.Halochroa aequatoria (Mabille,1879) (Noctuidae) Synonymy: aequatoria Mabille,1879; #equatoria Gaede,1939. Range (as code): **ZA ZW ET ET204**

10560.Halochroa eudela D.S.Fletcher,1963 (Noctuidae) Synonymy: eudela D.S.Fletcher,1963 Range (as code): **ZA**

10561.Hecatera cappa (Hübner,[1809]) (Noctuidae) Synonymy: cappa Hübner,[1809] Range (as code): **MA DZ Abe ES FR Sa Si IT MT CZ SK HU RO YU AL BG GR Cr TR Cc GG Smt Bjo AM IR Fa Lo LB RU Ro St Kb Ich Kyi Da At MD UA BY LB Bsa CY JO IL Pa 05 06 16 17 18 25 36 40 42 51 58 62 65**

10562.Hecatera fixseni (Christoph,1882) (Noctuidae) Synonymy: fixseni Christoph,1882 Range (as code): **EG IL Pa AM Cc AZ Nv Ord IR Hz Ahz Fa Ss AF Pli PK TM Kp**

10563.Hecatera spinaciae (Vieweg,1790) (Noctuidae) Synonymy: #dysodea [Denis & Schiffermüller],1775; ornata De Villers,1789 nec Sc.,1763; spinaciae Vieweg,1790; chrysozona Borkhausen,1792; ranunculina Haworth,1809; caduca Herrich-Schaffer,[1851]; innocens Staudinger,1871; subflava W.Warren,1910; faroulti Rothschild,1914; antitypina

Rothschild,1914; africana Oberthür,1918; khala Rungs,1972 Range (as code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc SE LT RU MD UA BY IR Fa By Yas Lo Ss Kh Ke Ha Ab Elb Dam Kd Zj Sse IQ Bgd Agh LB Bsa IL Hf Pa JO Sn CN Ui Ku Ii AF Hr Blh Gbh Srb Kab Ch Gs KG Ssn Mn TJ Pm Chr UZ TM Fe KK Ik Hp Ro Kr St Kyi Da CY GG AZ Tbl Bjo Mng Kir Lag Nv Ord Sdt Mrv Bne Zj DZ BSa Ges Agi Eba MA 01 02 04 05 06 07 13 14 16 18 20 21 24 25 30 31 32 33 36 44 46 50 51 56 58 60 62 63 65 66 72 76**

10564. Hecatera weissi (Draudt,1934) (Noctuidae) Synonymy: weissi Draudt,1934 Range (as code): **ES FR Co IT Si MT MA DZ TN EG SA IL Pa JO TR Cc RU Da AZ Nv AM 04 30 56 72**

10565. Helicoverpa armigera (Hübner,[1808]) (Noctuidae) Synonymy: obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; commoni Hardwick,1965; rama Bhattacherjee & Gupta,1972. Range (as code): **Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAu QAu Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMa CDo Cuo Cu07 KK Osh Elb Lvv Th Dam Kd Snj Mz Gls Kh Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 CV Az Md Kndy Pdy Dck Smt Bjo Lag Kir Bku Der Abe Clo Lbs PH Mno Crg 01 04 05 06 08 13 14 16 20 25 26 28 30 31 33 36 37 44 46 47 49 50 51 53 56 57 58 61 63 65 71 72 75**

10566. Helicoverpa armigera armigera (Hübner,[1808]) (Noctuidae) Synonymy: obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; commoni Hardwick,1965; rama Bhattacherjee & Gupta,1972. Range (as code): **Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAu QAu Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH CMa CDo Cuo Cu07 KK Osh Elb Th Dam Kd Snj Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 Cp H-A Smt Bjo Lag Kir Bku Der Abe Clo Lbs Ah Ajj 01 04 05 06 08 13 14 16 20 25 26 28 33 36 37 46 47 50 51 53 57 58 61 63 65 71 75**

10567. Helicoverpa assulta (Guenée,1852) (Noctuidae) Synonymy: assulta Guenée,1852; separata Walker,1857; temperata Walker,1857; succinea Moore,1881; afra Hardwick,1965. Range (as code): **JP KP KR CN Kgs TW PK Txl IN Pj Kul BT Bba LK MM TH CMa Phr Utt Nsa Knc MY ID Ja AU WAu NAu QAu NSw WS PF CI ZR ZA NC WS PC NF FJ OW**

10568. Helicoverpa helenae Hardwick,1965 (Noctuidae) Synonymy: helenae Hardwick,1965 Range (as code): **ZA**

10569. Helicoverpa toddi Hardwick,1965 (Noctuidae) Synonymy: toddi Hardwick,1965 Range (as code): **ZA**

10570. Heliocheilus albipunctella (De Joannis,1925) (Noctuidae) Synonymy: albipunctella De Joannis,1925; vercambrei Laporte,1977; bordati Laporte,1977; graminivora Laporte,1977; brenieri Laporte,1977 Range (as code): **SN GH NG SD**

10571. Heliocheilus confertissima (Walker,1865) (Noctuidae) Synonymy: confertissima Walker,1865; hyalosticta Hampson,1894; perdentata Hampson,1903; mekrana Brandt,1941; designata Brandt,1941; ennedica Herbulot & Viette,1952. Range (as code): **DZ ML NE ET ET87 TD KE Nai OM AF Hr IN PK Sd Krc MM IR Ss Hz B-A Km Ksh**

10572. Heliocheilus discalis (Hampson,1903) (Noctuidae) Synonymy: discalis Hampson,1903; thomalae Gaede,1915; albivenata Hampson,1916 Range (as code): **KE TZ Ani Usa Tnga SO ML NE NG ET ET87**

10573. Heliocheilus multiradiata (Hampson,1902) (Noctuidae) Synonymy: multiradiata Hampson,1902 Range (as code): **ZA Tva Gau Pre Wri Lpo Tra Ec ZW Har KE Nai MG TZ MW**

10574. Heliocheilus roseus M.Matthews,1987 (Noctuidae) Synonymy: roseus M.Matthews,1987 Range (as code): **ML GH**

10575. Heliocheilus stigmatia (Hampson,1903) (Noctuidae) Synonymy: stigmatia Hampson,1903; biocularis Gaede,1915 Range (as code): **ZA Ec Tra Gau Jh Pre Nta Kzu Dbn Fs LS NA BW**

10576. Heliophisma catocalina Holland,1894 (Noctuidae) Synonymy: catocalina Holland,1894; zanzibarica Hampson,1913. Range (as code): **ZA TZ**

10577. Heliophisma klugii (Boisduval,1833) (Noctuidae) Synonymy: klugii Boisduval,1833; croceipennis Walker,1858; rivularis Butler,1875; varians Mabille,1897; clugi Hampson,1913. Range (as code): **ZA Tva Lpo Spb Mpu Brb Nta Kzu Dbn KE MW Zom**

10578. Heliophisma xanthoptera (Hampson,1910) (Noctuidae) Synonymy: xanthoptera Hampson,1910 Range (as code): **ZA**

10579. Heliophobus africana Berio,1977 (Noctuidae) Synonymy: africana Berio,1977 Range (as code): **ET**

10580. Heliothis (Masalia) albida (Hampson,1905) (Noctuidae) Synonymy: albida Hampson,1905; chitinipyga C.Dumont,1920 Range (as code): **MR MA DZ Hdr Eal Gea Onç Hes Gle Sfr Ogl Ges Ear LY TN EG Sn SA IR Hz Ss IL Pa JO**

10581. Heliothis (Masalia) albipuncta (Hampson,1910) (Noctuidae) Synonymy: albipuncta Hampson,1910 Range (as code): **ZA ZM**

10582.Heliothis (Masalia) beatrix (Moore,1881) (Noctuidae) Synonymy: beatrix Moore,1881; nigristriata Hampson,1903; trifasciata Hampson,1903 Range (as code): **IN Hp Drm KE**

10583.Heliothis (Masalia) bimaculata (Moore,1888) (Noctuidae) Synonymy: bimaculata Moore,1888; pallescens Hampson,1891; pulverulenta Hampson,1891; nigrifasciata Hampson,1903; unifasciata Gaede,1915; pluritelifora Berio,1966; rosastrigata Berio,1966; cornia Seymour,1972 Range (as code): **IN Hp Drm KE**

10584.Heliothis (Masalia) cheesmanae (Seymour,1972) (Noctuidae) Synonymy: cheesmanae Seymour,1972; tamburensis Seymour,1972 Range (as code): **ZR SD**

10585.Heliothis (Masalia) decorata (Moore,1881) (Noctuidae) Synonymy: decorata Moore,1881 Range (as code): **AF Srb IN PK GM NE**

10586.Heliothis (Masalia) disticta (Hampson,1902) (Noctuidae) Synonymy: disticta Hampson,1902; albirosea De Joannis,1913 Range (as code): **ZA ER**

10587.Heliothis (Masalia) epimethea (Viette,1958) (Noctuidae) Synonymy: epimethea Viette,1958 Range (as code): **MG**

10588.Heliothis (Masalia) flavicarnea (Hampson,1903) (Noctuidae) Synonymy: flavicarnea Hampson,1903 Range (as code): **ET**

10589.Heliothis (Masalia) flaviceps (Hampson,1903) (Noctuidae) Synonymy: flaviceps Hampson,1903 Range (as code): **NG**

10590.Heliothis (Masalia) flavistrigata (Hampson,1903) (Noctuidae) Synonymy: flavistrigata Hampson,1903; lineata De Joannis,1910 Range (as code): **KE Nai**

10591.Heliothis (Masalia) funebris (Berio,1962) (Noctuidae) Synonymy: funebris Berio,1962 Range (as code): **ZR**

10592.Heliothis (Masalia) galatheae (Wallengren,1856) (Noctuidae) Synonymy: galatheae Wallengren,1856; lanceolata Walker,1865; splendens Druce,1887; imitata Druce,1889; depicta Swinhoe,1891; nigrolineata Aurivillius,1925; vittulata Aurivillius,1925; lancea Berio,1953 Range (as code): **GA ZA ET BW SD IN**

10593.Heliothis (Masalia) latinigra (Hampson,1907) (Noctuidae) Synonymy: latinigra Hampson,1907; dangilensis Seymour,1972 Range (as code): **UG ET**

10594.Heliothis (Masalia) leucosticta (Hampson,1902) (Noctuidae) Synonymy: leucosticta Hampson,1902; continuata Grünberg,1910; joiceyi A.E.Prout,1921; vinula Berio,1943 Range (as code): **BW ZR NA ER**

10595.Heliothis (Masalia) mittoni (Pinhey,1956) (Noctuidae) Synonymy: mittoni Pinhey,1956 Range (as code): **TZ**

10596.Heliothis (Masalia) nubila (Hampson,1903) (Noctuidae) Synonymy: nubila Hampson,1903; chrysta De Joannis,1910 Range (as code): **NG GN**

10597.Heliothis (Masalia) quilengesi Seymour,1972 (Noctuidae) Synonymy: quilengesi Seymour,1972 Range (as code): **AO ZA**

10598.Heliothis (Masalia) sublimis (Berio,1962) (Noctuidae) Synonymy: sublimis Berio,1962 Range (as code): **ZA ZR**

10599.Heliothis (Masalia) terracottoides (Rothschild,1921) (Noctuidae) Synonymy: terracottoides Rothschild,1921; fissa Aurivillius,1925 Range (as code): **SD NG**

10600.Heliothis (Masalia) transvaalica (Distant,1902) (Noctuidae) Synonymy: transvaalica Distant,1902; rubristria Hampson,1903; rhodomelaleuca Berio,1941 Range (as code): **NG ZA Gau Tra Lpo Jh ET ER**

10601.Heliothis (Masalia) zernytamsia (Berio,1935) (Noctuidae) Synonymy: zernytamsia Berio,1935 Range (as code): **SO**

10602.Heliothis batuense Laporte,1977 (Noctuidae) Synonymy: batuense Laporte,1977 Range (as code): **ET ET24**

10603.Heliothis charmione (Stoll,1790) (Noctuidae) Synonymy: charmione Stoll,1790; jefferyi Janse,1917. Range (as code): **ZA**

10604.Heliothis conifera (Hampson,1913) (Noctuidae) Synonymy: conifera Hampson,1913 Range (as code): **ZA**

10605.Heliothis flavescens (Janse,1917) (Noctuidae) Synonymy: flavescens Janse,1917 Range (as code): **ZA**

10606.Heliothis flavigera (Hampson,1907) (Noctuidae) Synonymy: flavigera Hampson,1907; insularis Viette,1967. Range (as code): **ZA**

10607.Heliothis fuscimacula (Janse,1917) (Noctuidae) Synonymy: fuscimacula Janse,1917 Range (as code): **ZA**

10608.Heliothis magdalenae Laporte (Noctuidae) Synonymy: Range (as code): **ET ET24**

10609.Heliothis nubigera Herrich-Schäffer,[1851] (Noctuidae) Synonymy: nubigera Herrich-Schäffer,[1851]; perigeoides Moore,1881; deserta Sohn-Rethel,1929; minutier Thurner,1938. Range (as code): **Cn DZ**

PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL SK HU RO YU AL BG GR Cr TR CY FI RU Cc AZ Nv Ord Len Ro St Kb Nt Da MD UA BY IR Lo Hz Ss Kh Elb Th Dam Kdj Ak Mrd AF Hr Gbh Arh Dwe Srb Fz LB Bei Bsa IN Hp Dlh IQ Agh Amr Mj Dy SO IL Pa SY Hf JO Sn TM YE Ad SO Kp Gls Bsk Khh BSa Ktr Onç Gtt Gha Abe Sbd Sfr Saia Agi Ges Ah Ajj KG Tks sKG 01 04 07 10 13 18 20 25 31 33 35 42 44 46 47 50 51 56 58 65 72 76

10610. Heliothis pauliani Viette,1959 (Noctuidae) Synonymy: pauliani Viette,1959 Range (as code): **ZA**

10611. Heliothis peltigera ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: peltigera [Denis & Schiffermüller],1775; alphea Cramer,1780; florentina Esper,[1788]; charmione Stoll,1790; straminea Donovan,1793; insulata Navas,1924. Range (as code): **MA DZ Cn PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK SE FI EE LV LT RU MD UA BY IR Mz Fa Ke Lo By Yas Hz Ss Kh Ha PK Bl Qu IQ Mj JHa Amr Agh Kq Dk AF Hr Gbh Kab Srb Arh Dwe Bark Fz LB Bsa IN Dlh Hp NP JO Sn IL Pa Hf Dam Kdj Elb Th Ak Mrd Mia Kz Yas Km Kd Snj Hz B-A Maz Gls Kh GG AZ AM Cc KK TrA TM Kp UZ KG Ro Kr St Kb Kc Nt Ing Da CV MM Kba Tbl Smt Bjo Lag Bku Nv Ord Hmk Ktr Khh BSa Perr Sfr Dje Dhm Abe Bsk Hrh Ges Clo Lbs Anna Ah Ajj 01 04 05 06 07 08 09 13 16 18 20 21 24 25 27 30 31 33 35 36 38 42 44 45 46 50 51 56 58 63 65 66 72 73 75 80**

10612. Heliothis scutuligera Guenée,1852 (Noctuidae) Synonymy: scutuligera Guenée,1852; errans Walker,1865. Range (as code): **ZA Tva Gau Jh Nta Kzu Dbn Wca Ec Kny Asw**

10613. Heliothis tedjicolora Rougeot (Noctuidae) Synonymy: Range (as code): **ET ET24**

10614. Heliothis viriplaca (Hufnagel,1766) (Noctuidae) Synonymy: viriplaca Hufnagel,1766; dipsacea Linnaeus,1767; spergulariae Lederer,1857; #dispaceus Alpheraky,1882; salamantina Fernald,1928. Range (as code): **Cn PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc CY LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Da Kyi Am MD UA BY IR Fa Es Lo Ke Zj Elb Th Dam Ab Oru Kz Yas Km Kd Snj IQ Dia Hjo Bag Ui Ku Yk MM Ch PK Hu IL Pa Lvv Tek Kty IN Dra JP JO Smt Bjo Lag Nv Ord Der Mrv Bne Sfr Btna Khh Lbs MA 01 03 04 05 06 10 16 17 18 19 21 25 30 31 32 33 36 42 45 46 47 50 51 55 56 58 60 62 63 65 76**

10615. Heliothis xanthiata Walker,1865 (Noctuidae) Synonymy: xanthiata Walker,1865 Range (as code): **ZA Nta Kzu Kkf**

10616. Hemiceratoides hieroglyphica (Saalmüller,1891) (Noctuidae) Synonymy: hieroglyphica Saalmüller,1891; vadoni Viette,1976 Range (as code): **ZA Nta Kzu NG MG**

10617. Hemiceratoides sittaca (Karsch,1896) (Noctuidae) Synonymy: sittaca Karsch,1896 Range (as code): **ZA**

10618. Hemituerta mahdi (Pagenstecher,1903) (Noctuidae) Synonymy: mahdi Pagenstecher,1903; argentifascia Fawcett,1915 Range (as code): **SO**

10619. Hemituerta nana (Hampson,1916) (Noctuidae) Synonymy: nana Hampson,1916 Range (as code): **SO**

10620. Heraclia abacata (Karsch,1892) (Noctuidae) Synonymy: abacata Karsch,1892 Range (as code): **CM NA**

10621. Heraclia aemulatrix (Westwood,1881) (Noctuidae) Synonymy: aemulatrix Westwood,1881; mabillei Bartel,1903; suda Jordan,1913; campala Kiriakoff,1976 Range (as code): **ZA Kvu GH ZR UG**

10622. Heraclia africana (Butler,1875) (Noctuidae) Synonymy: africana Butler,1875; meretrix Westwood,1881; fatima Kirby,1891 Range (as code): **ZA Tva Nta Kzu Dbn Mpu Tst Ec Elo MW Zom KE Tet**

10623. Heraclia aisha (Kirby,1891) (Noctuidae) Synonymy: aisha Kirby,1891; catarhodia Holland,1897 Range (as code): **KE**

10624. Heraclia annulata (Aurivillius,1925) (Noctuidae) Synonymy: annulata Aurivillius,1925 Range (as code): **ZR**

10625. Heraclia atrifusa (Hampson,1912) (Noctuidae) Synonymy: atrifusa Hampson,1912 Range (as code): **UG**

10626. Heraclia atriventralis (Hampson,1910) (Noctuidae) Synonymy: atriventralis Hampson,1910 Range (as code): **ZM**

10627. Heraclia atriventris Hampson,1910 (Noctuidae) Synonymy: atriventris Hampson,1910 Range (as code): **ZW**

10628. Heraclia aurantiaca Kiriakoff,1975 (Noctuidae) Synonymy: aurantiaca Kiriakoff,1975 Range (as code): **ZR Shb**

10629. Heraclia aurea (Wichgraf,1918) (Noctuidae) Synonymy: aurea Wichgraf,1918 Range (as code): **AO**

10630. Heraclia basalifasciata Bartel,1903 (Noctuidae) Synonymy: basalifasciata Bartel,1903 Range (as code): **CF**

10631. Heraclia buchholzi (Plötz,1880) (Noctuidae) Synonymy: buchholzi Plötz,1880; grandis Druce,1880; melanochiton Mabille,1891; batesi Druce,1910; subfasciata Hulstaert,1923; barnsi Joicey & Talbot,1924; schoutedeni Hulstaert,1925 Range (as code): **GH CM Bit ZR Kvu**

10632. Heraclia butleri (Walker,1869) (Noctuidae) Synonymy: butleri Walker,1869; adulatrix Westwood,1881 nec Koll.,1844 Range (as code): **ZA Lpo Tva Spb Lj Nta Kzu Est Mpu Pil ZW Har**

10633. Heraclia catori (Jordan,1904) (Noctuidae) Synonymy: catori Jordan,1904 Range (as code): **SL**

10634.Heraclia durbania (Stoneham,1964) (Noctuidae) Synonymy: durbania Stoneham,1964 Range (as code): **ZA Nta Kzu Dbn**
10635.Heraclia egregia Wichgraf,1908 (Noctuidae) Synonymy: egregia Wichgraf,1908 Range (as code): **CM**
10636.Heraclia elongata Bartel,1903 (Noctuidae) Synonymy: elongata Bartel,1903 Range (as code): **MW**
10637.Heraclia flavipennis (Bartel,1903) (Noctuidae) Synonymy: flavipennis Bartel,1903 Range (as code): **CG**
10638.Heraclia flavisignata (Hampson,1912) (Noctuidae) Synonymy: flavisignata Hampson,1912 Range (as code): **KE Nya**
10639.Heraclia geryon (Fabricius,1781) (Noctuidae) Synonymy: geryon Fabricius,1781; euphemia Stoll,1782; nugatrix Westwood,1881 Range (as code): **ZA LR SL GN NG SD KE ZR ET ET29**
10640.Heraclia gruenbergi (Wichgraf,1911) (Noctuidae) Synonymy: gruenbergi Wichgraf,1911; atribasalis Hampson,1912; medjensis Holland,1920 Range (as code): **KE ZR Mdj**
10641.Heraclia hornimani (Druce,1880) (Noctuidae) Synonymy: hornimani Druce,1880; melanosoma Druce,1901; minchini Hampson,1907; comaria Druce,1910; meridionalis Kiriakoff,1955 Range (as code): **NG Caa CM Bit CG SL UG Etb ZR Kga**
10642.Heraclia houyjensis (Wichgraf,1918) (Noctuidae) Synonymy: houyjensis Wichgraf,1918 Range (as code): **CM**
10643.Heraclia hypercompoides (Butler,1895) (Noctuidae) Synonymy: hypercompoides Butler,1895 Range (as code): **UG Rz**
10644.Heraclia indecisa (Butler,1891) (Noctuidae) Synonymy: indecisa Butler,1891 Range (as code): **ZW**
10645.Heraclia jacksoni Kiriakoff,1975 (Noctuidae) Synonymy: jacksoni Kiriakoff,1975 Range (as code): **UG**
10646.Heraclia jugans (Jordan,1913) (Noctuidae) Synonymy: jugans Jordan,1913 Range (as code): **AO**
10647.Heraclia karschii (Holland,1897) (Noctuidae) Synonymy: karschii Holland,1897; kirbyi Holland,1897 (praeocc.); triseriata Bartel,1903; tessmanni Strand,1912; egregia Wichgraf,1914 Range (as code): **CM Yau GO**
10648.Heraclia kivuensis Kiriakoff,1973 (Noctuidae) Synonymy: kivuensis Kiriakoff,1973 Range (as code): **ZR Kvu**
10649.Heraclia limbomaculata (Strand,1909) (Noctuidae) Synonymy: limbomaculata Strand,1909; discosticta Hampson,1910 Range (as code): **TZ ZM**
10650.Heraclia lomata (Karsch,1892) (Noctuidae) Synonymy: lomata Karsch,1892 Range (as code): **CM NA**
10651.Heraclia longipennis (Walker,1854) (Noctuidae) Synonymy: longipennis Walker,1854; doenitzi Grünberg,1910; bodaensis Gaede,1915 Range (as code): **CG ZR AO GH KE Nya CM**
10652.Heraclia medeba (Druce,1880) (Noctuidae) Synonymy: medeba Druce,1880 Range (as code): **NG Caa**
10653.Heraclia melanosoma Druce,1901 (Noctuidae) Synonymy: melanosoma Druce,1901 Range (as code): **KE**
10654.Heraclia monslunensis (Hampson,1901) (Noctuidae) Synonymy: monslunensis Hampson,1901; signata Bartel,1903; neavi Hampson,1910 Range (as code): **UG Rz ZM TZ KE**
10655.Heraclia mozambica (Mabille,1890) (Noctuidae) Synonymy: mozambica Mabille,1890 Range (as code): **MZ TZ Zz**
10656.Heraclia nandi Kiriakoff,1974 (Noctuidae) Synonymy: nandi Kiriakoff,1974 Range (as code): **KE Nai**
10657.Heraclia neavi Hampson,1910 (Noctuidae) Synonymy: neavi Hampson,1910 Range (as code): **ZW**
10658.Heraclia niepelti Oberthür,1911 (Noctuidae) Synonymy: niepelti Oberthür,1911 Range (as code): **TZ**
10659.Heraclia nigridorsa (Mabille,1890) (Noctuidae) Synonymy: nigridorsa Mabille,1890 Range (as code): **CM**
10660.Heraclia nobela Kiriakoff,1974 (Noctuidae) Synonymy: nobela Kiriakoff,1974 Range (as code): **ZR Kvu**
10661.Heraclia pallida (Walker,1864) (Noctuidae) Synonymy: pallida Walker,1864; niveosparsa Westwood,1881; deficiens Mabille,1891; minerva Weymer,1892; longipennis Mabille,1892 nec Wlk. Range (as code): **NG Caa CM CG GA SL KE**
10662.Heraclia pampata Kiriakoff,1974 (Noctuidae) Synonymy: pampata Kiriakoff,1974 Range (as code): **ZR**
10663.Heraclia pardalina (Walker,1869) (Noctuidae) Synonymy: pardalina Walker,1869; ochracea Butler,1875; kirbyi Carpenter,1895; cirbyi Hampson,1901 Range (as code): **CG AO**

10664.Heraclia perdix (Druce,1888) (Noctuidae) Synonymy: perdix Druce,1888; eoa Mabille,1890; indecisa Butler,1891; angustella Strand,1912 Range (as code): **ZA Nta Kzu MZ ZW SO KE ET**

10665.Heraclia poggei (Dewitz,1879) (Noctuidae) Synonymy: poggei Dewitz,1879; falkensteinii Dewitz,1881 Range (as code): **GN CM NG CG GH CI LR GA TD**

10666.Heraclia signata Bartel,1903 (Noctuidae) Synonymy: signata Bartel,1903 Range (as code): **MW**

10667.Heraclia superba (Butler,1875) (Noctuidae) Synonymy: superba Butler,1875; incongruens Butler,1878; interniplaga Mabille,1891; smithii Holland,1897; basalifasciata Bartel,1903; maculipennis Strand,1911; maculipes Strand,1911; tanganyikana Oberthür,1911; ugandana Jordan,1913; albocincta Hulstaert,1923; littera Hulstaert,1923 Range (as code): **ET ZA Nta Kzu Dbn Gau Pre Pie Tva Lpo Zd Mpu Brb TZ KE UG**

10668.Heraclia terminatis Oberthür,1911 (Noctuidae) Synonymy: terminatis Oberthür,1911 Range (as code): **TZ**

10669.Heraclia thruppi (Butler,[1886]) (Noctuidae) Synonymy: thruppi Butler,[1886] Range (as code): **SO KE**

10670.Heraclia triseriata Bartel,1903 (Noctuidae) Synonymy: triseriata Bartel,1903 Range (as code): **CM**

10671.Heraclia viettei Kiriakoff,1973 (Noctuidae) Synonymy: viettei Kiriakoff,1973 Range (as code): **ET ET237 We**

10672.Heraclia zenkeri (Karsch,1895) (Noctuidae) Synonymy: zenkeri Karsch,1895; ochracea Aurivillius,1901; zenceri Hampson,1901; zeodita Niepelt,1914; niepelti Oberthür,1911 Range (as code): **CM ZR**

10673.Heraclia zeodita Niepelt,1906 (Noctuidae) Synonymy: zeodita Niepelt,1906 Range (as code): **CG**

10674.Herpeperas barnesi Pinhey,1968 (Noctuidae) Synonymy: barnesi Pinhey,1968 Range (as code): **ZA**

10675.Herpeperas violaris Hampson,1926 (Noctuidae) Synonymy: violaris Hampson,1926 Range (as code): **ZA**

10676.Hespagarista caudata (Dewitz,1879) (Noctuidae) Synonymy: caudata Dewitz,1879 Range (as code): **GN CG ZW**

10677.Hespagarista echione (Boisduval,1847) (Noctuidae) Synonymy: echione Boisduval,1847; interlecta Walker,1854; #interjecta Westwood,1877; novemmaculata Mabille,1890; funebris Rothschild,1896 Range (as code): **ZA Nta Kzu Dbn MZ Del TZ Tnga Usa**

10678.Heterographa puengeleri Bartel,1904 (Noctuidae) Synonymy: puengeleri Bartel,1904 Range (as code): **MR MA DZ TN LY SA IL Pa Jt JO IR Ss Fa Dlk**

10679.Heteropalpia acrosticta (Püngeler,1904) (Noctuidae) Synonymy: acrosticta Püngeler,1904; rosacea Rebel,1907 Range (as code): **AE TD Tbt NE SD MR MA DZ Rhr Idl Ah Ajj Omy Bsk TN EG Sn SA As OM YE Sk SD NG IL Pa JO BH LY IR Hz B-A PK**

10680.Heteropalpia cortytoides Berio,1939 (Noctuidae) Synonymy: cortytoides Berio,1939 Range (as code): **ZA ET ER**

10681.Heteropalpia exarata (Mabille,1890) (Noctuidae) Synonymy: exarata Mabille,1890; lilliae Berio,1960 Range (as code): **ER ET**

10682.Heteropalpia robusta Wiltshire,1988 (Noctuidae) Synonymy: robusta Wiltshire,1988 Range (as code): **ET Sw ET24**

10683.Heteropalpia vetusta (Walker,1865) (Noctuidae) Synonymy: vetusta Walker,1865; profesta Christoph,1887; sacra Staudinger,1898 Range (as code): **UZ TR CY IN PK Sd Hyd AF Dwe SY Sk DZ TM Kp IR Th Elb Fa Shr Hz Ss Kdj Ma Chh B-A IQ Ama Dy kut JHa Sbn Tkr Dk Agh Bgd Dia BH LB Bei IL Pa SA SA63 As YE OM JO ZA AU 31 33 47 56**

10684.Hiccoda Moore,1882 (Noctuidae) Synonymy: Hiccoda Moore,1882 Range (as code): **AF ZA**

10685.Hiccoda nigripalpis Walker,[1866] (Noctuidae) Synonymy: nigripalpis Walker,[1866]; frausa Swinhoe,1886; pallida Hampson,1893 Range (as code): **IN BW KE LS MZ ZA Kzu Nta ZW**

10686.Hiccoda roseitincta Hampson,1920 (Noctuidae) Synonymy: roseitincta Hampson,1920 Range (as code): **ZA**

10687.Hipoepa fractalis (Guenée,1854) (Noctuidae) Synonymy: fractalis Guenée,1854; raptatalis Walker,1859; invenusta Swinhoe,1890; #feminina Strand,1919; castanea Rothschild,1920; plebejus Rothschild,1920 Range (as code): **MM Rng TH CMa Int NP IN LK ID Sum PH CN JP KP KR SA CM**

10688.Holocryptis erosides (Hampson,1902) (Noctuidae) Synonymy: erosides Hampson,1902 Range (as code): **ZA**

10689.Homaea clathrum Guenée,1852 (Noctuidae) Synonymy: clathrum Guenée,1852 Range (as code): **ET PK H-A**

10690.Hondryches phalaeniformis (Guenée,1852) (Noctuidae) Synonymy: phalaeniformis Guenée,1852 Range (as code): **ZA Wca Nam**

10691.Hoplarista haemaplaga Hampson,1910 (Noctuidae) Synonymy: haemaplaga Hampson,1910 Range (as code): **ZW**

10692.Hoplodrina ambigua ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: ambigua [Denis & Schiffermüller],1775; plantaginis Hübner,[1813]; uniformis Swinhoe,1885 Range (as code): **MA DZ TN LY? PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc CY IQ DK SE EE LV LT RU Ro Kr St No Ich Ing MD UA BY AF Srb PK Bl Qu IR Fa By Yas Ke Gh Elb Mz Th Kdj Gls EG TM CN Ui TJ IL Hf Pa SY JO LB Bsa UZ N-A Lvv KK T-S GG Smt Bjo AZ Kir Ges Btna Lbs Hmk Abe Sbd Prr Khh Dhm Agi 01 05 06 08 09 10 13 17 18 20 21 23 24 25 27 30 31 32 33 34 35 36 37 38 39 42 45 46 48 49 50 51 56 58 62 64 65 69 72 80**

10693.Hoplodrina blanda ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: blanda [Denis & Schiffermüller],1775; redacta Haworth,1809; taraxaci Hübner,[1813]. Range (as code): **TN Dhm PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ Kir Len AM Cc DK NO SE FI EE LV LT RU Kr St Ing Da MD UA Lvv BY IR Elb Mz Th Ak Aha Gh 08 13 16 25 37 53 58 65 76**

10694.Hoplodrina octogenaria (Goeze,1781) (Noctuidae) Synonymy: octogenaria Goeze,1781; alsines Brahm,1791; sordida Haworth,1809 nec Hübn.,[1803]; sericea Speyer,1867; alsinides Constanti,1922; melendizi Agenjo,1941 Range (as code): **TN Dhm DZ Ges Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc IR DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da At MD UA Lvv BY KK Ik Fe KG TrA Sb Us KP KR Sh CN 06 13 14 16 19 37 38 39 58 60 61 65 66 75**

10695.Hoplotarache holoxantha Hampson,1910 (Noctuidae) Synonymy: holoxantha Hampson,1910 Range (as code): **UG**

10696.Hyamia subterminalis Walker,[1866] (Noctuidae) Synonymy: subterminalis Walker,[1866]. Range (as code): **ZA**

10697.Hydrillodes bryophiloides (Butler,1876) (Noctuidae) Synonymy: bryophiloides Butler,1876 Range (as code): **ZA**

10698.Hydrillodes lentalis Guenée,1854 (Noctuidae) Synonymy: lentalis Guenée,1854; hemusalis Walker,[1859]; latifascialis Walker,[1859]; metisalis Walker,[1859]; moloalis Walker,[1859]; momusalis Walker,[1859]; basalis Moore,1867; submorosa Strand,1920 Range (as code): **ZA Tva Gau Pre IN KR JP TW TH LA VN MM BD LK Adm CN ID Sum Bor Clb**

10699.Hydrillodes uliginosalis Guenée,1854 (Noctuidae) Synonymy: uliginosalis Guenée,1854; cleobisalis Walker,[1859]; thelephusalis Walker,[1859]; #thelphusalis Pinhey,1975. Range (as code): **ZA**

10700.Hypanua roseitincta Hampson,1918 (Noctuidae) Synonymy: roseitincta Hampson,1918 Range (as code): **ZA**

10701.Hypanua xylina (Distant,1898) (Noctuidae) Synonymy: xylina Distant,1898 Range (as code): **ZA Tva Gau Pre Ec Tra**

10702.Hypena (Conscitalypena) conscitalis Walker,[1866] (Noctuidae) Synonymy: conscitalis Walker,[1866]; semilutea Snellen,1872; strigatalis Saalmüller,1880. Range (as code): **ZA TH Lmp MG SC IN LK KH VN TW JP Ry ID Sum Ja FJ AU TO**

10703.Hypena (Jussalypena) abyssinialis Guenée,1854 (Noctuidae) Synonymy: abyssinialis Guenée,1854; ignotalis Walker,[1859]. Range (as code): **ET YE SA CG ZR SD RW KE TZ MW MZ ZM ZA Tva Gau Jh Pre Nta Kzu Dbn MG PK IN MM TW**

10704.Hypena (Jussalypena) helenae Berio,1972 (Noctuidae) Synonymy: helenae Berio,1972 Range (as code): **ZA**

10705.Hypena (Jussalypena) holophaea Hampson,1902 (Noctuidae) Synonymy: holophaea Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**

10706.Hypena (Jussalypena) jussalis Walker,[1859] (Noctuidae) Synonymy: jussalis Walker,[1859]; #juxtalis Pinhey,1975. Range (as code): **CI GH BN NG ZR UG SD ZR ET KE TZ MW ZM ZA MG**

10707.Hypena (Jussalypena) laceratalis Walker,[1859] (Noctuidae) Synonymy: laceratalis Walker,[1859]; senectalis Guenée,1862; hemigrammalis Mabille,1880; acrocompsa Turner,1932. Range (as code): **PK Cp IN LK MG YE SA MR OM IQ Bsr Sk SL CI SD ET KE UG TZ MW MZ ZW BW NA ZA Gau Pre Nta Kzu Dbn Tva CN FJ RE AU NSw TH Nan Dpk CMa Lmp VN ID Sum Bli HK TW**

10708.Hypena (Jussalypena) puncticosta A.E.Prout,1925 (Noctuidae) Synonymy: puncticosta A.E.Prout,1925 Range (as code): **ZR UG KE TZ MW ZA Nta Kzu MG KM**

10709.Hypena (Ophiuche) lividalis (Hübner,1796) (Noctuidae) Synonymy: lividalis Hübner,1796; diagonalis Fabricius,1794; simplicalis Zeller,1852; abjuralis Walker,[1859]; scissalis Walker,[1866]; ? perna R.Felder & Rogenhofer,1873; bipartita Smith,1900. Range (as code): **US Cn MA DZ Clo Abe Tun Bsk Gf TN LY PT ES Mu FR Co Sa Si IT MT LU DE AL BG GR Cr TR CY DK SE RU MD UA BY HV Cn DZ TN EG LB Bei Bsa IL Pa JO YE Sk GN SD KE TZ MW ZA Ec Nta Kzu Dbn MR MG IN PK MX VE TH Rng ID Sum CU HT DO 05 07 16 45**

10710.Hypena (Ophiuche) neoplyta A.E.Prout,1925 (Noctuidae) Synonymy: neoplyta A.E.Prout,1925; aequabilis A.E.Prout,1927. Range (as code): **CM ST KE TZ MW AO ZA Nta Kzu Dbn MG KM**

10711.Hypena (Ophiuche) strigatus (Fabricius,1798) (Noctuidae) Synonymy: strigatus Fabricius,1798; rectivittalis Moore,1867; beatalis Felder & Rogenhofer,1874; minna Butler,1879; specularis Swinhoe,1885; vercordialis Swinhoe,1885; haplochrosta Hulstaert,1924 Range (as code): **TH CMa Lmp Knc ZA SC IN BD VN CN TW JP KP KR MY Bor ID Ja Sum Mlc Tnm**

10712.Hypena (Pseudodichromia) laetalimaior Lödl,1995 (Noctuidae) Synonymy: laetalimaior Lödl,1995 Range (as code): **ZA**

10713.Hypena (Pseudodichromia) laetalis Walker,[1859] (Noctuidae) Synonymy: laetalis Walker,[1859]; lyperalis Mabille,1880; ectoglauca Hampson,1902. Range (as code): **GN GH CG ZR UG RW TZ MW MZ ZM ZA Nta Kzu Dbn Tva Lpo ZW MG**

10714.Hypena (Tetrastictypena) tetrasticta Hampson,1910 (Noctuidae) Synonymy: tetrasticta Hampson,1910 Range (as code): **ZM MW KE ZW ZA Tva Lpo Gau Pre**

10715.Hypena (Trichypena) fusculalis Saalmüller,1891 (Noctuidae) Synonymy: fusculalis Saalmüller,1891 Range (as code): **MG GH UG MZ ZA Tva Lpo ZA14 Kzu Nta Dbn**

10716.Hypena (Trichypena) melanistis Hampson,1902 (Noctuidae) Synonymy: melanistis Hampson,1902 Range (as code): **ZA Ec Tra Tva Lpo ZA14**

10717.Hypena (s.str.) cherylae Lödl,1995 (Noctuidae) Synonymy: cherylae Lödl,1995 Range (as code): **ZA**

10718.Hypena (s.str.) cinctipedalis Zeller,1852 (Noctuidae) Synonymy: cinctipedalis Zeller,1852 Range (as code): **ZA**

10719.Hypena (s.str.) obacerralis Walker,[1859] (Noctuidae) Synonymy: obacerralis Walker,[1859]; longipalpalis Guenée,1852; sordida Rothschild,1921. Range (as code): **SN GA GO Bio GN ML SL CI GH CM CF ZR ER ET SD UG BI SA YE Sk TZ MW MZ ZM ZW MG MR ZA Nta Kzu KM IN Adm MM MY AU QAu Bsm RE LK PG ID Sum TH CMa Lmp**

10720.Hypena (s.str.) obsitalis (Hübner,[1813]) (Noctuidae) Synonymy: obsitalis Hübner,[1813]; cholerica Schawerda,1921 Range (as code): **Cn TN DZ Mzg Rbt Agi Hrh Dzc Sfr Blid Abe Sbd Clo MA PT ES Mu FR Co Sa Si IT MT IE GB LU CH AT YU AL BG GR Cr Rd Sms TR GG Smt Akh Cc CY IL Pa JO EG Sn LB Bei Bsa SY IQ IR Kh Fa Kaz Mia Sse Kz Yas SA Sk ET SD 07 13 16 31**

10721.Hypena (s.str.) polycyma Hampson,1902 (Noctuidae) Synonymy: polycyma Hampson,1902 Range (as code): **ZA Nta Kzu Dbn Tra MG KM ZW TZ KE UG ET CM**

10722.Hypena (s.str.) senialis Guenée,1854 (Noctuidae) Synonymy: senialis Guenée,1854; potamistis Hampson,1902. Range (as code): **NA KE NG ET TZ Tnga Usa Ani ZR ZA Nta Kzu Tra Ec ZW AO MW**

10723.Hypena (s.str.) strigata (Fabricius,1798) (Noctuidae) Synonymy: strigatus Fabricius,1798; commixtalis Zeller,1852; fumidalis Zeller,1852; jussalis Walker,[1859]; rectivittalis Moore,1867; beatalis R.Felder & Rogenhofer,[1874]; minna Butler,1879; speculalis Swinhoe,1885; vecordialis Swinhoe,1885; haplochrosta Hulsaert,1924 Range (as code): **ZA Nta Kzu ZR TH VN IN Mh Bba BD CN TW KP KR JP ID Ja Sum Tnm SC**

10724.Hypena (s.str.) striolalis Aurivillius,1910 (Noctuidae) Synonymy: striolalis Aurivillius,1910; reticulata Bethune-Baker,1911. Range (as code): **TZ CM ZR ET UG BI RW KE MW ZM ZW ZA Tva Lpo**

10725.Hypena (s.str.) varialis Walker,[1866] (Noctuidae) Synonymy: varialis Walker,[1866]; contortalis Mabille,1880. Range (as code): **SL CI GH BF ST ZR CM UG RW BI TZ KE MW ZA Nta Dbn Kzu**

10726.Hypena (s.str.) vulgatalis Walker,[1859] (Noctuidae) Synonymy: vulgatalis Walker,[1859]; palpitralis Walker,[1859]; disclusalis Walker,[1866]. Range (as code): **ZA Ec**

10727.Hypena subvittalis Walker,[1866] (Noctuidae) Synonymy: subvittalis Walker,[1866]; rhynchalis Snellen,1880; indistincta Wileman,1915; #subvitalis Rothschild,1920 Range (as code): **TH Lmp IN VN ID Sum Clb Mlc SB AU TZ SL MG**

10728.Hypena verticalis Hampson,1910 (Noctuidae) Synonymy: verticalis Hampson,1910 Range (as code): **ZM**

10729.Hypena viridifascia D.S.Fletcher,1963 (Noctuidae) Synonymy: viridifascia D.S.Fletcher,1963 Range (as code): **CM Bit**

10730.Hypercodia wheeleri Pinhey,1968 (Noctuidae) Synonymy: wheeleri Pinhey,1968 Range (as code): **ZA**

10731.Hypersypnoides congoensis Berio,1954 (Noctuidae) Synonymy: congoensis Berio,1954 Range (as code): **ZR ZA**

10732.Hypocala deflorata (Fabricius,1794) (Noctuidae) Synonymy: deflorata Fabricius,1794; australasiae Butler,1892; moorei Butler,1892. Range (as code): **ZA Lpo Tva Spb Mdk WS FJ AU LK Dck IN Mh Nsk Nl TH CMa Int CDo VN NP ID CN TW JP KP KR RU Us NZ Hw MG ET ET24 PH Luz Pq Mno Crg**

10733.Hypocala rostrata (Fabricius,1794) (Noctuidae) Synonymy: rostrata Fabricius,1794; angulipalpis Guenée,1852; efflorescens Guenée,1852; plumicornis Guenée,1852; genuina Wallengren,1856; bohemani Wallengren,1856. Range (as code): **ZA Nta Kzu Est Dbn ZW Har BW Nga ET ET24 Sw YE? TH Phu CMa Cu0 Cu05 Int CDo VN IN Mh Nsk LK Dck Pdy NP PK AF CN TW JP KP KR PH ID**

10734.Hypoplexia algoa (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: algoa R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Kny Tva Lpo Wri Nta Kzu Dbn**

10735.Hypoplexia conjuncta Hampson,1908 (Noctuidae) Synonymy: conjuncta Hampson,1908 Range (as code): **ZA Ec Nta Kzu Dbn Esw Kkf**

10736.Hypoplexia externa (Walker,1857) (Noctuidae) Synonymy: externa Walker,1857 Range (as code): **ZA Ec Ans**

10737. **Hypoplexia melanica Hampson,1911** (Noctuidae) Synonymy: melanica Hampson,1911 Range (as code): **ZA**
10738. **Hypoplexia varicolor (W.Warren,1914)** (Noctuidae) Synonymy: varicolor W.Warren,1914 Range (as code): **ZA Wca Cto**
10739. **Hypopyra africana (Kirby,1896)** (Noctuidae) Synonymy: africana Kirby,1896 Range (as code): **ZA**
10740. **Hypopyra allardi (Oberthür,1878)** (Noctuidae) Synonymy: allardi Oberthür,1878 Range (as code): **ZA**
10741. **Hypopyra capensis Herrich-Schäffer,[1854]** (Noctuidae) Synonymy: capensis Herrich-Schäffer,[1854]; endoxantha Hampson,1913; occidentalis Hampson,1913; plumbefusa Hampson,1913; pulverulenta Hampson,1913; hampsoni Aurivillius,1926. Range (as code): **NG KE MZ Del ZA Tva Lpo Spb Lj Nta Kzu Kkf Mv Ec Grh**
10742. **Hypopyra carneotincta (Hampson,1913)** (Noctuidae) Synonymy: carneotincta Hampson,1913 Range (as code): **ZA**
10743. **Hypopyra guttata Wallengren,1856** (Noctuidae) Synonymy: guttata Wallengren,1856 Range (as code): **ZA**
10744. **Hyposada carneotincta Hampson,1918** (Noctuidae) Synonymy: carneotincta Hampson,1918 Range (as code): **MW**
10745. **Hyposada hydrocampata (Guenée,1858)** (Noctuidae) Synonymy: hydrocampata Guenée,1858; posticaria Walker,1866; fraterculata Moore,1888; pallescens Hampson,1894; partita Lucas,1900; #hydrocamptata Vari & Kroon,1986 Range (as code): **ZA IN Ben Clc AU QAu Bri**
10746. **Hyposada juncturalis (Walker,[1866])** (Noctuidae) Synonymy: juncturalis Walker,[1866] Range (as code): **SL**
10747. **Hyposada melanosticta Hampson,1910** (Noctuidae) Synonymy: melanosticta Hampson,1910 Range (as code): **NG**
10748. **Hyposada zavattarii Berio,1944** (Noctuidae) Synonymy: zavattarii Berio,1944 Range (as code): **ET**
10749. **Hypospila bolinoides Guenée,1852** (Noctuidae) Synonymy: bolinoides Guenée,1852; signipalpis Walker,1858; thermesiana Guenée,1862; concisa Walker,1865; orientalis Leech,1900; andamana Swinhoe,1919; dochmotoma Turner,1939 Range (as code): **AU QAu KP KR JP CN TW ID Mlc Crm Adm Nk Ja IN RE NP KH VN TH CMa CDo Pki Fn Php**
10750. **Hypotacha bubo Berio,1941** (Noctuidae) Synonymy: bubo Berio,1941 Range (as code): **SO**
10751. **Hypotacha fiorii Berio,1943** (Noctuidae) Synonymy: fiorii Berio,1943 Range (as code): **ET ET87**
10752. **Hypotacha isthmigera Wiltshire,1968** (Noctuidae) Synonymy: isthmigera Wiltshire,1968 Range (as code): **SD Wme**
10753. **Hypotacha nigristria (Hampson,1902)** (Noctuidae) Synonymy: nigristria Hampson,1902 Range (as code): **ZA Ec Tra**
10754. **Hypotacha raffaldii Berio,1939** (Noctuidae) Synonymy: raffaldii Berio,1939 Range (as code): **ER**
10755. **Hypotacha retracta (Hampson,1902)** (Noctuidae) Synonymy: retracta Hampson,1902 Range (as code): **ZA Nta Kzu Est Ec Tra**
10756. **Hypotype nigridentata (Hampson,1902)** (Noctuidae) Synonymy: nigridentata Hampson,1902 Range (as code): **ZA Ec Tra**
10757. **Hypotype scotomista (Hampson,1902)** (Noctuidae) Synonymy: scotomista Hampson,1902 Range (as code): **ZA**
10758. **Hyssia pallidicosta Hampson,1918** (Noctuidae) Synonymy: pallidicosta Hampson,1918 Range (as code): **ZA**
10759. **Iambia brunnea W.Warren,1914** (Noctuidae) Synonymy: brunnea W.Warren,1914 Range (as code): **ZA Nta Kzu**
10760. **Iambia inferalis Walker,1863** (Noctuidae) Synonymy: inferalis Walker,1863; velutina R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu Dbn Umk Nha Mpu Tva Brb Wb ZW Uma**
10761. **Iambia jansei Berio,1966** (Noctuidae) Synonymy: jansei Berio,1966 Range (as code): **ZA**
10762. **Iambia melanochlora (Hampson,1902)** (Noctuidae) Synonymy: melanochlora Hampson,1902; albimacula Janse,1937 Range (as code): **ZA Nta Kzu Kkf Dbn Esw**
10763. **Iambiodes nyctostola Hampson,1918** (Noctuidae) Synonymy: nyctostola Hampson,1918 Range (as code): **ZA Tva Gau Pre ZW Bul MW**
10764. **Iambiodes postpallida Wiltshire,1977** (Noctuidae) Synonymy: postpallida Wiltshire,1977 Range (as code): **SD Wme**
10765. **Idia auge (Hampson,1902)** (Noctuidae) Synonymy: auge Hampson,1902 Range (as code): **ZA**

10766.Idia gigantalis (Hampson,1902) (Noctuidae) Synonymy: gigantalis Hampson,1902 Range (as code): **ZA**

10767.Idia pulverea (Hampson,1902) (Noctuidae) Synonymy: pulverea Hampson,1902 Range (as code): **ZA**

10768.Ilyrgis ethiopica Hampson,1926 (Noctuidae) Synonymy: ethiopica Hampson,1926 Range (as code): **ET**

10769.Interdelta intermedia (Janse,1937) (Noctuidae) Synonymy: intermedia Janse,1937 Range (as code): **ZA**

10770.Interdelta mediafricana Berio,1964 (Noctuidae) Synonymy: mediafricana Berio,1964 Range (as code): **ZA ZR**

10771.Iranada turcorum (Zerny,1915) (Noctuidae) Synonymy: turcorum Zerny,1915 Range (as code): **IL Pa Hf LB Bei IQ EG Sn JO SY IR Ss Es Chh Hz B-A OM AE SA**

10772.Isadelphina vinacea (Hampson,1902) (Noctuidae) Synonymy: vinacea Hampson,1902 Range (as code): **ZW Uma**

10773.Janseodes melanospila (Guenée,1852) (Noctuidae) Synonymy: melanospila Guenée,1852; huegeli R.Felder & Rogenhofer,1874; pallescens Saalmüller,1880; aenigmatica Swinhoe,1885; russa Swinhoe,1885; melanosticta Hampson,1891 Range (as code): **ZA Nta Kzu IN Nl Bba MG**

10774.Jodia croceago (Fabricius,1787) (Noctuidae) Synonymy: #croceago [Denis & Schiffermüller],1775; croceago Fabricius,1787; aurantiago Donovan,1796; corsica Mabille,1868 Range (as code): **MA DZ Sbd TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Mng SE RU Ro St Da MD UA BY IQ Shq LB IL Pa 05 06 08 11 25 30 31 42 43 46 49 56 58 62 65**

10775.Klugeana philoxalis Geertsema,1990 (Noctuidae) Synonymy: philoxalis Geertsema,1990 Range (as code): **ZA**

10776.Klugeana swartlandesis Geertsema,1990 (Noctuidae) Synonymy: swartlandesis Geertsema,1990 Range (as code): **ZA**

10777.Koffoleania michaellae Laporte,1977 (Noctuidae) Synonymy: michaellae Laporte,1977 Range (as code): **ET ET196**

10778.Labanda bryochlora Hampson,1902 (Noctuidae) Synonymy: bryochlora Hampson,1902 Range (as code): **ZA Nta Kzu Kkf**

10779.Lacanobia (Diataraxia) blenna (Hübner,[1824]) (Noctuidae) Synonymy: blenna Hübner,[1824]; peregrina Treitschke,1825; trimenda Geyer,[1832]; guenei Bruand,1850. Range (as code): **DZ Téb TN EG ES FR Co Sa IT MT RO YU BG GR TR RU Cc Ro Kr Ich Kyi Da AZ Bak AM CN Ui KG Aa 05 06 16 18 20 42**

10780.Lacanobia (Diataraxia) oleracea (Linnaeus,1758) (Noctuidae) Synonymy: oleracea Linnaeus,1758; spinaciae Borkhausen,1792; variegata Austaut,1885; essoni Hampson,1909; albolineata Matsumura,1926; #pallida Bytinski-Salz & Brandt,1937 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Hf Pa JO LB IQ Shq Bgd IR Elb Th Kdj Kh Gh DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da AM AZ Kir GG Tbl Bjo Cc At CN Ui Ku KK Ik Na KG Tar Tk MD UA BY Lvv JP Nv Ord Lag Hrh Agi Sét Dhm Abe Ahr Clo 05 06 07 08 13 14 16 18 25 28 36 37 38 39 43 44 50 56 57 58 61 65 75 76**

10781.Lacanobia (Diataraxia) softa (Staudinger,1898) (Noctuidae) Synonymy: softa Staudinger,1898; luteocinnamomea Rothschild,1920 Range (as code): **MA DZ Hes Ktr Perr BSa IL Pa JO**

10782.Lacera alope (Stoll,[1780]) (Noctuidae) Synonymy: alope Stoll,[1780] Range (as code): **ZA MW Zom Nta Kzu MG ET ET24 Sw**

10783.Lacera apicirupta Carcasson,1965 (Noctuidae) Synonymy: apicirupta Carcasson,1965 Range (as code): **UG**

10784.Lacera noctilio (Fabricius,1794) (Noctuidae) Synonymy: noctilio Fabricius,1794; capella Guenée,1852 Range (as code): **ID Ja Tim Flo Sbw Clb IN LK TH Knc CMa Dst SG MY PH Neg LA VN TW JP PG FJ TO SB NH NC GM WS AU MW RE**

10785.Leiorhynx argentifascia Hampson,1902 (Noctuidae) Synonymy: argentifascia Hampson,1902 Range (as code): **BW**

10786.Leiorhynx atrirena De Joannis,1913 (Noctuidae) Synonymy: atrirena De Joannis,1913 Range (as code): **ER**

10787.Leocyma appollinis Guenée,1852 (Noctuidae) Synonymy: appollinis Guenée,1852; euproctisoides Walker,1865 Range (as code): **ZA Nta Kzu MZ ZW MG MR**

10788.Leocyma discophora Hampson,1912 (Noctuidae) Synonymy: discophora Hampson,1912 Range (as code): **ZA**

10789.Leoniloma convergens Hampson,1926 (Noctuidae) Synonymy: convergens Hampson,1926 Range (as code): **ZA**

10790.Lepidodelta phoenicraspis (Hampson,1910) (Noctuidae) Synonymy: phoenicraspis Hampson,1910 Range (as code): **ZA**

10791.Lepidodelta stolifera (Saalmüller,1891) (Noctuidae) Synonymy: stolifera Saalmüller,1891 Range (as code): **ZA**

10792.Leucania acutangulata (Gaede,1916) (Noctuidae) Synonymy: acutangulata Gaede,1916 Range (as code): **ZA**

10793.Leucania aedesiusi Rougeot & Laporte,1983 (Noctuidae) Synonymy: aedesiusi Rougeot & Laporte,1983 Range (as code): **ET**

10794.Leucania albimacula (Gaede,1916) (Noctuidae) Synonymy: albimacula Gaede,1916 Range (as code): **TZ**

10795.Leucania amens Guenée,1852 (Noctuidae) Synonymy: amens Guenée,1852; plana Walker,1856 Range (as code): **ZA Tva Gau Pre Jh Nta Kzu Est Ec Tra Ans KE**

10796.Leucania apparata Wallengren,1875 (Noctuidae) Synonymy: apparata Wallengren,1875 Range (as code): **ZA Tva Gau Pre Jh Nta Kzu Wnn Ec Tra**

10797.Leucania argyrina (Laporte,1984) (Noctuidae) Synonymy: argyrina Laporte,1984 Range (as code): **ET**

10798.Leucania atrimacula Hampson,1902 (Noctuidae) Synonymy: atrimacula Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**

10799.Leucania atrinota (Hampson,1905) (Noctuidae) Synonymy: atrinota Hampson,1905 Range (as code): **ZA**

10800.Leucania baziyae Möschler,1883 (Noctuidae) Synonymy: baziyae Möschler,1883 Range (as code): **ZA Ec Cto**

10801.Leucania bisetulata (Berio,1940) (Noctuidae) Synonymy: bisetulata Berio,1940 Range (as code): **ER**

10802.Leucania canariensis Rebel,1894 (Noctuidae) Synonymy: canariensis Rebel,1894 Range (as code): **Cn**

10803.Leucania combinata (Walker,[1857]) (Noctuidae) Synonymy: combinata Walker,[1857]; bicristata Berio,1939 Range (as code): **ZA**

10804.Leucania confluens (Bethune-Baker,1909) (Noctuidae) Synonymy: confluens Bethune-Baker,1909 Range (as code): **KE Nai**

10805.Leucania continentalis Berio,1962 (Noctuidae) Synonymy: continentalis Berio,1962 Range (as code): **CM**

10806.Leucania cupreata (Hampson,1905) (Noctuidae) Synonymy: cupreata Hampson,1905 Range (as code): **ZA MZ**

10807.Leucania cyprium (Laporte,1984) (Noctuidae) Synonymy: cyprium Laporte,1984 Range (as code): **ET ET86**

10808.Leucania decissima Walker,1856 (Noctuidae) Synonymy: decissima Walker,1856; nareda Felder & Rogenhofer,1874; lanceata Moore,1881; aureola Lucas,1890; acutangula Gaede,1916; kuyaniana Matsumura,1929; owadai Sugi,1982 Range (as code): **IN SI Djl LK AU QAu ZA Nta Kzu JP Oki TW**

10809.Leucania granditornalis (Berio,1970) (Noctuidae) Synonymy: granditornalis Berio,1970 Range (as code): **ZR Kvu ET ET196**

10810.Leucania hamata Wallengren,1856 (Noctuidae) Synonymy: hamata Wallengren,1856 Range (as code): **ZA**

10811.Leucania interciliata Hampson,1902 (Noctuidae) Synonymy: interciliata Hampson,1902 Range (as code): **ZA Nta Kzu Est**

10812.Leucania internata Möschler,1883 (Noctuidae) Synonymy: internata Möschler,1883 Range (as code): **ZA**

10813.Leucania joannisi Boursin & Rungs,1952 (Noctuidae) Synonymy: joannisi Boursin & Rungs,1952 Range (as code): **MA PT ES FR Co Sa IT GR IL Pa SA MG GM IR Hz B-A**

10814.Leucania longipennis (Hampson,1905) (Noctuidae) Synonymy: longipennis Hampson,1905 Range (as code): **ZA MW**

10815.Leucania longivittata Berio,1940 (Noctuidae) Synonymy: longivittata Berio,1940 Range (as code): **ER**

10816.Leucania loreyi (Duponchel,1827) (Noctuidae) Synonymy: loreyi Duponchel,1827; caricis Walker,1856; collecta Walker,1856; curcula Walker,1856; denotata Walker,1856; designata Walker,1856; exterior Walker,1856; thoracica Walker,1856. Range (as code): **Cn Md MA DZ TN PT ES FR Co Sa Si IT MT IE GB NL DE CH AT RO YU BG GR Cr TR DK EE IQ Agh Amr kut Kum LB Bei Bsa IR Elb Fa Ss Ke Kh PK Rw Drm Cp Nl Bl Qu AF Hr Srb Arh ZA Nta Kzu Dbn Est IN Pj Kul Sml Hp ID Ja AU QAu Bri FJ TO NC KE JP TW MM PH Ceb CY US Clb Up Bhi Sn EG JO SY IL Pa Hf Mz Gls Th Nos Kdj Ab Sdt Kd Mrv Lo Kz Yas Km Cc RU Ro Kb Ich CV Az Cp Abe Gle Sbd Prr Afl Ges Ktr Bsk Sét Dhm BSa Clo Agi Hrh AE KW NP LK VN SA YE CV 01 06 07 08 13 14 17 24 25 28 30 31 33 36 42 46 50 56 58 62 65 72 80**

10817.Leucania mediolacteata (Berio,1941) (Noctuidae) Synonymy: mediolacteata Berio,1941 Range (as code): **ER**

10818.Leucania melanostrota (Hampson,1905) (Noctuidae) Synonymy: melanostrota Hampson,1905 Range (as code): **ZA**

10819.Leucania melianoides Möschler,1883 (Noctuidae) Synonymy: melianoides Möschler,1883 Range (as code): **ZA**

10820.Leucania miasticta (Hampson,1918) (Noctuidae) Synonymy: miasticta Hampson,1918 Range (as code): **NG**

10821.Leucania micropis (Hampson,1905) (Noctuidae) Synonymy: micropis Hampson,1905 Range (as code): **ZW Har**

10822.Leucania murcida (Wallengren,1875) (Noctuidae) Synonymy: murcida Wallengren,1875 Range (as code): **ZA Tva**

10823.Leucania nebulosa Hampson,1902 (Noctuidae) Synonymy: nebulosa Hampson,1902 Range (as code): **ZA Ec Tra KE**

10824.Leucania negrottoi (Berio,1940) (Noctuidae) Synonymy: negrottoi Berio,1940 Range (as code): **ET**

10825.Leucania nigrisparsa Hampson,1902 (Noctuidae) Synonymy: nigrisparsa Hampson,1902 Range (as code): **ZA Ec Tra**

10826.Leucania obsoleta (Hübner,[1803]) (Noctuidae) Synonymy: obsoleta Hübner,[1803]; insecuta Walker,1865; intermissa Walker,1865; nohirae Matsumura,1926; griseola Matsumura,1926 Range (as code): **DZ Btna ES FR Co IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Kyi Da MD UA BY EG Sn CN Ui Ii Ts Kno KK Ik T-A KG Tk 35 46**

10827.Leucania palaestinae Staudinger,1897 (Noctuidae) Synonymy: palaestinae Staudinger,1897; languida Staudinger,1897 nec Wlk.,1858; sesamiodes Hampson,1905; #obscura Heydemann et al.,1963; #plastinaea Kornoşor & Lödl,1990 Range (as code): **DZ Bsk Hes EG Sn GR TR IQ Bgd IR Gls IL Hf Pa Jt SY JO CY SA 01 09 31 33 35 48**

10828.Leucania patrizii (Berio,1935) (Noctuidae) Synonymy: patrizii Berio,1935 Range (as code): **SO**

10829.Leucania pectinata (Hampson,1905) (Noctuidae) Synonymy: pectinata Hampson,1905 Range (as code): **KE**

10830.Leucania persecta (Hampson,1905) (Noctuidae) Synonymy: persecta Hampson,1905 Range (as code): **ZA**

10831.Leucania phaea Hampson,1902 (Noctuidae) Synonymy: phaea Hampson,1902; leucosticha Hampson,1905. Range (as code): **KE MU ZA Nta Kzu Est Dbn Ec Tra**

10832.Leucania phaeochroa (Hampson,1905) (Noctuidae) Synonymy: phaeochroa Hampson,1905 Range (as code): **ZA**

10833.Leucania polyrabda (Hampson,1905) (Noctuidae) Synonymy: albicosta Hampson,1902 nec Mr.,1881; polyrabda Hampson,1905 Range (as code): **ZA Nta Kzu Est**

10834.Leucania ptyonophora (Hampson,1905) (Noctuidae) Synonymy: ptyonophora Hampson,1905 Range (as code): **ZA**

10835.Leucania punctosa (Treitschke,1825) (Noctuidae) Synonymy: punctosa Treitschke,1825; boisduvalii Duponchel,1827 Range (as code): **MR DZ Ges Sbd Prr Afl Btna Abe PT ES FR Co Sa? Si IT? MT CH? YU GR BG RO Do UA Cm Ode TR IR Fa Gh Elb Th CY IQ Agh RU Cc Da TM Kp LB IL Pa JO SY 01 05 07 13 21 35 42 44 46 50 56 62 63 65 72 73**

10836.Leucania punctulata Wallengren,1856 (Noctuidae) Synonymy: punctulata Wallengren,1856 Range (as code): **ZA**

10837.Leucania putrescens (Hübner,[1824]) (Noctuidae) Synonymy: putrescens Hübner,[1824]; boisduvalii Duponchel,1827; valletai Boursin,1952 Range (as code): **Cn DZ Sbd Afl Abe Mii Prr Lgt Anna PT ES FR Co Sa Si IT MT GB RO YU AL BG GR Cr TR IQ Brs Ry Rwz Dia RU MD UA BY IR Hz KK Ik CY LB IL Pa JO CN 05 06 18 31 44 46**

10838.Leucania quadricuspidata Wallengren,1856 (Noctuidae) Synonymy: quadricuspidata Wallengren,1856 Range (as code): **ZA**

10839.Leucania respersa Berio,1974 (Noctuidae) Synonymy: respersa Berio,1974 Range (as code): **TZ**

10840.Leucania reticulata Berio,1962 (Noctuidae) Synonymy: reticulata Berio,1962 Range (as code): **ZR**

10841.Leucania rhabdophora Hampson,1902 (Noctuidae) Synonymy: rhabdophora Hampson,1902 Range (as code): **ZA Ec Tra**

10842.Leucania rubrescens (Hampson,1905) (Noctuidae) Synonymy: rubrescens Hampson,1905 Range (as code): **ZA**

10843.Leucania rufescenoides Poole,1989 (Noctuidae) Synonymy: rufescens Gaede,1916 nec Mre.,1882; rufescenoides Poole,1989 Range (as code): **TZ**

10844.Leucania sarca Hampson,1902 (Noctuidae) Synonymy: sarca Hampson,1902 Range (as code): **ZA Nta Kzu Kkf Ec Tra KE**
10845.Leucania tacuna R.Felder & Rogenhofer,1874 (Noctuidae) Synonymy: tacuna R.Felder & Rogenhofer,1874; substituta Wallengren,1875. Range (as code): **ZA Tva Gau Pre Jh Nta Kzu Est Wnn Ec Tra**
10846.Leucania tenebra (Hampson,1905) (Noctuidae) Synonymy: tenebra Hampson,1905 Range (as code): **ZA**
10847.Leucania uncinata Gaede,1916 (Noctuidae) Synonymy: melianoides Hampson,1905 (praeocc.); uncinata Gaede,1916. Range (as code): **ZA**
10848.Leucania usta Hampson,1902 (Noctuidae) Synonymy: usta Hampson,1902 Range (as code): **ZA Nta Kzu Wnn Est Ec Tra**
10849.Leucania ustata (Hampson,1907) (Noctuidae) Synonymy: ustata Hampson,1907 Range (as code): **ZA**
10850.Leucania zeae (Duponchel,1827) (Noctuidae) Synonymy: zeae Duponchel,1827; indistincta Christoph,1887; putrida Staudinger,1889; cinerea Lucas,1948 Range (as code): **MA DZ Abe TN PT ES FR Co Sa Si IT YU AL GR Cr TR IQ Bsr Amr RU Cc Ro Ich Da IR Fa Th Elb CN Ui Kun TM Krn K-A UZ Fe Man KK Ik TM EG ZA IL Pa Hf KG Aa Tk 06 13 50**
10851.Leucochlaena aenigma Pinhey,1968 (Noctuidae) Synonymy: aenigma Pinhey,1968 Range (as code): **ZA**
10852.Leucochlaena oditis (Hübner,1822) (Noctuidae) Synonymy: oditis Hübner,1822 Range (as code): **DZ Ges Afl Dhm Btna Abe TN PT ES FR Co Sa Si IT GB**
10853.Leucotrachea leucomelanica Janse,1937 (Noctuidae) Synonymy: leucomelanica Janse,1937 Range (as code): **ZA Tva Lpo Mal**
10854.Leucotrachea melanobasis (Hampson,1902) (Noctuidae) Synonymy: melanobasis Hampson,1902 Range (as code): **ZA Nta Kzu Kkf**
10855.Leucotrachea melanodonta (Hampson,1908) (Noctuidae) Synonymy: melanoleuca Hampson,1902 nec Hmpsn.,1902; melanodonta Hampson,1908. Range (as code): **ZA Nta Kzu Dbn Nkw**
10856.Leucotrachea melanoleuca (Hampson,1902) (Noctuidae) Synonymy: melanoleuca Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
10857.Leucovis alba (Rothschild,1897) (Noctuidae) Synonymy: alba Rothschild,1897 Range (as code): **ZA Umv Nta Kzu Tva Lpo ZW MW TZ**
10858.Leumicamia graminicolens (Butler,1878) (Noctuidae) Synonymy: graminicolens Butler,1878 Range (as code): **ZA MG**
10859.Leumicamia illustris Laporte,1977 (Noctuidae) Synonymy: illustris Laporte,1977 Range (as code): **KE**
10860.Leumicamia leucosoma (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: leucosoma R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu MG**
10861.Leumicamia oreias D.S.Fletcher,1959 (Noctuidae) Synonymy: oreias D.S.Fletcher,1959 Range (as code): **ET Gdr**
10862.Leumicamia palustris Laporte,1976 (Noctuidae) Synonymy: palustris Laporte,1976 Range (as code): **ET ET86**
10863.Leumicamia venustissima (Laporte,1974) (Noctuidae) Synonymy: venustissima Laporte,1974 Range (as code): **ET ET24 Ble**
10864.Libystica complex (Holland,1894) (Noctuidae) Synonymy: complex Holland,1894 Range (as code): **GA Ogo**
10865.Libystica costalis (Walker,1865) (Noctuidae) Synonymy: costalis Walker,1865 Range (as code): **SL**
10866.Libystica crenata Hampson,1926 (Noctuidae) Synonymy: crenata Hampson,1926 Range (as code): **SL**
10867.Libystica eucampima Hampson,1926 (Noctuidae) Synonymy: eucampima Hampson,1926 Range (as code): **SL**
10868.Libystica fumosa (Walker,1869) (Noctuidae) Synonymy: fumosa Walker,1869 Range (as code): **CG**
10869.Libystica lunaris Gaede,1940 (Noctuidae) Synonymy: lunaris Gaede,1940 Range (as code): **TG CM**
10870.Libystica simplex (Holland,1894) (Noctuidae) Synonymy: simplex Holland,1894 Range (as code): **GA Ogo**
10871.Libystica succedens Gaede,1940 (Noctuidae) Synonymy: succedens Gaede,1940 Range (as code): **CM**
10872.Libystica woerdenialis (Snellen,1872) (Noctuidae) Synonymy: woerdenialis Snellen,1872 Range (as code): **GH**

10873. **Lineopalpa inexpectata (Gaede,1940)** (Noctuidae) Synonymy: inexpectata Gaede,1940 Range (as code): **CM**
10874. **Lipatephia illegitima (Wallengren,1875)** (Noctuidae) Synonymy: illegitima Wallengren,1875 Range (as code): **ZA Tva**
10875. **Lithacodia albannularis Berio,1954** (Noctuidae) Synonymy: albannularis Berio,1954 Range (as code): **MG**
10876. **Lithacodia awassensis Berio,1984** (Noctuidae) Synonymy: awassensis Berio,1984 Range (as code): **ET ET36**
10877. **Lithacodia binorbis (Hampson,1902)** (Noctuidae) Synonymy: binorbis Hampson,1902 Range (as code): **ZA Ec Tra**
10878. **Lithacodia blandula (Guenée,1862)** (Noctuidae) Synonymy: blandula Guenée,1862; i-graceum Mabille,1881; perta Schaus,1893 Range (as code): **ZA RE MG SL**
10879. **Lithacodia caffristis Hampson,1910** (Noctuidae) Synonymy: caffristis Hampson,1910 Range (as code): **ZA Ec Tra**
10880. **Lithacodia griseifusa Hampson,1914** (Noctuidae) Synonymy: griseifusa Hampson,1914 Range (as code): **NG Minn**
10881. **Lithacodia mesomela Hampson,1914** (Noctuidae) Synonymy: mesomela Hampson,1914 Range (as code): **KE Nai**
10882. **Lithacodia normalis Hampson,1910** (Noctuidae) Synonymy: normalis Hampson,1910 Range (as code): **ZA Tva Gau Jh**
10883. **Lithacodia persubtilis Berio,1984** (Noctuidae) Synonymy: persubtilis Berio,1984 Range (as code): **ET ET204**
10884. **Lithacodia plumbifusa Hampson,1914** (Noctuidae) Synonymy: plumbifusa Hampson,1914 Range (as code): **NG Minn**
10885. **Lithacodia pyrophora Hampson,1914** (Noctuidae) Synonymy: pyrophora Hampson,1914 Range (as code): **MW**
10886. **Lithacodia varicolora (Hampson,1902)** (Noctuidae) Synonymy: varicolora Hampson,1902 Range (as code): **ZA Nta Kzu Ec Tra**
10887. **Lithophane lapidea (Hübner,[1808])** (Noctuidae) Synonymy: lapidea Hübner,[1808]; cupressivora Staudinger,1871 Range (as code): **MZ DZ Ges LY IT CH? HV MK BG GR Cr Rd CY TR LB Bei IL Pa SY IR Elb Th 01 42 70 71**
10888. **Lithophane semibrunnea (Haworth,1809)** (Noctuidae) Synonymy: semibrunnea Haworth,[1809]; oculata Sommer,[1824]. Range (as code): **DZ Btna Perr Hrh MA PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Shq DK FI RU Cc Kr Nov 30 44**
10889. **Lithophasia quadrivirgula (Mabille,1888)** (Noctuidae) Synonymy: quadrivirgula Mabille,1888; jordana Stertz,1919. Range (as code): **MA DZ Ges Agi BSa TN Gab LY EG JO IQ Dy Jd IL Pa Jt**
10890. **Lophocrama phoenicochlora Hampson,1912** (Noctuidae) Synonymy: phoenicochlora Hampson,1912 Range (as code): **ZA ET ET29**
10891. **Lophocyttarra argyropasta Hampson,1918** (Noctuidae) Synonymy: argyropasta Hampson,1918 Range (as code): **ZA**
10892. **Lophocyttarra phoenicoxantha Hampson,1914** (Noctuidae) Synonymy: phoenicoxantha Hampson,1914 Range (as code): **ZA**
10893. **Lophonotidia melanoleuca Janse,1937** (Noctuidae) Synonymy: melanoleuca Janse,1937 Range (as code): **ZA Lpo Tva Spb Wp ZW Mtt**
10894. **Lophonotidia nocturna Hampson,1901** (Noctuidae) Synonymy: nocturna Hampson,1901 Range (as code): **ZA Lpo Tva Spb Mdk ZW MW**
10895. **Lophoptera litigiosa (Boisduval,1833)** (Noctuidae) Synonymy: litigiosa Boisduval,1833; cristigera Guenée,1852; alutacea R.Felder & Rogenhofer,1874; squamulosa Saalmüller,1880 Range (as code): **KE ZA Ec Tra Nta Kzu Dbn**
10896. **Lophoptera methyalea (Hampson,1902)** (Noctuidae) Synonymy: methyalea Hampson,1902; #methyalaea Poole,1989 Range (as code): **ZW Har**
10897. **Lophotarsia flava Laporte,1970** (Noctuidae) Synonymy: flava Laporte,1970 Range (as code): **UG**
10898. **Lophotarsia girmai Laporte,1975** (Noctuidae) Synonymy: girmai Laporte,1975 Range (as code): **ET ET29**
10899. **Lophotarsia isis Laporte,1970** (Noctuidae) Synonymy: isis Laporte,1970 Range (as code): **GA**
10900. **Lophotarsia minuta Hampson,1914** (Noctuidae) Synonymy: minuta Hampson,1914 Range (as code): **NG**

10901. **Lophotarsia ochroprocta Hampson,1902** (Noctuidae) Synonymy: ochroprocta Hampson,1902 Range (as code): **ZA Nta Kzu Est**
10902. **Lophotarsia ochroptera Berio,1973** (Noctuidae) Synonymy: ochroptera Berio,1973 Range (as code): **ZR**
10903. **Lophotarsia uniformis Berio,1966** (Noctuidae) Synonymy: uniformis Berio,1966; lichenosa Pinhey,1968 Range (as code): **ZR ZW Vum**
10904. **Lophotarsia vicina Berio,1966** (Noctuidae) Synonymy: vicina Berio,1966 Range (as code): **SN**
10905. **Lophotavia Hampson,1926** (Noctuidae) Synonymy: Lophotavia Hampson,1926 Range (as code): **ZA**
10906. **Lophotavia globulipes (Walker,1865)** (Noctuidae) Synonymy: globulipes Walker,1865 Range (as code): **ZA SL YE EG ET TZ BW Nga**
10907. **Lophotavia incivilis (Walker,1865)** (Noctuidae) Synonymy: incivilis Walker,1865, merulina Mabille,1890; nigrocyanea De Joannis,1906 Range (as code): **MG MU**
10908. **Lophotavia pulcherrima (Holland,1894)** (Noctuidae) Synonymy: pulcherrima Holland,1894; prunicolora Hampson,1910 Range (as code): **GA Ogo SL**
10909. **Lophoterges (Fibigerges) atlas L.Ronkay,2005** (Noctuidae) Synonymy: atlas L.Ronkay,2005 Range (as code): **MA DZ Orn Sbd**
10910. **Lophotidia brunnescens Pinhey,1968** (Noctuidae) Synonymy: brunnescens Pinhey,1968 Range (as code): **ZA ZW YE Sna**
10911. **Lophpruza semiscripta (Mabille,1893)** (Noctuidae) Synonymy: semiscripta Mabille,1893 Range (as code): **ZA**
10912. **Loxioda alternans Hampson,1926** (Noctuidae) Synonymy: alternans Hampson,1926 Range (as code): **GH**
10913. **Loxioda coniventris Strand,1915** (Noctuidae) Synonymy: coniventris Strand,1915 Range (as code): **EG**
10914. **Loxioda ectherma Hampson,1926** (Noctuidae) Synonymy: ectherma Hampson,1926 Range (as code): **NG**
10915. **Loxioda ochrota (Hampson,1909)** (Noctuidae) Synonymy: ochrota Hampson,1909 Range (as code): **ZA UG**
10916. **Luceria emarginata D.S.Fletcher,1961** (Noctuidae) Synonymy: emarginata D.S.Fletcher,1961 Range (as code): **UG Rz**
10917. **Luceria ocularis (Moore,1877)** (Noctuidae) Synonymy: ocularis Moore,1877; africana D.S.Fletcher,1961 Range (as code): **GH WS PC NH FJ AU MY Bor Swk BN IN Adm TH CMa Lmp Mae LK VN TW JP**
10918. **Luceria pamphaea D.S.Fletcher,1961** (Noctuidae) Synonymy: pamphaea D.S.Fletcher,1961 Range (as code): **UG**
10919. **Luperina diversa (Staudinger,1892)** (Noctuidae) Synonymy: diversa Staudinger,1892 Range (as code): **TR Cc AM Geg Eri CY IQ IR Km Ksh Elb Th LB Bei EG Sn 01 04 05 06 12 13 18 21 25 27 49 55 56 58 60 62 63 65 66 73**
10920. **Luperina dumerilii (Duponchel,1826)** (Noctuidae) Synonymy: dumerilii Duponchel,1826; amenata Germar,[1842]; sancta Staudinger,1892; armoricana Culot,1909; aequalis Schawerda,1911; uniformis W.Warren,1911; adriatica Stauder,1913; hirsuta F.Wagner,1931; indistincta Rebel,1933; hartigi L.Ronkay & Varga,1985 Range (as code): **MA DZ Dhm TN Perr Btna PT ES Co Sa Si IT MT GB BE DE CH RO YU BG GR Cr TR RU Cc Da CY IQ Dia IL Pa Jt JO 01 05 21 35 42 46 65**
10921. **Luperina grzimeki Hacker,1989** (Noctuidae) Synonymy: grzimeki Hacker,1989 Range (as code): **EG**
10922. **Luperina rubella (Duponchel,1835)** (Noctuidae) Synonymy: mediosignata Turati,1930; sericea Caradja,1932; thurneri Schawerda,1938. Range (as code): **DZ LY FR IT CH RO MK YU BG GR TR RU UA Cm LB IL Pa He TM Kp IR Elb Th Kdv 01 18 30 50 56 65**
10923. **Luperina testacea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonymy: testacea [Denis & Schiffermüller],1775; lunatostrigata Haworth,1809; unca Haworth,1809; x-notata Haworth,1809; aflouensis Rothschild,1920; amaliae F.Wagner,1926; curoi Berio,1993 Range (as code): **MA DZ Afl PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA Lvv BY Cc AZ Kir 01 05 33 70**
10924. **Lygephila (s.str.) craccae (Fabricius,1787)** (Noctuidae) Synonymy: #craccae [Denis & Schiffermüller],1775; craccae Fabricius,1787; nigricollis De Villers,1789; riata Rungs,1952; caliginosa Schawerda,1931; herrerai Yela,1990; #cracae Hacker & Kautt,1999. Range (as code): **MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz CN Ui Chk Kön AF Pag KG Tk Dj Ii KK Ik PK Bbu Psu Gg Hu Nar Mlk T-A CY Smt Bjo Mng Lag Kir Bne Mrv 01 05 06 07 08 12 13 14 16 17 18 22 23 24 25 29 30 31 33 36 42 44 48 49 50 56 58 60 62 63 65 75 76**

10925.Lygephila (s.str.) mommereti (Berio,1940) (Noctuidae) Synonymy: mommereti Berio,1940 Range (as code): **ER ERo4**
10926.Lygephila (s.str.) salax (Guenée,1852) (Noctuidae) Synonymy: salax Guenée,1852; immitis Walker,[1857]. Range (as code): **SL ZA Ec Cap Wm Wb Tva Lpo**
10927.Lygephila (s.str.) stenoptera (Rebel,1907) (Noctuidae) Synonymy: stenoptera Rebel,1907 Range (as code): **Sk**
10928.Madanola fuscocandida Hacker,2012 (Noctuidae) Synonymy: fuscocandida Hacker,2012 Range (as code): **MG**
10929.Manga melanodonta (Hampson,1910) (Noctuidae) Synonymy: melanodonta Hampson,1910 Range (as code): **ZA**
10930.Marathyssa albidisca (Hampson,1905) (Noctuidae) Synonymy: albidisca Hampson,1905 Range (as code): **ZA**
10931.Marathyssa cistellatrix (Wallengren,1860) (Noctuidae) Synonymy: cistellatrix Wallengren,1860 Range (as code): **ZA**
10932.Marathyssa cuneata (Saalmüller,1891) (Noctuidae) Synonymy: cuneata Saalmüller,1891 Range (as code): **ZA**
10933.Marca griseonigralis Viette,1954 (Noctuidae) Synonymy: griseonigralis Viette,1954 Range (as code): **MG**
10934.Marca proclinata Saalmüller,1891 (Noctuidae) Synonymy: proclinata Saalmüller,1891; arcuata Bethune-Baker,1911 Range (as code): **ZA MG KE Nai**
10935.Marca tristalis Viette,1956 (Noctuidae) Synonymy: tristalis Viette,1956 Range (as code): **MG**
10936.Marca univocalis Viette,1956 (Noctuidae) Synonymy: univocalis Viette,1956 Range (as code): **MG**
10937.Marcipa accentifera Pelletier,1975 (Noctuidae) Synonymy: accentifera Pelletier,1975 Range (as code): **ZR**
10938.Marcipa achyropa Viette,1958 (Noctuidae) Synonymy: achyropa Viette,1958 Range (as code): **MG**
10939.Marcipa acuta A.E.Prout,1927 (Noctuidae) Synonymy: acuta A.E.Prout,1927 Range (as code): **ST**
10940.Marcipa acutancula Pelletier,1975 (Noctuidae) Synonymy: acutancula Pelletier,1975 Range (as code): **ZR Skr**
10941.Marcipa aequatorialis Pelletier,1975 (Noctuidae) Synonymy: aequatorialis Pelletier,1975 Range (as code): **GA**
10942.Marcipa alternata Gaede,1939 (Noctuidae) Synonymy: alternata Gaede,1939 Range (as code): **ZA ZW**
10943.Marcipa amaba Hampson,1926 (Noctuidae) Synonymy: amaba Hampson,1926 Range (as code): **GH**
10944.Marcipa amaniensis Pelletier,1978 (Noctuidae) Synonymy: amaniensis Pelletier,1978 Range (as code): **TZ Usa Tnga Ani**
10945.Marcipa angulina (Mabille,1881) (Noctuidae) Synonymy: angulina Mabille,1881 Range (as code): **CG**
10946.Marcipa apicalis Hampson,1926 (Noctuidae) Synonymy: apicalis Hampson,1926 Range (as code): **NG Lgo**
10947.Marcipa argillacea (Holland,1894) (Noctuidae) Synonymy: argillacea Holland,1894 Range (as code): **GA**
10948.Marcipa argyrosema Hampson,1926 (Noctuidae) Synonymy: argyrosema Hampson,1926 Range (as code): **GH**
10949.Marcipa argyrosemioides Pelletier,1975 (Noctuidae) Synonymy: argyrosemioides Pelletier,1975 Range (as code): **GA**
10950.Marcipa bergeri Pelletier,1975 (Noctuidae) Synonymy: bergeri Pelletier,1975 Range (as code): **ZR**
10951.Marcipa bernardii Pelletier,1974 (Noctuidae) Synonymy: bernardii Pelletier,1974 Range (as code): **GA**
10952.Marcipa bistriata Pelletier,1978 (Noctuidae) Synonymy: bistriata Pelletier,1978 Range (as code): **NE**
10953.Marcipa brunnescens Pelletier,1978 (Noctuidae) Synonymy: brunnescens Pelletier,1978 Range (as code): **LR**
10954.Marcipa bullifera Viette,1958 (Noctuidae) Synonymy: bullifera Viette,1958 Range (as code): **MG**
10955.Marcipa callaxantha (Kenrick,1917) (Noctuidae) Synonymy: callaxantha Kenrick,1917 Range (as code): **MG**
10956.Marcipa camerunica Pelletier,1978 (Noctuidae) Synonymy: camerunica Pelletier,1978 Range (as code): **CM**

10957. **Marcipa carcassoni Pelletier,1975** (Noctuidae) Synonymy: carcassoni Pelletier,1975 Range (as code): **ZA KE**
10958. **Marcipa catoxantha (Holland,1894)** (Noctuidae) Synonymy: catoxantha Holland,1894 Range (as code): **GA**
10959. **Marcipa contorta Viette,1958** (Noctuidae) Synonymy: contorta Viette,1958 Range (as code): **MG**
10960. **Marcipa crocataria Pelletier,1978** (Noctuidae) Synonymy: crocataria Pelletier,1978 Range (as code): **CM**
10961. **Marcipa curvilinea Pelletier,1978** (Noctuidae) Synonymy: curvilinea Pelletier,1978 Range (as code): **GA**
10962. **Marcipa dargei Pelletier,1978** (Noctuidae) Synonymy: dargei Pelletier,1978 Range (as code): **CM**
10963. **Marcipa dentimacula Pelletier,1978** (Noctuidae) Synonymy: dentimacula Pelletier,1978 Range (as code): **GA**
10964. **Marcipa dimera Hampson,1926** (Noctuidae) Synonymy: dimera Hampson,1926 Range (as code): **NG Caa**
10965. **Marcipa disrupta Hampson,1926** (Noctuidae) Synonymy: disrupta Hampson,1926 Range (as code): **GH**
10966. **Marcipa douala Pelletier,1975** (Noctuidae) Synonymy: douala Pelletier,1975 Range (as code): **CM**
10967. **Marcipa dubia Pelletier,1978** (Noctuidae) Synonymy: dubia Pelletier,1978 Range (as code): **NG Wrr**
10968. **Marcipa endoselene Hampson,1926** (Noctuidae) Synonymy: endoselene Hampson,1926 Range (as code): **GH**
10969. **Marcipa eucrines (Bethune-Baker,1911)** (Noctuidae) Synonymy: eucrines Bethune-Baker,1911 Range (as code): **NG**
10970. **Marcipa flavealis Pelletier,1978** (Noctuidae) Synonymy: flavealis Pelletier,1978 Range (as code): **CM**
10971. **Marcipa flavilinea Pelletier,1978** (Noctuidae) Synonymy: flavilinea Pelletier,1978 Range (as code): **CM**
10972. **Marcipa gabonensis Pelletier,1978** (Noctuidae) Synonymy: gabonensis Pelletier,1978 Range (as code): **GA**
10973. **Marcipa heterospila (Hampson,1910)** (Noctuidae) Synonymy: heterospila Hampson,1910 Range (as code): **ZA ZM**
10974. **Marcipa holmi D.S.Fletcher,1961** (Noctuidae) Synonymy: holmi D.S.Fletcher,1961 Range (as code): **CM**
10975. **Marcipa inscripta Walker,1855** (Noctuidae) Synonymy: inscripta Walker,1855; transversata Holland,1894 Range (as code): **SL GA Ogo**
10976. **Marcipa kasai Pelletier,1978** (Noctuidae) Synonymy: kasai Pelletier,1978 Range (as code): **ZR**
10977. **Marcipa kirdii Pelletier,1975** (Noctuidae) Synonymy: kirdii Pelletier,1975 Range (as code): **CM**
10978. **Marcipa liberta Viette,1958** (Noctuidae) Synonymy: liberta Viette,1958 Range (as code): **MG**
10979. **Marcipa lutearia Pelletier,1978** (Noctuidae) Synonymy: lutearia Pelletier,1978 Range (as code): **CM**
10980. **Marcipa maculifera (Mabille,1881)** (Noctuidae) Synonymy: maculifera Mabille,1881 Range (as code): **CG**
10981. **Marcipa maculiferoides (Strand,1914)** (Noctuidae) Synonymy: maculiferoides Strand,1914 Range (as code): **CM**
10982. **Marcipa madagascariensis Pelletier,1978** (Noctuidae) Synonymy: madagascariensis Pelletier,1978 Range (as code): **MG**
10983. **Marcipa madegassa Viette,1958** (Noctuidae) Synonymy: madegassa Viette,1958 Range (as code): **MG**
10984. **Marcipa magniplaga Hampson,1926** (Noctuidae) Synonymy: magniplaga Hampson,1926 Range (as code): **GH**
10985. **Marcipa makokouensis Pelletier,1978** (Noctuidae) Synonymy: makokouensis Pelletier,1978 Range (as code): **GA**
10986. **Marcipa mariaeclarae Pelletier,1975** (Noctuidae) Synonymy: mariaeclarae Pelletier,1975 Range (as code): **GA**
10987. **Marcipa mediana Hampson,1926** (Noctuidae) Synonymy: mediana Hampson,1926 Range (as code): **ZA MW Mje**
10988. **Marcipa miraja Viette,1958** (Noctuidae) Synonymy: miraja Viette,1958 Range (as code): **MG**

10989. **Marcipa molybdea Hampson,1926** (Noctuidae) Synonymy: molybdea Hampson,1926 Range (as code): **NG**
10990. **Marcipa monosema Hampson,1926** (Noctuidae) Synonymy: monosema Hampson,1926 Range (as code): **NG**
10991. **Marcipa nigropunctifera D.S.Fletcher & Viette,1955** (Noctuidae) Synonymy: nigropunctifera D.S.Fletcher & Viette,1955 Range (as code): **GN**
10992. **Marcipa nimba Pelletier,1978** (Noctuidae) Synonymy: nimba Pelletier,1978 Range (as code): **LR**
10993. **Marcipa noel Viette,1966** (Noctuidae) Synonymy: noel Viette,1966 Range (as code): **MG**
10994. **Marcipa nyei Pelletier,1978** (Noctuidae) Synonymy: nyei Pelletier,1978 Range (as code): **CM**
10995. **Marcipa orientalis Pelletier,1978** (Noctuidae) Synonymy: orientalis Pelletier,1978 Range (as code): **TZ Usa Tnga Ani**
10996. **Marcipa pammicta (Bethune-Baker,1911)** (Noctuidae) Synonymy: pammicta Bethune-Baker,1911 Range (as code): **AO**
10997. **Marcipa phaeodonta Hampson,1926** (Noctuidae) Synonymy: phaeodonta Hampson,1926 Range (as code): **ZA MW Mje**
10998. **Marcipa pinheyi Pelletier,1975** (Noctuidae) Synonymy: pinheyi Pelletier,1975 Range (as code): **UG Etb**
10999. **Marcipa plantei Pelletier,1978** (Noctuidae) Synonymy: plantei Pelletier,1978 Range (as code): **CF**
11000. **Marcipa pulchra Pelletier,1978** (Noctuidae) Synonymy: pulchra Pelletier,1978 Range (as code): **LR**
11001. **Marcipa pyramidalis (Hampson,1910)** (Noctuidae) Synonymy: pyramidalis Hampson,1910 Range (as code): **ZA ZM**
11002. **Marcipa rotundiplaga Gaede,1939** (Noctuidae) Synonymy: rotundiplaga Gaede,1939 Range (as code): **CM**
11003. **Marcipa rougeoti Pelletier,1975** (Noctuidae) Synonymy: rougeoti Pelletier,1975 Range (as code): **ET ET204**
11004. **Marcipa ruptisigna Hampson,1926** (Noctuidae) Synonymy: ruptisigna Hampson,1926 Range (as code): **NG**
11005. **Marcipa secticona Hampson,1926** (Noctuidae) Synonymy: secticona Hampson,1926 Range (as code): **SL**
11006. **Marcipa semilunata Pelletier,1978** (Noctuidae) Synonymy: semilunata Pelletier,1978 Range (as code): **GA**
11007. **Marcipa silvicola Viette,1966** (Noctuidae) Synonymy: silvicola Viette,1966 Range (as code): **MG**
11008. **Marcipa splendens Pelletier,1975** (Noctuidae) Synonymy: splendens Pelletier,1975 Range (as code): **GA**
11009. **Marcipa talusina (Schaus,1893)** (Noctuidae) Synonymy: talusina Schaus,1893 Range (as code): **SL**
11010. **Marcipa trista Pelletier,1978** (Noctuidae) Synonymy: trista Pelletier,1978 Range (as code): **TZ Usa Tnga Ani**
11011. **Marcipa truncata Pelletier,1978** (Noctuidae) Synonymy: truncata Pelletier,1978 Range (as code): **CI**
11012. **Marcipa viettei Pelletier,1975** (Noctuidae) Synonymy: viettei Pelletier,1975 Range (as code): **CM**
11013. **Marcipa vuattouxi Pelletier,1978** (Noctuidae) Synonymy: vuattouxi Pelletier,1978 Range (as code): **CI**
11014. **Marcipa xanthomochla D.S.Fletcher,1963** (Noctuidae) Synonymy: xanthomochla D.S.Fletcher,1963 Range (as code): **NG**
11015. **Marcipalina albescens (Pelletier,1975)** (Noctuidae) Synonymy: albescens Pelletier,1975 Range (as code): **CI**
11016. **Marcipalina berioi (Pelletier,1975)** (Noctuidae) Synonymy: berioi Pelletier,1975 Range (as code): **ZR**
11017. **Marcipalina clenchi (Pelletier,1975)** (Noctuidae) Synonymy: clenchi Pelletier,1975 Range (as code): **CM**
11018. **Marcipalina confluens (Hampson,1926)** (Noctuidae) Synonymy: confluens Hampson,1926 Range (as code): **GH**
11019. **Marcipalina conjuncta (Gaede,1939)** (Noctuidae) Synonymy: conjuncta Gaede,1939 Range (as code): **ZR**
11020. **Marcipalina detersa (Holland,1894)** (Noctuidae) Synonymy: detersa Holland,1894 Range (as code): **GA Ogo**

11021. **Marcipalina grisescens Pelletier,1978** (Noctuidae) Synonymy: grisescens Pelletier,1978 Range (as code): **UG**
11022. **Marcipalina hayesi (Pelletier,1975)** (Noctuidae) Synonymy: hayesi Pelletier,1975 Range (as code): **UG**
11023. **Marcipalina laportei (Pelletier,1975)** (Noctuidae) Synonymy: laportei Pelletier,1975 Range (as code): **GA**
11024. **Marcipalina lineata Pelletier,1978** (Noctuidae) Synonymy: lineata Pelletier,1978 Range (as code): **CM**
11025. **Marcipalina lutea Pelletier,1978** (Noctuidae) Synonymy: lutea Pelletier,1978 Range (as code): **GA**
11026. **Marcipalina melanoconia (Hampson,1926)** (Noctuidae) Synonymy: melanoconia Hampson,1926 Range (as code): **GH**
11027. **Marcipalina minima Pelletier,1978** (Noctuidae) Synonymy: minima Pelletier,1978 Range (as code): **CF**
11028. **Marcipalina modesta Pelletier,1979** (Noctuidae) Synonymy: modesta Pelletier,1979 Range (as code): **CM**
11029. **Marcipalina obscura Pelletier,1978** (Noctuidae) Synonymy: obscura Pelletier,1978 Range (as code): **UG Etb**
11030. **Marcipalina pustulata (Holland,1894)** (Noctuidae) Synonymy: pustulata Holland,1894 Range (as code): **GA Ogo**
11031. **Marcipalina rubra Pelletier,1978** (Noctuidae) Synonymy: rubra Pelletier,1978 Range (as code): **UG**
11032. **Marcipalina ruptisignoides Pelletier,1978** (Noctuidae) Synonymy: ruptisignoides Pelletier,1978 Range (as code): **GA**
11033. **Marcipalina submarginalis (Gaede,1939)** (Noctuidae) Synonymy: submarginalis Gaede,1939 Range (as code): **ZR**
11034. **Marcipalina tanzaniensis (Pelletier,1975)** (Noctuidae) Synonymy: tanzaniensis Pelletier,1975 Range (as code): **TZ Usa Tnga**
11035. **Marcipalina triangulifera (Holland,1894)** (Noctuidae) Synonymy: triangulifera Holland,1894 Range (as code): **GA**
11036. **Marcipalina umbrosa (Holland,1894)** (Noctuidae) Synonymy: umbrosa Holland,1894 Range (as code): **GA Ogo**
11037. **Marcipalina violacea (Pelletier,1974)** (Noctuidae) Synonymy: violacea Pelletier,1974 Range (as code): **GA**
11038. **Marcipopsis aureolimbata Berio,1966** (Noctuidae) Synonymy: aureolimbata Berio,1966 Range (as code): **MG**
11039. **Marcipopsis bicolor Viette,1972** (Noctuidae) Synonymy: bicolor Viette,1972 Range (as code): **MG**
11040. **Marcipopsis concinna Berio,1966** (Noctuidae) Synonymy: concinna Berio,1966 Range (as code): **MG**
11041. **Marcipopsis proxima Berio,1966** (Noctuidae) Synonymy: proxima Berio,1966 Range (as code): **MG**
11042. **Marcipopsis uniformis Berio,1966** (Noctuidae) Synonymy: uniformis Berio,1966 Range (as code): **MG**
11043. **Massaga hesparia (Cramer,1775)** (Noctuidae) Synonymy: hesparia Cramer,1775; delicia Butler,1868; demena Druce,1894 Range (as code): **CG SL NG Caa GH CM**
11044. **Massaga maritona Butler,1868** (Noctuidae) Synonymy: maritona Butler,1868 Range (as code): **SL**
11045. **Massaga monteirona Butler,1874** (Noctuidae) Synonymy: monteirona Butler,1874; metallica Mabille,1878 Range (as code): **CG AO**
11046. **Massaga noncoba Kiriakoff,1974** (Noctuidae) Synonymy: noncoba Kiriakoff,1974 Range (as code): **GH**
11047. **Massaga tenuifascia Hampson,1910** (Noctuidae) Synonymy: tenuifascia Hampson,1910 Range (as code): **ZR**
11048. **Massaga virescens Butler,1874** (Noctuidae) Synonymy: virescens Butler,1874; angustifascia Rothschild,1896 Range (as code): **NG Caa ZA Ec**
11049. **Massaga xenia Jordan,1913** (Noctuidae) Synonymy: xenia Jordan,1913 Range (as code): **CM Bit**
11050. **Matopo actinophora Hampson,1909** (Noctuidae) Synonymy: actinophora Hampson,1909 Range (as code): **KE**
11051. **Matopo berhanoui Laporte,1984** (Noctuidae) Synonymy: berhanoui Laporte,1984 Range (as code): **ET**

11052. **Matopo heterochroa Hampson,1916** (Noctuidae) Synonymy: heterochroa Hampson,1916 Range (as code): **SO**
11053. **Matopo inangulata Hampson,1909** (Noctuidae) Synonymy: inangulata Hampson,1909 Range (as code): **ZA ZW Bul**
11054. **Matopo oberthueri Viette,1965** (Noctuidae) Synonymy: oberthueri Viette,1965; macrocula Berio,1966 Range (as code): **MG**
11055. **Matopo plurilineata Berio,1955** (Noctuidae) Synonymy: plurilineata Berio,1955 Range (as code): **MG**
11056. **Matopo scutulata Janse,1917** (Noctuidae) Synonymy: scutulata Janse,1917 Range (as code): **ZA Tva**
11057. **Matopo subarida Viette,1976** (Noctuidae) Synonymy: subarida Viette,1976 Range (as code): **MG**
11058. **Matopo tamsi Kiriakoff,1954** (Noctuidae) Synonymy: tamsi Kiriakoff,1954 Range (as code): **ZR**
11059. **Matopo typica Distant,1898** (Noctuidae) Synonymy: typica Distant,1898 Range (as code): **ZA Tva Gau Pre Ec Ans Tra**
11060. **Maurilia albirivula Hampson,1905** (Noctuidae) Synonymy: albirivula Hampson,1905 Range (as code): **NG Caa**
11061. **Maurilia arcuata (Walker,[1858])** (Noctuidae) Synonymy: arcuata Walker,[1858]; lubina Möschler,1883 Range (as code): **ZA ZW Har Nta Kzu Dbn Ec Tra Grh KE ET CG**
11062. **Maurilia atrirena Hampson,1918** (Noctuidae) Synonymy: atrirena Hampson,1918 Range (as code): **NG Caa**
11063. **Maurilia conjuncta Gaede,1915** (Noctuidae) Synonymy: conjuncta Gaede,1915 Range (as code): **TG**
11064. **Maurilia griveaudi Viette,1982** (Noctuidae) Synonymy: griveaudi Viette,1982 Range (as code): **MG**
11065. **Maurilia heterochroa Hampson,1905** (Noctuidae) Synonymy: heterochroa Hampson,1905; lunata Gaede,1915; suffusa Gaede,1915; obscura Berio,1966 Range (as code): **NG Caa CM**
11066. **Maurilia makandro Viette,1982** (Noctuidae) Synonymy: makandro Viette,1982 Range (as code): **MG**
11067. **Maurilia malgassica Viette,1965** (Noctuidae) Synonymy: malgassica Viette,1965 Range (as code): **MG**
11068. **Maurilia mandraka Viette,1982** (Noctuidae) Synonymy: mandraka Viette,1982 Range (as code): **MG**
11069. **Maurilia mikea Viette,1982** (Noctuidae) Synonymy: mikea Viette,1982 Range (as code): **MG**
11070. **Maurilia namiongensis Strand,1915** (Noctuidae) Synonymy: namiongensis Strand,1915 Range (as code): **CM**
11071. **Maurilia phaea Hampson,1905** (Noctuidae) Synonymy: phaea Hampson,1905 Range (as code): **NG Caa**
11072. **Maurilia purpurea (Kenrick,1917)** (Noctuidae) Synonymy: purpurea Kenrick,1917 Range (as code): **MG**
11073. **Maurilia rufirena Hampson,1918** (Noctuidae) Synonymy: rufirena Hampson,1918 Range (as code): **NG Lgo**
11074. **Maurilia semicircularis Strand,1915** (Noctuidae) Synonymy: semicircularis Strand,1915 Range (as code): **CM**
11075. **Maxera atripunctata (Hampson,1910)** (Noctuidae) Synonymy: atripunctata Hampson,1910 Range (as code): **ZA ZM**
11076. **Maxera bathyscia D.S.Fletcher,1961** (Noctuidae) Synonymy: bathyscia D.S.Fletcher,1961 Range (as code): **UG Rz**
11077. **Maxera brachypecten Hampson,1926** (Noctuidae) Synonymy: brachypecten Hampson,1926 Range (as code): **ZA CM Bit**
11078. **Maxera brunneoasperus (Griveaud & Viette,1961)** (Noctuidae) Synonymy: brunneoasperus Griveaud & Viette,1961 Range (as code): **MG**
11079. **Maxera digoniata (Hampson,1902)** (Noctuidae) Synonymy: digoniata Hampson,1902 Range (as code): **ZA Nta Kzu Kkf ET Sw ET24**
11080. **Maxera euryptera Hampson,1926** (Noctuidae) Synonymy: euryptera Hampson,1926 Range (as code): **CM Bit**
11081. **Maxera inclusa (Strand,1912)** (Noctuidae) Synonymy: inclusa Strand,1912 Range (as code): **TZ**
11082. **Maxera laportei Viette,1979** (Noctuidae) Synonymy: laportei Viette,1979 Range (as code): **MG**
11083. **Maxera lophocera (Hampson,1910)** (Noctuidae) Synonymy: lophocera Hampson,1910 Range (as code): **ZM**

11084.Maxera marchalii (Boisduval,1833) (Noctuidae) Synonymy: marchalii Boisduval,1833; nigriceps Walker,1858; nigrifrontalis Walker,[1859]; kerima R.Felder & Rogenhofer,1874; pallidula Butler,1875; marmorea Hampson,1891; nigrocollaris Saalmüller,1891. Range (as code): **SL NG ET MW Zom BW Nga ZA Nta Kzu Ec YE Ad**

11085.Maxera nova Viette,1956 (Noctuidae) Synonymy: nova Viette,1956 Range (as code): **MG**

11086.Maxera zygia (Wallengren,1863) (Noctuidae) Synonymy: zygia Wallengren,1863; vestispica Wallengren,1863; fuscescens Walker,1865; larvata Walker,1865; morosa Walker,1865; obumbrata Walker,1865. Range (as code): **ZA Nta Kzu Dbn Ec Tra**

11087.Mazuca elegantissima Janse,1939 (Noctuidae) Synonymy: elegantissima Janse,1939 Range (as code): **ZA**

11088.Mazuca haemographa Hampson,1910 (Noctuidae) Synonymy: haemographa Hampson,1910 Range (as code): **GH**

11089.Mazuca roseistriga D.S.Fletcher,1963 (Noctuidae) Synonymy: roseistriga D.S.Fletcher,1963 Range (as code): **ZA**

11090.Mazuca strigicincta Walker,1866 (Noctuidae) Synonymy: strigicincta Walker,1866; concinnula Mabille,1878; liturata Butler,1881; hebraica Aurivillius,1891 Range (as code): **ZA NG CM MW ZM**

11091.Meganola aarviki Hacker,2012 (Noctuidae) Synonymy: aarviki Hacker,2012 Range (as code): **ZR CG KE**

11092.Meganola agassizi Hacker,2012 (Noctuidae) Synonymy: agassizi Hacker,2012 Range (as code): **KE Elg**

11093.Meganola albocandia Hacker,2012 (Noctuidae) Synonymy: albocandia Hacker,2012 Range (as code): **GH**

11094.Meganola albomarmorea Hacker,2012 (Noctuidae) Synonymy: albomarmorea Hacker,2012; ? xanthomorpha Hacker,2012 Range (as code): **TZ Ruv Usa Tnga**

11095.Meganola allardi Hacker,2012 (Noctuidae) Synonymy: allardi Hacker,2012 Range (as code): **CI**

11096.Meganola alterocosta Toulgoet,1982 (Noctuidae) Synonymy: alterocosta Toulgoet,1982 Range (as code): **MG**

11097.Meganola amaniella Hacker,2012 (Noctuidae) Synonymy: amaniella Hacker,2012 Range (as code): **TZ Tnga Ani Usa ZR Kvu KE Kkm**

11098.Meganola amphigrapha Hacker,2012 (Noctuidae) Synonymy: amphigrapha Hacker,2012 Range (as code): **UG KE**

11099.Meganola angola (Bethune-Baker,1911) (Noctuidae) Synonymy: angola Bethune-Baker,1911 Range (as code): **AO ZR Lbu KE Nai ET Oro UG CI**

11100.Meganola anisographa Hacker,2012 (Noctuidae) Synonymy: anisographa Hacker,2012 Range (as code): **KE**

11101.Meganola antennata Hacker,2012 (Noctuidae) Synonymy: antennata Hacker,2012 Range (as code): **TZ Uzu Tnga Usa Iri Pwa Mgr KE Nai ZR**

11102.Meganola antevaginalis Hacker,2012 (Noctuidae) Synonymy: antevaginalis Hacker,2012 Range (as code): **TZ Mgr Iri**

11103.Meganola arcanalis Toulgoet,1961 (Noctuidae) Synonymy: arcanalis Toulgoet,1961 Range (as code): **MG**

11104.Meganola argentisoma Hacker,2012 (Noctuidae) Synonymy: argentisoma Hacker,2012 Range (as code): **MW Mje**

11105.Meganola argentofusca Hacker & Hoppe,2012 (Noctuidae) Synonymy: argentofusca Hacker & Hoppe,2012 Range (as code): **GO Bio**

11106.Meganola argyrographa Hacker,2012 (Noctuidae) Synonymy: argyrographa Hacker,2012 Range (as code): **SL ZA UG TZ Iri Mgr Ulu KE Kkm**

11107.Meganola argyrolepis (Hampson,1907) (Noctuidae) Synonymy: argyrolepis Hampson,1907 Range (as code): **ZW TZ ZR Lbu BI ZA Nta Kzu**

11108.Meganola argyromorpha Hacker,2012 (Noctuidae) Synonymy: argyromorpha Hacker,2012 Range (as code): **TZ Usa Mgr UG SL ZA Stj Ec Grh**

11109.Meganola argyropasta (Hampson,1914) (Noctuidae) Synonymy: argyropasta Hampson,1914 Range (as code): **GH**

11110.Meganola bifuscatalis Toulgoet,1982 (Noctuidae) Synonymy: bifuscatalis Toulgoet,1982 Range (as code): **MG**

11111.Meganola bilineatalis (Toulgoet,1961) (Noctuidae) Synonymy: bilineatalis Toulgoet,1961 Range (as code): **MG**

11112. **Meganola bioconia Hacker & Hoppe,2012** (Noctuidae) Synonymy: bioconia Hacker & Hoppe,2012 Range (as code): **GO Bio CM**
11113. **Meganola bipartita (Van Son,1933)** (Noctuidae) Synonymy: bipartita Van Son,1933 Range (as code): **ZA Mpu Brb Gau Lpo Tva MZ NA AO KE Tvt TZ Mgr Iri Dss Pwa Uzu ET ET09 Oro Snnp SU UG RW ZR Lbu YE MR BF NG CM**
11114. **Meganola bispermutata Hacker,2012** (Noctuidae) Synonymy: bispermutata Hacker,2012 Range (as code): **ZA Ec Spb Tva Lpo Ltr Stj Nta Kzu Dbn ZW**
11115. **Meganola brachystegia Hacker,2012** (Noctuidae) Synonymy: brachystegia Hacker,2012 Range (as code): **MW Mje**
11116. **Meganola brachyvalva Hacker,2012** (Noctuidae) Synonymy: brachyvalva Hacker,2012 Range (as code): **ZR Lbu**
11117. **Meganola bryophiloides (Butler,1882)** (Noctuidae) Synonymy: bryophiloides Butler,1882; respersa Saalmüller,1884 Range (as code): **MG**
11118. **Meganola caligilinea Hacker,2012** (Noctuidae) Synonymy: caligilinea Hacker,2012 Range (as code): **ZR Lbu**
11119. **Meganola canocolorata Hacker,2012** (Noctuidae) Synonymy: canocolorata Hacker,2012 Range (as code): **CI**
11120. **Meganola canovirgata Hacker,2012** (Noctuidae) Synonymy: canovirgata Hacker,2012 Range (as code): **TZ Tnga Usa Ani MW Mje UG ZR Lsb**
11121. **Meganola carcharicosa Hacker,2012** (Noctuidae) Synonymy: carcharicosa Hacker,2012 Range (as code): **TZ Tnga Usa Ani**
11122. **Meganola carolinae (Van Son,1933)** (Noctuidae) Synonymy: carolinae Van Son,1933 Range (as code): **ZA Tva**
11123. **Meganola cerographa Hacker,2012** (Noctuidae) Synonymy: cerographa Hacker,2012 Range (as code): **ET Oro**
11124. **Meganola chalcographa Hacker,2012** (Noctuidae) Synonymy: chalcographa Hacker,2012 Range (as code): **KE Nai**
11125. **Meganola chia (Holland,1894)** (Noctuidae) Synonymy: chia Holland,1894 Range (as code): **CM GA Ogo**
11126. **Meganola chionea (Hampson,1911)** (Noctuidae) Synonymy: chionea Hampson,1911 Range (as code): **NG CI GH ZR**
11127. **Meganola chromatographa Hacker,2012** (Noctuidae) Synonymy: chromatographa Hacker,2012 Range (as code): **BF**
11128. **Meganola ciliana Hacker,2012** (Noctuidae) Synonymy: ciliana Hacker,2012 Range (as code): **ZR Lsb**
11129. **Meganola cirrhographa Hacker & Hoppe,2012** (Noctuidae) Synonymy: cirrhographa Hacker & Hoppe,2012 Range (as code): **GO Bio CG**
11130. **Meganola coffeana Hacker,2012** (Noctuidae) Synonymy: coffeana Hacker,2012 Range (as code): **ET Oro Snnp KE**
11131. **Meganola conspicillaris (D.S.Fletcher,1962)** (Noctuidae) Synonymy: conspicillaris D.S.Fletcher,1962 Range (as code): **UG**
11132. **Meganola convexalis (Toulgoet,1961)** (Noctuidae) Synonymy: convexalis Toulgoet,1961; griveaudalis Toulgoet,1961 Range (as code): **MG**
11133. **Meganola cornuata Hacker,2012** (Noctuidae) Synonymy: cornuata Hacker,2012 Range (as code): **BF**
11134. **Meganola costiplagiata (Hampson,1918)** (Noctuidae) Synonymy: costiplagiata Hampson,1918 Range (as code): **MW**
11135. **Meganola costisquamosa (Toulgoet,1954)** (Noctuidae) Synonymy: costisquamosa Toulgoet,1954 Range (as code): **MG**
11136. **Meganola cramboidalis Toulgoet,1982** (Noctuidae) Synonymy: cramboidalis Toulgoet,1982 Range (as code): **MG**
11137. **Meganola cretacea (Hampson,1914)** (Noctuidae) Synonymy: cretacea Hampson,1914; cretaceoides Poole,1989 Range (as code): **GH CI NG**
11138. **Meganola cryptochra Hacker,2012** (Noctuidae) Synonymy: cryptochra Hacker,2012 Range (as code): **CM**
11139. **Meganola dananae Hacker,2012** (Noctuidae) Synonymy: dananae Hacker,2012 Range (as code): **CI**

11140. **Meganola decaryi (Toulgoet,1955)** (Noctuidae) Synonymy: decaryi Toulgoet,1955 Range (as code): **MG**
11141. **Meganola decima Hacker,2012** (Noctuidae) Synonymy: decima Hacker,2012 Range (as code): **ZR Kvu**
11142. **Meganola denticulatalis Hacker,2012** (Noctuidae) Synonymy: denticulatalis Hacker,2012 Range (as code): **SD BF CI ET Snnp YE YEo2**
11143. **Meganola deprinsiella Hacker,2012** (Noctuidae) Synonymy: deprinsiella Hacker,2012 Range (as code): **RW**
11144. **Meganola derrae Hacker,2012** (Noctuidae) Synonymy: derrae Hacker,2012 Range (as code): **KE**
11145. **Meganola despicillaris Hacker,2012** (Noctuidae) Synonymy: despicillaris Hacker,2012 Range (as code): **CI**
11146. **Meganola diagrapha Hacker,2012** (Noctuidae) Synonymy: diagrapha Hacker,2012 Range (as code): **BF NG ?ZR Lbu**
11147. **Meganola dicranographa Hacker,2012** (Noctuidae) Synonymy: dicranographa Hacker,2012 Range (as code): **BF NG**
11148. **Meganola dilutalis (Toulgoet,1961)** (Noctuidae) Synonymy: dilutalis Toulgoet,1961 Range (as code): **MG**
11149. **Meganola diplodactyla Hacker,2012** (Noctuidae) Synonymy: diplodactyla Hacker,2012 Range (as code): **ZM ZR Lbu**
11150. **Meganola diplozona (Hampson,1914)** (Noctuidae) Synonymy: diplozona Hampson,1914 Range (as code): **KE Nai**
11151. **Meganola dissoluta Hacker,2012** (Noctuidae) Synonymy: dissoluta Hacker,2012 Range (as code): **NG**
11152. **Meganola dochmographa (D.S.Fletcher,1958)** (Noctuidae) Synonymy: dochmographa D.S.Fletcher,1958 Range (as code): **UG Rz RW KE Nai Kkm TZ Kmj Usa Tnga ET Oro MW ZR BI**
11153. **Meganola drepanucha (D.S.Fletcher,1958)** (Noctuidae) Synonymy: drepanucha D.S.Fletcher,1958 Range (as code): **UG Rz TZ**
11154. **Meganola eburneana Hacker,2012** (Noctuidae) Synonymy: eburneana Hacker,2012 Range (as code): **CI**
11155. **Meganola efflucta Hacker,2012** (Noctuidae) Synonymy: efflucta Hacker,2012 Range (as code): **MG**
11156. **Meganola elegantula Hacker,2012** (Noctuidae) Synonymy: elegantula Hacker,2012 Range (as code): **RW**
11157. **Meganola elgonia Hacker,2012** (Noctuidae) Synonymy: elgonia Hacker,2012 Range (as code): **KE Elg RW**
11158. **Meganola endoscota (Hampson,1914)** (Noctuidae) Synonymy: endoscota Hampson,1914 Range (as code): **GH CI ZR Kvu**
11159. **Meganola erythrinalis (Toulgoet,1961)** (Noctuidae) Synonymy: erythrinalis Toulgoet,1961 Range (as code): **MG**
11160. **Meganola ethiopica Hacker,2012** (Noctuidae) Synonymy: ethiopica Hacker,2012 Range (as code): **ET ETo9 Oro Snnp**
11161. **Meganola euryochra (D.S.Fletcher,1958)** (Noctuidae) Synonymy: euryochra D.S.Fletcher,1958 Range (as code): **UG Rz**
11162. **Meganola euthygrapha Hacker,2012** (Noctuidae) Synonymy: euthygrapha Hacker,2012 q Range (as code): **KE**
11163. **Meganola fibigerialis Hacker,2012** (Noctuidae) Synonymy: fibigerialis Hacker,2012 Range (as code): **TZ Pwa Mgr ET Snnp**
11164. **Meganola florianhackeri Hacker,2012** (Noctuidae) Synonymy: florianhackeri Hacker,2012 Range (as code): **KE Elg Kya TZ Iri Pwa Kmj Aus RW CI ET Oro Snnp**
11165. **Meganola fontainei Hacker,2012** (Noctuidae) Synonymy: fontainei Hacker,2012 Range (as code): **ZR Lbu CG CI BI**
11166. **Meganola forsteri Hacker,2012** (Noctuidae) Synonymy: forsteri Hacker,2012 Range (as code): **KE Kkm TZ**
11167. **Meganola foviferoides (Poole,1989)** (Noctuidae) Synonymy: fovifera Hampson,1911 nec Hamp.,1903; foviferoides Poole,1989 Range (as code): **ZW GH**
11168. **Meganola fulvolurida Hacker,2012** (Noctuidae) Synonymy: fulvolurida Hacker,2012 Range (as code): **UG ZR**

11169. **Meganola funebralis (Toulgoet,1961)** (Noctuidae) Synonymy: funebralis Toulgoet,1961 Range (as code): **MG**
11170. **Meganola furvitincta (Hampson,1914)** (Noctuidae) Synonymy: furvitincta Hampson,1914 Range (as code): **SL NG BF CI GH**
11171. **Meganola fuscocolorata Hacker,2012** (Noctuidae) Synonymy: fuscocolorata Hacker,2012 Range (as code): **TZ**
11172. **Meganola fuscostriata Hacker,2012** (Noctuidae) Synonymy: fuscostriata Hacker,2012 Range (as code): **ZR**
11173. **Meganola fuscovirgata Hacker,2012** (Noctuidae) Synonymy: fuscovirgata Hacker,2012 Range (as code): **TZ Ruv**
11174. **Meganola gallicola Wiltshre,1949** (Noctuidae) Synonymy: gallicola Wiltshre,1949 Range (as code): **EG**
11175. **Meganola genitaliana Hacker,2012** (Noctuidae) Synonymy: genitaliana Hacker,2012 Range (as code): **KE Nai Kkm TZ**
11176. **Meganola gibeauxi Toulgoet,1982** (Noctuidae) Synonymy: gibeauxi Toulgoet,1982 Range (as code): **MG**
11177. **Meganola gondwana Hacker,2012** (Noctuidae) Synonymy: gondwana Hacker,2012 Range (as code): **NA Dmr Bnd**
11178. **Meganola griseodentata Hacker & Hoppe,2012** (Noctuidae) Synonymy: griseodentata Hacker & Hoppe,2012 Range (as code): **TZ**
11179. **Meganola hausmanni Hacker,2012** (Noctuidae) Synonymy: hausmanni Hacker,2012 Range (as code): **TZ Uzu Iri Usa Mgr UG ZR ET Oro Snnp**
11180. **Meganola heinrichi Hacker,2012** (Noctuidae) Synonymy: heinrichi Hacker,2012 Range (as code): **TZ Mru Kmj Iri ET Oro Snnp Ble**
11181. **Meganola hesperigrapha Hacker,2012** (Noctuidae) Synonymy: hesperigrapha Hacker,2012 Range (as code): **NG**
11182. **Meganola heteromorpha Hacker,2012** (Noctuidae) Synonymy: heteromorpha Hacker,2012 Range (as code): **UG**
11183. **Meganola heteroscota (Toulgoet,1954)** (Noctuidae) Synonymy: heteroscota Toulgoet,1954 Range (as code): **MG**
11184. **Meganola holoscota (Hampson,1920)** (Noctuidae) Synonymy: holoscota Hampson,1920 Range (as code): **ZA Kzu Nta Kkf**
11185. **Meganola hypenoides (Talbot,1929)** (Noctuidae) Synonymy: hypenoides Talbot,1929 q Range (as code): **ST**
11186. **Meganola illaudata (D.S.Fletcher,1958)** (Noctuidae) Synonymy: illaudata D.S.Fletcher,1958 Range (as code): **UG Rz ET Oro Snnp TZ ZR GO Bio**
11187. **Meganola incana (Saalmüller,1884)** (Noctuidae) Synonymy: incana Saalmüller,1884 Range (as code): **MG**
11188. **Meganola incertalis Toulgoet,1982** (Noctuidae) Synonymy: incertalis Toulgoet,1982 Range (as code): **MG**
11189. **Meganola inculta Hacker,2012** (Noctuidae) Synonymy: inculta Hacker,2012 Range (as code): **ZR Lbu Kvu**
11190. **Meganola inexpectalis (Toulgoet,1961)** (Noctuidae) Synonymy: inexpectalis Toulgoet,1961 Range (as code): **MG**
11191. **Meganola inexplicabilis Hacker,2012** (Noctuidae) Synonymy: inexplicabilis Hacker,2012 Range (as code): **TZ Mgr**
11192. **Meganola infumatalis Toulgoet,1982** (Noctuidae) Synonymy: infumatalis Toulgoet,1982 Range (as code): **MG**
11193. **Meganola infuscata (Hampson,1903)** (Noctuidae) Synonymy: infuscata Hampson,1903 Range (as code): **ZA Tva Lpo Spb Ltr Nta Kzu ZW Uma**
11194. **Meganola infuscatalis (Toulgoet,1961)** (Noctuidae) Synonymy: infuscatalis Toulgoet,1961 Range (as code): **MG**
11195. **Meganola ingeminata Hacker,2012** (Noctuidae) Synonymy: ingeminata Hacker,2012 Range (as code): **KE Kkm Nai**
11196. **Meganola insolitalis Toulgoet,1982** (Noctuidae) Synonymy: insolitalis Toulgoet,1982 Range (as code): **MG**

11197. **Meganola integralis Toulgoet,1982** (Noctuidae) Synonymy: integralis Toulgoet,1982 Range (as code): **MG**
11198. **Meganola interrupta Hacker,2012** (Noctuidae) Synonymy: interrupta Hacker,2012 Range (as code): **UG**
11199. **Meganola introfusca Hacker,2012** (Noctuidae) Synonymy: introfusca Hacker,2012 qq Range (as code): **KE Kkm UG**
11200. **Meganola iringa Hacker,2012** (Noctuidae) Synonymy: iringa Hacker,2012 Range (as code): **TZ Iri**
11201. **Meganola jacobi (Agassiz,2009)** (Noctuidae) Synonymy: jacobi Agassiz,2009 Range (as code): **KE**
11202. **Meganola janegoaterae Goater & Hacker,2012** (Noctuidae) Synonymy: janegoaterae Goater & Hacker,2012 Range (as code): **TZ Tnga Usa Ani MW**
11203. **Meganola kaduna Hacker,2012** (Noctuidae) Synonymy: kaduna Hacker,2012 Range (as code): **GH NG**
11204. **Meganola kakamega Hacker,2012** (Noctuidae) Synonymy: kakamega Hacker,2012 Range (as code): **KE Kkm**
11205. **Meganola karischiella Hacker,2012** (Noctuidae) Synonymy: karischiella Hacker,2012 Range (as code): **ZR Kasa**
11206. **Meganola katanga Hacker,2012** (Noctuidae) Synonymy: katanga Hacker,2012 Range (as code): **ZR Lbu Kga**
11207. **Meganola kennedyi (D.S.Fletcher,1958)** (Noctuidae) Synonymy: kennedyi D.S.Fletcher,1958 Range (as code): **TZ UG Rz**
11208. **Meganola kenrickialis Hacker,2012** (Noctuidae) Synonymy: kenrickialis Hacker,2012 Range (as code): **MG**
11209. **Meganola kriuegeri Hacker,2012** (Noctuidae) Synonymy: kriuegeri Hacker,2012 Range (as code): **OM Dh YE Hd SO Mga TZ Mgr KE ET Oro Snnp ER**
11210. **Meganola kuehnei Hacker,2012** (Noctuidae) Synonymy: kuehnei Hacker,2012 Range (as code): **RW**
11211. **Meganola latifusca Hacker,2012** (Noctuidae) Synonymy: latifusca Hacker,2012 Range (as code): **TZ**
11212. **Meganola legraini Hacker,2012** (Noctuidae) Synonymy: legraini Hacker,2012 Range (as code): **CM GO Bio RW UG ZR**
11213. **Meganola leifaarviki Hacker,2012** (Noctuidae) Synonymy: leifaarviki Hacker,2012 Range (as code): **TZ**
11214. **Meganola leucalea (Hampson,1907)** (Noctuidae) Synonymy: leucalea Hampson,1907 Range (as code): **ZA Tva Lpo Gau Pre Slpp Mgk Nel Mpu ZA14 Mal Wm Mdd Nyl ZR Lbu BI TZ KE**
11215. **Meganola leucographa (D.S.Fletcher,1958)** (Noctuidae) Synonymy: leucographa D.S.Fletcher,1958 Range (as code): **UG Rz BF GH SL**
11216. **Meganola leucometabola Hacker,2012** (Noctuidae) Synonymy: leucometabola Hacker,2012 Range (as code): **ET Snnp Oro UG ZR**
11217. **Meganola leucosigna Hacker,2012** (Noctuidae) Synonymy: leucosigna Hacker,2012 Range (as code): **UG KE Kkm CM GH**
11218. **Meganola lindemannae (D.S.Fletcher,1962)** (Noctuidae) Synonymy: lindemannae D.S.Fletcher,1962 Range (as code): **TZ Kmj Aus**
11219. **Meganola longisigna Hacker,2012** (Noctuidae) Synonymy: longisigna Hacker,2012 Range (as code): **ET Oro Snnp TZ Mgr Uzu KE Kkm MW CM ZR Lbu BI NG CI**
11220. **Meganola loxodentata Hacker & Hoppe,2012** (Noctuidae) Synonymy: loxodentata Hacker & Hoppe,2012 q Range (as code): **GO Bio**
11221. **Meganola loxoleuca (D.S.Fletcher,1958)** (Noctuidae) Synonymy: loxoleuca D.S.Fletcher,1958 q Range (as code): **UG Rz KE Kkm Nai TZ Tnga Usa Ani ET Snnp Oro ZR Kvu RW**
11222. **Meganola loxostriata Hacker & Hoppe,2012** (Noctuidae) Synonymy: loxostriata Hacker & Hoppe,2012 Range (as code): **GO Bio**
11223. **Meganola lucia (Van Son,1933)** (Noctuidae) Synonymy: lucia Van Son,1933 Range (as code): **ZA Nta Kzu Tva**
11224. **Meganola lupii Hacker & Hausmann,2012** (Noctuidae) Synonymy: lupii Hacker & Hausmann,2012 Range (as code): **ET Oro**
11225. **Meganola mabiriaria Hacker,2012** (Noctuidae) Synonymy: mabiriaria Hacker,2012 Range (as code): **UG**
11226. **Meganola maculafusca Hacker,2012** (Noctuidae) Synonymy: maculafusca Hacker,2012 Range (as code): **BF NG ET Snnp**

11227. **Meganola magnificaria Hacker,2012** (Noctuidae) Synonymy: magnificaria Hacker,2012 Range (as code): **TZ Kmj Iri Tnga Usa Ani KE Nai Kkm**
11228. **Meganola malgassica (Kenrick,1917)** (Noctuidae) Synonymy: malgassica Kenrick,1917; pseudomajor Toulgoet,1965; marojejy Toulgoet,1982 Range (as code): **MG**
11229. **Meganola matengona Hacker,2012** (Noctuidae) Synonymy: matengona Hacker,2012 Range (as code): **TZ Ruv**
11230. **Meganola medialis (Toulgoet,1961)** (Noctuidae) Synonymy: medialis Toulgoet,1961 Range (as code): **MG**
11231. **Meganola mediofracta (Toulgoet,1964)** (Noctuidae) Synonymy: mediofracta Toulgoet,1964 Range (as code): **MG**
11232. **Meganola mediolinealis (Toulgoet,1961)** (Noctuidae) Synonymy: mediolinealis Toulgoet,1961 Range (as code): **MG**
11233. **Meganola megistosoma Hacker,2012** (Noctuidae) Synonymy: megistosoma Hacker,2012 Range (as code): **MW**
11234. **Meganola melanographica Hacker,2012** (Noctuidae) Synonymy: melanographica Hacker,2012 Range (as code): **UG RW ZR Itu**
11235. **Meganola melanosomalis Hacker,2012** (Noctuidae) Synonymy: melanosomalis Hacker,2012 Range (as code): **GH**
11236. **Meganola melanosticta (Hampson,1914)** (Noctuidae) Synonymy: melanosticta Hampson,1914 Range (as code): **KE Nai Kkm Elg TZ Kmj UG RW ZR CM NG**
11237. **Meganola meloui Hacker,2012** (Noctuidae) Synonymy: meloui Hacker,2012 Range (as code): **MG**
11238. **Meganola meniscographa Hacker,2012** (Noctuidae) Synonymy: meniscographa Hacker,2012 Range (as code): **TZ Ruv**
11239. **Meganola meridianissima Hacker,2012** (Noctuidae) Synonymy: meridianissima Hacker,2012 Range (as code): **ZA Wca**
11240. **Meganola mesonephele (Hampson,1914)** (Noctuidae) Synonymy: mesonephele Hampson,1914 Range (as code): **GH CI NG TZ Usa Ani Tnga**
11241. **Meganola mesoscota (Hampson,1909)** (Noctuidae) Synonymy: mesoscota Hampson,1909 Range (as code): **ZA Tva Lpo Mpu Wri Grk Ec Cto Plt ZA14**
11242. **Meganola mesoscotoides Hacker,2012** (Noctuidae) Synonymy: mesoscotoides Hacker,2012 Range (as code): **TZ MW**
11243. **Meganola mesothermoides (Poole,1989)** (Noctuidae) Synonymy: mesotherma Hampson,1914 nec Hamp.,1909; mesothermoides Poole,1989 Range (as code): **GH CI ZR**
11244. **Meganola microfascia Hacker,2012** (Noctuidae) Synonymy: microfascia Hacker,2012 Range (as code): **ZR**
11245. **Meganola millotalis (Toulgoet,1965)** (Noctuidae) Synonymy: millotalis Toulgoet,1965 Range (as code): **MG**
11246. **Meganola mineti Hacker,2012** (Noctuidae) Synonymy: mineti Hacker,2012 Range (as code): **TZ ZR Lbu**
11247. **Meganola minorata (D.S.Fletcher,1958)** (Noctuidae) Synonymy: minorata D.S.Fletcher,1958 Range (as code): **UG Rz TZ Kmj Usa KE Nai Kkm Kya RW ZR Lbu BI GO Bio**
11248. **Meganola modestalis (Toulgoet,1961)** (Noctuidae) Synonymy: modestalis Toulgoet,1961 Range (as code): **MG**
11249. **Meganola monofascia (D.S.Fletcher,1962)** (Noctuidae) Synonymy: #monofascia Van Son,1933; monofascia D.S.Fletcher,1962 Range (as code): **ZA Tva Lpo Mal Gau Slpp**
11250. **Meganola murzinialis Hacker,2012** (Noctuidae) Synonymy: murzinialis Hacker,2012 Range (as code): **CG**
11251. **Meganola myriostigma (Van Son,1933)** (Noctuidae) Synonymy: myriostigma Van Son,1933 Range (as code): **ZA Nta Kzu Kkf Mpu Tva ZA14**
11252. **Meganola nanographa Hacker,2012** (Noctuidae) Synonymy: nanographa Hacker,2012 Range (as code): **UG**
11253. **Meganola nanula (Toulgoet,1954)** (Noctuidae) Synonymy: nanula Toulgoet,1954 Range (as code): **MG**
11254. **Meganola nigeriensis Hacker,2012** (Noctuidae) Synonymy: nigeriensis Hacker,2012 Range (as code): **NG**
11255. **Meganola nigristriga (Van Son,1933)** (Noctuidae) Synonymy: nigristriga Van Son,1933 Range (as code): **ZA Tva Lpo Mpu Brb Nta Kzu Ec Grh Stj Tst**

11256. **Meganola nigromixtalis (Toulgoet,1961)** (Noctuidae) Synonymy: nigromixtalis Toulgoet,1961 Range (as code): **MG**
11257. **Meganola nigroradiata (Debauche,1942)** (Noctuidae) Synonymy: nigroradiata Debauche,1942 Range (as code): **ZR Kvu UG Rz**
11258. **Meganola nivalitincta Hacker,2012** (Noctuidae) Synonymy: nivalitincta Hacker,2012 Range (as code): **ZR Kvu**
11259. **Meganola nivitalis (Toulgoet,1965)** (Noctuidae) Synonymy: nivitalis Toulgoet,1965 Range (as code): **MG**
11260. **Meganola nivosa Hacker,2012** (Noctuidae) Synonymy: nivosa Hacker,2012 Range (as code): **TZ Mru UG KE Kya ZR**
11261. **Meganola nona Hacker,2012** (Noctuidae) Synonymy: nona Hacker,2012 Range (as code): **ZR Lbu**
11262. **Meganola nudalis (Toulgoet,1961)** (Noctuidae) Synonymy: nudalis Toulgoet,1961 Range (as code): **MG**
11263. **Meganola nyungwe Hacker,2012** (Noctuidae) Synonymy: nyungwe Hacker,2012 q Range (as code): **RW**
11264. **Meganola obliquivittata Hacker,2012** (Noctuidae) Synonymy: obliquivittata Hacker,2012 Range (as code): **MG**
11265. **Meganola obscuritata Hacker,2012** (Noctuidae) Synonymy: obscuritata Hacker,2012 Range (as code): **BI CG ZR Lbu**
11266. **Meganola ochrographa (Hampson,1907)** (Noctuidae) Synonymy: ochrographa Hampson,1907 Range (as code): **UG Etb KE Kkm ET Oro Snnp**
11267. **Meganola ochromorpha Hacker,2012** (Noctuidae) Synonymy: ochromorpha Hacker,2012 Range (as code): **ZR Lbu MW**
11268. **Meganola ochrostomata Hacker,2012** (Noctuidae) Synonymy: ochrostomata Hacker,2012 Range (as code): **TZ**
11269. **Meganola octava Hacker,2012** (Noctuidae) Synonymy: octava Hacker,2012 Range (as code): **KE**
11270. **Meganola odontographa Hacker,2012** (Noctuidae) Synonymy: odontographa Hacker,2012 Range (as code): **BF CI NG**
11271. **Meganola odzala Hacker,2012** (Noctuidae) Synonymy: odzala Hacker,2012 Range (as code): **CG Brv**
11272. **Meganola oleaginalis (Toulgoet,1972)** (Noctuidae) Synonymy: oleaginalis Toulgoet,1972 Range (as code): **MG**
11273. **Meganola oligostigma Hacker,2012** (Noctuidae) Synonymy: oligostigma Hacker,2012 Range (as code): **ZA Ec**
11274. **Meganola onychosoma Hacker,2012** (Noctuidae) Synonymy: onychosoma Hacker,2012 Range (as code): **KE Kkm ZR Itu UG AO**
11275. **Meganola oreodrymona Hacker,2012** (Noctuidae) Synonymy: oreodrymona Hacker,2012 Range (as code): **RW**
11276. **Meganola palaeographa Hacker,2012** (Noctuidae) Synonymy: palaeographa Hacker,2012 Range (as code): **TZ Iri Uzu**
11277. **Meganola pallidifuscata Hacker,2012** (Noctuidae) Synonymy: pallidifuscata Hacker,2012 q Range (as code): **ZA Nta Kzu**
11278. **Meganola palpalis (Toulgoet,1961)** (Noctuidae) Synonymy: palpalis Toulgoet,1961 Range (as code): **MG**
11279. **Meganola panvirgata Hacker, Hoppe & Karisch,2012** (Noctuidae) Synonymy: panvirgata Hacker, Hoppe & Karisch,2012 q Range (as code): **GO Bio**
11280. **Meganola paraforsteri Hacker,2012** (Noctuidae) Synonymy: paraforsteri Hacker,2012 Range (as code): **CG UG ZR Itu AO**
11281. **Meganola parafuscatalis Hacker,2012** (Noctuidae) Synonymy: parafuscatalis Hacker,2012 Range (as code): **MG**
11282. **Meganola paramesoscota Hacker,2012** (Noctuidae) Synonymy: paramesoscota Hacker,2012 q Range (as code): **UG**
11283. **Meganola parastrigula Hacker,2012** (Noctuidae) Synonymy: parastrigula Hacker,2012 Range (as code): **NG**
11284. **Meganola parundosaria Hacker,2012** (Noctuidae) Synonymy: parundosaria Hacker,2012 q Range (as code): **TZ**

11285. **Meganola patricia (Van Son,1933)** (Noctuidae) Synonymy: patricia Van Son,1933 Range (as code): **ZA Tva Lpo Ec ZA14**
11286. **Meganola paulianalis (Toulgoet,1961)** (Noctuidae) Synonymy: paulianalis Toulgoet,1961 Range (as code): **MG**
11287. **Meganola pedata (D.S.Fletcher,1962)** (Noctuidae) Synonymy: pedata D.S.Fletcher,1962 Range (as code): **TZ Kmj Mgr Iri Usa KE Kkm**
11288. **Meganola peksi Hacker,2012** (Noctuidae) Synonymy: peksi Hacker,2012 Range (as code): **CI**
11289. **Meganola pellographa Hacker,2012** (Noctuidae) Synonymy: pellographa Hacker,2012 Range (as code): **TZ KE**
11290. **Meganola perangulata Hacker,2012** (Noctuidae) Synonymy: perangulata Hacker,2012 Range (as code): **TZ Tnga Usa Ani**
11291. **Meganola perfusca (Hampson,1911)** (Noctuidae) Synonymy: perfusca Hampson,1911 Range (as code): **NG Lgo GH BF CI**
11292. **Meganola perfuscata Hacker,2012** (Noctuidae) Synonymy: perfuscata Hacker,2012 Range (as code): **BF**
11293. **Meganola persuffusca Hacker,2012** (Noctuidae) Synonymy: persuffusca Hacker,2012 Range (as code): **BF**
11294. **Meganola phaeographa Hacker,2012** (Noctuidae) Synonymy: phaeographa Hacker,2012 Range (as code): **UG**
11295. **Meganola pictalis Toulgoet,1982** (Noctuidae) Synonymy: pictalis Toulgoet,1982 Range (as code): **MG**
11296. **Meganola picturata (Mabille,1899)** (Noctuidae) Synonymy: picturata Mabille,1899 Range (as code): **MG**
11297. **Meganola plagioleuca Hacker,2012** (Noctuidae) Synonymy: plagioleuca Hacker,2012 q Range (as code): **RW**
11298. **Meganola poliographa Hacker,2012** (Noctuidae) Synonymy: poliographa Hacker,2012 Range (as code): **UG**
11299. **Meganola polioleuca Hacker,2012** (Noctuidae) Synonymy: polioleuca Hacker,2012 Range (as code): **SU**
11300. **Meganola poliosoma Hacker,2012** (Noctuidae) Synonymy: poliosoma Hacker,2012 Range (as code): **CM**
11301. **Meganola poliotis (Hampson,1907)** (Noctuidae) Synonymy: poliotis Hampson,1907 Range (as code): **ZA Tva Gau Pre Lpo Pie**
11302. **Meganola poliovittata Hacker,2012** (Noctuidae) Synonymy: poliovittata Hacker,2012 Range (as code): **ET Oro**
11303. **Meganola polizari Hacker,2012** (Noctuidae) Synonymy: polizari Hacker,2012 Range (as code): **BF NG TG**
11304. **Meganola polychroma (Toulgoet,1956)** (Noctuidae) Synonymy: polychroma Toulgoet,1956 Range (as code): **MG**
11305. **Meganola praefica (Saalmüller,1884)** (Noctuidae) Synonymy: praefica Saalmüller,1884 Range (as code): **MG KM**
11306. **Meganola proceropteryx Hacker,2012** (Noctuidae) Synonymy: proceropteryx Hacker,2012 Range (as code): **TZ Mgr**
11307. **Meganola psarographa Hacker,2012** (Noctuidae) Synonymy: psarographa Hacker,2012 Range (as code): **UG**
11308. **Meganola pseudofuscata Hacker,2012** (Noctuidae) Synonymy: pseudofuscata Hacker,2012 Range (as code): **TZ**
11309. **Meganola pseudomesoscota Hacker,2012** (Noctuidae) Synonymy: pseudomesoscota Hacker,2012 Range (as code): **KE Kya**
11310. **Meganola pumilofusca Hacker,2012** (Noctuidae) Synonymy: pumilofusca Hacker,2012 q Range (as code): **UG Kmp ET Oro ZR Kvu**
11311. **Meganola pyrrhomorpha Hacker,2012** (Noctuidae) Synonymy: pyrrhomorpha Hacker,2012 Range (as code): **ET Oro Snnp**
11312. **Meganola pyrrhosoma Hacker,2012** (Noctuidae) Synonymy: pyrrhosoma Hacker,2012 Range (as code): **GH**
11313. **Meganola reubeni Agassiz,2009** (Noctuidae) Synonymy: reubeni Agassiz,2009 Range (as code): **MR KE UG ET TZ**

11314. **Meganola rhyssomorpha Hacker,2012** (Noctuidae) Synonymy: rhyssomorpha Hacker,2012 Range (as code): **CI**
11315. **Meganola ronkayiana Hacker,2012** (Noctuidae) Synonymy: ronkayiana Hacker,2012 Range (as code): **ZR UG**
11316. **Meganola rubiginealis (Toulgoet,1961)** (Noctuidae) Synonymy: rubiginealis Toulgoet,1961 Range (as code): **MG**
11317. **Meganola rubiginotincta Hacker,2012** (Noctuidae) Synonymy: rubiginotincta Hacker,2012 Range (as code): **UG RW**
11318. **Meganola rufomixtalis (Toulgoet,1961)** (Noctuidae) Synonymy: rufomixtalis Toulgoet,1961 Range (as code): **MG**
11319. **Meganola saalmuelleri (Toulgoet,1961)** (Noctuidae) Synonymy: saalmuelleri Toulgoet,1961 Range (as code): **MG KM**
11320. **Meganola sambara Hacker,2012** (Noctuidae) Synonymy: sambara Hacker,2012 Range (as code): **MW**
11321. **Meganola semifuscata Hacker,2012** (Noctuidae) Synonymy: semifuscata Hacker,2012 Range (as code): **TZ**
11322. **Meganola septima Hacker,2012** (Noctuidae) Synonymy: septima Hacker,2012 Range (as code): **UG ET Oro Snnp Ble ET181 TZ Pwa KE ZR Lbu Kvu Skr CG BI**
11323. **Meganola seydeli Hacker,2012** (Noctuidae) Synonymy: seydeli Hacker,2012 Range (as code): **ZR Lbu**
11324. **Meganola simillima Hacker,2012** (Noctuidae) Synonymy: simillima Hacker,2012 Range (as code): **ET Oro**
11325. **Meganola simplicifacta Hacker,2012** (Noctuidae) Synonymy: simplicifacta Hacker,2012 Range (as code): **GH**
11326. **Meganola sogalis (Toulgoet,1965)** (Noctuidae) Synonymy: sogalis Toulgoet,1965 Range (as code): **MG**
11327. **Meganola spermophaga (D.S.Fletcher,1962)** (Noctuidae) Synonymy: spermophaga D.S.Fletcher,1962; #sphermophaga Hacker,2012 Range (as code): **UG Kmp ZR Lbu Itu BI KE Nai TZ ET Snnp Oro NG BF CI GH**
11328. **Meganola spherographa Hacker,2012** (Noctuidae) Synonymy: spherographa Hacker,2012 Range (as code): **NG CI SL**
11329. **Meganola steniphona (Van Son,1933)** (Noctuidae) Synonymy: niphostena Hampson,1902 (praeocc.); steniphona Van Son,1933 Range (as code): **ZW ZA Nta Kzu Dbn**
11330. **Meganola stenochra Hacker,2012** (Noctuidae) Synonymy: stenochra Hacker,2012 Range (as code): **ZR Kvu**
11331. **Meganola stictographa Hacker,2012** (Noctuidae) Synonymy: stictographa Hacker,2012 Range (as code): **UG ET Oro Snnp**
11332. **Meganola stigmatolalis Hacker,2012** (Noctuidae) Synonymy: stigmatolalis Hacker,2012 Range (as code): **ET Snnp ET277**
11333. **Meganola stigmatophora Hacker,2012** (Noctuidae) Synonymy: stigmatophora Hacker,2012 Range (as code): **TZ**
11334. **Meganola strigula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonymy: #strigula [Denis & Schiffermüller],1775; asperalis De Villers,1789; strigularis Hübner,1796; monachalis Haworth,1811; zelleriana Fischer de Waldheim,1824; strigulana Hübner,[1825]; lineolalis Eversmann,1844; pannonica Kovacs,1947 Range (as code): **MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU SS MK BG GR Cr TR IR Fa IQ Dk DK NO SE FI EE LV LT RU Sr Vl Ur Cc MD UA Lvv BY 05 06 10 13 16 64**
11335. **Meganola subalbalis (Zeller,1852)** (Noctuidae) Synonymy: subalbalis Zeller,1852 Range (as code): **ZA**
11336. **Meganola subderrae Hacker,2012** (Noctuidae) Synonymy: subderrae Hacker,2012 Range (as code): **KE Kkm UG**
11337. **Meganola subfuscigera Hacker,2012** (Noctuidae) Synonymy: subfuscigera Hacker,2012 Range (as code): **MG**
11338. **Meganola subnivosa Hacker,2012** (Noctuidae) Synonymy: subnivosa Hacker,2012 Range (as code): **TZ Tnga Usa Ani**
11339. **Meganola subpraefica Hacker,2012** (Noctuidae) Synonymy: subpraefica Hacker,2012 Range (as code): **MG**
11340. **Meganola subterminalis Hacker,2012** (Noctuidae) Synonymy: subterminalis Hacker,2012 Range (as code): **ZR Lbu**
11341. **Meganola sulaki Hacker,2012** (Noctuidae) Synonymy: sulaki Hacker,2012 q Range (as code): **UG**

11342. **Meganola swierstrai (Van Son,1933)** (Noctuidae) Synonymy: swierstrai Van Son,1933 Range (as code): **ZA Tva Lpo Hae Nta Kzu**
11343. **Meganola tabbertiella Hacker & Hoppe,2012** (Noctuidae) Synonymy: tabbertiella Hacker & Hoppe,2012 Range (as code): **GH**
11344. **Meganola tenuimorpha Hacker,2012** (Noctuidae) Synonymy: tenuimorpha Hacker,2012 Range (as code): **UG KE Kkm Kya Mru TZ RW MW ZR CM**
11345. **Meganola tephrographa Hacker,2012** (Noctuidae) Synonymy: tephrographa Hacker,2012 Range (as code): **UG TZ Iri GO Bio**
11346. **Meganola tessellalis Toulgoet,1982** (Noctuidae) Synonymy: tessellalis Toulgoet,1982 Range (as code): **MG**
11347. **Meganola tigrivirgata Hacker,2012** (Noctuidae) Synonymy: tigrivirgata Hacker,2012 q Range (as code): **RW ZR Itu**
11348. **Meganola togatulalis (Hübner,1796)** (Noctuidae) Synonymy: togatulalis Hübner,1796; togatulana Duponchel,1845 Range (as code): **MA Ifr DZ Khh TN Dhm PT ES Mu FR Co Sa Si IT BE NL DE CH PL CZ SK HU YU BG GR TR LT RU MD UA BY CY IL Pa LB Bsa IQ IR Ak Ab 01 02 07 10 12 13 33 34 35 42 45 46 48 56 65**
11349. **Meganola togatulella Hacker,2012** (Noctuidae) Synonymy: togatulella Hacker,2012 q Range (as code): **UG**
11350. **Meganola toulgoetiella Hacker,2012** (Noctuidae) Synonymy: toulgoetiella Hacker,2012 Range (as code): **MG**
11351. **Meganola trigonographa Hacker,2012** (Noctuidae) Synonymy: trigonographa Hacker,2012 Range (as code): **BF**
11352. **Meganola unilineata Hacker,2012** (Noctuidae) Synonymy: unilineata Hacker,2012 q Range (as code): **ET Snnp**
11353. **Meganola usambarana Hacker,2012** (Noctuidae) Synonymy: usambarana Hacker,2012 Range (as code): **TZ Usa Tnga Iri Kmj RW UG ZR Lbu**
11354. **Meganola uwinka Hacker,2012** (Noctuidae) Synonymy: uwinka Hacker,2012 Range (as code): **RW**
11355. **Meganola varia (Saalmüller,1884)** (Noctuidae) Synonymy: varia Saalmüller,1884 Range (as code): **MG**
11356. **Meganola venosalis (Toulgoet,[1954])** (Noctuidae) Synonymy: venosalis Toulgoet,[1954] Range (as code): **MG**
11357. **Meganola venustula (Toulgoet,1954)** (Noctuidae) Synonymy: venustula Toulgoet,1954 Range (as code): **MG**
11358. **Meganola viettealis Toulgoet,1982** (Noctuidae) Synonymy: viettealis Toulgoet,1982 Range (as code): **MG**
11359. **Meganola vieui (Toulgoet,1961)** (Noctuidae) Synonymy: vieui Toulgoet,1961 Range (as code): **MG**
11360. **Meganola vingerhoedti Hacker,2012** (Noctuidae) Synonymy: vingerhoedti Hacker,2012 Range (as code): **RW**
11361. **Meganola virunga Hacker,2012** (Noctuidae) Synonymy: virunga Hacker,2012 Range (as code): **RW**
11362. **Meganola xantholeuca Hacker,2012** (Noctuidae) Synonymy: xantholeuca Hacker,2012 Range (as code): **CI NG**
11363. **Meganola xanthomorpha Hacker,2012** (Noctuidae) Synonymy: xanthomorpha Hacker,2012 Range (as code): **TZ Usa Tnga Ani Uzu Mgr**
11364. **Meganola zernyi Hacker,2012** (Noctuidae) Synonymy: zernyi Hacker,2012 Range (as code): **TZ**
11365. **Megathripa rufimedia (Hampson,1905)** (Noctuidae) Synonymy: rufimedia Hampson,1905 Range (as code): **ZA**
11366. **Melanephia metarhabdota Hampson,1926** (Noctuidae) Synonymy: metarhabdota Hampson,1926 Range (as code): **ZA**
11367. **Melanephia nigrescens (Wallengren,1856)** (Noctuidae) Synonymy: nigrescens Wallengren,1856; inquieta Walker,[1857]; teretipalpa Wallengren,1860; sofala R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Ans KE**
11368. **Melanephia trista (Snellen,1872)** (Noctuidae) Synonymy: trista Snellen,1872; melanophaes Bethune-Baker,1911 Range (as code): **ZA**
11369. **Meliaba pelopsalis Walker,[1859]** (Noctuidae) Synonymy: pelopsalis Walker,[1859]; insignis Aurivillius,1910 Range (as code): **ZA Nta Kzu Dbn TZ Kmj**
11370. **Melionica albipuncta (Gaede,1916)** (Noctuidae) Synonymy: albipuncta Gaede,1916 Range (as code): **KE**

11371. **Melionica bertha Schaus,1893** (Noctuidae) Synonymy: bertha Schaus,1893 Range (as code): **SL**
11372. **Melionica citrinea Berio,1970** (Noctuidae) Synonymy: citrinea Berio,1970 Range (as code): **ZR**
11373. **Melionica fletcheri Berio,1973** (Noctuidae) Synonymy: fletcheri Berio,1973 Range (as code): **TZ Iko**
11374. **Melionica rubella Berio,1973** (Noctuidae) Synonymy: rubella Berio,1973 Range (as code): **TZ Iko**
11375. **Melipotis amphix (Cramer,1777)** (Noctuidae) Synonymy: amphix Cramer,1777; lativitta Moore,1882 Range (as code): **ZA NA Dmr IN Up AU**
11376. **Melipotis diascota (Hampson,1916)** (Noctuidae) Synonymy: diascota Hampson,1916 Range (as code): **SO**
11377. **Melipotis mimica (Gaede,1939)** (Noctuidae) Synonymy: mimica Gaede,1939 Range (as code): **ZA KE**
11378. **Melipotis voeltzkowi (Viette,1965)** (Noctuidae) Synonymy: voeltzkowi Viette,1965 Range (as code): **MG**
11379. **Meneptera diopis (Hampson,1905)** (Noctuidae) Synonymy: diopis Hampson,1905 Range (as code): **ZA**
11380. **Mentaxya albifrons (Geyer,1837)** (Noctuidae) Synonymy: albifrons Geyer,1837; amatura Geyer,1837. Range (as code): **ZA ET ET24**
11381. **Mentaxya atritegulata (Hampson,1902)** (Noctuidae) Synonymy: atritegulata Hampson,1902 Range (as code): **ZA Tva**
11382. **Mentaxya basilewskyi (Berio,1955)** (Noctuidae) Synonymy: basilewskyi Berio,1955 Range (as code): **ZR Kvu**
11383. **Mentaxya bergeri (Berio,1955)** (Noctuidae) Synonymy: bergeri Berio,1955 Range (as code): **ZR Kvu**
11384. **Mentaxya bruneli Laporte,1975** (Noctuidae) Synonymy: bruneli Laporte,1975 Range (as code): **ET ET196 ET60 ET204**
11385. **Mentaxya camerunensis Laporte,1975** (Noctuidae) Synonymy: camerunensis Laporte,1975 Range (as code): **CM**
11386. **Mentaxya cumulata (Walker,1865)** (Noctuidae) Synonymy: cumulata Walker,1865 Range (as code): **ZA**
11387. **Mentaxya fletcheri (Berio,1955)** (Noctuidae) Synonymy: fletcheri Berio,1955 Range (as code): **ZA Nta Kzu Dbn**
11388. **Mentaxya fouqueae Laporte,1974** (Noctuidae) Synonymy: fouqueae Laporte,1974 Range (as code): **ET ET60**
11389. **Mentaxya grisea Laporte,1973** (Noctuidae) Synonymy: grisea Laporte,1973 Range (as code): **NG**
11390. **Mentaxya ignicollis (Walker,1857)** (Noctuidae) Synonymy: ignicollis Walker,1857; mesosema Hampson,1911; igneticta Hampson,1918. Range (as code): **ZA ET ET24 Kfa We Sw Gau Tva Nta Kzu**
11391. **Mentaxya ikondae Berio,1972** (Noctuidae) Synonymy: ikondae Berio,1972 Range (as code): **TZ Iko**
11392. **Mentaxya inconstans Laporte,1984** (Noctuidae) Synonymy: inconstans Laporte,1984 Range (as code): **ET ET45 ET86**
11393. **Mentaxya indigna (Herrich-Schäffer,[1854])** (Noctuidae) Synonymy: indigna Herrich-Schäffer,[1854] Range (as code): **ZA Ec**
11394. **Mentaxya lacteifrons Laporte,1984** (Noctuidae) Synonymy: lacteifrons Laporte,1984 Range (as code): **ET ET204**
11395. **Mentaxya leroyi (Berio,1955)** (Noctuidae) Synonymy: leroyi Berio,1955 Range (as code): **ZR Kvu**
11396. **Mentaxya metathoracica (Berio,1939)** (Noctuidae) Synonymy: metathoracica Berio,1939 Range (as code): **ER**
11397. **Mentaxya minor Berio,1977** (Noctuidae) Synonymy: minor Berio,1977 Range (as code): **ZR**
11398. **Mentaxya muscosa Geyer,1837** (Noctuidae) Synonymy: muscosa Geyer,1837; aeramen R.Felder & Rogenhofer,1874. Range (as code): **ZA Tva Mpu Brb**
11399. **Mentaxya nigromaculata Laporte,1984** (Noctuidae) Synonymy: nigromaculata Laporte,1984 Range (as code): **KE**
11400. **Mentaxya percurvata (Berio,1955)** (Noctuidae) Synonymy: percurvata Berio,1955 Range (as code): **ZA Kvu**
11401. **Mentaxya pujoli Laporte,1973** (Noctuidae) Synonymy: pujoli Laporte,1973 Range (as code): **CF**
11402. **Mentaxya rimosa (Guenée,1852)** (Noctuidae) Synonymy: rimosa Guenée,1852; varia Walker,1865; decipiens R.Felder & Rogenhofer,1874. Range (as code): **ZA**
11403. **Mentaxya sandrae Laporte,1974** (Noctuidae) Synonymy: sandrae Laporte,1974 Range (as code): **ET ET93 ET196 ET204**

11404.Mentaxya strictirena Berio,1974 (Noctuidae) Synonymy: strictirena Berio,1974 Range (as code): **TZ Iko**

11405.Mentaxya suffusalis Laporte,1973 (Noctuidae) Synonymy: suffusalis Laporte,1973 Range (as code): **CM**

11406.Mentaxya thomasi Laporte,1984 (Noctuidae) Synonymy: thomasi Laporte,1984 Range (as code): **KE**

11407.Mentaxya torrianii Laporte,1977 (Noctuidae) Synonymy: torrianii Laporte,1977 Range (as code): **GA**

11408.Mentaxya trisellata Viette,1958 (Noctuidae) Synonymy: trisellata Viette,1958 Range (as code): **MG**

11409.Mentaxya trissellatoides Laporte,1973 (Noctuidae) Synonymy: trissellatoides Laporte,1973 Range (as code): **CM ET ET86 ET93 ET196**

11410.Mentaxya vuattouxi Laporte,1972 (Noctuidae) Synonymy: vuattouxi Laporte,1972 Range (as code): **CI**

11411.Mepantadrea simia (Saalmüller,1891) (Noctuidae) Synonymy: simia Saalmüller,1891 Range (as code): **ZA MG**

11412.Mesapamea (s.str.) secalis (Linnaeus,1758) (Noctuidae) Synonymy: secalis Linnaeus,1758 Range (as code): **MA DZ Berr Abe Sét Lbs Dhm Btna TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA Lvv BY IR Fa IQ KG Tk Dj CY LB Cc AM Nyu AZ Adz 01 04 06 07 17 30 37 39 46 50 61**

11413.Mesogenea costimacula Hampson,1926 (Noctuidae) Synonymy: costimacula Hampson,1926 Range (as code): **ZA**

11414.Mesogenea persinuosa Hampson,1910 (Noctuidae) Synonymy: persinuosa Hampson,1910 Range (as code): **ZA**

11415.Mesogenea varians Hampson,1902 (Noctuidae) Synonymy: varians Hampson,1902 Range (as code): **ZW Har**

11416.Mesoligia furuncula ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: furuncula [Denis & Schiffermüller],1775; spoliatricula [Denis & Schiffermüller],1775; bicoloria De Villers,1789; vinctuncula Hübner,[1803]; humeralis Haworth,1809; terminalis Haworth,1809; rufuncula Haworth,1809 Range (as code): **DZ Abe Dhm Mii TN PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR AZ Zu Tlh AM GG Cc AZ Kir DK NO SE FI EE LV LT RU Ro Kb Ing Da MD UA Lvv BY AF IR LB Bei CN 13 56 58 61 65 76**

11417.Mesoligia literosa (Haworth,[1809]) (Noctuidae) Synonymy: literosa Haworth,[1809]; erratricula Hübner,[1813]; onochyna Herrich-Schäffer,1856; subarcta Staudinger,1898; faroulti Rothschild,1914; powelli Oberthür,1918 Range (as code): **MA DZ Ges ES FR Si IT IE GB BE NL CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kb Kr Nt Ich Ing Da MD UA BY IR Fa Th Kh KuB Zj Mz Elb Dam Snj Kd Mrv Lo Mia IQ AF IL Pa Js Hf SY UZ AZ AM GG Cc IQ LB Bei TJ Pm KK Ax TrA 01 03 06 07 08 13 24 25 30 36 38 42 50 51 56 58 62 65 66 69 75**

11418.Mesosciera picta Hampson,1926 (Noctuidae) Synonymy: picta Hampson,1926 Range (as code): **ZA**

11419.Metachrostis costiplaga W.Warren,1903 (Noctuidae) Synonymy: costiplaga W.Warren,1903 Range (as code): **EG**

11420.Metachrostis decora (Walker,1869) (Noctuidae) Synonymy: decora Walker,1869 Range (as code): **ZA CG**

11421.Metachrostis parvisi (Berio,1940) (Noctuidae) Synonymy: parvisi Berio,1940 Range (as code): **ER**

11422.Metachrostis quinaria (Moore,1881) (Noctuidae) Synonymy: quinaria Moore,1881 Range (as code): **IN Up Meg Ass Khs Mh Bba Mhw PK Bl Qu Sd Krc YE YE60 SD MA DZ TN LY**

11423.Metachrostis velox (Hübner,[1813]) (Noctuidae) Synonymy: velox Hübner,[1813]; griseimargo W.Warren,1912; mendacularis Treitschke,1829; tarda Turati,1926; velocissima Turati,1926; rubescens Schwingenschuss,1930 Range (as code): **Cn MA DZ BSa Perr Hmk Dhm Ges Sbd Rbt TN Gf LY EG PT ES Mu FR Sa Si IT MT YU MK AL BG GR Cr TR AM Cc LB Bei IL Pa Hf JO CY IR Fa Hz B-A 10 16 17 33 45**

11424.Metagarista triphaenoides Walker,1854 (Noctuidae) Synonymy: triphaenoides Walker,1854 Range (as code): **GH**

11425.Metanola gladstonei Van Son,1933 (Noctuidae) Synonymy: gladstonei Van Son,1933 Range (as code): **ZA**

11426.Metlaouia oberthueri (Culot,[1910]) (Noctuidae) Synonymy: oberthueri Culot,[1910]; autumna Chrétien,1911. Range (as code): **DZ Afl TN Gf**

11427.Metopoceras (s.str.) eutychina Rebel,1948 (Noctuidae) Synonymy: eutychina Rebel,1948 Range (as code): **EG Sn IL Pa JO IR Hz B-A**

11428. **Metopoceras (s.str.) felicina (Donzel,1844)** (Noctuidae) Synonymy: felicina Donzel,1844; calderana Pinker,1965; purpurariae Pinker,1974 Range (as code): **DZ Hmk Orn Hrh BSa Ges Abe Sbd MA PT ES Mu FR**
11429. **Metopoceras (s.str.) omar (Oberthür,1887)** (Noctuidae) Synonymy: omar Oberthür,1887 Range (as code): **TN MR MA DZ Hes Sfr Ges BSa Lgt Onç Gha Kdr Ceg Bsk Ktr Cst Khh Hmk Hrh Abe Agi Ah Si IT TR EG Sn LB Bei CY IQ Amr IR Mz Fa Ss Elb Gor Bu Hz B-A IL Pa Hf SY JO TM**
11430. **Metopoceras canroberti (Oberthür,1918)** (Noctuidae) Synonymy: codeti Hampson,1906 nec Obth.,1881; canroberti Oberthür,1918; duseutrei Oberthür,1922; agnellus Schwingenschuss,1935 Range (as code): **MR MA DZ Bsk Sbd Out Ah Ajj TN YE**
11431. **Metoponrhis marginata (Hampson,1898)** (Noctuidae) Synonymy: marginata Hampson,1898 Range (as code): **LK SD ET NG**
11432. **Metoponrhis rungsi Lucas,1936** (Noctuidae) Synonymy: rungsi Lucas,1936 Range (as code): **MA**
11433. **Michelliana afroalpina Laporte,1976** (Noctuidae) Synonymy: afroalpina Laporte,1976 Range (as code): **ET ET45**
11434. **Micragrotis acydonta Hampson,1903** (Noctuidae) Synonymy: acydonta Hampson,1903 Range (as code): **KE**
11435. **Micragrotis alluaudi Laporte,1984** (Noctuidae) Synonymy: alluaudi Laporte,1984 Range (as code): **KE**
11436. **Micragrotis cinerosa Bethune-Baker,1911** (Noctuidae) Synonymy: cinerosa Bethune-Baker,1911 Range (as code): **ZA KE Nai**
11437. **Micragrotis exusta Hampson,1903** (Noctuidae) Synonymy: exusta Hampson,1903 Range (as code): **ZW Har**
11438. **Micragrotis intendens (Walker,1857)** (Noctuidae) Synonymy: intendens Walker,1857 Range (as code): **ZA Tva Gau Pre**
11439. **Micragrotis interstriata (Hampson,1902)** (Noctuidae) Synonymy: interstriata Hampson,1902 Range (as code): **ZW Har ZA Ec Tra Nta Kzu Kkf Wnn**
11440. **Micragrotis lacteata Hampson,1903** (Noctuidae) Synonymy: lacteata Hampson,1903 Range (as code): **KE**
11441. **Micragrotis marwitzi Gaede,1935** (Noctuidae) Synonymy: marwitzi Gaede,1935 Range (as code): **ZA**
11442. **Micragrotis microstigma Hampson,1903** (Noctuidae) Synonymy: microstigma Hampson,1903 Range (as code): **ZW Har**
11443. **Micragrotis nigrisigna Hampson,1911** (Noctuidae) Synonymy: nigrisigna Hampson,1911 Range (as code): **MW**
11444. **Micragrotis prosarca Hampson,1903** (Noctuidae) Synonymy: prosarca Hampson,1903 Range (as code): **ZW Har**
11445. **Micragrotis puncticostata (Hampson,1902)** (Noctuidae) Synonymy: puncticostata Hampson,1902 Range (as code): **KE ZA Nta Kzu Est**
11446. **Micragrotis rufescens Hampson,1903** (Noctuidae) Synonymy: rufescens Hampson,1903 Range (as code): **ZA Ec Ans**
11447. **Micragrotis strigibasis (Hampson,1902)** (Noctuidae) Synonymy: strigibasis Hampson,1902 Range (as code): **TZ Srg KE ZW Har ZA Ec Ans**
11448. **Micraxylia annulus Berio,1972** (Noctuidae) Synonymy: annulus Berio,1972 Range (as code): **TZ Iko**
11449. **Micraxylia antemedialis Laporte,1975** (Noctuidae) Synonymy: antemedialis Laporte,1975 Range (as code): **ET ET204**
11450. **Micraxylia brosi Berio,1993** (Noctuidae) Synonymy: brosi Berio,1993 Range (as code): **KE**
11451. **Micraxylia delicatula (Berio,1939)** (Noctuidae) Synonymy: delicatula Berio,1939 Range (as code): **ER**
11452. **Micraxylia distalis Berio,1962** (Noctuidae) Synonymy: distalis Berio,1962 Range (as code): **ZR**
11453. **Micraxylia gigas Berio,1972** (Noctuidae) Synonymy: gigas Berio,1972 Range (as code): **TZ Iko**
11454. **Micraxylia hypericoides Berio,1962** (Noctuidae) Synonymy: hypericoides Berio,1962 Range (as code): **ET**
11455. **Micraxylia nyei Berio,1964** (Noctuidae) Synonymy: nyei Berio,1964 Range (as code): **GH**
11456. **Micraxylia transfixa Berio,1962** (Noctuidae) Synonymy: transfixa Berio,1962 Range (as code): **RW**
11457. **Micraxylia varians Berio,1972** (Noctuidae) Synonymy: varians Berio,1972 Range (as code): **ZR**

11458.Microxestis wutzdorffi (Püngeler,1907) (Noctuidae) Synonymy: wutzdorffi Püngeler,1907 Range (as code): **EG IL Pa SA As YE**

11459.Mimasura innotata Hampson,1910 (Noctuidae) Synonymy: innotata Hampson,1910 Range (as code): **ZA**

11460.Mimasura quadripuncta Hampson,1910 (Noctuidae) Synonymy: quadripuncta Hampson,1910 Range (as code): **ZA**

11461.Mimasura tripunctoides Poole,1989 (Noctuidae) Synonymy: tripuncta Hampson,1902 (praeocc.); tripunctoides Poole,1989 Range (as code): **ZA**

11462.Mimasura unipuncta (Hampson,1902) (Noctuidae) Synonymy: unipuncta Hampson,1902 Range (as code): **ZA**

11463.Mimeusemia albigutta (Karsch,1895) (Noctuidae) Synonymy: albigutta Karsch,1895; geraldi Kirby,1896 Range (as code): **UG**

11464.Mimleucania perstriata Hampson,1909 (Noctuidae) Synonymy: perstriata Hampson,1909 Range (as code): **ZA**

11465.Miniodes discolor Guenée,1852 (Noctuidae) Synonymy: discolor Guenée,1852 Range (as code): **ZA Nta Kzu Dbn SL NE CI**

11466.Minucia confinis (Wallengren,1856) (Noctuidae) Synonymy: confinis Wallengren,1856 Range (as code): **ZA**

11467.Minucia finitima (Wallengren,1856) (Noctuidae) Synonymy: finitima Wallengren,1856 Range (as code): **ZA**

11468.Minucia maculata (Wallengren,1856) (Noctuidae) Synonymy: maculata Wallengren,1856 Range (as code): **ZA**

11469.Mionides lichenea Hampson,1902 (Noctuidae) Synonymy: lichenea Hampson,1902; #lichinea Janse,1937 Range (as code): **ZA Nta Kzu Est**

11470.Mitrophrys ansorgei (Rothschild,1897) (Noctuidae) Synonymy: ansorgei Rothschild,1897 Range (as code): **ZA KE UG**

11471.Mitrophrys barnsi Joicey & Talbot,1921 (Noctuidae) Synonymy: barnsi Joicey & Talbot,1921; jordani Kiriakoff,1955 Range (as code): **ZR Kga**

11472.Mitrophrys gynandra Jordan,1913 (Noctuidae) Synonymy: gynandra Jordan,1913 Range (as code): **AO**

11473.Mitrophrys kenyamagaribae Stoneham,1963 (Noctuidae) Synonymy: kenyamagaribae Stoneham,1963 Range (as code): **KE**

11474.Mitrophrys latreilli (Herrich-Schäffer,[1853]) (Noctuidae) Synonymy: latreilli Herrich-Schäffer,[1853] Range (as code): **ZA MW Zom ZW SN GM**

11475.Mitrophrys magna (Walker,1854) (Noctuidae) Synonymy: magna Walker,1854; abyssinica Hampson,1901; obliquisigna Hampson,1901; kibwezensis Strand,1909; mesia Jordan,1913 Range (as code): **SL KE Kib SD SD08**

11476.Mitrophrys menete (Cramer,[1775]) (Noctuidae) Synonymy: menete Cramer,[1775]; formosa Fabricius,1787; boisduvalii Boisduval,1874; rubida R.Felder,1874 Range (as code): **SL ET**

11477.Mniotype compitalis (Draudt,1909) (Noctuidae) Synonymy: compitalis Draudt,1909; leptitanus Turati,1924. Range (as code): **EG LY Cy**

11478.Mniotype fulva (Rothschild,1914) (Noctuidae) Synonymy: fulva Rothschild,1914; maribelae Perez-Lopez & Morente-Benitez,1996 Range (as code): **MA TN DZ Perr Ges Bsk ES**

11479.Mniotype johanna (Staudinger,1898) (Noctuidae) Synonymy: johanna Staudinger,1898; grisea D.Lucas,1908 Range (as code): **TN JO IL Jt Pa**

11480.Mniotype solieri (Boisduval,1840) (Noctuidae) Synonymy: solieri Boisduval,1940 Range (as code): **MA DZ Abe BSa Ktr Bsk Lbs Btna Hmk Dhm Bdj Hrh Agi Clo Co Si IT GB CH AT YU AL BG GR DK TR**

11481.Mniotype spinosa (Chrétien,1911) (Noctuidae) Synonymy: spinosa Chrétien,1911 Range (as code): **DZ TN Gf PT ES FR Co Sa IT**

11482.Mocis conveniens (Walker,1858) (Noctuidae) Synonymy: conveniens Walker,1858; detersa Walker,1865 Range (as code): **ZR SL**

11483.Mocis conveniens (Walker,1858) (Noctuidae) Synonymy: conveniens Walker,1858; detersa Walker,1865. Range (as code): **ZA Nta Kzu Dbn ZW Har Ec ET Sw ET24 ET10 YE Ad ZR NG SD SL KE**

11484.Mocis frugalis (Fabricius,1775) (Noctuidae) Synonymy: frugalis Fabricius,1775; lycopodia Geyer,1837; translata Walker,1865. Range (as code): **PC NC ZA Nta Kzu Dbn NG ZR MG ET ET24 YE Ad IN Mh Nsk LK Kndy Tcm MM TW Bor Ja ID AU WS FJ TO EL NH PG MY TH CMa Dst Cmz Cuo Cu01 LA KH PK PH Boh Luz Pq CV ST NE SD EG SO ZM MW ZW MG KM MU SC SA BH OM NP SI VN CN JP ID MY QAu NSw**

11485.Mocis mayeri (Boisduval,1833) (Noctuidae) Synonymy: mayeri Boisduval,1833; pellita Guenée,1852; jugalis Walker,1858; mutuata Walker,1858; associata Walker,1865; diffundens Walker,1865; inconcisa Walker,1865; subaenescens Walker,1869. Range (as code): **ZA ET Sw ET10**

11486.Mocis mutuaria (Walker,1858) (Noctuidae) Synonymy: mutuaria Walker,1858; judicans Walker,1858; insulsa Wallengren,1860; torpida Walker,1865; nigrimacula Mabille,1879. Range (as code): **ZA Nta Kzu Kkf KE ZW Har ET ET24 Sw**

11487.Mocis proverai Zilli,2000 (Noctuidae) Synonymy: proverai Zilli,2000 Range (as code): **CI BF GH NG CM CG SD KE TZ MG ZR SA YE BH**

11488.Mocis undata (Fabricius,1775) (Noctuidae) Synonymy: undata Fabricius,1775; archesia Cramer,1780; virbia Cramer,1780; gregalis Guenée,1852; bifasciata Walker,1865; philippiensis Strand,1917; uberia Wileman,1923 Range (as code): **PK K-P SL CM ZR KE ZW Har MU RU Sb Us CN TW JP IN Mh Nsk LK MM Adm Nk ID Ja Bor Swk Sda Sum Tim Flo Sbw PG PC ZA Nta Kzu Dbn TH CMa Cuo Cu01 Knc Rng KH VN NP PH Luz Pq Boh Mno Crg Pal Olg**

11489.Mormo maura (Linnaeus,1758) (Noctuidae) Synonymy: maura Linnaeus,1758; lemur Meinecke,1775; usta Fourcroy,1785; deusta Geoffroy,1799; cypriaca Hacker,1996 Range (as code): **MA DZ Ges Dzc Dhm Hrh Sbd Abe Lbs TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY AM GG Bjo Smt Lag AZ Kir Cc TR DK RU Kr MD UA BY IL Hf Pa IQ Shq LB Bsa TM IR 06 08 13 30 33 46 56**

11490.Myalila typica Strand,1909 (Noctuidae) Synonymy: typica Strand,1909 Range (as code): **ZA**

11491.Mythimna (Aletia) consanguis (Guenée,1852) (Noctuidae) Synonymy: consanguis Guenée,1852 Range (as code): **ID Sum Ja AU QAu Bri NSw Syd NC ZR EG Sk SY Pmy TR KE ET ZA Nta Kzu Est Dbn Wca Cto Tra Ec ZW Har IN Kul Hp Kma Pj Sml Drm SI Nl LK MU JP CN PK Abb Txl 01 31**

11492.Mythimna (Aletia) inframicans (Hampson,1893) (Noctuidae) Synonymy: inframicans Hampson,1893 Range (as code): **ZA**

11493.Mythimna (Aletia) l-album (Linnaeus,1767) (Noctuidae) Synonymy: l-album Linnaeus,1767; penicillata Moore,1881 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE LV RU Ur MD UA BY IR Fa Ke Lo Es Ha Ss Gh Elb Th Dam Kdj Ab Kz Yas AF Gbh PK IN Pj Sml Dlh Hp Kul Up Bhi SI NP CY IQ LB Bei Bsa IL Pa KK KG CN UZ Lvv Tk Dj Ax N-A Ro St Kr Kb Nt Ich Da Thu Smt Bjo Lag Kir Nv Ord Oru Sdt Kd Bne Gls Kh Agi Anna Ges Lgt Blid Bsk Btna Lbs Khh Dhm Prr Abe Sbd Afl BSa Hrh Psu Gg Txl Abb Nar Sai 01 05 06 07 08 10 12 13 16 17 18 21 25 30 31 32 33 34 36 38 39 42 44 45 46 49 50 51 56 58 61 62 63 65 69 72 80**

11494.Mythimna (Aletia) laevusta (Berio,1955) (Noctuidae) Synonymy: laevusta Berio,1955 Range (as code): **ZA**

11495.Mythimna (Aletia) larseni Wiltshire,1985 (Noctuidae) Synonymy: larseni Wiltshire,1985 Range (as code): **SA ET ET24**

11496.Mythimna (Aletia) operosa (Saalmüller,1891) (Noctuidae) Synonymy: operosa Saalmüller,1891 Range (as code): **ZA**

11497.Mythimna (Aletia) panarista (D.S.Fletcher,1963) (Noctuidae) Synonymy: panarista D.S.Fletcher,1963 Range (as code): **ZA**

11498.Mythimna (Aletia) pyrausta (Hampson,1913) (Noctuidae) Synonymy: pyrausta Hampson,1913 Range (as code): **ZA**

11499.Mythimna (Aletia) sicula (Treitschke,1835) (Noctuidae) Synonymy: sicula Treischke,1835; cyperi Boisduval,1840; dactylidis Boisduval,1840; montium Boisduval,1840; albivena Graslin,1852; fuscilinea Graslin,1852; belgiensis Derenne,1931; bavarica Forster & Wohlfahrt,1971 Range (as code): **Abe Sbd MA DZ Ah Ges Gue Btna Bsk Agi Dhm Tun Dzc Ahr Hmk Hrh Mzg TN PT ES FR Co Sa Si IT MT BE NL DE CH YU HV AL BG GR Cr TR CY YE YE47 01 09 17 21 22 31 34 59 63 65**

11500.Mythimna (Aletia) straminea (Treitschke,1825) (Noctuidae) Synonymy: straminea Treitschke,1825 Range (as code): **MA ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Kr Kc Ich Da MD UA BY LB Beq IR Elb Gh Enz 01 57 58 63**

11501.Mythimna (Aletia) tincta (Walker,1858) (Noctuidae) Synonymy: tincta Walker,1858 Range (as code): **ZA Nta Kzu Est**

11502.Mythimna (Aletia) umbrigera (Saalmüller,1891) (Noctuidae) Synonymy: umbrigera Saalmüller,1891 Range (as code): **ES GR ZA**

11503.Mythimna (Aletia) vitellina (Hübner,[1808]) (Noctuidae) Synonymy: vitellina Hübner,[1808]; #vitellena Lederer,1870; decolorata Dannehl,1929; saturatior Dannehl,1929; grisescens Dannehl,1929. Range (as code): **Cn MA MR DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Ry Rwz Dia Agh DK RU At MD UA BY PK Ch NP IN Pj Kul CN IR Lo Es Ha Kh Fa Mz Elb Th Kdj AF Hr UZ Fe KK Ik TM KG TJ CY AZ Bak GG Cc LB Bsa SY JO IL Pa T-A Kp N-A Br Ro Kr St Kc Kb Nt Ing Ich Da Tbl Smt Bjo Bku Kir Gls Agi Blid Khh Gue Ges Btna BSa Anna Orn Abe Sfr Sbd Dhm Sét Hrh Hmk Lvv 01 02 03 05 06 07 08 09 13 16 17 18 21 22 23 24 25 27 28 29 30 31 33 34 35 36 37 39 42 44 45 46 48 49 50 51 52 56 58 62 63 65 72 73 75 76 80**

11504.Mythimna (Anapoma) riparia (Rambur,1829) (Noctuidae) Synonymy: riparia Rambur,1829 Range (as code): **MA DZ Sfr Btna Abe PT ES FR Co Sa Si IT YU AL BG GR Cr TR CY IR Mz Elb Gls Kh TM IL Pa SY 10 22 48 60 63**

11505.Mythimna (Hyphilare) ferrago (Fabricius,1787) (Noctuidae) Synonymy: ferrago Fabricius,1787; lithargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858;

meridionalis Dannehl,1926 Range (as code): **DZ MA PT ES FR Co Sa Si AD IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ IR Fa Mz Elb Th Dam Gh DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Ing Da At Sb Ur MD UA BY CN Ui Kun TM KK TrA KG LB IL Pa PK Gg Ch Kag Hu Swa GG AZ AM Cc Smt Lvv Bjo Mng Lag Kir Haz Abe Sbd Sét Dhm TN TJ Kön Sha Bt Deo Hk 01 04 06 07 08 09 12 13 24 28 30 33 36 39 42 44 45 46 49 50 56 58 61 62 65 66**

11506.Mythimna (Morphopoliana) altiphila Hreblay & Legrain,1996 (Noctuidae) Synonymy: altiphila Hreblay & Legrain,1996 Range (as code): **ET**

11507.Mythimna (Morphopoliana) atritorna (Hampson,1911) (Noctuidae) Synonymy: atritorna Hampson,1911 Range (as code): **NG**

11508.Mythimna (Morphopoliana) graditornalis Berio,1970 (Noctuidae) Synonymy: graditornalis Berio,1970 Range (as code): **ZR**

11509.Mythimna (Morphopoliana) languida (Walker,1858) (Noctuidae) Synonymy: consanguis auct. nec Gn.,1852; languida Walker,1858; zachii Bohatsch,1880; abbas Bethune-Baker,1894; arbia Boursin & Rungs,1952. Range (as code): **DZ MT PT FR GR Cr TR EG EG05 ZA Nta LB Beq Bei IL Pa SY JO IR Fa Ss IQ CY 07 09 33 63**

11510.Mythimna (Morphopoliana) mauritiusi Hreblay,1998 (Noctuidae) Synonymy: mauritiusi Hreblay,1998 Range (as code): **MU MG**

11511.Mythimna (Morphopoliana) montigena Hreblay & Legrain,1996 (Noctuidae) Synonymy: montigena Hreblay & Legrain,1996 Range (as code): **TZ**

11512.Mythimna (Morphopoliana) natalensis (Butler,1875) (Noctuidae) Synonymy: natalensis Butler,1875 Range (as code): **ZA Nta Kzu Tva Lpo ZW MW ZA MZ YE UG**

11513.Mythimna (Morphopoliana) poliastis (Hampson,1902) (Noctuidae) Synonymy: poliastis Hampson,1902 Range (as code): **KE Nai ZW Har ZA Tva Gau Pre Ec Tra**

11514.Mythimna (Prodigithymna) prominens (Walker,1856) (Noctuidae) Synonymy: prominens Walker,1856; hispanica Bellier,1863; tiburtina Turati,1909; provvisoria Berio,1962 Range (as code): **ZA ZR PT ES FR Sa IT MT GR AL TR IR Hz Ss Fa 07 31 33**

11515.Mythimna (Pseudaletia) unipuncta (Haworth,[1809]) (Noctuidae) Synonymy: unipuncta Haworth,[1809]; extranea Guenée,1852; antica Walker,1856; tseki Koutsaftikis,1974. Range (as code): **Md Cn DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB NL LU DE CH AT PL CZ SK HU RO AL BG GR Cr TR DK SE RU Ur Sb At Am Us MD UA BY AF Gbh Pli Srb Kab CN JP Ch IN Pj Kul PK Mre Cp Hp Drm SI Clc Bba ID Ja AU NSw Syd NZ CA US Ny Iln Alb NMx Arz Tx Kan Col MX GT Prj CR PA BR AR VE CU PU Az Flo CY IL Pa LB Bsa SY Hal JO ZA Nta Kzu IR Mz Elb Th Gls Dam Kd Sqq Bne Lo Cc Ro St Kb Kc Nt Ich Cp Haz YE Ad Dhm Abe 01 07 08 13 18 22 31 33 42 50 51 56 58 65 70 80**

11516.Mythimna insularis (Butler,1880) (Noctuidae) Synonymy: insularis Butler,1880; albivena Moore,1881; irrorata Moore,1881. Range (as code): **TW PK Txl ZA**

11517.Mythimna joannisi Boursin & Rungs,1952 (Noctuidae) Synonymy: joannisi Boursin & Rungs,1952 Range (as code): **MA PT ES FR Co Sa IT GR IR Hz B-A**

11518.Mythimna sokotrensis Hreblay,1996 (Noctuidae) Synonymy: sokotrensis Hreblay,1996 Range (as code): **YE Sk ET ET24**

11519.Naarda flavisignata Vari,1962 (Noctuidae) Synonymy: flavisignata Vari,1962 Range (as code): **ZA**

11520.Naarda leucopis Hampson,1902 (Noctuidae) Synonymy: leucopis Hampson,1902 Range (as code): **ZA Ec Tra**

11521.Naarda melanomma Hampson,1902 (Noctuidae) Synonymy: melanomma Hampson,1902 Range (as code): **ZA**

11522.Naarda xanthopis Hampson,1902 (Noctuidae) Synonymy: xanthopis Hampson,1902 Range (as code): **ZA**

11523.Nagia amplificans (Walker,1858) (Noctuidae) Synonymy: amplificans Walker,1858 Range (as code): **ZA Nta Kzu**

11524.Nagia evanescens Hampson,1926 (Noctuidae) Synonymy: evanescens Hampson,1926 Range (as code): **NG Caa**

11525.Nagia gravipes Walker,1858 (Noctuidae) Synonymy: gravipes Walker,1858 Range (as code): **ZA SL**

11526.Nagia homotona Hampson,1926 (Noctuidae) Synonymy: homotona Hampson,1926 Range (as code): **GH**

11527.Nagia linteola (Guenée,1852) (Noctuidae) Synonymy: linteola Guenée,1852; pilipes Guenée,1852; syba Guenée,1852; ecclesiastica Butler,1874; leucocelis Mabille,1879; accolytis Hampson,1926; hieratica Hampson,1926; monastica Hampson,1926; proselytis Hampson,1926; magaruna De Joannis,1932; homotica Tams,1935 Range (as code): **ZA ZR CM TZ ZM WS MU PG TO MG AU NAu QAu WAu ET MH CC MM TH CMa Dst Mth MM VN IN NP LK ID Bor YE Sk RE PH Pan Bly**

11528.Nagia melipotica Hampson,1926 (Noctuidae) Synonymy: melipotica Hampson,1926 Range (as code): **ZA Nta Kzu Dbn**

11529. **Nagia microsema Hampson,1926** (Noctuidae) Synonymy: microsema Hampson,1926 Range (as code): **GH**
11530. **Nagia monosema Hampson,1926** (Noctuidae) Synonymy: monosema Hampson,1926 Range (as code): **GH**
11531. **Nagia natalensis (Hampson,1902)** (Noctuidae) Synonymy: natalensis Hampson,1902 Range (as code): **ZA Nta Kzu**
11532. **Nagia pseudonatalensis (Strand,1912)** (Noctuidae) Synonymy: pseudonatalensis Strand,1912 Range (as code): **TZ**
11533. **Nagia sacerdotis Hampson,1926** (Noctuidae) Synonymy: sacerdotis Hampson,1926 Range (as code): **ZA Tva Lpo**
11534. **Nagia subalbida Hampson,1926** (Noctuidae) Synonymy: subalbida Hampson,1926 Range (as code): **ZA Tva Lpo Ly**
11535. **Nagia vadoni Viette,1968** (Noctuidae) Synonymy: vadoni Viette,1968 Range (as code): **MG**
11536. **Namangana adela (Hampson,1902)** (Noctuidae) Synonymy: adela Hampson,1902 Range (as code): **ZA BW**
11537. **Namangana atripars Hampson,1909** (Noctuidae) Synonymy: atripars Hampson,1909 Range (as code): **ZA Ec**
11538. **Namangana thyatirodes Hampson,1918** (Noctuidae) Synonymy: thyatirodes Hampson,1918 Range (as code): **ZA MZ**
11539. **Neaxestis acutangula Hampson,1902** (Noctuidae) Synonymy: acuatangula Hampson,1902; #actuangula Hampson,1902 Range (as code): **ZA Ans Ec**
11540. **Neaxestis aviuncis Wiltshire,1984** (Noctuidae) Synonymy: aviuncis Wiltshire,1984 Range (as code): **ZA**
11541. **Neaxestis griseata Hampson,1902** (Noctuidae) Synonymy: griseata Hampson,1902 Range (as code): **ZW Uma**
11542. **Neaxestis irrorata (Hampson,1910)** (Noctuidae) Synonymy: irrorata Hampson,1910 Range (as code): **ZA**
11543. **Neaxestis mesogonia (Hampson,1905)** (Noctuidae) Synonymy: mesogonia Hampson,1905 Range (as code): **ET SD GM MR**
11544. **Neaxestis piperita (Hampson,1905)** (Noctuidae) Synonymy: piperita Hampson,1905 Range (as code): **NG**
11545. **Neaxestis rhoda Hampson,1905** (Noctuidae) Synonymy: rhoda Hampson,1905 Range (as code): **ZA Tva Lpo Spb Mdk ZW**
11546. **Negeta luminosa (Walker,1858)** (Noctuidae) Synonymy: luminosa Walker,1858 Range (as code): **ZA NG MR YE SL**
11547. **Negeta nivea (Hampson,1902)** (Noctuidae) Synonymy: nivea Hampson,1902 Range (as code): **ZW Har**
11548. **Negeta purpurascens Hampson,1912** (Noctuidae) Synonymy: purpurascens Hampson,1912 Range (as code): **GH MR**
11549. **Negeta ruficeps (Hampson,1902)** (Noctuidae) Synonymy: ruficeps Hampson,1902 Range (as code): **ZA**
11550. **Negeta semialba Hampson,1918** (Noctuidae) Synonymy: semialba Hampson,1918 Range (as code): **ZA**
11551. **Neochrostis diplogramma Hampson,1902** (Noctuidae) Synonymy: diplogramma Hampson,1902 Range (as code): **ZA**
11552. **Neocucullia albisignata Janse,1939** (Noctuidae) Synonymy: albisignata Janse,1939 Range (as code): **ZA**
11553. **Neogalea sunia (Guenée,1852)** (Noctuidae) Synonymy: sunia Guenée,1852; esula Druce,1889; braziliensis Hampson,1905; longfieldae Hayes,1975 [ssp.] Range (as code): **US SCa Lou MX GP MQ BR AR ZA AU QAu NSw NC NF Hw GS**
11554. **Neostichtis nigricostata (Hampson,1908)** (Noctuidae) Synonymy: nigricostata Hampson,1908 Range (as code): **SL MU ZA Mpu ZA14 Tva Lpo Hae Spb Tsh**
11555. **Nezonycta pusilla (Püngeler,1900)** (Noctuidae) Synonymy: pusilla Püngeler,1900 Range (as code): **TM Kp AF Gbh TJ Pm TR IR Fa Sse Gh Elb Dam Ke KE Yz 25 30 65**
11556. **Nigramma malgassica Kenrick,1917** (Noctuidae) Synonymy: malgassica Kenrick,1917 Range (as code): **MG**
11557. **Nocthadena griseoviridis Laporte,1976** (Noctuidae) Synonymy: griseoviridis Laporte,1976 Range (as code): **ET ET45**

11558.Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: janthina [Denis & Schiffermüller],1775; flavomaculata Goeze,1781; altica Geoffroy,1785; latimarginata Röber,1900; algirica Oberthür,1918; intermedia Rothschild,1920 Range (as code): **DZ Abe Agi Anna Dhm TN PT ES FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI LV LT RU Ro Kr Kb Nt Ich Ing Da Der MD UA Cm Lvv BY LB IQ IR Elb Mz Dam Cc AZ Kir 01 03 05 06 07 11 13 16 17 18 30 33 38 39 42 46 56 59 60 65 70 72**

11559.Noctua (Lampra) fimbriata (Schreber,1759) (Noctuidae) Synonymy: fimbriata Schreber,1759; domiduca Hufnagel,1766; fimbria Linnaeus,1767; solani Fabricius,1787. Range (as code): **DZ Clo Dhm TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Ro Nov Kr St Kb Kc Nt Ich Ing Da MD UA Ode Cm Lvv BY AM GG Smt Bjo AZ Kir Cc IR Gls 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 56 59 60 62 65 73 80**

11560.Noctua (Latanoctua) orbona (Hufnagel,1766) (Noctuidae) Synonymy: orbona Hufnagel,1766; subsequa [Denis & Schiffermüller],1775; caroni Lempke,1964. Range (as code): **MA DZ TN LY PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA Cm BY IR Lo By Yas Zj Elb Th Kdj Kd LB Bsa SY IQ GG Smt Akh Bjo Tbl AZ Hkd Kir Nv Ord AM Cc TM UZ N-A AF Kh LU KG Uk KK Osh TJ Pm Chr Tbl Smt Bjo Lag Kir Nv Ord Bne Ges Clo PK Abb 01 03 04 05 06 07 08 13 14 16 17 18 21 23 25 27 28 30 31 36 38 39 42 43 46 47 50 51 56 58 59 60 62 63 65 66 70 72**

11561.Noctua (Paranoctua) comes (Hübner,[1813]) (Noctuidae) Synonymy: orbona Fabricius,1787 nec Hufn.,1767; comes Hübner,[1813]; adsequa Treitschke,1825; prosequa Treitschke,1825; bergensis Sp.-Schn.,1901. Range (as code): **MA DZ Dzc Hrh Abe Sbd Lbs Dhm Tun Btna TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT IR Lo Ke Fa Enz Gh Ab Kz Km Kd Lo Mz Gls Elb Kh IQ SY LB Bsa IL Hf Pa JO AM GG Tbl Cc RU Ro Kr St Kb Da Der 01 05 06 07 08 09 10 11 13 16 21 22 30 31 33 39 42 43 44 45 46 56 59 63 65 72 73**

11562.Noctua (s.str.) janthe (Borkhausen,1792) (Noctuidae) Synonymy: janthe Borkhausen,1792; algirica Oberthür,1918; intermedia Rothschild,1920 Range (as code): **MA DZ Agi Abe TN ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK YU AL TR DK NO SE FI EE LV UA Lvv 65**

11563.Noctua (s.str.) pronuba (Linnaeus,1758) (Noctuidae) Synonymy: pronuba Linnaeus,1758; connuba Hübner,[1822]; innuba Treitschke,1825; hoegei Herrich-Schäffer,1861; nigra Krausse,1912 nec Piesz.,1908; decolorata Turati,1923. Range (as code): **MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK NO SE FI EE LV LT RU Nov Sr MD UA Cm BY IR Fa Mz Gh Elb Th Kd Bu Dlk IQ Agh Dy Kbl Kro AF PK IN GG Tbl Bjo AZ Kir AM Cc Sb Ur LB Bsa IL Hf Pa JO Lvv Sn Az Cn UZ Br Ro Kr St Kc Kb Nt Ing Kyi Da Tbl Smt Bjo Lag Kir Bne Gls Btna Agi Dhm Bdj BSa Khh Orn Anna Abe Sbd Afl Knt Hrh Mzg 01 04 05 06 07 08 13 14 16 17 18 21 24 27 28 30 31 33 34 35 36 39 42 43 44 45 46 50 51 56 58 59 60 61 62 63 65 71 72 73**

11564.Nodaria brachialis (Zeller,1852) (Noctuidae) Synonymy: brachialis Zeller,1852; externalis Guenée,1854; indecisa Walker,1866; indistincta Butler,1880; zema Strand,1920 Range (as code): **ZA Nta Kzu IN TW TH CMa Lmp Mae AF PK LK NP MY Bor Swk ID Sum CN JP MU SC**

11565.Nodaria melaleuca Hampson,1902 (Noctuidae) Synonymy: melaleuca Hampson,1902 Range (as code): **ZA**

11566.Nodaria nodosalis (Herrich-Schäffer,[1851]) (Noctuidae) Synonymy: nodosalis Herrich-Schäffer,[1851]; aethiopalis Herrich-Schäffer,[1851]; hispanalis Guenée,1854; aesopusalis Walker,[1859]; #nododalis Hacker,1992. Range (as code): **MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT HV B-H YU AL GR Cr TR LB Bei IL Pa ZA UG SA YE 07**

11567.Nodaria parallela Bethune-Baker,1911 (Noctuidae) Synonymy: parallela Bethune-Baker,1911 Range (as code): **AO**

11568.Nola (Angensteinia) amhara Hacker,2012 (Noctuidae) Synonymy: amhara Hacker,2012 Range (as code): **ET ETo9 Ble Oro Amh KE Elg**

11569.Nola (Angensteinia) melaleuca (Hampson,1901) (Noctuidae) Synonymy: melaleuca Hampson,1901 Range (as code): **UG TZ Mru KE**

11570.Nola (Angensteinia) ornatulana Hacker,2012 (Noctuidae) Synonymy: ornatulana Hacker,2012 Range (as code): **ZA Ec Grh Kny**

11571.Nola (Angensteinia) primigena Hacker,2012 (Noctuidae) Synonymy: primigena Hacker,2012 Range (as code): **KE**

11572.Nola (Angensteinia) pseudomelanoscelis Hacker,2012 (Noctuidae) Synonymy: pseudomelanoscelis Hacker,2012 Range (as code): **UG ET ET181 Oro Snnp KE Kkm**

11573.Nola (Mecothrix) abyssinica Hacker,2012 (Noctuidae) Synonymy: abyssinica Hacker,2012 Range (as code): **ET ETo9 ET181 ET281 Snnp Oro RW MW ZR Kvu UG TZ Mru Usa Tnga Kmj Iri KE Nai Kkm Kya Tet ZA Mpu Brb**

11574.Nola (Mecothrix) adelpha (D.S.Fletcher,1958) (Noctuidae) Synonymy: adelpha D.S.Fletcher,1958 Range (as code): **UG Rz KE TZ Kmj ET Ble**

11575.Nola (Mecothrix) aegyptiaca Snellen,1875 (Noctuidae) Synonymy: aegyptiaca Snellen,1875 Range (as code): **CY EG EG11 JO Amm TZ Mru Mgr Usa SO ET ETo9 SD Wme KE BF YE YE68 Hd**

11576.Nola (Mecothrix) afroalpina Hacker,2012 (Noctuidae) Synonymy: afroalpina Hacker,2012 Range (as code): **KE Elg**

11577. **Nola (Mecothrix) balealpina Hacker,2012** (Noctuidae) Synonymy: balealpina Hacker,2012 Range (as code): **ET Ble Oro**
11578. **Nola (Mecothrix) bittermanni Hacker,2012** (Noctuidae) Synonymy: bittermanni Hacker,2012 Range (as code): **YE Sna ET ET09**
11579. **Nola (Mecothrix) brachymorpha Hacker,2012** (Noctuidae) Synonymy: brachymorpha Hacker,2012 Range (as code): **TZ**
11580. **Nola (Mecothrix) cana Hacker,2012** (Noctuidae) Synonymy: cana Hacker,2012 Range (as code): **NA MZ ZA Tva Mpu Brb Gau Nta Kzu Lpo**
11581. **Nola (Mecothrix) denauxi Orhant,2003** (Noctuidae) Synonymy: denauxi Orhant,2003 Range (as code): **RE**
11582. **Nola (Mecothrix) destituta Hacker,2012** (Noctuidae) Synonymy: destituta Hacker,2012 Range (as code): **ET Oro**
11583. **Nola (Mecothrix) flaviciliata (Hampson,1901)** (Noctuidae) Synonymy: flaviciliata Hampson,1901 Range (as code): **SL**
11584. **Nola (Mecothrix) guillermeti Orhant,2003** (Noctuidae) Synonymy: guillermeti Orhant,2003 Range (as code): **RE**
11585. **Nola (Mecothrix) herbuloti De Toulgoet,1982** (Noctuidae) Synonymy: herbuloti De Toulgoet,1982 Range (as code): **RE**
11586. **Nola (Mecothrix) iridescens (Van Son,1933)** (Noctuidae) Synonymy: iridescens Van Son,1933 Range (as code): **ZA Wca Tva Ste Kny Nta Kzu Lpo ZW**
11587. **Nola (Mecothrix) lobmayeri Hacker,2012** (Noctuidae) Synonymy: lobmayeri Hacker,2012 Range (as code): **KE Elg**
11588. **Nola (Mecothrix) melalopha Hampson,1900** (Noctuidae) Synonymy: melalopha Hampson,1900 Range (as code): **GH GA**
11589. **Nola (Mecothrix) mineti Hacker,2002** (Noctuidae) Synonymy: mineti Hacker,2002 Range (as code): **MG**
11590. **Nola (Mecothrix) obliquilinealis (Toulgoet,1972)** (Noctuidae) Synonymy: obliquilinealis Toulgoet,1972 Range (as code): **MG**
11591. **Nola (Mecothrix) omphalota (Hampson,1903)** (Noctuidae) Synonymy: omphalota Hampson,1903 Range (as code): **NG Caa SL CI GH ET Oro ET181 TZ Mgr**
11592. **Nola (Mecothrix) phaeocraspis (Hampson,1909)** (Noctuidae) Synonymy: phaeocraspis Hampson,1909; megasema Hampson,1914 Range (as code): **NG CI BF GH ZA**
11593. **Nola (Mecothrix) poliophasma (D.S.Fletcher,1958)** (Noctuidae) Synonymy: poliophasma D.S.Fletcher,1958 Range (as code): **UG Rz TZ Usa Tnga Uzu Mru Mgr ET Snnp ET09 Oro KE Nai Kkm ZR CG**
11594. **Nola (Mecothrix) toulgoetiana Hacker & Hoppe,2012** (Noctuidae) Synonymy: toulgoetiana Hacker & Hoppe,2012 Range (as code): **GO Bio**
11595. **Nola (Mecothrix) triangulalis (Toulgoet,1961)** (Noctuidae) Synonymy: triangulalis Toulgoet,1961 Range (as code): **MG**
11596. **Nola (Mecothrix) undulata (D.S.Fletcher,1962)** (Noctuidae) Synonymy: undulata D.S.Fletcher,1962 Range (as code): **TZ Mru**
11597. **Nola (Mecothrix) usambara Hacker,2012** (Noctuidae) Synonymy: usambara Hacker,2012 Range (as code): **TZ Usa Tnga Uzu Mgr Pwa**
11598. **Nola (s.str.) aarviki Hacker,2012** (Noctuidae) Synonymy: aarviki Hacker,2012 Range (as code): **TZ Mgr**
11599. **Nola (s.str.) afrotaeniata Hacker,2012** (Noctuidae) Synonymy: afrotaeniata Hacker,2012 Range (as code): **ET ET277 TZ Mru Mgr KE Nai CM CG NA**
11600. **Nola (s.str.) algeriae Hacker,2012** (Noctuidae) Synonymy: algeriae Hacker,2012 Range (as code): **ZA Wca**
11601. **Nola (s.str.) angensteini Hacker,2012** (Noctuidae) Synonymy: angensteini Hacker,2012 Range (as code): **ET RW**
11602. **Nola (s.str.) barbertonensis (Van Son,1933)** (Noctuidae) Synonymy: barbertonensis Van Son,1933 Range (as code): **ZA Mpu Tva Brb Nta Kzu Nha Srn Kkf Umk Ec Elo Mal ZA14 Nca**
11603. **Nola (s.str.) biangulata (Toulgoet,1954)** (Noctuidae) Synonymy: biangulata Toulgoet,1954 Range (as code): **MG KM TZ Usa Mru KE Nai Tet ET ET09 Oro RW ZR Lbu**
11604. **Nola (s.str.) borbonica Guillermet,2005** (Noctuidae) Synonymy: borbonica Guillermet,2005 Range (as code): **RE**

11605. **Nola (s.str.) chaetosoma Hacker,2012** (Noctuidae) Synonymy: chaetosoma Hacker,2012 Range (as code): **TZ Mgr Usa Tnga**
11606. **Nola (s.str.) chlamitulalis (Hübner,[1813])** (Noctuidae) Synonymy: chlamitulalis Hübner,[1813]; chlamydulana Duponchel,[1845] Range (as code): **DZ Agi Gue ES Mu Alc FR Co Sa Si IT DE CH AT SK HU BG GR Cr MK TR LB Bei IL Hf Pa CY IR Mz EG UA Cm 01 07 17 22 31 34 35 44 48 56 61**
11607. **Nola (s.str.) crinomorpha Hacker,2012** (Noctuidae) Synonymy: crinomorpha Hacker,2012 Range (as code): **TZ Uzu**
11608. **Nola (s.str.) cucullatella (Linnaeus,1758)** (Noctuidae) Synonymy: cucullatella Linnaeus,1758; ludvigella Müller,1764; palliola [Denis & Schiffermüller],1775; pygmaria Fabricius,1794; palliolalis Hübner,1796; cucullatalis Haworth,1811; cucullatana Hübner,[1825]; fuliginalis Stephens,1834 Range (as code): **MA TN ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU YU BG GR TR DK NO SE FI EE LV LT RU Vl Sr Ro Ur IL Pa Js MD UA Lvv BY IR Elb Mz 07 10 14 16 33**
11609. **Nola (s.str.) derrae Hacker,2012** (Noctuidae) Synonymy: derrae Hacker,2012 Range (as code): **YE Sna Ad ET ET281**
11610. **Nola (s.str.) duercki (Zerny,1935)** (Noctuidae) Synonymy: duercki Zerny,1935 Range (as code): **MA**
11611. **Nola (s.str.) eupithecialis (Debauche,1942)** (Noctuidae) Synonymy: eupithecialis Debauche,1942 Range (as code): **ZR Kvu**
11612. **Nola (s.str.) hoppei Hacker,2012** (Noctuidae) Synonymy: hoppei Hacker,2012 Range (as code): **GO Bio**
11613. **Nola (s.str.) imitata (Van Son,1933)** (Noctuidae) Synonymy: imitata Van Son,1933 Range (as code): **ZW Maz Uma Hfo Har ZA Tva Gau Pre Lpo Spb Wp Mdt TZ Usa Tnga KE Nai Kkm Tvt**
11614. **Nola (s.str.) infantula Kitt,1926** (Noctuidae) Synonymy: infantula Kitt,1926 Range (as code): **AET FR Co IT Sa ES DZ Si LY TN Tun MA Ifr**
11615. **Nola (s.str.) jarzabekae Hacker,2012** (Noctuidae) Synonymy: jarzabekae Hacker,2012 Range (as code): **ET Oro**
11616. **Nola (s.str.) kaduna Hacker,2012** (Noctuidae) Synonymy: kaduna Hacker,2012 Range (as code): **NG CI**
11617. **Nola (s.str.) kihonda Hacker,2012** (Noctuidae) Synonymy: kihonda Hacker,2012 Range (as code): **TZ Mgr**
11618. **Nola (s.str.) legraini Hacker,2012** (Noctuidae) Synonymy: legraini Hacker,2012 Range (as code): **ZA Ec Grh**
11619. **Nola (s.str.) leptomorpha Hacker,2012** (Noctuidae) Synonymy: leptomorpha Hacker,2012 Range (as code): **TZ Mgr**
11620. **Nola (s.str.) lugubris Hacker,2012** (Noctuidae) Synonymy: lugubris Hacker,2012 Range (as code): **UG Elg**
11621. **Nola (s.str.) meridionalis Wallengren,1875** (Noctuidae) Synonymy: meridionalis Wallengren,1875 Range (as code): **ZA Tva Gau Pre**
11622. **Nola (s.str.) mikumi Hacker,2012** (Noctuidae) Synonymy: mikumi Hacker,2012 Range (as code): **TZ Mgr Ani Tnga**
11623. **Nola (s.str.) minimalis Hacker,2012** (Noctuidae) Synonymy: minimalis Hacker,2012 Range (as code): **ZA Ste Ec**
11624. **Nola (s.str.) paramelanoscelis Hacker,2012** (Noctuidae) Synonymy: paramelanoscelis Hacker,2012 Range (as code): **ET Snnp TZ**
11625. **Nola (s.str.) parasomata Hacker,2012** (Noctuidae) Synonymy: parasomata Hacker,2012 Range (as code): **TZ**
11626. **Nola (s.str.) psaromorpha Hacker,2012** (Noctuidae) Synonymy: psaromorpha Hacker,2012 Range (as code): **UG**
11627. **Nola (s.str.) rotundalis Toulgoet,1982** (Noctuidae) Synonymy: rotundalis Toulgoet,1982 Range (as code): **MG**
11628. **Nola (s.str.) socotrensis (Hampson,1901)** (Noctuidae) Synonymy: socotrensis Hampson,1901 Range (as code): **AET Sk ET Oro TZ Uzu Mgr Usa Ulg Ani KE Tvt CM SL GH ZA Wca Mpu Tva SZ NA MZ BW MW ZR Lbu BH SA SA63 YE Sna YE30 OM Dh PK Txl IR Ss Km Ksh**
11629. **Nola (s.str.) sphaeromorpha Hacker,2012** (Noctuidae) Synonymy: sphaeromorpha Hacker,2012 Range (as code): **ET Oro**
11630. **Nola (s.str.) squalida Staudinger,1871** (Noctuidae) Synonymy: squalida Staudinger,1871; musculalis Saalmüller,1880; turanica Staudinger,1887; fraterna Moore,1888; vanhasseltii Heylaerts,1892; ceylonica Hampson,1893; desmotes Turner,1899; parvula Chrétien,1913; mesoscia Hampson,1914; henrioti Warnecke,1937; minima Warnecke,1938; #squamosa Zukowsky,1941; priesneri Rebel,1948 Range (as code): **MA DZ Bsk Ges TN AL ES An FR Sa Si IT DE AL GR CY TR LB Bei IL Pa PK TJ AF Kab Nu Bsg Srb Pli UZ Fe Man IR Kz Fa Shr Kh Sbz EG EG11 AE OM IQ Bgd Bsr Sbn Agh CN TW LK Pdy 42 46**

11631. **Nola (s.str.) synethes D.S.Fletcher,1958** (Noctuidae) Synonymy: synethes D.S.Fletcher,1958 Range (as code): **UG Rz ET Oro KE Kkm Nak TZ Mru Mgr RW ZR Lbu**
11632. **Nola (s.str.) taeniata Snellen,1875** (Noctuidae) Synonymy: taeniata Snellen,1875; candida Butler,1879; fragilis Swinhoe,1890; mesozona Lucas,1890 Range (as code): **IN MM Rgo JP Ri ID Sum Clb MY Bor Sbh KBa AU ZA JP Ri VN TH PH AF Srb PK Nwf RU Us KP KR**
11633. **Nola (s.str.) transvirgata Hacker,2012** (Noctuidae) Synonymy: transvirgata Hacker,2012 Range (as code): **NA ZW**
11634. **Nola (s.str.) tutulella Zerny,1927** (Noctuidae) Synonymy: tutulella Zerny,1927 Range (as code): **AET PT ES MA Azr Ifr DZ Ski TN Tun**
11635. **Nola (s.str.) udzungwa Hacker,2012** (Noctuidae) Synonymy: udzungwa Hacker,2012 Range (as code): **TZ Mru Mgr Uzu**
11636. **Nola bananae Holland,1920** (Noctuidae) Synonymy: bananae Holland,1920 Range (as code): **ZR**
11637. **Nola furvitincta (Hampson,1914)** (Noctuidae) Synonymy: furvitincta Hampson,1914 Range (as code): **SL**
11638. **Nola geminata (Mabille,1900)** (Noctuidae) Synonymy: geminata Mabille,1900 Range (as code): **MG**
11639. **Nola lechriolalis Hacker,2012** (Noctuidae) Synonymy: lechriolalis Hacker,2012 Range (as code): **KE Nak**
11640. **Nola melanoscelis (Hampson,1914)** (Noctuidae) Synonymy: melanoscelis Hampson,1914 Range (as code): **GH ZA SL CM Lbu ZR TZ Mgr Kmj KE Mru Nai UG ET ET09**
11641. **Nola musculalis Saalmüller,1880** (Noctuidae) Synonymy: musculalis Saalmüller,1880 Range (as code): **MG**
11642. **Nola politzari Hacker,2012** (Noctuidae) Synonymy: politzari Hacker,2012 Range (as code): **BF**
11643. **Nola praefica Saalmüller,1884** (Noctuidae) Synonymy: praefica Saalmüller,1884 Range (as code): **ZA Nta Kzu Srn Kkf Ec Tra MG**
11644. **Nola quilimanensis Strand,1920** (Noctuidae) Synonymy: quilimanensis Strand,1920 Range (as code): **ZA**
11645. **Nola sarniensis (Van Son,1933)** (Noctuidae) Synonymy: sarniensis Van Son,1933 Range (as code): **ZA Nta Kzu Dbn Srn Umk Ptw**
11646. **Nola subchlamydula Staudinger,1870** (Noctuidae) Synonymy: subchlamydula Staudinger,1870; lathonialis Milliére,1872; kruegeri Turati,1911; praetextula Chrétien,1923; infantula Kitt,1926; derasa Zerny,1933; albidula Zerny,1934 Range (as code): **MA DZ Afl Lbs Hrh TN ES Mu FR Co Sa IT BE DE Bw CH AT YU BG GR Cr Sms TR LB Bei Bsa IR Fa IQ Cc RU Ao Da UA Cm 05 06 07 13? 25 31 33 48 56 72**
11647. **Nola submelanoscelis Hacker,2012** (Noctuidae) Synonymy: submelanoscelis Hacker,2012 Range (as code): **ZA Kzu Nta Dbn Umk ZW**
11648. **Nola thymula Millière,1867** (Noctuidae) Synonymy: thymula Millière,1867 Range (as code): **AET MA Ifr DZ Ges Btna Ktr Orn ES Mu FR IT**
11649. **Nola tineoides (Walker,[1858])** (Noctuidae) Synonymy: tineoides Walker,[1858]; partitalis Walker,[1866]; caffra Wallengren,1875 Range (as code): **ZA Tva Nta Kzu Ec NA**
11650. **Nola transecta Hampson,1901** (Noctuidae) Synonymy: transecta Hampson,1901 Range (as code): **SL**
11651. **Nolidia brandbergensis Hacker,2012** (Noctuidae) Synonymy: brandbergensis Hacker,2012 Range (as code): **NA**
11652. **Nolidia concinna (Hampson,1918)** (Noctuidae) Synonymy: concinna Hampson,1918 Range (as code): **MW Mje**
11653. **Nolidia continua Hacker,2012** (Noctuidae) Synonymy: continua Hacker,2012 Range (as code): **TZ Usa Mru**
11654. **Nolidia dallastai Hacker,2012** (Noctuidae) Synonymy: dallastai Hacker,2012 Range (as code): **KE**
11655. **Nolidia decrepita Hacker,2012** (Noctuidae) Synonymy: decrepita Hacker,2012 Range (as code): **KE Nai NA**
11656. **Nolidia deuteronana Hacker,2012** (Noctuidae) Synonymy: deuteronana Hacker,2012 Range (as code): **GH**
11657. **Nolidia elachistodes Hacker,2012** (Noctuidae) Synonymy: elachistodes Hacker,2012 Range (as code): **TZ Usa Ani Tnga**
11658. **Nolidia elachistomorpha Hacker,2012** (Noctuidae) Synonymy: elachistomorpha Hacker,2012 Range (as code): **TZ Iri Uzu**
11659. **Nolidia eurymorpha Hacker,2012** (Noctuidae) Synonymy: eurymorpha Hacker,2012 Range (as code): **TZ Iri Uzu**
11660. **Nolidia gladstoni (van Son,1933)** (Noctuidae) Synonymy: gladstoni van Son,1933 Range (as code): **ZA Ec Cto**

11661. **Nolidia improvisa Hacker,2012** (Noctuidae) Synonymy: improvisa Hacker,2012 Range (as code): **KE Nai UG RW ET Oro Snnp**
11662. **Nolidia longinqua Hacker,2012** (Noctuidae) Synonymy: longinqua Hacker,2012 Range (as code): **BF**
11663. **Nolidia microlopha (Hampson,1900)** (Noctuidae) Synonymy: microlopha Hampson,1900 Range (as code): **GH**
11664. **Nolidia minimalis Hacker,2012** (Noctuidae) Synonymy: minimalis Hacker,2012 Range (as code): **TZ Ani Usa Tnga**
11665. **Nolidia nanoxantha Hacker,2012** (Noctuidae) Synonymy: nanoxantha Hacker,2012 Range (as code): **TZ Ani Tnga Usa**
11666. **Nolidia nigeriensis Hacker,2012** (Noctuidae) Synonymy: nigeriensis Hacker,2012 Range (as code): **NG**
11667. **Nolidia notonana Hacker,2012** (Noctuidae) Synonymy: notonana Hacker,2012 Range (as code): **ZA Wca**
11668. **Nolidia paurosticta Hacker,2012** (Noctuidae) Synonymy: paurosticta Hacker,2012 Range (as code): **CI**
11669. **Nolidia platygrapha Hacker,2012** (Noctuidae) Synonymy: platygrapha Hacker,2012 Range (as code): **ET Amh**
11670. **Nolidia polionana Hacker,2012** (Noctuidae) Synonymy: polionana Hacker,2012 Range (as code): **TZ Iri Uzu**
11671. **Nolidia pumilalis Hacker,2012** (Noctuidae) Synonymy: pumilalis Hacker,2012 Range (as code): **TZ Ani Usa Tnga Mgr Iri Uzu Pwa KE CM**
11672. **Nolidia townsendi (Tams,1935)** (Noctuidae) Synonymy: townsendi Tams,1935 Range (as code): **KE Kkm TZ Mru ET YE Sna SA As**
11673. **Nolidia transitoria (Van Son,1933)** (Noctuidae) Synonymy: transitoria Van Son,1933 Range (as code): **ZA Tva Lpo Pie Mal Mpu ZA14**
11674. **Nolidia unipuncta Van Son,1933** (Noctuidae) Synonymy: unipuncta Van Son,1933 Range (as code): **ZA Nta Kzu Tva Lpo Ste Ec Wca Nca**
11675. **Nonagria intestata Walker,1856** (Noctuidae) Synonymy: intestata Walker,1856 Range (as code): **ZA**
11676. **Nonagria typhae (Thunberg,1784)** (Noctuidae) Synonymy: typhae Thunberg,1784; arundinis Fabricius,1787. Range (as code): **MA DZ TN LY EG PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA Lvv BY LB IL Pa IQ Bsr IR Ss AF CN Ui Ii 38 42 46**
11677. **Numeniastes selenis D.S.Fletcher,1963** (Noctuidae) Synonymy: selenis D.S.Fletcher,1963 Range (as code): **UG Rz ET ET196 ET168**
11678. **Nycteola columbana (Turner,1925)** (Noctuidae) Synonymy: columbana Thurner,1925; gallicana Aubert,1957; #apicistrigata Dufay,1958. Range (as code): **MA DZ TN PT ES Mu FR Co Sa Si IT CH RO YU MK BG GR Cr TR CY LB Bsa RU Cc Kr 07 31 33 42**
11679. **Nycteola malachitis (Hampson,1912)** (Noctuidae) Synonymy: malachitis Hampson,1912 Range (as code): **ZA**
11680. **Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonymy: revayana Scopoli,1772; duplana Fabricius,1777; ilicana Fabricius,1781; fasciatum Retzius,1783; punctana Thunberg,1784; anglica Fourcroy,1785; rivagana Fabricius,1787; ramosana Hübner,1793; undulana Hübner,[1799]; bifasciana Donovan,1801 nec Hbn.,1787; stonius Curtis,1829; russiana Duponchel,[1845]; bilineatella Walker,1866; fusculana Schmid,1886; diplographa Hampson,1905 Range (as code): **MA DZ Abe Btna Sbd Sfr Hmk Gue Dhm TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL B-H HV MK BG GR TR DK NO SE FI EE LV LT RU Cc Kr Kb Da Tv MD UA Lvv BY CY IR Fa Gls Kh IL Pa LB Bsa KG Ssn 07 33 42 46 56 65**
11681. **Nycteola siculana (Fuchs,1899)** (Noctuidae) Synonymy: siculana Fuchs,1899; cuneana Patoçka,1953; pseudodilutana Obraztsov,1954. Range (as code): **MA DZ TN PT ES Mu FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE EE LV LT RU Cc Ro MD UA 13 25 46 50 65**
11682. **Nyctobrya (Bryopsis) muralis (Forster,1771)** (Noctuidae) Synonymy: muralis Forster,1771; lichenis Fabricius,1775; glandifera [Denis & Schiffermüller],1775; par Hübner,[1813]; viridior Schawerda,1932 Range (as code): **MA DZ Dzc Clo Tun TN Dhm Btna Abe Sbd Abe PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT SK HU RO YU AL BG GR Cr SE RU MD UA BY TR IL Pa GG Smt Bjo AM AZ Kir Cc 05 06 16 25 42 75**
11683. **Nyodes acatharta (Hampson,1913)** (Noctuidae) Synonymy: acatharta Hampson,1913 Range (as code): **ZA Nta Kzu Dbn**
11684. **Nyodes argentea (Berio,1970)** (Noctuidae) Synonymy: argentea Berio,1970 Range (as code): **ZR Kga**
11685. **Nyodes auriferoides Laporte,1972** (Noctuidae) Synonymy: auriferoides Laporte,1972 Range (as code): **AO**
11686. **Nyodes aurora Laporte,1972** (Noctuidae) Synonymy: aurora Laporte,1972 Range (as code): **ZR Kvu**

11687.**Nyodes bafouti Laporte,1972** (Noctuidae) Synonymy: bafouti Laporte,1972 Range (as code): **CM**
11688.**Nyodes barlowi Laporte,1972** (Noctuidae) Synonymy: barlowi Laporte,1972 Range (as code): **MW Mja**
11689.**Nyodes barnsi A.E.Prout,1921** (Noctuidae) Synonymy: barnsi A.E.Prout,1921 Range (as code): **TZ**
11690.**Nyodes basilewskyi Laporte,1972** (Noctuidae) Synonymy: basilewskyi Laporte,1972 Range (as code): **ZR Kvu**
11691.**Nyodes bergeri Laporte,1972** (Noctuidae) Synonymy: bergeri Laporte,1972 Range (as code): **ZR Skr**
11692.**Nyodes bernardii Laporte,1972** (Noctuidae) Synonymy: bernardii Laporte,1972 Range (as code): **GA**
11693.**Nyodes biardi Laporte,1984** (Noctuidae) Synonymy: biardi Laporte,1984 Range (as code): **ET**
11694.**Nyodes brevicornis (Walker,[1857])** (Noctuidae) Synonymy: brevicornis Walker,[1857]; tarara Holland,1893 Range (as code): **CG ZR**
11695.**Nyodes bryodes (D.S.Fletcher,1961)** (Noctuidae) Synonymy: bryodes D.S.Fletcher,1961 Range (as code): **UG Rz**
11696.**Nyodes callichlora (D.S.Fletcher,1961)** (Noctuidae) Synonymy: callichlora D.S.Fletcher,1961 Range (as code): **ZR Kvu**
11697.**Nyodes chlorobapta (D.S.Fletcher,1961)** (Noctuidae) Synonymy: chlorobapta D.S.Fletcher,1961 Range (as code): **UG Rz**
11698.**Nyodes dargei Laporte,1972** (Noctuidae) Synonymy: dargei Laporte,1972 Range (as code): **CM**
11699.**Nyodes diffusa Laporte,1972** (Noctuidae) Synonymy: diffusa Laporte,1972 Range (as code): **RW**
11700.**Nyodes dufayi Laporte,1970** (Noctuidae) Synonymy: dufayi Laporte,1970 Range (as code): **GA**
11701.**Nyodes fletcheri Laporte,1970** (Noctuidae) Synonymy: fletcheri Laporte,1970 Range (as code): **GA**
11702.**Nyodes gabonensis Laporte,1970** (Noctuidae) Synonymy: gabonensis Laporte,1970 Range (as code): **GA**
11703.**Nyodes gazelli Laporte,1970** (Noctuidae) Synonymy: gazelli Laporte,1970 Range (as code): **ZR Kvu**
11704.**Nyodes hecqui Laporte,1972** (Noctuidae) Synonymy: hecqui Laporte,1972 Range (as code): **ZR**
11705.**Nyodes herbuloti Laporte,1973** (Noctuidae) Synonymy: herbuloti Laporte,1973 Range (as code): **ZR Kvu**
11706.**Nyodes isabellae Laporte,1971** (Noctuidae) Synonymy: isabellae Laporte,1971 Range (as code): **GO Bio**
11707.**Nyodes jucunda Laporte,1973** (Noctuidae) Synonymy: jucunda Laporte,1973 Range (as code): **KE**
11708.**Nyodes kilimandjaronis Laporte,1979** (Noctuidae) Synonymy: kilimandjaronis Laporte,1979 Range (as code): **TZ Kmj**
11709.**Nyodes lemairei Laporte,1972** (Noctuidae) Synonymy: lemairei Laporte,1972 Range (as code): **CM**
11710.**Nyodes lowai Laporte,1972** (Noctuidae) Synonymy: lowai Laporte,1972 Range (as code): **ZR Kvu**
11711.**Nyodes lutescens (Herrich-Schäffer,[1854])** (Noctuidae) Synonymy: lutescens Herrich-Schäffer,[1854]; rangeri Laporte,1973 Range (as code): **ZA Ec UG Rz**
11712.**Nyodes makokoui Laporte,1970** (Noctuidae) Synonymy: makokoui Laporte,1970 Range (as code): **GA**
11713.**Nyodes marginata Laporte,1977** (Noctuidae) Synonymy: marginata Laporte,1977 Range (as code): **CM**
11714.**Nyodes mariae Laporte,1972** (Noctuidae) Synonymy: mariae Laporte,1972 Range (as code): **CM**
11715.**Nyodes mochlosema (D.S.Fletcher,1961)** (Noctuidae) Synonymy: mochlosema D.S.Fletcher,1961 Range (as code): **ZR Kvu**
11716.**Nyodes nigra Laporte,1970** (Noctuidae) Synonymy: nigra Laporte,1970 Range (as code): **GA**
11717.**Nyodes nigriodes Laporte,1977** (Noctuidae) Synonymy: nigriodes Laporte,1977 Range (as code): **CM**
11718.**Nyodes njombei Laporte,1972** (Noctuidae) Synonymy: njombei Laporte,1972 Range (as code): **TZ**
11719.**Nyodes panconita (D.S.Fletcher,1961)** (Noctuidae) Synonymy: panconita D.S.Fletcher,1961 Range (as code): **UG Rz**
11720.**Nyodes paulis Laporte,1973** (Noctuidae) Synonymy: paulis Laporte,1973 Range (as code): **ZR**
11721.**Nyodes pelletieri Laporte,1971** (Noctuidae) Synonymy: pelletieri Laporte,1971 Range (as code): **ZR Kvu**
11722.**Nyodes petersi Laporte,1971** (Noctuidae) Synonymy: petersi Laporte,1971 Range (as code): **TZ**
11723.**Nyodes prasinodes (A.E.Prout,1921)** (Noctuidae) Synonymy: prasinodes A.E.Prout,1921 Range (as code): **ZM ZA**
11724.**Nyodes punctata (Gaede,1934)** (Noctuidae) Synonymy: punctata Gaede,1934 Range (as code): **CM ZA**

11725. **Nyodes punctifera Laporte,1973** (Noctuidae) Synonymy: punctifera Laporte,1973 Range (as code): **ZR Kvu RW**
11726. **Nyodes rufifusa (Hampson,1918)** (Noctuidae) Synonymy: rufifusa Hampson,1918 Range (as code): **MW Mja**
11727. **Nyodes rufifusoides Laporte,1973** (Noctuidae) Synonymy: rufifusoides Laporte,1973 Range (as code): **TZ**
11728. **Nyodes sandersi Laporte,1972** (Noctuidae) Synonymy: sandersi Laporte,1972 Range (as code): **GH**
11729. **Nyodes semliki Laporte,1971** (Noctuidae) Synonymy: semliki Laporte,1971 Range (as code): **ZR**
11730. **Nyodes sophiae Laporte,1970** (Noctuidae) Synonymy: sophiae Laporte,1970 Range (as code): **GA**
11731. **Nyodes steeli Laporte,1971** (Noctuidae) Synonymy: steeli Laporte,1971 Range (as code): **CM**
11732. **Nyodes subfuscata (Berio,1970)** (Noctuidae) Synonymy: subfuscata Berio,1970 Range (as code): **ZR**
11733. **Nyodes sublutescens Laporte,1972** (Noctuidae) Synonymy: sublutescens Laporte,1972 Range (as code): **CM Bit**
11734. **Nyodes subnigra Laporte,1973** (Noctuidae) Synonymy: subnigra Laporte,1973 Range (as code): **UG**
11735. **Nyodes succincta Berio,1973** (Noctuidae) Synonymy: succincta Berio,1973 Range (as code): **TZ Iko**
11736. **Nyodes suppurifera (Berio,1970)** (Noctuidae) Synonymy: suppurifera Berio,1970 Range (as code): **UG**
11737. **Nyodes tamsi Laporte,1973** (Noctuidae) Synonymy: tamsi Laporte,1973 Range (as code): **GO Bio**
11738. **Nyodes thomae (A.E.Prout,1927)** (Noctuidae) Synonymy: thomae A.E.Prout,1927 Range (as code): **ST**
11739. **Nyodes toucheti Laporte,1973** (Noctuidae) Synonymy: toucheti Laporte,1973 Range (as code): **CM**
11740. **Nyodes viettei Laporte,1970** (Noctuidae) Synonymy: viettei Laporte,1970 Range (as code): **GA**
11741. **Nyodes vigrinis Laporte,1970** (Noctuidae) Synonymy: vigrinis Laporte,1970 Range (as code): **GA**
11742. **Nyodes virescens (Butler,1879)** (Noctuidae) Synonymy: virescens Butler,1879; ochrargyra Mabille,1890 Range (as code): **MG**
11743. **Nyodes viridirufa (Hampson,1918)** (Noctuidae) Synonymy: viridirufa Hampson,1918 Range (as code): **KE ZA**
11744. **Nyodes vitanvali Laporte,1970** (Noctuidae) Synonymy: vitanvali Laporte,1970 Range (as code): **GA**
11745. **Ochrocalama xanthia (Hampson,1905)** (Noctuidae) Synonymy: xanthia Hampson,1905 Range (as code): **ZA Nta Kzu ZW**
11746. **Ochropleura deptera Laporte,1977** (Noctuidae) Synonymy: deptera Laporte,1977 Range (as code): **ET**
11747. **Ochropleura gaedei Berio,1972** (Noctuidae) Synonymy: gaedei Berio,1972 Range (as code): **TZ**
11748. **Ochropleura leucogaster (Freyer,1831)** (Noctuidae) Synonymy: leucogaster Freyer,1831 Range (as code): **TN Dhm PT ES FR Co Sa Si IT MT GB DE CH AT RO YU AL BG GR Cr TR LB IL Hf Pa SY RU ZA ET ET24 ET86 01 13 31 33 56 58 65**
11749. **Ochropleura plecta (Linnaeus,1761)** (Noctuidae) Synonymy: plecta Linnaeus,1761; unimacula Staudinger,1859; anderssoni Lampa,1885; glaucimacula Graeser,[1889]; unupplecta Bryk,1942. Range (as code): **MA DZ TN LY EG PT ES Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Akh Smt Bjo Mng Tbl Lag Cc AZ Kir Hkd DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA Lvv BY LB SY IQ IR Gh Elb Mz AF TM KK KG 01 06 08 09 11 25 28 30 33 36 42 55 58 61 65**
11750. **Ochropleura vicaria Walker,[1857]** (Noctuidae) Synonymy: vicaria Walker,[1857] Range (as code): **ZA**
11751. **Odice suava (Hübner,[1813])** (Noctuidae) Synonymy: suava Hübner,[1813]. Range (as code): **MA DZ Rbt Dhm Perr Blid Hmk Sbd Bsk Gf TN PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr TR Cc LB KG Tk Dj 03 06 08 11 14 17 18 19 25 39 42 50 51 65 66**
11752. **Odontestis cyphonota Hampson,1912** (Noctuidae) Synonymy: cyphonota Hampson,1912 Range (as code): **GH**
11753. **Odontestis fuscicona (Hampson,1910)** (Noctuidae) Synonymy: fuscicona Hampson,1910 Range (as code): **ZA MZ**
11754. **Odontestis mesonephele (Bethune-Baker,1909)** (Noctuidae) Synonymy: mesonephele Bethune-Baker,1909 Range (as code): **CG**
11755. **Odontestis prosticta (Holland,1894)** (Noctuidae) Synonymy: prosticta Holland,1894 Range (as code): **GA Ogo**

11756.**Odontestis striata Hampson,1912** (Noctuidae) Synonymy: striata Hampson,1912 Range (as code): **ZA ZM ZW MR KE ET Sk**
11757.**Odontestra albivitta Hampson,1905** (Noctuidae) Synonymy: albivitta Hampson,1905 Range (as code): **KE Kky**
11758.**Odontestra altitudinis Laporte,1973** (Noctuidae) Synonymy: altitudinis Laporte,1973 Range (as code): **CM**
11759.**Odontestra avitta Fawcett,1917** (Noctuidae) Synonymy: avitta Fawcett,1917 Range (as code): **KE**
11760.**Odontestra balachowskyi Laporte,1974** (Noctuidae) Synonymy: balachowskyi Laporte,1974 Range (as code): **DJ DJ44**
11761.**Odontestra conformis Hampson,1918** (Noctuidae) Synonymy: conformis Hampson,1918 Range (as code): **ZA Ec**
11762.**Odontestra ferox Berio,1973** (Noctuidae) Synonymy: ferox Berio,1973 Range (as code): **TZ Iko**
11763.**Odontestra goniosema Hampson,1913** (Noctuidae) Synonymy: goniosema Hampson,1913 Range (as code): **NG Minn**
11764.**Odontestra malgassica Viette,1969** (Noctuidae) Synonymy: malgassica Viette,1969 Range (as code): **MG**
11765.**Odontestra pseudosubgothica Berio,1964** (Noctuidae) Synonymy: pseudosubgothica Berio,1964 Range (as code): **KE Nai**
11766.**Odontestra richinii Berio,1940** (Noctuidae) Synonymy: richinii Berio,1940 Range (as code): **ER**
11767.**Odontestra unguiculata Berio,1940** (Noctuidae) Synonymy: unguiculata Berio,1940 Range (as code): **ZR**
11768.**Odontestra variegata Berio,1940** (Noctuidae) Synonymy: variegata Berio,1940 Range (as code): **ER**
11769.**Odontestra vitta Berio,1974** (Noctuidae) Synonymy: vitta Berio,1974 Range (as code): **ET ET09**
11770.**Odontestra vittigera (Hampson,1902)** (Noctuidae) Synonymy: vittigera Hampson,1902 Range (as code): **KE ZA Nta Kzu**
11771.**Odontoretha featheri Hampson,1916** (Noctuidae) Synonymy: featheri Hampson,1916 Range (as code): **ZA SO**
11772.**Odontoretha gigas Laporte,1984** (Noctuidae) Synonymy: gigas Laporte,1984 Range (as code): **DJ**
11773.**Oedebasis ovipennis Hampson,1902** (Noctuidae) Synonymy: ovipennis Hampson,1902 Range (as code): **ZA MZ Del**
11774.**Oederastria ectorhoda Hampson,1902** (Noctuidae) Synonymy: ectorhoda Hampson,1902 Range (as code): **ZA ZW**
11775.**Oediblemma trogoptera Hampson,1918** (Noctuidae) Synonymy: trogoptera Hampson,1918 Range (as code): **ZA Tva Gau Pre**
11776.**Oedicodia grisescens Berio,1947** (Noctuidae) Synonymy: grisescens Berio,1947 Range (as code): **ET ET87**
11777.**Oedicodia melanographa Hampson,1916** (Noctuidae) Synonymy: melanographa Hampson,1916 Range (as code): **SO**
11778.**Oedicodia rubrofusca Berio,1947** (Noctuidae) Synonymy: rubrofusca Berio,1947 Range (as code): **SO**
11779.**Oedicodia strigipennis Hampson,1916** (Noctuidae) Synonymy: strigipennis Hampson,1916 Range (as code): **SO**
11780.**Oedicodia violascens Hampson,1910** (Noctuidae) Synonymy: violascens Hampson,1910 Range (as code): **KE**
11781.**Oediconia negrottoi Berio,1977** (Noctuidae) Synonymy: negrottoi Berio,1977 Range (as code): **SO**
11782.**Oedicraspis subfervida Hampson,1912** (Noctuidae) Synonymy: subfervida Hampson,1912 Range (as code): **ZA KE**
11783.**Oediplexia mesophaea Hampson,1908** (Noctuidae) Synonymy: mesophaea Hampson,1908 Range (as code): **TZ Kmj**
11784.**Oglasa annulisigna Hampson,1926** (Noctuidae) Synonymy: annulisigna Hampson,1926 Range (as code): **GH**
11785.**Oglasa ansorgei (Bethune-Baker,1913)** (Noctuidae) Synonymy: ansorgei Bethune-Baker,1913 Range (as code): **AO**
11786.**Oglasa arcuata (Fabricius,1787)** (Noctuidae) Synonymy: arcuata Fabricius,1787; lunifera Hampson,1893 Range (as code): **ZA IN**
11787.**Oglasa atristipata Hampson,1926** (Noctuidae) Synonymy: atristipata Hampson,1926 Range (as code): **GH**

11788.**Oglasa aulota Hampson,1926** (Noctuidae) Synonymy: aulota Hampson,1926 Range (as code): **NG**
11789.**Oglasa auximena Viette,1958** (Noctuidae) Synonymy: auximena Viette,1958 Range (as code): **MG**
11790.**Oglasa calimani Berio,1939** (Noctuidae) Synonymy: calimani Berio,1939 Range (as code): **ER**
11791.**Oglasa chavanei Viette,1965** (Noctuidae) Synonymy: chavanei Viette,1965 Range (as code): **MG**
11792.**Oglasa clearcha (Fawcett,1916)** (Noctuidae) Synonymy: clearchus Fawcett,1916 Range (as code): **SO ZA**
11793.**Oglasa confluens Hampson,1926** (Noctuidae) Synonymy: confluens Hampson,1926 Range (as code): **ZA Tva Lpo Wb**
11794.**Oglasa cornuta (Hampson,1902)** (Noctuidae) Synonymy: cornuta Hampson,1902 Range (as code): **ZA**
11795.**Oglasa dia Viette,1972** (Noctuidae) Synonymy: dia Viette,1972 Range (as code): **MG**
11796.**Oglasa diagonalis Hampson,1926** (Noctuidae) Synonymy: diagonalis Hampson,1926 Range (as code): **GH**
11797.**Oglasa griselda Hampson,1926** (Noctuidae) Synonymy: griselda Hampson,1926 Range (as code): **GH**
11798.**Oglasa hollandi Gaede,1939** (Noctuidae) Synonymy: hollandi Gaede,1939 Range (as code): **SL**
11799.**Oglasa holophaea Hampson,1926** (Noctuidae) Synonymy: holophaea Hampson,1926 Range (as code): **NG**
11800.**Oglasa iselaea Viette,1958** (Noctuidae) Synonymy: iselaea Viette,1958 Range (as code): **MG**
11801.**Oglasa microsema Hampson,1926** (Noctuidae) Synonymy: microsema Hampson,1926 Range (as code): **GH**
11802.**Oglasa nana (Walker,1869)** (Noctuidae) Synonymy: nana Walker,1869 Range (as code): **ZA CG**
11803.**Oglasa nilotica (Wiltshire,1977)** (Noctuidae) Synonymy: niloticus Wiltshire,1977 Range (as code): **SD**
11804.**Oglasa paralella Hampson,1926** (Noctuidae) Synonymy: paralella Hampson,1926 Range (as code): **ZA MW**
11805.**Oglasa phaeonephele Hampson,1926** (Noctuidae) Synonymy: phaeonephele Hampson,1926 Range (as code): **NG Caa**
11806.**Oglasa plagiata D.S.Fletcher & Viette,1955** (Noctuidae) Synonymy: plagiata D.S.Fletcher & Viette,1955 Range (as code): **CM Bit**
11807.**Oglasa plagiata Gaede,1939** (Noctuidae) Synonymy: plagiata Gaede,1939 Range (as code): **CM**
11808.**Oglasa renilinea Gaede,1939** (Noctuidae) Synonymy: renilinea Gaede,1939 Range (as code): **ZA KE**
11809.**Oglasa rufimedia Hampson,1926** (Noctuidae) Synonymy: rufimedia Hampson,1926 Range (as code): **NG**
11810.**Oglasa tamsi Gaede,1939** (Noctuidae) Synonymy: tamsi Gaede,1939 Range (as code): **ZA GH**
11811.**Oglasa tessellata Hampson,1926** (Noctuidae) Synonymy: tessellata Hampson,1926 Range (as code): **NG Caa**
11812.**Oglasodes atrisignata Hampson,1926** (Noctuidae) Synonymy: atrisignata Hampson,1926 Range (as code): **GH**
11813.**Oglasodes bisinuata Hampson,1926** (Noctuidae) Synonymy: bisinuata Hampson,1926 Range (as code): **GH**
11814.**Oglasodes nyasica Hampson,1926** (Noctuidae) Synonymy: nyasica Hampson,1926 Range (as code): **MW Mje**
11815.**Ogovia aliena (Holland,1920)** (Noctuidae) Synonymy: aliena Holland,1920; hesperia Hampson,1926 Range (as code): **ZR GH**
11816.**Ogovia alticola Laporte,1974** (Noctuidae) Synonymy: alticola Laporte,1974 Range (as code): **CM**
11817.**Ogovia bolengensis (Holland,1920)** (Noctuidae) Synonymy: bolengensis Holland,1920 Range (as code): **ZR**
11818.**Ogovia ebenaui Viette,1965** (Noctuidae) Synonymy: ebenaui Viette,1965 Range (as code): **MG**
11819.**Ogovia pudens (Holland,1894)** (Noctuidae) Synonymy: pudens Holland,1894 Range (as code): **ZA GA Ogo**
11820.**Ogovia tavetensis Holland,1892** (Noctuidae) Synonymy: tavetensis Holland,1892 Range (as code): **ZA KE**
11821.**Oligia agelasta (D.S.Fletcher,1961)** (Noctuidae) Synonymy: agelasta D.S.Fletcher,1961 Range (as code): **UG Rz**
11822.**Oligia albilinea Laporte,1973** (Noctuidae) Synonymy: albilinea Laporte,1973 Range (as code): **CM**
11823.**Oligia ambigua (Walker,1858)** (Noctuidae) Synonymy: ambigua Walker,1858; exsiccata Wallengren,1860; ikondae Berio,1974 Range (as code): **ZA Nta Kzu Dbn Srn Rie Tva Lpo Pil Ec ZW UG KE NG TZ**

11824.Oligia ambiguella (D.S.Fletcher,1961) (Noctuidae) Synonymy: ambiguella D.S.Fletcher,1961 Range (as code): **UG**
11825.Oligia atrivitta Hampson,1914 (Noctuidae) Synonymy: atrivitta Hampson,1914 Range (as code): **GH**
11826.Oligia brunneonigra Laporte,1973 (Noctuidae) Synonymy: brunneonigra Laporte,1973 Range (as code): **CM**
11827.Oligia confusa Janse,1937 (Noctuidae) Synonymy: confusa Janse,1937 Range (as code): **ZA Tva Gau Pre Nta Kzu Kra Ktz**
11828.Oligia cupricolor Laporte,1973 (Noctuidae) Synonymy: cupricolor Laporte,1973 Range (as code): **CM**
11829.Oligia decinerea (D.S.Fletcher,1961) (Noctuidae) Synonymy: decinerea D.S.Fletcher,1961 Range (as code): **KE**
11830.Oligia h-notata Berio,1976 (Noctuidae) Synonymy: h-notata Berio,1976 Range (as code): **ZR**
11831.Oligia hypothermes Hampson,1908 (Noctuidae) Synonymy: hypothermes Hampson,1908 Range (as code): **GH**
11832.Oligia hypoxantha Hampson,1914 (Noctuidae) Synonymy: hypoxantha Hampson,1914 Range (as code): **GH**
11833.Oligia infima Laporte,1973 (Noctuidae) Synonymy: infima Laporte,1973 Range (as code): **CM**
11834.Oligia instructa (Walker,1865) (Noctuidae) Synonymy: instructa Walker,1865; rubrescens Walker,1865 Range (as code): **ZA Wca Cto Ste**
11835.Oligia intermedia Berio,1976 (Noctuidae) Synonymy: intermedia Berio,1976 Range (as code): **ZA ZW**
11836.Oligia latra Berio,1976 (Noctuidae) Synonymy: latra Berio,1976 Range (as code): **ZR**
11837.Oligia leleupi Berio,1976 (Noctuidae) Synonymy: leleupi Berio,1976 Range (as code): **TZ**
11838.Oligia longidens Berio,1976 (Noctuidae) Synonymy: longidens Berio,1976 Range (as code): **ZR**
11839.Oligia melandonta Hampson,1908 (Noctuidae) Synonymy: melandonta Hampson,1908 Range (as code): **NG Caa**
11840.Oligia multiplicata Berio,1976 (Noctuidae) Synonymy: multiplicata Berio,1976 Range (as code): **TZ Iko**
11841.Oligia pachydetis (D.S.Fletcher,1961) (Noctuidae) Synonymy: pachydetis D.S.Fletcher,1961 Range (as code): **UG Rz**
11842.Oligia parathermes Bethune-Baker,1911 (Noctuidae) Synonymy: parathermes Bethune-Baker,1911 Range (as code): **UG Etb**
11843.Oligia perpusilla Berio,1976 (Noctuidae) Synonymy: perpusilla Berio,1976 Range (as code): **ZR**
11844.Oligia rufilinea Laporte,1973 (Noctuidae) Synonymy: rufilinea Laporte,1973 Range (as code): **CM**
11845.Oligia rufulonigra Laporte,1973 (Noctuidae) Synonymy: rufulonigra Laporte,1973 Range (as code): **CM**
11846.Oligia rufulus Laporte,1973 (Noctuidae) Synonymy: rufulus Laporte,1973 Range (as code): **CM**
11847.Oligia rufulusoides Laporte,1973 (Noctuidae) Synonymy: rufulusoides Laporte,1973 Range (as code): **CM**
11848.Oligia scriptonigra Laporte,1973 (Noctuidae) Synonymy: scriptonigra Laporte,1973 Range (as code): **CM**
11849.Oligia scriptonova Berio,1976 (Noctuidae) Synonymy: scriptonova Berio,1976 Range (as code): **TZ Iko**
11850.Oligia semidiaphana Berio,1976 (Noctuidae) Synonymy: semidiaphana Berio,1976 Range (as code): **TZ Iko**
11851.Oligia stenopterygioides Berio,1976 (Noctuidae) Synonymy: stenopterygioides Berio,1976 Range (as code): **ZR**
11852.Oligia subambigua (D.S.Fletcher,1961) (Noctuidae) Synonymy: subambigua D.S.Fletcher,1961 Range (as code): **ZA**
11853.Olivenebula xanthochloris (Boisduval,1840) (Noctuidae) Synonymy: xanthochloris Boisduval,1840; alliacea Germar,1842; graslini Culot,1913 Range (as code): **TN Dhm DZ ES Mu FR Si IT**
11854.Omphalestra caelebs (Grünberg,1910) (Noctuidae) Synonymy: caelebs Grünberg,1910 Range (as code): **ZA**
11855.Omphalestra geraea (Hampson,1907) (Noctuidae) Synonymy: geraea Hampson,1907 Range (as code): **ZA**
11856.Omphalestra mesoglauca (Hampson,1902) (Noctuidae) Synonymy: mesoglauca Hampson,1902 Range (as code): **ZA Nta Kzu Dbn Ans Ec**

11857.**Omphalestra mesomelana (Hampson,1902)** (Noctuidae) Synonymy: mesomelana Hampson,1902 Range (as code): **ZA Ec Tra Nta Kzu Est**
11858.**Omphaloceps daria (Druce,1895)** (Noctuidae) Synonymy: daria Druce,1895 Range (as code): **ZA**
11859.**Omphalophana pauli (Staudinger,1892)** (Noctuidae) Synonymy: pauli Staudinger,1892; adamantina Blachier,1905 Range (as code): **MA Rbt DZ TN LY IL Pa Js JO TR 63**
11860.**Omphalophana serrata (Treitschke,1835)** (Noctuidae) Synonymy: serrata Treitschke,1835; arctata Guenée,1852; pallidior Rothschild,1913 Range (as code): **DZ Khh Agi Hmk Khh Hrh Btna TN Dhm PT ES Sa Si IT**
11861.**Oncotibialis flava Janse,1938** (Noctuidae) Synonymy: flava Janse,1938 Range (as code): **ZA**
11862.**Ophisma albitermia (Hampson,1910)** (Noctuidae) Synonymy: albitermia Hampson,1910 Range (as code): **ZA**
11863.**Ophisma exuleata Möschler,1883** (Noctuidae) Synonymy: exuleata Möschler,1883 Range (as code): **ZA Ec**
11864.**Ophisma lunulifera Walker,1865** (Noctuidae) Synonymy: lunulifera Walker,1865 Range (as code): **ZA**
11865.**Ophiusa (Trichanua) dianaris (Guenée,1852)** (Noctuidae) Synonymy: dianaris Guenée,1852; tempica Möschler,1884 Range (as code): **ZA Lpo Tva Spb Mdk ET Sk Ec Kny Nta Kzu Est**
11866.**Ophiusa (Trichanua) mejanesi (Guenée,1852)** (Noctuidae) Synonymy: mejanesi Guenée,1852 Range (as code): **ZA Lpo Tva Spb Mdk**
11867.**Ophiusa ambigua (Gerstaecker,1871)** (Noctuidae) Synonymy: ambigua Gerstaecker,1871 Range (as code): **ZA TZ Zz**
11868.**Ophiusa anomala (Berio,1955)** (Noctuidae) Synonymy: anomala Berio,1955 Range (as code): **MG**
11869.**Ophiusa cancellata Saalmüller,1891** (Noctuidae) Synonymy: cancellata Saalmüller,1891 Range (as code): **MG**
11870.**Ophiusa dargei Laporte,1977** (Noctuidae) Synonymy: dargei Laporte,1977 Range (as code): **KE**
11871.**Ophiusa david (Holland,1894)** (Noctuidae) Synonymy: david Holland,1894 Range (as code): **GA Ogo**
11872.**Ophiusa davidioides (Strand,1918)** (Noctuidae) Synonymy: davidioides Strand,1918 Range (as code): **ZR**
11873.**Ophiusa despecta (Holland,1894)** (Noctuidae) Synonymy: despecta Holland,1894 Range (as code): **GA Ogo**
11874.**Ophiusa dilecta Walker,1865** (Noctuidae) Synonymy: dilecta Walker,1865 Range (as code): **ZA Nta Kzu SL**
11875.**Ophiusa finifascia (Walker,1858)** (Noctuidae) Synonymy: finifascia Walker,1858; amplior Walker,1858; lilaceofasciata Pagenstecher,1907. Range (as code): **ZA Kzu Nta**
11876.**Ophiusa flavociliata (Aurivillius,1925)** (Noctuidae) Synonymy: flavociliata Aurivillius,1925 Range (as code): **CM**
11877.**Ophiusa gonoptera Hampson,1910** (Noctuidae) Synonymy: gonoptera Hampson,1910 Range (as code): **ZM**
11878.**Ophiusa grandidieri (Viette,1966)** (Noctuidae) Synonymy: grandidieri Viette,1966 Range (as code): **MG**
11879.**Ophiusa hopei Boisduval,1833** (Noctuidae) Synonymy: hopei Boisduval,1833 Range (as code): **MG**
11880.**Ophiusa hypoxantha (Hampson,1918)** (Noctuidae) Synonymy: hypoxantha Hampson,1918 Range (as code): **ZA MW Mja**
11881.**Ophiusa inangulata (Gaede,1917)** (Noctuidae) Synonymy: inangulata Gaede,1917 Range (as code): **TZ Usa**
11882.**Ophiusa legendrei Viette,1966** (Noctuidae) Synonymy: legendrei Viette,1966 Range (as code): **MZ**
11883.**Ophiusa lunaris (Goeze,1781)** (Noctuidae) Synonymy: #lunaris [Denis & Schiffermüller],1775; lunaris Goeze,1781; undosa Goeze,1781; ventrilabris Fabricius,1787; tarsiplumalis Hübner,1796; inconpicua W.Warren,1913; chosensis Bryk,1949. Range (as code): **MA DZ Sbd Btna Lbs Khh Ahr Agi PT ES Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU Cc Ro Kr St Kb Nt Inc Kyi Da MD UA Lvv BY CY IR JO IL Pa He Mer AM Cc 01 05 06 07 10 13 16 18 21 25 30 32 33 35 39 42 50 56 62 65 80**
11884.**Ophiusa mabillei (Viette,1974)** (Noctuidae) Synonymy: mabillei Viette,1974 Range (as code): **MG**
11885.**Ophiusa mejanesi Guenée,1852** (Noctuidae) Synonymy: mejanesi Guenée,1852 Range (as code): **SN**
11886.**Ophiusa melaconisia Hampson,1905** (Noctuidae) Synonymy: melaconisia Hampson,1905 Range (as code): **ZA ZW**
11887.**Ophiusa nocturnia Hampson,1902** (Noctuidae) Synonymy: nocturnia Hampson,1902 Range (as code): **ZA Tva Ec Ans Tra**

11888.Ophiusa overlaeti (Berio,1956) (Noctuidae) Synonymy: overlaeti Berio,1956 Range (as code): **ZR**

11889.Ophiusa pseudotirhaca (Berio,1956) (Noctuidae) Synonymy: pseudotirhaca Berio,1956 Range (as code): **ZA ZR**

11890.Ophiusa punctiquadrata (Berio,1974) (Noctuidae) Synonymy: punctiquadrata Berio,1974 Range (as code): **TZ Iko**

11891.Ophiusa rectificata (Berio,1941) (Noctuidae) Synonymy: rectificata Berio,1941 Range (as code): **ER**

11892.Ophiusa recurvata (Hampson,1913) (Noctuidae) Synonymy: recurvata Hampson,1913 Range (as code): **GH**

11893.Ophiusa reducta (Mabille,1880) (Noctuidae) Synonymy: reducta Mabille,1880 Range (as code): **MG**

11894.Ophiusa rogata (Berio,1954) (Noctuidae) Synonymy: rogata Berio,1954 Range (as code): **ZR**

11895.Ophiusa rufescens (Hampson,1913) (Noctuidae) Synonymy: rufescens Hampson,1913 Range (as code): **SL**

11896.Ophiusa salita Distant,1898 (Noctuidae) Synonymy: salita Distant,1898 Range (as code): **ZA Tva Gau Pre Jh**

11897.Ophiusa selenaris (Guenée,1852) (Noctuidae) Synonymy: selenaris Guenée,1852; obhaerens Walker,1858; welwitschi R.Felder & Rogenhofer,1874 Range (as code): **ZA Ec Kny Tra NG Caa**

11898.Ophiusa simplex Berio,1978 (Noctuidae) Synonymy: simplex Berio,1978 Range (as code): **KE**

11899.Ophiusa subdiversa A.E.Prout,1919 (Noctuidae) Synonymy: subdiversa A.E.Prout,1919 Range (as code): **GM**

11900.Ophiusa tettensis (Hopffer,1857) (Noctuidae) Synonymy: tettensis Hopffer,1857; expedita Walker,1858; cameronis Plötz,1880. Range (as code): **ZA TZ UG KE**

11901.Ophiusa tirhaca (Cramer,[1777]) (Noctuidae) Synonymy: tirhaca Cramer,[1777]; #tirrhaea Fabricius,1781; vesta Esper,1789; olivacea De Villers,1789; auricularis Hübner,[1803]; hottentota Guenée,1852; separans Walker,1858; clementi Swinhoe,1918; #demarginata Heydemann,1963; obscura Pinker & Bacallado,1978 Range (as code): **Cn MA MR DZ TN LY PT ES Mu FR Co Sa Si IT CH AT RO YU BG GR Rd Cr TR CY SY Hal Pmy LB IL Pa JO EG Sn Sk SD ET ET24 ER SO KE ZA Tva Lpo Spb Mdk Gau Pre Wb Ec ZW Har MD IR Hz Fa Kaz Mia IQ Bgd AF PK TH Knc CMa Int CDo MY TW Sum PH Pan Bly Mno Bkd Ktd IN ID Clb Mlc NC JP AU MG SC Kz Yas Cuo Dhm Ges BSa Bdj Perr Abe Hrh Orn Ah Ajj Js Heb Ngv 01 05 06 07 16 30 31 33**

11902.Ophiusa tumiditermina Hampson,1910 (Noctuidae) Synonymy: tumiditermina Hampson,1910; fumida Hampson,1913; hampsoni Holland,1920. Range (as code): **ZA ZM**

11903.Ophiusa umbrilinea Hampson,1902 (Noctuidae) Synonymy: umbrilinea Hampson,1902 Range (as code): **NA Dmr**

11904.Ophiusa verecunda (Holland,1894) (Noctuidae) Synonymy: verecunda Holland,1894 Range (as code): **GA Ogo**

11905.Ophiusa violascens Hampson,1902 (Noctuidae) Synonymy: violascens Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**

11906.Ophiusa violisparsa (A.E.Prout,1919) (Noctuidae) Synonymy: violisparsa A.E.Prout,1919 Range (as code): **ZA CM Bit**

11907.Ophiusa xylochroa (Druce,1912) (Noctuidae) Synonymy: xylochroa Druce,1912 Range (as code): **ZR**

11908.Ophthalmis eriopis (Herrich-Schäffer,1853) (Noctuidae) Synonymy: eriopis Herrich-Schäffer,1853; carminata Rothschild,1896 Range (as code): **MG**

11909.Oraesia ? cerne (Fawcett,1916) (Noctuidae) Synonymy: cerne Fawcett,1916 Range (as code): **GN**

11910.Oraesia emarginata (Fabricius,1794) (Noctuidae) Synonymy: emarginata Fabricius,1794; metallescens Guenée,1852; tentans Walker,[1858]; alliciens Walker,[1858]; camaguina Swinhoe,1918 Range (as code): **ZA AO ER ET GM KE MG NA NG SZ TZ UG ZM ZW OM IN TH VN MY Bor LK NP PK Abb CN TW KP KR JP RU Us PG ID Clb PH CmL Mno Mtu**

11911.Oraesia intrusa (Krüger,1939) (Noctuidae) Synonymy: intrusa Krüger,1939 Range (as code): **TD EG ET KE LY MR SO SD TZ**

11912.Oraesia provocans Walker,[1858] (Noctuidae) Synonymy: provocans Walker,[1858]; hartmanni Möschler,1883; cuprea Saalmüller,1891 Range (as code): **ET ET24 Sw ETo8 NG Caa MZ Del ZA Nta Kzu Ec Tra BW CG ZR GM KE LS MG MW NA NG RW SO SZ ZW TZ IN LK**

11913.Oraesia triobliqua (Saalmüller,1880) (Noctuidae) Synonymy: triobliqua Saalmüller,1880 Range (as code): **ZA BW ZR LS MG MW MZ SZ TZ ZM ZW**

11914.Oraesia wintgensi (Strand,1909) (Noctuidae) Synonymy: wintgensi Strand,1909 Range (as code): **RW ZA**

11915.Oria flavescens (Hampson,1902) (Noctuidae) Synonymy: flavescens Hampson,1902 Range (as code): **ZA Ec Ans**

11916.Oria musculosa (Hübner,[1808]) (Noctuidae) Synonymy: musculosa Hübner,[1808]; laeta Alpheraky,1889. Range (as code): **Cn MA DZ Hrh Hmk Agi Btna Tun Ges Gue Khh Ktr Abe Orn Sbd BSa Dje TN EG PT ES FR Sa Si IT MT GB BE DE CH? AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR IR Fa Shr Elb Th TM DK RU Cc Ro Kr St Ich Da MD UA BY AF Hr TJ Pm IQ Agh LB IL Hf Js Pa SY Dms JO 05 06 07 13 15 18 19 22 25 26 32 33 35 38 42 45 46 50 51 55 58 65 66 70**

11917.Orthosia (s.str.) incerta (Hufnagel,1766) (Noctuidae) Synonymy: incerta Hufnagel,1766; instabilis [Denis & Schiffermüller],1775; collinita Esper,[1790]; contracta Esper,[1790]; trigutta Esper,[1790]; nebulosus Haworth,1803; subsetaceus Haworth,1803; angustus Haworth,1803; fuscatus Haworth,1803; pallida Lampa,1885 nec Hw.,1809; pallidior Staudinger,1901 nec Stgr.,1888 Range (as code): **MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr Nt Da Sb At MD UA Lvv BY CN Ui Ku KK Ik Ax Fe UZ KG DsA JP IN Pj Hp Sml IQ CY LB IR Elb Th 03 04 06 07 09 13 15 30 31 32 33 34 42 43 46 50 56 58 65 73**

11918.Oruza latifera (Walker,1869) (Noctuidae) Synonymy: latifera Walker,1869 Range (as code): **ZA**

11919.Outaya grisescens Chrétien,1911 (Noctuidae) Synonymy: grisescens Chrétien,1911 Range (as code): **TN Gf**

11920.Ovios capensis (Herrich-Schäffer,[1854]) (Noctuidae) Synonymy: capensis Herrich-Schäffer,[1854]; septentrionis Hampson,1910 Range (as code): **ZA Tva Ec Mpu Brb Nta Kzu Dbn Ptw Rie Kkf Umk**

11921.Ozarba abscissa (Walker,1858) (Noctuidae) Synonymy: abscissa Walker,1858; partita Mabille,1880. Range (as code): **ZA Ec MG**

11922.Ozarba accincta (Distant,1898) (Noctuidae) Synonymy: accincta Distant,1898 Range (as code): **ZA Tva Gau Pre**

11923.Ozarba acclivis (R.Felder & Rogenhofer,1874) (Noctuidae) Synonymy: acclivis R.Felder & Rogenhofer,1874; perssoni Wallengren,1875. Range (as code): **ZA Tva**

11924.Ozarba adducta Berio,1940 (Noctuidae) Synonymy: adducta Berio,1940 Range (as code): **ER**

11925.Ozarba africana Berio,1940 (Noctuidae) Synonymy: africana Berio,1940 Range (as code): **ZW Har**

11926.Ozarba albimarginata (Hampson,1896) (Noctuidae) Synonymy: albimarginata Hampson,1896 Range (as code): **ZA Fs IN Cu Guj PK Sd Krc**

11927.Ozarba albomediovittata Berio,1937 (Noctuidae) Synonymy: albomediovittata Berio,1937 Range (as code): **SO**

11928.Ozarba aloisiiabudiae Berio,1937 (Noctuidae) Synonymy: aloisiiabudiae Berio,1937 Range (as code): **SO**

11929.Ozarba apicalis Hampson,1910 (Noctuidae) Synonymy: apicalis Hampson,1910 Range (as code): **KE**

11930.Ozarba atrifera Hampson,1910 (Noctuidae) Synonymy: atrifera Hampson,1910; khadrafica Wiltshire,1980. Range (as code): **ZA OM KE**

11931.Ozarba bicoloria Gaede,1915 (Noctuidae) Synonymy: bicoloria Gaede,1915 Range (as code): **NA**

11932.Ozarba binorbis Hampson,1910 (Noctuidae) Synonymy: binorbis Hampson,1910 Range (as code): **ZA Tva**

11933.Ozarba bipartita (Hampson,1902) (Noctuidae) Synonymy: bipartita Hampson,1902 Range (as code): **ZW Har KE**

11934.Ozarba bisexualis Hampson,1910 (Noctuidae) Synonymy: bisexualis Hampson,1910 Range (as code): **ZW Uma**

11935.Ozarba boursini Berio,1940 (Noctuidae) Synonymy: boursini Berio,1940 Range (as code): **ET ET236**

11936.Ozarba capreolana Rebel,1948 (Noctuidae) Synonymy: capreolana Rebel,1948 Range (as code): **EG JE**

11937.Ozarba captata Berio,1940 (Noctuidae) Synonymy: captata Berio,1940 Range (as code): **ER**

11938.Ozarba chionoperas Hampson,1918 (Noctuidae) Synonymy: chionoperas Hampson,1918 Range (as code): **ZA Tva Gau Pre**

11939.Ozarba chryseiplaga Hampson,1910 (Noctuidae) Synonymy: chryseiplaga Hampson,1910 Range (as code): **ZR Kga**

11940.Ozarba cinerea (Aurivillius,1879) (Noctuidae) Synonymy: cinerea Aurivillius,1879 Range (as code): **NA**

11941.Ozarba consanguis (Hampson,1902) (Noctuidae) Synonymy: consanguis Hampson,1902; marwitzi Gaede,1916. Range (as code): **BW TZ**

11942.Ozarba contempta (Walker,1858) (Noctuidae) Synonymy: contempta Walker,1858 Range (as code): **ZA**

11943.Ozarba corniculans (Wallengren,1860) (Noctuidae) Synonymy: corniculans Wallengren,1860; figurata Walker,1865. Range (as code): **ZA ET ET24**

11944.**Ozarba corniculantis Berio,1950** (Noctuidae) Synonymy: corniculantis Berio,1950 Range (as code): **ZA Nta Kzu**
11945.**Ozarba cryptica Berio,1940** (Noctuidae) Synonymy: cryptica Berio,1940 Range (as code): **ER**
11946.**Ozarba cryptochrysea (Hampson,1902)** (Noctuidae) Synonymy: cryptochrysea Hampson,1902; centralis Pagenstecher,1907. Range (as code): **MZ Del MG**
11947.**Ozarba cupreofascia Le Cerf,1922** (Noctuidae) Synonymy: apicalis Le Cerf,1911 nec Hamps.,1910; cupreofascia Le Cerf,1922 Range (as code): **KE**
11948.**Ozarba cyanopasta Hampson,1910** (Noctuidae) Synonymy: cyanopasta Hampson,1910 Range (as code): **ZA Tva Lpo Wri**
11949.**Ozarba damarensis Berio,1940** (Noctuidae) Synonymy: damarensis Berio,1940 Range (as code): **ZA CF**
11950.**Ozarba densa (Walker,1865)** (Noctuidae) Synonymy: densa Walker,1865 Range (as code): **ZA Tva Gau Pre Jh**
11951.**Ozarba devylderi Berio,1940** (Noctuidae) Synonymy: devylderi Berio,1940 Range (as code): **ZA CF**
11952.**Ozarba fasciata (Wallengren,1860)** (Noctuidae) Synonymy: fasciata Wallengren,1860 Range (as code): **ZA Ec**
11953.**Ozarba festiva Berio,1950** (Noctuidae) Synonymy: festiva Berio,1950 Range (as code): **ZA Tva Gau Pre**
11954.**Ozarba flavipennis Hampson,1910** (Noctuidae) Synonymy: flavipennis Hampson,1910 Range (as code): **ZA Ec Ans**
11955.**Ozarba fuscescens Rebel,1948** (Noctuidae) Synonymy: fuscescens Rebel,1948 Range (as code): **EG JE**
11956.**Ozarba gaedei Berio,1940** (Noctuidae) Synonymy: gaedei Berio,1940 Range (as code): **NA**
11957.**Ozarba gobabis Berio,1940** (Noctuidae) Synonymy: gobabis Berio,1940 Range (as code): **NA**
11958.**Ozarba heliastis (Hampson,1902)** (Noctuidae) Synonymy: heliastis Hampson,1902 Range (as code): **ZA Lpo Tva Spb Mdk Ec Tra KE Tet**
11959.**Ozarba hemimelaena Hampson,1910** (Noctuidae) Synonymy: hemimelaena Hampson,1910; transversa Pagenstecher,1907. Range (as code): **ZA MG**
11960.**Ozarba hemiochra Hampson,1910** (Noctuidae) Synonymy: hemiochra Hampson,1910; hemileuca Wiltshire,1982. Range (as code): **KE SO SA ZA Tva Gau Jh**
11961.**Ozarba hemipolia Hampson,1910** (Noctuidae) Synonymy: hemipolia Hampson,1910 Range (as code): **ZA Ec Tra**
11962.**Ozarba hypoxantha (Wallengren,1860)** (Noctuidae) Synonymy: hypoxantha Wallengren,1860; vultuosa Distant,1898. Range (as code): **ZA Ec Tva Mpu Brb Pre Gau Nta Kzu Est**
11963.**Ozarba illimitata W.Warren,1914** (Noctuidae) Synonymy: illimitata W.Warren,1914 Range (as code): **ZA**
11964.**Ozarba inobtrusa (Hampson,1902)** (Noctuidae) Synonymy: inobtrusa Hampson,1902 Range (as code): **ZA**
11965.**Ozarba inopinata Berio,1940** (Noctuidae) Synonymy: inopinata Berio,1940 Range (as code): **ZA CF**
11966.**Ozarba isocampta Hampson,1910** (Noctuidae) Synonymy: isocampta Hampson,1910 Range (as code): **ZA Tva**
11967.**Ozarba jansei Berio,1940** (Noctuidae) Synonymy: jansei Berio,1940 Range (as code): **ZW**
11968.**Ozarba madanda (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: madanda R.Felder & Rogenhofer,1874; dignata Möschler,1883. Range (as code): **ZA**
11969.**Ozarba malaisei Berio,1940** (Noctuidae) Synonymy: malaisei Berio,1940 Range (as code): **ZA CF**
11970.**Ozarba mesozonata Hampson,1916** (Noctuidae) Synonymy: mesozonata Hampson,1916 Range (as code): **SO**
11971.**Ozarba metachrysea Hampson,1910** (Noctuidae) Synonymy: metachrysea Hampson,1910 Range (as code): **ZW Har**
11972.**Ozarba mortua Berio,1940** (Noctuidae) Synonymy: mortua Berio,1940 Range (as code): **ER**
11973.**Ozarba nairobiensis Berio,1977** (Noctuidae) Synonymy: nairobiensis Berio,1977 Range (as code): **KE Nai**
11974.**Ozarba negrotti Berio,1940** (Noctuidae) Synonymy: negrotti Berio,1940 Range (as code): **SO Mga**
11975.**Ozarba nicotrai Berio,1950** (Noctuidae) Synonymy: nicotrai Berio,1950 Range (as code): **SO Mga**
11976.**Ozarba nigroviridis (Hampson,1902)** (Noctuidae) Synonymy: nigroviridis Hampson,1902 Range (as code): **ZA ZM**

11977.**Ozarba nyanza (R.Felder & Rogenhofer,[1875])** (Noctuidae) Synonymy: nyanza R.Felder & Rogenhofer,[1875] Range (as code): **ZA**
11978.**Ozarba ochrozona Hampson,1910** (Noctuidae) Synonymy: ochrozona Hampson,1910 Range (as code): **GH**
11979.**Ozarba olimcorniculans Berio,1940** (Noctuidae) Synonymy: olimcorniculans Berio,1940 Range (as code): **ZA**
11980.**Ozarba orthogramma Hampson,1914** (Noctuidae) Synonymy: orthogramma Hampson,1914 Range (as code): **NG Minn**
11981.**Ozarba orthozona (Hampson,1902)** (Noctuidae) Synonymy: orthozona Hampson,1902 Range (as code): **ZA**
11982.**Ozarba ovata Berio,1977** (Noctuidae) Synonymy: ovata Berio,1977 Range (as code): **ZR**
11983.**Ozarba parvula Berio,1940** (Noctuidae) Synonymy: parvula Berio,1940 Range (as code): **SO Mga**
11984.**Ozarba perplexa Saalmüller,1891** (Noctuidae) Synonymy: perplexa Saalmüller,1891 Range (as code): **ZA**
11985.**Ozarba persinua Berio,1940** (Noctuidae) Synonymy: persinua Berio,1940 Range (as code): **ZA CF**
11986.**Ozarba phaea (Hampson,1902)** (Noctuidae) Synonymy: phaea Hampson,1902 Range (as code): **ZA Ec Ans SA**
11987.**Ozarba phaeochroa Hampson,1910** (Noctuidae) Synonymy: phaeochroa Hampson,1910 Range (as code): **ZR Kga**
11988.**Ozarba pluristriata Berio,1937** (Noctuidae) Synonymy: pluristriata Berio,1937 Range (as code): **SO**
11989.**Ozarba prolai Berio,1977** (Noctuidae) Synonymy: prolai Berio,1977 Range (as code): **TZ Dss**
11990.**Ozarba punctigera Walker,1865** (Noctuidae) Synonymy: punctigera Walker,1865 Range (as code): **ZA AU QAu PK Abb Mlk**
11991.**Ozarba punctithorax Berio,1940** (Noctuidae) Synonymy: punctithorax Berio,1940 Range (as code): **ZA Nta Kzu Wnn**
11992.**Ozarba regia W.Warren,1914** (Noctuidae) Synonymy: regia W.Warren,1914 Range (as code): **ZA Ec Cto Nta Kzu**
11993.**Ozarba reussi Strand,1911** (Noctuidae) Synonymy: reussi Strand,1911 Range (as code): **TZ Dss**
11994.**Ozarba rosescens Hampson,1910** (Noctuidae) Synonymy: rosescens Hampson,1910 Range (as code): **UG Etb**
11995.**Ozarba rougeoti Berio,1984** (Noctuidae) Synonymy: rougeoti Berio,1984 Range (as code): **DJ**
11996.**Ozarba rubrivena Hampson,1910** (Noctuidae) Synonymy: rubrivena Hampson,1910 Range (as code): **NG Lgo**
11997.**Ozarba scorpio Berio,1935** (Noctuidae) Synonymy: scorpio Berio,1935 Range (as code): **SO**
11998.**Ozarba semiluctuosa Berio,1937** (Noctuidae) Synonymy: semiluctuosa Berio,1937 Range (as code): **SO**
11999.**Ozarba semipurpurea (Hampson,1902)** (Noctuidae) Synonymy: semipurpurea Hampson,1902 Range (as code): **ZW Har ZA Ec Cto Ans**
12000.**Ozarba semitorrida Hampson,1916** (Noctuidae) Synonymy: semitorrida Hampson,1916 Range (as code): **SO**
12001.**Ozarba separabilis Berio,1940** (Noctuidae) Synonymy: separabilis Berio,1940 Range (as code): **ZA ER**
12002.**Ozarba socotrana Hampson,1910** (Noctuidae) Synonymy: socotrana Hampson,1910 Range (as code): **YE Sk**
12003.**Ozarba subterminalis Hampson,1910** (Noctuidae) Synonymy: subterminalis Hampson,1910 Range (as code): **ZW Har**
12004.**Ozarba subtilimba Berio,1963** (Noctuidae) Synonymy: subtilimba Berio,1963 Range (as code): **UG Rz**
12005.**Ozarba subtilis Berio,1966** (Noctuidae) Synonymy: subtilis Berio,1966 Range (as code): **ZR**
12006.**Ozarba subtusfimbriata Berio,1940** (Noctuidae) Synonymy: subtusfimbriata Berio,1940 Range (as code): **ZA**
12007.**Ozarba terminipuncta (Hampson,1899)** (Noctuidae) Synonymy: terminipuncta Hampson,1899 Range (as code): **YE Sk**
12008.**Ozarba terribilis Berio,1940** (Noctuidae) Synonymy: terribilis Berio,1940 Range (as code): **ER**
12009.**Ozarba timida Berio,1940** (Noctuidae) Synonymy: timida Berio,1940; cervina Rebel,1948 Range (as code): **ER SA EG JE**

12010. **Ozarba toxotis Hampson,1910** (Noctuidae) Synonymy: toxotis Hampson,1910 Range (as code): **MW**
12011. **Ozarba tricuspis Hampson,1910** (Noctuidae) Synonymy: tricuspis Hampson,1910 Range (as code): **KE**
12012. **Ozarba varia (Walker,1865)** (Noctuidae) Synonymy: varia Walker,1865; mustelina Wallengren,1875. Range (as code): **YE Ad ZA Tva Gau Pre BW KE ZW**
12013. **Ozarba variabilis Berio,1940** (Noctuidae) Synonymy: variabilis Berio,1940; elaphina Rebel,1948. Range (as code): **ER EG JE**
12014. **Ozarba variegata Le Cerf,1911** (Noctuidae) Synonymy: variegata Le Cerf,1911 Range (as code): **KE**
12015. **Paida pulchra (Trimen,1863)** (Noctuidae) Synonymy: pulchra Trimen,1863; gordoni Butler,1879 Range (as code): **ZA Nta Kzu Dbn Vf Bul Tva ZW NA**
12016. **Pamparama sinaica (Wiltshire,1948)** (Noctuidae) Synonymy: sinaica Wiltshire,1948 Range (as code): **EG Sn**
12017. **Pandesma muricolor Berio,1966** (Noctuidae) Synonymy: muricolor Berio,1966 Range (as code): **ZA**
12018. **Pandesma tempica Möschler,1883** (Noctuidae) Synonymy: tempica Möschler,1883 Range (as code): **ZA**
12019. **Pangrapta acolesis Viette,1958** (Noctuidae) Synonymy: acolesis Viette,1958 Range (as code): **MG**
12020. **Pangrapta albipuncta Gaede,1940** (Noctuidae) Synonymy: albipuncta Gaede,1940 Range (as code): **CM**
12021. **Pangrapta albirenalis Gaede,1940** (Noctuidae) Synonymy: albirenalis Gaede,1940 Range (as code): **MW**
12022. **Pangrapta argyrographa (Mabille,1893)** (Noctuidae) Synonymy: argyrographa Mabille,1893 Range (as code): **MG**
12023. **Pangrapta camerunia Hampson,1926** (Noctuidae) Synonymy: camerunia Hampson,1926 Range (as code): **CM Bit**
12024. **Pangrapta dulcis Berio,1956** (Noctuidae) Synonymy: dulcis Berio,1956 Range (as code): **ZR**
12025. **Pangrapta elassa Hampson,1926** (Noctuidae) Synonymy: elassa Hampson,1926 Range (as code): **GH**
12026. **Pangrapta eucraspeda Hampson,1926** (Noctuidae) Synonymy: eucraspeda Hampson,1926 Range (as code): **CM Bit**
12027. **Pangrapta fauvealis Viette,1965** (Noctuidae) Synonymy: fauvealis Viette,1965 Range (as code): **MG**
12028. **Pangrapta hampsoni Viette,1966** (Noctuidae) Synonymy: hampsoni Viette,1966 Range (as code): **MG**
12029. **Pangrapta laevis Berio,1956** (Noctuidae) Synonymy: laevis Berio,1956 Range (as code): **ZR**
12030. **Pangrapta melacleptra Hampson,1926** (Noctuidae) Synonymy: melacleptra Hampson,1926 Range (as code): **MZ ZA**
12031. **Pangrapta seriopuncta Hampson,1926** (Noctuidae) Synonymy: seriopuncta Hampson,1926 Range (as code): **SL**
12032. **Pantydia anderson (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: anderson R.Felder & Rogenhofer,1874; #andersoni Hampson,1902 Range (as code): **ZA Nta Kzu Ec Ans Kny SZ ZM ZW**
12033. **Pantydia dufayi Laporte,1975** (Noctuidae) Synonymy: dufayi Laporte,1975 Range (as code): **ET ET24 ET196**
12034. **Pantydia scissa (Walker,1865)** (Noctuidae) Synonymy: scissa Walker,1865 Range (as code): **CM KE NG UG ZM ZW ZR ZA ET Sw ET24 ET153**
12035. **Parachalciope agonia Hampson,1913** (Noctuidae) Synonymy: agonia Hampson,1913 Range (as code): **TZ UG**
12036. **Parachalciope albifissa (Hampson,1910)** (Noctuidae) Synonymy: albifissa Hampson,1910 Range (as code): **ZR ZM**
12037. **Parachalciope benitensis (Holland,1894)** (Noctuidae) Synonymy: benitensis Holland,1894 Range (as code): **BF CM ZR GO GA GH MR NG SL TZ UG ZM**
12038. **Parachalciope binaria (Holland,1894)** (Noctuidae) Synonymy: binaria Holland,1894 Range (as code): **CM ZR GA GM NG UG**
12039. **Parachalciope euclidicola (Walker,1858)** (Noctuidae) Synonymy: euclidicola Walker,1858; furcifera Hampson,1902 Range (as code): **ZA Nta Kzu CM ZR GO GH NG SL UG**
12040. **Parachalciope inornata (Holland,1894)** (Noctuidae) Synonymy: inornata Holland,1894 Range (as code): **GA**

12041. **Parachalciope mahura (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: mahura R.Felder & Rogenhofer,1874; ditrigona Hampson,1910; #nahura Janse,1917 Range (as code): **ZA ZM ZW SZ MZ MW KE ZR**
12042. **Parachalciope monoplaneta Hampson,1913** (Noctuidae) Synonymy: monoplaneta Hampson,1913 Range (as code): **ZR RW UG**
12043. **Parachalciope trigonometrica Hampson,1913** (Noctuidae) Synonymy: trigonometrica Hampson,1913 Range (as code): **GM KE**
12044. **Paracroria griseocincta (Hampson,1902)** (Noctuidae) Synonymy: griseocincta Hampson,1902 Range (as code): **ZA Tva Lpo Spb Mdk**
12045. **Paracroria major Janse,1938** (Noctuidae) Synonymy: Range (as code): **ZA**
12046. **Paraegocera confluens (Weymer,1892)** (Noctuidae) Synonymy: confluens Weymer,1892 Range (as code): **ZA**
12047. **Paragria sesamiodes Hampson,1926** (Noctuidae) Synonymy: sesamiodes Hampson,1926 Range (as code): **ZA**
12048. **Paralephana angulata Viette,1966** (Noctuidae) Synonymy: angulata Viette,1966 Range (as code): **MG**
12049. **Paralephana argyresthia Hampson,1926** (Noctuidae) Synonymy: argyresthia Hampson,1926 Range (as code): **ZA MZ**
12050. **Paralephana bisignata Hampson,1926** (Noctuidae) Synonymy: bisignata Hampson,1926 Range (as code): **CM Bit**
12051. **Paralephana camptocera Hampson,1926** (Noctuidae) Synonymy: camptocera Hampson,1926 Range (as code): **NG**
12052. **Paralephana catalai Viette,1954** (Noctuidae) Synonymy: catalai Viette,1954 Range (as code): **MG**
12053. **Paralephana congoana Gaede,1939** (Noctuidae) Synonymy: congoana Gaede,1939 Range (as code): **ZR**
12054. **Paralephana consocia Hampson,1926** (Noctuidae) Synonymy: consocia Hampson,1926 Range (as code): **SL**
12055. **Paralephana costisignata Hampson,1926** (Noctuidae) Synonymy: costisignata Hampson,1926 Range (as code): **SL**
12056. **Paralephana curvilinea Hampson,1926** (Noctuidae) Synonymy: curvilinea Hampson,1926 Range (as code): **CM Bit**
12057. **Paralephana decaryi Viette,1954** (Noctuidae) Synonymy: decaryi Viette,1954 Range (as code): **MG**
12058. **Paralephana descarpentiersi Viette,1954** (Noctuidae) Synonymy: descarpentiersi Viette,1954 Range (as code): **MG**
12059. **Paralephana exangulata Gaede,1939** (Noctuidae) Synonymy: exangulata Gaede,1939 Range (as code): **CM**
12060. **Paralephana ferox Viette,1958** (Noctuidae) Synonymy: ferox Viette,1958 Range (as code): **MG**
12061. **Paralephana finipunctula (Holland,1894)** (Noctuidae) Synonymy: finipunctula Holland,1894 Range (as code): **GA Ogo**
12062. **Paralephana flavilinea Hampson,1926** (Noctuidae) Synonymy: flavilinea Hampson,1926 Range (as code): **GH**
12063. **Paralephana incurvata Hampson,1926** (Noctuidae) Synonymy: incurvata Hampson,1926 Range (as code): **NG**
12064. **Paralephana jugalis Viette,1958** (Noctuidae) Synonymy: jugalis Viette,1958 Range (as code): **MG**
12065. **Paralephana lakasy Viette,1979** (Noctuidae) Synonymy: lakasy Viette,1979 Range (as code): **MG**
12066. **Paralephana leucopis Hampson,1926** (Noctuidae) Synonymy: leucopis Hampson,1926 Range (as code): **NG**
12067. **Paralephana linos Viette,1972** (Noctuidae) Synonymy: linos Viette,1972 Range (as code): **MG**
12068. **Paralephana lobata Hampson,1926** (Noctuidae) Synonymy: lobata Hampson,1926 Range (as code): **ZR**
12069. **Paralephana mesoscia Hampson,1926** (Noctuidae) Synonymy: mesoscia Hampson,1926 Range (as code): **CM Bit**
12070. **Paralephana metaphaera Hampson,1926** (Noctuidae) Synonymy: metaphaera Hampson,1926 Range (as code): **NG Caa**
12071. **Paralephana monogona Hampson,1926** (Noctuidae) Synonymy: monogona Hampson,1926 Range (as code): **GH**

12072. **Paralephana nigriciliata Hampson,1926** (Noctuidae) Synonymy: nigriciliata Hampson,1926 Range (as code): **GH TZ ZM**
12073. **Paralephana nigripalpis Hampson,1926** (Noctuidae) Synonymy: nigripalpis Hampson,1926 Range (as code): **GH**
12074. **Paralephana obliqua Hampson,1926** (Noctuidae) Synonymy: obliqua Hampson,1926 Range (as code): **GH**
12075. **Paralephana patagiata Hampson,1926** (Noctuidae) Synonymy: patagiata Hampson,1926 Range (as code): **NG Lgo**
12076. **Paralephana poliotis Hampson,1926** (Noctuidae) Synonymy: poliotis Hampson,1926 Range (as code): **ZA MG**
12077. **Paralephana purpurascens Hampson,1926** (Noctuidae) Synonymy: purpurascens Hampson,1926 Range (as code): **MG**
12078. **Paralephana pyxinodes Viette,1958** (Noctuidae) Synonymy: pyxinodes Viette,1958 Range (as code): **MG**
12079. **Paralephana rectilinea Hampson,1926** (Noctuidae) Synonymy: rectilinea Hampson,1926 Range (as code): **CM Bit**
12080. **Paralephana salmonea Viette,1966** (Noctuidae) Synonymy: salmonea Viette,1966 Range (as code): **MG**
12081. **Paralephana sarcochroa Hampson,1926** (Noctuidae) Synonymy: sarcochroa Hampson,1926 Range (as code): **GH**
12082. **Paralephana subpurpurascens Viette,1954** (Noctuidae) Synonymy: subpurpurascens Viette,1954 Range (as code): **MG**
12083. **Paralephana syntripta Viette,1958** (Noctuidae) Synonymy: syntripta Viette,1958 Range (as code): **MG**
12084. **Paralephana talacai Viette,1982** (Noctuidae) Synonymy: catalai Viette,1966 nec 1954; talacai Viette,1982 Range (as code): **MG**
12085. **Paralephana umbrata Griveaud & Viette,1961** (Noctuidae) Synonymy: umbrata Griveaud & Viette,1961 Range (as code): **MG**
12086. **Paralephana uniplagiata Viette,1966** (Noctuidae) Synonymy: uniplagiata Viette,1966 Range (as code): **MG**
12087. **Paralephana westi D.S.Fletcher,1961** (Noctuidae) Synonymy: westi D.S.Fletcher,1961 Range (as code): **UG Rz**
12088. **Parallelula palumbiodes (Hampson,1902)** (Noctuidae) Synonymy: palumbiodes Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
12089. **Paramathes picata (A.Bang-Haas,1912)** (Noctuidae) Synonymy: picata A.Bang-Haas,1912; nona Oberthür,1913 Range (as code): **MA Rf DZ Btna Afl Ges TN**
12090. **Parascotia nisseni Turati,1905** (Noctuidae) Synonymy: nisseni Turati,1905 Range (as code): **DZ Agi Dhm TN Hmk Hrh PT ES FR Co Sa Si**
12091. **Paratuerta featheri Fawcett,1915** (Noctuidae) Synonymy: featheri Fawcett,1915; abrupta Rothschild,1924 Range (as code): **ZA SO**
12092. **Paratuerta laminifera (Saalmüller,1878)** (Noctuidae) Synonymy: laminifera Saalmüller,1878 Range (as code): **MG KM**
12093. **Paratuerta marshalli Hampson,1902** (Noctuidae) Synonymy: marshalli Hampson,1902 Range (as code): **ZA Tva Mpu Brb ZW Har**
12094. **Paratuerta undulata Berio,1970** (Noctuidae) Synonymy: undulata Berio,1970 Range (as code): **ZR Kvu**
12095. **Paraxestis rufescens Hampson,1902** (Noctuidae) Synonymy: rufescens Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
12096. **Parca africarabia Wiltshire,1986** (Noctuidae) Synonymy: africarabia Wiltshire,1986 Range (as code): **ZA**
12097. **Pardasena atmocyma D.S.Fletcher,1961** (Noctuidae) Synonymy: atmocyma D.S.Fletcher,1961 Range (as code): **UG**
12098. **Pardasena atripuncta Hampson,1912** (Noctuidae) Synonymy: atripuncta Hampson,1912 Range (as code): **ZA Nta Kzu Dbn**
12099. **Pardasena fletcheri Berio,1977** (Noctuidae) Synonymy: fletcheri Berio,1977 Range (as code): **KE Mb**
12100. **Pardasena lativia Hampson,1912** (Noctuidae) Synonymy: lativia Hampson,1912 Range (as code): **GH**

12101. **Pardasena melanosticta Hampson,1912** (Noctuidae) Synonymy: melanosticta Hampson,1912 Range (as code): **KE Tet**
12102. **Pardasena minorella Walker,1866** (Noctuidae) Synonymy: minorella Walker,1866 Range (as code): **ZA SL**
12103. **Pardasena nolalana Berio,1957** (Noctuidae) Synonymy: nolalana Berio,1957 Range (as code): **ZR Kga**
12104. **Pardasena punctata Hampson,1902** (Noctuidae) Synonymy: punctata Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
12105. **Pardasena punctilinea Hampson,1918** (Noctuidae) Synonymy: punctilinea Hampson,1918 Range (as code): **ZA MW Mje**
12106. **Pardasena roselioides (Walker,1858)** (Noctuidae) Synonymy: roselioides Walker,1858; brunnescens Hampson,1905 Range (as code): **SL MW**
12107. **Pardasena virgulana (Mabille,1880)** (Noctuidae) Synonymy: virgulana Mabille,1880; nigroscripta Hampson,1905 Range (as code): **MT ZA MG KE Kky**
12108. **Pardoxia graellsi (Feisthamel,1837)** (Noctuidae) Synonymy: graellsi Feisthamel,1837; innocens Walker,1858; fimbriata Walker,1865 Range (as code): **ZW Har SL ET MU YE Ad YE47 ZA Tva Mpu Brb Nta Kzu Est ES Mu FR TR IQ Agh IN PK Cp Krc MM**
12109. **Paroruza lateritia (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: lateritia R.Felder & Rogenhofer,1874 Range (as code): **ZA**
12110. **Paroruza subductata (Walker,1861)** (Noctuidae) Synonymy: subductata Walker,1861 Range (as code): **ZA**
12111. **Pataeta transversata Berio,1966** (Noctuidae) Synonymy: transversata Berio,1966 Range (as code): **ZA**
12112. **Penicillaria ethiopica (Hampson,1920)** (Noctuidae) Synonymy: ethiopica Hampson,1920 Range (as code): **ZA**
12113. **Pericyma albidentaria (Freyer,[1841])** (Noctuidae) Synonymy: albidentaria Freyer,[1841] Range (as code): **GR TM Kp Fe UZ AF Hr Pli Srb Gbh Bd IQ Bgd Amr Bsr kut SY Pa IL Pa Hf LB CY TR Ui Ku Ga KG Tk sKG Tks Dj Aa RU Cc AM GG Tbl Ro St Ich Da Der Sr AZ Nv Ord IR Mz Gls LY 06 09 19 23 33 35 36 42 44 46 47 50 51 56 58 66 70 76**
12114. **Pericyma atrifusa (Hampson,1902)** (Noctuidae) Synonymy: atrifusa Hampson,1902 Range (as code): **ZA BW Nga Lpo Tvo Spb Mdk SD Wme KE**
12115. **Pericyma cafraria (Möschler,1883)** (Noctuidae) Synonymy: cafraria Möschler,1883 Range (as code): **ZA**
12116. **Pericyma deducta (Walker,[1858])** (Noctuidae) Synonymy: deducta Walker,[1858] Range (as code): **ZA**
12117. **Pericyma mendax (Walker,[1858])** (Noctuidae) Synonymy: mendax Walker,[1858]; cilipes Walker,[1858]; delineosa Walker,1858; disjuncta Walker,1865. Range (as code): **ZA Nta Kzu Dbn KE ZR SD ET ET24 IN LK MM TW ID Ja**
12118. **Pericyma polygramma Hampson,1913** (Noctuidae) Synonymy: polygramma Hampson,1913 Range (as code): **ZA ET ET24 ET153 ET10 Sw**
12119. **Pericyma scandulata (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: scandulata R.Felder & Rogenhofer,1874 Range (as code): **ZA BW Nga SD Nta Kzu Est**
12120. **Pericyma squalens Lederer,1855** (Noctuidae) Synonymy: squalens Lederer,1855 Range (as code): **CY TR IQ kut Agh Tkr Amr IR Th Elb Ahz Kh Fa Ab Mak Ke Mia Kaz Kd Lo Km Snj Bjr Chh Hz B-A Bu Dlk AF Pli TM KW SA EG EG11 EG61 LB Bei IL Pa JO 01 06 21 23 33 36 47 56 63**
12121. **Pericyma umbrina (Guenée,1852)** (Noctuidae) Synonymy: umbrina Guenée,1852; albicincta Guenée,1852; hypophaea Guenée,1852; plumipes Walker,1865; continua Walker,1865. Range (as code): **ZA SO AF Nu Bsg Srb PK Bbu Abb Txl Cp IN Up Ddu SI TH Knc LA NP ID Sum Ja**
12122. **Peridroma goughi D.S.Fletcher,1963** (Noctuidae) Synonymy: goughi D.S.Fletcher,1963 Range (as code): **ZA**
12123. **Peridroma saucia (Hübner,[1808])** (Noctuidae) Synonymy: saucia Hübner,[1808]; majuscula Haworth,1809; margaritosa Haworth,1809; aequa Hübner,[1813]; orophila Geyer,1837; inermis Harrison,1841; infuscata Blanchard,1852; stictica Blanchard,1852; ambrosioides Walker,[1857]; impacta Walker,[1857]; intecta Walker,[1857]; angulifera Wallengren,1860; ortonii Packard,1869; phillipsi Caspari,1899; ochronota Hampson,1903; cyrnaea Spuler,1908; tenebricosa Schawerda,1929. Range (as code): **MA DZ TN Dhm Ges Abe Bsk Ktr Blid Agi BSa Btna Tlm PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR GG Smt Bjo Lag AZ AM Cc IR Ra Mz Elb Lo Gls LB Bsa DK NO SE FI LT RU Ro Kr St MD UA BY PK Hu IN Up Bhi IL Hf Pa SY JO ZA Hrh Mzg 01 05 06 08 16 17 18 22 29 31 33 34 38 42 46 50 51 58 63 70 80**
12124. **Periphanes (s.str.) delphinii (Linnaeus,1758)** (Noctuidae) Synonymy: delphinii Linnaeus,1758; darollesi Oberthür,1876; delphini Hampson,1903. Range (as code): **MA TN DZ BSa Sbd ES FR IT GB NL DE CH AT**

PL CZ SK HU RO YU BG GR TR GG Smt Akh Cc AM LV LT RU Ro St Ich Kyi Da Ur MD UA BY IR Fa Ss Elb Th Dam Ab Mak IQ TlH AF Hr UZ Fe KK KG TJ UZ N-A SY IL Pa 01 04 05 06 07 18 22 23 24 25 32 36 42 44 46 50 51 58 60 65 66 76

12125. **Periplusia cinerascens Holland,1894** (Noctuidae) Synonymy: cinerascens Holland,1894 Range (as code): **ZA**

12126. **Phalerodes cauta (Hampson,1902)** (Noctuidae) Synonymy: cauta Hampson,1902 Range (as code): **NG ZA Nta Kzu Mv Dbn Ec Ans ZW Har**

12127. **Phanaspa aegonalis (Walker,[1866])** (Noctuidae) Synonymy: aegonalis Walker,[1866] Range (as code): **ZA**

12128. **Phanaspa derasalis (Guenée,1854)** (Noctuidae) Synonymy: derasalis Guenée,1854 Range (as code): **ZA**

12129. **Phanaspa dilatatalis Walker,[1866]** (Noctuidae) Synonymy: dilatatalis Walker,[1866]; #dilatalis Hampson,1902 Range (as code): **ZA**

12130. **Phanaspa namaqualis (Guenée,1854)** (Noctuidae) Synonymy: namaqualis Guenée,1854 Range (as code): **ZA**

12131. **Phlegetonia delatrix (Guenée,1852)** (Noctuidae) Synonymy: delatrix Guenée,1852; infida Walker,[1858]; plusioides Walker,1865; impleta Walker,1865; praetexta R.Felder & Rogenhofer,1874; #intda Kononenko & Pinratana,2005 Range (as code): **LK Pdy Dck IN TH LA VN MM MY ID Sum Bli Ja Sbw FJ PG WS NH Ms GO Nia NC RA TW PH JP AU Hw**

12132. **Phlegetonia gilvicolor (Mabille,1900)** (Noctuidae) Synonymy: gilvicolor Mabille,1900; callichroma Distant,1901 Range (as code): **ZA Tva Ly Lpo Spb Mdk MZ Del**

12133. **Phlegetonia holocausta Hampson,1905** (Noctuidae) Synonymy: holocausta Hampson,1905 Range (as code): **NG AET**

12134. **Phlegetonia operatrix (Wallengren,1860)** (Noctuidae) Synonymy: operatrix Wallengren,1860 Range (as code): **ZA**

12135. **Phlogophora meticulosa (Linnaeus,1758)** (Noctuidae) Synonymy: meticulosa Linnaeus,1758; lamii Schadewald,1993 Range (as code): **MA DZ Abe Ges Btna Dhm Hrh TN PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Smt Lag AZ Kir IQ Agh CY LB IL Hf Pa IR Gh Elb Clu Mz DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Ich Da MD UA Lvv BY 05 06 07 13 14 16 18 21 24 25 33 34 36 38 44 46 50 51 56 58 62 65**

12136. **Phyllophila atripars Hampson,1914** (Noctuidae) Synonymy: atripars Hampson,1914 Range (as code): **KE Nai**

12137. **Phyllophila corgatha Berio,1984** (Noctuidae) Synonymy: corgatha Berio,1984 Range (as code): **ET ET204**

12138. **Phyllophila flavitermina (Hampson,1902)** (Noctuidae) Synonymy: flavitermina Hampson,1902 Range (as code): **ZA Ec Ans**

12139. **Phyllophila griseola (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: griseola R.Felder & Rogenhofer,1874; leucostigmata Hampson,1902 Range (as code): **ZA Ec Tra**

12140. **Phyllophila richinii Berio,1940** (Noctuidae) Synonymy: richinii Berio,1940 Range (as code): **ER**

12141. **Phyllophila rufescens Hampson,1910** (Noctuidae) Synonymy: rufescens Hampson,1910 Range (as code): **ZA Ec**

12142. **Phyllophila torrefacta (Distant,1898)** (Noctuidae) Synonymy: torrefacta Distant,1898 Range (as code): **ZA Tva Gau Pre**

12143. **Phytometra africana (Snellen,1872)** (Noctuidae) Synonymy: africana Snellen,1872 Range (as code): **ZA**

12144. **Phytometra carnea (A.E.Prout,1922)** (Noctuidae) Synonymy: carnea A.E.Prout,1922 Range (as code): **ZA**

12145. **Phytometra duplicalis (Walker,[1866])** (Noctuidae) Synonymy: duplicalis Walker,[1866]; allecta Schaus,1893. Range (as code): **ZA**

12146. **Phytometra fragilis (Butler,1875)** (Noctuidae) Synonymy: fragilis Butler,1875 Range (as code): **ZA**

12147. **Phytometra haemaceps (Hampson,1910)** (Noctuidae) Synonymy: haemaceps Hampson,1910 Range (as code): **ZA**

12148. **Phytometra helesusalis (Walker,[1859])** (Noctuidae) Synonymy: helesusalis Walker,[1859]; muraenula Wallengren,1875. Range (as code): **ZA**

12149. **Phytometra heliriusalis (Walker,[1859])** (Noctuidae) Synonymy: heliriusalis Walker,[1859]. Range (as code): **ZA**

12150. **Phytometra hypopsamma (Hampson,1926)** (Noctuidae) Synonymy: hypopsamma Hampson,1926 Range (as code): **ZA**

12151. **Phytometra opsiphora (Hampson,1926)** (Noctuidae) Synonymy: opsiphora Hampson,1926 Range (as code): **ZA**
12152. **Phytometra sacraria (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: sacraria R.Felder & Rogenhofer,1874 Range (as code): **ZA**
12153. **Phytometra sanctiflorentis (Boisduval,1834)** (Noctuidae) Synonymy: sanctiflorentis Boisduval,1834; aurantiacus Rothschild,1920; luna Zerny,1927 Range (as code): **TN Dhm PT ES Cl Bar Vcl Alc Mu**
12154. **Phytometra silona (Schaus,1893)** (Noctuidae) Synonymy: silona Schaus,1893 Range (as code): **ZA**
12155. **Phytometra subflavalis (Walker,[1866])** (Noctuidae) Synonymy: subflavalis Walker,[1866]; terminalis Mabille,1890. Range (as code): **ZA ET**
12156. **Phytometra viridaria (Clerck,1759)** (Noctuidae) Synonymy: #viridaria Clerck,1759; purpurata Linnaeus,1761; lanceata Scopoli,1763; aenea [Denis & Schiffermüller],1775; olivacea Vieweg,1790; latruncula Esper,[1791]; hoffmann, Stauder,1915; lutalgira Schawerda,1924 Range (as code): **MA DZ Hrh Ahr PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Arr AM AZ GG Smt Bjo Lag Ro Kr Nt Ich MD UA Lvv BY Sb At KG Tar CN Ui Ii KK Ik UZ Fe 04 05 07 08 11 14 16 22 25 32 33 39 42 50 54 58 59 60 65**
12157. **Plecoptera albipuncta Viette,1970** (Noctuidae) Synonymy: albipuncta Viette,1970 Range (as code): **MG**
12158. **Plecoptera androconiata Hampson,1926** (Noctuidae) Synonymy: androconiata Hampson,1926 Range (as code): **NG**
12159. **Plecoptera annexa (Distant,1898)** (Noctuidae) Synonymy: annexa Distant,1898 Range (as code): **ZA Tva Gau Jh**
12160. **Plecoptera approximans Hampson,1926** (Noctuidae) Synonymy: approximans Hampson,1926 Range (as code): **KE**
12161. **Plecoptera arctinotata (Walker,1866)** (Noctuidae) Synonymy: arctinotata Walker,1866; biguttata Walker,1865. Range (as code): **ZA Ec Tra Ans**
12162. **Plecoptera aspila Hampson,1903** (Noctuidae) Synonymy: aspila Hampson,1903 Range (as code): **ZA ZM**
12163. **Plecoptera chalciope Strand,1918** (Noctuidae) Synonymy: chalciope Strand,1918 Range (as code): **ZA ZR**
12164. **Plecoptera delos (Viette,1972)** (Noctuidae) Synonymy: delos Viette,1972 Range (as code): **MG**
12165. **Plecoptera dentilinea Hampson,1926** (Noctuidae) Synonymy: dentilinea Hampson,1926 Range (as code): **UG**
12166. **Plecoptera dimorpha Gaede,1939** (Noctuidae) Synonymy: dimorpha Gaede,1939 Range (as code): **TZ**
12167. **Plecoptera diplogramma Hampson,1926** (Noctuidae) Synonymy: diplogramma Hampson,1926 Range (as code): **KE**
12168. **Plecoptera diplosticha Hampson,1926** (Noctuidae) Synonymy: diplosticha Hampson,1926 Range (as code): **TZ**
12169. **Plecoptera divergens Bryk,1915** (Noctuidae) Synonymy: divergens Bryk,1915 Range (as code): **TZ**
12170. **Plecoptera flaviceps (Hampson,1902)** (Noctuidae) Synonymy: flaviceps Hampson,1902 Range (as code): **ZA ZW Har**
12171. **Plecoptera flavilinea Hampson,1910** (Noctuidae) Synonymy: flavilinea Hampson,1910 Range (as code): **ZM**
12172. **Plecoptera flecherana Viette,1966** (Noctuidae) Synonymy: flecherana Viette,1966 Range (as code): **MG**
12173. **Plecoptera geminilinea Hampson,1926** (Noctuidae) Synonymy: geminilinea Hampson,1926 Range (as code): **NG Caa**
12174. **Plecoptera grisea Hampson,1910** (Noctuidae) Synonymy: grisea Hampson,1910 Range (as code): **ZM**
12175. **Plecoptera hypoxantha Hampson,1926** (Noctuidae) Synonymy: hypoxantha Hampson,1926 Range (as code): **KE Tvt**
12176. **Plecoptera infuscata Hampson,1910** (Noctuidae) Synonymy: infuscata Hampson,1910 Range (as code): **ZA ZM**
12177. **Plecoptera infuscata Hampson,1910** (Noctuidae) Synonymy: infuscata Hampson,1910 Range (as code): **ZM**
12178. **Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonymy: inquinata Lederer,1857; pyrami Rogenhofer,1873; amanica Osthelder,1933 Range (as code): **TN LB Bei Bsa IL Pa TR Cc AZ Kir Nv Ord IQ Rwz IR Fa Ke Lo Ss Kaz Mia Sse Kz Yas SY Pmy 01 07 08 13 30 31 33 42 46 47 56 65 72**

12179. **Plecoptera lacinia (Saalmüller,1880)** (Noctuidae) Synonymy: lacinia Saalmüller,1880 Range (as code): **MG**
12180. **Plecoptera laniata Hampson,1910** (Noctuidae) Synonymy: laniata Hampson,1910 Range (as code): **ZA ZM**
12181. **Plecoptera mainty Viette,1972** (Noctuidae) Synonymy: mainty Viette,1972 Range (as code): **MG**
12182. **Plecoptera major (Holland,1894)** (Noctuidae) Synonymy: major Holland,1894 Range (as code): **GA**
12183. **Plecoptera megarthra Hampson,1910** (Noctuidae) Synonymy: megarthra Hampson,1910 Range (as code): **ZM**
12184. **Plecoptera melalepis Hampson,1910** (Noctuidae) Synonymy: melalepis Hampson,1910 Range (as code): **ZA ZM**
12185. **Plecoptera melanoscia Hampson,1910** (Noctuidae) Synonymy: melanoscia Hampson,1910 Range (as code): **ZA KE Nai**
12186. **Plecoptera mesostriga Hampson,1926** (Noctuidae) Synonymy: mesostriga Hampson,1926 Range (as code): **NG Minn**
12187. **Plecoptera misera (Butler,1883)** (Noctuidae) Synonymy: misera Butler,1883; tandoana Bethune-Baker,1911. Range (as code): **ZA IN AO**
12188. **Plecoptera mollardi D.S.Fletcher & Viette,1955** (Noctuidae) Synonymy: mollardi D.S.Fletcher & Viette,1955 Range (as code): **GN**
12189. **Plecoptera nigrilunata Gaede,1939** (Noctuidae) Synonymy: nigrilunata Gaede,1939 Range (as code): **CM**
12190. **Plecoptera nimba D.S.Fletcher & Viette,1955** (Noctuidae) Synonymy: nimba D.S.Fletcher & Viette,1955 Range (as code): **GN**
12191. **Plecoptera ovaliplaga (W.Warren,1914)** (Noctuidae) Synonymy: ovaliplaga W.Warren,1914 Range (as code): **ZA ZW Har**
12192. **Plecoptera poderis (Wallengren,1863)** (Noctuidae) Synonymy: poderis Wallengren,1863 Range (as code): **ZA**
12193. **Plecoptera polymorpha Hampson,1926** (Noctuidae) Synonymy: polymorpha Hampson,1926 Range (as code): **SO**
12194. **Plecoptera punctilineata Hampson,1910** (Noctuidae) Synonymy: punctilineata Hampson,1910 Range (as code): **ZA ZM**
12195. **Plecoptera recens (Saalmüller,1891)** (Noctuidae) Synonymy: recens Saalmüller,1891 Range (as code): **MG**
12196. **Plecoptera resistans (Walker,1858)** (Noctuidae) Synonymy: resistans Walker,1858 Range (as code): **ZA CG**
12197. **Plecoptera reussi Bryk,1915** (Noctuidae) Synonymy: reussi Bryk,1915 Range (as code): **TZ Dss**
12198. **Plecoptera reversa (Walker,1865)** (Noctuidae) Synonymy: reversa Walker,1865 Range (as code): **CG**
12199. **Plecoptera rufirena (Hampson,1902)** (Noctuidae) Synonymy: rufirena Hampson,1902 Range (as code): **ZW Har ZA Tva Lpo**
12200. **Plecoptera sakalava (Viette,1976)** (Noctuidae) Synonymy: sakalava Viette,1976 Range (as code): **MG**
12201. **Plecoptera sarcistis Hampson,1910** (Noctuidae) Synonymy: sarcistis Hampson,1910 Range (as code): **ZA ZM**
12202. **Plecoptera stuhlmanni (Pagenstecher,1893)** (Noctuidae) Synonymy: stuhlmanni Pagenstecher,1893 Range (as code): **ZA KE**
12203. **Plecoptera thermozona Hampson,1910** (Noctuidae) Synonymy: thermozona Hampson,1910 Range (as code): **ZA ZM**
12204. **Plecoptera trichophora Hampson,1910** (Noctuidae) Synonymy: trichophora Hampson,1910 Range (as code): **ZA ZM**
12205. **Plecoptera tripalis (Wallengren,1863)** (Noctuidae) Synonymy: tripalis Wallengren,1863 Range (as code): **ZA**
12206. **Plecoptera zonaria (Distant,1898)** (Noctuidae) Synonymy: zonaria Distant,1898 Range (as code): **ZA Tva Gau Pre Mpu Brb**
12207. **Plecopterodes deprivata W.Warren,1914** (Noctuidae) Synonymy: deprivata W.Warren,1914 Range (as code): **ZA**
12208. **Plecopterodes exigua Gaede,1914** (Noctuidae) Synonymy: exigua Gaede,1914 Range (as code): **BW**

12209. **Plecopterodes gendolfi Berio,1939** (Noctuidae) Synonymy: gendolfi Berio,1939 Range (as code): **ER**
12210. **Plecopterodes heterochroa (Hampson,1910)** (Noctuidae) Synonymy: heterochroa Hampson,1910 Range (as code): **ZA ZM**
12211. **Plecopterodes lutosa (Grünberg,1910)** (Noctuidae) Synonymy: lutosa Grünberg,1910 Range (as code): **ZA**
12212. **Plecopterodes melliflua (Holland,1897)** (Noctuidae) Synonymy: melliflua Holland,1897; calida Hampson,1902; punctata Berio,1984. Range (as code): **ET KE ZA Nta Kzu Dbn**
12213. **Plecopterodes moderata (Wallengren,1860)** (Noctuidae) Synonymy: moderata Wallengren,1860; alypophanes Bethune-Baker,1911; variabilis Mabille,1890. Range (as code): **ZA Lpo Tva Spb Mdk SL SN NG SD KE ZW Har BW Nga NA Dmr MZ Del Ec Ans**
12214. **Plecopterodes molybdena Berio,1954** (Noctuidae) Synonymy: molybdena Berio,1954 Range (as code): **ET**
12215. **Plecopterodes molybdopasta (Hampson,1910)** (Noctuidae) Synonymy: molybdopasta Hampson,1910 Range (as code): **ZA ZM**
12216. **Plecopterodes synethes Hampson,1913** (Noctuidae) Synonymy: synethes Hampson,1913 Range (as code): **KE Nai**
12217. **Pleuronodes arida (Hampson,1902)** (Noctuidae) Synonymy: arida Hampson,1902. Range (as code): **ZA**
12218. **Pleuronodes lepticyma (Hampson,1909)** (Noctuidae) Synonymy: lepticyma Hampson,1909; #leptocyma Gaede,1940. Range (as code): **ZA**
12219. **Pleuronodes trogopera (Hampson,1910)** (Noctuidae) Synonymy: trogopera Hampson,1910; odorino Bryk,1915. Range (as code): **ZA**
12220. **Plusiodonta achalcea Hampson,1926** (Noctuidae) Synonymy: achalcea Hampson,1926 Range (as code): **ZA**
12221. **Plusiodonta basirhabdota Hampson,1926** (Noctuidae) Synonymy: basirhabdota Hampson,1926 Range (as code): **KE Elg GO TZ**
12222. **Plusiodonta chalcomera Hampson,1926** (Noctuidae) Synonymy: chalcomera Hampson,1926 Range (as code): **KE**
12223. **Plusiodonta commoda Walker,1865** (Noctuidae) Synonymy: commoda Walker,1865 Range (as code): **SL MW Zom ZW Har ZA ZR GM KE NA SZ TZ ZM**
12224. **Plusiodonta euchalcia Hampson,1926** (Noctuidae) Synonymy: euchalcia Hampson,1926 Range (as code): **MW Mje**
12225. **Plusiodonta ionochrota Hampson,1926** (Noctuidae) Synonymy: ionochrota Hampson,1926 Range (as code): **GH**
12226. **Plusiodonta macra Hampson,1926** (Noctuidae) Synonymy: macra Hampson,1926 Range (as code): **KE**
12227. **Plusiodonta megista Hampson,1926** (Noctuidae) Synonymy: megista Hampson,1926 Range (as code): **KE**
12228. **Plusiodonta natalensis Walker,1865** (Noctuidae) Synonymy: natalensis Walker,1865; detracta Walker,1865; tripartita Walker,1865; nummaria R.Felder & Rogenhofer,1874 Range (as code): **ZR MZ ZM ZW ZA Nta Kzu Mv**
12229. **Plusiodonta nictites Hampson,1902** (Noctuidae) Synonymy: nictites Hampson,1902 Range (as code): **ZA Ec Tra**
12230. **Plusiodonta speciosissima (Holland,1894)** (Noctuidae) Synonymy: speciosissima Holland,1894 Range (as code): **GA**
12231. **Plusiodonta wahlbergi (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: wahlbergi R.Felder & Rogenhofer,1874; africana Holland,1894. Range (as code): **ZA Nta Kzu Dbn**
12232. **Plusiopalpa dichora Holland,1894** (Noctuidae) Synonymy: dichora Holland,1894 Range (as code): **ZA YE**
12233. **Plusiophaes argosticta D.S.Fletcher,1961** (Noctuidae) Synonymy: argosticta D.S.Fletcher,1961 Range (as code): **ZA**
12234. **Plusiophaes bipuncta (Hampson,1902)** (Noctuidae) Synonymy: bipuncta Hampson,1902 Range (as code): **ZA Nta Kzu Dbn**
12235. **Plusiotricha fletcheri Dufay,1972** (Noctuidae) Synonymy: fletcheri Dufay,1972 Range (as code): **ZA**
12236. **Plusiotricha livida Holland,1894** (Noctuidae) Synonymy: livida Holland,1894 Range (as code): **ZA**

12237.Poecilonola littoralis Van Son,1933 (Noctuidae) Synonymy: littoralis Van Son,1933 Range (as code): **ZA Nta Kzu Dbn Ptw**

12238.Polydesma boarmoides Guenée,1852 (Noctuidae) Synonymy: boarmoides Guenée,1852; mastrucata R.Felder & Rogenhofer,1874 Range (as code): **ZA IN Ch ID Ja Nk TH CMa Int Cuo Cu07 VN MM NP CN TW JP KP KR PH NC NH WS FJ Tw AU**

12239.Polydesma sagulata Wallengren,1875 (Noctuidae) Synonymy: sagulata Wallengren,1875 Range (as code): **ZA**

12240.Polydesma scriptilis Guenée,1852 (Noctuidae) Synonymy: scriptilis Guenée,1852; otiosa Guenée,1852; brevipalpis Walker,[1858]; Range (as code): **ZA NA Dmr IN**

12241.Polydesma sexmaculata Berio,1971 (Noctuidae) Synonymy: sexmaculata Berio,1971 Range (as code): **ZA**

12242.Polydesma umbricola Boisduval,1833 (Noctuidae) Synonymy: umbricola Boisduval,1833; collutrix Geyer,1837; landula Guenée,1852; determinata Wallengren,1863; #colutrix Hampson,1916 Range (as code): **NG Caa EG KE MW Zom ZW Har ZA Tva Lpo Nta Kzu Est MG TW IN LK MM Adm SG MY**

12243.Polymixis (Eremophysa) epiphlebs (Turati & C.G.Krüger,1936) (Noctuidae) Synonymy: epiphlebs Turati & C.G.Krüger,1936 Range (as code): **LY Cy IL Pa**

12244.Polymixis (Eumichtis) aurora (Turati,1924) (Noctuidae) Synonymy: aurora Turati,1924; glaisi D.Lucas,1932 Range (as code): **MA EG TN Gf LY Cy**

12245.Polymixis (Eumichtis) dyssymetrica Rungs,1967 (Noctuidae) Synonymy: dyssymetrica Rungs,1967 Range (as code): **MA**

12246.Polymixis (Eumichtis) fiorii (Boursin,1940) (Noctuidae) Synonymy: fiorii Boursin,1940 Range (as code): **LY**

12247.Polymixis (Eumichtis) lea (Staudinger,1898) (Noctuidae) Synonymy: lea Staudinger,1898 Range (as code): **JO IL Jt Pa LB EG Sn**

12248.Polymixis (Eumichtis) lichenea (Hübner,[1813]) (Noctuidae) Synonymy: lichenea Hübner,[1813]; viridicincta Freyer,1831; tephra Geyer,[1832]; aetna Turati,1908; apennina Dannehl,1929 Range (as code): **MA DZ Ges Btna Hrh Abe Afl TN ES FR Co Sa Si IT IE GB BE NL DK**

12249.Polymixis (Eumichtis) rupicola (Turati,1924) (Noctuidae) Synonymy: rupicola Turati,1924 Range (as code): **LY Cy**

12250.Polymixis (Eumichtis) susica (Rungs,1950) (Noctuidae) Synonymy: susica Rungs,1950 Range (as code): **MA**

12251.Polymixis (Parabrachionycha) leuconota (Frivaldsky,1841) (Noctuidae) Synonymy: leuconota Frivaldsky,1841; leuconota Herrich-Schäffer,[1850]; stigmatica Guenée,1852; malickyi Hacker & Fibiger,1993 Range (as code): **LY RO MK BG GR Cr Rd TR LB IL Pa Hf JO SY 05 06 19 36 45 46 50 56 63 64 70**

12252.Polymixis (s.str.) boursini (Rungs,1949) (Noctuidae) Synonymy: boursini Rungs,1949 Range (as code): **MA**

12253.Polymixis (s.str.) bousseaui (D.Lucas,1934) (Noctuidae) Synonymy: bousseaui D.Lucas,1934; rhododactyla Zerny,1934 Range (as code): **MA DZ Tlm**

12254.Polymixis (s.str.) dubia (Duponchel,1836) (Noctuidae) Synonymy: dubia Duponchel,1836; caerulescens Boisduval,1840; typhonias Millière,1882; randoui Stertz,1902; luna Schwingenschuss,1930; mus Boursin,1934 Range (as code): **DZ Btna Abe Bsk TN Gf PT ES FR IT CH**

12255.Polymixis (s.str.) flavicincta ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: #flavicincta [Denis & Schiffermüller],1775; dysodea Esper,[1790]; major Esper,[1790] Range (as code): **MA DZ Masc Blid Btna Abe Hrh TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE**

12256.Polymixis (s.str.) juditha (Staudinger,1898) (Noctuidae) Synonymy: juditha Staudinger,1898 Range (as code): **IL Jt Pa JP EG Sn**

12257.Polymixis (s.str.) rebecca (Staudinger,1892) (Noctuidae) Synonymy: rebecca Staudinger,1892 Range (as code): **IL Js Hf Pa LB JO EG Sn**

12258.Polymixis (s.str.) rungsi Plante,1975 (Noctuidae) Synonymy: rungsi Plante,1975 Range (as code): **MA**

12259.Polymixis (s.str.) sublutea (Turati,1909) (Noctuidae) Synonymy: sublutea Turati,1909 Range (as code): **DZ MA IT Si**

12260.Polymixis (s.str.) subvenusta (Püngeler,1906) (Noctuidae) Synonymy: subvenusta Püngeler,1906; deliciosa Oberthür,1907; discalis Rothschild,1912 Range (as code): **DZ Ges Sbd Btna MA SA SY IL Js Pa JO**

12261.Polymixis (s.str.) xanthomista (Hübner,[1819]) (Noctuidae) Synonymy: xanthomista Hübner,[1819]; nigrocincta Treitschke,1825; nivescens Staudinger,1861; nivea Dannehl,1929 Range (as code): **MA DZ Sbd PT ES FR Sa? Si IT IE GB DE CH AT PL CZ SK HU RO BG GR Rd TR Cc 75**

12262. **Polypogon caffrarium (Möschler,1883)** (Noctuidae) Synonymy: caffrarium Möschler,1883 Range (as code): **ZA**
12263. **Polypogon flavicrinalis (Andreas,1910)** (Noctuidae) Synonymy: flavicrinalis Andreas,1910; gigantea Turati,1911; neglecta Krausse,1912; authumnalis Turati,1913; flavicrinalis Rothschild,1920 nec Andr.,1910; flavicrinaloides Poole,1989 Range (as code): **DZ Cst TN Dhm BSa Hrh Agi Phv ES Sa**
12264. **Polypogon fractale (Guenée,1854)** (Noctuidae) Synonymy: fractale Guenée,1854 Range (as code): **ZA**
12265. **Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonymy: plumigeralis Hübner,[1825]; crinalis Treitschke,1829. Range (as code): **DZ Clo Agi Hrh Dzc Dhm TN BSa Blid Abe Sbd PT ES FR Co Sa Si IT MT GB CH AT PL RO YU AL BG GR Cr TR LB IL Pa SY IR AF RU Cc AZ Nv Ord Kc Kr Da MD UA BY 01 05 07 08 16 30 31 33 41 46 48**
12266. **Polytela cliens (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: cliens R.Felder & Rogenhofer,1874; orientalis Hampson,1894 Range (as code): **CV Cn MR MA IR Fa Ss Hz NG NE ET SD IL Pa JO YE Ad IN Nl Tn**
12267. **Polytelodes florifera (Walker,1858)** (Noctuidae) Synonymy: florifera Walker,1858 Range (as code): **ZA**
12268. **Prionofrontia erygidia Hampson,1902** (Noctuidae) Synonymy: erygidia Hampson,1902 Range (as code): **ZA Nta Kzu**
12269. **Prionofrontia strigata Hampson,1926** (Noctuidae) Synonymy: strigata Hampson,1926 Range (as code): **ZA**
12270. **Pristanepa platti Hampson,1926** (Noctuidae) Synonymy: platti Hampson,1926 Range (as code): **ZA**
12271. **Proconis abrostoloides Hampson,1902** (Noctuidae) Synonymy: abrostoloides Hampson,1902 Range (as code): **ZA Ec Ans**
12272. **Procraterια basifascia Pinhey,1968** (Noctuidae) Synonymy: basifascia Pinhey,1968 Range (as code): **ZA**
12273. **Procraterια noloides Hampson,1905** (Noctuidae) Synonymy: noloides Hampson,1905 Range (as code): **ZA**
12274. **Procraterια pterota Hampson,1909** (Noctuidae) Synonymy: pterota Hampson,1909 Range (as code): **ZA**
12275. **Progonia grisea (Hampson,1905)** (Noctuidae) Synonymy: grisea Hampson,1905 Range (as code): **ZA**
12276. **Progonia luctuosa (Hampson,1902)** (Noctuidae) Synonymy: luctuosa Hampson,1902 Range (as code): **ZA**
12277. **Progonia perarcuata (Hampson,1902)** (Noctuidae) Synonymy: perarcuata Hampson,1902 Range (as code): **ZA**
12278. **Proruaca harmonica Distant,1901** (Noctuidae) Synonymy: harmonica Distant,1901 Range (as code): **ZW ZA Tva Gau Pre**
12279. **Proruaca recurrens Hampson,1902** (Noctuidae) Synonymy: recurrens Hampson,1902 Range (as code): **BW Nga MZ NA ZA TZ ZM ZW**
12280. **Protarache melaphora Hampson,1910** (Noctuidae) Synonymy: melaphora Hampson,1910 Range (as code): **ZA**
12281. **Protexarnis photophila (Guenée,1852)** (Noctuidae) Synonymy: photophila Guenée,1852; ignipeta Oberthür,[1876]; undulans Moore,1878 Range (as code): **DZ Onç Gha Sfr ES Cn**
12282. **Protomeceras mimicaria (Oberthür,1887)** (Noctuidae) Synonymy: mimicaria Oberthür,1887 Range (as code): **MA DZ Sbd**
12283. **Pseudagoma pinheyi Kiriakoff,1975** (Noctuidae) Synonymy: pinheyi Kiriakoff,1975 Range (as code): **ZA**
12284. **Pseudenargia regina (Staudinger,1892)** (Noctuidae) Synonymy: regina Staudinger,1892 Range (as code): **DZ Dhm TN TR Cc LB IL Pa JO IQ Brs Ry Rwz Dia 01 03 05 06 08 13 18 30 31 33 36 42 46 50 51 58 62 65 68**
12285. **Pseudoarcte melanis (Mabille,1890)** (Noctuidae) Synonymy: melanis Mabille,1890 Range (as code): **ZA**
12286. **Pseudocopicucullia melanoglossa (Berio,1934)** (Noctuidae) Synonymy: melanoglossa Berio,1934 Range (as code): **DZ Ajj EG LY**
12287. **Pseudocopicucullia syrtana (Mabille,1888)** (Noctuidae) Synonymy: syrtana Mabille,1888; #cyrtana Rothschild,1913 Range (as code): **Cn MR MA DZ Ajj Hes Ktr Dhm Kdr Mri Nbr Ceg BSa Gha Bsk TN Gab LY EG Sn SA MT GR CY IR Hz Ss IQ Agh Njf IL Pa JO**

12288. **Pseudogiria angulata (Bethune-Baker,1909)** (Noctuidae) Synonymy: angulata Bethune-Baker,1909 Range (as code): **ZA**
12289. **Pseudogiria hypographa (Hampson,1926)** (Noctuidae) Synonymy: hypographa Hampson,1926 Range (as code): **ZR GA GH NG SL**
12290. **Pseudohadena (Jaxartia) jordana (Staudinger,1900)** (Noctuidae) Synonymy: jordana Staudinger,1900 Range (as code): **JO Jt IL Pa EG Sn IQ**
12291. **Pseudohadena (Pseudopseustis) tellieri (D.Lucas,1907)** (Noctuidae) Synonymy: tellieri D.Lucas,1907; diacrisioides Rothschild,1914 Range (as code): **TN Gf DZ Btna Bsk Agi Ges**
12292. **Pseudomathes volloni (D.Lucas,1907)** (Noctuidae) Synonymy: volloni D.Lucas,1907 Range (as code): **DZ Bsk Afl TN**
12293. **Pseudomicrodes ecrufa (Hampson,1905)** (Noctuidae) Synonymy: ecrufa Hampson,1905 Range (as code): **ZA**
12294. **Pseudomicrodes fuscipars Hampson,1910** (Noctuidae) Synonymy: fuscipars Hampson,1910 Range (as code): **ZA**
12295. **Pseudomicrodes mediorufa Hampson,1910** (Noctuidae) Synonymy: mediorufa Hampson,1910 Range (as code): **ZA**
12296. **Pseudomicrodes ochrocraspis Hampson,1910** (Noctuidae) Synonymy: ochrocraspis Hampson,1910 Range (as code): **ZA**
12297. **Pseudopais nigrobasalis Bartel,1903** (Noctuidae) Synonymy: nigrobasalis Bartel,1903 Range (as code): **MW**
12298. **Pseudopanolis puengeleri (Standfuss,1912)** (Noctuidae) Synonymy: puengeleri Standfuss,1912 Range (as code): **MA Ifr DZ Blid**
12299. **Pseudozarba bipartita (Herrich-Schäffer,1850)** (Noctuidae) Synonymy: bipartita Herrich-Schäffer,1850 Range (as code): **TN Sfx SD SO PT ES An Mu FR Co Sa Si IT MT GR Cr BG TR IR Hz B-A 07 31 33**
12300. **Pseudozarba mesozona (Hampson,1896)** (Noctuidae) Synonymy: mesozona Hampson,1896; mediana Staudinger,1898 Range (as code): **IL Pa Jt IR Lo Bu Dlk Hz B-A SA EG ER YE Ad OM AE Sk PK**
12301. **Pseudozarba mianoides (Hampson,1893)** (Noctuidae) Synonymy: mianoides Hampson,1893 Range (as code): **LK Pdy KE SO TZ Zz**
12302. **Pseudozarba opella (Swinhoe,1885)** (Noctuidae) Synonymy: opella Swinhoe,1885; orthopetes Meyrick,1897 Range (as code): **CV ER ET GM GH KE NE NG SO ZA SD ZW IN Mh Bba Poo Hp Sml Cu PK Sd Krc Cp Swa Kkar AU QAu**
12303. **Pseudozarba orthozona Wiltshire,1984** (Noctuidae) Synonymy: orthozona Wiltshire,1984 Range (as code): **NA SA**
12304. **Pteronycta fasciata Fawcett,1918** (Noctuidae) Synonymy: fasciata Fawcett,1918; fasciata Hampson,1926 nec Fawc.,1918; hastifera Hering,1926. Range (as code): **ZA**
12305. **Pteronycta fractilinea Pinhey,1968** (Noctuidae) Synonymy: fractilinea Pinhey,1968 Range (as code): **ZA**
12306. **Pteronycta postalbida Gaede,1939** (Noctuidae) Synonymy: postalbida Gaede,1939 Range (as code): **ZA**
12307. **Pteronycta smythi Gaede,1939** (Noctuidae) Synonymy: smythi Gaede,1939 Range (as code): **ZA**
12308. **Pyraloides spodia Rebel,1948** (Noctuidae) Synonymy: spodia Rebel,1948 Range (as code): **EG JE**
12309. **Radara prunescens (Hampson,1902)** (Noctuidae) Synonymy: prunescens Hampson,1902 Range (as code): **SZ ZW ZA**
12310. **Radara subcupralis (Walker,[1866])** (Noctuidae) Synonymy: subcupralis Walker,[1866]; transcissa Walker,[1866]; obliquifasciata Moore,1882; frequens Holland,1894. Range (as code): **ZA BW CM ZR ER GM GH KE MG MW MZ NA RE SO SZ TZ ZM ZW KM**
12311. **Radara thermeola Hampson,1926** (Noctuidae) Synonymy: thermeola Hampson,1926 Range (as code): **ZA**
12312. **Radara vacillans Walker,1862** (Noctuidae) Synonymy: vacillans Walker,1862; capensis Walker,1862; divisalis Walker,[1866]; transmissa Heyden,1891. Range (as code): **ZA BW MG MZ SL TZ UG ZW**
12313. **Ramesodes divisa (Hampson,1902)** (Noctuidae) Synonymy: divisa Hampson,1902 Range (as code): **ZA Nta Kzu Ec Tra**
12314. **Ramesodes micropis Hampson,1910** (Noctuidae) Synonymy: micropis Hampson,1910 Range (as code): **ZA**
12315. **Raparna erubescens (A.Bang-Haas,1910)** (Noctuidae) Synonymy: erubescens A.Bang-Haas,1910 Range (as code): **DZ MA SA OM AE IL Pa JO IR Ss Hz B-A AF**

12316. **Raparna tritonias Hampson,1902** (Noctuidae) Synonymy: tritonias Hampson,1902 Range (as code): **ZA ZR KE MW SZ UG ZM ZW**
12317. **Recophora canteneri (Duponchel,1833)** (Noctuidae) Synonymy: canteneri Duponchel,1833; insueta Herrich-Schäffer,1850; pallidior Rothschild,1913; satanas Boursin,1962 Range (as code): **MR MA DZ Ges BSa Sbd Clo PT ES Mu FR IT**
12318. **Rhabdophera arefacta (Swinhoe,1884)** (Noctuidae) Synonymy: arefacta Swinhoe,1884; messrae Staudinger,1898. Range (as code): **PK Sd Krc IL Pa Jt JO Sn EG IQ Amr Agh IR Hz**
12319. **Rhabdophera hansali (Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: hansali Felder & Rogenhofer,1874 Range (as code): **ET Sw ET24**
12320. **Rhabinopteryx subtilis (Mabille,1888)** (Noctuidae) Synonymy: subtilis Mabille,1888; renatalis Rebel,1909 nec Obth.; luridalis Rebel,1911. Range (as code): **MA DZ Onç Hes Ges Berr Ceg BSa Tou Bsk Sfr TN Gab LY MT TN EG Sn SA JO IL Pa IQ Kbl Bgd IR**
12321. **Rhanidophora agrippa Druce,1899** (Noctuidae) Synonymy: agrippa Druce,1899 Range (as code): **ZA KE MW TZ UG**
12322. **Rhanidophora aurantiaca Hampson,1902** (Noctuidae) Synonymy: aurantiaca Hampson,1902 Range (as code): **BW TZ ZA Nta Kzu Dbn ET Sw ET10 ET08 ET24 ET153**
12323. **Rhanidophora cinctigutta (Walker,1862)** (Noctuidae) Synonymy: cinctigutta Walker,1862 Range (as code): **ZA Nta Kzu Kkf KE MW Zom ZR ET MZ NA SZ TZ ZM ZW**
12324. **Rhanidophora enucleata Mabille,1900** (Noctuidae) Synonymy: enucleata Mabille,1900 Range (as code): **ZA**
12325. **Rhanidophora flavigutta Hampson,1926** (Noctuidae) Synonymy: flavigutta Hampson,1926 Range (as code): **ZA**
12326. **Rhanidophora odontophora Hampson,1926** (Noctuidae) Synonymy: odontophora Hampson,1926 Range (as code): **MW MZ TZ ZM ZW**
12327. **Rhanidophora phedonia (Stoll,1781)** (Noctuidae) Synonymy: phedonia Stoll,1781 Range (as code): **ET KE MW MZ SZ TZ UG ZM ZW ZA Nta Kzu Est Ec**
12328. **Rhanidophora ridens Hampson,1902** (Noctuidae) Synonymy: ridens Hampson,1902 Range (as code): **ZA Tva Lpo Spb Mdk KE MZ Del BW ZR SZ ZM ZW**
12329. **Rhesala goleta (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: goleta R.Felder & Rogenhofer,1874 Range (as code): **ZA**
12330. **Rhesala grisea (Hampson,1916)** (Noctuidae) Synonymy: grisea Hampson,1916 Range (as code): **ZA SO**
12331. **Rhesala moestalis (Walker,[1866])** (Noctuidae) Synonymy: moestalis Walker,[1866]; erebina Butler,1879; figurata Moore,1885; malgassica Heyden,1891; formosana Strand,1920; ragazzii Berio,1936 Range (as code): **KM GM KE RE MU MG ZA SL ET ET24 Sw YE Ad JP PK Cp TW LK SC NA NG SO SD TZ ZM ZW**
12332. **Rhesalides natalensis Hampson,1926** (Noctuidae) Synonymy: natalensis Van Son,1966 Range (as code): **ZA**
12333. **Rhodochlaena botonga (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: botonga R.Felder & Rogenhofer,1874; perrubra Hampson,1902 Range (as code): **ZA Ec Tra**
12334. **Rhodochlaena cuneifera Hampson,1910** (Noctuidae) Synonymy: cuneifera Hampson,1910 Range (as code): **ZR Kga**
12335. **Rhodochlaena descarpentriesi Laporte,1975** (Noctuidae) Synonymy: descarpentriesi Laporte,1975 Range (as code): **KE**
12336. **Rhodochlaena dinshoense Laporte,1974** (Noctuidae) Synonymy: dinshoense Laporte,1974 Range (as code): **ET ET86**
12337. **Rhodotarache roseofusca W.Warren,1914** (Noctuidae) Synonymy: roseofusca W.Warren,1914 Range (as code): **ZA**
12338. **Rhyacia (Epipsilia) boursini (Rungs,1972)** (Noctuidae) Synonymy: Epipsilia boursini (Rungs,1972 Range (as code): **MA**
12339. **Rhyacia (Epipsilia) cervantes (Reisser,1935)** (Noctuidae) Synonymy: cervantes Reisser,1935; #gyulaipetri Varga,1975 Range (as code): **DZ MA ES Si YU BG GR TR IR Elb Th 01 14 30 42 65**
12340. **Rhyacia (Epipsilia) lhassen (Le Cerf,1932)** (Noctuidae) Synonymy: lhassen Le Cerf,1932 Range (as code): **MA**
12341. **Rhyacia (s.str.) helvetina (Boisduval,1833)** (Noctuidae) Synonymy: helvetina Boisduval,1833; livia Freyer,1836 Range (as code): **MA ES FR IT DE CH AT GR TR IR Fa Mz Elb Th RU Da Cc KG Tk Dj Ii 04 25 27 33 36 38 42 51 58 65 68**
12342. **Rhyacia (s.str.) mansour Le Cerf,1933** (Noctuidae) Synonymy: mansour Le Cerf,1933 Range (as code): **MA**

12343. **Rhyacia (s.str.) mimouna Le Cerf,1933** (Noctuidae) Synonymy: mimouna Le Cerf,1933 Range (as code): **MA**
12344. **Rhyacia (s.str.) pseudolatens Schwingenschuss,1935** (Noctuidae) Synonymy: pseudolatens Schwingenschuss,1935 Range (as code): **MA**
12345. **Rhyacia (s.str.) simulans (Hufnagel,1766)** (Noctuidae) Synonymy: simulans Hufnagel,1766; tristis Fabricius,1775; pyrophila [Denis & Schiffermüller],1775; radicea Esper,[1789]; obscurata Staudinger,1901; augurides Rothschild,1914 Range (as code): **DZ Ges MA TN PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR GG Tbl AZ Kir AM Cc TR Arr LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da Sb At To MD UA BY UZ Fe KK Ik CN Ui Ii 01 04 06 17 22 33 46 50 58 65 76**
12346. **Rhynchina albiscripta Hampson,1916** (Noctuidae) Synonymy: albiscripta Hampson,1916 Range (as code): **SO**
12347. **Rhynchina canariensis Pinker,1962** (Noctuidae) Synonymy: canariensis Pinker,1962; robusta Pinker,1962. Range (as code): **Cn**
12348. **Rhynchina coniodes Vari,1962** (Noctuidae) Synonymy: coniodes Vari,1962 Range (as code): **ZA Tva Kru**
12349. **Rhynchina crassisquamata Hampson,1910** (Noctuidae) Synonymy: crassisquamata Hampson,1910 Range (as code): **ZM**
12350. **Rhynchina endoleuca Hampson,1916** (Noctuidae) Synonymy: endoleuca Hampson,1916 Range (as code): **SO**
12351. **Rhynchina equalisella (Walker,1863)** (Noctuidae) Synonymy: equalisella Walker,1863; caesa Distant,1898. Range (as code): **ZA Tva Pre Gau Wb**
12352. **Rhynchina herbuloti Viette,1965** (Noctuidae) Synonymy: herbuloti Viette,1965 Range (as code): **MG**
12353. **Rhynchina leucodonta Hampson,1910** (Noctuidae) Synonymy: leucodonta Hampson,1910 Range (as code): **ZM ZA MG MW TZ SN GM GH NG MR**
12354. **Rhynchina paliscia Bethune-Baker,1911** (Noctuidae) Synonymy: paliscia Bethune-Baker,1911 Range (as code): **NG NG**
12355. **Rhynchina perangulata Hampson,1916** (Noctuidae) Synonymy: perangulata Hampson,1916 Range (as code): **SO ZA**
12356. **Rhynchina poecilopa Vari,1962** (Noctuidae) Synonymy: poecilopa Vari,1962 Range (as code): **ZA Gau Pre Tva**
12357. **Rhynchina poliopera Hampson,1902** (Noctuidae) Synonymy: poliopera Hampson,1902; ituriensis A.E.Prout,1921 Range (as code): **ZA Cap Ec Ans**
12358. **Rhynchina sahariensis Rothschild,1921** (Noctuidae) Synonymy: sahariensis Rothschild,1921 Range (as code): **NE**
12359. **Rhynchina taruensis Butler,1898** (Noctuidae) Synonymy: taruensis Butler,1898 Range (as code): **KE**
12360. **Rhynchina tinctalis (Zeller,1852)** (Noctuidae) Synonymy: tinctalis Zeller,1852; echionalis Walker,[1859]; albistriga Mabille,1900. Range (as code): **SL ZA Nta Kzu**
12361. **Risoba diplogramma Hampson,1912** (Noctuidae) Synonymy: diplogramma Hampson,1912 Range (as code): **ZA**
12362. **Risoba obstructa Moore,1881** (Noctuidae) Synonymy: obstructa Moore,1881 Range (as code): **ZA BW Nga KE CN IN LK Dck Cbo Kndy MM MY Bor PH ID Ja TH CMa CDo Lmp Nan NP PG AU SB**
12363. **Risoba sticticraspis Hampson,1912** (Noctuidae) Synonymy: sticticraspis Hampson,1912 Range (as code): **ZA**
12364. **Rivula lophosoma Hampson,1926** (Noctuidae) Synonymy: lophosoma Hampson,1926 Range (as code): **ZA**
12365. **Rivula ochrea (Bethune-Baker,1911)** (Noctuidae) Synonymy: ochrea Bethune-Baker,1911 Range (as code): **AO**
12366. **Rivula parallella (Hampson,1902)** (Noctuidae) Synonymy: parallella Hampson,1902 Range (as code): **ZA**
12367. **Rivula tanitalis Rebel,1912** (Noctuidae) Synonymy: tanitalis Rebel,1912 Range (as code): **MA DZ Cr TR CY GR IR Fa Kaz Kd Snj Km Ss SA YE EG EG05 IQ Kq Agh BH LB IL Pa 63**
12368. **Rivula vicarialis Walker,[1866]** (Noctuidae) Synonymy: vicarialis Walker,[1866] Range (as code): **ZA**
12369. **Rothia agrius (Herrich-Schäffer,1853)** (Noctuidae) Synonymy: agrius Herrich-Schäffer,1853 Range (as code): **MG**
12370. **Rothia aisha (Kirby,1891)** (Noctuidae) Synonymy: aisha Kirby,1891; catarhodia Holland,1898 Range (as code): **KE**

12371. **Rothia contigua (Walker,1854)** (Noctuidae) Synonymy: contigua Walker,1854; fabricata Karsch,1895 Range (as code): **GN**
12372. **Rothia dayremi (Oberthür,1909)** (Noctuidae) Synonymy: dayremi Oberthür,1909 Range (as code): **MG**
12373. **Rothia distigma (Mabille,1897)** (Noctuidae) Synonymy: distigma Mabille,1897 Range (as code): **MG**
12374. **Rothia holli (Oberthür,1909)** (Noctuidae) Synonymy: holli Oberthür,1909 Range (as code): **MG**
12375. **Rothia hypopyrrha (Butler,1878)** (Noctuidae) Synonymy: hypopyrrha Butler,1878 Range (as code): **MG**
12376. **Rothia lasti Rothschild,1896** (Noctuidae) Synonymy: lasti Rothschild,1896 Range (as code): **MG**
12377. **Rothia mariae Swinhoe,1904** (Noctuidae) Synonymy: mariae Swinhoe,1904 Range (as code): **UG Kmp**
12378. **Rothia micropales Butler,1879** (Noctuidae) Synonymy: micropales Butler,1879 Range (as code): **MG**
12379. **Rothia nigrescens Rothschild,1896** (Noctuidae) Synonymy: nigrescens Rothschild,1896 Range (as code): **MG**
12380. **Rothia pales (Guérin-Méneville,1844)** (Noctuidae) Synonymy: pales Guérin-Méneville,1844 Range (as code): **MG**
12381. **Rothia panganica Karsch,1898** (Noctuidae) Synonymy: panganica Karsch,1898; rhaeoides Kiriakoff,1974 Range (as code): **TZ MW Mje**
12382. **Rothia pedasus (Herrich-Schäffer,1853)** (Noctuidae) Synonymy: pedasus Herrich-Schäffer,1853 Range (as code): **MG**
12383. **Rothia pentelia (Druce,1887)** (Noctuidae) Synonymy: pentelia Druce,1887 Range (as code): **MZ Del**
12384. **Rothia powelli (Oberthür,1909)** (Noctuidae) Synonymy: powelli Oberthür,1909 Range (as code): **MG**
12385. **Rothia rhaeo (Druce,1894)** (Noctuidae) Synonymy: rhaeo Druce,1894; alluaudi Mabille,1897 Range (as code): **ZA MG**
12386. **Rothia simyra Westwood,1877** (Noctuidae) Synonymy: simyra Westwood,1877 Range (as code): **MG**
12387. **Rothia subterminalis Hampson,1911** (Noctuidae) Synonymy: subterminalis Hampson,1911 Range (as code): **TZ**
12388. **Rothia tranquilla (Butler,1880)** (Noctuidae) Synonymy: tranquilla Butler,1880; epipales Mabille,1884 Range (as code): **MG**
12389. **Rothia virguncula (Mabille,1879)** (Noctuidae) Synonymy: virguncula Mabille,1879; metagrius Butler,1880 Range (as code): **MG**
12390. **Rothia watersi (Butler,1884)** (Noctuidae) Synonymy: watersi Butler,1884 Range (as code): **MG**
12391. **Rothia westwoodi Butler,1879** (Noctuidae) Synonymy: westwoodi Butler,1879 Range (as code): **MG**
12392. **Rothia xanthopyga (Mabille,1890)** (Noctuidae) Synonymy: xanthopyga Mabille,1890 Range (as code): **TZ Zz**
12393. **Rothia zea (Herrich-Schäffer,1853)** (Noctuidae) Synonymy: zea Herrich-Schäffer,1853 Range (as code): **MG**
12394. **Rougeotia abyssinica (Hampson,1918)** (Noctuidae) Synonymy: abyssinica Hampson,1918 Range (as code): **ET**
12395. **Rougeotia aethiopica Laporte,1974** (Noctuidae) Synonymy: aethiopica Laporte,1974 Range (as code): **ET ET86**
12396. **Rougeotia calumniosa (Berio,1939)** (Noctuidae) Synonymy: calumniosa Berio,1939 Range (as code): **ER**
12397. **Rougeotia ludovica Laporte,1974** (Noctuidae) Synonymy: ludovica Laporte,1974 Range (as code): **ET**
12398. **Rougeotia ludovicoides Laporte,1977** (Noctuidae) Synonymy: ludovicoides Laporte,1977 Range (as code): **ET ET86**
12399. **Rougeotia obscura Laporte,1974** (Noctuidae) Synonymy: obscura Laporte,1974 Range (as code): **ET ET86**
12400. **Rougeotia ocellai Berio,1978** (Noctuidae) Synonymy: ocellai Berio,1978 Range (as code): **KE**
12401. **Rougeotia praetexta (Townsend,1956)** (Noctuidae) Synonymy: praetexta Townsend,1956 Range (as code): **KE**

12402.**Rougeotia roseogrisea Laporte,1974** (Noctuidae) Synonymy: roseogrisea Laporte,1974 Range (as code): **ET**
12403.**Rougeotia rougeoti Laporte,1984** (Noctuidae) Synonymy: rougeoti Laporte,1984 Range (as code): **ET ET45**
12404.**Rougeotiana rogator (Bryk,1915)** (Noctuidae) Synonymy: rogator Bryk,1915 Range (as code): **NG Caa**
12405.**Rougeotiana xanthoperas (Hampson,1926)** (Noctuidae) Synonymy: xanthoperas Hampson,1926 Range (as code): **GH**
12406.**Saalmuellerana media (Walker,1857)** (Noctuidae) Synonymy: media Walker,1857; latifasciata Moore,1881; viriata Swinhoe,1885 Range (as code): **ZA PK IN Poo Mpr**
12407.**Saalmuellerana schoenheiti (Strand,1912)** (Noctuidae) Synonymy: schoenheiti Strand,1912 Range (as code): **ZA TZ**
12408.**Saaluncifera lamottei Laporte,1972** (Noctuidae) Synonymy: lamottei Laporte,1972 Range (as code): **ZR**
12409.**Saaluncifera uncinata Berio,1966** (Noctuidae) Synonymy: uncinata Berio,1966 Range (as code): **MG**
12410.**Saltia acrophylax Tams,1952** (Noctuidae) Synonymy: acrophylax Tams,1952 Range (as code): **TZ**
12411.**Saltia edwardsi Tams,1952** (Noctuidae) Synonymy: edwardsi Tams,1952 Range (as code): **KE Elg**
12412.**Sarmatia interitalis Guenée,1854** (Noctuidae) Synonymy: interitalis Guenée,1854; aemusalis Walker,1862; incongrualis Walker,[1866]. Range (as code): **ZA**
12413.**Saroba cyanescens Hampson,1926** (Noctuidae) Synonymy: cyanescens Hampson,1926 Range (as code): **ZA**
12414.**Scambina roseipicta (Druce,1911)** (Noctuidae) Synonymy: roseipicta Druce,1911 Range (as code): **ZA**
12415.**Schausia confluens (Weymer,1892)** (Noctuidae) Synonymy: confluens Weymer,1892; darocana Druce,1895 Range (as code): **TZ Zz ZA**
12416.**Schausia coryndoni (Rothschild,1896)** (Noctuidae) Synonymy: coryndoni Rothschild,1896; separata Weymer,1896 Range (as code): **TZ ZA Tva Nta Kzu Mpu Brb ZW Vf**
12417.**Schausia cosmetica (Karsch,1898)** (Noctuidae) Synonymy: cosmetica Karsch,1898 Range (as code): **CM**
12418.**Schausia costistrigata Bethune-Baker,1917** (Noctuidae) Synonymy: costistrigata Bethune-Baker,1917 Range (as code): **CM**
12419.**Schausia dambuza Kiriakoff,1975** (Noctuidae) Synonymy: dambuza Kiriakoff,1975 Range (as code): **ZR Shb**
12420.**Schausia daria (Druce,1895)** (Noctuidae) Synonymy: daria Druce,1895; triplagiata Rothschild,1896; dispar Kirby,1896; meraca Karsch,1898 Range (as code): **TZ ZM ZW NA**
12421.**Schausia gladiatoria (Holland,1893)** (Noctuidae) Synonymy: gladiatoria Holland,1893 Range (as code): **GA Ogo**
12422.**Schausia greenawayae Stoneham,1963** (Noctuidae) Synonymy: greenawayae Stoneham,1963 Range (as code): **KE**
12423.**Schausia langazana Kiriakoff,1974** (Noctuidae) Synonymy: langazana Kiriakoff,1974 Range (as code): **ZA**
12424.**Schausia leona (Schaus,1893)** (Noctuidae) Synonymy: leona Schaus,1893; congoana Jordan,1908 Range (as code): **SL NE CG**
12425.**Schausia mantatisi Kiriakoff,1975** (Noctuidae) Synonymy: mantatisi Kiriakoff,1975 Range (as code): **ZR**
12426.**Schausia memnonia (Karsch,1895)** (Noctuidae) Synonymy: memnonia Karsch,1895 Range (as code): **SN GA TG NE CM**
12427.**Schausia mkabi Kiriakoff,1974** (Noctuidae) Synonymy: mkabi Kiriakoff,1974 Range (as code): **SD**
12428.**Schausia transiens (Hampson,1901)** (Noctuidae) Synonymy: transiens Hampson,1901 Range (as code): **NG Caa**
12429.**Schausia triangularis (Mabille,1893)** (Noctuidae) Synonymy: triangularis Mabille,1893; astrapeus Holland,1893 Range (as code): **CM**
12430.**Schinia scutosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonymy: #scutosa [Denis & Schiffermüller],1775; nuchalis Grote,1878 Range (as code): **MA DZ TN EG ES FR IT MT IE GB NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG AM AZ Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Kyi Sb At Us MD UA BY KK TrA T-A KG Tk Aa UZ N-A Ui Ku Kgs Ch IN Gs Dra Kul Pj Rw KP KR US Mon Col Kan AF PK IR Db Kdy Lvv Mz Gls Elb Ab Mak IL Pa Sn JP Tbl Smt Bjo Kir Der BSa Ges 03 08 14 28 32 46 50**

12431. **Schrankia costaestrigalis (Stephens,1834)** (Noctuidae) Synonymy: costaestrigalis Stephens,1834; hartigi Berio,1991. Range (as code): **Cn MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU Cc St Kr Kc Ich MD UA BY LB GG Smt Bjo Lag YE LB JO JP AU NZ NF 34**

12432. **Schrankia taenialis (Hübner,[1809])** (Noctuidae) Synonymy: taenialis Hübner,[1809]; albistrigatis Haworth,[1809] Range (as code): **Cn FR Sa Si GB BE NL DE CH AT PL CZ SK HU RO YU BG TR Cc AM AZ IR Gls DK SE LV LT RU MD UA BY IL Pa 14 28 52 53**

12433. **Sciomesa argocyma D.S.Fletcher,1961** (Noctuidae) Synonymy: argocyma D.S.Fletcher,1961 Range (as code): **UG Rz**

12434. **Sciomesa betschi Viette,1967** (Noctuidae) Synonymy: betschi Viette,1967 Range (as code): **MG**

12435. **Sciomesa constantini Laporte,1984** (Noctuidae) Synonymy: constantini Laporte,1984 Range (as code): **ET ET86**

12436. **Sciomesa cyclophora D.S.Fletcher,1961** (Noctuidae) Synonymy: cyclophora D.S.Fletcher,1961 Range (as code): **UG Rz**

12437. **Sciomesa etchecopari Laporte,1975** (Noctuidae) Synonymy: etchecopari Laporte,1975 Range (as code): **ET ET204**

12438. **Sciomesa jemjemensis Laporte,1984** (Noctuidae) Synonymy: jemjemensis Laporte,1984 Range (as code): **ET ET88 ET204**

12439. **Sciomesa mesophaea (Hampson,1910)** (Noctuidae) Synonymy: mesophaea Hampson,1910 Range (as code): **TZ**

12440. **Sciomesa mesoscia (Hampson,1918)** (Noctuidae) Synonymy: mesoscia Hampson,1918 Range (as code): **ZA Nta Kzu Dbn**

12441. **Sciomesa mirifica Laporte,1984** (Noctuidae) Synonymy: mirifica Laporte,1984 Range (as code): **ET ET86**

12442. **Sciomesa nyei D.S.Fletcher,1961** (Noctuidae) Synonymy: nyei D.S.Fletcher,1961 Range (as code): **UG Rz**

12443. **Sciomesa oberthueri Viette,1967** (Noctuidae) Synonymy: oberthueri Viette,1967 Range (as code): **MG**

12444. **Sciomesa ochroneura D.S.Fletcher,1963** (Noctuidae) Synonymy: ochroneura D.S.Fletcher,1963 Range (as code): **ZR**

12445. **Sciomesa piscator D.S.Fletcher,1961** (Noctuidae) Synonymy: piscator D.S.Fletcher,1961 Range (as code): **UG Rz**

12446. **Sciomesa renibifida Berio,1973** (Noctuidae) Synonymy: renibifida Berio,1973 Range (as code): **TZ Iko**

12447. **Sciomesa scotochroa (Hampson,1914)** (Noctuidae) Synonymy: scotochroa Hampson,1914 Range (as code): **ZA Tva Gau Pre**

12448. **Sciomesa secata Berio,1977** (Noctuidae) Synonymy: secata Berio,1977 Range (as code): **ET ET09**

12449. **Sciomesa sjoestedti (Aurivillius,1925)** (Noctuidae) Synonymy: sjoestedti Aurivillius,1925 Range (as code): **ZR**

12450. **Sciomesa venata D.S.Fletcher,1961** (Noctuidae) Synonymy: venata D.S.Fletcher,1961 Range (as code): **UG Rz**

12451. **Sclereuxoa paradoxalis (Berio,1974)** (Noctuidae) Synonymy: paradoxalis Berio,1974 Range (as code): **ZA TZ Iko**

12452. **Scodionyx mysticus Staudinger,1900** (Noctuidae) Synonymy: mysticus Staudinger,1900; boursini Warnecke,1937; balboi C.G.Krüger,1939; lepineyi Rungs,1943. Range (as code): **MR MA DZ Ah TD SD SA OM YE EG IL JO Pa Dds**

12453. **Scoliopteryx libatrix (Linnaeus,1758)** (Noctuidae) Synonymy: libatrix Linnaeus,1758; salictaria Poda,1761; modesta Müller,1764; delicatula Retzius,1783; libatricus Haworth,1809 Range (as code): **MA DZ Abe TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ Kir Cc IQ LB Bsa Bei DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Sb MD UA Lvv BY KK Ax IR Elb Mz KG Sau CN KP KR JP TW 05 08 13 16 30 34 38 56 61 65 72**

12454. **Scopariopsis grisea Strand,1909** (Noctuidae) Synonymy: grisea Strand,1909 Range (as code): **CM**

12455. **Scopariopsis pallidegrisea Strand,1909** (Noctuidae) Synonymy: pallidegrisea Strand,1909 Range (as code): **TZ**

12456. **Scopariopsis viridigrisea Strand,1909** (Noctuidae) Synonymy: viridigrisea Strand,1909 Range (as code): **CM**

12457. **Scythocentropus inquinatus (Mabille,1888)** (Noctuidae) Synonymy: inquinata Mabille,1888; mercedes Pinker,1974 Range (as code): **Cn MR MA DZ Ajj Ges Bsk Gf TN Gab LY MT TN IQ Agh Bgd IR Hz Lo PK ?IN IL Pa SY JO EG Sn TR?**

12458.**Selenistis annulella (Hampson,1902)** (Noctuidae) Synonymy: annulella Hampson,1902 Range (as code): **ZA**
12459.**Selepa docilis Butler,1881** (Noctuidae) Synonymy: docilis Butler,1881; canofusa Hampson,1905 Range (as code): **IR Hz Ss ZA Ec Ans Nta Kzu Dbn SD SD95 NG PK Sd Krc IN Mh Bba LK**
12460.**Selepa leucogonia (Hampson,1905)** (Noctuidae) Synonymy: leucogonia Hampson,1905 Range (as code): **ZA KE GA**
12461.**Selepa rufescens Hampson,1912** (Noctuidae) Synonymy: rufescens Hampson,1912 Range (as code): **ZA**
12462.**Selepa transvalica Hampson,1912** (Noctuidae) Synonymy: transvalica Hampson,1912 Range (as code): **ZA Lpo Tva Spb Mdk**
12463.**Sergiusia pentelia (Druce,1887)** (Noctuidae) Synonymy: pentelia Druce,1887 Range (as code): **ZA**
12464.**Serrodes flavicincta Hampson,1926** (Noctuidae) Synonymy: flavicincta Hampson,1926 Range (as code): **ZA**
12465.**Serrodes partita (Fabricius,1775)** (Noctuidae) Synonymy: partita Fabricius,1775; inara Cramer,[1780]; basinigrum Walker,1858; korana R.Felder & Rogenhofer,1874. Range (as code): **WS IN ZA SL ZR KE Nta Kzu Est Ec Tra IN LK MM TH Bor Ja ID MY AU LO MG**
12466.**Serrodes trispila (Mabille,1890)** (Noctuidae) Synonymy: trispila Mabille,1890 Range (as code): **ZA ET ET29**
12467.**Sesamia albicolor Janse,1939** (Noctuidae) Synonymy: albicolor Janse,1939 Range (as code): **ZA**
12468.**Sesamia albivena Hampson,1902** (Noctuidae) Synonymy: albivena Hampson,1902 Range (as code): **ZW Har**
12469.**Sesamia atlantica Boursin,1944** (Noctuidae) Synonymy: atlantica Boursin,1944 Range (as code): **MA**
12470.**Sesamia botanephaga Tams & Bowden,1953** (Noctuidae) Synonymy: botanephaga Tams & Bowden,1953 Range (as code): **ZA**
12471.**Sesamia calamistis Hampson,1910** (Noctuidae) Synonymy: calamistis Hampson,1910 Range (as code): **ZA AO**
12472.**Sesamia coniota Hampson,1902** (Noctuidae) Synonymy: coniota Hampson,1902 Range (as code): **ZW Har**
12473.**Sesamia cretica Lederer,1857** (Noctuidae) Synonymy: cretica Lederer,1857; cyrnaea Mabille,1866; fraterna Moore,1882; striata Staudinger,1888; pecki Tams,1938 Range (as code): **Cn MR MA DZ Abe Prr Sbd Dhm TN LY EG ES FR Co Sa Si IT MT DE YU AL BG GR Cr TR IR Mz Hz B-A Ss Fa Elb Mz Th Kdj RU Cc Ro Kr Nt Ich Ing Da AF Srb EG Sn SA IL Hf Pa LB JO SY IQ Bgd Agh SD ET SO TM UZ IN Hp ZA 02 07 20 23 31 33 35 46 48 56 63**
12474.**Sesamia epunctifera Hampson,1902** (Noctuidae) Synonymy: epunctifera Hampson,1902 Range (as code): **ZA Ec Ans KE**
12475.**Sesamia excelsa Laporte,1976** (Noctuidae) Synonymy: excelsa Laporte,1976 Range (as code): **ET ET45**
12476.**Sesamia geyri (Strand,1915)** (Noctuidae) Synonymy: geyri Strand,1915 Range (as code): **EG**
12477.**Sesamia incerta (Walker,1856)** (Noctuidae) Synonymy: incerta Walker,1856 Range (as code): **ZA**
12478.**Sesamia inferens (Walker,1856)** (Noctuidae) Synonymy: inferens Walker,1856; transquilaris Butler,1880; gracilis Butler,1880; innocens Butler,1881. Range (as code): **PK AF IR LK IN TW CN JP ZA**
12479.**Sesamia jansei Tams & Bowden,1953** (Noctuidae) Synonymy: jansei Tams & Bowden,1953 Range (as code): **ZA**
12480.**Sesamia mesosticha D.S.Fletcher,1961** (Noctuidae) Synonymy: mesosticha D.S.Fletcher,1961 Range (as code): **KE UG**
12481.**Sesamia monodi Rungs,1963** (Noctuidae) Synonymy: monodi Rungs,1963 Range (as code): **SN**
12482.**Sesamia nonagrioides (Lefèbvre,1827)** (Noctuidae) Synonymy: vuteria sensu auct nec Stl.; nonagrioides Lefèbvre,1827; hesperica Rambur,1839; sacchari Wollaston,1858; gracilis Rebel,1898. Range (as code): **Az Md Cn MR MA DZ Abe Blid Sbd Clo TN LY EG PT ES Mu FR Co Sa Si IT MT AT YU AL BG GR Cr TR IL Pa YE SO ZA 01 07 33**
12483.**Sesamia plagiographa D.S.Fletcher,1961** (Noctuidae) Synonymy: plagiographa D.S.Fletcher,1961 Range (as code): **UG**
12484.**Sesamia poephaga Tams & Bowden,1953** (Noctuidae) Synonymy: poephaga Tams & Bowden,1953 Range (as code): **ZA**
12485.**Sesamia roseoflammatra Pinhey,1956** (Noctuidae) Synonymy: roseoflammatra Pinhey,1956 Range (as code): **ZW KE**
12486.**Sesamia royi Laporte,1973** (Noctuidae) Synonymy: royi Laporte,1973 Range (as code): **CM**
12487.**Sesamia rubritincta Hampson,1902** (Noctuidae) Synonymy: rubritincta Hampson,1902 Range (as code): **ZA**

12488. **Sesamia rufescens Hampson,1910** (Noctuidae) Synonymy: rufescens Hampson,1910 Range (as code): **ZA**
12489. **Sesamia sciagrapha D.S.Fletcher,1961** (Noctuidae) Synonymy: sciagrapha D.S.Fletcher,1961 Range (as code): **UG**
12490. **Sesamia simplaria Rungs,1962** (Noctuidae) Synonymy: simplaria Rungs,1962 Range (as code): **MG**
12491. **Sesamia steniptera Hampson,1914** (Noctuidae) Synonymy: steniptera Hampson,1914 Range (as code): **ZA**
12492. **Sesamia stictica Berio,1976** (Noctuidae) Synonymy: stictica Berio,1976 Range (as code): **ZR**
12493. **Sesamia sylvata Janse,1939** (Noctuidae) Synonymy: sylvata Janse,1939 Range (as code): **ZA**
12494. **Sesamia taenioleuca (Wallengren,1866)** (Noctuidae) Synonymy: taenioleuca Wallengren,1866 Range (as code): **ZA ZW Har**
12495. **Sesamia uniformis (Dudgeon,1905)** (Noctuidae) Synonymy: uniformis Dudgeon,1905 Range (as code): **IN EG**
12496. **Sesamia wiltshirei Rungs,1963** (Noctuidae) Synonymy: wiltshirei Rungs,1963 Range (as code): **EG Sn**
12497. **Shargacucullia (Verbascullia) adriennei G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonymy: adriennei G.Ronkay, L.Ronkay & Gyulai,2011 Range (as code): **LY DZ Orn BSa TN**
12498. **Shargacucullia (Verbascullia) verbasci (Linnaeus,1758)** (Noctuidae) Synonymy: verbasci Linnaeus,1758 Range (as code): **PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Smt Bjo AZ Nv Ord AM Cc CY LB SY DK SE LV LT RU Ro Kr St MD UA BY IQ IR Agh Fa Gor Elb Th Dam Kh AF TM Kp MA DZ Ght BSa Ktr Khh Hrh Agi Btna Hmk Ahr Afl TN LY Cy IL Pa JO UZ KG Aa TJ Pm KK 04 05 06 07 09 13 15 16 17 18 20 21 31 33 35 44 45 46 50 56 58 65**
12499. **Shargacucullia (s.str.) canariensis (Pinker,1969)** (Noctuidae) Synonymy: canariensis Pinker,1969 Range (as code): **Cn**
12500. **Shargacucullia (s.str.) caninae (Rambur,1833)** (Noctuidae) Synonymy: caninae Rambur,1833 Range (as code): **MA PT ES FR Co Sa Si IT CH**
12501. **Shargacucullia (s.str.) celsiphaga (Boursin,1940)** (Noctuidae) Synonymy: celsiphaga Boursin,1940 Range (as code): **MA**
12502. **Shargacucullia (s.str.) erythrocephala (Wagner,1914)** (Noctuidae) Synonymy: erythrocephala Wagner,1914 Range (as code): **ES Mu TN Tun MA**
12503. **Shargacucullia (s.str.) lychnitis (Rambur,1833)** (Noctuidae) Synonymy: lychnitis Rambur,1833; rosamaria Kostrowicki,1956 Range (as code): **LY ES Mu FR Co Sa Si IT MT GB BE DE CH AT PL CZ SK HU RO YU BG GR TR LB Bei Bsa Zah DK SE FI EE LT RU Cc Ro Kr St Kc Nt Ich Ing Da MD UA BY IQ IL Pa AZ Cc SY Dms IR Ab Kd Lo Yz Fa Km TM Kp 04 05 06 12 13 14 18 21 24 25 30 35 38 45 56 58 65 70**
12504. **Shargacucullia (s.str.) reisseri (Boursin,1933)** (Noctuidae) Synonymy: reisseri Boursin,1933 Range (as code): **ES Mu FR MA TN**
12505. **Shargacucullia (s.str.) scrophulariphila (Staudinger,1859)** (Noctuidae) Synonymy: scrophulariphila Staudinger,1859 Range (as code): **MA TN DZ Khh Sfr ES Py FR**
12506. **Shargacucullia (s.str.) strigicosta Boursin,1940** (Noctuidae) Synonymy: strigicosta Boursin,1940 Range (as code): **EG Sn IL Pa IQ Bgd Jd IR Elb Th Kdj Fa Kh Hz B-A RU Cc Da Kus Ich Ceo TR**
12507. **Sidemia spodopterodes Hampson,1908** (Noctuidae) Synonymy: spodopterodes Hampson,1908 Range (as code): **ZA**
12508. **Sideridis (Dianthivora) implexa (Hübner,[1809])** (Noctuidae) Synonymy: implexa Hübner,[1809]; fallovi Oberthür,1876 Range (as code): **MA DZ Btna Khh Ahr Ges Sbd Abe TN LY ES HU RO YU MK BG GR TR IL Pa Hf LB Bei Cc GG RU Ro MD UA BY 06 10 18 46 50 60**
12509. **Sideridis (Luteohadena) zernyi (Draudt,1934)** (Noctuidae) Synonymy: zernyi Draudt,1934 Range (as code): **MA**
12510. **Simplicia extinctalis (Zeller,1852)** (Noctuidae) Synonymy: extinctalis Zeller,1852 Range (as code): **ZA**
12511. **Simplicia inflexalis Guenée,1854** (Noctuidae) Synonymy: inflexalis Guenée,1854 Range (as code): **ZA**
12512. **Simplicia robustalis (Guenée,1854)** (Noctuidae) Synonymy: robustalis Guenée,1854; circumscripta Walker,1865 Range (as code): **TH CMa Trat MY Sk IN CN Bor ID Sum Ja Flo PG**
12513. **Simplicia telamusalis (Walker,[1859])** (Noctuidae) Synonymy: telamusalis Walker,[1859] Range (as code): **ZA**
12514. **Singara humberti Viette,1966** (Noctuidae) Synonymy: humberti Viette,1966 Range (as code): **MG**
12515. **Singara mantasoa Viette,1981** (Noctuidae) Synonymy: mantasoa Viette,1981 Range (as code): **MG**
12516. **Singara marojejy Viette,1981** (Noctuidae) Synonymy: marojejy Viette,1981 Range (as code): **MG**

12517.Singara vaovalis Viette,1981 (Noctuidae) Synonymy: vaovalis Viette,1981 Range (as code): **MG**

12518.Spaelotis senna (Freyer,1829) (Noctuidae) Synonymy: senna Freyer,1829; senna Geyer,[1832] nec Frr.,1829; germanica Spuler,1905; violetta Schawerda,1934 Range (as code): **MA ES FR IT CH CZ MK AL BG GR TR IR Elb Mz Dam LB Bsa Cc AZ TM 04 06 18 19 24 25 30 33 42 50 51 58 65 66**

12519.Speia vuteria (Stoll,1790) (Noctuidae) Synonymy: vuteria Stoll,1790 Range (as code): **ZA**

12520.Sphingomorpha chlorea (Cramer,1779) (Noctuidae) Synonymy: chlorea Cramer,1779; rapta Fabricius,1787; sipyla Guenée,1852; monteironis Butler,1875 Range (as code): **ZA Tva Lpo Spb Mdk Lj Nta Kzu Ec Ans YE Ad ET Sw ET08 ET24 ET60 ET153 ET204 SL NG ZR AO SD ER KE MW ZW Har UG IN LK NP AE OM SA MM TH CMa Dst Qs Qs02 Cbi EG Sn**

12521.Sphingomorpha marshalli Hampson,1902 (Noctuidae) Synonymy: marshalli Hampson,1902 Range (as code): **ZW Har Uma**

12522.Spirama glaucescens (Butler,1893) (Noctuidae) Synonymy: glaucescens Butler,1893 Range (as code): **ZW Har**

12523.Spirama griseisigna (Hampson,1913) (Noctuidae) Synonymy: griseisigna Hampson,1913 Range (as code): **ZA**

12524.Spirama inconspicua (Herrich-Schäffer,[1854]) (Noctuidae) Synonymy: inconspicua Herrich-Schäffer,[1854] Range (as code): **ZA**

12525.Spirama miniata (Wallengren,1856) (Noctuidae) Synonymy: miniata Wallengren,1856 Range (as code): **ZA**

12526.Spodoptera aperturum (Walker,1865) (Noctuidae) Synonymy: apertura Walker,1865; synstictis Hampson,1896; leucophlebia Hampson,1902. Range (as code): **ZA Nta Kzu Kkf ET ET24 ET139**

12527.Spodoptera cilium Guenée,1852 (Noctuidae) Synonymy: cilium Guenée,1852; cycloides Guenée,1852; capicola Herrich-Schäffer,[1854]; latebrosa Lederer,1855; insignata Walker,1857; orbicularis Walker,1857; praeterita Walker,1857; procedens Walker,1857; obliterans Walker,1862; infixa Walker,1862; insulsa Walker,1865; imperviata Walker,1865; retrahens Walker,1870. Range (as code): **DZ Bsk PT ES Mu FR Co Sa? Si IT MT GB BG Cr TR IL Pa Hf LB Bei Bsa IQ Bsr Amr Agh Bgd IR Km Hz CY PK Bl Txl Abb Qu Haz Cte AF Srb IN ZA Nta Kzu Est Wca Cto Ec ZW Har KE TH Bnk 09 31 33 58**

12528.Spodoptera exemptum (Walker,[1857]) (Noctuidae) Synonymy: exempta Walker,[1857]; bipars Walker,[1857]; ingloria Walker,1858. Range (as code): **ZA NC ET ET24**

12529.Spodoptera exiguum (Hübner,[1808]) (Noctuidae) Synonymy: exigua Hübner,[1808]; fulgens Geyer,[1832]; pygmaea Rambur,1834; junceti Zeller,1847; caradrinoides Walker,1856; flavimaculata Harvey,1876; venosa Butler,1880; sebghana Austaut,1880; antipodea W.Warren,1914; protector De Laever,1985. Range (as code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY CY LB Bsa IQ Agh Bgd Qr Amr KW PK Bl Qu AF Hr Gbh Srb Arh Dwe Kab ZA Gau Pre Tva Nta Kzu Dbn Est ZW IL Hf Rd Pa IR TH Fa Lo By Kz Yas Ke Hz B-A Ss Ha Kh Ab Oru Mz Elb Dam Kdj Kh Gh Bu Dlk Ro St Kb Nt Ich Ing Da ET ET24 YE Ad CV Az Md Cn Hw CA US Cp Rw Ges Ktr Agi Lgt BSa Gha Gtt Omy Ogl Gle Khh Blid Sét Abe Bsk Perr Sfr Btna Hmk Dhm Hrh Onç Ah Ajj 01 05 07 08 13 14 16 17 18 21 25 27 29 30 31 32 33 36 38 42 43 44 45 46 47 49 50 51 52 56 58 63 64 65 69 72**

12530.Spodoptera littoralis (Boisduval,1833) (Noctuidae) Synonymy: littoralis Boisduval,1833; retina Freyer,1845; testaceoides Guenée,1852; metriodes Bethune-Baker,1911. Range (as code): **ET ET24 ZA PT ES Mu FR Co Sa Si IT MT GB NL DE CH AL GR Cr TR CY DK SE FI IQ IR Ke Bu Dlk Hz B-A IL Pa Hf YE Ad 07 31 33 48**

12531.Spodoptera litura (Fabricius,1775) (Noctuidae) Synonymy: litura Fabricius,1775; histrionica Fabricius,1775; elata Fabricius,1781; ciligera Guenée,1852; tasmanica Guenée,1852; subterminalis Walker,1856; glaucistriga Walker,1856; declinata Walker,1857; albisparsa Walker,1862; evanescens Butler,1884 Range (as code): **DZ Out Perr Ktr Bsk Abe OM IR Fa Hz Ss IQ Agh Bgd Amr Bsr Qr EG NC WS PC FJ TO NH SB PG AU MY Bor Swk PK Pj IN Mh Nsk Cn JP TH CMa Cuo Cu01 Cu07 PH Luz Pq Mno Crg**

12532.Spodoptera mauritium (Boisduval,1833) (Noctuidae) Synonymy: mauritia Boisduval,1833 Range (as code): **WS PC FJ TO NH SB PG AU MY TH CMa CDo IN NC IR Hz B-A ET ET24 SO Zai YE YE60**

12533.Spodoptera pectens Guenée,1852 (Noctuidae) Synonymy: pectens Guenée,1852 Range (as code): **TH ET ET24**

12534.Spodoptera trituratum (Walker,[1857]) (Noctuidae) Synonymy: triturata Walker,[1857] Range (as code): **ZA**

12535.Spudaea ruticilla (Esper,[1791]) (Noctuidae) Synonymy: ruticilla Esper,[1791] Range (as code): **MA DZ Btna TN PT ES FR Co Sa Si IT BE NL LU DE CH PL CZ SK HU**

12536.Standfussiana turbeti (Le Cerf,1932) (Noctuidae) Synonymy: turbeti Le Cerf,1932 Range (as code): **MA**

12537.Stenopterygia monostigma (Saalmüller,1891) (Noctuidae) Synonymy: monostigma Saalmüller,1891 Range (as code): **ZA**

12538.Stenopterygia subcurva (Walker,1857) (Noctuidae) Synonymy: subcurva Walker,1857; postica Walker,1857; calida Walker,1862; sikkima Moore,1882; monostigma Saalmüller,1891 Range (as code): **LK SI IN MY Bor MG ZA Nta Kzu Tva Mpu Tst Pre Gau Ec Pnz**

12539. **Stenosticta grisea Hampson,1912** (Noctuidae) Synonymy: grisea Hampson,1912 Range (as code): **ZA**
12540. **Stictoptera antemarginata Saalmüller,1880** (Noctuidae) Synonymy: antemarginata Saalmüller,1880 Range (as code): **ZA MG**
12541. **Stictoptera confluens (Walker,[1858])** (Noctuidae) Synonymy: confluens Walker,[1858] Range (as code): **ZA**
12542. **Stictoptera conturbata (Walker,1869)** (Noctuidae) Synonymy: conturbata Walker,1869; sanctae A.E.Prout,1927 Range (as code): **ST CG**
12543. **Stictoptera gabri (Berio,1970)** (Noctuidae) Synonymy: gabri Berio,1970 Range (as code): **ZA ZR**
12544. **Stictoptera griveaudi Laporte,1970** (Noctuidae) Synonymy: griveaudi Laporte,1970 Range (as code): **CI**
12545. **Stictoptera pectinata Kenrick,1917** (Noctuidae) Synonymy: pectinata Kenrick,1917 Range (as code): **MG**
12546. **Stictoptera poecilosoma Saalmüller,1880** (Noctuidae) Synonymy: poecilosoma Saalmüller,1880 Range (as code): **MG**
12547. **Stictoptera rhabdota A.E.Prout,1927** (Noctuidae) Synonymy: rhabdota A.E.Prout,1927; #camerunica Berio,1957 Range (as code): **ST CM**
12548. **Stigmoplusia acalypta Dufay,1972** (Noctuidae) Synonymy: acalypta Dufay,1972 Range (as code): **CF**
12549. **Stigmoplusia allocota Dufay,1972** (Noctuidae) Synonymy: allocota Dufay,1972 Range (as code): **GA**
12550. **Stigmoplusia antsalova (Dufay,1968)** (Noctuidae) Synonymy: antsalova Dufay,1968 Range (as code): **MG**
12551. **Stigmoplusia chalcoides (Dufay,1968)** (Noctuidae) Synonymy: chalcoides Dufay,1968 Range (as code): **ZA MG**
12552. **Stigmoplusia epistilba Dufay,1972** (Noctuidae) Synonymy: epistilba Dufay,1972 Range (as code): **UG**
12553. **Stigmoplusia megista Dufay,1975** (Noctuidae) Synonymy: megista Dufay,1975 Range (as code): **CM Yau**
12554. **Stigmoplusia paraplesia Dufay,1972** (Noctuidae) Synonymy: paraplesia Dufay,1972 Range (as code): **ZW Uma**
12555. **Stilbia andalusiaca Staudinger,1892** (Noctuidae) Synonymy: andalusiaca Staudinger,1892 Range (as code): **PT ES An Grn MA Rbt**
12556. **Stilbia bongiovannii Turati,1924** (Noctuidae) Synonymy: bongiovannii Turati,1924 Range (as code): **LY Cy**
12557. **Stilbia calberlae (Failla-Tedaldi,1890)** (Noctuidae) Synonymy: calberlae Failla-Tedaldi,1890; boursini Rungs,1967 Range (as code): **MA FR IT Si**
12558. **Stilbia turatii D.Lucas,1910** (Noctuidae) Synonymy: turatii D.Lucas,1910 Range (as code): **DZ TN Dhm**
12559. **Stilbina (s.str.) numida (Oberthür,1890)** (Noctuidae) Synonymy: numida Oberthür,1890; mirabilis Turati,1924 Range (as code): **DZ Ges Abe Prr Btna Mage LY Cy**
12560. **Stilbotis babaulti Laporte,1984** (Noctuidae) Synonymy: babaulti Laporte,1984 Range (as code): **ZR Kvu**
12561. **Stilbotis basalis Berio,1978** (Noctuidae) Synonymy: basalis Berio,1978 Range (as code): **KE**
12562. **Stilbotis berioi Laporte,1984** (Noctuidae) Synonymy: berioi Laporte,1984 Range (as code): **ET**
12563. **Stilbotis dubium Berio,1939** (Noctuidae) Synonymy: dubium Berio,1939 Range (as code): **ER**
12564. **Stilbotis ezanai Laporte,1984** (Noctuidae) Synonymy: ezanai Laporte,1984 Range (as code): **ET ET204**
12565. **Stilbotis fumigera Laporte,1977** (Noctuidae) Synonymy: fumigera Laporte,1977 Range (as code): **ET ET86**
12566. **Stilbotis georgyi Laporte,1984** (Noctuidae) Synonymy: georgyi Laporte,1984 Range (as code): **KE**
12567. **Stilbotis ikondae Berio,1972** (Noctuidae) Synonymy: ikondae Berio,1972 Range (as code): **TZ Iko**
12568. **Stilbotis isopleuroides (Berio,1966)** (Noctuidae) Synonymy: isopleuroides Berio,1966 Range (as code): **ZR**
12569. **Stilbotis jouanini Laporte,1975** (Noctuidae) Synonymy: jouanini Laporte,1975 Range (as code): **KE**
12570. **Stilbotis nigra Berio,1962** (Noctuidae) Synonymy: nigra Berio,1962 Range (as code): **ZR Kvu RW**
12571. **Stilbotis nigroides Berio,1972** (Noctuidae) Synonymy: nigroides Berio,1972 Range (as code): **TZ Iko**

12572. **Stilbotis perspicua Berio,1974** (Noctuidae) Synonymy: perspicua Berio,1974 Range (as code): **TZ Iko**
12573. **Stilbotis perstriata Berio,1972** (Noctuidae) Synonymy: perstriata Berio,1972 Range (as code): **TZ Iko**
12574. **Stilbotis pseudasciodes Berio,1977** (Noctuidae) Synonymy: pseudasciodes Berio,1977 Range (as code): **TZ Iko**
12575. **Stilbotis rubra Berio,1977** (Noctuidae) Synonymy: rubra Berio,1977 Range (as code): **ZR**
12576. **Stilbotis ungemachi Laporte,1984** (Noctuidae) Synonymy: ungemachi Laporte,1984 Range (as code): **ET ET285**
12577. **Stomafrontia albifasciata Hampson,1905** (Noctuidae) Synonymy: albifasciata Hampson,1905 Range (as code): **ZA**
12578. **Strongylosia semiflava Hampson,1926** (Noctuidae) Synonymy: semiflava Hampson,1926 Range (as code): **ZA**
12579. **Syfanoidea schencki Bartel,1903** (Noctuidae) Synonymy: schencki Bartel,1903; leighi Joordan,1906; schenci Hampson,1920 Range (as code): **ZA Nta Kzu Est Stj Ec**
12580. **Syncalama mimica Hampson,1910** (Noctuidae) Synonymy: mimica Hampson,1910 Range (as code): **ZA**
12581. **Syncalama turneri Tams,1930** (Noctuidae) Synonymy: turneri Tams,1930 Range (as code): **ZA**
12582. **Synthymia exsiccata W.Warren,1905** (Noctuidae) Synonymy: exsiccata W.Warren,1905 Range (as code): **SD**
12583. **Tachosa acronyctoides Walker,1869** (Noctuidae) Synonymy: acronyctoides Walker,1869 Range (as code): **ZA CG ET ET204**
12584. **Tachosa guichardi (Wiltshire,1982)** (Noctuidae) Synonymy: guichardi Wiltshire,1982 Range (as code): **ET KE NG TZ**
12585. **Tanocryx pinheyi Viette,1973** (Noctuidae) Synonymy: pinheyi Viette,1973 Range (as code): **ZA**
12586. **Tathorhynchus camerounica Hayes,1980** (Noctuidae) Synonymy: camerounica Hayes,1980; #camerouica Hayes,1980 Range (as code): **CM**
12587. **Tathorhynchus exsiccatus (Lederer,1855)** (Noctuidae) Synonymy: exsiccata Lederer,1855; vinctalis Walker,[1866]; angustiorata Grote,1882; fallax Swinhoe,1902; #exiccata Wiltshire,1941; greuteri Koutsaftikis,1973 Range (as code): **Cn MA DZ Ah Ajj Ges Abe Sfr BSa Bsk PT ES FR Sa Si IT MT GB YU GR Cr TR IR Fa Hz Ss Ke Kh Elb Th Dam Mia Kaz B-A AF Hr Gbh PK Swa Sgl Cp CY IQ Bsy Kbl LB Bei Bsa IL Pa EG OM AE SA YE Ad UZ Br ZA ET ET24 Sw US Mai Col AU NF NZ AR 07 30 73**
12588. **Tathorhynchus glaucata Hampson,1894** (Noctuidae) Synonymy: glaucata Hampson,1894 Range (as code): **ET ET24 Sw**
12589. **Tathorhynchus homogyna Hampson,1902** (Noctuidae) Synonymy: homogyna Hampson,1902 Range (as code): **ZA ZW Har MG AO ET KE MW MZ ZW BW RW SD TZ UG ZR**
12590. **Tathorhynchus leucobasis Bethune-Baker,1911** (Noctuidae) Synonymy: leucobasis Bethune-Baker,1911 Range (as code): **ZA SD TZ KE Nai ET ET196**
12591. **Tathorhynchus nigra (Viette,1954)** (Noctuidae) Synonymy: nigra Viette,1954 Range (as code): **MG**
12592. **Tathorhynchus plumbea (Distant,1898)** (Noctuidae) Synonymy: plumbea Distant,1898 Range (as code): **ZA Tva Gau Pre LS MW MZ**
12593. **Tathorhynchus troberti (Guenée,1852)** (Noctuidae) Synonymy: troberti Guenée,1852 Range (as code): **CV**
12594. **Tatorinia bilinea (Holland,1894)** (Noctuidae) Synonymy: bilinea Holland,1894 Range (as code): **GA**
12595. **Tatorinia fumipennis (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: fumipennis R.Felder & Rogenhofer,1874; burrowsii Butler,1875 Range (as code): **ZA Nta Kzu Dbn**
12596. **Tatorinia pallidipennis Hampson,1926** (Noctuidae) Synonymy: pallidipennis Hampson,1926 Range (as code): **NG**
12597. **Tatorinia rufipennis Hampson,1926** (Noctuidae) Synonymy: rufipennis Hampson,1926 Range (as code): **NG**
12598. **Taveta eucosmia Hampson,1926** (Noctuidae) Synonymy: eucosmia Hampson,1926 Range (as code): **ZA**
12599. **Tavia instruens Walker,1858** (Noctuidae) Synonymy: instruens Walker,1858 Range (as code): **ZA**
12600. **Tavia latebra Hampson,1926** (Noctuidae) Synonymy: latebra Hampson,1926 Range (as code): **ZA**
12601. **Tavia nycterina (Boisduval,1833)** (Noctuidae) Synonymy: nycterina Boisduval,1833; instruens Walker,1858 Range (as code): **ZA Nta Kzu Dbn Ec Tra MG ZR**

12602. **Taviodes discomma Hampson,1926** (Noctuidae) Synonymy: discomma Hampson,1926 Range (as code): **CI**

12603. **Taviodes subjecta (Walker,1865)** (Noctuidae) Synonymy: subjecta Walker,1865 Range (as code): **ZA Ec**

12604. **Taviodes tamsi Gaede,1939** (Noctuidae) Synonymy: tamsi Gaede,1939 Range (as code): **ET ET10 ET24 Sw ET152**

12605. **Tegiapa larentiodes (A.E.Prout,1922)** (Noctuidae) Synonymy: larentiodes A.E.Prout,1922 Range (as code): **ZA**

12606. **Teinoptera culminifera Calberla,1891** (Noctuidae) Synonymy: culminifera Calberla,1891; kraussi Rebel,1895; craussi Hampson,1906; #brunnea Rothschild,1913; #alboochracea Rothschild,1913; mahuzzim Oberthür,1913; #intermedia Rothschild,1920 Range (as code): **MR MA DZ Hes BSa Lgt Dhm Ges Eal Ear Onç Gha Tou Ogl Gle Omy TN LY SA IL Pa JO EG Sn**

12607. **Teinoptera gafsana (Blachier,1905)** (Noctuidae) Synonymy: gafsana Blachier,1905; gassana Hampson,1906; albina A.Bang-Haas,1907; #intermedia Rothschild,1920; pianii C.G.Krüger,1933 Range (as code): **MA DZ Ah Mri Heh Bsk BSa Onç Gha Tun Gle TN Gf LY IQ Kbl SA IL Pa**

12608. **Tephrialia vausema Hampson,1926** (Noctuidae) Synonymy: vausema Hampson,1926 Range (as code): **ZA**

12609. **Tetracme truncataria (Walker,1861)** (Noctuidae) Synonymy: truncataria Walker,1861 Range (as code): **ZA**

12610. **Thalatha melanostrota Hampson,1916** (Noctuidae) Synonymy: melanostrota Hampson,1916 Range (as code): **SO**

12611. **Thalatha occidens Hampson,1911** (Noctuidae) Synonymy: occidens Hampson,1911 Range (as code): **NG**

12612. **Thalpophila vitalba (Freyer,1834)** (Noctuidae) Synonymy: vitalba Freyer,1834; amathusia Rambur,1871 Range (as code): **MA DZ Dhm Agi TN FR ES Si IT MT**

12613. **Thargelia gigantea Rebel,1909** (Noctuidae) Synonymy: gigantea Rebel,1909; griseola Rothschild,1913; grazianii C.G.Krüger,1933. Range (as code): **EG Sn DZ Bsk Hdr Mri Tou Gle LY Cy IL Pa**

12614. **Tholera decimalis (Poda,1761)** (Noctuidae) Synonymy: decimalis Poda,1761; popularis Fabricius,1775; lolii Esper,[1785]; typicoides Donovan,1811; nervosa Zerny,1927; chebka Rungs,1940 Range (as code): **MA PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Tbl AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kc MD UA Lvv BY 06 12 13 14 21 25 49 56 65**

12615. **Tholeropsis decimata Berio,1977** (Noctuidae) Synonymy: decimata Berio,1977 Range (as code): **ET ET09**

12616. **Tholeropsis uncinata Berio,1977** (Noctuidae) Synonymy: uncinata Berio,1977 Range (as code): **ET ET09**

12617. **Thria decaryi Viette,1966** (Noctuidae) Synonymy: decaryi Viette,1966; malgassica Berio,1966 Range (as code): **MG**

12618. **Thria robusta Walker,[1858]** (Noctuidae) Synonymy: anysa auct.; robusta Walker,[1858]; fugitiva Walker,[1858]; opposita Wallengren,1865; sennaarensis R.Felder & Rogenhofer,1874; grandis Staudinger,1877; terrigena Christoph,1877; similata Moore,1883; distincta Rothschild,1920; asiria Wiltshire,1988; omana Wiltshire,1988; sokotrana Wiltshire,1988 Range (as code): **Cn MA DZ Ath Ah Ajj Abe Sfr TN PT ES LY EG Sn IL Pa LB SY JO IT MT GR CY TR IQ Agh Bgd kut Amr IR Fa Qz Elb Th Dam Mia Kaz Kd Snj Mrv Lo Km Ss Hz Mz Gls Kh B-A Ke SA As OM Sk AF PK TM Kp KK ID Ja ZA Nta Kzu Est Tva NA Dmr KE YE Ad SD ET ET24 IN LK MM Txl 07 21 23 30 31 33 47 50 56 58 63 65 73 75**

12619. **Thyas arcifera (Hampson,1913)** (Noctuidae) Synonymy: arcifera Hampson,1913 Range (as code): **ZA KE TZ**

12620. **Thyas coronata (Fabricius,1775)** (Noctuidae) Synonymy: coronata Fabricius,1775; leonina Fabricius,1775; ancilla Fabricius,1794; magica Hübner,[1831]; ponderosa Mabille,1879 Range (as code): **MG IN CN MY VN MM NP BD LK TH CMa Cu01 Cu07 Int Fn Phr Lmp TAk Knc Nna Bnk Chc Rat Sbu TW JP ID Sum Ja Bor Clb Ij PG NC NH WS FJ PH Luz Pq Pan Bly Glb GU AU PF PC**

12621. **Thyas metaphaea (Hampson,1913)** (Noctuidae) Synonymy: metaphaea Hampson,1913 Range (as code): **NG GH ZR CM**

12622. **Thyas meterythra (Hampson,1918)** (Noctuidae) Synonymy: meterythra Hampson,1918 Range (as code): **MW Mje**

12623. **Thyas nubilata (Holland,1920)** (Noctuidae) Synonymy: nubilata Holland,1920 Range (as code): **ZR**

12624. **Thyas parallelipipeda (Guenée,1852)** (Noctuidae) Synonymy: parallelipipeda Guenée,1852; saalmülleri Mabille,1879 Range (as code): **ZA SN MG CM ZR GO GM GH NG SL ZM**

12625. **Thyas rubricata (Holland,1894)** (Noctuidae) Synonymy: rubricata Holland,1894; daseia Fawcett,1902; ignicans Hampson,1902 Range (as code): **ZA Nta Kzu GH GA Ogo UG TZ SZ SL RW MZ MW CG**

12626. **Thyatirina achatina (Weymer,1896)** (Noctuidae) Synonymy: achatina Weymer,1896 Range (as code): **ZA**
12627. **Thysanoplusia (Daubeiplusia) daubei (Boisduval,1840)** (Noctuidae) Synonymy: daubei Boisduval,1840; ciliaris Walker,[1858] Range (as code): **MA DZ Bsk Abe Bdj Ktr TN Gf LY EG ES Mu FR Co Sa Si IT MT GR Cr TR AF Nu Bsg IL Pa SY Hal LB CY IR Fa Ss Hz B-A Km Kz Bu Hz Ke IQ Bgd Agh Bsr PK Abb Bbu SI Gg IN NP CN JP TW TH CMa Php GM SN ZA ZW ZR 33**
12628. **Thysanoplusia (s.str.) intermixta (W.Warren,1913)** (Noctuidae) Synonymy: intermixta W.Warren,1913; brachycalcea Hampson,1913 Range (as code): **MA Mzg CN Sz IN Nl TH CMa Php VN Ton Tda NP LK MY ID Sum Bor Ja PH TW JP KP KR RU Us AU**
12629. **Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonymy: orichalcea Fabricius,1775; chrystina Martyn,1797; aurifera Hübner,[1813]. Range (as code): **Az Md MA DZ Cn PT ES Mu FR Sa Si IT MT IE GB NL DE CH YU BG GR Cr TR CY IL Pa LB Ch KG AF Nu Bsg Srb Hr Kab Gbh ZA Tva Lpo Spb Mdk Gau Pre Jh SH KE ZW Har Nta Kzu Dbn Mv Ec Grh MU SA JP CN TW IN LK NC NZ TH Nrt Kao VN LA MY ID PG PH Luz Pq NP PK Cc IR SA YE AU Gh Mz Gls Th Kh Fa Hz Elb Gor Dam Thu Cn AZ Kir DJ DJ44 ET KE Mh Nsk Abe Orn Sét Agi Btna Bsk Nar 07 13 33**
12630. **Thysanoplusia rostrata (D.S.Fletcher,1963)** (Noctuidae) Synonymy: rostrata D.S.Fletcher,1963 Range (as code): **ZR UG KE Nai TZ ET ET24 ET45 ET60 ET86 ET196 Ble**
12631. **Thysanoplusia sestertia (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: sestertia R.Felder & Rogenhofer,1874 Range (as code): **ZA Nta Kzu Kkf Ec Kny ET ET60 ET196 ET204 ZR**
12632. **Timora adamsoni Pinhey,1956** (Noctuidae) Synonymy: adamsoni Pinhey,1956 Range (as code): **KE**
12633. **Timora albisticta Janse,1917** (Noctuidae) Synonymy: albisticta Janse,1917 Range (as code): **ZA**
12634. **Timora crofti Pinhey,1956** (Noctuidae) Synonymy: crofti Pinhey,1956 Range (as code): **KE**
12635. **Timora daphoena Hampson,1910** (Noctuidae) Synonymy: daphoena Hampson,1910 Range (as code): **ZA ZM**
12636. **Timora diarhoda Hampson,1909** (Noctuidae) Synonymy: diarhoda Hampson,1909 Range (as code): **ZA Tva**
12637. **Timora margarita Le Cerf,1911** (Noctuidae) Synonymy: margarita Le Cerf,1911 Range (as code): **UG**
12638. **Timora senegalensis (Guenée,1852)** (Noctuidae) Synonymy: senegalensis Guenée,1852 Range (as code): **SN**
12639. **Timora showaki Pinhey,1956** (Noctuidae) Synonymy: showaki Pinhey,1956 Range (as code): **SD**
12640. **Timora turtur Berio,1939** (Noctuidae) Synonymy: turtur Berio,1939 Range (as code): **ER**
12641. **Timora umbrifascia Hampson,1913** (Noctuidae) Synonymy: umbrifascia Hampson,1913 Range (as code): **NG**
12642. **Timora unifascia Bethune-Baker,1911** (Noctuidae) Synonymy: unifascia Bethune-Baker,1911 Range (as code): **NG**
12643. **Timora zavattarii Berio,1944** (Noctuidae) Synonymy: zavattarii Berio,1944 Range (as code): **ET**
12644. **Toana acidalica Hampson,1910** (Noctuidae) Synonymy: acidalica Hampson,1910 Range (as code): **SL**
12645. **Toana atridiscata Pinhey,1968** (Noctuidae) Synonymy: atridiscata Pinhey,1968 Range (as code): **ZW Uma**
12646. **Toana craspedica Hampson,1910** (Noctuidae) Synonymy: craspedica Hampson,1910 Range (as code): **GH**
12647. **Toana flaviceps Hampson,1918** (Noctuidae) Synonymy: flaviceps Hampson,1918 Range (as code): **ZA KE Kky**
12648. **Toana nigrilineata Hampson,1916** (Noctuidae) Synonymy: nigrilineata Hampson,1916 Range (as code): **SO**
12649. **Tolna complicata (Butler,1880)** (Noctuidae) Synonymy: complicata Butler,1880 Range (as code): **ZA Ec Kny MG**
12650. **Tolna demavulata Strand,1913** (Noctuidae) Synonymy: demavulata Strand,1913 Range (as code): **ZA**
12651. **Tolna limula (Möschler,1883)** (Noctuidae) Synonymy: limula Möschler,1883 Range (as code): **ZA Wca Plt**
12652. **Tolna macrosema Hampson,1913** (Noctuidae) Synonymy: macrosema Hampson,1913 Range (as code): **ZA**
12653. **Tolna sinifera Hampson,1913** (Noctuidae) Synonymy: sinifera Hampson,1913 Range (as code): **ZA NG ET ET204**
12654. **Tolna sypnoides (Butler,1878)** (Noctuidae) Synonymy: sypnoides Butler,1878 Range (as code): **ZA KM ZR GH CI RE MG MW MU NG RW SL TZ ZM ZW**

12655. **Tolna variegata (Hampson,1905)** (Noctuidae) Synonymy: variegata Hampson,1905 Range (as code): **ZA**
12656. **Tolna versicolor Walker,1869** (Noctuidae) Synonymy: versicolor Walker,1869 Range (as code): **CM CF ZR GA NG RW SL UG ZW**
12657. **Tolpia atripuncta Hampson,1926** (Noctuidae) Synonymy: atripuncta Hampson,1926 Range (as code): **UG**
12658. **Tolpia suffuscalis (Swinhoe,1887)** (Noctuidae) Synonymy: suffuscalis Swinhoe,1887 Range (as code): **ZA IN**
12659. **Trachea atriplaga Hampson,1911** (Noctuidae) Synonymy: atriplaga Hampson,1911 Range (as code): **UG**
12660. **Trachea chlorochrysa Berio,1937** (Noctuidae) Synonymy: chlorochrysa Berio,1937 Range (as code): **ST**
12661. **Trachea euryscia Hampson,1918** (Noctuidae) Synonymy: euryscia Hampson,1918 Range (as code): **GH**
12662. **Trachea macrophthalma Berio,1976** (Noctuidae) Synonymy: macrophthalma Berio,1976 Range (as code): **ZR**
12663. **Trachea oxylus (Fawcett,1917)** (Noctuidae) Synonymy: oxylus Fawcett,1917 Range (as code): **KE**
12664. **Trachea viridisparsa Laporte,1972** (Noctuidae) Synonymy: viridisparsa Laporte,1972 Range (as code): **GA Ogo**
12665. **Tracheplexia albimacula Janse,1937** (Noctuidae) Synonymy: albimacula Janse,1937 Range (as code): **ZA Nta Kzu Dbn Ktz**
12666. **Tracheplexia amaranta (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: amaranta R.Felder & Rogenhofer,1874 Range (as code): **UG Tva ZA Nta Kzu Dbn Ec Stj Srn Esw Pil Mpu Lem**
12667. **Tracheplexia leguerni Laporte,1984** (Noctuidae) Synonymy: leguerni Laporte,1984 Range (as code): **ET**
12668. **Tracheplexia lucia (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: lucia R.Felder & Rogenhofer,1874; occidentalis Laporte,1973 Range (as code): **KE ZA Ec Kny Tra Mpu Brb Wv Gau Pre Tva Lpo Spb Ltr**
12669. **Tracheplexia richinii Berio,1973** (Noctuidae) Synonymy: richinii Berio,1973 Range (as code): **ER**
12670. **Tracheplexia schista D.S.Fletcher,1961** (Noctuidae) Synonymy: schista D.S.Fletcher,1961 Range (as code): **UG Rz**
12671. **Trichopalpina zethesia Hampson,1926** (Noctuidae) Synonymy: zethesia Hampson,1926 Range (as code): **ZA**
12672. **Trichoplusia acosmia Dufay,1972** (Noctuidae) Synonymy: acosmia Dufay,1972 Range (as code): **ZA**
12673. **Trichoplusia arachnoides (Distant,1901)** (Noctuidae) Synonymy: arachnoides Distant,1901 Range (as code): **ZA Tva Gau Pre ET ET287 ZR BI CM SN MG**
12674. **Trichoplusia asapheia Dufay,1977** (Noctuidae) Synonymy: asapheia Dufay,1977 Range (as code): **ET ET196 TZ ZW Vum**
12675. **Trichoplusia aspila Dufay,1958** (Noctuidae) Synonymy: aspila Dufay,1958 Range (as code): **CM ET ET60 ET196 ET204 ZR UG KE TZ**
12676. **Trichoplusia callista Dufay,1972** (Noctuidae) Synonymy: callista Dufay,1972 Range (as code): **ZA**
12677. **Trichoplusia capnista Dufay,1972** (Noctuidae) Synonymy: capnista Dufay,1972 Range (as code): **ZA**
12678. **Trichoplusia chalcedona (Hampson,1902)** (Noctuidae) Synonymy: chalcedona Hampson,1902 Range (as code): **ZA Nta Kzu Est ET ET24 SA**
12679. **Trichoplusia cupreomicans (Hampson,1909)** (Noctuidae) Synonymy: cupreomicans Hampson,1909 Range (as code): **ZA**
12680. **Trichoplusia dolera Dufay,1977** (Noctuidae) Synonymy: dolera Dufay,1977 Range (as code): **ET ET09 ET60 ET204 ET196**
12681. **Trichoplusia epicharis Dufay,1972** (Noctuidae) Synonymy: epicharis Dufay,1972 Range (as code): **ZA**
12682. **Trichoplusia exquisita (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: exquisita R.Felder & Rogenhofer,1874 Range (as code): **ZA Tva Gau Pre Jh Nta Kzu Ec Tra AF Srb DJ DJ44 ZW MG IR PK**
12683. **Trichoplusia glyceia Dufay,1972** (Noctuidae) Synonymy: glyceia Dufay,1972 Range (as code): **ZA**
12684. **Trichoplusia gorilla (Holland,1894)** (Noctuidae) Synonymy: gorilla Holland,1894 Range (as code): **ZA**
12685. **Trichoplusia indicator (Walker,[1858])** (Noctuidae) Synonymy: indicator Walker,[1858]; g-roseum Guenée,1862. Range (as code): **ZA ZR ZW MG RE MU KE NG**

12686.Trichoplusia laportei Dufay,1972 (Noctuidae) Synonymy: laportei Dufay,1972 Range (as code): **ZA CM ET ET196 ET204 BI KE TZ ZW**

12687.Trichoplusia molybdina (Dufay,1968) (Noctuidae) Synonymy: molybdina Dufay,1968 Range (as code): **ZA**

12688.Trichoplusia ni (Hübner,[1803]) (Noctuidae) Synonymy: ni Hübner,[1803]; humilis Walker,1858; extrahens Walker,1858; brassicae Riley,1870; echinocystidis Strecker,1874; deserticola Rothschild,1913 Range (as code): **MA DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE RU EG IL Hf Pa LB Bsa JO SY SA IQ Kq Agh Amr IR Fa By Yas Lo Kh Elb GG AM AZ Cc AF Bsg Nu Kab Hr Pli Srb Gbh Ca Arh Dwe PK IN KP KR CN US CA CU ZA MX Cn MD UA BY CV Wca Cto JP MG NZ Hw TH VN NP Elb Mz Th Kz Clu Dam Plr Kdj Ab Sdt Skh Kd Bne Snj B-A Hz Kaz Mia Ss Chh Ke UZ Br Ro Kr St Kb Nt Ich Ing Da DJ DJ44 Cp Tbl Smt Bjo Kir Der Hal Sbd Blid Afl Bsk Agi Hrh Sfr Perr BSa Ktr Dzc Abe Orn Gle Btna Gg Cls Hmk Dhm Tun Mzg Onç Ah Ath 01 05 06 07 08 11 12 13 16 17 18 21 30 31 33 36 44 46 48 50 51 56 58 65**

12689.Trichoplusia petraea Dufay,1958 (Noctuidae) Synonymy: petraea Dufay,1958 Range (as code): **UG KE Nai ET ET29**

12690.Trichoplusia roseofasciata (Carcasson,1965) (Noctuidae) Synonymy: roseofasciata Carcasson,1965 Range (as code): **ZW MW ZR CI TZ CM ET ET204**

12691.Trichoplusia spoliata (Walker,[1858]) (Noctuidae) Synonymy: spoliata Walker,[1858] Range (as code): **ZA**

12692.Trichoplusia tetrastigma (Hampson,1910) (Noctuidae) Synonymy: tetrastigma Hampson,1910 Range (as code): **YE ZA Nta Kzu Dbn**

12693.Trichoplusia vittata (Wallengren,1856) (Noctuidae) Synonymy: vittata Wallengren,1856; transfixa Walker,[1858]; commidendri Wollaston,1879. Range (as code): **ZA Tva Lpo Spb Mdk Nta Kzu Mv [GB] KE DJ DJ44 ET ET29 ET196 ET204 JP CN IR Hz IN LK ID Ja AU FJ MG MU RE SH**

12694.Trigonodes hyppasia (Cramer,1779) (Noctuidae) Synonymy: hyppasia Cramer,1779; deliana Stoll,1790; anfractuosa Boisduval,1834; acutata Guenée,1852; inacuta Guenée,1852; exportata Guenée,1852; compar Walker,[1858]; #hypassia Hacker & Weigert,1990 Range (as code): **AO CM CG ZR ER GM GH RE MG MW MZ NG RW ZA Tva Lpo Spb Mdk Ec AU NSw Lhw TO NF NC SD ET Sw ET24 ET204 KE MZ Del MU YE Ad CN TW IN LK Cbo MM ID Ja Tnm Sum Bor Sbw TH Tng CMa Int Cuo Cu07 KH VN NP PK Txl Abb Cp PH Boh IR NF SC SN SL SO TZ UG ZM ZW**

12695.Trigonophora flammea (Esper,1785) (Noctuidae) Synonymy: flammea Esper,1785; empyrea Hübner,[1803]. Range (as code): **MA DZ Lbs Btna Abe TN PT ES FR Co Sa Si IT IE GB CH AT YU GR RU MD UA BY**

12696.Trisulana berenice (Fawcett,1916) (Noctuidae) Synonymy: berenice Fawcett,1916 Range (as code): **ZA**

12697.Trisulana cerurodes Hampson,1916 (Noctuidae) Synonymy: cerurodes Hampson,1916 Range (as code): **ET YE**

12698.Trisulana senex Bethune-Baker,1911 (Noctuidae) Synonymy: senex Bethune-Baker,1911 Range (as code): **ZA**

12699.Trogocraspis durbanica Hampson,1918 (Noctuidae) Synonymy: durbanica Hampson,1918 Range (as code): **ZA**

12700.Tuerta chrysochlora Walker,1869 (Noctuidae) Synonymy: chrysochlora Walker,1869 Range (as code): **CG ZR**

12701.Tuerta cyanopasta Hampson,1907 (Noctuidae) Synonymy: cyanopasta Hampson,1907 Range (as code): **KE**

12702.Tuerta dispar (Rothschild,1896) (Noctuidae) Synonymy: dispar Rothschild,1896 Range (as code): **CG KE**

12703.Tuerta liturata (Aurivillius,1892) (Noctuidae) Synonymy: liturata Aurivillius,1892; aziyade Vuill.,1892 Range (as code): **SL GH CM**

12704.Tuerta pastocyana Berio,1940 (Noctuidae) Synonymy: pastocyana Berio,1940 Range (as code): **SO**

12705.Tuerta rema Druce,1910 (Noctuidae) Synonymy: rema Druce,1910 Range (as code): **TZ**

12706.Tuerta rufodiscalis (Rothschild,1896) (Noctuidae) Synonymy: rufodiscalis Rothschild,1896 Range (as code): **MG**

12707.Tuerta ruspina Aurivillius,1909 (Noctuidae) Synonymy: ruspina Aurivillius,1909 Range (as code): **CG**

12708.Tumidifrontia castaneotincta Hampson,1902 (Noctuidae) Synonymy: castaneotincta Hampson,1902 Range (as code): **ZW Har**

12709.Tumidifrontia roseitincta Hampson,1918 (Noctuidae) Synonymy: roseitincta Hampson,1918 Range (as code): **MW Mje**

12710.Tycomarptes adami Laporte,1974 (Noctuidae) Synonymy: adami Laporte,1974 Range (as code): **ET ET86**

12711. **Tycomarptes aethiopica Laporte,1974** (Noctuidae) Synonymy: aethiopica Laporte,1974 Range (as code): **ET ET45**
12712. **Tycomarptes berioi Laporte,1974** (Noctuidae) Synonymy: berioi Laporte,1974 Range (as code): **ET ET60**
12713. **Tycomarptes bipuncta Laporte,1974** (Noctuidae) Synonymy: bipuncta Laporte,1974 Range (as code): **ET ET60**
12714. **Tycomarptes bipunctatoides Laporte,1974** (Noctuidae) Synonymy: bipunctatoides Laporte,1974 Range (as code): **ET ET204**
12715. **Tycomarptes gelladarum Rougeot & Laporte,1983** (Noctuidae) Synonymy: gelladarum Rougeot & Laporte,1983 Range (as code): **ET Gdr**
12716. **Tycomarptes inferior (Guenée,1852)** (Noctuidae) Synonymy: inferior Guenée,1852; renisigna Walker,1857; inculta Walker,1862; contracta Walker,1865; ficita Walker,1865; servilis Walker,1865; submoesta Möschler,1883 Range (as code): **ZA Tva Gau Pre ZW Har MZ Del Ntz Kzu Est Dbn Ec ET ET86**
12717. **Tycomarptes journiaci Laporte,1977** (Noctuidae) Synonymy: journiaci Laporte,1977 Range (as code): **ET ET45**
12718. **Tycomarptes limoni Laporte,1974** (Noctuidae) Synonymy: limoni Laporte,1974 Range (as code): **ET ET196**
12719. **Tycomarptes mauensis Laporte,1984** (Noctuidae) Synonymy: mauensis Laporte,1984 Range (as code): **KE**
12720. **Tycomarptes praetermissa (Walker,1857)** (Noctuidae) Synonymy: praetermissa Walker,1857; depulsa Walker,1857. Range (as code): **ZA Ec**
12721. **Tycomarptes semyensis Rougeot & Laporte,1983** (Noctuidae) Synonymy: semyensis Rougeot & Laporte,1983 Range (as code): **ET Gdr**
12722. **Tycomarptes thibauti Laporte,1974** (Noctuidae) Synonymy: thibauti Laporte,1974 Range (as code): **ET ET60**
12723. **Tycomarptes tortirena (A.E.Prout,1921)** (Noctuidae) Synonymy: tortirena A.E.Prout,1921 Range (as code): **UG Rz**
12724. **Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonymy: luctuosa [Denis & Schiffermüller],1775; italica Fabricius,1781; atra Goeze,1781 nec Linn.,1767; astroites Fourcroy,1785; maculosa De Villers,1789 Range (as code): **MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG AZ Len AM Cc CY IL Pa Hf LB SY JO IR Ab Oru Jal Fa Es Ha Kh Elb Mz Dam Th Ab Km Kd DK SE FI EE LV LT RU MD UA BY At KG Tks Tk Dj KK Ik TrA Osh UZ Ui Kun Ku sKG Dtk Db Kdy Skk Lvv AF IQ Agh Ro Kr St Kb Nt Ich Kyi Da Sdt Bjr Zj Agi Btna Hmk Abe Hrh Perr Sét Tiz Dzc Dhm Rbt 01 02 04 05 06 07 08 11 13 14 16 17 18 22 23 25 30 31 32 33 34 35 36 38 42 44 46 50 51 56 58 60 61 62 63 65 66 67 69 70 71 75 76**
12725. **Tytroca alabuensis Wiltshire,1970** (Noctuidae) Synonymy: alabuensis Wiltshire,1970 Range (as code): **ET**
12726. **Tytroca dispar (Püngeler,1904)** (Noctuidae) Synonymy: dispar Püngeler,1904 Range (as code): **MA DZ Ah Ajj SD LY EG Sn IL Pa JO SA As OM SO SD TD IR Hz Ss B-A CN Ui**
12727. **Tytroca fasciolata (W.Warren & Rothschild,1905)** (Noctuidae) Synonymy: fasciolata W.Warren & Rothschild,1905; eremochroa Hampson,1912; subsimilis W.Warren,1913; impar Hampson,1913 Range (as code): **DZ Rhr Ath Omy Gtt MA IR Hz B-A SD SDo8 PK Txl IN Bba Pj**
12728. **Tytroca leucoptera (Hampson,1896)** (Noctuidae) Synonymy: leucoptera Hampson,1896; balnearia Distant,1898 Range (as code): **MA SD MR DZ Ah Ajj Omy IL Pa YE Ad SA SA63 SO ZA Tva Lpo ZW Har**
12729. **Tytroca metaxantha (Hampson,1902)** (Noctuidae) Synonymy: metaxantha Hampson,1902 Range (as code): **ZA Dmr NA Ec**
12730. **Ugia albilinea Hampson,1926** (Noctuidae) Synonymy: albilinea Hampson,1926 Range (as code): **ZA KE**
12731. **Ugia amaponda (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: amaponda R.Felder & Rogenhofer,1874; loxogramma Hampson,1902; #loxigramma Pinhey,1975 Range (as code): **ZA Nta Kzu Dbn ZW Har Uma**
12732. **Ugia calescens (Holland,1894)** (Noctuidae) Synonymy: calescens Holland,1894 Range (as code): **GA Ogo**
12733. **Ugia cinerea (Holland,1894)** (Noctuidae) Synonymy: cinerea Holland,1894 Range (as code): **GA Ogo**
12734. **Ugia duplicilinea Hampson,1926** (Noctuidae) Synonymy: duplicilinea Hampson,1926 Range (as code): **NG**
12735. **Ugia egcarsia (Bethune-Baker,1911)** (Noctuidae) Synonymy: egcarsia Bethune-Baker,1911 Range (as code): **AO**
12736. **Ugia flavida Gaede,1940** (Noctuidae) Synonymy: flavida Gaede,1940 Range (as code): **CM**

12737. **Ugia geometroides (Holland,1894)** (Noctuidae) Synonymy: geometroides Holland,1894 Range (as code): **GA Ogo**
12738. **Ugia hecate (Holland,1894)** (Noctuidae) Synonymy: hecate (Holland,1894 Range (as code): **GA Ogo**
12739. **Ugia mascusalis Walker,[1859]** (Noctuidae) Synonymy: mascusalis Walker,[1859] Range (as code): **SL**
12740. **Ugia minima Gaede,1940** (Noctuidae) Synonymy: minima Gaede,1940 Range (as code): **CM**
12741. **Ugia roseata Gaede,1940** (Noctuidae) Synonymy: roseata Gaede,1940 Range (as code): **CM**
12742. **Ugia rufilinea Hampson,1926** (Noctuidae) Synonymy: rufilinea Hampson,1926 Range (as code): **SL**
12743. **Ugia scopulina Hampson,1926** (Noctuidae) Synonymy: scopulina Hampson,1926 Range (as code): **UG**
12744. **Ugia sestia (Holland,1894)** (Noctuidae) Synonymy: sestia Holland,1894 Range (as code): **GA Ogo**
12745. **Ugia stigmaphora Hampson,1926** (Noctuidae) Synonymy: stigmaphora Hampson,1926 Range (as code): **NG**
12746. **Ugia straminilinea Hampson,1926** (Noctuidae) Synonymy: straminilinea Hampson,1926 Range (as code): **NG**
12747. **Ugia taeniata (Holland,1894)** (Noctuidae) Synonymy: taeniata Holland,1894 Range (as code): **ZA GA Ogo**
12748. **Ugia umbrina (Holland,1894)** (Noctuidae) Synonymy: umbrina Holland,1894 Range (as code): **GA Ogo**
12749. **Ulochlaena ferruginea Gaede,1915** (Noctuidae) Synonymy: ferruginea Gaede,1915 Range (as code): **ZA**
12750. **Ulochlaena fumea (Hampson,1902)** (Noctuidae) Synonymy: fumea Hampson,1902 Range (as code): **ZA Ec Tra**
12751. **Ulochlaena reducta Gaede,1915** (Noctuidae) Synonymy: reducta Gaede,1915 Range (as code): **ZA**
12752. **Ulochlaena sagittata Gaede,1915** (Noctuidae) Synonymy: sagittata Gaede,1915 Range (as code): **ZA**
12753. **Ulochlaena schaeferi Gaede,1915** (Noctuidae) Synonymy: schaeferi Gaede,1915 Range (as code): **ZA**
12754. **Ulotrichopus catocala (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonymy: catocala R.Felder & Rogenhofer,1874; caupona Möschler,1884 Range (as code): **ZA Tva Nta Kzu Est Ec Qt**
12755. **Ulotrichopus glaucescens Hampson,1913** (Noctuidae) Synonymy: glaucescens Hampson,1913 Range (as code): **ZA**
12756. **Ulotrichopus leucopastus Hampson,1913** (Noctuidae) Synonymy: leucopastus Hampson,1913 Range (as code): **ZA SA**
12757. **Ulotrichopus lucidus Pinhey,1968** (Noctuidae) Synonymy: lucidus Pinhey,1968 Range (as code): **ZA**
12758. **Ulotrichopus mesoleucus (Walker,1858)** (Noctuidae) Synonymy: mesoleucus Walker,1858; tortuosus Wallengren,1866 Range (as code): **ZA Nta Kzu Ec**
12759. **Ulotrichopus nigricans Laporte,1973** (Noctuidae) Synonymy: nigricans Laporte,1973 Range (as code): **ZA**
12760. **Ulotrichopus primulinus (Hampson,1902)** (Noctuidae) Synonymy: primulinus Hampson,1902 Range (as code): **ZA BW Nga Nta Kzu Est**
12761. **Ulotrichopus tessmanni Gaede,1936** (Noctuidae) Synonymy: tessmanni Gaede,1936 Range (as code): **ZA**
12762. **Ulotrichopus tinctipennis tinctipennis (Hampson,1902)** (Noctuidae) Synonymy: tinctipennis Hampson,1902. Range (as code): **NA BW DJ SD EG YE SA AE OM**
12763. **Ulotrichopus variegatus (Hampson,1902)** (Noctuidae) Synonymy: variegatus Hampson,1902 Range (as code): **ZA Nta Kzu**
12764. **Uncula tristigmatias (Hampson,1902)** (Noctuidae) Synonymy: tristigmatias Hampson,1902 Range (as code): **ZA**
12765. **Usambaranola fibigeri Hacker,2012** (Noctuidae) Synonymy: fibigeri Hacker,2012 Range (as code): **TZ Usa Ani Tnga**
12766. **Vandamia bicincta (Hampson,1904)** (Noctuidae) Synonymy: bicincta Hampson,1904 Range (as code): **ZA Ec**
12767. **Vandamia lightfooti Van Son,1933** (Noctuidae) Synonymy: lightfooti Van Son,1933 Range (as code): **ZA Ec Wca**

12768. **Vandamia mariepi Van Son,1933** (Noctuidae) Synonymy: mariepi Van Son,1933 Range (as code): **ZA Tva Nta Kzu Srn**
12769. **Vandamia meyi Hacker,2012** (Noctuidae) Synonymy: meyi Hacker,2012 Range (as code): **ZA Nca**
12770. **Vandamia porphyriana Hacker,2012** (Noctuidae) Synonymy: porphyriana Hacker,2012 Range (as code): **ZA Nta Kzu Drb**
12771. **Vandamia sertalis (Toulgoet,1982)** (Noctuidae) Synonymy: sertalis Toulgoet,1982 Range (as code): **MG**
12772. **Vandamia stellenboschi Hacker,2012** (Noctuidae) Synonymy: stellenboschi Hacker,2012 Range (as code): **ZA Ec Ste**
12773. **Vandamia tabularis Hacker,2012** (Noctuidae) Synonymy: tabularis Hacker,2012 Range (as code): **ZA Wca**
12774. **Vandamia typica Van Son,1933** (Noctuidae) Synonymy: typica Van Son,1933 Range (as code): **ZA Tva Ec Nta Kzu Pie**
12775. **Victrix (Moureia) microglossa (Rambur,1858)** (Noctuidae) Synonymy: microglossa Rambur,1858; subplumbeola Culot,1912; cinnamomina Rothschild,1914 Range (as code): **MR MA NE DZ Ah Ges Eba Abe Sbd Afl Lbs PT ES An Mu**
12776. **Victrix precisa (W.Warren,1909)** (Noctuidae) Synonymy: precisa W.Warren,1909; salmonea Culot,1912; subperla Rothschild,1914; incomposita Lucas,1950 Range (as code): **DZ Sbd Ges MA Orn Prr Abe**
12777. **Vietteania catadela (D.S.Fletcher,1961)** (Noctuidae) Synonymy: catadela D.S.Fletcher,1961 Range (as code): **KE**
12778. **Vietteania griveaudi Viette,1978** (Noctuidae) Synonymy: griveaudi Viette,1978 Range (as code): **KM**
12779. **Vietteania homoeoptera (Hampson,1918)** (Noctuidae) Synonymy: homoeoptera Hampson,1918; inangulata Gaede,1935 Range (as code): **MW KE**
12780. **Vietteania longirostris (Berio,1940)** (Noctuidae) Synonymy: longirostris Berio,1940 Range (as code): **ET ET45 ET86 ER**
12781. **Vietteania pinna (Saalmüller,1891)** (Noctuidae) Synonymy: pinna Saalmüller,1891 Range (as code): **ZA**
12782. **Vietteania pyrostrota (Hampson,1907)** (Noctuidae) Synonymy: pyrostrota Hampson,1907 Range (as code): **UG**
12783. **Vietteania torrentium (Guenée,1852)** (Noctuidae) Synonymy: torrentium Guenée,1852; intestata Walker,1856; infima Wallengren,1875; bazyae Möschler,1884; parvula Kenrick,1917; homochroma Rungs,1955; tenebrata Rungs,1955; #torretium Poole,1989 Range (as code): **ZW Har ZA Wca Ec Cto Tva Gau Pre Nta Kzu Est Dbn MG**
12784. **Westermannia araeogramma Hampson,1905** (Noctuidae) Synonymy: araeogramma Hampson,1905 Range (as code): **ZA**
12785. **Westermannia argyroplaga Hampson,1905** (Noctuidae) Synonymy: argyroplaga Hampson,1905 Range (as code): **ZA**
12786. **Westermannia convergens Hampson,1902** (Noctuidae) Synonymy: convergens Hampson,1902 Range (as code): **ZA Ans Ec**
12787. **Westermannia oediplaga Hampson,1910** (Noctuidae) Synonymy: oediplaga Hampson,1910 Range (as code): **ZA**
12788. **Westermannia roseitincta Pinhey,1968** (Noctuidae) Synonymy: roseitincta Pinhey,1968 Range (as code): **ZA**
12789. **Westermannia superba Hübner,1823** (Noctuidae) Synonymy: superba Hübner,1823; westermanni Guenée,1852; gloriosa Hampson,1912 Range (as code): **ZA MY Bor Swk SG ID Klt Sum Ja PG AU QAu TH CMa CDo CD2 Dst Dso9 IN LK Pdy PH Pan Bly Pal Mno Crg Luz Pq CN Yu**
12790. **Weymeria athene (Karsch,1892)** (Noctuidae) Synonymy: athene Karsch,1892 Range (as code): **TZ**
12791. **Xanthia (Cirrhia) gilvago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonymy: gilvago [Denis & Schiffermüller],1775 Range (as code): **MA DZ Btna ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kyi MD UA Lvv BY Ch IQ Agh IR Gls 14 47 63**
12792. **Xanthia (Cirrhia) ocellaris (Borkhausen,1792)** (Noctuidae) Synonymy: ocellaris Borkhausen,1792; palleago Hübner,[1803]. Range (as code): **MA DZ Sbd PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR LB SY IR Ab Oru Fa Shr Es DK SE FI RU Cc Ro Kr St Ich MD UA Lvv BY Sb TM CN KP KR 01 06 50 58**
12793. **Xanthia basalis Walker,1862** (Noctuidae) Synonymy: basalis Walker,1862 Range (as code): **ZA**
12794. **Xanthia icteritia (Hufnagel,1766)** (Noctuidae) Synonymy: icteritia Hufnagel,1766; cerago [Denis & Schiffermüller],1775; flavescens Esper,[1788]. Range (as code): **MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ**

SK HU RO YU BG GR TR Cc IR Ab Elb Th DK NO SE FI EE LV LT RU Ro Kr Kb St Nt Ich Ing Kyi Da MD UA Lvv BY JP 06 13 14 25 36 62 66 75

12795.Xanthodes albago (Fabricius,1794) (Noctuidae) Synonymy: albago Fabricius,1794; malvae Esper,[1796]; stramen Guenée,1852; impurata Walker,1857; impellens Walker,1858; inefficiens Walker,1858. Range (as code): **MR MA DZ Agi Bsk Ktr Perr Abe Clo ET ZA Tva Gau Pre ES Mu FR Sa Si IT MT AL GR Cr TR IR IQ AF LB Bei IN TW LK CN KP KR JP AU 01**

12796.Xanthomera leucoglene (Mabille,1880) (Noctuidae) Synonymy: leucoglene Mabille,1880 Range (as code): **ZA**

12797.Xestia (Megasema) c-nigrum (Linnaeus,1758) (Noctuidae) Synonymy: c-nigrum Linnaeus,1758; nunatrum Esper,[1786]; singularis Esper,[1786]; degenerata Staudinger,1889; depravata A.Bang-Haas,1912; kurilana Bryk,1942; #pallida Lempke,1962; ignorata Eitschberger,1972. Range (as code): **PT ES Grn FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc DK NO SE FI EE LV LT RU Mo Sb MD UA BY IR Kh Gh Elb Mz Kdj KK Ax Ik UZ N-A CN Ui Ku Kön Yk Ga Sz T-T IN Hp Drm Kul Nl SI Up Bhi Nnt Kil SA PK Pj Cp GG AZ PH Luz Pq Sh SI Ti TW VN MA Md KP KR JP CA Nsc US Ny Iln MX Ro Kr St Kb Kc Nt Ich Ing Da Kyi Smt Bjo Tbl Kir Lag Swa Sgl Yek DZ Blid Agi Abe Dhm Hrh Dzc TN Txl Psu Gg 05 13 28 34 33 36 50 51 56 58 60 61 65 75**

12798.Xestia (s.str.) agathina (Duponchel,1827) (Noctuidae) Synonymy: agathina Duponchel,1827 Range (as code): **MA PT ES FR IT IE GB BE NL DE CH PL DK EE**

12799.Xestia (s.str.) castanea (Esper,[1798]) (Noctuidae) Synonymy: castanea Esper,[1798]; neglecta Hübner,[1803]; cerasina Freyer,1840; xanthe Woodf.,1901; obsolescens W.Petersen,1905; alliatai Hartig,1949. Range (as code): **MA PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY LB SY JO IL Pa 01 46**

12800.Xestia (s.str.) dyris (Zerny,1934) (Noctuidae) Synonymy: dyris Zerny,1934 Range (as code): **MA**

12801.Xestia (s.str.) kermesina (Mabille,1869) (Noctuidae) Synonymy: kermesina Mabille,1869; cermesina Hampson,1903; grisea Fernandez,1908; albida Ribbe,1912; darroensis Ribbe,1912; astigmata Rothschild,1914; flavida Oberthür,1918; divitefimbriata Oberthür,1918; delectans Oberthür,1918; uclesina Fernandez,1918; sylvicola Turati,1930; #viridibrunnea Bytinski-Salz,1937 Range (as code): **MA DZ Btna Afl Lbs Ges TN LY PT ES FR Co Sa TR 31**

12802.Xestia (s.str.) nisseni (Rothschild,1912) (Noctuidae) Synonymy: nisseni Rothschild,1912; durandi Lucas,1932 Range (as code): **DZ Ges TN Dhm**

12803.Xestia (s.str.) xanthographa ([Denis & Schiffermüller],1775) (Noctuidae) Synonymy: xanthographa [Denis & Schiffermüller],1775; tetragona Haworth,1809; budensis Freyer,1838; elutior Alpheraky,1887; funerea Gauckler,1901; trumani Smith,1903; praecipuina Rothschild,1914; almohada F.Wagner,1918; faroulti Rothschild,1920; lepida Constantini,1922; algirica Corti & Draudt,1933 Range (as code): **MA DZ Ges Lbs Dhm Btna Abe Perr TN PT ES An FR Co Sa Si IT MT IE GB BE NL DE Bw CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU Mo Cc Ro Kr St Nt Ich MD UA Lvv BY IQ Agh Bgd IR Elb Kh Nys UZ Fe Tas EG Sn JO IL Hf Pa LB CA BCo US Ws Org 01 05 13 20 30 31 33 42 58 62**

12804.Xestia renalis (Moore,1881) (Noctuidae) Synonymy: renalis Moore,1881 Range (as code): **ZA IN Mhh Up**

12805.Xylena exsoleta (Linnaeus,1758) (Noctuidae) Synonymy: exsoleta Linnaeus,1758; exoleta Fabricius,1787; impudica Staudinger,1888; canaria Pinker,1969 Range (as code): **Cn Md MA DZ Sbd Blid Ges Sfr Hrh Afl TN PT ES FR Sa Si IT MT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Bjo Tbl Cc IQ IR Kh AF LB IL Js Pa He DK NO SE FI EE LV LT RU Ro Kr St Da MD UA BY CN Ti KK Ik KG Ssn Tar Lps UZ Smk Fe 01 05 06 09 13 15 25 26 33 36 45 46 50 65 66**

12806.Xylena lunifera W.Warren,1910 (Noctuidae) Synonymy: lunifera W.Warren,1910; #lunigera W.Warren,1910 Range (as code): **MA ES RO YU BG GR TR Cc SY Ltk AM 05 06 08 24 25 62 65 75**

12807.Xylena vetusta (Hübner,[1813]) (Noctuidae) Synonymy: vetusta Hübner,[1813] Range (as code): **MA DZ Bsk PT ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB CY IL Pa DK NO SE FI EE LV LT RU Cc Ro Kr St MD UA Lvv BY At Sb MN CN 06 12 25 42 50 66**

12808.Xylocampa mustapha (Oberthür,1910) (Noctuidae) Synonymy: mustapha Oberthür,1910; mustapha Oberthür,1920 Range (as code): **DZ Cst Lbs Agi Blid Hrh Ges MA Si IT IQ TR LB IL Js Pa JO 02 06 07 09 15 16 21 23 31 32 33 35 43 46 65**

12809.Zalaca anticalis Walker,[1866] (Noctuidae) Synonymy: anticalis Walker,[1866] Range (as code): **ZA**

12810.Zalaca snelleni (Wallengren,1875) (Noctuidae) Synonymy: snelleni Wallengren,1875 Range (as code): **ZA**

12811.Zebeeba falsalis (Herrich-Schäffer,[1839]) (Noctuidae) Synonymy: falsalis Herrich-Schäffer,[1839]; ?dardounula Millière,1871 Range (as code): **DZ Hes Agi Gue Hmk Hrh Ges Abe Sbd TN PT ES Mu FR Co Sa Si IT MT YU MK AL BG GR Cr TR CY LB Bsa IL Pa Hf SY 07 30 33**

12812.Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852]) (Noctuidae) Synonymy: ravalis Herrich-Schäffer,[1852]; revolutalis Zeller,1852; eremialis Swinhoe,1889 nec Walk.,1859; centralis Staudinger,1892; syriacalis Staudinger,1892; extorris W.Warren,1913; #pallida Schawerda,1929; #transcaspica Brandt,1941 Range (as code): **GR RU AZ Kir Cc Ich Da Der TR CY IL Pa Js LB Bei IQ Mos Dia Ry Rwz Brs Agh Amr KG KK PK Qu Sd IN Up Alh AF Hr Blh Gbh Srb Pli Bd Fz Pag Kab EG BH JO SY IR Ak Shf Fa Ss Kh Elb Gh Mz Kd Bjr Zj Ke Hz B-A TM Kp UZ Tas Fe Smk CN Ui Ga N-A ZA 01 05 06 07 08 13 18 24 25 27 30 31 33 35 42 44 46 47 50 56 58 62 65 69 70 72 76**

12813. **Zekelita (Rhynchodontodes) antistropha (Vari,1962)** (Noctuidae) Synonymy: antistropha Vari,1962 Range (as code): **ZA Tva**
12814. **Zekelita (Rhynchodontodes) sagittalis Rebel,1948** (Noctuidae) Synonymy: sagittalis Rebel,1948 Range (as code): **EG JE**
12815. **Zethes insularis Rambur,1833** (Noctuidae) Synonymy: insularis Rambur,1833 Range (as code): **MA DZ Orn Hrh Hmk Dzc Ges Sfr TN LY PT ES Mu FR Co Sa Si IT YU BG GR Rd TR CY IR Fa Mia Kaz Sse Ke By Kz Yas Lo IQ Ssa LB Bei IL Pa Hf SY JO 02 05 07 10 14 16 21 22 31 33 35 42 45 48 56 63**
12816. **Zethesides bettoni (Butler,1898)** (Noctuidae) Synonymy: bettoni Butler,1898 Range (as code): **KE**

Notodontidae

12817. **Achaera ochribasis (Hampson,1910)** (Notodontidae) Synonymy: ochribasis Hampson,1910 Range (as code): **ZA**
12818. **Acrasiella curvilinea (Swinhoe,1907)** (Notodontidae) Synonymy: curvilinea Swinhoe,1907 Range (as code): **ZA**
12819. **Afrocerura leonensis bifasciata (Janse,1920)** (Notodontidae) Synonymy: bifasciata Janse,1920 Range (as code): **ZA**
12820. **Afrogluphisia demas Kiriakoff,1970** (Notodontidae) Synonymy: demas Kiriakoff,1970 Range (as code): **ZA**
12821. **Afroplitis dasychirina (Gaede,1928)** (Notodontidae) Synonymy: dasychirina Gaede,1928 Range (as code): **ZA NA YE**
12822. **Afroplitis phyllocampa (Trimen,1909)** (Notodontidae) Synonymy: phyllocampa Trimen,1909 Range (as code): **ZA**
12823. **Afroplitis pylades (Kiriakoff,1955)** (Notodontidae) Synonymy: pylades Kiriakoff,1955 Range (as code): **ZA**
12824. **Amphiphalera leuconephra Hampson,1910** (Notodontidae) Synonymy: leuconephra Hampson,1910 Range (as code): **ZA**
12825. **Amphiphalera nigripuncta Kiriakoff,1975** (Notodontidae) Synonymy: nigripuncta Kiriakoff,1975 Range (as code): **ZA**
12826. **Amyops ingens Karsch,1895** (Notodontidae) Synonymy: ingens Karsch,1895 Range (as code): **ZA Tva Lpo Spb Mdk MZ BW ZW ZM MW**
12827. **Antheua anodonta (Hampson,1910)** (Notodontidae) Synonymy: anodonta Hampson,1910 Range (as code): **ZA**
12828. **Antheua aurifodinae (Distant,1902)** (Notodontidae) Synonymy: aurifodinae Distant,1902 Range (as code): **ZA Gau Tva Jh Pre**
12829. **Antheua aurivilliusi Kiriakoff,1964** (Notodontidae) Synonymy: aurivilliusi Kiriakoff,1964 Range (as code): **ZA**
12830. **Antheua consanguinea Distant,1903** (Notodontidae) Synonymy: consanguinea Distant,1903 Range (as code): **ZA Tva Mpu Ly**
12831. **Antheua croceipuncta Hampson,1910** (Notodontidae) Synonymy: croceipuncta Hampson,1910 Range (as code): **ZA**
12832. **Antheua dimorpha Janse,1920** (Notodontidae) Synonymy: dimorpha Janse,1920 Range (as code): **ZA**
12833. **Antheua encausta (Hampson,1910)** (Notodontidae) Synonymy: encausta Hampson,1910 Range (as code): **ZA**
12834. **Antheua extenuata Walker,1869** (Notodontidae) Synonymy: extenuata Walker,1869 Range (as code): **ZA**
12835. **Antheua insignata Gaede,1928** (Notodontidae) Synonymy: insignata Gaede,1928 Range (as code): **ZA**
12836. **Antheua mixta Janse,1920** (Notodontidae) Synonymy: mixta Janse,1920 Range (as code): **ZA**
12837. **Antheua ornata (Walker,1865)** (Notodontidae) Synonymy: ornata Walker,1865; quisola Strand,1912 Range (as code): **ZA Tva Gau Pre Nta Kzu Ec Tra Wb**
12838. **Antheua simplex Walker,1855** (Notodontidae) Synonymy: simplex Walker,1855; ephippiata Wallengren,1860 Range (as code): **ZA Tva Gau Pre**
12839. **Antheua tricolor Walker,1855** (Notodontidae) Synonymy: tricolor Walker,1855; varia Walker,1855. Range (as code): **ZA Lpo Tva Spb Mdk Mpu Wv**

12840. **Antheua trimacula Kiriakoff,1954** (Notodontidae) Synonymy: trimacula Kiriakoff,1954 Range (as code): **ZA**
12841. **Antheua woerdeni (Snellen,1872)** (Notodontidae) Synonymy: woerdeni Snellen,1872 Range (as code): **ZA Tva Gau Pre Mpu Ly GN**
12842. **Antheuella flavida (Hampson,1910)** (Notodontidae) Synonymy: flavida Hampson,1910 Range (as code): **ZA**
12843. **Antheuella incana (Janse,1920)** (Notodontidae) Synonymy: incana Janse,1920 Range (as code): **ZA**
12844. **Antheuella psolometopa (Tams,1929)** (Notodontidae) Synonymy: psolometopa Tams,1929 Range (as code): **ZA**
12845. **Anticleapa varii Kiriakoff,1970** (Notodontidae) Synonymy: varii Kiriakoff,1970 Range (as code): **ZA**
12846. **Antizana sparsata Gaede,1928** (Notodontidae) Synonymy: sparsata Gaede,1928 Range (as code): **ZA**
12847. **Archistilbia cineracea Kiriakoff,1954** (Notodontidae) Synonymy: cineracea Kiriakoff,1954 Range (as code): **ZA**
12848. **Archistilbia varii Kiriakoff,1970** (Notodontidae) Synonymy: varii Kiriakoff,1970 Range (as code): **ZA**
12849. **Arciera phragmatoecioides (Rothschild,1917)** (Notodontidae) Synonymy: phragmatoecioides Rothschild,1917 Range (as code): **ZA**
12850. **Atrasana excellens (Strand,1912)** (Notodontidae) Synonymy: excellens Strand,1912 Range (as code): **ZA**
12851. **Atrasana grisea (Gaede,1928)** (Notodontidae) Synonymy: grisea Gaede,1928 Range (as code): **ZA**
12852. **Atrasana nigrosignata Kiriakoff,1975** (Notodontidae) Synonymy: nigrosignata Kiriakoff,1975 Range (as code): **ZA**
12853. **Atrasana pinheyi Kiriakoff,1962** (Notodontidae) Synonymy: pinheyi Kiriakoff,1962 Range (as code): **ZA**
12854. **Atrasana postica Walker,1856** (Notodontidae) Synonymy: postica Walker,1856 Range (as code): **ZA**
12855. **Atrasana rectilinea (Gaede,1928)** (Notodontidae) Synonymy: rectilinea Gaede,1928 Range (as code): **ZA**
12856. **Atrasana uncifera (Hampson,1910)** (Notodontidae) Synonymy: uncifera Hampson,1910 Range (as code): **ZA**
12857. **Batempa plana Kiriakoff,1962** (Notodontidae) Synonymy: plana Kiriakoff,1962 Range (as code): **ZA**
12858. **Bilulua strigata Kiriakoff,1954** (Notodontidae) Synonymy: strigata Kiriakoff,1954 Range (as code): **ZA**
12859. **Bisolita rubrifascia (Hampson,1910)** (Notodontidae) Synonymy: rubrifascia Hampson,1910 Range (as code): **ZA**
12860. **Bisolita strigata (Aurivillius,1906)** (Notodontidae) Synonymy: strigata Aurivillius,1906 Range (as code): **ZA**
12861. **Catastygne tristicolor (Gaede,1928)** (Notodontidae) Synonymy: tristicolor Gaede,1928 Range (as code): **ZA**
12862. **Catochria catocoloides Herrich-Schäffer,[1855]** (Notodontidae) Synonymy: catocoloides Herrich-Schäffer,[1855] Range (as code): **ZA**
12863. **Catochria postflava Kiriakoff,1955** (Notodontidae) Synonymy: postflava Kiriakoff,1955 Range (as code): **ZA**
12864. **Cerura (s.str.) delavoiei (Gaschet,1876)** (Notodontidae) Synonymy: delavoiei Gaschet,1876 Range (as code): **MA Tgr Azr DZ Cn Khh Orn Mage Agi Ges Btna Ght**
12865. **Cerurella natalensis Kiriakoff,1962** (Notodontidae) Synonymy: natalensis Kiriakoff,1962 Range (as code): **ZA**
12866. **Cerurina marshalli (Hampson,1910)** (Notodontidae) Synonymy: marshalli Hampson,1910 Range (as code): **ZA**
12867. **Chlorocalliope calliope (Hampson,1910)** (Notodontidae) Synonymy: calliope Hampson,1910 Range (as code): **ZA**
12868. **Chlorocalliope subvernalis Kiriakoff,1958** (Notodontidae) Synonymy: subvernalis Kiriakoff,1958 Range (as code): **ZA**

12869. **Chlorochadisra viridipulverea (Gaede,1928)** (Notodontidae) Synonymy: viridipulverea Gaede,1928 Range (as code): **ZA**
12870. **Clostera distinguenda Kiriakoff,1962** (Notodontidae) Synonymy: distinguenda Kiriakoff,1962 Range (as code): **ZA**
12871. **Clostera ferruginosa (Gaede,1934)** (Notodontidae) Synonymy: ferruginosa Gaede,1934 Range (as code): **ZA**
12872. **Clostera formosa Kiriakoff,1962** (Notodontidae) Synonymy: formosa Kiriakoff,1962 Range (as code): **ZA**
12873. **Clostera lentisignata (Hampson,1910)** (Notodontidae) Synonymy: lentisignata Hampson,1910 Range (as code): **ZA**
12874. **Clostera nubila Kiriakoff,1962** (Notodontidae) Synonymy: nubila Kiriakoff,1962 Range (as code): **ZA**
12875. **Clostera powelli (Oberthür,1915)** (Notodontidae) Synonymy: powelli Oberthür,1915 Range (as code): **MA DZ**
12876. **Clostera roseotincta (Janse,1920)** (Notodontidae) Synonymy: roseotincta Janse,1920 Range (as code): **ZA**
12877. **Clostera semilunata Kiriakoff,1971** (Notodontidae) Synonymy: semilunata Kiriakoff,1971 Range (as code): **ZA**
12878. **Clostera violacearia (Janse,1920)** (Notodontidae) Synonymy: violacearia Janse,1920 Range (as code): **ZA**
12879. **Clostera vumba Kiriakoff,1981** (Notodontidae) Synonymy: vumba Kiriakoff,1981 Range (as code): **ZW Vum**
12880. **Crambometra derelicta Prout,1915** (Notodontidae) Synonymy: derelicta Prout,1915 Range (as code): **ZA**
12881. **Crambometra gladstoni (Janse,1920)** (Notodontidae) Synonymy: gladstoni Janse,1920 Range (as code): **ZA**
12882. **Crambometra vandenbergae Kiriakoff,1981** (Notodontidae) Synonymy: vandenbergae Kiriakoff,1981 Range (as code): **ZA**
12883. **Dasychirella cinderella Kiriakoff,1970** (Notodontidae) Synonymy: cinderella Kiriakoff,1970 Range (as code): **ZA**
12884. **Deinarchia agramma (Hampson,1910)** (Notodontidae) Synonymy: agramma Hampson,1910 Range (as code): **ZA**
12885. **Desmeocraera analis Kiriakoff,1954** (Notodontidae) Synonymy: analis Kiriakoff,1954 Range (as code): **ZA ZW Uma ZR**
12886. **Desmeocraera atribasalis (Hampson,1910)** (Notodontidae) Synonymy: atribasalis Hampson,1910 Range (as code): **ZA**
12887. **Desmeocraera basalis Distant,1899** (Notodontidae) Synonymy: basalis Distant,1899 Range (as code): **ZA Nta Kzu Tva Lpo Spb Mdk Mpu Ly ZW BW MZZM MW AO TZ KE SD**
12888. **Desmeocraera canescens Janse,1920** (Notodontidae) Synonymy: canescens Janse,1920 Range (as code): **ZA ZW**
12889. **Desmeocraera clenchi Kiriakoff,1958** (Notodontidae) Synonymy: clenchi Kiriakoff,1958 Range (as code): **ZR**
12890. **Desmeocraera congoana Aurivillius,1900** (Notodontidae) Synonymy: congoana Aurivillius,1900 Range (as code): **ZA CG**
12891. **Desmeocraera decorata (Wichgraf,1922)** (Notodontidae) Synonymy: decorata Wichgraf,1922; neavei Tams,1925; lithocolla Tams,1932 Range (as code): **ZA AO MZ ZW ZM MW KE**
12892. **Desmeocraera dorsalis Kiriakoff,1981** (Notodontidae) Synonymy: dorsalis Kiriakoff,1981 Range (as code): **ZA**
12893. **Desmeocraera falsa (Holland,1893)** (Notodontidae) Synonymy: falsa Holland,1893 Range (as code): **NG**
12894. **Desmeocraera forsteri Kiriakoff,1973** (Notodontidae) Synonymy: forsteri Kiriakoff,1973 Range (as code): **TZ**
12895. **Desmeocraera griseoviridis Hampson,1910** (Notodontidae) Synonymy: griseoviridis Hampson,1910 Range (as code): **ZA Ec Cto**
12896. **Desmeocraera interpellatrix (Wallengren,1860)** (Notodontidae) Synonymy: interpellatrix Wallengren,1860 Range (as code): **ZA**

12897. **Desmeocraera jansei Kiriakoff,1958** (Notodontidae) Synonymy: varia Janse,1920 nec Wlk.; jansei Kiriakoff,1958 Range (as code): **ZA Nta Kzu**
12898. **Desmeocraera kiriakoffi Thiaucourt,1977** (Notodontidae) Synonymy: kiriakoffi Thiaucourt,1977 Range (as code): **ET**
12899. **Desmeocraera latex (Druce,1901)** (Notodontidae) Synonymy: latex Druce,1901 Range (as code): **ZA**
12900. **Desmeocraera leucophaea Gaede,1928** (Notodontidae) Synonymy: leucophaea Gaede,1928 Range (as code): **CM**
12901. **Desmeocraera leucosticta (Hampson,1910)** (Notodontidae) Synonymy: leucosticta Hampson,1910 Range (as code): **NE**
12902. **Desmeocraera luteosticta Kiriakoff,1968** (Notodontidae) Synonymy: luteosticta Kiriakoff,1968 Range (as code): **ZA ZW Vum Uma**
12903. **Desmeocraera mawa Kiriakoff,1979** (Notodontidae) Synonymy: mawa Kiriakoff,1979 Range (as code): **NG**
12904. **Desmeocraera mkabi Kiriakoff,1979** (Notodontidae) Synonymy: mkabi Kiriakoff,1979 Range (as code): **NG**
12905. **Desmeocraera moza Kiriakoff,1962** (Notodontidae) Synonymy: moza Kiriakoff,1962 Range (as code): **ZA MZ**
12906. **Desmeocraera nugatrix Felder,1874** (Notodontidae) Synonymy: nugatrix Felder,1874 Range (as code): **ZA**
12907. **Desmeocraera octoginta (Hampson,1910)** (Notodontidae) Synonymy: octoginta Hampson,1910 Range (as code): **ZA Nta Kzu Tva Ec ZR**
12908. **Desmeocraera oliva Kiriakoff,1968** (Notodontidae) Synonymy: oliva Kiriakoff,1968 Range (as code): **ZA UG**
12909. **Desmeocraera platti Janse,1920** (Notodontidae) Synonymy: platti Janse,1920 Range (as code): **ZA Nta Kzu Tva BW**
12910. **Desmeocraera sincera Kiriakoff,1958** (Notodontidae) Synonymy: sincera Kiriakoff,1958 Range (as code): **NG GH**
12911. **Desmeocraera tanzanica Kiriakoff,1973** (Notodontidae) Synonymy: tanzanica Kiriakoff,1973 Range (as code): **TZ**
12912. **Desmeocraera tripuncta Janse,1920** (Notodontidae) Synonymy: tripuncta Janse,1920 Range (as code): **ZA Ec Nta Kzu Tva BW KE**
12913. **Desmeocraera vernalis Distant,1897** (Notodontidae) Synonymy: vernalis Distant,1897 Range (as code): **ZA Tva Mpu Brb Ly Nta Kzu CM**
12914. **Desmeocraera weberiana Kiriakoff,1958** (Notodontidae) Synonymy: weberiana Kiriakoff,1958 Range (as code): **CM ZR**
12915. **Desmeocraera zombae Kiriakoff,1958** (Notodontidae) Synonymy: zombae Kiriakoff,1958 Range (as code): **ZA**
12916. **Disracha persimilis (Hampson,1910)** (Notodontidae) Synonymy: persimilis Hampson,1910 Range (as code): **ZA**
12917. **Drapetides uniformis (Swinhoe,1907)** (Notodontidae) Synonymy: uniformis Swinhoe,1907 Range (as code): **ZA**
12918. **Elaphrodes duplex (Gaede,1928)** (Notodontidae) Synonymy: duplex Gaede,1928 Range (as code): **ZA**
12919. **Epicerulella imitans Kiriakoff,1981** (Notodontidae) Synonymy: imitans Kiriakoff,1981 Range (as code): **ZA**
12920. **Epicerura pergrisea (Hampson,1910)** (Notodontidae) Synonymy: pergrisea Hampson,1910 Range (as code): **ZA**
12921. **Epicerura steniptera (Hampson,1910)** (Notodontidae) Synonymy: steniptera Hampson,1910 Range (as code): **ZA**
12922. **Epidonta brunneomixta (Mabille,1897)** (Notodontidae) Synonymy: brunneomixta Mabille,1897 Range (as code): **ZA**
12923. **Euanthia venosa Kiriakoff,1962** (Notodontidae) Synonymy: venosa Kiriakoff,1962 Range (as code): **ZA**
12924. **Eubreyeria dasychiroides (Janse,1920)** (Notodontidae) Synonymy: dasychiroides Janse,1920 Range (as code): **ZA**

12925. **Eujansea afra (Bethune-Baker,1911)** (Notodontidae) Synonymy: afra Bethune-Baker,1911; noctuiformis Janse,1920 Range (as code): **ZA**
12926. **Eujansea crenata (Kiriakoff,1962)** (Notodontidae) Synonymy: crenata Kiriakoff,1962 Range (as code): **AO**
12927. **Eurystaura brunnae Janse,1920** (Notodontidae) Synonymy: brunnae Janse,1920 Range (as code): **ZA**
12928. **Eurystaura griseitincta (Hampson,1910)** (Notodontidae) Synonymy: griseitincta Hampson,1910 Range (as code): **ZA**
12929. **Eurystauridia iphis Kiriakoff,1968** (Notodontidae) Synonymy: iphis Kiriakoff,1968 Range (as code): **ZA**
12930. **Eurystauridia medialis (Gaede,1928)** (Notodontidae) Synonymy: medialis Gaede,1928 Range (as code): **ZA**
12931. **Eurystauridia triangularis (Gaede,1928)** (Notodontidae) Synonymy: triangularis Gaede,1928 Range (as code): **ZA**
12932. **Eutimia marpissa Wallengren,1858** (Notodontidae) Synonymy: marpissa Wallengren,1858 Range (as code): **ZA**
12933. **Fentonina exacta Kiriakoff,1962** (Notodontidae) Synonymy: exacta Kiriakoff,1962 Range (as code): **ZA**
12934. **Fentonina punctum Gaede,1928** (Notodontidae) Synonymy: punctum Gaede,1928 Range (as code): **ZA**
12935. **Furcula bifida (Brahm,1787)** (Notodontidae) Synonymy: hermelina Goeze,1781 nec Gz.,1781; bifida Brahm,1787; latifascia Curtis,1827; arcuata Stephens,1828; mucronata Meigen,1830; urocera Boisduval,1840; lype Seifers,1933; beida Rungs,1956 Range (as code): **MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Bku Smt DK NO SE FI EE LV LT RU Ur At Cc Sj MD UA Lvv BY KG MN 04 06 07 10 13 14 15 16 17 25 29 30 36 43 50 52 53 60 61**
12936. **Furcula interspersa (Rothschild,1917)** (Notodontidae) Synonymy: interspersa Rothschild,1917 Range (as code): **MA DZ BSa Khh Btna TN**
12937. **Galona serena Karsch,1895** (Notodontidae) Synonymy: serena Karsch,1895 Range (as code): **ZA**
12938. **Graphodonta fulva (Kiriakoff,1962)** (Notodontidae) Synonymy: fulva Kiriakoff,1962 Range (as code): **ZA**
12939. **Hampsonita esmeralda (Hampson,1910)** (Notodontidae) Synonymy: Hampsonita esmeralda Hampson,1910 Range (as code): **ZA**
12940. **Haplozana nigrolineata Aurivillius,1901** (Notodontidae) Synonymy: nigrolineata Aurivillius,1901 Range (as code): **ZA**
12941. **Heraia thalassina (Hampson,1910)** (Notodontidae) Synonymy: thalassina Hampson,1910 Range (as code): **ZA**
12942. **Induba nigrescens Kiriakoff,1975** (Notodontidae) Synonymy: nigrescens Kiriakoff,1975 Range (as code): **ZA**
12943. **Iostaura jansei Kiriakoff,1970** (Notodontidae) Synonymy: jansei Kiriakoff,1970 Range (as code): **ZA**
12944. **Iridoplitis iridescens Kiriakoff,1955** (Notodontidae) Synonymy: iridescens Kiriakoff,1955 Range (as code): **ZA**
12945. **Janthinisca badia Kiriakoff,1979** (Notodontidae) Synonymy: badia Kiriakoff,1979 Range (as code): **ZA**
12946. **Janthinisca linda Kiriakoff,1979** (Notodontidae) Synonymy: linda Kiriakoff,1979 Range (as code): **ZA**
12947. **Jozinia leonina Kiriakoff,1970** (Notodontidae) Synonymy: leonina Kiriakoff,1970 Range (as code): **ZA**
12948. **Leucophalera latipennis (Butler,1896)** (Notodontidae) Synonymy: latipennis Butler,1896 Range (as code): **ZA**
12949. **Lopiena decorata Kiriakoff,1975** (Notodontidae) Synonymy: decorata Kiriakoff,1975 Range (as code): **ZA**
12950. **Metascrancia jansei Kiriakoff,1970** (Notodontidae) Synonymy: jansei Kiriakoff,1970 Range (as code): **ZA**
12951. **Metopteryx (Helga) infans (Kiriakoff,1964)** (Notodontidae) Synonymy: infans Kiriakoff,1964 Range (as code): **ZA**
12952. **Metopteryx (Metopteryx) cinerea (Janse,1920)** (Notodontidae) Synonymy: cinerea Janse,1920 Range (as code): **ZA**

12953. **Metopteryx (Metopteryx) mus (Gaede,1928)** (Notodontidae) Synonymy: mus Gaede,1928 Range (as code): **ZA**
12954. **Metopteryx (Metopteryx) rattus (Kiriakoff,1970)** (Notodontidae) Synonymy: rattus Kiriakoff,1970 Range (as code): **ZA**
12955. **Notocerura spiritalis (Distant,1899)** (Notodontidae) Synonymy: spiritalis Distant,1899 Range (as code): **ZA**
12956. **Notoxantha sesamiodes Hampson,1910** (Notodontidae) Synonymy: sesamiodes Hampson,1910 Range (as code): **ZA**
12957. **Odontoperas heterogyna (Hampson,1910)** (Notodontidae) Synonymy: heterogyna Hampson,1910 Range (as code): **ZA**
12958. **Odontoperas obliqualinea (Bethune-Baker,1911)** (Notodontidae) Synonymy: obliqualinea Bethune-Baker,1911 Range (as code): **ZA**
12959. **Odontoperas rosacea Kiriakoff,1959** (Notodontidae) Synonymy: rosacea Kiriakoff,1959 Range (as code): **ZA**
12960. **Paradiastema pulverea Hampson,1910** (Notodontidae) Synonymy: pulverea Hampson,1910 Range (as code): **ZA**
12961. **Pararethona hierax (Distant,1897)** (Notodontidae) Synonymy: hierax Distant,1897 Range (as code): **ZA Tva Gau Pre Mpu Ly**
12962. **Parastaura divisa Gaede,1928** (Notodontidae) Synonymy: divisa Gaede,1928 Range (as code): **ZA**
12963. **Peratodonta gypsitea (Kiriakoff,1968)** (Notodontidae) Synonymy: gypsitea Kiriakoff,1968 Range (as code): **ZA**
12964. **Periergos nigrovittata (Aurivillius,1921)** (Notodontidae) Synonymy: nigrovittata Aurivillius,1921 Range (as code): **KE Elg**
12965. **Phalera atrata (Grünberg,1907)** (Notodontidae) Synonymy: atrata Grünberg,1907 Range (as code): **ZA**
12966. **Phalera bucephalina Staudinger,1901** (Notodontidae) Synonymy: bucephalina Staudinger,1901 Range (as code): **MA Tgr TN Dhm ES**
12967. **Phalera imitata Druce,1896** (Notodontidae) Synonymy: imitata Druce,1896 Range (as code): **ZA**
12968. **Phalera lignitea Mabille,1900** (Notodontidae) Synonymy: lignitea Mabille,1900 Range (as code): **ZA**
12969. **Phalera lydenburgi Distant,1899** (Notodontidae) Synonymy: lydenburgi Distant,1899 Range (as code): **ZA Tva Mpu Ly**
12970. **Phycitimorpha congruata Janse,1920** (Notodontidae) Synonymy: congruata Janse,1920 Range (as code): **ZA**
12971. **Phycitimorpha stigmatica Janse,1920** (Notodontidae) Synonymy: stigmatica Janse,1920 Range (as code): **ZA**
12972. **Phyllaliodes agramma Hampson,1910** (Notodontidae) Synonymy: agramma Hampson,1910 Range (as code): **ZA**
12973. **Phyllaliodes poliostrota Hampson,1910** (Notodontidae) Synonymy: poliostrota Hampson,1910 Range (as code): **ZA**
12974. **Pinheyia lymantrioides Kiriakoff,1971** (Notodontidae) Synonymy: lymantrioides Kiriakoff,1971 Range (as code): **ZA**
12975. **Plastystaura glis Kiriakoff,1968** (Notodontidae) Synonymy: glis Kiriakoff,1968 Range (as code): **ZA**
12976. **Plastystaura murina Kiriakoff,1965** (Notodontidae) Synonymy: murina Kiriakoff,1965 Range (as code): **ZA**
12977. **Polelassothys plumitarsus Janse,1920** (Notodontidae) Synonymy: plumitarsus Janse,1920 Range (as code): **ZA**
12978. **Polienus capillatus (Wallengren,1875)** (Notodontidae) Synonymy: capillatus Wallengren,1875 Range (as code): **ZA Tva**
12979. **Polienus fuscatus Janse,1920** (Notodontidae) Synonymy: fuscatus Janse,1920 Range (as code): **ZA**
12980. **Polienus nigrosparsus Janse,1920** (Notodontidae) Synonymy: nigrosparsus Janse,1920 Range (as code): **ZA**
12981. **Polienus rubritinctus (Hampson,1910)** (Notodontidae) Synonymy: Range (as code): **ZA**
12982. **Psalisodes atrifasciata Hampson,1910** (Notodontidae) Synonymy: atrifasciata Hampson,1910 Range (as code): **ZA**

12983. **Psalisodes defasciata Gaede,1928** (Notodontidae) Synonymy: defasciata Gaede,1928 Range (as code): **ZA**
12984. **Psalisodes dimorpha Kiriakoff,1968** (Notodontidae) Synonymy: dimorpha Kiriakoff,1968 Range (as code): **ZA**
12985. **Pseudorethona albicans (Walker,1855)** (Notodontidae) Synonymy: albicans Walker,1855 Range (as code): **ZA**
12986. **Pseudoscrancia africana (Walker,1855)** (Notodontidae) Synonymy: africana Walker,1855 Range (as code): **ZA**
12987. **Quista albicostata (Hampson,1910)** (Notodontidae) Synonymy: albicostata Hampson,1910 Range (as code): **ZA**
12988. **Quista cinereomixta Kiriakoff,1959** (Notodontidae) Synonymy: cinereomixta Kiriakoff,1959 Range (as code): **ZA**
12989. **Rasemia dasychira (Hampson,1910)** (Notodontidae) Synonymy: dasychira Hampson,1910 Range (as code): **ZA**
12990. **Rasemia euzopherodes (Hampson,1910)** (Notodontidae) Synonymy: euzopherodes Hampson,1910 Range (as code): **ZA**
12991. **Rasemia macrodonta (Hampson,1909)** (Notodontidae) Synonymy: macrodonta Hampson,1909 Range (as code): **ZA**
12992. **Rhenea mediata (Walker,1865)** (Notodontidae) Synonymy: mediata Walker,1865 Range (as code): **ZA**
12993. **Rhenea rufescens Kiriakoff,1954** (Notodontidae) Synonymy: rufescens Kiriakoff,1954 Range (as code): **ZA**
12994. **Rheneina buceros Kiriakoff,1971** (Notodontidae) Synonymy: buceros Kiriakoff,1971 Range (as code): **ZA**
12995. **Riebeeckia whittakeri Kiriakoff,1981** (Notodontidae) Synonymy: whittakeri Kiriakoff,1981 Range (as code): **ZA**
12996. **Rosinella rosinaria (Hampson,1910)** (Notodontidae) Synonymy: rosinaria Hampson,1910 Range (as code): **ZA**
12997. **Sarimarais bicolor (Distant,1899)** (Notodontidae) Synonymy: bicolor Distant,1899 Range (as code): **ZA**
12998. **Sarimarais peringueyi (Janse,1920)** (Notodontidae) Synonymy: peringueyi Janse,1920 Range (as code): **ZA**
12999. **Sarimarais pinheyi Kiriakoff,1962** (Notodontidae) Synonymy: pinheyi Kiriakoff,1962 Range (as code): **ZA**
13000. **Sarimarais quarta Kiriakoff,1962** (Notodontidae) Synonymy: quarta Kiriakoff,1962 Range (as code): **ZA**
13001. **Scalmicauda oneili Janse,1920** (Notodontidae) Synonymy: oneili Janse,1920 Range (as code): **ZA**
13002. **Scalmicauda tessmanni Strand,1911** (Notodontidae) Synonymy: tessmanni Strand,1911 Range (as code): **ZA**
13003. **Scrancia atrifrons Hampson,1910** (Notodontidae) Synonymy: atrifrons Hampson,1910 Range (as code): **ZA**
13004. **Scrancia brunnescens Gaede,1928** (Notodontidae) Synonymy: brunnescens Gaede,1928 Range (as code): **ZA**
13005. **Scrancia daneili Kiriakoff,1962** (Notodontidae) Synonymy: daneili Kiriakoff,1962 Range (as code): **ZA**
13006. **Scrancia discomma Jordan,1916** (Notodontidae) Synonymy: discomma Jordan,1916 Range (as code): **ZA**
13007. **Scrancia elanus Kiriakoff,1971** (Notodontidae) Synonymy: elanus Kiriakoff,1971 Range (as code): **ZA**
13008. **Scrancia galactoperoides Kiriakoff,1965** (Notodontidae) Synonymy: galactoperoides Kiriakoff,1965 Range (as code): **ZA**
13009. **Scrancia milvus Kiriakoff,1971** (Notodontidae) Synonymy: milvus Kiriakoff,1971 Range (as code): **ZA**
13010. **Scrancia pinheyi Kiriakoff,1965** (Notodontidae) Synonymy: pinheyi Kiriakoff,1965 Range (as code): **ZA**
13011. **Scrancia stictica Hampson,1910** (Notodontidae) Synonymy: stictica Hampson,1910 Range (as code): **ZA**

13012.**Scrancia subscrancia Kiriakoff,1970** (Notodontidae) Synonymy: subscrancia Kiriakoff,1970 Range (as code): **ZA**
13013.**Simesia balachowskyi Kiriakoff,1973** (Notodontidae) Synonymy: balachowskyi Kiriakoff,1973 Range (as code): **SO**
13014.**Simesia dasychiroides (Butler,1898)** (Notodontidae) Synonymy: dasychiroides Butler,1898; critobulus Fawcett,1916; concolor Janse,1920 Range (as code): **ZA SO**
13015.**Simesia olmi (Berio,1937)** (Notodontidae) Synonymy: olmi Berio,1937 Range (as code): **SO**
13016.**Stemmatophalera semiflava (Hampson,1910)** (Notodontidae) Synonymy: semiflava Hampson,1910 Range (as code): **ZA**
13017.**Stenostaura elegans Kiriakoff,1970** (Notodontidae) Synonymy: elegans Kiriakoff,1970 Range (as code): **ZA**
13018.**Stenostaura impetita (Walker,1865)** (Notodontidae) Synonymy: impetita Walker,1865 Range (as code): **ZA**
13019.**Stenostaura malangae (Bethune-Baker,1911)** (Notodontidae) Synonymy: malangae Bethune-Baker,1911 Range (as code): **ZA**
13020.**Stenostaura minutissima Kiriakoff,1970** (Notodontidae) Synonymy: minutissima Kiriakoff,1970 Range (as code): **ZA**
13021.**Stenostaura rhodesiae (Kiriakoff,1965)** (Notodontidae) Synonymy: rhodesiae Kiriakoff,1965 Range (as code): **ZA**
13022.**Stenostaura subtilis Kiriakoff,1970** (Notodontidae) Synonymy: subtilis Kiriakoff,1970 Range (as code): **ZA**
13023.**Stenostaura varians (Kiriakoff,1962)** (Notodontidae) Synonymy: varians Kiriakoff,1962 Range (as code): **ZA**
13024.**Subscrancia albobrunnea Kiriakoff,1970** (Notodontidae) Synonymy: albobrunnea Kiriakoff,1970 Range (as code): **ZA**
13025.**Subscrancia nigra (Aurivillius,1904)** (Notodontidae) Synonymy: nigra Aurivillius,1904 Range (as code): **ZA**
13026.**Synete olivaceofusca (Rothschild,1917)** (Notodontidae) Synonymy: olivaceofusca Rothschild,1917 Range (as code): **ZA**
13027.**Torona opis Schintlmeister,2008** (Notodontidae) Synonymy: opis Schintlmeister,2008 Range (as code): **Cn KwT**
13028.**Trabanta gilvescens Kiriakoff,1962** (Notodontidae) Synonymy: gilvescens Kiriakoff,1962 Range (as code): **ZR Skr**
13029.**Trabanta ignobilis (Holland,1893)** (Notodontidae) Synonymy: ignobilis Holland,1893 Range (as code): **GA Ogo CM**
13030.**Trabanta nigripuncta (Rothschild,1917)** (Notodontidae) Synonymy: nigripuncta Rothschild,1917 Range (as code): **GH ZR**
13031.**Trabanta rufescens Kiriakoff,1962** (Notodontidae) Synonymy: rufescens Kiriakoff,1962 Range (as code): **ZR Skr**
13032.**Trabanta rufisquamata (Hampson,1910)** (Notodontidae) Synonymy: rufisquamata Hampson,1910 Range (as code): **GH ZR**
13033.**Trotonotus bettoni Butler,1898** (Notodontidae) Synonymy: bettoni Butler,1898 Range (as code): **ZA**
13034.**Turnacoides basipuncta Gaede,1928** (Notodontidae) Synonymy: basipuncta Gaede,1928 Range (as code): **ZA**
13035.**Ulinodes costalis Kiriakoff,1968** (Notodontidae) Synonymy: costalis Kiriakoff,1968 Range (as code): **ZA**
13036.**Zerafia drymonides Strand,1915** (Notodontidae) Synonymy: drymonides Strand,1915 Range (as code): **SD**
13037.**Zerafia laportei Thiaucourt,1984** (Notodontidae) Synonymy: laportei Thiaucourt,1984 Range (as code): **DJ**

Oecophoridae

13038.**Agonopterix cnicella (Treitschke,1832)** (Oecophoridae) Synonymy: cnicella Treitschke,1832 Range (as code): **MA ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK RO YU AL GR Cr TR Cc DK EE RU MD UA BY IR Mz Gls Kh 01 13 16 23 24 44 46**

13039. **Agonopterix communis (Meyrick,1920)** (Oecophoridae) Synonymy: communis Meyrick,1920 Range (as code): **ZA**
13040. **Agonopterix compacta (Meyrick,1914)** (Oecophoridae) Synonymy: compacta Meyrick,1914 Range (as code): **ZA**
13041. **Agonopterix crypsicosma (Meyrick,1920)** (Oecophoridae) Synonymy: crypsicosma Meyrick,1920 Range (as code): **ZA**
13042. **Agonopterix dryocrates (Meyrick,1921)** (Oecophoridae) Synonymy: dryocrates Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
13043. **Agonopterix glyphidopa (Meyrick,1928)** (Oecophoridae) Synonymy: glyphidopa Meyrick,1928 Range (as code): **ZA**
13044. **Agonopterix goughi (Bradley,1958)** (Oecophoridae) Synonymy: goughi Bradley,1958 Range (as code): **ZA**
13045. **Agonopterix grammatopa (Meyrick,1920)** (Oecophoridae) Synonymy: grammatopa Meyrick,1920 Range (as code): **ZA**
13046. **Agonopterix hippomarathri (Nickerl,1864)** (Oecophoridae) Synonymy: hippomarathri Nickerl,1864 Range (as code): **MA FR Sa IT CH AT CZ SK HU RU MD UA BY**
13047. **Agonopterix homogenes (Meyrick,1920)** (Oecophoridae) Synonymy: homogenes Meyrick,1920 Range (as code): **ZA**
13048. **Agonopterix neoxesta (Meyrick,1918)** (Oecophoridae) Synonymy: neoxesta Meyrick,1918 Range (as code): **ZA Nta Kzu Esw Nha**
13049. **Agonopterix purpurea (Haworth,[1811])** (Oecophoridae) Synonymy: purpurea Haworth,[1811]; vaccinella Hübner,[1813] Range (as code): **MA PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL GR TR IR DK SE LV LT RU MD UA BY Cc TM Kp 01 05 16 20 26 28 32 33 42 66 71**
13050. **Agonopterix thapsiella (Zeller,1847)** (Oecophoridae) Synonymy: thapsiella Zeller,1847; feruliphila Millière,1866; linolotella Lhomme,1929 Range (as code): **DZ Bsk TN Gf PT ES FR Sa Si MT HV HU GR Cr TR Cc 16 46 65 76**
13051. **Agonopterix triallactis (Meyrick,1935)** (Oecophoridae) Synonymy: triallactis Meyrick,1935 Range (as code): **MA**
13052. **Agonopterix vendettella (Chrétien,1908)** (Oecophoridae) Synonymy: vendettella Chrétien,1908; kotalella Amsel,1972 Range (as code): **Cn Co MT SK IR Fa Mia**
13053. **Agonopterix yeatiana (Fabricius,1781)** (Oecophoridae) Synonymy: yeatiana Fabricius,1781; albidana Donovan,1806; putrida Haworth,1811; yeatsii Haworth,1811; yeatseana Stephens,1834; ventosella Stephens,1834; altricornella Mann,1855; yeatiella Doubleday,1859; oglatella Chrétien,1915 Range (as code): **Cn TN Gf PT ES FR Co Sa Si IT AT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK SE LV RU MD UA BY Cc TR 32**
13054. **Agroecodes comata Meyrick,1937** (Oecophoridae) Synonymy: comata Meyrick,1937 Range (as code): **ZA**
13055. **Alabonia coarctata (Walsingham,1881)** (Oecophoridae) Synonymy: coarctata Walsingham,1881 Range (as code): **ZA Nta Kzu Spr**
13056. **Amphipseustis disputanda Meyrick,1921** (Oecophoridae) Synonymy: disputanda Meyrick,1921 Range (as code): **ZA Tva Lpo Wo**
13057. **Anchinia furculata Meyrick,1924** (Oecophoridae) Synonymy: furculata Meyrick,1924 Range (as code): **ZA**
13058. **Anchinia oenochares Meyrick,1920** (Oecophoridae) Synonymy: oenochares Meyrick,1920 Range (as code): **ZA**
13059. **Areocosma orsobela Meyrick,1917** (Oecophoridae) Synonymy: orsobela Meyrick,1917 Range (as code): **ZA**
13060. **Aulotropha pentasticta Meyrick,1918** (Oecophoridae) Synonymy: pentasticta Meyrick,1918 Range (as code): **ZA Nta Kzu Nha**
13061. **Batia decurrens (Meyrick,1918)** (Oecophoridae) Synonymy: decurrens Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
13062. **Borkhausenia intumescens Meyrick,1921** (Oecophoridae) Synonymy: intumescens Meyrick,1921 Range (as code): **ZA Ec Pel**
13063. **Briarostoma pyrrhopsamma Meyrick,1920** (Oecophoridae) Synonymy: pyrrhopsamma Meyrick,1920 Range (as code): **ZA**
13064. **Callima mikkolai Lvovsky,1995** (Oecophoridae) Synonymy: mikkolai Lvovsky,1995 Range (as code): **TN**

13065. **Ceranthes apellodora Meyrick,1926** (Oecophoridae) Synonymy: apellodora Meyrick,1926 Range (as code): **ZA**
13066. **Ceranthes syncrotaula Meyrick,1926** (Oecophoridae) Synonymy: syncrotaula Meyrick,1926 Range (as code): **ZA**
13067. **Ceranthes thiota Meyrick,1918** (Oecophoridae) Synonymy: thiota Meyrick,1918 Range (as code): **ZA Nta Kzu Nkw**
13068. **Chalcocolona cyananthes (Meyrick,1911)** (Oecophoridae) Synonymy: cyananthes Meyrick,1911 Range (as code): **ZA Mdt Tva Lpo**
13069. **Chalcorectis agroplecta Meyrick,1937** (Oecophoridae) Synonymy: agroplecta Meyrick,1937 Range (as code): **ZA**
13070. **Chemidolophus lavernellus Walsingham,1881** (Oecophoridae) Synonymy: lavernellus Walsingham,1881 Range (as code): **ZA**
13071. **Choronoma isoxysta Meyrick,1926** (Oecophoridae) Synonymy: isoxysta Meyrick,1926 Range (as code): **ZA**
13072. **Coesyra balantias Meyrick,1908** (Oecophoridae) Synonymy: balantias Meyrick,1908 Range (as code): **ZA Nta Kzu Wnn**
13073. **Coesyra campylotis Meyrick,1914** (Oecophoridae) Synonymy: campylotis Meyrick,1914 Range (as code): **ZA**
13074. **Coesyra centrobola Meyrick,1914** (Oecophoridae) Synonymy: centrobola Meyrick,1914 Range (as code): **ZA**
13075. **Coesyra rutila Meyrick,1912** (Oecophoridae) Synonymy: rutila Meyrick,1912 Range (as code): **ZA**
13076. **Cryptolechia stramineella Zeller,1852** (Oecophoridae) Synonymy: stramineella Zeller,1852; eariasella Walker,1864; straminella Walker,1864 Range (as code): **ZA**
13077. **Crystallogenes chalcoschista Meyrick,1937** (Oecophoridae) Synonymy: chalcoschista Meyrick,1937 Range (as code): **ZA**
13078. **Denisia curlettii Lvovsky & Koster,1996** (Oecophoridae) Synonymy: curlettii Lvovsky & Koster,1996 Range (as code): **TN**
13079. **Depressaria absynthiella Herrich-Schäffer,1865** (Oecophoridae) Synonymy: ?anchusella Nowicki,1860; absynthiella Herrich-Schäffer,1865; absinthivora Frey,1880; tenerifae Walsingham,[1908] Range (as code): **Cn FR IT DE CH AT CZ HU RO YU AL BG GR TR RU Sb At MD UA Cm BY 03 32 38**
13080. **Depressaria adustatella Turati,1927** (Oecophoridae) Synonymy: adustatella Turati,1927; delphinias Meyrick,1936; subtenebricosa Hannemann,1953 Range (as code): **MA DZ LY PT ES Sa**
13081. **Depressaria assalella Chrétien,1915** (Oecophoridae) Synonymy: assalella Chrétien,1915 Range (as code): **TN Gf**
13082. **Depressaria badiella (Hübner,1796)** (Oecophoridae) Synonymy: badiella Hübner,1796; badia Haworth,1811; aurantiella Tutt,1893; frigidella Turati,1919 Range (as code): **LY Cy PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU YU GR TR DK NO SE FI EE LV LT RU Sb Sh MD UA BY MN KG Cc AM AZ GG 06 24 28 42**
13083. **Depressaria chaerophylli Zeller,1839** (Oecophoridae) Synonymy: chaerophylli Zeller,1839; rarissimella Krulikovsky,1907 Range (as code): **LY Cy ES FR IT GB BE NL DE CH AT PL CZ SK HU RO GR TR SE FI EE LV LT RU MD UA BY Cc GG AM IL Pa 16 75**
13084. **Depressaria clausulata Meyrick,1911** (Oecophoridae) Synonymy: clausulata Meyrick,1911 Range (as code): **ZA Tra Ngg**
13085. **Depressaria deverrella Chrétien,1915** (Oecophoridae) Synonymy: deverrella Chrétien,1915; duplicatella Chrétien,1915 Range (as code): **DZ Orn Bsk TN Gf FR**
13086. **Depressaria discipunctella Herrich-Schäffer,[1854]** (Oecophoridae) Synonymy: discipunctella Herrich-Schäffer,[1854] Range (as code): **MR MA ES An FR Si IT AT GB BE NL DE SK RO YU BG GR TR LB Bei Bsa AF Blh MN IR Th Elb Gls UA Cm Cc GG AZ KG TM UZ SA 01 06 29 31 32 36 40 46 65**
13087. **Depressaria douglasella Stainton,1849** (Oecophoridae) Synonymy: douglasella Stainton,1849; miserella Herrich-Schäffer,1855; thoracella Müller-Rutz,1922 Range (as code): **MA PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG MK GR TR DK SE LV RU Da MD UA Cc AM AZ TM 21 38 45**
13088. **Depressaria junnilaineni Buchner,2017** (Oecophoridae) Synonymy: junnilaineni Buchner,2017 Range (as code): **MA Ifr ES GR SY Dms TR 01 03**
13089. **Depressaria macrotrichella Rebel,1917** (Oecophoridae) Synonymy: macrotrichella Rebel,1917 Range (as code): **EG AF IR Fa Shr Shh**
13090. **Depressaria marcella Rebel,1901** (Oecophoridae) Synonymy: marcella Rebel,1901; cuprinella Walsingham,1907; marcidella Walsingham,1907; cruenta Meyrick,1920; chneuriella Lucas,1940 Range (as code): **MA DZ TN PT ES FR Sa Si MT HU YU BG GR TR IL Pa Hf IR Km 06 07 08 16 21 26 36 46**

13091. **Depressaria orthobathra Meyrick,1918** (Oecophoridae) Synonymy: orthobathra Meyrick,1918 Range (as code): **ZA Nta Kzu Umk Nkw**
13092. **Depressaria panurga Meyrick,1920** (Oecophoridae) Synonymy: panurga Meyrick,1920 Range (as code): **ZA**
13093. **Depressaria prospicua Meyrick,1914** (Oecophoridae) Synonymy: prospicua Meyrick,1914 Range (as code): **ZA**
13094. **Depressaria rhodoscelis Meyrick,1920** (Oecophoridae) Synonymy: rhodoscelis Meyrick,1920 Range (as code): **ZA**
13095. **Depressaria veneficella Zeller,1847** (Oecophoridae) Synonymy: veneficella Zeller,1847 Range (as code): **TN Gf ES Sa Si MT RO GR Cr TR LB Bsa 16 46**
13096. **Diocosma callichroa Meyrick,1909** (Oecophoridae) Synonymy: callichroa Meyrick,1909 Range (as code): **ZA**
13097. **Diocosma ceramopis Meyrick,1909** (Oecophoridae) Synonymy: ceramopis Meyrick,1909 Range (as code): **ZA**
13098. **Diocosma eotrocha Meyrick,1918** (Oecophoridae) Synonymy: eotrocha Meyrick,1918 Range (as code): **ZA Nta Kzu**
13099. **Diocosma molybdela Meyrick,1917** (Oecophoridae) Synonymy: molybdela Meyrick,1917 Range (as code): **ZA**
13100. **Diocosma obliquestrigella (Walsingham,1881)** (Oecophoridae) Synonymy: obliquestrigella Walsingham,1881 Range (as code): **ZA**
13101. **Diocosma tricycla Meyrick,1909** (Oecophoridae) Synonymy: tricycla Meyrick,1909 Range (as code): **ZA Gau Pre Tva Lpo Spb**
13102. **Diocosma zarifa Meyrick,1921** (Oecophoridae) Synonymy: zarifa Meyrick,1921 Range (as code): **ZA Wca**
13103. **Doxomeres diaxantha Meyrick,1917** (Oecophoridae) Synonymy: diaxantha Meyrick,1917 Range (as code): **ZA**
13104. **Endrosis psammodora Meyrick,1921** (Oecophoridae) Synonymy: psammodora Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
13105. **Endrosis sarcitrella (Linnaeus,1758)** (Oecophoridae) Synonymy: sarcitrella Linnaeus,1758; luridella Scopoli,1763; lacteella [Denis & Schiffermüller],1775; scapulata Fourcroy,1785; betulinella Fabricius,1787; scapulatella De Villers,1789; atratus Panzer,1804; sarcitea Haworth,1828; kennicottella Clemens,1860; subditella Walker,1863; antarctica Staudinger,1899. Range (as code): **ES FR Co Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY ZA RE SH US Cf Org Ws 16**
13106. **Epiphractis aulica Meyrick,1912** (Oecophoridae) Synonymy: aulica Meyrick,1912 Range (as code): **ZA**
13107. **Epiphractis crocoplecta Meyrick,1913** (Oecophoridae) Synonymy: crocoplecta Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
13108. **Epiphractis imbellis Meyrick,1914** (Oecophoridae) Synonymy: imbellis Meyrick,1914 Range (as code): **ZA**
13109. **Epiphractis rubricata Meyrick,1913** (Oecophoridae) Synonymy: rubricata Meyrick,1913 Range (as code): **ZA Tva Gau Pre Mpu Wv Brb Nta Kzu Ptw**
13110. **Epiphractis sarcopa (Meyrick,1909)** (Oecophoridae) Synonymy: sarcopa Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
13111. **Epiphractis thysanarcha Meyrick,1918** (Oecophoridae) Synonymy: thysanarcha Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
13112. **Erotis hesperanthes Meyrick,1921** (Oecophoridae) Synonymy: hesperanthes Meyrick,1921 Range (as code): **ZW Uma**
13113. **Eucleodora chalybeela Walsingham,1881** (Oecophoridae) Synonymy: chalybeela Walsingham,1881 Range (as code): **ZA ET ET88 Sw**
13114. **Eucleodora ingrata Meyrick,1913** (Oecophoridae) Synonymy: ingrata Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Brb**
13115. **Eulechria phaeopsamma Meyrick,1883** (Oecophoridae) Synonymy: phaeopsamma Meyrick,1883 Range (as code): **ZA**
13116. **Eutorna diluvialis Meyrick,1913** (Oecophoridae) Synonymy: diluvialis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
13117. **Exaeretia fuscicostella (Christoph,1887)** (Oecophoridae) Synonymy: fuscicostella Christoph,1887; marmaricellus Turati,1924 Range (as code): **KG TM Kp UZ KK LY SA IR AF Hr PK**

13118. **Exaeretia lutosella (Herrich-Schäffer,[1854])** (Oecophoridae) Synonymy: lutosella Herrich-Schäffer,[1854] Range (as code): **MA PT ES Co Sa IT RO YU MK HV TR Cm SY IL Pa 05 06**
13119. **Exaeretia melanarcha (Meyrick,1913)** (Oecophoridae) Synonymy: melanarcha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
13120. **Exaeretia trimenella (Walsingham,1881)** (Oecophoridae) Synonymy: trimenella Walsingham,1881 Range (as code): **ZA Ngg Tra**
13121. **Fabiola callipetala Meyrick,1921** (Oecophoridae) Synonymy: callipetala Meyrick,1921 Range (as code): **ZW Uma**
13122. **Harpella scolopistis Meyrick,1921** (Oecophoridae) Synonymy: scolopistis Meyrick,1921 Range (as code): **ZA**
13123. **Hednophora pyritis Meyrick,1911** (Oecophoridae) Synonymy: pyritis Meyrick,1911 Range (as code): **ZA Lpo Tva Hae**
13124. **Hofmannophila pseudospretella (Stainton,1849)** (Oecophoridae) Synonymy: pseudospretella Stainton,1849; punctipinguinella Bruand,1856; improbella Walker,1869 Range (as code): **PT ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY ZA**
13125. **Horridopalpus moranella (Chrétien,1907)** (Oecophoridae) Synonymy: moranella Chrétien,1907; arabica Amsel,1972 Range (as code): **DZ Bsk TN Gf YU IR Fa Shr**
13126. **Hypercallia sincera Meyrick,1909** (Oecophoridae) Synonymy: sincera Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
13127. **Hypercallia subreticulata Walsingham,1881** (Oecophoridae) Synonymy: subreticulata Walsingham,1881 Range (as code): **ZA**
13128. **Hypersymmoca faecivorella Chrétien,1917** (Oecophoridae) Synonymy: faecivorella Chrétien,1917 Range (as code): **DZ TN Gf**
13129. **Hypersymmoca psammocryptis Meyrick,1923** (Oecophoridae) Synonymy: psammocryptis Meyrick,1923 Range (as code): **EG**
13130. **Idioglossa bigemma Walsingham,1881** (Oecophoridae) Synonymy: bigemma Walsingham,1881 Range (as code): **ZA Kzu Nta Dbn**
13131. **Idioglossa triumphalis Meyrick,1918** (Oecophoridae) Synonymy: triumphalis Meyrick,1918 Range (as code): **ZA KE**
13132. **Irepacma pakiensis Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonymy: pakiensis Moriuti, Saito & Lewvanich,1985 Range (as code): **TH CM Hnd Int Nna Kao**
13133. **Isocrita eremasta Meyrick,1914** (Oecophoridae) Synonymy: eremasta Meyrick,1914 Range (as code): **ZA**
13134. **Isocrita ithyodoxa Meyrick,1920** (Oecophoridae) Synonymy: ithyodoxa Meyrick,1920 Range (as code): **ZA**
13135. **Isocrita phlyctidopa Meyrick,1921** (Oecophoridae) Synonymy: phlyctidopa Meyrick,1921 Range (as code): **MZ Mag**
13136. **Isocrita protophanes Meyrick,1927** (Oecophoridae) Synonymy: protophanes Meyrick,1927 Range (as code): **ZA**
13137. **Isocrita psalactis Meyrick,1912** (Oecophoridae) Synonymy: psalactis Meyrick,1912 Range (as code): **ZA Tva Gau Pre**
13138. **Isocrita stolarcha Meyrick,1909** (Oecophoridae) Synonymy: stolarcha Meyrick,1909 Range (as code): **ZA**
13139. **Kasyniana diminutella (Rebel,1932)** (Oecophoridae) Synonymy: diminutella Rebel,1932; gallica Buvat & Nel,1999 Range (as code): **MA FR AT IT Si SK SS HV AL TR**
13140. **Lasiomactra acharista Meyrick,1921** (Oecophoridae) Synonymy: acharista Meyrick,1921 Range (as code): **MZ Mag**
13141. **Meloteles xanthodoxa Meyrick,1920** (Oecophoridae) Synonymy: xanthodoxa Meyrick,1920 Range (as code): **ZA**
13142. **Metachanda citrodesma (Meyrick,1911)** (Oecophoridae) Synonymy: citrodesma Meyrick,1911 Range (as code): **ZA**
13143. **Metachanda oxtacma Meyrick,1928** (Oecophoridae) Synonymy: oxtacma Meyrick,1928 Range (as code): **ZA**
13144. **Metachanda trimetropa Meyrick,1937** (Oecophoridae) Synonymy: trimetropa Meyrick,1937 Range (as code): **ZA**
13145. **Neomariania rebeli (Walsingham,1894)** (Oecophoridae) Synonymy: rebeli Walsingham,1894 Range (as code): **PT Md Cn**

13146. **Ocyphron oxyphylla Meyrick,1921** (Oecophoridae) Synonymy: oxyphylla Meyrick,1921 Range (as code): **ZW Uma**
13147. **Ocystola proxena Meyrick,1914** (Oecophoridae) Synonymy: proxena Meyrick,1914 Range (as code): **ZA**
13148. **Opsigenes parastacta Meyrick,1918** (Oecophoridae) Synonymy: parastacta Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
13149. **Orophia ammopleura (Meyrick,1920)** (Oecophoridae) Synonymy: ammopleura Meyrick,1920 Range (as code): **ZA**
13150. **Orophia ammopleura (Meyrick,1920)** (Oecophoridae) Synonymy: ammopleura Meyrick,1920 Range (as code): **ZA**
13151. **Orophia castella (Zeller,1852)** (Oecophoridae) Synonymy: castella Zeller,1852 Range (as code): **ZA**
13152. **Orophia eariasella (Walker,1864)** (Oecophoridae) Synonymy: eariasella Walker,1864 Range (as code): **ZA**
13153. **Orophia hadromacha (Meyrick,1937)** (Oecophoridae) Synonymy: hadromacha Meyrick,1937 Range (as code): **ZA**
13154. **Orophia haeresiella (Wallengren,1875)** (Oecophoridae) Synonymy: haeresiella Wallengren,1875 Range (as code): **ZA**
13155. **Orophia languidula (Meyrick,1921)** (Oecophoridae) Synonymy: languidula Meyrick,1921 Range (as code): **MZ**
13156. **Orophia ochroxyla (Meyrick,1937)** (Oecophoridae) Synonymy: ochroxyla Meyrick,1937 Range (as code): **ZA**
13157. **Orophia pachystoma (Meyrick,1921)** (Oecophoridae) Synonymy: pachystoma Meyrick,1921 Range (as code): **ZW Uma**
13158. **Orophia roseoflavida (Walsingham,1881)** (Oecophoridae) Synonymy: roseoflavida Walsingham,1881 Range (as code): **ZA**
13159. **Orophia straminella (Zeller,1852)** (Oecophoridae) Synonymy: straminella Zeller,1852 Range (as code): **ZA**
13160. **Orophia tetrasticta (Meyrick,1917)** (Oecophoridae) Synonymy: tetrasticta Meyrick,1917 Range (as code): **ZA**
13161. **Orophia tranquilla (Meyrick,1927)** (Oecophoridae) Synonymy: tranquilla Meyrick,1927 Range (as code): **ZA**
13162. **Orophia transfuga (Meyrick,1911)** (Oecophoridae) Synonymy: transfuga Meyrick,1911 Range (as code): **ZA Wo Tva Lpo**
13163. **Orophia xanthosarca (Meyrick,1917)** (Oecophoridae) Synonymy: xanthosarca Meyrick,1917 Range (as code): **ZA Tva**
13164. **Orygocera recordata Meyrick,1921** (Oecophoridae) Synonymy: recordata Meyrick,1921 Range (as code): **MZ Mag**
13165. **Oxyscopa dealbata Meyrick,1926** (Oecophoridae) Synonymy: dealbata Meyrick,1926 Range (as code): **ZA**
13166. **Parapleuris oxycrena Meyrick,1937** (Oecophoridae) Synonymy: oxycrena Meyrick,1937 Range (as code): **ZA**
13167. **Philametris aethalopa Meyrick,1924** (Oecophoridae) Synonymy: aethalopa Meyrick,1924 Range (as code): **ZA**
13168. **Philobota chalinitis Meyrick,1909** (Oecophoridae) Synonymy: chalinitis Meyrick,1909 Range (as code): **ZA**
13169. **Philobota dryinota Meyrick,1914** (Oecophoridae) Synonymy: dryinota Meyrick,1914 Range (as code): **ZA**
13170. **Philobota erastis Meyrick,1910** (Oecophoridae) Synonymy: erastis Meyrick,1910 Range (as code): **ZA**
13171. **Philobota tectifera Meyrick,1909** (Oecophoridae) Synonymy: tectifera Meyrick,1909 Range (as code): **ZA**
13172. **Philobota virgo Walsingham,1891** (Oecophoridae) Synonymy: virgo Walsingham,1891 Range (as code): **ZA**
13173. **Phratriodes curvisignis Meyrick,1926** (Oecophoridae) Synonymy: curvisignis Meyrick,1926 Range (as code): **ZA**

13174. **Picrogenes bactrospila Meyrick,1917** (Oecophoridae) Synonymy: bactrospila Meyrick,1917 Range (as code): **ZA**
13175. **Pisinidea exsuperans Meyrick,1920** (Oecophoridae) Synonymy: exsuperans Meyrick,1920 Range (as code): **ZA**
13176. **Plesiosticha acida (Meyrick,1911)** (Oecophoridae) Synonymy: acida Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**
13177. **Plesiosticha endocentra (Meyrick,1914)** (Oecophoridae) Synonymy: endocentra Meyrick,1914 Range (as code): **ZA**
13178. **Plesiosticha galactaea (Meyrick,1908)** (Oecophoridae) Synonymy: galactaea Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
13179. **Pleurota (s.str.) acutella Chrétien,1922** (Oecophoridae) Synonymy: acutella Chrétien,1922 Range (as code): **MA**
13180. **Pleurota (s.str.) algeriella Baker,1885** (Oecophoridae) Synonymy: algeriella Baker,1885 Range (as code): **DZ Gue TN Gf**
13181. **Pleurota (s.str.) argodonta Meyrick,1913** (Oecophoridae) Synonymy: argodonta Meyrick,1913 Range (as code): **TN DZ MA**
13182. **Pleurota (s.str.) azrouensis Tabell,2019** (Oecophoridae) Synonymy: azrouensis Tabell,2019 Range (as code): **MA Azr**
13183. **Pleurota (s.str.) bicostella (Clerck,1759)** (Oecophoridae) Synonymy: bicostella Clerck,1759; bipunctella Hübner,1793; bicostatus Fabricius,1798 Range (as code): **TN Gf DZ MZ AF Kab Bm IR Kh Fa PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY**
13184. **Pleurota (s.str.) drucella (Walsingham,1881)** (Oecophoridae) Synonymy: drucella Walsingham,1881 Range (as code): **ZA**
13185. **Pleurota (s.str.) flavella Turati,1922** (Oecophoridae) Synonymy: flavella Turati,1922 Range (as code): **LY Cy**
13186. **Pleurota (s.str.) flavescens Turati,1924** (Oecophoridae) Synonymy: flavescens Turati,1924; margaritifera Turati,1924 Range (as code): **LY Cy**
13187. **Pleurota (s.str.) gallicella Huemer & Luquet,1995** (Oecophoridae) Synonymy: gallicella Huemer & Luquet,1995 Range (as code): **MA PT ES FR**
13188. **Pleurota (s.str.) goundafella Zerny,1935** (Oecophoridae) Synonymy: goundafella Zerny,1935 Range (as code): **MA Rbt**
13189. **Pleurota (s.str.) insignella Zerny,1935** (Oecophoridae) Synonymy: insignella Zerny,1935 Range (as code): **MA**
13190. **Pleurota (s.str.) pentapolitella Turati,1924** (Oecophoridae) Synonymy: pentapolitella Turati,1924 Range (as code): **LY Cy**
13191. **Pleurota (s.str.) semiticella Amsel,1959** (Oecophoridae) Synonymy: semiticella Amsel,1959 Range (as code): **JO EG EG11**
13192. **Pleurota (s.str.) syrtium Turati,1924** (Oecophoridae) Synonymy: syrtium Turati,1924 Range (as code): **LY Cy**
13193. **Pleurota (s.str.) ternaria Tabell,2019** (Oecophoridae) Synonymy: ternaria Tabell,2019 Range (as code): **MA**
13194. **Pleurota (s.str.) terreella Turati,1926** (Oecophoridae) Synonymy: terreella Turati,1926 Range (as code): **LY Cy**
13195. **Pleurota (s.str.) tingitana H.Back,1973** (Oecophoridae) Synonymy: tingitana H.Back,1973 Range (as code): **MA**
13196. **Pleurota (s.str.) trichomella Turati,1926** (Oecophoridae) Synonymy: trichomella Turati,1926; #argentiferella Turati,1926 Range (as code): **LY Cy**
13197. **Pleurota (s.str.) variocolor Tabell,2019** (Oecophoridae) Synonymy: variocolor Tabell,2019 Range (as code): **MA**
13198. **Porthmologa deltophanes Meyrick,1918** (Oecophoridae) Synonymy: deltophanes Meyrick,1918 Range (as code): **MZ Blv**
13199. **Promalactis geometrica Meyrick,1913** (Oecophoridae) Synonymy: geometrica Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
13200. **Promalactis helminthias (Meyrick,1918)** (Oecophoridae) Synonymy: helminthias Meyrick,1918 Range (as code): **ZA**
13201. **Promalactis recurva Meyrick,1914** (Oecophoridae) Synonymy: recurva Meyrick,1914 Range (as code): **ZA Tva Gau Pre**

13202. **Promalactis scalmotoma Meyrick,1918** (Oecophoridae) Synonymy: scalmotoma Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
13203. **Promalactis sphaerograpta Meyrick,1937** (Oecophoridae) Synonymy: sphaerograpta Meyrick,1937 Range (as code): **ZA**
13204. **Promalactis veridica Meyrick,1913** (Oecophoridae) Synonymy: veridica Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
13205. **Protomacha conservata Meyrick,1918** (Oecophoridae) Synonymy: conservata Meyrick,1918 Range (as code): **ZA Ec Pel**
13206. **Protomacha sosigona Meyrick,1920** (Oecophoridae) Synonymy: sosigona Meyrick,1920 Range (as code): **ZA**
13207. **Rhoecoptera gigas (Walsingham,1891)** (Oecophoridae) Synonymy: gigas Walsingham,1891 Range (as code): **ZA**
13208. **Rosetea sara Corley & Ferreira,2019** (Oecophoridae) Synonymy: sara Corley & Ferreira,2019 Range (as code): **MA TN Dhm**
13209. **Saropla dryozona Meyrick,1913** (Oecophoridae) Synonymy: dryozona Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
13210. **Schiffermuelleria helminthias Meyrick,1918** (Oecophoridae) Synonymy: helminthias Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
13211. **Schiffermuelleria pedicata Meyrick,1918** (Oecophoridae) Synonymy: pedicata Meyrick,1918 Range (as code): **ZA Nta Kzu Mlm Dmm**
13212. **Selidoris deligata (Meyrick,1921)** (Oecophoridae) Synonymy: deligata Meyrick,1921 Range (as code): **ZA Wca Cto**
13213. **Tanyzancla diorycta Meyrick,1920** (Oecophoridae) Synonymy: diorycta Meyrick,1920 Range (as code): **ZA Ec Wth**
13214. **Tanyzancla semistricta Meyrick,1920** (Oecophoridae) Synonymy: semistricta Meyrick,1920 Range (as code): **ZA Wca Cto**
13215. **Teratopsis Walsingham,1881** (Oecophoridae) Synonymy: Teratopsis Walsingham,1881 Range (as code): **ZA**
13216. **Teratopsis tunicella Walsingham,1881** (Oecophoridae) Synonymy: tunicella Walsingham,1881 Range (as code): **ZA**
13217. **Thamnocrana haemorrhoa Meyrick,1927** (Oecophoridae) Synonymy: haemorrhoa Meyrick,1927 Range (as code): **ZA**
13218. **Thyestarcha acrogypsa Meyrick,1917** (Oecophoridae) Synonymy: acrogypsa Meyrick,1917 Range (as code): **ZA**
13219. **Thyestarcha edax Meyrick,1912** (Oecophoridae) Synonymy: edax Meyrick,1912 Range (as code): **ZA**
13220. **Urodeta hibernella (Staudinger,1859)** (Oecophoridae) Synonymy: hibernella Staudinger,1859; cisticolella Stainton,1869 Range (as code): **ES PT FR MA TN**
13221. **Xenophanta ecliptis Meyrick,1914** (Oecophoridae) Synonymy: ecliptis Meyrick,1914 Range (as code): **ZA**

Opostegidae

13222. **Opostega amphimitra Meyrick,1913** (Opostegidae) Synonymy: amphimitra Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
13223. **Opostega cirrhacma Meyrick,1911** (Opostegidae) Synonymy: cirrhacma Meyrick,1911 Range (as code): **ZA Tva Wo**
13224. **Opostega diplardis Meyrick,1921** (Opostegidae) Synonymy: diplardis Meyrick,1921 Range (as code): **ZA**
13225. **Opostega granifera Meyrick,1913** (Opostegidae) Synonymy: granifera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
13226. **Opostega idiocoma Meyrick,1918** (Opostegidae) Synonymy: idiocoma Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
13227. **Opostega melitardis Meyrick,1918** (Opostegidae) Synonymy: melitardis Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**

13228. **Opostega orophoxantha Meyrick,1921** (Opostegidae) Synonymy: orophoxantha Meyrick,1921 Range (as code): **ZW Uma**
13229. **Opostega pelocrossa Meyrick,1928** (Opostegidae) Synonymy: pelocrossa Meyrick,1928 Range (as code): **ZA**
13230. **Opostega phaeosoma Meyrick,1928** (Opostegidae) Synonymy: phaeosoma Meyrick,1928 Range (as code): **ZA**
13231. **Opostega praefusca Meyrick,1913** (Opostegidae) Synonymy: praefusca Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
13232. **Opostega radiosa Meyrick,1913** (Opostegidae) Synonymy: radiosa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst**
13233. **Opostega symbolica Meyrick,1914** (Opostegidae) Synonymy: symbolica Meyrick,1914 Range (as code): **ZA Nta Kzu Srn**
13234. **Opostega tincta Meyrick,1918** (Opostegidae) Synonymy: tincta Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
13235. **Pseudopostega bellicosa (Meyrick,1911)** (Opostegidae) Synonymy: bellicosa Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
13236. **Pseudopostega chalcopepla (Walsingham,1908)** (Opostegidae) Synonymy: chalcopepla Walsingham,1908 Range (as code): **MA TN PT ES FR**
13237. **Pseudopostega clastozona (Meyrick,1913)** (Opostegidae) Synonymy: clastozona Meyrick,1913; #clastozoma Davis,1989. Range (as code): **ZA Tva Mpu Brb**

Prodidactidae

13238. **Prodidactis mystica (Meyrick,1918)** (Prodidactidae) Synonymy: mystica Meyrick,1918 Range (as code): **ZA Ntz Kzu Dbn Tra Tva Lpo Mpu Brn Spb Gau Pre Wo Mal Grk**

Prototheoridae

13239. **Prototheora angolae Davis,1996** (Prototheoridae) Synonymy: angolae Davis,1996 Range (as code): **AO**
13240. **Prototheora biserrata Davis,1996** (Prototheoridae) Synonymy: biserrata Davis,1996 Range (as code): **ZA**
13241. **Prototheora cooperi Janse,1942** (Prototheoridae) Synonymy: cooperi Janse,1942 Range (as code): **ZA**
13242. **Prototheora corvifera (Meyrick,1920)** (Prototheoridae) Synonymy: corvifera Meyrick,1920 Range (as code): **ZA**
13243. **Prototheora drackensbergae Davis,1996** (Prototheoridae) Synonymy: drackensbergae Davis,1996 Range (as code): **ZA**
13244. **Prototheora geniculata Davis,1996** (Prototheoridae) Synonymy: geniculata Davis,1996 Range (as code): **ZA**
13245. **Prototheora merga Davis,1996** (Prototheoridae) Synonymy: merga Davis,1996 Range (as code): **ZA**
13246. **Prototheora monoglossa Meyrick,1924** (Prototheoridae) Synonymy: monoglossa Meyrick,1924 Range (as code): **ZA**
13247. **Prototheora parachlora (Meyrick,1919)** (Prototheoridae) Synonymy: parachlora Meyrick,1919 Range (as code): **ZA**
13248. **Prototheora petrosema Meyrick,1917** (Prototheoridae) Synonymy: petrosema Meyrick,1917 Range (as code): **ZA Wca**
13249. **Prototheora quadricornis Meyrick,1920** (Prototheoridae) Synonymy: quadricornis Meyrick,1920 Range (as code): **ZA**
13250. **Prototheora serruligera Meyrick,1920** (Prototheoridae) Synonymy: serruligera Meyrick,1920 Range (as code): **ZA**

Psychidae

13251. **Acanthopsyche cabrerai (Rebel,1894)** (Psychidae) Synonymy: cabrerai Rebel,1894 Range (as code): **Cn**
13252. **Acanthopsyche calamochroa (Hampson,1910)** (Psychidae) Synonymy: calamochroa Hampson,1910 Range (as code): **KE Tvt**
13253. **Acanthopsyche carbonarius Karsch,1900** (Psychidae) Synonymy: carbonarius Karsch,1900 Range (as code): **TZ AO ML TG**
13254. **Acanthopsyche chrysora Bourgogne,1980** (Psychidae) Synonymy: chrysora Bourgogne,1980 Range (as code): **ET ET29**
13255. **Acanthopsyche ebneri (Rebel,1917)** (Psychidae) Synonymy: ebneri Rebel,1917 Range (as code): **SD**
13256. **Acanthopsyche emiliae (Heylaerts,1891)** (Psychidae) Synonymy: emiliae Heylaerts,1891 Range (as code): **MZ ZW**
13257. **Acanthopsyche entwistlei Bourgogne,1962** (Psychidae) Synonymy: entwistlei Bourgogne,1962 Range (as code): **NG**
13258. **Acanthopsyche ernsti Bourgogne,1980** (Psychidae) Synonymy: ernsti Bourgogne,1980 Range (as code): **AO**
13259. **Acanthopsyche melanoleuca Bourgogne,1965** (Psychidae) Synonymy: melanoleuca Bourgogne,1965 Range (as code): **CI**
13260. **Acanthopsyche meridionalis C.G.Krüger,1939** (Psychidae) Synonymy: meridionalis C.G.Krüger,1939 Range (as code): **LY**
13261. **Acanthopsyche mixta Bourgogne,1962** (Psychidae) Synonymy: mixta Bourgogne,1962 Range (as code): **ZM AO ZR NG**
13262. **Acanthopsyche modesta Bourgogne,1978** (Psychidae) Synonymy: modesta Bourgogne,1978 Range (as code): **GA KE**
13263. **Acanthopsyche multicaulis Bourgogne,1985** (Psychidae) Synonymy: multicaulis Bourgogne,1985 Range (as code): **DJ**
13264. **Acanthopsyche ogiva Bourgogne,1984** (Psychidae) Synonymy: ogiva Bourgogne,1984 Range (as code): **AO**
13265. **Acanthopsyche pauliani Bourgogne,1984** (Psychidae) Synonymy: pauliani Bourgogne,1984 Range (as code): **MG**
13266. **Acanthopsyche phaea Bourgogne,1984** (Psychidae) Synonymy: phaea Bourgogne,1984 Range (as code): **KE**
13267. **Acanthopsyche roomei Bourgogne,1984** (Psychidae) Synonymy: roomei Bourgogne,1984 Range (as code): **BW**
13268. **Acanthopsyche sierricola (White,1858)** (Psychidae) Synonymy: sierricola White,1858 Range (as code): **SL AO CI ML NG SN**
13269. **Acanthopsyche tristis Janse,1917** (Psychidae) Synonymy: tristis Janse,1917 Range (as code): **ZA Nta Kzu Nha**
13270. **Acanthopsyche tristoides Bourgogne,1965** (Psychidae) Synonymy: tristoides Bourgogne,1965 Range (as code): **NG GH**
13271. **Acanthopsyche zernyi Bourgogne,1964** (Psychidae) Synonymy: zernyi Bourgogne,1964; dioica Bourgogne,1964 Range (as code): **TZ NG**
13272. **Aeonoxena palaeographa Meyrick,1928** (Psychidae) Synonymy: palaeographa Meyrick,1928 Range (as code): **TZ**
13273. **Afropsyche nigripennis Dierl,1972** (Psychidae) Synonymy: nigripennis Dierl,1972 Range (as code): **ZM**
13274. **Albidopsis major (Heylaerts,1891)** (Psychidae) Synonymy: major Heylaerts,1891 Range (as code): **MZ**
13275. **Amicta cabrerai (Rebel,1894)** (Psychidae) Synonymy: cabrerai Rebel,1894; palmensis Regteren,1949 Range (as code): **Cn**
13276. **Amicta maliarda Turati & Krüger,1936** (Psychidae) Synonymy: maliarda Turati & Krüger,1936; caliginosa C.G.Krüger,1939; syrtana C.G.Krüger,1939; acutella C.G.Krüger,1939; #meliarda Kozhanchikov,1956 Range (as code): **LY Cy TN**
13277. **Amicta mauretanica Rothschild,1913** (Psychidae) Synonymy: mauretanica Rothschild,1913 Range (as code): **MA DZ BSa Ear Gha Tou SA EG AE DJ OM**
13278. **Amicta murina (Klug,1834)** (Psychidae) Synonymy: murina Klug,1834; albescens Staudinger,1900 nec Obth.,1883; falkneri Koçak,1980 Range (as code): **MA DZ TN IL Pa EG AE IQ**

13279. **Amicta quadrangularis (Christoph,1873)** (Psychidae) Synonymy: quadrangularis Christoph,1873; quadrangularis Staudinger,1874; nigrescens Staudinger,1899 Range (as code): **TM IR Elb Cc Se AM AZ Kir TR SY EG SA YE Sk 76**
13280. **Apterona gracilis (Speyer,1886)** (Psychidae) Synonymy: gracilis Speyer,1886 Range (as code): **MA DZ ES**
13281. **Auchmophila kordofensis Rebel,1907** (Psychidae) Synonymy: kordofensis Rebel,1907; #cordofensis Dierl,1970 Range (as code): **SD SA EG YE**
13282. **Auchmophila kordofensis Rebel,1907** (Psychidae) Synonymy: kordofensis Rebel,1907 Range (as code): **SD Kdf SA YE**
13283. **Australoplacodoma bicolorata Sobczyk & Mey,2007** (Psychidae) Synonymy: bicolorata Sobczyk & Mey,2007 Range (as code): **NA**
13284. **Bourgognea grandis (Bourgogne,1958)** (Psychidae) Synonymy: grandis Bourgogne,1958 Range (as code): **GN**
13285. **Bourgognea maxima Dierl,1972** (Psychidae) Synonymy: maxima Dierl,1972 Range (as code): **ZM**
13286. **Bourgognea microcera (Bourgogne,1958)** (Psychidae) Synonymy: microcera Bourgogne,1958 Range (as code): **ML**
13287. **Bourgognea obscurior (Bourgogne,1962)** (Psychidae) Synonymy: obscurior Bourgogne,1962 Range (as code): **GH NG**
13288. **Bourgognea reimeri (Gaede,1929)** (Psychidae) Synonymy: reimeri Gaede,1929 Range (as code): **TZ**
13289. **Dissoctena dumonti Lucas,1932** (Psychidae) Synonymy: dumonti Lucas,1932 Range (as code): **MA**
13290. **Dissoctena ellisoni Rebel,1936** (Psychidae) Synonymy: ellisoni Rebel,1936 Range (as code): **MA**
13291. **Dissoctena ochraceella Rebel,1936** (Psychidae) Synonymy: ochraceella Rebel,1936 Range (as code): **MA**
13292. **Dissoctenioides schwingenschussi Rebel,1935** (Psychidae) Synonymy: schwingenschussi Rebel,1935 Range (as code): **MA**
13293. **Epichnopterix transvalica Hampson,1910** (Psychidae) Synonymy: transvalica Hampson,1910 Range (as code): **ZA Gau Tva Lpo Jh**
13294. **Eudissoctena atlanticella (Chrétien,1922)** (Psychidae) Synonymy: atlanticella Chrétien,1922 Range (as code): **MA**
13295. **Eudissoctena maurella Rebel,1935** (Psychidae) Synonymy: maurella Rebel,1935 Range (as code): **MA DZ**
13296. **Eudissoctena minimella Rebel,1935** (Psychidae) Synonymy: minimella Rebel,1935 Range (as code): **MA DZ**
13297. **Eudissoctena minorella Rebel,1935** (Psychidae) Synonymy: minorella Rebel,1935 Range (as code): **MA DZ**
13298. **Eumasia communita Meyrick,1928** (Psychidae) Synonymy: communita Meyrick,1928 Range (as code): **MA**
13299. **Eumasia parietariella (Heydenreich,1851)** (Psychidae) Synonymy: parietariella Heydenreich,1851; crepusculella Müller-Rutz,1920. Range (as code): **TN Gf PT ES FR Co IT DE CH AT CZ RO YU AL BG GR TR LB Bei RU MD UA BY 05 16 44 46**
13300. **Eumeta cervina (Druce,1888)** (Psychidae) Synonymy: cervina Druce,1888; moddermanni Heylaerts,1888; pictipennis Strand,1912 Range (as code): **MZ GM CM GA GH ZR GO GN LR NG SL ZM SN**
13301. **Eumeta hardenbergi Bourgogne,1955** (Psychidae) Synonymy: hardenbergi Bourgogne,1955 Range (as code): **TZ MZ**
13302. **Eumeta mercieri Bourgogne,1966** (Psychidae) Synonymy: mercieri Bourgogne,1966 Range (as code): **AO**
13303. **Eumeta ngarukensis Strand,1909** (Psychidae) Synonymy: ngarukensis Strand,1909 Range (as code): **TZ**
13304. **Eumeta rotunda Bourgogne,1965** (Psychidae) Synonymy: rotunda Bourgogne,1965 Range (as code): **SN NG CF**
13305. **Eumeta rougeoti Bourgogne,1955** (Psychidae) Synonymy: rougeoti Bourgogne,1955 Range (as code): **GA GH NG UG AO ZR CI SN**
13306. **Eumeta salae Heylaerts,1884** (Psychidae) Synonymy: salae Heylaerts,1884 Range (as code): **LR**
13307. **Eumeta strandi Bourgogne,1955** (Psychidae) Synonymy: strandi Bourgogne,1955 Range (as code): **GA GO**
13308. **Eumeta zelleri Heylaerts,1884** (Psychidae) Synonymy: zelleri Heylaerts,1884 Range (as code): **ZA**

13309. **Fallacipsyche adelpha Bourgogne,1977** (Psychidae) Synonymy: adelpha Bourgogne,1977 Range (as code): **ZA Nta Kzu Dbn**
13310. **Fallacipsyche coccivora Bourgogne,1977** (Psychidae) Synonymy: coccivora Bourgogne,1977 Range (as code): **KE**
13311. **Gymnolema discerpta Meyrick,1924** (Psychidae) Synonymy: discerpta Meyrick,1924 Range (as code): **ZA**
13312. **Gymnolema holopercna Meyrick,1924** (Psychidae) Synonymy: holopercna Meyrick,1924 Range (as code): **ZA**
13313. **Gymnolema leucopasta Hampson,1910** (Psychidae) Synonymy: leucopasta Hampson,1910 Range (as code): **ZA**
13314. **Gymnolema pelverulenta Hampson,1910** (Psychidae) Synonymy: pelverulenta Hampson,1910; imitata Janse,1917 Range (as code): **ZA Tva Lpo**
13315. **Gymnolema plebigena Meyrick,1924** (Psychidae) Synonymy: plebigena Meyrick,1924 Range (as code): **ZA**
13316. **Gymnolema rougemontii Heylaerts,1891** (Psychidae) Synonymy: rougemontii Heylaerts,1891 Range (as code): **MZ**
13317. **Gymnolema stibarodes (Meyrick,1909)** (Psychidae) Synonymy: stibarodes Meyrick,1909 Range (as code): **ZA**
13318. **Gymnolema stygialis Hampson,1910** (Psychidae) Synonymy: stygialis Hampson,1910 Range (as code): **ZA Gau Jh Tva Nta Kzu**
13319. **Gymnolema vinctus (Walker,1855)** (Psychidae) Synonymy: vinctus Walker,1855; incanescens Butler,1875 Range (as code): **ZA Nta Kzu**
13320. **Luffia rebeli Walsingham,1908** (Psychidae) Synonymy: rebeli Walsingham,1908 Range (as code): **Cn**
13321. **Megalophanes hampsoni (Bethune-Baker,1894)** (Psychidae) Synonymy: hampsoni Bethune-Baker,1894 Range (as code): **EG**
13322. **Megalophanes nigrimanus (Walker,1870)** (Psychidae) Synonymy: nigrimanus Walker,1870 Range (as code): **EG**
13323. **Metisa aethiops (Hampson,1910)** (Psychidae) Synonymy: aethiops Hampson,1910; fumosa Janse,1919 Range (as code): **ZA**
13324. **Metisa heylaertsi (Junod,1898)** (Psychidae) Synonymy: heylaertsi Junod,1898 Range (as code): **ZA**
13325. **Metisa jansei Bourgogne,1973** (Psychidae) Synonymy: jansei Bourgogne,1973 Range (as code): **ZA Tva Lpo**
13326. **Oiketicoides aethiopica Bourgogne,1991** (Psychidae) Synonymy: aethiopica Bourgogne,1991 Range (as code): **ET Wl**
13327. **Oiketicoides africana Dierl,1972** (Psychidae) Synonymy: africana Dierl,1972 Range (as code): **KE**
13328. **Oiketicoides chottella (Lucas,1934)** (Psychidae) Synonymy: chottella Lucas,1934 Range (as code): **TN**
13329. **Oiketicoides febretta (Boyer de Fonscolombe,1835)** (Psychidae) Synonymy: febretta Boyer de Fonscolombe,1835; febrettella Bruand,1853; magnella Bruand,1853; vetulella Rambur,1866; albipunctella Millière,1875; lambessa Heylaerts,1889 Range (as code): **MR MA DZ Lbs TN PT ES Py AD B-I FR Si GR Rd TR EG IL Pa LB 42 46**
13330. **Oiketicoides gracilis (Turati & Krüger,1936)** (Psychidae) Synonymy: gracilis Turati & Krüger,1936 Range (as code): **TN**
13331. **Oiketicoides hampsoni (Bethune-Baker,1894)** (Psychidae) Synonymy: hampsoni Bethune-Baker,1894 Range (as code): **EG**
13332. **Oiketicoides hampsoni (Bethune-Baker,1894)** (Psychidae) Synonymy: hampsoni Bethune-Baker,1894 Range (as code): **EG EG05**
13333. **Oiketicoides jordana (Staudinger,1899)** (Psychidae) Synonymy: jordana Staudinger,1899; #jordani Tutt,1900 Range (as code): **IL Pa JO EG**
13334. **Oiketicoides lefevrei (Oberthür,1922)** (Psychidae) Synonymy: lefevrei Oberthür,1922 Range (as code): **MA TN**
13335. **Oiketicoides lyauteyi (Lucas,1934)** (Psychidae) Synonymy: lyauteyi Lucas,1934 Range (as code): **MA**
13336. **Oiketicoides nivellei (Oberthür,1922)** (Psychidae) Synonymy: nivellei Oberthür,1922; #nivillei Kozhantshikov,1956 Range (as code): **MA**
13337. **Oiketicoides oberthueri (Heylaerts,1883)** (Psychidae) Synonymy: oberthueri Heylaerts,1883 Range (as code): **DZ Orn Sbd MR**

13338. **Oiketicoides sudanica Dierl,1972** (Psychidae) Synonymy: sudanica Dierl,1972 Range (as code): **SD**
13339. **Oiketicoides tedaldii (Heylaerts,1881)** (Psychidae) Synonymy: tedaldii Heylaerts,1881; mediterranea Kirby,1892 Range (as code): **DZ TN PT ES Si IT MT SY**
13340. **Oreopsyche desertorum Turati,1927** (Psychidae) Synonymy: desertorum Turati,1927 Range (as code): **LY Cy**
13341. **Penestoglossa dardoinella (Millière,1863)** (Psychidae) Synonymy: dardoinella Millière,1863; latiorella Mann,1873; incerta Millière,1876; symmathetica Meyrick,1938 Range (as code): **DZ Anna TN Tun ES FR Co Sa Si IT MT HV GR TR 11 42**
13342. **Penestoglossa marocanella (Lucas,1933)** (Psychidae) Synonymy: marocanella Lucas,1933; mauretanica Rebel,1940 Range (as code): **MA DZ**
13343. **Placodoma brandbergensis Sobczyk & Mey,2007** (Psychidae) Synonymy: brandbergensis Sobczyk & Mey,2007 Range (as code): **NA**
13344. **Placodoma fulva Sobczyk & Mey,2007** (Psychidae) Synonymy: fulva Sobczyk & Mey,2007 Range (as code): **ZA**
13345. **Placodoma mustapha Sobczyk,2013** (Psychidae) Synonymy: mustapha Sobczyk,2013 Range (as code): **MA**
13346. **Placodoma oasella Chrétien,1915** (Psychidae) Synonymy: oasella Chrétien,1915 Range (as code): **TN Gf**
13347. **Placodoma pseudoragonoti Sobczyk,2013** (Psychidae) Synonymy: pseudoragonoti Sobczyk,2013 Range (as code): **MA**
13348. **Placodoma tifrit Sobczyk,2013** (Psychidae) Synonymy: tifrit Sobczyk,2013 Range (as code): **MA**
13349. **Placodoma vista Mey,2011** (Psychidae) Synonymy: vista Mey,2011 Range (as code): **ZA**
13350. **Placodoma wernoi Sobczyk,2013** (Psychidae) Synonymy: wernoi Sobczyk,2013 Range (as code): **MA**
13351. **Pseudofumea umbrosella Rebel,1934** (Psychidae) Synonymy: umbrosella Rebel,1934 Range (as code): **MA**
13352. **Ptilocephala (Deuterohyalina) desertorum (Turati,1927)** (Psychidae) Synonymy: desertorum Turati,1927 Range (as code): **LY Cy**
13353. **Ptilocephala (gr.4) plumifera (Ochsenheimer,1810)** (Psychidae) Synonymy: plumifera Ochsenheimer,1810; mediterranea Lederer,1853. Range (as code): **MA DZ PT ES FR IT BE NL DE CH AT PL CZ SK HU RO AL BG TR RU Vl Sr Ur MD UA Cm KG Ssn Cc AM Eri GG Tbl AZ Nv Kir 05 08 34**
13354. **Sciopetris karsholti Hättenschwiler,1996** (Psychidae) Synonymy: #karsholti Hättenschwiler,1996 Range (as code): **TN**
13355. **Sciopetris pretiosa (Stainton,1872)** (Psychidae) Synonymy: pretiosa Stainton,1872 Range (as code): **MA**
13356. **Taleporia aethiopica Strand,1911** (Psychidae) Synonymy: aethiopica Strand,1911 Range (as code): **ET**
13357. **Taleporia discussa Meyrick,1921** (Psychidae) Synonymy: discussa Meyrick,1921 Range (as code): **ZA Tva Spb**
13358. **Taleporia mesochlora Meyrick,1918** (Psychidae) Synonymy: mesochlora Meyrick,1918 Range (as code): **ZA Nta Kzu**
13359. **Typhonia abacodes (Meyrick,1908)** (Psychidae) Synonymy: abacodes Meyrick,1908 Range (as code): **ZA Gau Tva Pre**
13360. **Typhonia acmastis (Meyrick,1917)** (Psychidae) Synonymy: acmastis Meyrick,1917 Range (as code): **CF**
13361. **Typhonia amica (Meyrick,1908)** (Psychidae) Synonymy: amica Meyrick,1908 Range (as code): **MW Zom**
13362. **Typhonia aulodoma (Meyrick,1924)** (Psychidae) Synonymy: aulodoma Meyrick,1924 Range (as code): **MW**
13363. **Typhonia bettoni (Butler,1898)** (Psychidae) Synonymy: bettoni Butler,1898; hippias Meyrick,1921 Range (as code): **KE MZ TZ ZW**
13364. **Typhonia bostrychota (Meyrick,1920)** (Psychidae) Synonymy: bostrychota Meyrick,1920 Range (as code): **TZ**
13365. **Typhonia capyrota (Meyrick,1914)** (Psychidae) Synonymy: capyrota Meyrick,1914 Range (as code): **GH**
13366. **Typhonia chlorotricha (Meyrick,1916)** (Psychidae) Synonymy: chlorotricha Meyrick,1916 Range (as code): **MW Mje**

13367. **Typhonia chlorotricha (Meyrick,1916)** (Psychidae) Synonymy: chlorotricha Meyrick,1916 Range (as code): **MW Mje**
13368. **Typhonia cirrhocephala (Meyrick,1937)** (Psychidae) Synonymy: cirrhocephala Meyrick,1937 Range (as code): **UG**
13369. **Typhonia dissoluta (Meyrick,1908)** (Psychidae) Synonymy: dissoluta Meyrick,1908 Range (as code): **MW Zom**
13370. **Typhonia erethopa (Meyrick,1934)** (Psychidae) Synonymy: erethopa Meyrick,1934 Range (as code): **ZR**
13371. **Typhonia folligera (Meyrick,1920)** (Psychidae) Synonymy: folligera Meyrick,1920 Range (as code): **KE TZ**
13372. **Typhonia gypsopetra (Meyrick,1937)** (Psychidae) Synonymy: gypsopetra Meyrick,1937 Range (as code): **MZ**
13373. **Typhonia holodryas (Meyrick,1934)** (Psychidae) Synonymy: holodryas Meyrick,1934 Range (as code): **ZR**
13374. **Typhonia holoxyla (Meyrick,1936)** (Psychidae) Synonymy: holoxyla Meyrick,1936 Range (as code): **ZR**
13375. **Typhonia ichnophora (Meyrick,1920)** (Psychidae) Synonymy: ichnophora Meyrick,1920 Range (as code): **TZ**
13376. **Typhonia immanis (Meyrick,1908)** (Psychidae) Synonymy: immanis Meyrick,1908 Range (as code): **NG GM**
13377. **Typhonia imminuta (Meyrick,1914)** (Psychidae) Synonymy: imminuta Meyrick,1914 Range (as code): **MW Mje**
13378. **Typhonia imperfecta (Meyrick,1922)** (Psychidae) Synonymy: imperfecta Meyrick,1922 Range (as code): **CF**
13379. **Typhonia inarticulata (Meyrick,1935)** (Psychidae) Synonymy: inarticulata Meyrick,1935 Range (as code): **SD**
13380. **Typhonia incauta (Meyrick,1914)** (Psychidae) Synonymy: incauta Meyrick,1914 Range (as code): **MW Mje**
13381. **Typhonia inimica (Meyrick,1908)** (Psychidae) Synonymy: inimica Meyrick,1908 Range (as code): **AO**
13382. **Typhonia inveterata (Meyrick,1915)** (Psychidae) Synonymy: inveterata Meyrick,1915 Range (as code): **MW Mje**
13383. **Typhonia isonephela (Meyrick,1934)** (Psychidae) Synonymy: isonephela Meyrick,1934 Range (as code): **ZR**
13384. **Typhonia isopoca (Meyrick,1930)** (Psychidae) Synonymy: isopoca Meyrick,1930 Range (as code): **ZR Kvu UG**
13385. **Typhonia seyrigiella (Viette,1954)** (Psychidae) Synonymy: seyrigiella Viette,1954 Range (as code): **MG**
13386. **Typhonia xanthocrana (Meyrick,1931)** (Psychidae) Synonymy: xanthocrana Meyrick,1931 Range (as code): **UG**
13387. **Typhonia zalomorpha (Meyrick,1930)** (Psychidae) Synonymy: zalomorpha Meyrick,1930 Range (as code): **SD**

Pterolonchidae

13388. **Anathyrsa macroxyla Meyrick,1920** (Pterolonchidae) Synonymy: macroxyla Meyrick,1920 Range (as code): **ZA Wca Cto Nta Kzu Ptb Ec Ste Kny**
13389. **Kruegerius terebratus (Meyrick,1924)** (Pterolonchidae) Synonymy: terebratus Meyrick,1924 Range (as code): **ZA Ec Ste**
13390. **Pterolonche (s.str.) inspersa Staudinger,1859** (Pterolonchidae) Synonymy: inspersa Staudinger,1859; gracilis Rebel,1916 Range (as code): **MA PT ES FR Sa IT AT RO MD UA B-H HV SS YU MK SK HU BG GR Cr TR RU Kyi 42**

Pterophoridae

13391. **Adaina gentilis Meyrick,1911** (Pterophoridae) Synonymy: gentilis Meyrick,1911 Range (as code): **ZA Tva Gau Pre Nta Kzu Ptb Dbn**

13392. **Adaina microdactyla (Hübner,[1813])** (Pterophoridae) Synonymy: microdactyla Hübner,[1813]; carphodactylus Stephens,1834; subflavescens Meyrick,1930; montivola Meyrick,1937; madecasseus Gibeaux,1994 Range (as code): **MA PT ES FR Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU HV RO BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Mz Elb Kdj Fa Gor Gls IL Jt Pa Cc GG Btm Aj CN Yu KwT TW JP SB TZ MW VN PH PG SB NP ID TH Int CMa IN Meg Ass MM MG 05 16 55 71**

13393. **Adaina periarga Meyrick,1913** (Pterophoridae) Synonymy: periarga Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Nta Kzu NA LS MW Zom**

13394. **Adaina propria Meyrick,1921** (Pterophoridae) Synonymy: propria Meyrick,1921 Range (as code): **MZ Mag**

13395. **Agdistis aberdareana Arenberger,1988** (Pterophoridae) Synonymy: aberdareana Arenberger,1988 Range (as code): **AET KE**

13396. **Agdistis adactyla (Hübner,[1819])** (Pterophoridae) Synonymy: adactyla Hübner,[1819]; huebneri Curtis,1834; delphinensella Bruand,1858; shaanxisis Qin & Zheng,1997. Range (as code): **AET MA DZ Phv TN Gf LY Cy ES FR Si IT DE CH AT PL CZ SK HU RO MK BG GR TR LV LT RU Ir Irk Tt Mnu Kj Cc AM Eri MD UA BY PK KG Uk TrA Aa TJ TM Bdz CN Ui Ku IMn Gn Pkn Hph She NHu LB Bsa IL Pa IR Elb Th Gor Gls Mz Amo Se Fa AF Ca Pli MN 06**

13397. **Agdistis africana Arenberger,1996** (Pterophoridae) Synonymy: africana Arenberger,1996 Range (as code): **AET**

13398. **Agdistis arabica Amsel,1958** (Pterophoridae) Synonymy: arabica Amsel,1958 Range (as code): **AET TN EG SD SD95 IL Pa IR Ss Bu Hz PK Krc BH SA YE Ad OM SO Mga**

13399. **Agdistis arenbergeri Gielis,1986** (Pterophoridae) Synonymy: arenbergeri Gielis,1986 Range (as code): **AET ZA**

13400. **Agdistis bellissima Arenberger,1975** (Pterophoridae) Synonymy: bellissima Arenberger,1975 Range (as code): **AET EG EG11 JO TN MA SA YE**

13401. **Agdistis bifurcatus Agenjo,1952** (Pterophoridae) Synonymy: bifurcatus Agenjo,1952 Range (as code): **AET Cn CV MA TN PT ES**

13402. **Agdistis bouyeri Gielis,2008** (Pterophoridae) Synonymy: bouyeri Gielis,2008 Range (as code): **AET AO**

13403. **Agdistis clara Arenberger,1986** (Pterophoridae) Synonymy: clara Arenberger,1986 Range (as code): **AET ZA**

13404. **Agdistis cretifera Meyrick,1909** (Pterophoridae) Synonymy: cretifera Meyrick,1909 Range (as code): **AET ZA**

13405. **Agdistis criocephala Meyrick,1909** (Pterophoridae) Synonymy: criocephala Meyrick,1909 Range (as code): **AET ZA**

13406. **Agdistis cypriota Arenberger,1983** (Pterophoridae) Synonymy: cypriota Arenberger,1983 Range (as code): **AET TN CY TR 01**

13407. **Agdistis darwini Arenberger,2009** (Pterophoridae) Synonymy: darwini Arenberger,2009 Range (as code): **AET**

13408. **Agdistis delicatulella Chrétien,1917** (Pterophoridae) Synonymy: delicatulella Chrétien,1917. Range (as code): **AET TN Gf Co IT**

13409. **Agdistis dentalis Arenberger,1986** (Pterophoridae) Synonymy: dentalis Arenberger,1986 Range (as code): **AET ZA**

13410. **Agdistis dimetra Meyrick,1924** (Pterophoridae) Synonymy: dimetra Meyrick,1924 Range (as code): **AET ZA**

13411. **Agdistis eberti Arenberger,2009** (Pterophoridae) Synonymy: eberti Arenberger,2009 Range (as code): **AET**

13412. **Agdistis facetus Bigot,1969** (Pterophoridae) Synonymy: facetus Bigot,1969 Range (as code): **AET ZR MW**

13413. **Agdistis frankeniae (Zeller,1847)** (Pterophoridae) Synonymy: frankeniae Zeller,1847; lerinsis Millière,1876; bahrlutia Amsel,1955; tondeuri Bigot,1963; rupestris Bigot,1974; rjabovi Zagulyaev & Filippova,1976; kulunda Ustjuzhanin,1991; urmijensis Zagulyaev,1996 Range (as code): **Cn MA Rbt TN Gf Tun LY Cy DZ Agi Bsk PT ES Mu FR Co Sa Si IT MT RO GR Cr TR RU Da Cc No Sr MD UA BY EG CY IL Jt Pa JO Amm IR Ak Msw Ar Se Mz SA KG Uk Ind 06 09 16 35 42 68 71**

13414. **Agdistis furcata Arenberger,1996** (Pterophoridae) Synonymy: furcata Arenberger,1996 Range (as code): **AET ZA**

13415. **Agdistis gibberipennis Arenberger,1996** (Pterophoridae) Synonymy: gibberipennis Arenberger,1996 Range (as code): **AET**

13416. **Agdistis halodelta Meyrick,1925** (Pterophoridae) Synonymy: halodelta Meyrick,1925; lippensi Amsel,1955 Range (as code): **EG EG11 IL Pa TN**

13417. **Agdistis hartigi Arenberger,1973** (Pterophoridae) Synonymy: hartigi Arenberger,1973. Range (as code): **TN Gab ES Mu Sa GR**
13418. **Agdistis heydeni (Zeller,1852)** (Pterophoridae) Synonymy: heydeni Zeller,1852; canariensis Rebel,1896; excurata Meyrick,1920. Range (as code): **Cn DZ TN PT ES FR Co Sa Si IT PL AL BG GR Cr TR SY IL Hf Js Pa LB Bsa CY 06 33**
13419. **Agdistis infumata Meyrick,1912** (Pterophoridae) Synonymy: infumata Meyrick,1912 Range (as code): **AET ZA**
13420. **Agdistis insidiatrix Meyrick,1936** (Pterophoridae) Synonymy: insidiatrix Meyrick,1936 Range (as code): **YE Sk IR Se**
13421. **Agdistis karischi Arenberger,1996** (Pterophoridae) Synonymy: karischi Arenberger,1996 Range (as code): **AET ZA**
13422. **Agdistis kenyana Arenberger,1988** (Pterophoridae) Synonymy: kenyana Arenberger,1988 Range (as code): **AET KE**
13423. **Agdistis korana Arenberger,1988** (Pterophoridae) Synonymy: korana Arenberger,1988 Range (as code): **AET KE**
13424. **Agdistis linnaei Gielis,2008** (Pterophoridae) Synonymy: linnaei Gielis,2008 Range (as code): **KE TZ**
13425. **Agdistis lomholdti Gielis,1990** (Pterophoridae) Synonymy: lomholdti Gielis,1990 Range (as code): **ZA**
13426. **Agdistis malitiosa Meyrick,1909** (Pterophoridae) Synonymy: malitiosa Meyrick,1909 Range (as code): **ZA Tva Gau Pre Nta Kzu Wnn Dbn Mlp LS ET TZ UG RW ZW ZM ZR KE Nai MW**
13427. **Agdistis malleana Arenberger,1988** (Pterophoridae) Synonymy: malleana Arenberger,1988 Range (as code): **ZA**
13428. **Agdistis manicata Staudinger,1859** (Pterophoridae) Synonymy: manicata Staudinger,1859; gigas Turati,1924; lutescens Turati,1927; tunesiella Amsel,1955; fiorii Bigot,1960. Range (as code): **TN Gf LY Cy MA ES FR MT KG Uk**
13429. **Agdistis melitensis Amsel,1954** (Pterophoridae) Synonymy: melitensis Amsel,1954. Range (as code): **TN Gf ES Sa Si IT MT**
13430. **Agdistis meridionalis (Zeller,1847)** (Pterophoridae) Synonymy: meridionalis Zeller,1847; staticis Millière,1875; portlandica Tutt,1906; clivicola Meyrick,1920; tyrrhenica Amsel,1952; prolai Hartig,1953. Range (as code): **Cn MA TN Gf DZ Bsk ES Mu FR Co Sa Si IT MT GB YU HV AL GR TR CY IL Pa Hf 09 33 42**
13431. **Agdistis meyi Arenberger,2008** (Pterophoridae) Synonymy: meyi Arenberger,2008 Range (as code): **AET ZA**
13432. **Agdistis minima Walsingham,1900** (Pterophoridae) Synonymy: minima Walsingham,1900 Range (as code): **Sk**
13433. **Agdistis namibiana Arenberger,1988** (Pterophoridae) Synonymy: namibiana Arenberger,1988 Range (as code): **NA**
13434. **Agdistis nanodes Meyrick,1906** (Pterophoridae) Synonymy: nanodes Meyrick,1906; sindicola Amsel,1968; debilis Bigot,1968. Range (as code): **LK BH SA OM Dh YE IR Bu Hz Ss PK Krc EG EG11**
13435. **Agdistis neglecta Arenberger,1976** (Pterophoridae) Synonymy: frankeniae sensu Bigot,1960; neglecta Arenberger,1976; Range (as code): **MA DZ ES Mu B-I FR Co Sa IT**
13436. **Agdistis notabilis Gielis & Karsholt,2009** (Pterophoridae) Synonymy: notabilis Gielis & Karsholt,2009 Range (as code): **AET CV**
13437. **Agdistis nyasa Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: nyasa Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**
13438. **Agdistis obstinata Meyrick,1920** (Pterophoridae) Synonymy: obstinata Meyrick,1920 Range (as code): **ET KE UG SA As**
13439. **Agdistis pala Arenberger,1986** (Pterophoridae) Synonymy: pala Arenberger,1986 Range (as code): **ZA**
13440. **Agdistis paralia (Zeller,1847)** (Pterophoridae) Synonymy: paralia Zeller,1847 Range (as code): **TN Gf MA DZ ES FR Sa Si MT YU GR IL Jt Pa CN Gn TM**
13441. **Agdistis picardi Bigot,1964** (Pterophoridae) Synonymy: picardi Bigot,1964 Range (as code): **AET MG**
13442. **Agdistis piccolo Gielis,1990** (Pterophoridae) Synonymy: piccolo Gielis,1990 Range (as code): **ZA**
13443. **Agdistis pseudocanariensis Arenberger,1973** (Pterophoridae) Synonymy: pseudocanariensis Arenberger,1973. Range (as code): **Cn MA ES Mu**
13444. **Agdistis pseudomeyi Kovtunovich & Ustjuzhanin,2015** (Pterophoridae) Synonymy: pseudomeyi Kovtunovich & Ustjuzhanin,2015 Range (as code): **AET ZA**

13445. **Agdistis pustulalis Walker,1864** (Pterophoridae) Synonymy: pustulalis Walker,1864 Range (as code): **ZA**
13446. **Agdistis quagga Arenberger,2009** (Pterophoridae) Synonymy: quagga Arenberger,2009 Range (as code): **AET ZA**
13447. **Agdistis reciprocans Meyrick,1924** (Pterophoridae) Synonymy: reciprocans Meyrick,1924 Range (as code): **ZA**
13448. **Agdistis riftvalleyi Arenberger,2001** (Pterophoridae) Synonymy: riftvalleyi Arenberger,2001 Range (as code): **AET KE YE**
13449. **Agdistis ruhanga Kovtunovich & Ustjuzhanin,2015** (Pterophoridae) Synonymy: ruhanga Kovtunovich & Ustjuzhanin,2015 Range (as code): **AET ZA**
13450. **Agdistis salsolae Walsingham,1908** (Pterophoridae) Synonymy: salsolae Walsingham,1908 Range (as code): **Cn**
13451. **Agdistis santahelenae Wollaston,1879** (Pterophoridae) Synonymy: santahelenae Wollaston,1879 Range (as code): **ZA SH**
13452. **Agdistis satanas Millière,1876** (Pterophoridae) Synonymy: satanas Millière,1876; nanus Turati,1924; pseudosatanas Amsel,1952. Range (as code): **MA LY DZ TN ES Mu FR Co Sa Si IT MT DE RO BG AL GR Cr TR RU MD UA BY 06 09**
13453. **Agdistis sergeii Kovtunovich & Ustjuzhanin,2015** (Pterophoridae) Synonymy: sergeii Kovtunovich & Ustjuzhanin,2015 Range (as code): **ZA AET**
13454. **Agdistis sphinx Walsingham,1907** (Pterophoridae) Synonymy: sphinx Walsingham,1907 Range (as code): **MA DZ Bsk TN Gf LY Cy**
13455. **Agdistis spinosa Arenberger,1986** (Pterophoridae) Synonymy: spinosa Arenberger,1986 Range (as code): **ZA**
13456. **Agdistis swakopi Arenberger,2009** (Pterophoridae) Synonymy: swakopi Arenberger,2009 Range (as code): **AET ZA**
13457. **Agdistis symmetrica Amsel,1955** (Pterophoridae) Synonymy: symmetrica Amsel,1955 Range (as code): **MT TN**
13458. **Agdistis tamaricis (Zeller,1847)** (Pterophoridae) Synonymy: tamaricis Zeller,1847; bagdadiensis Amsel,1949; xinjiangsis Qin & Zheng,1997. Range (as code): **Cn CV MA TN LY DZ PT ES Mu FR Co Sa Si IT MT DE CH RO YU MK BG GR Cr TR RU St Sr MD UA BY IR Mz Elb Th Kz Sde Gls Ss Hz IQ Bgd CN Ui Au IMn Kgs She Gn Hph Stg TW CY IL Jr Jf Hf JO Amm AF Kab PK Krc Pes UZ Br TM Kp BH SA SA63 Hj SA39 EG EG05 EG11 SD GH YE Mrw 16 17**
13459. **Agdistis toliarensis Bigot,1987** (Pterophoridae) Synonymy: toliarensis Bigot,1987 Range (as code): **AET MG**
13460. **Agdistis tsumkwe Arenberger,2001** (Pterophoridae) Synonymy: tsumkwe Arenberger,2001 Range (as code): **AET ZA**
13461. **Agdistis unguica Arenberger,1988** (Pterophoridae) Synonymy: unguica Arenberger,1988 Range (as code): **ZA Nta Kzu Mlp Eca**
13462. **Agdistis varii Kovtunovich & Ustjuzhanin,2009** (Pterophoridae) Synonymy: varii Kovtunovich & Ustjuzhanin,2009 Range (as code): **ZA Mpu Tva MW**
13463. **Agdistis wolframi Kovtunovich & Ustjuzhanin,2015** (Pterophoridae) Synonymy: wolframi Kovtunovich & Ustjuzhanin,2015 Range (as code): **AET ZA**
13464. **Agdistopis griveaudi Gibeaux,1994** (Pterophoridae) Synonymy: griveaudi Gibeaux,1994 Range (as code): **MG**
13465. **Amblyptilia acanthadactyla (Hübner,[1813])** (Pterophoridae) Synonymy: acanthadactyla Hübner,[1813]; odontodactyla Charpentier,1821; calaminthae Frey,1886; tetralicella Hofmann,1895; phoenicodactyla Chrétien,1915 Range (as code): **MA DZ TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO BG GR Cr DK NO SE EE LV LT RU MD UA BY TR CY IR Cc GG Sok Abk 16 48 65**
13466. **Amblyptilia direptalis (Walker,1864)** (Pterophoridae) Synonymy: direptalis Walker,1864; amblydectis Meyrick,1932 Range (as code): **ZA Nta Kzu Dbn Est KE TZ MW ZW ET ET88 Sw**
13467. **Antarches tessmanni (Strand,1913)** (Pterophoridae) Synonymy: tessmanni Strand,1913; aquessei Bigot,1964; lugueti Gibeaux,1994 Range (as code): **GO GH GN MG ZA UG CM ZW TZ Mgr YE**
13468. **Apoxyptilus anthites (Meyrick,1936)** (Pterophoridae) Synonymy: anthites Meyrick,1936 Range (as code): **KE TZ UG ZA MW**
13469. **Apoxyptilus uzumarus Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: uzumarus Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW UG**
13470. **Arcoptilia gizan Arenberger,1985** (Pterophoridae) Synonymy: gizan Arenberger,1985 Range (as code): **SA Jz OM YE ET**

13471. **Arcoptilia malawica Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: malawica Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**
13472. **Arcoptilia pongola Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonymy: pongola Ustjuzhanin & Kovtunovich,2010 Range (as code): **AET ZA Nta Kzu**
13473. **Bipunctiphorus dimorphus (Fletcher,1910)** (Pterophoridae) Synonymy: dimorpha Fletcher,1910; patriarcha Meyrick,1912; etiennei Gibeaux,1994 Range (as code): **ZA Nta Kzu SC RE ZW MW**
13474. **Buckeria negotiosus (Meyrick,1926)** (Pterophoridae) Synonymy: negotiosus Meyrick,1926; vanderwolfi Gielis,2008 Range (as code): **ZA Nta Kzu Dbn**
13475. **Buckleria girardi Gibeaux,1992** (Pterophoridae) Synonymy: girardi Gibeaux,1992 Range (as code): **GN MW**
13476. **Buckleria madecassea Gibeaux,1994** (Pterophoridae) Synonymy: madecassea Gibeaux,1994 Range (as code): **MG**
13477. **Buckleria negotiosus (Meyrick,1926)** (Pterophoridae) Synonymy: negotiosus Meyrick,1926; wanderwolfi Gielis,2008 Range (as code): **ZA**
13478. **Calyciphora xanthodactyla (Treitschke,1833)** (Pterophoridae) Synonymy: xanthodactyla Treitschke,1833 Range (as code): **MA SK HU MK TR RU 05 16 42 45**
13479. **Capperia agadirensis Arenberger,2002** (Pterophoridae) Synonymy: agadirensis Arenberger,2002 Range (as code): **MA Agd**
13480. **Capperia insomnis Townsend,1956** (Pterophoridae) Synonymy: insomnis Townsend,1956; hackeri Arenberger,2002 Range (as code): **KE NA ZW MW ZR TZ Mgr YE Sna**
13481. **Cosmoclostis brachybela T.B.Fletcher,1947** (Pterophoridae) Synonymy: brachybela T.B.Fletcher,1947; pesseuta Janse,1917 Range (as code): **KE ZA Tva Lpo Nta Kzu Wnn Brb Mpu Mlp**
13482. **Cosmoclostis chalconota T.B.Fletcher,1947** (Pterophoridae) Synonymy: chalconota T.B.Fletcher,1947 Range (as code): **UG Kmp**
13483. **Cosmoclostis schouteni Gielis,1990** (Pterophoridae) Synonymy: schouteni Gielis,1990 Range (as code): **CI NG**
13484. **Crassuncus colubratus (Meyrick,1909)** (Pterophoridae) Synonymy: colubratus Meyrick,1909 Range (as code): **ZA MW**
13485. **Crassuncus ecstaticus (Meyrick,1932)** (Pterophoridae) Synonymy: ecstaticus Meyrick,1932; chappuisi Gibeaux,1994 Range (as code): **UG KE MW**
13486. **Crassuncus livingstoni Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: livingstoni Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW ZM**
13487. **Crassuncus pacifica (Meyrick,1911)** (Pterophoridae) Synonymy: pacifica Meyrick,1911; ambitiosus Meyrick,1911; purus Meyrick,1913 Range (as code): **ZA Tva Lpo Gau Pre Mpu Brb SZ MW ZW**
13488. **Crassuncus planiunci (Arenberger, Gurko & Binyason,2011)** (Pterophoridae) Synonymy: planiunci Arenberger, Gurko & Binyason,2011 Range (as code): **AET SU Lob**
13489. **Crassuncus timidus (Meyrick,1908)** (Pterophoridae) Synonymy: timidus Meyrick,1908 Range (as code): **AET ZA Nta Kzu Kkf TZ ZW MW**
13490. **Crocydoscelus ferrugineum Walsingham,1897** (Pterophoridae) Synonymy: ferrugineum Walsingham,1897 Range (as code): **NG ZR UG MW**
13491. **Crombrugghia distans (Zeller,1847)** (Pterophoridae) Synonymy: distans Zeller,1847; distantidactyla Bruand,1858; geodactylus Fuchs,1903; lactucae Fletcher,1920; clarisignis Myerick,1924; buvati Bigot & Picard,1988; pravieli Bigot & Picard,1989; gibeauxi Bigot et al.,1990; supplementum Gibeaux,1997. Range (as code): **Cn MA Azr Ouk Ifr DZ Lbs Hsb TN PT ES Grn FR Py Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO SS HV YU B-H MK AL BG GR TR DK NO SE FI RU Sb MD UA Cm GG Tbl AM Eri AZ IR Elb Kdj Th Mz Kz Gor Yas Nss BY AF Pag Kab Pli Sfk Kot Bkt Nu Hr PK Swa Mdy Ch KG UZ Smk TM Kp K-K CN Ui IN Up Hp NP SI BT Cm Vl Ur At Ir Irk Bry Ik Smk Ass Khs N-A Swa Kma Snm Djl Cc KK KuA 01 05 06 07 16 22 23 30 33 34 42 44 45 46 48 50 58 61 63 65 76**
13492. **Crombrugghia laeta (Zeller,1847)** (Pterophoridae) Synonymy: laetus Zeller,1847; loetidactyla Bruand,1858; andryalae Millière,1863; andryaladactylus Millière,1863; lantoscanus Millière,1882. Range (as code): **MA TN DZ Bsk LY Cn PT ES FR Co Sa Si IT MT GB YU B-H HV MK AL BG GR TR Cc LB Bei IQ Shq IR Kz TM Kp K-K 05 06 16 42 44 46 76**
13493. **Deuterocopus sokotranus Rebel,1907** (Pterophoridae) Synonymy: sokotranus Rebel,1907; viticola Meyrick,1911; triannulatus Meyrick,1913; deltoptilus Meyrick,1930; henrioti Bigot & Boireau,2006 Range (as code): **Sk YE Sna OM Dh SO NG JP Ri TW TH CMa MM IN LK ID Sba Sbw ZA Nta NG SO PG AU QAu CI UG MW ZM ZW MZ**
13494. **Emmelina amseli (Bigot,1967)** (Pterophoridae) Synonymy: amseli Bigot,1967 Range (as code): **ZR**
13495. **Emmelina bigoti Gibeaux,1990** (Pterophoridae) Synonymy: bigoti Gibeaux,1990 Range (as code): **KE**

13496.Emmelina monodactyla (Linnaeus,1758) (Pterophoridae) Synonymy: monodactyla Linnaeus,1758; sibiricus Caradja,1920. Range (as code): **Cn Md MZ DZ TN LY Cy PT ES FR Co Sa Si IT MT IC IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK SS AL BG GR Cr TR CY IL Pa JO Zq LB Bsa Bei AM DK NO SE FI EE LV LT RU MD UA BY KG Uk CN Ui Ku Pkn Hph Stg She Ts SY Hal IQ Dia Bgd Mo Kc Teb Cc Cm Sr Sb Ur St No Vl Bn Aa Lps KK Ik Al TM Kp TJ UZ Man AF Sfk Kot Shah Srb Kab Hr Dwe Pli Bark Blh Bd Fz Bsg PK Swa Haz IN Ch Ld SA SA63 YE Sna EG EG11 US Cf Tgo IR Elb Kdj Th Gor Gh Clu Kz Dzf Ha Lo Es Ke Jrf Ab Oru Khy Ak Tbz Zj Kh Msh Se Gls MA Ifr Ouk Anna Bsk Ski Cst Clo Sfx Tun 05 06 07 09 10 14 16 23 29 30 31 33 34 36 38 46 50 59 61**

13497.Eucapperia bullifera (Meyrick,1918) (Pterophoridae) Synonymy: bullifera Meyrick,1918; longiductus Gibeaux,1992; continentalis Gielis,2008 Range (as code): **ZA Nta Kzu Esw TZ MG MW Zom SZ**

13498.Exelastis atomosa (Walsingham,1885) (Pterophoridae) Synonymy: atomosa Walsingham,1885 Range (as code): **IR Hz NP AE IN Bba ZA ET TZ UG MW KE SZ MG**

13499.Exelastis caroli Gielis,2008 (Pterophoridae) Synonymy: caroli Gielis,2008 Range (as code): **KE**

13500.Exelastis crepuscularis (Meyrick,1909) (Pterophoridae) Synonymy: crepuscularis Meyrick,1909 Range (as code): **ZA Nca Tva Lpo Spb Wmb Nta Kzu Dbn SZ ZW ZM MW**

13501.Exelastis crudipennis (Meyrick,1932) (Pterophoridae) Synonymy: crudipennis Meyrick,1932; bergeri Bigot,1969 Range (as code): **UG ZA ZW MW ZR CM GA MG KM**

13502.Exelastis montischristi (Walsingham,1897) (Pterophoridae) Synonymy: montischristi Walsingham,1897; cervinicolor Barnes & McDunnough,1913 Range (as code): **AET US Fl JM PR GS TZ ZA Nta Kzu SZ ZR MW KE NA ET ZM ZW NG**

13503.Exelastis pavidus (Meyrick,1908) (Pterophoridae) Synonymy: pavidus Meyrick,1908 Range (as code): **ZA**

13504.Exelastis phlyctaenias (Meyrick,1911) (Pterophoridae) Synonymy: phlyctaenias Meyrick,1911 Range (as code): **ZA TZ MW MG RE ET PH**

13505.Exelastis pumilio (Zeller,1873) (Pterophoridae) Synonymy: pumilio Zeller,1873; liophanes Meyrick,1886; gilvidorsis Hedemann,1896; tenax Meyrick,1913 Range (as code): **TW IN MG US Tx TH Nst Loe RE ZA Tva Mpu Brb Nta Kzu Ptb Dbn Gau Pre MW**

13506.Exelastis vuattouxi Bigot,1970 (Pterophoridae) Synonymy: vuattouxi Bigot,1970 Range (as code): **AET CI NG ZA Nta Kzu Dbn ZW MW SZ**

13507.Gypsochares astragalotes (Meyrick,1890) (Pterophoridae) Synonymy: astragalotes Meyrick,1890 Range (as code): **ZA Nta Kzu Dbn**

13508.Gypsochares aulotes (Meyrick,1911) (Pterophoridae) Synonymy: aulotes Meyrick,1911 Range (as code): **ZA ZW MW**

13509.Gypsochares baptodactylus (Zeller,1850) (Pterophoridae) Synonymy: baptodactylus Zeller,1850; dactylographa Turati,1927. Range (as code): **LY PT ES Co Sa IT HV TR 16**

13510.Gypsochares londti Ustjuzhanin & Kovtunovich,2010 (Pterophoridae) Synonymy: londti Ustjuzhanin & Kovtunovich,2010 Range (as code): **ZA AET Kzu Nta Esw Dbn**

13511.Gypsochares murphy Kovtunovich & Ustjuzhanin,2014 (Pterophoridae) Synonymy: murphy Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW ZM**

13512.Hellinsia acuminata (Meyrick,1920) (Pterophoridae) Synonymy: acuminata Meyrick,1920 Range (as code): **ZA Ec Wth Nta Kzu Dbn LS MW**

13513.Hellinsia adumbrata (Walsingham,1881) (Pterophoridae) Synonymy: adumbrata Walsingham,1881 Range (as code): **ZA Nta Kzu Wnn Ptw**

13514.Hellinsia aegyptiaca (Rebel,1914) (Pterophoridae) Synonymy: aegyptiaca Rebel,1914 Range (as code): **EG EG11 EG33 EG40**

13515.Hellinsia aethiopicus (Amsel,1963) (Pterophoridae) Synonymy: aethiopicus Amsel,1963 Range (as code): **ZR ET NG**

13516.Hellinsia aldabrensis (T.B.Fletcher,1910) (Pterophoridae) Synonymy: aldabrensis T.B.Fletcher,1910 Range (as code): **ZA ZW MW SC Ald**

13517.Hellinsia ambo Ustjuzhanin & Kovtunovich,2011 (Pterophoridae) Synonymy: ambo Ustjuzhanin & Kovtunovich,2011; ruhuruinia Gielis,2011 Range (as code): **ET GH KE RW**

13518.Hellinsia ammonias (Meyrick,1909) (Pterophoridae) Synonymy: ammonias Meyrick,1909 Range (as code): **ZA Tva Gau Pre**

13519.Hellinsia callida (Meyrick,1913) (Pterophoridae) Synonymy: callida Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

13520.Hellinsia carphodactyla (Hübner,[1813]) (Pterophoridae) Synonymy: carphodactylus Hübner,[1813]; citridactylus Stephens,1834; infirma Heydenreich,1851; buphthalmi Hofmann,1898; inulaevorus Gibeaux,1989; alpinus Gibeaux & Picard,1992 Range (as code): **MA DZ Bsk TN Gf PT ES FR Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU SS HV B-H MK AL BG TR EE RU Ro Tgn Tt MD UA BY IR Gls**

13521. **Hellinsia chewa Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: chewa Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**

13522. **Hellinsia colubrata (Meyrick,1909)** (Pterophoridae) Synonymy: colubrata Meyrick,1909 Range (as code): **ZA Tva Gau Pre**

13523. **Hellinsia emmelinoida Gielis,2008** (Pterophoridae) Synonymy: emmelinoida Gielis,2008 Range (as code): **TZ**

13524. **Hellinsia furfurosa (Meyrick,1911)** (Pterophoridae) Synonymy: furfurosa Meyrick,1911 Range (as code): **ZA Tva Gau Pre**

13525. **Hellinsia illuta (Meyrick,1917)** (Pterophoridae) Synonymy: illuta Meyrick,1917 Range (as code): **ZA Nta Kzu Dbn**

13526. **Hellinsia inulae (Zeller,1852)** (Pterophoridae) Synonymy: inulae Zeller,1852; coniodactylus Staudinger,1859; alpinus Gibeaux & Picard,1992. Range (as code): **Cn MA Rbt Tgr DZ Bsk Anna TN Gf LY PT ES An Mu FR MT DE AT PL CZ SK HU YU HV MK BG GR Cr TR CY LB Bsa IL Jf js Jt JO Zq Pa RU MD UA BY EG CN Stg Ui UZ Man 09 33 34**

13527. **Hellinsia invidiosa (Meyrick,1911)** (Pterophoridae) Synonymy: invidiosa Meyrick,1911 Range (as code): **ZA Gau Tva Pre KE MW ZW**

13528. **Hellinsia katangae Gielis,2009** (Pterophoridae) Synonymy: katangae Gielis,2009 Range (as code): **ZR Kga TZ MW**

13529. **Hellinsia lienigiana (Zeller,1852)** (Pterophoridae) Synonymy: lienigianus Zeller,1852; melinodactylus Herrich-Schäffer,1855; scarodactylus Becker,1861; serindibanus Moore,1886; victorianus Strand,1913; catharodactylus Caradja,1920; hirosakianus Matsumura,1931; mutuurai Yano,1963. Range (as code): **FR IT GB BE NL DE AT PL CZ SK HU RO YU HV BG IR Elb Kdj Th DK NO SE FI EE LV LT RU Ro Tgn Am Prj Us Ask Sh Krl MD UA BY CN Kig She Fkn Kwt Tkg Stg Hun TW VN PH AU KP KR JP Ri Kyu IN LK ZR MG MU ZA PG**

13530. **Hellinsia madecassea (Bigot,1964)** (Pterophoridae) Synonymy: madecasseus Bigot,1964; devius Bigot,1964; lolibai Arenberger,2011 Range (as code): **AET SU Lob ZR MG TZ ZA Nta Kzu Dbn Hwk Kkf ZW MW**

13531. **Hellinsia namizimu Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: namizimu Kovtunovich & Ustjuzhanin,2014 Range (as code): **ZM MW**

13532. **Hellinsia osteodactylus (Zeller,1841)** (Pterophoridae) Synonymy: microdactyla Zetterstedt,1839 nec Hübn.,[1813]; osteodactylus Zeller,1841; trimmatodactylus Christoph,1872; cinerariae Millière,1874; chrysocomae Ragonot,1875; korbi Caradja,1920; turbidellus Caradja,1920; sophronistes Meyrick,1938. Range (as code): **MA DZ PT ES FR Sa Si IT GB LU DE CH AT PL CZ SK HU RO YU SS HV B-H MK BG TR DK NO SE FI EE LV LT RU Sr Mo Pt Vl Kb Teb No At Prj Us MD UA BY Cc GG Tbl Mng KG Uk CN Stg Shs NHu Mc Sz Yu Ui MN KP KR JP Hkk 05 38**

13533. **Hellinsia pacifica (Meyrick,1911)** (Pterophoridae) Synonymy: pacifica Meyrick,1911; ambitiosus Meyrick,1911 Range (as code): **ZA Tva Mdt Gau Pre**

13534. **Hellinsia pectodactyla (Staudinger,1859)** (Pterophoridae) Synonymy: pectodactylus Staudinger,1859; angustus Walsingham,1880; stramineus Walsingham,1880; melanoschisma Walsingham,1908. Range (as code): **Cn MA ES FR Sa HU GR Cr CY RU MD UA BY KG Aa TrA IR Ke AF Pm Adr PK CN US**

13535. **Hellinsia pura (Meyrick,1913)** (Pterophoridae) Synonymy: pura Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

13536. **Hellinsia sordidata (Meyrick,1912)** (Pterophoridae) Synonymy: sordidata Meyrick,1912 Range (as code): **ZA**

13537. **Hellinsia sphenites (Meyrick,1913)** (Pterophoridae) Synonymy: sphenites Meyrick,1913 Range (as code): **ZA Nta Kzu Dbn**

13538. **Hellinsia subnotata (Walker,1875)** (Pterophoridae) Synonymy: subnotata Walker,1875 Range (as code): **ZA**

13539. **Hellinsia timida (Meyrick,1908)** (Pterophoridae) Synonymy: timida Meyrick,1908 Range (as code): **ZA**

13540. **Hellinsia tripunctata (Walsingham,1881)** (Pterophoridae) Synonymy: tripunctata Walsingham,1881; laqueata Meyrick,1913. Range (as code): **ZA Tva Mpu Tst Brb**

13541. **Hellinsia tripunctatus (Walsingham,1881)** (Pterophoridae) Synonymy: tripunctatus Walsingham,1881; serpens Meyrick,1909; laqueatus Meyrick,1913 Range (as code): **ZA Eca Nta Kzu Dbn Mlp Dbn**

13542. **Lantanophaga pusillidactyla (Walker,1864)** (Pterophoridae) Synonymy: pusillidactyla Walker,1864; brevipennis Zeller,1864; technidion Zeller,1877; hemimetra Meyrick,1886; amphiloga Meyrick,1909; lantana Busck,1914; lantanadactyla Amsel,1951. Range (as code): **Md Cn EC PE ZA CN JM MG MA TH CMa Nna Hw JM RE ID Ja MA ZA Nta Kzu Dbn MW**

13543. **Marasmarcha bengtssoni (Gielis,2009)** (Pterophoridae) Synonymy: bengtssoni Gielis,2009 Range (as code): **ZR MW Mje**

13544. **Marasmarcha bonaespei (Walsingham,1881)** (Pterophoridae) Synonymy: bonaespei Walsingham,1881; verax Meyrick,1909 Range (as code): **NA ZA Tva Gau Pre Nta Kzu Mlp Esw Wnn**

13545. **Marasmarcha corniculata (Meyrick,1913)** (Pterophoridae) Synonymy: corniculata Meyrick,1913 Range (as code): **ZA Mpu Tva Tst Nta Kzu Wnn ZR CM GA MG KM**

13546. **Marasmarcha empedota (Meyrick,1908)** (Pterophoridae) Synonymy: empedota Meyrick,1908 Range (as code): **ZA Gau Tva Pre Nta Kzu**

13547. **Marasmarcha lamborni Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: lamborni Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW ZM**

13548. **Marasmarcha locharcha (Meyrick,1924)** (Pterophoridae) Synonymy: locharcha Meyrick,1924 Range (as code): **ZW TZ MW ZM**

13549. **Marasmarcha rubriacuta (Gielis,2009)** (Pterophoridae) Synonymy: rubriacuta Gielis,2009 Range (as code): **ZR MW**

13550. **Marasmarcha sisyrodes Meyrick,1921** (Pterophoridae) Synonymy: sisyrodes Meyrick,1921; proterischna Meyrick,1935 Range (as code): **ZW Uma ZR CM MW**

13551. **Megalorhipida leptomeres (Meyrick,1886)** (Pterophoridae) Synonymy: leptomeres Meyrick,1886 Range (as code): **RE OM YE ZA Nta Kzu SC KE ZR TZ MW SZ**

13552. **Megalorhipida leucodactyla (Fabricius,1794)** (Pterophoridae) Synonymy: leucodactylus Fabricius,1794; defectalis Walker,1864; congrualis Walker,1864; oxydactyla Walker,1864; hawaiiensis Butler,1881; ochrodactyla Fish,1881; centetes Meyrick,1886; compsochares Meyrick,1886; ralumensis Pagenstecher,1900; derelictus Meyrick,1926; #palästinensis Amsel,1935; palaestinensis Amsel,1935; #palastinensis Pitkin, et al. Range (as code): **CI MA PT ES LB JO IL Pa IR Elb Kdj Th Kh Ss SA SA63 As OM YE Sna Ad Sk CN Kgs Fkn YW KE UG TZ Mgr SC MW RE MU MG ZA Tva Lpo Hae Nta Kzu Mlp Wnn SL ET SO ZR NG TD CI GM GN CV TH CMa Mae MY PK Krc Rw Pes IN LK SB PG AU QAu US Hw MX AR PA PE VE JM PR EC MX BR PA PE PMo AR CO CL PR JM BS Tx Arz Fl**

13553. **Megalorhipida subtilis (Rebel,1907)** (Pterophoridae) Synonymy: subtilis Rebel,1907; maceratus Meyrick,1909 Range (as code): **Sk YE Ad MW Zom Mje ZA Nta Kzu SZ MZ ZW**

13554. **Megalorhipida tessmanni (Strand,1912)** (Pterophoridae) Synonymy: tessmanni Strand,1912; aquessei Bigot,1964; luqueti Gibeaux,1964 Range (as code): **AET CM GN MG ZA Nta Kzu Dbn Ptb RE YE MW ZW**

13555. **Megalorhipida vivax (Meyrick,1909)** (Pterophoridae) Synonymy: vivax Meyrick,1909 Range (as code): **ZA Tva Gau Pre Mpu Brb Nta Kzu GM MW LS SZ ZW**

13556. **Merrifieldia baliodactyla (Zeller,1841)** (Pterophoridae) Synonymy: baliodactyla Zeller,1841; tridactylus Stephens,1834; daliodactylus Bruand,1850 Range (as code): **MA PT ES Grn FR IT GB BE NL LU DE CH AT PL CZ SK RO YU HV B-H MK AL BG GR Cr TR LB Bsa IL Pa DK NO SE FI EE LV LT RU Mo Kb Teb Cc MD UA BY CN Ui Ku KG TrA KK KuA 05 06 16 46 48**

13557. **Merrifieldia bystropoginis (Walsingham,1908)** (Pterophoridae) Synonymy: bystropoginis Walsingham,1908 Range (as code): **Cn**

13558. **Merrifieldia cana Arenberger,1990** (Pterophoridae) Synonymy: cana Arenberger,1990 Range (as code): **MA Azr**

13559. **Merrifieldia hedemanni (Rebel,1896)** (Pterophoridae) Synonymy: hedemanni Rebel,1896 Range (as code): **Cn**

13560. **Merrifieldia leucodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonymy: #leucodactyla [Denis & Schiffermüller],1775; theiodactyla Hübner,[1825]; wernickei Wocke,1897; fitzi Rebel,1912; flavella Chrétien,1923; dryogramma Meyrick,1930. Range (as code): **MA DZ Tni Tis PT ES FR Sa? Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK HV B-H SS BG GR TR DK SE FI LV RU Kc Teb Cc MD UA BY CN Shs KG Uk SA AF MN 16 29**

13561. **Merrifieldia malacodactyla (Zeller,1847)** (Pterophoridae) Synonymy: malacodactyla Zeller,1847; meridionalis Staudinger,1880; indocta Meyrick,1913; subtilis Caradja,1920; parca Meyrick,1921; subcretosa Meyrick,1922; phaeoschista Meyrick,1923; luteodactyla Turati,1926; rayatella Amsel,1959; insularis Bigot,1961; livadiensis Zagulyaev & Filippova,1976; transdanubinus Fazekas,1986; garrigae Bigot & Picard,1989; moulignieri Nel,1991; inopinata Bigot, Nel & Picard,1993 Range (as code): **Cn MA DZ Bsk TN Dhm LY Cy PT ES Mu FR Co Sa Si IT MT SK HU RO YU HV B-H MK SS BG GR Cr Rd CY TR Cc RU MD UA Cm BY LB Bei Bsa Bmm SY Hal Dms IL Hf Js Pa IQ Ry Hjo IR Ab Oru Gls Ke Elb Kdj Shr Fa AF Srb Kab Sfk Kot Nu SA As 05 06 07 09 14 16 23 29 33 42 46 55 65 76 77**

13562. **Merrifieldia particiliata (Walsingham,1908)** (Pterophoridae) Synonymy: particiliata Walsingham,1908 Range (as code): **Cn**

13563. **Merrifieldia probolias (Meyrick,1891)** (Pterophoridae) Synonymy: probolias Meyrick,1891 Range (as code): **DZ Bsk Ktr MA TN Gf**

13564. **Merrifieldia tridactyla (Linnaeus,1758)** (Pterophoridae) Synonymy: tridactyla Linnaeus,1758; tetradactyla Linnaeus,1758; niveidactylus Stephens,1829; fuscolimbatus Duponchel,1844; icterodactyla Mann,1855; flavella Chrétien,1923; menthae Chrétien,1925; exilidactyla Buszko,1975; neli Bigot & Picard,1989 Range (as code): **MA Ifr DZ PT ES Mu FR Sa IT Co IE GB BE NL LU DE CH AT PL CZ SK HU YU HV MK BG GR TR DK SE FI EE LV LT RU At Kb Teb Cc Sb MD UA BY IR Mak Ab Kd Sqq Avd Ha KG Uk AF 38 42 58 65 69**

13565. **Ochyrotica africana (Bigot,1969)** (Pterophoridae) Synonymy: africana Bigot,1969 Range (as code): **MW Zom ZR GA UG TZ**

13566. **Ochyrotica bjoernstadti Gielis,2008** (Pterophoridae) Synonymy: bjoernstadti Gielis,2008 Range (as code): **TZ**
13567. **Oxyptilus erythrodactylus T.B.Fletcher,1911** (Pterophoridae) Synonymy: erythrodactylus T.B.Fletcher,1911 Range (as code): **ZA Tva Lpo Nta Kzu**
13568. **Oxyptilus parvidactylus (Haworth,[1811])** (Pterophoridae) Synonymy: parvidactylus Haworth,[1811]; microdactylus Samouelle,1819; obscurus Zeller,1841; hemididactylus Selys-Longchamps,1845; dentellus Zeller,1852; obscuridactyla Bruand,1859; hofmannseggii Möschler,1866; maroocanensis Amsel,1956. Range (as code): **MA PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU SS YU B-H HV MK RO BG AL GR TR DK NO SE FI EE LV LT RU Sr St Kb MD UA Cm BY KG Uk Cc AM Eri LB Bsa Bmm IL Hf Pa IR Gor Mz Th Dam Elb 05 06 07 14 16 29 34 35 42 44 46 58 71 76**
13569. **Oxyptilus vibrans Meyrick,1921** (Pterophoridae) Synonymy: vibrans Meyrick,1921 Range (as code): **ZA Ec Elo**
13570. **Paracapperia esuriens (Meyrick,1932)** (Pterophoridae) Synonymy: esuriens Meyrick,1932; infernus Meyrick,1939 Range (as code): **ET ET88 Sw TZ ZR KE ZA Nta Kzu MW ZW**
13571. **Picardia eparches (Meyrick,1931)** (Pterophoridae) Synonymy: eparches Meyrick,1931 Range (as code): **UG KE MW ZW**
13572. **Picardia leza Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: leza Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**
13573. **Picardia orchatias (Meyrick,1908)** (Pterophoridae) Synonymy: orchatias Meyrick,1908; imerinae Bigot,1964 Range (as code): **ZA Nta Kzu Dbn MG**
13574. **Picardia raymondi Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: raymondi Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**
13575. **Picardia tumbuka Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: tumbuka Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**
13576. **Platyptilia aarviki Gielis,2008** (Pterophoridae) Synonymy: aarviki Gielis,2008 Range (as code): **KE**
13577. **Platyptilia amphiloga Meyrick,1909** (Pterophoridae) Synonymy: amphiloga Meyrick,1909 Range (as code): **ZA**
13578. **Platyptilia barbarae Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonymy: barbarae Ustjuzhanin & Kovtunovich,2010 Range (as code): **AET ZA Kzu Nta**
13579. **Platyptilia benitensis Strand,1912** (Pterophoridae) Synonymy: benitensis Strand,1912 Range (as code): **CM MW Zom**
13580. **Platyptilia corniculata Meyrick,1913** (Pterophoridae) Synonymy: corniculata Meyrick,1913 Range (as code): **ZA KE**
13581. **Platyptilia daemonica Meyrick,1932** (Pterophoridae) Synonymy: daemonica Meyrick,1932 Range (as code): **ET ET88 Sw**
13582. **Platyptilia farfarella Zeller,1867** (Pterophoridae) Synonymy: farfarella Zeller,1867; molopias Meyrick,1906; periacta Meyrick,1910; claripicta Fletcher,1910; gonodactyla Hori,1934 nec [Denis & Schiff.],1775; petila Yano,1963 Range (as code): **AET ZA Kzu Nta Mlp Dbn MG SC MU UG KE TZ NG LK ES FR Si IT NL DE CH AT PL SK HU RO AL BG GR TR IR Ak Sbl Ar Ab Mak RU MD UA BY TW JP SB SZ ST ID PH MW 50 65**
13583. **Platyptilia gondarensis Gibeaux,1994** (Pterophoridae) Synonymy: gondarensis Gibeaux,1994 Range (as code): **ET**
13584. **Platyptilia humida Meyrick,1920** (Pterophoridae) Synonymy: humida Meyrick,1920 Range (as code): **KE**
13585. **Platyptilia implacata Meyrick,1932** (Pterophoridae) Synonymy: implacata Meyrick,1932 Range (as code): **ET ET88 Sw**
13586. **Platyptilia infesta Meyrick,1934** (Pterophoridae) Synonymy: infesta Meyrick,1934 Range (as code): **ST**
13587. **Platyptilia interpres Meyrick,1922** (Pterophoridae) Synonymy: interpres Meyrick,1922 Range (as code): **UG**
13588. **Platyptilia locharcha Meyrick,1924** (Pterophoridae) Synonymy: locharcha Meyrick,1924 Range (as code): **ZW**
13589. **Platyptilia longalis (Walker,1864)** (Pterophoridae) Synonymy: longalis Walker,1864 Range (as code): **ZA Nta Kzu Dbn Mlp MW SZ**
13590. **Platyptilia molopias Meyrick,1906** (Pterophoridae) Synonymy: molopias Meyrick,1906; benitensis Strand,1912 Range (as code): **ZA Tva Gau Pre Wo Hae Nta Kzu Hwk KE Nai MG MU UG ST TZ NG IN TH Nan CMa Loe LK PH**

13591. **Platyptilia monophaea Meyrick,1920** (Pterophoridae) Synonymy: monophaea Meyrick,1920; #morophaea Meyrick,1932 Range (as code): **KE ET ET88 Sw MW**
13592. **Platyptilia mugesse Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: mugesse Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**
13593. **Platyptilia odiosa Meyrick,1912** (Pterophoridae) Synonymy: odiosa Meyrick,1912 Range (as code): **ZA**
13594. **Platyptilia periacta Meyrick,1910** (Pterophoridae) Synonymy: periacta Meyrick,1910 Range (as code): **ZA**
13595. **Platyptilia sabia (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonymy: sabia R.Felder & Rogenhofer,1875 Range (as code): **ZA Gau Tva Pre LS ZW ZM ZR TZ ET SZ MW**
13596. **Porrittia imbecilla (Meyrick,1925)** (Pterophoridae) Synonymy: imbecilla Meyrick,1925 Range (as code): **EG EG11 SA As IL Pa**
13597. **Prichotilus tara Ustjuzhanin & Kovtunovich,2011** (Pterophoridae) Synonymy: tara Ustjuzhanin & Kovtunovich,2011; tanzanicus Gielis,2011 Range (as code): **MW TZ**
13598. **Prichotilus yakovlevi Ustjuzhanin & Kovtunovich,2011** (Pterophoridae) Synonymy: yakovlevi Ustjuzhanin & Kovtunovich,2011 Range (as code): **MW**
13599. **Procapperia linariae (Chrétien,1922)** (Pterophoridae) Synonymy: linariae Chrétien,1922; croatica Adamczewski,1951. Range (as code): **MA ES FR HV BG GR TR IR Ak Ar Gor Gls Shh Es Ke Yz Th Elb UA KG 13 23 65**
13600. **Pselnophorus jaechi (Arenberger,1993)** (Pterophoridae) Synonymy: jaechi Arenberger,1993; meruensis Gielis,2008 Range (as code): **KE TZ**
13601. **Pselnophorus pachyceros Meyrick,1921** (Pterophoridae) Synonymy: pachyceros Meyrick,1921 Range (as code): **ZA Tva Mpu Brb Nta Kzu MZ ZW MW**
13602. **Pselnophorus zulu Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonymy: zulu Ustjuzhanin & Kovtunovich,2010 Range (as code): **ZA AET Kzu Nta**
13603. **Pseudoxyptilus secutor (Meyrick,1911)** (Pterophoridae) Synonymy: secutor Meyrick,1911; variegatus Meyrick,1920 Range (as code): **ZA Nta Kzu Gau Tva Pre Ltr Spb LS ZM ZW MW**
13604. **Pterophorus africanus Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonymy: africanus Ustjuzhanin & Kovtunovich,2010 Range (as code): **AET ZA Nta Kzu Fs LS MW**
13605. **Pterophorus albidus (Zeller,1852)** (Pterophoridae) Synonymy: albidus Zeller,1852; endogramma Meyrick,1922; endophaea Meyrick,1930; suffiata Yano,1963 Range (as code): **ZA Nta Tva Nta Kzu Dbn Ptb MG RE ZW ZR CI FJ JP Ri GM NG TD KE SO UG SU Lob TZ ET VN Zz SB PG ID Sum Clb TH Knc AU QAu NH PH VN ID Ij MW BW**
13606. **Pterophorus candidalis (Walker,1864)** (Pterophoridae) Synonymy: candidalis Walker,1864 Range (as code): **ZA Nta Kzu Est Wnn TW IN ID Ja SL KE TZ CM TD CI ET ZR BI GH GA MW Mje**
13607. **Pterophorus ceraunia (Bigot,1969)** (Pterophoridae) Synonymy: ceraunia Bigot,1969 Range (as code): **ZR CM MG MW ZW Mje BJ**
13608. **Pterophorus dallastai Gielis,1991** (Pterophoridae) Synonymy: dallastai Gielis,1991 Range (as code): **ZA Zom MW**
13609. **Pterophorus endophaeus Meyrick,1930** (Pterophoridae) Synonymy: endophaeus Meyrick,1930 Range (as code): **ZA**
13610. **Pterophorus ischnodactylus (Treitschke,1835)** (Pterophoridae) Synonymy: ischnodactyla Treitschke,1835; actinodactyla Chrétien,1891; eburnella Amsel,1968. Range (as code): **DZ LY ES FR Co Si IT MT BE AT HU RO YU MK HV B-H AL BG GR Rd TR RU MD UA Cm BY IL Jer Pa IQ Bgd SA SA63 OM BH PK Krc MN ZA Fs Blo IR 05 16 34 46**
13611. **Pterophorus rhyparias (Meyrick,1908)** (Pterophoridae) Synonymy: rhyparias Meyrick,1908; centrocrates Meyrick,1933 Range (as code): **ZA Nta Kzu Dbn ZR KE TZ ET MG UG MW ZW**
13612. **Pterophorus spissa (Bigot,1969)** (Pterophoridae) Synonymy: spissa Bigot,1969 Range (as code): **ZR GH NG CM MW ZW Zom**
13613. **Puerphorus olbiadactylus (Millière,1859)** (Pterophoridae) Synonymy: olbiadactylus Millière,1859; hemiargus Meyrick,1908; dactilographa Turati,1927. Range (as code): **Cn MA DZ Ges TN PT ES And Grn Mu FR Co Sa Si IT MT GR Cr CY LB Bsa IL Pa Js Hf JO IR Fa AF Kab TR 33**
13614. **Sphenarches anisodactylus (Walker,1864)** (Pterophoridae) Synonymy: anisodactyla Walker,1864; diffusalis Walker,1864; synophrys Meyrick,1886; croesus Strand,1913; pygmaeana Strand,1913; rishwani Makhan,1994 Range (as code): **CN Tkg IN Djl Nl SC RE MG CM ZR GM GN NG LK ZA Nta Kzu MW SZ CI MG BR PR PA PE PY FJ ST TO NC GU NP JP TW MY ID AU US Tx Fl SB NC NH PG VN MY TH CMa PH Taw IR Ab Oru AE TD TZ Mgr**
13615. **Sphenarches bifurcatus Gielis,2009** (Pterophoridae) Synonymy: bifurcatus Gielis,2009 Range (as code): **ZR MW**

13616. **Sphenarches caffer (Zeller,1852)** (Pterophoridae) Synonymy: caffer Zeller,1852; walkeri Walsingham,1881. Range (as code): **CN Tkg ZA Nta Kzu Dbn TH MG MW RW**

13617. **Sphenarches mulanje Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: mulanje Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW Mje**

13618. **Stangeia siceliota (Zeller,1847)** (Pterophoridae) Synonymy: siceliota Zeller,1847; ononidis Zeller,1852; ononydactyla Bruand,1858; siceliotidactyla Bruand,1858. Range (as code): **MA Ouk Rf DZ Ski Hes Bsk Ktr TN Cn PT ES An Grn Mu FR Co Sa Si IT YU MK HV BG GR Cr CY TR Arr Cc AM Eri SY Dms LB Bei Bsa Bmm JO Zq Amm IL Js Jt Pa AF Srb IR Ar IQ Bgd SA As OM YE CN Hun 07 09 16 23 31 34 36 38 41 44 50 58 65 76**

13619. **Stangeia xerodes (Meyrick,1886)** (Pterophoridae) Synonymy: xerodes Meyrick,1886; esakii Hori,1936; dryites Meyrick,1936. Range (as code): **JP Ri LK TH Mae ID Ja AU QAu SAu Ade FJ PG ZA Nta Kzu Dbn**

13620. **Stenodacma cognata Gielis,2009** (Pterophoridae) Synonymy: cognata Gielis,2009 Range (as code): **ZR TZ MW**

13621. **Stenodacma richardi Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonymy: richardi Ustjuzhanin & Kovtunovich,2010 Range (as code): **AET ZA Nta Kzu Mlp UG KE MW ZW**

13622. **Stenodacma wahlbergi (Zeller,1851)** (Pterophoridae) Synonymy: wahlbergi Zeller,1851; rutilalis Walker,1864; rutilans Wollaston,1879; iranella Amsel,1959 Range (as code): **SH CN Kwt TW IN LK MW Zom TZ KE MG ZW ZA Tva Nta Kzu Pre Gau SZ RE TZ KM RE MU SC MU SC AU SA SA63 IR Ss Ke AE PK**

13623. **Stenoptilia aethiopica Gibeaux,1994** (Pterophoridae) Synonymy: aethiopica Gibeaux,1994 Range (as code): **ET**

13624. **Stenoptilia arida (Zeller,1847)** (Pterophoridae) Synonymy: arida Zeller,1847; oxyactis Meyrick,1921; grisescens Schawerda,1933; csanadyi Gozmany,1959; picardi Gibeaux,1986; mariaeluisiae Bigot & Picard,2001; inopinata Bigot & Picard,2001; kopetdagi Zagulyaev,2002 Range (as code): **Cn MA DZ TN ES FR Co Sa Si IT HV GR Cr BG TR IR Ak Gh Elb Mz Gor Cc AM JO CY IL Pa Js TM Kp AF Kab YE Sna 05 06 13 16 30 32 42 47 58 65 75**

13625. **Stenoptilia atlanticola Zerny,1935** (Pterophoridae) Synonymy: atlanticola Zerny,1935 Range (as code): **MA**

13626. **Stenoptilia bipunctidactyla (Scopoli,1763)** (Pterophoridae) Synonymy: bipunctidactyla Scopoli,1763; mictodactyla [Denis & Schiffermüller],1775; #pallida Tutt,1906; arida Caradja,1920 nec Zell.,1847. Range (as code): **MA Rbt DZ Bsk Ges Gue TN Sfx LY Cn PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU UA At Tv Sb Us Cc AM Eri IL Pa IQ Mos SY Dms JO Amm EG IR Elb Ak Th KG Uk LB Bsa 16 38 42**

13627. **Stenoptilia conicephala Gielis,1990** (Pterophoridae) Synonymy: conicephala Gielis,1990 Range (as code): **KE**

13628. **Stenoptilia elkefi Arenberger,1984** (Pterophoridae) Synonymy: elkefi Arenberger,1984 Range (as code): **TN FR ES IT MA GR Cr CY TR JO YE TM**

13629. **Stenoptilia friedeli Arenberger,1984** (Pterophoridae) Synonymy: friedeli Arenberger,1984 Range (as code): **MA Ouk**

13630. **Stenoptilia gallobritannidactyla Gibeaux,1985** (Pterophoridae) Synonymy: gallobritannidactyla Gibeaux,1985 Range (as code): **GB Co Sa ES DZ Agi MA PT FR**

13631. **Stenoptilia grisescens Schawerda,1933** (Pterophoridae) Synonymy: grisescens Schawerda,1933; csanadyi Gozmany,1959 Range (as code): **FR Co Sa Py IT MA EG SY**

13632. **Stenoptilia hautatlasi Arenberger,2002** (Pterophoridae) Synonymy: hautatlasi Arenberger,2002 Range (as code): **MA**

13633. **Stenoptilia ionota Meyrick,1910** (Pterophoridae) Synonymy: ionota Meyrick,1910 Range (as code): **KE TZ**

13634. **Stenoptilia johnistella Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonymy: johnistella Ustjuzhanin & Kovtunovich,2010 Range (as code): **AET ZA Nta Kzu SZ MW**

13635. **Stenoptilia juniper Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonymy: juniper Kovtunovich & Ustjuzhanin,2014 Range (as code): **MW**

13636. **Stenoptilia kasyi Arenberger,2002** (Pterophoridae) Synonymy: kasyi Arenberger,2002 Range (as code): **MA**

13637. **Stenoptilia kiitulo Gielis,2008** (Pterophoridae) Synonymy: kiitulo Gielis,2008 Range (as code): **TZ MW**

13638. **Stenoptilia mannii (Zeller,1852)** (Pterophoridae) Synonymy: mannii Zeller,1852; megalochra Meyrick,1927; lucasi Arenberger,1990 Range (as code): **MA FR MK BG GR TR RU IR Ab Mmş Ar Elb Th Fa Cc GG AM Eri UA Cm CN Ui Ku LB SY Hal IQ UZ KK 03 05 06 13 16 24 25 30 42 46 50 60 65**

13639. **Stenoptilia mariaeluisae Bigot & Picard,2002** (Pterophoridae) Synonymy: mariaeluisae Bigot & Picard,2002 Range (as code): **DZ ES FR Ct GR DZ TN Cr TR IT 25**

13640. **Stenoptilia millieridactyla (Bruand,1861)** (Pterophoridae) Synonymy: millieridactyla Bruand,1861; saxifragae T.B.Fletcher,1940. Range (as code): **MA ES FR Co IT SE IE GB**

13641. **Stenoptilia natalensis Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonymy: natalensis Ustjuzhanin & Kovtunovich,2010 Range (as code): **AET ZA Nta Kzu LS MW**

13642. **Stenoptilia petraea Meyrick,1907** (Pterophoridae) Synonymy: petraea Meyrick,1907 Range (as code): **ET Sw ET88 ET70 IN Tn Pln**

13643. **Stenoptilia rougeoti Gibeaux,1994** (Pterophoridae) Synonymy: rougeoti Gibeaux,1994 Range (as code): **ET**

13644. **Stenoptilia stigmatodactyla (Zeller,1852)** (Pterophoridae) Synonymy: stigmatodactyla Zeller,1852 Range (as code): **MA TN DZ ES FR Si IT NL DE CH AT PL CZ SK HU RO YU BG GR TR RU At Ya Mgd MD UA BY Cc AM Eri Cr IL Pa IR Ak Sah Th Elb Kdj Kdv Kd Zj At Sb Ya 16 38**

13645. **Stenoptilia tyropiesta Meyrick,1932** (Pterophoridae) Synonymy: tyropiesta Meyrick,1932 Range (as code): **ET Sw ET70**

13646. **Stenoptilia viettei Gibeaux,1994** (Pterophoridae) Synonymy: viettei Gibeaux,1994 Range (as code): **MG MW**

13647. **Stenoptilia zophodactyla (Duponchel,1838)** (Pterophoridae) Synonymy: zophodactyla Duponchel,1838; loewii Zeller,1847; oreodactyla Bruand,1850; loividactyla Bruand,1859; canalis Walker,1864; semicostatus Zeller,1873. Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Rd Cr CY HV SS MK TR IR Gh DK SE RU MD UA BY LB Bei IL Pa SA Cc AM At Sb Ya MN CN Ti Sz VN Ton IN LK TH CMa JP ZA Tva Gau Pre Nta Kzu Dbn ZR MG KE PH NZ MX EC PY AU US Tx MW Blid Dhm 01 02 25 35 42 55**

13648. **Stenoptilodes taprobanes (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonymy: taprobanes R.Felder & Rogenhofer,1875; brachymorpha Meyrick,1888; seeboldi Hofmann,1898; crenulata Barnes & McDunnough,1913; phaenicodactyla Chrétien,1915; terlizzii Turati,1926; zavattarii Hartig,1953; legrandi Bigot,1962. Range (as code): **TD SY LY SC NG ZA Nta Kzu Dbn PT ES FR Si IT MT BG GR Cr CY TR IR IL FI CN Kwt Kwa MM JP TH Nst CMa IN LK US Hw MW 31 33 46**

13649. **Tabulaephorus punctinervis (Constant,1885)** (Pterophoridae) Synonymy: punctinervis Constant,1885; tyrrhenica Amsel,1954 Range (as code): **Cn DZ Lbs Afl Eba Sbd PT ES Mu FR Sa Si IT TR CY LY Cy 50**

13650. **Titanoptilus melanodonta Hampson,1905** (Pterophoridae) Synonymy: melanodonta Hampson,1905 Range (as code): **UG MW**

13651. **Titanoptilus serrulatus Meyrick,1935** (Pterophoridae) Synonymy: serrulatus Meyrick,1935 Range (as code): **NG MW**

13652. **Titanoptilus stenodactylus (T.B.Fletcher,1911)** (Pterophoridae) Synonymy: stenodactylus T.B.Fletcher,1911; patellatus Meyrick,1913; laniger Bigot,1969 Range (as code): **ZA Nta Kzu Dbn ZW ZR TZ KM SZ KE MW**

13653. **Trichoptilus animosus Meyrick,1921** (Pterophoridae) Synonymy: animosus Meyrick,1921 Range (as code): **ZA Nta Kzu Rie**

13654. **Trichoptilus cryphias Meyrick,1912** (Pterophoridae) Synonymy: cryphias Meyrick,1912 Range (as code): **ZA Tva Nta Kzu Ptb MW**

13655. **Trichoptilus festus Meyrick,1920** (Pterophoridae) Synonymy: festus Meyrick,1920; animosus Meyrick,1921 Range (as code): **ZA Wca Cto Kzu Nta Dbn NA**

13656. **Trichoptilus infernus Meyrick,1938** (Pterophoridae) Synonymy: infernus Meyrick,1938 Range (as code): **AO**

13657. **Trichoptilus varius Meyrick,1909** (Pterophoridae) Synonymy: varius Meyrick,1909 Range (as code): **ZA Tva Gau Pre**

13658. **Trichoptilus viduus Meyrick,1917** (Pterophoridae) Synonymy: viduus Meyrick,1917 Range (as code): **ZA**

13659. **Vietteilus vigens (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonymy: vigens R.Felder & Rogenhofer,1875; africae Walsingham,1881; maligna Meyrick,1913; borbonica Viette,1957 Range (as code): **AET RE ZA Nta Kzu NZ MW Zom RW KE**

13660. **Walsinghamiella illustris (Townsend,1958)** (Pterophoridae) Synonymy: illustris Townsend,1958 Range (as code): **ZA KE MW**

13661. **Walsinghamiella niniella Gielis,2011** (Pterophoridae) Synonymy: niniella Gielis,2011 Range (as code): **TZ MW**

13662. **Walsinghamiella orichalcias (Meyrick,1916)** (Pterophoridae) Synonymy: orichalcias Meyrick,1916 Range (as code): **MW Mje SZ AO TZ ZM KE**

13663. **Walsinghamiella vibrans (Meyrick,1921)** (Pterophoridae) Synonymy: vibrans Meyrick,1921 Range (as code): **Elo Nta ZA AO TZ MW**

13664. **Wheeleria leptopsamma (Meyrick,1925)** (Pterophoridae) Synonymy: leptopsamma Meyrick,1925 Range (as code): **EG**

13665.Wheeleria spilodactyla (Curtis,1827) (Pterophoridae) Synonymy: spilodactyla Curtis,1827; marrubii Heydenreich,1851; xerodactylus Herrich-Schäffer,1855 nec Zell.,1841; tuneta Staudinger,1892; calamodactyla Zerny,1935 Range (as code): **MA Ifr DZ Agi Orn Ski Phv Lbs Dja Agi LY Cy TN Tun PT ES Grn Mu FR Co Sa IT GB BE NL DE AT PL YU TR Cc RU MD UA BY IR Elb Dam Kdv Plr Gor Gls 05 06 38 42 46 76**

13666.Xyroptila africana Bigot,1969 (Pterophoridae) Synonymy: africana Bigot,1969 Range (as code): **AET ZR**

13667.Xyroptila masaia Kovtunovich & Ustjuzhanin,2006 (Pterophoridae) Synonymy: masaia Kovtunovich & Ustjuzhanin,2006 Range (as code): **KE MW ZM ZW**

13668.Xyroptila ruvenzori Kovtunovich & Ustjuzhanin,2006 (Pterophoridae) Synonymy: ruvenzori Kovtunovich & Ustjuzhanin,2006 Range (as code): **UG Rz MW GH**

Pyralidae

13669.Abachausia grisea Balinsky,1994 (Pyralidae) Synonymy: grisea Balinsky,1994 Range (as code): **NA Abc ZA Tva Gau Pre**

13670.Achroia grisella (Fabricius,1794) (Pyralidae) Synonymy: grisella Fabricius,1794; aluearia Fabricius,1798; cinereola Hübner,[1803]; alvea Haworth,1811; alveariella Guenée,1845; anticella Walker,1863; obscurevittella Ragonot,1901; #major Dufrane,1930. Range (as code): **DZ Bsk PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR YE LB IL KK Ax DK NO SE FI EE LV LT RU MD UA BY LK US KP KR TW CN JP IN Clc LK AU ZA 05**

13671.Achroia innotata Walker,1864 (Pyralidae) Synonymy: innotata Walker,1864; lankella Corbet & Tams,1943 [ssp.] Range (as code): **ZA TH IN LK MY ID Sum Ja BN Bor Swk**

13672.Achyra caffralis (Hampson,1910) (Pyralidae) Synonymy: caffralis Hampson,1910 Range (as code): **ZA**

13673.Achyra coelatalis (Walker,1859) (Pyralidae) Synonymy: coelatalis Walker,1859; nodiferalis Gaede,1917 Range (as code): **BW ZR GH KE LS MG NA SC TZ ZM ZW ZA RE ML CV CI ET OM RW SL YE AF IR LK AU QAu TW CV CI ET OM RW SL YE AF IR**

13674.Achyra massalis (Walker,1859) (Pyralidae) Synonymy: massalis Walker,1859; aurantiaca Rothschild,1921; fredi Amsel,1961 Range (as code): **AU NE PK Cp Sd Krc AF Gbh Srb Pag IR Fa Shr**

13675.Achyra nudalis (Hübner,1796) (Pyralidae) Synonymy: nudalis Hübner,1796; interpunctalis Hübner,1796; unipunctalis Duponchel,1831; bipunctalis Duponchel,1832; lacunalis Zeller,1852; pauciferalis Walker,1865; nodalis Gundlach,1891; fulvalis W.Warren,1892; ochromorpha Lower,1901; kronei Schawerda,1914; brunnealis Caradja,1916; serenalis Schawerda,1916; xanthalis Fawcett,1916 Range (as code): **MA TN DZ Clo PT ES FR Co Sa Si IT MT HU YU B-H AL BG GR Cr CY TR Cc Ce Gro RU Ao AM Eri GG Tbl Len AZ Kir Nv Ord YE IL Pa Hf LB IR Es Fa Shr Th Elb Kdj Kz Sde Ana Ke Put Mz IQ Bgd AF Hr Ca Blh Pli Arh Dwe Fz Bkt PK Sd Krc Gg Cls Ui MN LK IN ZA ZA SA NE ZR KE 01 16 23 27 31 33 46 76**

13676.Acrobasis acrobasella (Rebel,1926) (Pyralidae) Synonymy: acrobasella Rebel,1926; talhouki Amsel,1958. Range (as code): **EG SA IR Ss Irs**

13677.Acrobasis africanella Balinsky,1994 (Pyralidae) Synonymy: africanella Balinsky,1994 Range (as code): **NA Abc ZA Tra Tva Lpo Pot Gau Jh Pre**

13678.Acrobasis aicha Asselbergs,1998 (Pyralidae) Synonymy: aicha Asselbergs,1998 Range (as code): **MA**

13679.Acrobasis consociella (Hübner,[1813]) (Pyralidae) Synonymy: consociella Hübner,[1813]; consocialis Hübner,[1825]; tumidella Duponchel,1836; oberthueri Lucas,1914. Range (as code): **TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY TR TM Kp 05 06 13 65**

13680.Acrobasis diversicolor Ragonot,1893 (Pyralidae) Synonymy: diversicolor Ragonot,1893 Range (as code): **ZA Nta Kzu Est**

13681.Acrobasis erastriella (Ragonot,1887) (Pyralidae) Synonymy: erastriella Ragonot,1887; semistrigella Mabille,1908; lella Chrétien,1911 Range (as code): **DZ Onç TN Cc AZ Nv Ord TR 76**

13682.Acrobasis glaucella Staudinger,1859 (Pyralidae) Synonymy: glaucella Staudinger,1859 Range (as code): **DZ Lbs LY Cy PT ES Grn An FR Co Sa Si IT DE CH AT CZ SK HU RO YU BG GR Cr RU MD UA BY TR IL Pa Hf IR Ab Ak Elb Fa LB Bsa 05 06 13 31 35 42 44 46 56 65 71**

13683.Acrobasis klimeschi Roesler,1978 (Pyralidae) Synonymy: klimeschi Roesler,1978 Range (as code): **Cn**

13684.Acrobasis legatea (Haworth,[1811]) (Pyralidae) Synonymy: legatea Haworth,[1811]; legatella Hübner,1796 nec [Den. & Schiff.],1775; legatalis Hübner,[1825]; naumanni Roesler,1969 Range (as code): **TN Gf ES FR GB Co Si IT DE CH AT CZ SK HU RO YU GR Cr RU MD UA BY TR LB Bsa IL Pa Hf 01 05 13 16 31 42 44 46 58**

13685.Acrobasis mabilleella (D.Lucas,1909) (Pyralidae) Synonymy: mabilleella D.Lucas,1909 Range (as code): **TN IR Kz Sde**

13686. **Acrobasis marmorea (Haworth,[1811])** (Pyralidae) Synonymy: marmorea Haworth,[1811]; epelydella Zeller,1839; marmorella Doubleday,1859; lugens Staudinger,1881 Range (as code): **TN PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR Cr DK NO SE LV RU MD UA BY TR IL Pa Js Jt 05 16 46**
13687. **Acrobasis obliqua (Zeller,1847)** (Pyralidae) Synonymy: obliqua Zeller,1847; cinerascens Turati,1927. Range (as code): **PT Cn ES FR Co Sa Si IT CH YU AL GR Rd CY TR IL Pa LB Bsa 05 09 13 16 31 46**
13688. **Acrobasis porphyrella (Duponchel,1836)** (Pyralidae) Synonymy: porphyrella Duponchel,1836 Range (as code): **TN PT ES FR Co Sa IT YU RU**
13689. **Acrobasis praefectella (Zerny,1936)** (Pyralidae) Synonymy: praefectella Zerny,1936; chirazella Amsel,1951 Range (as code): **MA IR Fa Shr**
13690. **Acrobasis pumilella Rebel,1927** (Pyralidae) Synonymy: pumilella Rebel,1927 Range (as code): **EG**
13691. **Acrobasis ramosella Walker,1866** (Pyralidae) Synonymy: ramosella Walker,1866 Range (as code): **ZA**
13692. **Acrobasis xanthogramma (Staudinger,1870)** (Pyralidae) Synonymy: xanthogramma Staudinger,1870; zizyphella Rebel,1914; pumilella Rebel,1926; arenella Dufrane,1955. Range (as code): **DZ Bsk TN Gf MA EG ES IL Pa JO IR Ss Bmp Irs**
13693. **Adelpherupa aethiopicalis Maes,2004** (Pyralidae) Synonymy: aethiopicalis Maes,2004 Range (as code): **ET**
13694. **Adelpherupa albescens Hampson,1919** (Pyralidae) Synonymy: albescens Hampson,1919 Range (as code): **ZA MW ZR**
13695. **Adelpherupa costipunctalis Maes,2004** (Pyralidae) Synonymy: costipunctalis Maes,2004; #costipuntalis Maes,2004 Range (as code): **MW**
13696. **Adelpherupa elongalis Maes,2004** (Pyralidae) Synonymy: elongalis Maes,2004 Range (as code): **NG ZR ET UG KE Na AO SD MW Zom**
13697. **Adelpherupa flavescens Hampson,1919** (Pyralidae) Synonymy: flavescens Hampson,1919; aurantiacus Rothschild,1926 Range (as code): **UG SD NG MW SN BJ**
13698. **Adelpherupa lialuiensis Maes,2004** (Pyralidae) Synonymy: lialuiensis Maes,2004 Range (as code): **ZM**
13699. **Adelpherupa pontica Maes,2004** (Pyralidae) Synonymy: pontica Maes,2004 Range (as code): **CM ZR UG Rz MW**
13700. **Adelpherupa terreus (Zeller,1877)** (Pyralidae) Synonymy: terreus Zeller,1877 Range (as code): **MG**
13701. **Adelpherupa typicota (Meyrick,1933)** (Pyralidae) Synonymy: typicota Meyrick,1933; gymnastica Meyrick,1934 Range (as code): **ZA ZR TZ**
13702. **Adenia elbaensis Slamka,2019** (Pyralidae) Synonymy: #elbaensis Rebel; elbaensis Slamka,2019 Range (as code): **EG**
13703. **Adenia metamelana (Hampson,1896)** (Pyralidae) Synonymy: metamelana Hampson,1896; aumontella D.Lucas,1911; horridella Dumont,1932; arida Asselbergs,2008 Range (as code): **MA TN OM IL Pa IQ YE Ad Cn TR AE 47**
13704. **Adenia rubromixta (Rebel,1912)** (Pyralidae) Synonymy: rubromixta Rebel,1912; euzopherella Amsel,1965 Range (as code): **EG SD**
13705. **Aeschremon kabylalis (Rebel,1902)** (Pyralidae) Synonymy: kabylalis Rebel,1902; nigronaevalis Mabille,1906 Range (as code): **DZ Bsk Orn TN Gf**
13706. **Aethaloessa floridalis (Zeller,1852)** (Pyralidae) Synonymy: floridalis Zeller,1852; merionealis Walker,1859. Range (as code): **ZA Nta Kzu AO KE UG CM SL NG GH ZR MG**
13707. **Afromylea natalica Balinsky,1994** (Pyralidae) Synonymy: natalica Balinsky,1994 Range (as code): **ZA Nta Kzu Nkw**
13708. **Afropsipyla pictella Balinsky,1994** (Pyralidae) Synonymy: pictella Balinsky,1994 Range (as code): **NA Abc**
13709. **Afropsipyla similis Balinsky,1994** (Pyralidae) Synonymy: similis Balinsky,1994 Range (as code): **ZA Tva Gau Jh**
13710. **Afroscoparia australis Nuss,2003** (Pyralidae) Synonymy: australis Nuss,2003 Range (as code): **ZA Tva Lpo LS**
13711. **Afroscoparia contemptalis (Walker,[1866])** (Pyralidae) Synonymy: contemptalis Walker,[1866] Range (as code): **ZA Cto Wca**
13712. **Agathodes bibundalis Strand,1913** (Pyralidae) Synonymy: bibundalis Strand,1913 Range (as code): **CM**
13713. **Agathodes dufayi Rougeot,1977** (Pyralidae) Synonymy: dufayi Rougeot,1977 Range (as code): **ET**
13714. **Agathodes incoloralis (Hampson,1918)** (Pyralidae) Synonymy: incoloralis Hampson,1918 Range (as code): **ZM KE**

13715. **Agathodes isabella Viette,1989** (Pyralidae) Synonymy: isabella Viette,1989 Range (as code): **MG**
13716. **Agathodes minimalis Hampson,1912** (Pyralidae) Synonymy: minimalis Hampson,1912 Range (as code): **NG**
13717. **Agathodes modicalis Guenée,1854** (Pyralidae) Synonymy: modicalis Guenée,1854; integralis Walker,1865 Range (as code): **ZA ID Ja**
13718. **Agathodes musivalis Guenée,1854** (Pyralidae) Synonymy: musivalis Guenée,1854; chrysalis Hampson,1908; heliamma Meyrick,1885 Range (as code): **LR ZA Tva Lpo Spb ZW ZM UG SO MZ MU MW MG RE KE ZR KM ML**
13719. **Agathodes ostentalis (Geyer,1838)** (Pyralidae) Synonymy: ostentalis Geyer,1838 Range (as code): **PH Luz Ceb Mno IN LK MM Adm Sum Ja Sbw ID Clb Crm PG QAu AU CN TW TH ZA ZR KM**
13720. **Agathodes thomensis Castel-Branco,1973** (Pyralidae) Synonymy: thomensis Castel-Branco,1973 Range (as code): **ST**
13721. **Aglossa aethiopialis Leraut,2019** (Pyralidae) Synonymy: aethiopialis Leraut,2019 Range (as code): **ET**
13722. **Aglossa aglossalis (Ragonot,1892)** (Pyralidae) Synonymy: aglossalis Ragonot,1892; exigualis Chrétien,1911; africana Rothschild,1921; latidorsalis Turati,1929; exsculpta Meyrick,1937 Range (as code): **MR DZ Omy TN Gf LY Cy IQ Mos IR Ss Chh Irs Fa Ana Ke OM KW PK Sd Krc YE Ad SA AE NE**
13723. **Aglossa asiatica Erschoff,1871** (Pyralidae) Synonymy: asiatica Erschoff,1871; abdidalis Christoph,1873; maceralis Chrétien,1891; indistincta Corbet & Tams,1943 Range (as code): **TR LB EG Cr IR Elb Th Kdj Ha Adv Fa Shr Sse IL Hf Pa CY AF PK UZ Smk 06 46 65**
13724. **Aglossa caprealis (Hübner,[1809])** (Pyralidae) Synonymy: caprealis Hübner,[1809]; capreolatus Haworth,1809; #cuprealis Hübner,[1825]; aenalis Costa,1836; domalis Guenée,1854; incultella Walker,1866; enthealis Hulst,1886 Range (as code): **MA Az Md DZ Agi Clo Omy PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ HU RO YU AL BG GR CY TR EG IL Pa Hf IR Elb Th Kdj Fa Com LB Cc GG Bjo Kir AZ Nv Ord CN AU 05 16 31 34 45**
13725. **Aglossa capsalis (Chrétien,1911)** (Pyralidae) Synonymy: capsalis Chrétien,1911 Range (as code): **TN Gf**
13726. **Aglossa ferrealis Hampson,1906** (Pyralidae) Synonymy: ferrealis Hampson,1906 Range (as code): **ZA**
13727. **Aglossa formosa Butler,1875** (Pyralidae) Synonymy: formosa Butler,1875 Range (as code): **ZA**
13728. **Aglossa gracilalis Rebel,1914** (Pyralidae) Synonymy: gracilalis Rebel,1914 Range (as code): **TN EG**
13729. **Aglossa inconspicua Butler,1875** (Pyralidae) Synonymy: inconspicua Butler,1875 Range (as code): **ZA**
13730. **Aglossa incultalis Zeller,1852** (Pyralidae) Synonymy: incultalis Zeller,1852 Range (as code): **ZA**
13731. **Aglossa infuscalis Hampson,1906** (Pyralidae) Synonymy: infuscalis Hampson,1906 Range (as code): **ZA**
13732. **Aglossa mirei Leraut,2019** (Pyralidae) Synonymy: mirei Leraut,2019 Range (as code): **TD Tb**
13733. **Aglossa obliteralis Turati,1930** (Pyralidae) Synonymy: obliteralis Turati,1930 Range (as code): **LY Cy**
13734. **Aglossa ocellaris Lederer,1863** (Pyralidae) Synonymy: ocellaris Lederer,1863; ocelliferalis Hampson,1906; circozyga Meyrick,1937 Range (as code): **ZR UG**
13735. **Aglossa phaealis Hampson,1906** (Pyralidae) Synonymy: phaealis Hampson,1906 Range (as code): **ZA**
13736. **Aglossa pinguinalis (Linnaeus,1758)** (Pyralidae) Synonymy: pinguinalis Linnaeus,1758; marmorella Geoffroy,1785; marmoratella De Villers,1789; pinguiculatus Haworth,1809; pinguinatus Haworth,1809; rubralis Hampson,1900; guicciardii Constantinio,1922; sanaensis Rebel,1930; maroccana Schmidt,1934 Range (as code): **MA DZ Onç Gha Gea Ges PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR AF Hr DK NO SE FI EE LV LT RU MD UA BY IR Ab Oru EG CY IQ Bgd IL JO LB YE Sna Ax KK Na AF Ca UZ Smk PK Bl Qu Mre Haz IN CN AU 01 05 06 08 16 31 33 34 35 42 45**
13737. **Aglossa rabatalis (De Joannis,1923)** (Pyralidae) Synonymy: rabatalis De Joannis,1923; atlassica Schmidt,1934; ifniensis Schmidt,1934 Range (as code): **MA Rbt TN DZ Agi**
13738. **Aglossa rhodalis Hampson,1906** (Pyralidae) Synonymy: rhodalis Hampson,1906; rubrovittata Grünberg,1910 Range (as code): **DZ Idl Eal Onç ZA NA**
13739. **Aglossa rubralis Hampson,1900** (Pyralidae) Synonymy: rubralis Hampson,1900; lateritialis Turati,1921; lividalis Turati,1921 Range (as code): **DZ Agi Tou Ogl Hga Abe Ajj Gle Omy Bsk TN Gf IL Pa LY Cy**
13740. **Aglossa steralis R.Felder & Rogenhofer,1875** (Pyralidae) Synonymy: steralis R.Felder & Rogenhofer,1875 Range (as code): **ZA**
13741. **Aglossa subpurpuralis (Chrétien,1915)** (Pyralidae) Synonymy: subpurpuralis Chrétien,1915 Range (as code): **TN Gf MA Agd**
13742. **Aglossa suppunctalis De Joannis,1927** (Pyralidae) Synonymy: suppunctalis De Joannis,1927 Range (as code): **ZA MZ**

13743. **Aglossa thamii Leraut,2003** (Pyralidae) Synonymy: thamii Leraut,2003 Range (as code): **MA**
13744. **Aglossa thermochroa Hampson,1916** (Pyralidae) Synonymy: thermochroa Hampson,1916 Range (as code): **ZA**
13745. **Aglossa tinealis Leraut,2007** (Pyralidae) Synonymy: tinealis Leraut,2007 Range (as code): **NA**
13746. **Aglossa wolloensis Leraut,2019** (Pyralidae) Synonymy: wolloensis Leraut,2019 Range (as code): **ET**
13747. **Aglossodes aurora (Fawcett,1916)** (Pyralidae) Synonymy: aurora Fawcett,1916 Range (as code): **MW**
13748. **Aglossodes prionophoralis Ragonot,1891** (Pyralidae) Synonymy: prionophoralis Ragonot,1891; natalensis Janse,1922 Range (as code): **ZA**
13749. **Agriphila argentistrigella (Ragonot,1888)** (Pyralidae) Synonymy: argentistrigella Ragonot,1888; lybistridellus Turati,1924; nebrodellus Zerny,9143; monica Bleszynski,1956; bipunctellus Lucas,1956 Range (as code): **MA DZ Lbs LY Cy ES FR Si**
13750. **Agriphila cyrenaicella (Ragonot,1887)** (Pyralidae) Synonymy: cyrenaicella Ragonot,1887; alexandriensis Bethune-Baker,1894; permixtellus Kalchberg,1897 Range (as code): **TN LY Cy ES Mu Sa Si GR Cr TR IQ Mos IR Bu Fa Gls Gor Jrf Msh Ke JO IL Hf Pa EG EG05 72**
13751. **Agriphila indivisella (Turati & Zanon,1922)** (Pyralidae) Synonymy: indivisella Turati & Zanon,1922; reisseri Bleszynski,1965 Range (as code): **LY Cy Cr**
13752. **Agriphila tersella (Lederer,1855)** (Pyralidae) Synonymy: tersellus Lederer,1855; graphellus Constant,1884; hungaricus Schmidt,1909; austellus Chrétien,1913; uniformellus Caradja,1918; chneouri Lucas,1942. Range (as code): **Cn MA TN DZ Bsk Anna PT ES FR Sa Si IT YU BG GR RO HU AT IL Pa Hf LB Bei IR Ab Mak Kz By Ahz Skh Th IQ TR TM Kp Cc GG AM AZ 05 06 33 58**
13753. **Agriphila trabeatella (Herrich-Schäffer,[1848])** (Pyralidae) Synonymy: trabeatellus Herrich-Schäffer,[1848]; divisellus Joannis,1888. Range (as code): **Cn DZ LY Cy PT ES FR Co Sa Si IT MT GR Cr TR LB Bei 16**
13754. **Agrotera citrina Hampson,1898** (Pyralidae) Synonymy: citrina Hampson,1898 Range (as code): **MW GH MZ SL TZ UG ZW LR ML**
13755. **Agrotera fumosa Hampson,1898** (Pyralidae) Synonymy: fumosa Hampson,1898 Range (as code): **ZA**
13756. **Agrotera rufitinctalis Hampson,1917** (Pyralidae) Synonymy: rufitinctalis Hampson,1917 Range (as code): **LR MW RW UG ZW ML**
13757. **Alophia combustella (Herrich-Schäffer,[1855])** (Pyralidae) Synonymy: combustella Herrich-Schäffer,[1855]; gallicola Staudinger,1870; palumbiella Rondani,1876; incinerella Caradja,1910; fuscorubra Riel,1928; marocana D.Lucas,1955; hyrcanella Amsel,1961 Range (as code): **MA DZ Bsk TN Gf PT ES Mu FR Sa Si IT MT HU RO YU GR Tyg TR IR CY IL Pa Hf Js LB Bsa JO RU MD UA Cm 05 06 31 46 80**
13758. **Alphacrambus prodontellus (Hampson,1919)** (Pyralidae) Synonymy: prodontellus Hampson,1919 Range (as code): **KE ZA Tva Lpo**
13759. **Alphacrambus razowskii (Bleszynski,1961)** (Pyralidae) Synonymy: razowskii Bleszynski,1961 Range (as code): **ZA Ec KE**
13760. **Ambetilia crucifera Balinsky,1994** (Pyralidae) Synonymy: crucifera Balinsky,1994 Range (as code): **ZA Tva Gau Pre**
13761. **Ambia albiflavalis Hampson,1917** (Pyralidae) Synonymy: albiflavalis Hampson,1917 Range (as code): **NG**
13762. **Ambia albomaculalis (Hampson,1897)** (Pyralidae) Synonymy: albomaculalis Hampson,1897 Range (as code): **CI**
13763. **Ambia chalcichroalis Hampson,1906** (Pyralidae) Synonymy: chalcichroalis Hampson,1906 Range (as code): **ZA**
13764. **Ambia melanalis Hampson,1906** (Pyralidae) Synonymy: melanalis Hampson,1906 Range (as code): **ZA**
13765. **Ambia thyridialis (Lederer,1855)** (Pyralidae) Synonymy: thyridialis Lederer,1855 Range (as code): **TR LB Ghz Bei IL Pa EG 56**
13766. **Ambluncus nervosellus Amsel,1954** (Pyralidae) Synonymy: nervosellus Amsel,1954 Range (as code): **MA AE IR Ss Chh**
13767. **Amonia psammenitella (Zeller,1967)** (Pyralidae) Synonymy: psammenitella Zeller,1967; subterrella Ragonot,1888; luxorella Caradja,1916; fasciculatella Dumont,1932; nubiella Amsel,1965 Range (as code): **MA TN SD EG**
13768. **Amphithrix sublineatella (Staudinger,1859)** (Pyralidae) Synonymy: sublineatella Staudinger,1859; ogmosema Meyrick,1935 Range (as code): **MA PT ES Mu FR Co Si HV GR IL LB CY Cy5 TR 31**
13769. **Amselia heringi (Amsel,1935)** (Pyralidae) Synonymy: heringi Amsel,1935 Range (as code): **IL Jf Pa IR Ss Bu Ahz Fa Shr Hz Ke Jrf Kdj BH KW MA SA SA39 AE**

13770. **Analyta calligrammalis Mabille,1879** (Pyralidae) Synonymy: calligrammalis Mabille,1879 Range (as code): **ZA Tva Lpo Kru Pma ZR GM GH MG MZ SC SL ML**
13771. **Anania (s.str.) amaniensis (Maes,1997)** (Pyralidae) Synonymy: amaniensis Maes,1997 Range (as code): **TZ**
13772. **Anania (s.str.) ankolae (Maez,1997)** (Pyralidae) Synonymy: ankolae Maez,1997 Range (as code): **UG**
13773. **Anania (s.str.) bryalis (Hampson,1918)** (Pyralidae) Synonymy: bryalis Hampson,1918 Range (as code): **KE**
13774. **Anania (s.str.) camerounensis (Maez,1997)** (Pyralidae) Synonymy: camerounensis Maez,1997 Range (as code): **CM**
13775. **Anania (s.str.) elutalis (Kenrick,1917)** (Pyralidae) Synonymy: elutalis Kenrick,1917 Range (as code): **MG**
13776. **Anania (s.str.) epipaschialis (Hampson,1912)** (Pyralidae) Synonymy: epipaschialis Hampson,1912 Range (as code): **SL**
13777. **Anania (s.str.) impunctata (W.Warren,1897)** (Pyralidae) Synonymy: impunctata W.Warren,1897 Range (as code): **ZA**
13778. **Anania (s.str.) lippensi (Maez,1997)** (Pyralidae) Synonymy: lippensi Maez,1997 Range (as code): **CM**
13779. **Anania (s.str.) ruwenzoriensis (Maez,1997)** (Pyralidae) Synonymy: ruwenzoriensis Maez,1997 Range (as code): **UG Rz**
13780. **Anania (s.str.) terrealis (Treitschke,1829)** (Pyralidae) Synonymy: terrealis Treitschke,1829; borealis Curtis,1830; pinetalis Zetterstedt,1839; reisseri Zerny,1932 Range (as code): **MA PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV BG TR DK NO SE FI EE LV LT RU MD UA BY AF 16**
13781. **Anania aurea (Butler,1875)** (Pyralidae) Synonymy: aurea Butler,1875 Range (as code): **ZA**
13782. **Anania ochrofascialis (Christoph,1882)** (Pyralidae) Synonymy: ochrofascialis Christoph,1882; retowskyi Möschler,1888; bilinea Bethune-Baker,1894; #ochrifascialis Rebel,1901; younesalis Chrétien,1915 Range (as code): **RU Cc Da UA Cm AZ Kir Nv Ord IQ EG TN Gf IR Ss AE**
13783. **Anarpia incertalis (Duponchel,1832)** (Pyralidae) Synonymy: incertalis Duponchel,1832; pyrenealis Duponchel,1842; incertella Duponchel,[1845]; pyrenaeella Duponchel,[1845]; pyrenaicalis Guenée,1846; phycophanes Meyrick,1937; rupestris Meyrick,1937 Range (as code): **MA DZ Btna TN PT ES Py FR Co Sa Si IT YU GR Cr TR Cc AZ Nv Ord Eri AM RU IR Elb Mz Dam Kh IL Pa Js LB Bsa CY B-H SY JO AF UZ KG KK IQ Rwz 05 13 16 46 65 73**
13784. **Ancylodes dealbatella (Erschoff,1874)** (Pyralidae) Synonymy: dealbatella Erschoff,1874; staminella Christoph,1877; nervulatella Turati,1926; subgoliathella Caradja,1937; kerbelella Amsel,1949; gigantella Roesler,1965 Range (as code): **Cn ES MA DZ Bsk TN Gf LY Cy EG SD SA SA63 BH IL Pa Hf Jt JO LB SY Dms TR IQ Kbl IR Th Elb Mz AF Gbh Srb Pli PK Gg Ch MN UZ Smk TM Kp Krn RU Sr Uk KG Ind CN Yu SI 06 42**
13785. **Ancylodes pallens Ragonot,1887** (Pyralidae) Synonymy: pallens Ragonot,1887; lactealis Rothschild,1915; banghaasiella Caradja,1917; #fuscella Amsel,1958. Range (as code): **Cn MA DZ Sfr TN Gf LY Cy ES MT YU HV GR Rd EG TR IL Pa Hf Jer IR Fa AF Ca Kab Srb IQ Mos SY LB Bei SA SA63 SD SD91 BH 13 33**
13786. **Ancylolomia albicostalis Hampson,1919** (Pyralidae) Synonymy: albicostalis Hampson,1919 Range (as code): **ZA**
13787. **Ancylolomia argentovittata Aurivillius,1910** (Pyralidae) Synonymy: argentovittata Aurivillius,1910 Range (as code): **KE TZ**
13788. **Ancylolomia atrifasciata Hampson,1919** (Pyralidae) Synonymy: atrifasciata Hampson,1919 Range (as code): **KE**
13789. **Ancylolomia auripaleella Marion,1954** (Pyralidae) Synonymy: auripaleella Marion,1954 Range (as code): **MG**
13790. **Ancylolomia caffra Zeller,1877** (Pyralidae) Synonymy: caffra Zeller,1877 Range (as code): **ZA Ec**
13791. **Ancylolomia capensis Zeller,1852** (Pyralidae) Synonymy: capensis Zeller,1852; chrysolinealis Fawcett,1917; cinerifusa Joannis,1927 Range (as code): **ZA Ec**
13792. **Ancylolomia castaneata Hampson,1919** (Pyralidae) Synonymy: castaneata Hampson,1919 Range (as code): **ZA Tva Lpo**
13793. **Ancylolomia chrysargyria Hampson,1919** (Pyralidae) Synonymy: chrysargyria Hampson,1919 Range (as code): **NG**
13794. **Ancylolomia chrysographella (Kollar,[1844])** (Pyralidae) Synonymy: chrysographella Kollar,[1844]; responsella Walker,1863; xylinella Walker,1863; basistriga Moore,1886; cassimella Swinhoe,1886; #bassistriga Bleszynski & Collins,1962. Range (as code): **YE Ad PK Cp IN Nl Bba Mhw Sml Hp NP LK MM TH MY CN KP JP TW ZA Nwe Rtb**
13795. **Ancylolomia claudia Bassi,2013** (Pyralidae) Synonymy: claudia Bassi,2013 Range (as code): **TZ KE**

13796. **Ancylolomia confusella Turati,1929** (Pyralidae) Synonymy: confusella Turati,1929 Range (as code): **LY Cy o**
13797. **Ancylolomia croesus Hampson,1919** (Pyralidae) Synonymy: croesus Hampson,1919 Range (as code): **KE**
13798. **Ancylolomia disparalis (Hübner,[1825])** (Pyralidae) Synonymy: disparella Hübner,[1813] nec Schr.,1802; disparalis Hübner,[1825]; contritellus Zeller,1847; hipponella Ragonot,1888; rabatella Lucas,1937; griseella Amsel,1951; powelli Lucas,1954. Range (as code): **MA DZ Ges PT ES FR Sa Si IT HU GR TR 05 22 31 59**
13799. **Ancylolomia drosogramma Meyrick,1936** (Pyralidae) Synonymy: drosogramma Meyrick,1936 Range (as code): **ZR**
13800. **Ancylolomia elisa Bassi,2013** (Pyralidae) Synonymy: elisa Bassi,2013 Range (as code): **GH**
13801. **Ancylolomia elongata Lucas,1917** (Pyralidae) Synonymy: elongata Lucas,1917; nigrilinea Joannis,1923; maroccana Amsel,1951. Range (as code): **MA DZ**
13802. **Ancylolomia endophaealis Hampson,1910** (Pyralidae) Synonymy: endophaealis Hampson,1910 Range (as code): **ZR**
13803. **Ancylolomia fulvitinctalis Hampson,1919** (Pyralidae) Synonymy: fulvitinctalis Hampson,1919 Range (as code): **UG**
13804. **Ancylolomia gracilis Fawcett,1917** (Pyralidae) Synonymy: gracilis Fawcett,1917 Range (as code): **KE ZR**
13805. **Ancylolomia holochrea Hampson,1919** (Pyralidae) Synonymy: holochrea Hampson,1919 Range (as code): **NG**
13806. **Ancylolomia inornata Staudinger,1870** (Pyralidae) Synonymy: inornata Staudinger,1870; anaryrella Chrétien,1896; malacellus Mabille,1906; confusella Turati,1929; rabatellus Lucas,1939. Range (as code): **MA DZ Ajj TN Gf LY Cy PT ES An Si IT MT PK Krc**
13807. **Ancylolomia irrorata Hampson,1919** (Pyralidae) Synonymy: irrorata Hampson,1919 Range (as code): **NG**
13808. **Ancylolomia lentifascialis Hampson,1919** (Pyralidae) Synonymy: lentifascialis Hampson,1919 Range (as code): **ZA Tva Lpo**
13809. **Ancylolomia melanella Hampson,1919** (Pyralidae) Synonymy: melanella Hampson,1919 Range (as code): **TZ Dss ZA Nta Kzu Dbn Tva ZW**
13810. **Ancylolomia melanothoracica Hampson,1919** (Pyralidae) Synonymy: melanothoracica Hampson,1919 Range (as code): **TZ**
13811. **Ancylolomia minutella Turati,1926** (Pyralidae) Synonymy: minutella Turati,1926 Range (as code): **LY Cy**
13812. **Ancylolomia mirabilis Wallengren,1876** (Pyralidae) Synonymy: mirabilis Wallengren,1876 Range (as code): **ZA**
13813. **Ancylolomia obscurella Joannis,1927** (Pyralidae) Synonymy: obscurella Joannis,1927 Range (as code): **MZ ZA**
13814. **Ancylolomia ophiralis Hampson,1919** (Pyralidae) Synonymy: ophiralis Hampson,1919 Range (as code): **NG**
13815. **Ancylolomia palpella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: palpella [Denis & Schiffermüller],1775; sovinskyi Krulikovsky,1909 Range (as code): **DZ Lbs Cst PT ES FR IT BE AT SK HU RO YU AL BG GR CY RU MD UA BY IR Alb Kdj Ab Oru Mak Ak Es Fa Shr Qz Gh Gls Gor Kh Ke Jrf Il Km By Mz Clu Th IQ Shq Amr Mos IL Pa Js LB TR Cc EG TM Kp KG 05 06 10 16 30 31 33 36 42 46 58 65 71**
13816. **Ancylolomia paraetoniella Turati,1924** (Pyralidae) Synonymy: paraetoniella Turati,1924 Range (as code): **LY Cy DZ IL Pa**
13817. **Ancylolomia pectinifera Hampson,1910** (Pyralidae) Synonymy: pectinifera Hampson,1910 Range (as code): **ZA**
13818. **Ancylolomia perfasciata Hampson,1919** (Pyralidae) Synonymy: perfasciata Hampson,1919 Range (as code): **ZA MG**
13819. **Ancylolomia planicosta Martin,1953** (Pyralidae) Synonymy: planicosta Martin,1953 Range (as code): **RW ZA**
13820. **Ancylolomia prepiella Hampson,1919** (Pyralidae) Synonymy: prepiella Hampson,1919 Range (as code): **ZA LS ML**
13821. **Ancylolomia punctistrigella (Mabille,1880)** (Pyralidae) Synonymy: punctistrigella Mabille,1880 Range (as code): **MG**
13822. **Ancylolomia rabatella Lucas,1937** (Pyralidae) Synonymy: rabatella Lucas,1937 Range (as code): **MA**

13823. **Ancylolomia sansibarica Zeller,1877** (Pyralidae) Synonymy: sansibarica Zeller,1877 Range (as code): **TZ**

13824. **Ancylolomia simplella Joannis,1913** (Pyralidae) Synonymy: simplella Joannis,1913 Range (as code): **ZA ZW ER KE ML**

13825. **Ancylolomia tripolitella Rebel,1909** (Pyralidae) Synonymy: tripolitella Rebel,1909 Range (as code): **ES Sa MT LY Cy DZ SY JO BH KW IR Bu Kz Ahz**

13826. **Ancylosis aeola Balinsky,1987** (Pyralidae) Synonymy: aeola Balinsky,1987 Range (as code): **ZA Tva Gau Pre Rtb**

13827. **Ancylosis albicosta (Staudinger,1870)** (Pyralidae) Synonymy: albicosta Staudinger,1870; delimitella Ragonot,1887; niveicostella Ragonot,1901. Range (as code): **MA LY Cy RO RU Sr Or MD UA TR KG Uk Ind TM Kp K-K AF Hr Kbb IR Elb Th CN Ui Ga 16 46**

13828. **Ancylosis arenosella (Staudinger,1859)** (Pyralidae) Synonymy: arenosella Staudinger,1859; angusta Staudinger,1870; arenicola Ragonot,1901; variabilis Rothschild,1913; invalidella Turati,1930; #hederalis Amsel,1935; michaelella Lucas,1939; subflavella Lucas,1946; trifasciatella Lucas,1948; buckwelli Lucas,1954. Range (as code): **Cn MA DZ Ah Heh Onç Orn Bsk Sfx TN LY Cy EG EG11 SA SA63 IL Jf Pa ES Co**

13829. **Ancylosis aspilatella (Ragonot,1887)** (Pyralidae) Synonymy: aspilatella Ragonot,1887; simplicella Chrétien,1910; calligonella Dumont,1926. Range (as code): **DZ Onç Tou Bsk TN EG Sn RU Ur IR Elb Kj Th Ss Ana Ke TM Kp K-K AF AE**

13830. **Ancylosis atrisparsella (Hampson,1901)** (Pyralidae) Synonymy: atrisparsella Hampson,1901; #atrisparcella Balinsky,1994 Range (as code): **KG Tk Dj ZA Tva Mpu Brb Fs Wca Ec Fra Kny Stj ZW Umv Bul Gau Rtb Pre**

13831. **Ancylosis biflexella (Lederer,1855)** (Pyralidae) Synonymy: biflexella Lederer,1855; pilosella Zeller,1867; brabantella D.Lucas,1907; similis Rothschild,1915; medicalba Rothschild,1921; latakiella Amsel,1952; fuscella Amsel,1961. Range (as code): **Cn MA DZ Ah Tou Ogl Omy Gle Bsk TN Gf LY Cy EG EG11 YE SA SA63 SD BH IL Hf Jf Js Pa CY SY Ltk IR Ss Irs Ahz LB Bei**

13832. **Ancylosis bohemani (Zeller,1852)** (Pyralidae) Synonymy: bohemani Zeller,1852 Range (as code): **ZA Gau Rtb Pre Tva Nta Kzu**

13833. **Ancylosis bouhraouai Leraut,2014** (Pyralidae) Synonymy: bouhraouai Leraut,2014 Range (as code): **DZ Gha Gle TN**

13834. **Ancylosis brunneella (Chrétien,1911)** (Pyralidae) Synonymy: brunneella Chrétien,1911 Range (as code): **MA DZ Bsk TN LY ES EG EG11 Sn SD SA SA63 IL Jt Pa**

13835. **Ancylosis calcariella Ragonot,1901** (Pyralidae) Synonymy: calcariella Ragonot,1901; illineella Chrétien,1911 Range (as code): **MA DZ Gtt Bsk Onç Tou TN Gf Gab ES**

13836. **Ancylosis candidatella (Lederer,1858)** (Pyralidae) Synonymy: candidatella Lederer,1858; fathmella Oberthür,1888; tenuigranella Ragonot,1890. Range (as code): **MA DZ Bsk TN SY Dms IL Pa Hf LB Bei IQ Mos Kbl Bgd IR Ahz Fa Elb Th Ss Ke Aba TR Th Elb TM Kp K-K KW AF Hr Ca Kbb Srb 03 06 16 21 42 46**

13837. **Ancylosis capensis Ragonot,1888** (Pyralidae) Synonymy: capensis Ragonot,1888 Range (as code): **ZA Nca Kim Fs Blo Gau Jh Tva Pre Slpp Ec Grh NA Abc**

13838. **Ancylosis cinnamomella (Duponchel,1836)** (Pyralidae) Synonymy: dilutella Tr.,1832 [n.o.]; cinnamomella Dup.,1836; labeomella Staudinger,1859; lafauryella Rag.,1887; byzacaeniella Rag.,1887; roseopennella Rag.,1901; tunesella Caradja,1910; fuliginosa Rothschild,1913; pictella Tur.,1922; ferrugineolineella Tur.,1924. Range (as code): **DZ TN Gf PT ES Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR NO SE FI LV MD RU Or Sb Ur UA BY KG Uk Ind TM TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb Kj Th Fa Ha Ss AF Kab Kbb Pag CN Ui Ku UZ Man KK T-S Cc AZ Kir MN Mri Eba MA Ifr Ouk 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 58 65 71 76**

13839. **Ancylosis citrinella (Ragonot,1887)** (Pyralidae) Synonymy: citrinella Ragonot,1887; agraphella Ragonot,1901 Range (as code): **DZ Ajj TN EG RU Ur KG Uk TM Kp**

13840. **Ancylosis convexella (Lederer,1855)** (Pyralidae) Synonymy: convexella Lederer,1855; albiciliella Staudinger,1859; favorinella Zeller,1867 Range (as code): **Cn MA DZ Ajj Bsk Onç TN Gf LY Cy ES Mu MT YU GR IR Mz Elb Th Ke Fa Ana TM Kp IL Hf Js Pa JO TR IQ Bgd Kbl Mos Dia Bsr BH EG EG11 Sn LB Bei SD SA SA63 CY AF Ca Srb Kab PK Bl Qu Krc 01 03 06 07 13 16 21 31 42 46 63**

13841. **Ancylosis costistrigella (Ragonot,1890)** (Pyralidae) Synonymy: costistrigella Ragonot,1890 Range (as code): **MA DZ Bsk TN Gf LY BH IL Js Jer Pa SD Ksl IR Ss AF Srb AE**

13842. **Ancylosis deserticola (Staudinger,1870)** (Pyralidae) Synonymy: deserticola Staudinger,1870 Range (as code): **DZ Eal Onç Gha ES HU RO BG TR SA SA63 EG EG11 SD IL Jf Jer Hf Pa SY Dms LB Bei IR Elb Th Ss IQ RU Ur Or Sr Sb KG Uk TM Kp UZ Br AF Kab Srb PK Bl Qu UA Cm 16 21 42 46**

13843. **Ancylosis detersella (Hampson,1926)** (Pyralidae) Synonymy: detersella Hampson,1926 Range (as code): **ZA Wca**

13844. **Ancylosis eugraphella Balinsky,1987** (Pyralidae) Synonymy: eugraphella Balinsky,1987 Range (as code): **ZA Fs Blo Nha**

13845. **Ancylosis eurhoda Balinsky,1989** (Pyralidae) Synonymy: eurhoda Balinsky,1989 Range (as code): **ZW Tva Bul ZA Nta Kzu Srn Mpu Brb**

13846. **Ancylosis faustinella (Zeller,1867)** (Pyralidae) Synonymy: faustinella Zeller,1867; staudingeri Christoph,1877; rubripictella Hampson,1896; thalerella Mabille,1908; variabilis Rothschild,1915; airensis Rothschild,1921; bilineella Amsel,1935; damascenella Amsel,1952. Range (as code): **Cn MA TN DZ Ath Bsk Ogl Ah LY Cy SD MT RU JO IL Js Jf Pa AZ Nv Ord Cc TR EG EG11 Sn SA SA63 SA39 YE BH SY Dms LB Bei Bsa NE Air KG Uk IQ Mos Bsr IR Elb Th Fa Ss Irs Kz Sde Kh TM Krn Kp AF Kab Srb Ca Hr PK Bl Qu Pj Lh IN MN 01 03 06 13 16 35 42 46 65**

13847. **Ancylosis geminella (Amsel,1961)** (Pyralidae) Synonymy: geminella Amsel,1961 Range (as code): **IR Elb Th Kj Fa La Ss TR EG EG07 06**

13848. **Ancylosis glaphyria Balinsky,1987** (Pyralidae) Synonymy: glaphyria Balinsky,1987 Range (as code): **ZA Tva Gau Pre Jh Fs Blo NA ZW Har**

13849. **Ancylosis gracilella Ragonot,1887** (Pyralidae) Synonymy: gracilella Ragonot,1887; subcandidatella Ragonot,1887; monostictella Ranogot,1887; casella Chrétien,1910; lybistinella Turati,1924; dowsoniella Richards & Thomson,1932. Range (as code): **MA TN DZ Bsk LY Cy EG EG11 BH SA SA63 SD MT MK UZ KW JO IL Hf Js Jer Jt Pa LB Bei SY TR Cc IQ Mos Bgd Amr Bsr Kbl IR Elb Th Fa Ahz Ss Kz Sde Aba Ke AF Kab Pag Ca Hr PK Gg TM Krn UZ Fe Man CN Ui Ku 06 16 21 31 38 42 46 71 76**

13850. **Ancylosis harmoniella (Ragonot,1887)** (Pyralidae) Synonymy: harmoniella Ragonot,1887; ochrotaeniella Ragonot,1887; fulminantella Turati,1922; rosalbella Turati,1930; diffusella Turati,1930; incanella Turati,1930. Range (as code): **MA DZ Gab Bsk TN Gf LY Cy MT EG EG11 Sn SD SA SA63 IQ Kbl Bsr TR IR Th Elb Fa IL Js Jf SY Dms LB Bei Bsa AF Kab Kbb Bd Cc AZ Nv Ord 06 21 46**

13851. **Ancylosis hellenica (Staudinger,1870)** (Pyralidae) Synonymy: hellenica Staudinger,1870; deliciosella Caradja,1910 Range (as code): **LY Cy EG EG11 SD SA SA63 MK BG GR CY TR Cc IQ Shq Bgd Mos IL Hf Js Jer Jf Pa JO IR Elb Kj Th Fa Shr Ss Irs Ana Ke Ahz LB Bei Bsa SY Dms TM Kp AF Hr Kab Srb PK Nwf Bl Qu Gg Hu UZ Br 03 06 07 08 09 13 16 21 30 34 35 41 42 44 46 56 58 65 70 76**

13852. **Ancylosis holophaella (Rebel,1903)** (Pyralidae) Synonymy: holophaella Rebel,1903; desertella Lucas,1909; holophaeella Caradja,1910; obscurior Caradja,1910; calcariellina Rothschild,1913; griseolella Rothschild,1915. Range (as code): **MA DZ Bsk Onç Gha TN Gf LY Cy EG IR Ss Irs Chh**

13853. **Ancylosis imitella Hampson,1901** (Pyralidae) Synonymy: imitella Hampson,1901 Range (as code): **MA DZ TN LY Cn ES FR Co Sa Si AL**

13854. **Ancylosis inangulella W.Warren,1914** (Pyralidae) Synonymy: inangulella W.Warren,1914 Range (as code): **ZA**

13855. **Ancylosis interjectella (Ragonot,1888)** (Pyralidae) Synonymy: interjectella Ragonot,1888 Range (as code): **ZA Tva Gau Pre Mpu Brb Rtb Nta Kzu Umk NA Abc ZW Bul**

13856. **Ancylosis labeculella (Ragonot,1887)** (Pyralidae) Synonymy: labeculella Ragonot,1887 Range (as code): **DZ TN**

13857. **Ancylosis lacteicostella (Ragonot,1887)** (Pyralidae) Synonymy: lacteicostella Ragonot,1887; fulvobasella Ragonot,1887; aegyptiacella Ragonot,1901; spatzi Rothschild,1915. Range (as code): **MA DZ Bsk Lbs Gha Ah TN EG SD SA SA63 KW YE IL Jf Hf Pa IQ Bgd Amr IR Lo Ss Se Elb AF TR Cc UZ Man Fe RU Ur CN Ui Ku AE 76**

13858. **Ancylosis leucocephala (Staudinger,1879)** (Pyralidae) Synonymy: leucocephala Staudinger,1879 Range (as code): **DZ LY Cy EG IL Jf Hf Pa RO RU Ur Sr Or KG Uk KK Na IR Elb Th AF Hr Kab Srb Ca UZ Br MN CN Stg Ui Ku**

13859. **Ancylosis limoniella (Chrétien,1911)** (Pyralidae) Synonymy: limoniella Chrétien,1911; eremita Gozmany,1951. Range (as code): **Cn MA DZ Bsk Orn Ajj TN LY Cy EG EG11 YE SA SA63 SD IL Hf Pa IR Elb Th AF**

13860. **Ancylosis luederitzella Balinsky,1989** (Pyralidae) Synonymy: luederitzella Balinsky,1989 Range (as code): **NA ZA Wca**

13861. **Ancylosis mabilleella (D.Lucas,1909)** (Pyralidae) Synonymy: mabilleella D.Lucas,1909 Range (as code): **TN**

13862. **Ancylosis maculifera Staudinger,1870** (Pyralidae) Synonymy: maculifera Staudinger,1870; ifraneella Lucas,1954. Range (as code): **MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG Uk MN Ui Ku RU Ur Sr Or Am TW CN Yu 01 03 05 06 13 16 21 35 42 46 58 65 71 76**

13863. **Ancylosis magnifica (Butler,1875)** (Pyralidae) Synonymy: magnifica Butler,1875 Range (as code): **ZA Tva Gau Jh Nyl Pre Fs Blo Ec Wca NA Abc ZW Swm**

13864. **Ancylosis melanophlebia Balinsky,1989** (Pyralidae) Synonymy: melanophlebia Balinsky,1989 Range (as code): **ZA Tva Gau Pre Ptc**

13865. **Ancylosis mimeugraphella Balinsky,1989** (Pyralidae) Synonymy: mimeugraphella Balinsky,1989 Range (as code): **NA ZA Tva Wb Slpp Gau Ec Wca Nta Kzu Esw**

13866. **Ancylosis minimella (D.Lucas,1911)** (Pyralidae) Synonymy: minimella D.Lucas,1911 Range (as code): **DZ TN**

13867. **Ancylosis montana Balinsky,1989** (Pyralidae) Synonymy: montana Balinsky,1989 Range (as code): **ZA Ec Tra LS Ec NA**

13868. **Ancylosis muliebris (Meyrick,1937)** (Pyralidae) Synonymy: muliebris Meyrick,1937; macedonica Schawerda,1937. Range (as code): **DZ TN MK TR SA SA63 EG Sn IL Js Pa JO IQ Mos KW IR Elb Kj Th Fa Ss Irs Ana Ke AF Kab UZ Smk 05 16**

13869. **Ancylosis myosella Ragonot,1901** (Pyralidae) Synonymy: myosella Ragonot,1901 Range (as code): **DZ TN EG**

13870. **Ancylosis namibiella Balinsky,1987** (Pyralidae) Synonymy: namibiella Balinsky,1987 Range (as code): **NA ZA Mll LS**

13871. **Ancylosis nigripunctella (Staudinger,1879)** (Pyralidae) Synonymy: nigripunctella Staudinger,1879; wockeella Ragonot,1887; carnibasalis Hampson,1896. Range (as code): **DZ Gha TN EG EG11 MT RU TR KK KG Tk CN Ui Ku YE Ad IR Ss 46**

13872. **Ancylosis nubeculella (Ragonot,1887)** (Pyralidae) Synonymy: nubeculella Ragonot,1887 Range (as code): **TN Gf Cc AZ Nv Ord TR SD SA SA63 IR Ss PK Krc AF Srb AE 46**

13873. **Ancylosis oblitella (Zeller,1848)** (Pyralidae) Synonymy: oblitella Zeller,1848; homographis Hampson,1930; ischnopsis Meyrick,1937; major Lucas,1948; ochraeella Lucas,1948; boitella Lucas,1950; calaritalella Amsel,1951; indistinctella Lucas,1955. Range (as code): **MA TN Sfx DZ Abe Bsk LY Cy PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO HV MK B-H YU AL BG GR CY DK LV RU Sr MD UA BY TR LB Bei IL Jf Js Hf Pa IQ Mos Bgd Dia IR Elb Th Mz Kh Msh SA SA63 EG AF Hr PK Gg KG Uk TM Kp MN NP 01 06 09 13 21 31 34 42 46 65 71 76**

13874. **Ancylosis obscurella Balinsky,1989** (Pyralidae) Synonymy: obscurella Balinsky,1989 Range (as code): **ZA Gau Tva Mpu Pre Wv**

13875. **Ancylosis ocellella (Hampson,1901)** (Pyralidae) Synonymy: ocellella Hampson,1901 Range (as code): **ZA**

13876. **Ancylosis olfae Leraut,2014** (Pyralidae) Synonymy: olfae Leraut,2014 Range (as code): **DZ TN**

13877. **Ancylosis partitella (Ragonot,1887)** (Pyralidae) Synonymy: partitella Ragonot,1887; adustella Ragonot,1887; fractifasciella Ragonot,1890; kebiliella Lucas,1909; combustella Chrétien,1910. Range (as code): **MA TN Gf DZ Ah Ajj Bsk MT LY Cy SD EG SA SA63 IL SY Dms AE IQ Bgd Kbl IR Elb Th Ss Irs Sde Kz Ana Ke Ahz BH Cc AZ Nv Ord KG Uk AF Ca Hr CN Ui Ku Ga TM Kp UZ KW MN**

13878. **Ancylosis pectinatella (Ragonot,1887)** (Pyralidae) Synonymy: pectinatella Ragonot,1887 Range (as code): **DZ TN LY Cy Sk LB Bei BH KK ES UZ Man TR 21**

13879. **Ancylosis perfervida Balinsky,1989** (Pyralidae) Synonymy: perfervida Balinsky,1989 Range (as code): **ZA Ec Tva Lpo Wo Gau Jh Mpu Wv Pre Pel Nta Kzu Umk Mdd**

13880. **Ancylosis platynephes Joannis,1927** (Pyralidae) Synonymy: platynephes Joannis,1927 Range (as code): **MZ ZA**

13881. **Ancylosis rhodochrella (Herrich-Schäffer,1855)** (Pyralidae) Synonymy: rhodochrella Herrich-Schäffer,1855; delicatella Möschler,1860; ciliatella Zeller,1872; lucida W.Warren,1888; microstictella Hampson,1903; ciliella Amsel,1961. Range (as code): **DZ Lbs Orn PT ES RU MD UA BY DZ SA SA63 SD TR Cc IL Hf Js Jf Pa LB Bsa SY Dms EG EG11 CY IR Elb Kj Th Kh Msh Fa Shr Cc AM Eri IQ Bsr Mos AF Hr Kab Pag Srb Bd PK Cp IN 01 03 05 06 07 16 21 27 31 42 44 46 58 71 76**

13882. **Ancylosis roscidella (Eversmann,1844)** (Pyralidae) Synonymy: roscidella Eversmann,1844; cinerella Stainton,1859; ephedrella Herrich-Schäffer,1860; neglectella Heinemann,1864; blandella Ragonot,1887; zohrella Oberthür,1888; carnea W.Warren,1888; bartelella Caradja,1910; benderella Amsel,1961 Range (as code): **MA DZ Bsk TN Gf LY Cy EG EG11 SA SA63 SD BH ES Mu RO YU HV MK AL BG GR TR RU Sr Or Sb IL Hf Js Jt LB Bei Bsa JO SY Dms KG Uk Ind IQ Bsr IR Elb Th Kj Ss AF Hr Kbb Srb PK Ch Cp Cc AZ Nv Ord MN Sb TM Ui T-S 01 03 06 09 13 16 21 42 46 65 76**

13883. **Ancylosis rufociliella Ragonot,1888** (Pyralidae) Synonymy: rufociliella Ragonot,1888 Range (as code): **ZA**

13884. **Ancylosis rufulella Hartig,1936** (Pyralidae) Synonymy: rufulella Hartig,1936 Range (as code): **DZ TN**

13885. **Ancylosis sabulosella (Staudinger,1879)** (Pyralidae) Synonymy: sabulosella Staudinger,1879; decolorella Ragonot,1901. Range (as code): **DZ Bsk TN RU Ur UA KG Uk Ind UZ Fe Man IR Elb Th Mz AF Ca PK Krc TM Kp**

13886. **Ancylosis samaritanella (Zeller,1867)** (Pyralidae) Synonymy: samaritanella Zeller,1867; urbicella Erschoff,1874; biligulella Ragonot,1887; flavescentella Chrétien,1910; diminutella Chrétien,1910; cinnamomeifascia Rothschild,1915; lacroixella Lucas,1939; brevipalpella Amsel,1954. Range (as code): **Cn MA DZ Hdr Bsk Gha TN LY Cy EG EG11 Sn SD SA SA63 PT ES RU Sr Or MD UA BY KG Uk Ind JO LB Bei Bsa IL Hf Js Jf Pa TR TM Kp Sn IR Elb Th Fa IQ BH AF Srb Ca Hr Kbb PK Bl Qu Cc AZ Nv Ord CN Ui Ku 01 03 06 07 16 21 42 46**

13887. **Ancylosis similis Balinsky,1987** (Pyralidae) Synonymy: similis Balinsky,1987 Range (as code): **ZA Tva Gau Pre Nta Kzu Nha Buf Ptc Rtb Ec Wca**

13888. **Ancylosis suboblitella (Ragonot,1888)** (Pyralidae) Synonymy: suboblitella Ragonot,1888; unipunctella Hampson,1896; battella Turati,1924. Range (as code): **SD LY Cy YE Ad IN SI PK**

13889. **Ancylosis subpyrethrella (Ragonot,1888)** (Pyralidae) Synonymy: subpyrethrella Ragonot,1888 Range (as code): **DZ ZA**

13890. **Ancylosis sulcatella (Christoph,1877)** (Pyralidae) Synonymy: sulcatella Christoph,1877; lineatella Ragonot,1887 Range (as code): **IL Hf Pa TN DZ TM Krn**

13891. **Ancylosis syrtella (Ragonot,1887)** (Pyralidae) Synonymy: syrtella Ragonot,1887; costalbella Amsel,1954 Range (as code): **MA Ifr DZ Lbs Abe Bsk TN Gf Gab Sfx LY Cy IL Js Pa IR Elb Kdj Th Fa Ha Kh RU TR IQ Bsr AF Gbh CN Ui Ga KG Uk Ind 76**

13892. **Ancylosis terpnella (Roesler,1965)** (Pyralidae) Synonymy: terpnella Roesler,1965 Range (as code): **DZ EG**

13893. **Ancylosis thalerella (Mabille,1908)** (Pyralidae) Synonymy: thalerella Mabille,1908 Range (as code): **TN**

13894. **Ancylosis umbrilimbella (Ragonot,1901)** (Pyralidae) Synonymy: umbrilimbella Ragonot,1901; holella Lucas,1909; thirieti Lucas,1937; sfaxella Lucas,1949; concavella Amsel,1949 Range (as code): **MA DZ TN EG Sn IL Js Pa SA SA63 BH KW IQ Mos Bsr Kbl Bgd IR Elb Th Fa Ss Irs Ahz Kz Th IN TM Kp PK Pj Mln IN**

13895. **Ancylosis uncinatella (Ragonot,1890)** (Pyralidae) Synonymy: uncinatella Ragonot,1890; navasi De Joannis,1907. Range (as code): **DZ Eba Lbs MA TN Gf ES Cue Grn LY EG EG11 IL Pa**

13896. **Ancylosis ustella Ragonot,1887** (Pyralidae) Synonymy: ustella Ragonot,1887; talebella Oberthür,1888; maroccanella D.Lucas,1933 Range (as code): **MA Ifr DZ Bsk Sbd Hdr Onç Lbs TN Gf LY Cy ES**

13897. **Ancylosis ustocapitella (Hampson,1901)** (Pyralidae) Synonymy: ustocapitella Hampson,1901 Range (as code): **ZA Nta Kzu**

13898. **Ancylosis variabilis (Rothschild,1913)** (Pyralidae) Synonymy: variabilis Rothschild,1913 Range (as code): **MA DZ TN LY EG SD**

13899. **Ancylosis xylinella (Staudinger,1870)** (Pyralidae) Synonymy: xylinella Staudinger,1870; sablonella Rothschild,1915; molochinella Zerny,1929. Range (as code): **MA DZ Ah TN LY EG EG11 SA SA63 PT ES RU Sr Or Sb Am MD UA BY CN Ui Ku T-S MN KG Uk Ind TM Kp IR Elb Th Fa Ss Chh Irs TR IL Hf Pa LB Bei IQ Mos AF Ca Kab Hr PK Gg Sb 03 06 13 16 42 46 65**

13900. **Ancylosis yerburii (Butler,1884)** (Pyralidae) Synonymy: yerburii Butler,1884; innotalis Hampson,1899; costalbella Mabille,1906; rubronervella Mabille,1906; pallidicostella Chrétien,1910; pruinosella Chrétien,1911; strictipennis Rothschild,1915; cinnamomella Rothschild,1915; vinosparsella Turati,1924; ruehli Gozmany,1959; khuzistanella Amsel,1959; benderella Amsel,1961 Range (as code): **MA DZ Ah Ajj Heh Bsk M'z TN Gf Gab LY Cy SD Sk YE Ad Sk EG Sn IL Jt Jer Jf Js Hf Pa SA BH IR Kz Sde Ss CY**

13901. **Anerastia flaveolella Ragonot,1887** (Pyralidae) Synonymy: flaveolella Ragonot,1887 Range (as code): **DZ Bsk TN Gf ZA UZ Man**

13902. **Anerastia lotella (Hübner,[1813])** (Pyralidae) Synonymy: lotella Hübner,[1813]; miniosella Zincken,1818; incarnata Staudinger,1879; dubia Gerasimov,1928; dignella Leraut,2014 [ssp.] Range (as code): **DZ Bsk TN Gf PT ES FR Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO GR? DK NO SE FI EE LV LT RU MD UA Cm BY TR IR KK KG Tk Dj UZ Tas CN IMn 05 16 42**

13903. **Anexophana robinsonalis Viette,1960** (Pyralidae) Synonymy: robinsonalis Viette,1960 Range (as code): **MG**

13904. **Angustalius ditaeniellus Marion,1954** (Pyralidae) Synonymy: ditaeniellus Marion,1954 Range (as code): **MG**

13905. **Angustalius malacellus (Duponchel,1836)** (Pyralidae) Synonymy: malacellus Duponchel,1836 Range (as code): **PT ES Grn An FR Sa Si IT HV SS GR Cr CY TR SY IL Js LB Bei Cc GG ET ZA MG IR ET PH TW AU 01 05 07 31 33 34 44 55 56 80**

13906. **Anobostra discimacula Hampson,1917** (Pyralidae) Synonymy: discimacula Hampson,1917 Range (as code): **ZA**

13907. **Anobostra punctilimbalis (Ragonot,1891)** (Pyralidae) Synonymy: punctilimbalis Ragonot,1891; signaticosta De Joannis,1927 Range (as code): **ZA**

13908. **Anomocrambus homerus Bleszynski,1961** (Pyralidae) Synonymy: homerus Bleszynski,1961 Range (as code): **ZA Nta Kzu**

13909. **Anonaepestis tamsi Bradley,1965** (Pyralidae) Synonymy: tamsi Bradley,1965 Range (as code): **CF CM**

13910. **Anthophilopsis baphialis (Staudinger,1870)** (Pyralidae) Synonymy: baphialis Staudinger,1870; plumbiferalis Christoph,1877; #baphiale Caradja,1916; #oleaginalis Amsel,1970 Range (as code): **GR TR Cc IL Pa Hf TM Kp IR Ahz Ss Chh Bu Shr Com Fa Enz Gls Irs Ana Ke Gh Tgo KW IQ Bgd Kbl Mos Ry Amr EG EG11 AF Hr In Bmu Dwe Srb Gbh Pli Ca Kab Blh Arh Cc GG Tbl AZ Kir Bak Da Der AM Eri KG sKG Otr 01 06 21 31 33 35 42 46 56 63 65 72 76 80**

13911. **Antigastra catalaunalis (Duponchel,1833)** (Pyralidae) Synonymy: catalaunalis Duponchel,1833; venosalis Walker,[1866]; #sionensis Caradja,1929 Range (as code): **US MA PT ES FR BE Co Sa Si IT MT GB CH CZ HU YU GR DK CY LB Bsa IQ Bgd Dia IR Fa Shr Elb Th Mz Kdj Ss Irs Ke Ana PK Gg Cls AF Srb Dwe Kab Gbh Hr Bkt TR**

YE Sk EG IL Hf Pa AE IN LK MY MM CN TW JP AU ZA NA CM ZR GM KE ML OM RW RE SA SC SO ZA TZ UG ZM ZW 01 07 13 16 31 33 46 72 80

13912. **Antigastra morysalis (Walker,1859)** (Pyralidae) Synonymy: morysalis Walker,1859 Range (as code): **ZA**

13913. **Aphomia argentia Whalley,1964** (Pyralidae) Synonymy: argentia Whalley,1964 Range (as code): **ZW**

13914. **Aphomia caffralis Hampson,1917** (Pyralidae) Synonymy: caffralis Hampson,1917 Range (as code): **ZA Fs Tva Lpo**

13915. **Aphomia cephalonica (Stainton,1866)** (Pyralidae) Synonymy: cephalonica Stainton,1866; oeconomellus Mann,1872; translineella Hampson,1901; theobromae Dyar,1913; lineata Legrand,1965 Range (as code): **DZ Bsk ES FR Si IT MT GB BE NL DE CH CZ SK RO BG GR TR DK NO SE FI LV LK ID Ja Kai ZA BR TW RE WS FJ PG AU IN OW NW TH MY ID BN Bor Swk PR 16**

13916. **Aphomia distictella Hampson,1917** (Pyralidae) Synonymy: distictella Hampson,1917 Range (as code): **ZA Nta Kzu**

13917. **Aphomia murina (Wallengren,1875)** (Pyralidae) Synonymy: murina Wallengren,1875 Range (as code): **ZA**

13918. **Aphomia pimelodes Meyrick,1936** (Pyralidae) Synonymy: pimelodes Meyrick,1936 Range (as code): **ZA**

13919. **Aphomia sabella (Hampson,1901)** (Pyralidae) Synonymy: sabella Hampson,1901 Range (as code): **DZ Eal Bsk Phv IR Bu Ss Irs Srw OM ES Alc IQ Bgd Amr EG EG11 KW SA Sk AE**

13920. **Apomyelois bicolorata Balinsky,1991** (Pyralidae) Synonymy: bicolorata Balinsky,1991 Range (as code): **ZA**

13921. **Apomyelois ceratoniae (Zeller,1839)** (Pyralidae) Synonymy: ceratoniae Zeller,1839; ceratoniella Fischer Röslerstamm,1839; pryerella Vaughan,1870; tuerckheimiella Sorhagen,1881; dentilinella Hampson,1896; psarella Hampson,1903; rivularis W.Warren & Rothschild,1905; oporedestella Dyar,1911; phoenicis Durrant,1915; durandi Lucas,1950 Range (as code): **TN Gf DZ Gha Bsk SD PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT CZ HU RO YU AL BG GR Cr CY TR IR IL Pa Hf KK Ax DK NO SE FI LV RU MD UA BY SD ZA AU ID Sum US Fl AF IN Mpr SI Ass TH 01 17 31**

13922. **Aporodes floralis (Hübner,[1809])** (Pyralidae) Synonymy: floralis Hübner,[1809]; stygialis Treitschke,1829; siculalis Duponchel,1833; conversalis Duponchel,1834; meleagrisalis Walker,1859; transversalis Moore,1878; grisealis Caradja,1916; #florealis Rebel,1939 Range (as code): **TN Sfx PT ES FR Co Sa Si IT MT DE AT CZ SK HU RO HV YU AL BG GR Rd Cr TR Cc IR Ahz Kdj Th Elb Nss Fa Shr Com Ss Kh Chh Qz Men IQ Mos Bgd Kbl Shq Ssa Amr GG IL Pa LB YE CY LB AF Ca Hr Bmu Pli Blh Gbh Srb Anh Fz Dwe Kab Arh Sen Pnj Bark Pag Ca Asm Ui Yk PK Pj Sd Krc Cp Hf Bjo Tbl Kir Da Der AZ IN Mh Bba Kz Sde Irs PL KG sKG Tks Mz DZ Clo Ajj MA 01 05 06 12 13 16 21 23 30 31 33 42 44 46 56 58 61 65 76**

13923. **Archernis flavidalis Hampson,1908** (Pyralidae) Synonymy: flavidalis Hampson,1908 Range (as code): **ZA**

13924. **Archiephestia adpiscinella (Chrétien,1911)** (Pyralidae) Synonymy: adpiscinella Chrétien,1911; pholeacola Dumont,1932; menonoma Schmidt,1934; murciella Amsel,1955 Range (as code): **DZ Bsk MA TN Gf ES Mu IL Pa IR Fa AF Srb**

13925. **Archigalleria proavitella (Rebel,1882)** (Pyralidae) Synonymy: proavitella Rebel,1882; teneriffella Caradja,1916; #tenerifella Rebel,1917 Range (as code): **Cn**

13926. **Argentochiloides meridionalis Bassi,1999** (Pyralidae) Synonymy: meridionalis Bassi,1999 Range (as code): **ZA**

13927. **Argentochiloides xanthodorsellus Bleszysnki,1961** (Pyralidae) Synonymy: xanthodorsellus Bleszysnki,1961 Range (as code): **TZ**

13928. **Argyractis accra (Strand,1912)** (Pyralidae) Synonymy: accra Strand,1912 Range (as code): **CI**

13929. **Argyractis albipunctalis (Hampson,1897)** (Pyralidae) Synonymy: albipunctalis Hampson,1897 Range (as code): **MG**

13930. **Argyractis capensis Hampson,1906** (Pyralidae) Synonymy: capensis Hampson,1906 Range (as code): **ZA Ec Nta Kzu ZW**

13931. **Argyractis coloralis (Guenée,1854)** (Pyralidae) Synonymy: coloralis Guenée,1854 Range (as code): **MU**

13932. **Argyractis dualalis Gaede,1916** (Pyralidae) Synonymy: dualalis Gaede,1916 Range (as code): **CM**

13933. **Argyractis euryxantha Meyrick,1936** (Pyralidae) Synonymy: euryxantha Meyrick,1936 Range (as code): **ZR**

13934. **Argyractis leucostola Hampson,1917** (Pyralidae) Synonymy: leucostola Hampson,1917 Range (as code): **MW**

13935. **Argyractis leucostrialis Hampson,1906** (Pyralidae) Synonymy: leucostrialis Hampson,1906 Range (as code): **SL**

13936. **Argyractis lithocharis Meyrick,1936** (Pyralidae) Synonymy: lithocharis Meyrick,1936 Range (as code): **ZR**
13937. **Argyractis lithorma Meyrick,1936** (Pyralidae) Synonymy: lithorma Meyrick,1936 Range (as code): **ZR**
13938. **Argyractis mimicalis Hampson,1917** (Pyralidae) Synonymy: mimicalis Hampson,1917 Range (as code): **SL NG**
13939. **Argyractis nandinalis Hampson,1906** (Pyralidae) Synonymy: nandinalis Hampson,1906 Range (as code): **KE**
13940. **Argyractis nigerialis Hampson,1906** (Pyralidae) Synonymy: nigerialis Hampson,1906 Range (as code): **NG**
13941. **Argyractis nyasalis Hampson,1917** (Pyralidae) Synonymy: nyasalis Hampson,1917 Range (as code): **MW**
13942. **Argyractis nymphulalis Hampson,1906** (Pyralidae) Synonymy: nymphulalis Hampson,1906 Range (as code): **ZA Nta Kzu**
13943. **Argyractis pentopalis Hampson,1906** (Pyralidae) Synonymy: pentopalis Hampson,1906 Range (as code): **SL ZA**
13944. **Argyractis periopis Hampson,1910** (Pyralidae) Synonymy: periopis Hampson,1910 Range (as code): **ZW ZA**
13945. **Argyractis pervenustalis (Hampson,1897)** (Pyralidae) Synonymy: pervenustalis Hampson,1897 Range (as code): **CI**
13946. **Argyractis sambesica (Strand,1909)** (Pyralidae) Synonymy: sambesica Strand,1909 Range (as code): **ZW ZA**
13947. **Argyractis supercilialis (Hampson,1897)** (Pyralidae) Synonymy: supercilialis Hampson,1897 Range (as code): **MG**
13948. **Argyractis tetropalis Hampson,1906** (Pyralidae) Synonymy: tetropalis Hampson,1906 Range (as code): **NG**
13949. **Argyractis triopalis Hampson,1906** (Pyralidae) Synonymy: triopalis Hampson,1906 Range (as code): **SL NG**
13950. **Argyria duplicilinea Hampson,1919** (Pyralidae) Synonymy: duplicilinea Hampson,1919 Range (as code): **SL**
13951. **Argyrophorodes angolensis Agassiz,2012** (Pyralidae) Synonymy: angolensis Agassiz,2012 Range (as code): **AO ZR ZM**
13952. **Argyrophorodes luteivittalis (Mabille,1880)** (Pyralidae) Synonymy: luteivittalis Mabille,1880 Range (as code): **MG**
13953. **Argyrophorodes suttoni Agassiz,2012** (Pyralidae) Synonymy: suttoni Agassiz,2012 Range (as code): **ZR**
13954. **Argyrorhabda leucomera Hampson,1926** (Pyralidae) Synonymy: leucomera Hampson,1926 Range (as code): **ZW ZA Tva Lpo**
13955. **Arimania komaroffi (Ragonot,1888)** (Pyralidae) Synonymy: komaroffi Ragonot,1888 Range (as code): **DZ Onç TN IR Fa Es Ke Yz IQ Rwz Brs Dia Shq Ssa GR TR Cc AZ Len AM AF ?PK ?Gg ?Cls 01 05 30 46 47 56 63 73**
13956. **Arnia nervosalis Guenée,1849** (Pyralidae) Synonymy: nervosalis Guenée,1849; pygmaealis Amsel,1935; hyrcanalis Amsel,1961] Range (as code): **Cn DZ Agi PT ES An FR Co Sa Si MT IL Pa Jf IR ?AF**
13957. **Arsenaria caidalis (Hampson,1900)** (Pyralidae) Synonymy: caidalis Hampson,1900; strobilacalis Chrétien,1911 Range (as code): **DZ Bsk TN Gf MA AE**
13958. **Arsenaria dattinii (Ragonot,1887)** (Pyralidae) Synonymy: dattinii Ragonot,1887; rara Amsel,1935 Range (as code): **MA Ifr DZ Bsk Orn TN Gab IL Pa**
13959. **Arsenaria kebilialis (D.Lucas,1907)** (Pyralidae) Synonymy: kebilialis D.Lucas,1907; rungsalis Leraut,2004 Range (as code): **MA DZ MR TN**
13960. **Arsenaria vesceritalis Chrétien,1913** (Pyralidae) Synonymy: vesceritalis Chrétien,1913 Range (as code): **MA DZ Bsk**
13961. **Arsissa atlantica Asselbergs,2009** (Pyralidae) Synonymy: atlantica Asselbergs,2009 Range (as code): **Cn**
13962. **Arsissa transvaalica Balinsky,1991** (Pyralidae) Synonymy: transvaalica Balinsky,1991 Range (as code): **ZA Tva**
13963. **Asalebria florella (Mann,1862)** (Pyralidae) Synonymy: florella Mann,1862; chiclanensis Staudinger,1870; syriella Amsel,1954; joesti Amsel,1954; vartianae Roesler,1969 Range (as code): **MA DZ TN Gf PT**

ES Grn Mu An Sa Co IT FR DE RU RO BG HV Dl MK AL GR Kf Tyg TR LB Bsa TR SY Ltk IL Hf Pa Cr 06 09 13 16 31 42 46 65

13964. **Aspithroides minuta Balinsky,1994** (Pyralidae) Synonymy: minuta Balinsky,1994 Range (as code): **ZA Nta Kzu Pel**

13965. **Assara conicolella (Constant,1884)** (Pyralidae) Synonymy: conicolella Constant,1884 Range (as code): **TN PT ES Mu FR Co CY**

13966. **Atritas achima Roesler,1987** (Pyralidae) Synonymy: achima Roesler,1987 Range (as code): **SA As SD Ksl**

13967. **Atritas aranka Roesler,1987** (Pyralidae) Synonymy: aranka Roesler,1987 Range (as code): **ET Hrr ET87 SA SA63**

13968. **Audeoudia grisella Joannis,1927** (Pyralidae) Synonymy: grisella Joannis,1927 Range (as code): **ZA**

13969. **Aureocramboides apollo Bleszynski,1961** (Pyralidae) Synonymy: apollo Bleszynski,1961 Range (as code): **KE**

13970. **Aurotalis nigrisquamalis (Hampson,1919)** (Pyralidae) Synonymy: nigrisquamalis Hampson,1919 Range (as code): **ZA**

13971. **Aurotalis similis Bassi,1999** (Pyralidae) Synonymy: similis Bassi,1999 Range (as code): **ZA**

13972. **Autocharis albiplaga (Hampson,1913)** (Pyralidae) Synonymy: albiplaga Hampson,1913 Range (as code): **ZA**

13973. **Autocharis arida Maes & Mey,2011** (Pyralidae) Synonymy: arida Maes & Mey,2011 Range (as code): **ZA**

13974. **Autocharis bekilalis (Marion & Viette,1956)** (Pyralidae) Synonymy: bekilalis Marion & Viette,1956 Range (as code): **MG**

13975. **Autocharis carnosalis (Saalmüller,1880)** (Pyralidae) Synonymy: carnosalis Saalmüller,1880 Range (as code): **MG**

13976. **Autocharis catalalis (Viette,1953)** (Pyralidae) Synonymy: catalalis Viette,1953 Range (as code): **MG**

13977. **Autocharis ecthaemata (Hampson,1913)** (Pyralidae) Synonymy: ecthaemata Hampson,1913 Range (as code): **KE Tvt**

13978. **Autocharis fessalis (Swinhoe,1886)** (Pyralidae) Synonymy: fessalis Swinhoe,1886; amethystina Swinhoe,1894; #amethystine Poltavsky et al.,2018 Range (as code): **ZA AE YE Ad PK Sd Krc IN Mhw ID Adm BT Ass Khs Cpj MM PG AU QAu TW LR**

13979. **Autocharis jacobsalis Marion & Viette,1956** (Pyralidae) Synonymy: jacobsalis Marion & Viette,1956 Range (as code): **ZA MG ML**

13980. **Autocharis librodalis (Viette,1958)** (Pyralidae) Synonymy: librodalis Viette,1958 Range (as code): **MG**

13981. **Autocharis marginata Guillermet,1996** (Pyralidae) Synonymy: marginata Guillermet,1996 Range (as code): **RE**

13982. **Autocharis putralis (Viette,1958)** (Pyralidae) Synonymy: putralis Viette,1958 Range (as code): **MG**

13983. **Autocharis seyrigalis (Marion & Viette,1956)** (Pyralidae) Synonymy: seyrigalis Marion & Viette,1956 Range (as code): **MG**

13984. **Autocharis sinualis (Hampson,1899)** (Pyralidae) Synonymy: sinualis Hampson,1899 Range (as code): **ZA Kzu Nta Wnn**

13985. **Autocharis vohilavalis (Marion & Viette,1956)** (Pyralidae) Synonymy: vohilavalis Marion & Viette,1956 Range (as code): **MG**

13986. **Bahiria defecta Balinsky,1994** (Pyralidae) Synonymy: defecta Balinsky,1994 Range (as code): **ZW Har**

13987. **Bahiria durbanica Balinsky,1994** (Pyralidae) Synonymy: durbanica Balinsky,1994 Range (as code): **ZA Nta Kzu Dbn Umk MZ Blv**

13988. **Bahiria flavicosta Balinsky,1994** (Pyralidae) Synonymy: flavicosta Balinsky,1994 Range (as code): **ZA Mpu Brb Pil Tva Lpo Spb Suw**

13989. **Bahiria latevalvata Balinsky,1994** (Pyralidae) Synonymy: latevalvata Balinsky,1994 Range (as code): **ZA Tva Gau Pre Jh**

13990. **Bahiria macrognatha Balinsky,1994** (Pyralidae) Synonymy: macrognatha Balinsky,1994 Range (as code): **ZA Ec**

13991. **Bahiria magna Balinsky,1994** (Pyralidae) Synonymy: magna Balinsky,1994 Range (as code): **ZW Uma NA Abc ZA Tra Tva Lpo Pie Wo Rtb Gau**

13992. **Bahiria similis Balinsky,1994** (Pyralidae) Synonymy: similis Balinsky,1994 Range (as code): **ZW Har**

13993. **Bahiria ximenianata Balinsky,1994** (Pyralidae) Synonymy: ximenianata Balinsky,1994 Range (as code): **ZA Tva Gau Pre**
13994. **Barbutodes albizziae (Tams,1941)** (Pyralidae) Synonymy: albizziae Tams,1941 Range (as code): **UG CI**
13995. **Barbutodes lantzi Leraut,2013** (Pyralidae) Synonymy: lantzi Leraut,2013 Range (as code): **ZR CI**
13996. **Bassiknysna jansei (Bassi,1999)** (Pyralidae) Synonymy: jansei Bassi,1999 Range (as code): **ZA**
13997. **Bissetia leucomeralis (Hampson,1919)** (Pyralidae) Synonymy: leucomeralis Hampson,1919 Range (as code): **SL**
13998. **Bissetia poliella (Hampson,1919)** (Pyralidae) Synonymy: poliella Hampson,1919 Range (as code): **TZ UG GH**
13999. **Blepharucha zaide (Stoll,[1790])** (Pyralidae) Synonymy: zaide Stoll,[1790]; cruoralis Zeller,1852; dilaceratalis Walker,1865 Range (as code): **ZA**
14000. **Bocchoris inspersalis (Zeller,1852)** (Pyralidae) Synonymy: inspersalis Zeller,1852; afflictalis Guenée,1854; bootanalis Walker,1865; stellalis Butler,1879; pusaensis Bhattacherjee,1973 Range (as code): **SA IN LK MM ID Ja CN TW MY JP ZA TZ YE ZM ZW LR CM ZR GO ET GM GH KE MG MU MZ NA NG RE SC SL SO ML**
14001. **Bocchoris nuclealis De Joannis,1927** (Pyralidae) Synonymy: nuclealis De Joannis,1927 Range (as code): **ZA**
14002. **Bocchoris tenera (Butler,1883)** (Pyralidae) Synonymy: tenera Butler,1883 Range (as code): **ZA LK IN PK Sd Krc**
14003. **Borosia aegyptiaca Gozmany,1959** (Pyralidae) Synonymy: aegyptiaca Gozmany,1959 Range (as code): **EG**
14004. **Bostra albilineata (W.Warren,1891)** (Pyralidae) Synonymy: albilineata W.Warren,1891 Range (as code): **ZA Nta Kzu**
14005. **Bostra carnicolor W.Warren,1914** (Pyralidae) Synonymy: carnicolor W.Warren,1914 Range (as code): **ZA**
14006. **Bostra coenochroa Hampson,1917** (Pyralidae) Synonymy: coenochroa Hampson,1917 Range (as code): **ZA MW Mje**
14007. **Bostra conflualis Hampson,1906** (Pyralidae) Synonymy: conflualis Hampson,1906 Range (as code): **ZA Ec Grh**
14008. **Bostra conspicualis W.Warren,1911** (Pyralidae) Synonymy: conspicualis W.Warren,1911 Range (as code): **ZA Lpo Tva Ltr Spb Ec Cto**
14009. **Bostra dipectinialis Hampson,1906** (Pyralidae) Synonymy: dipectinialis Hampson,1906; evillensis Ghesquière,1942 Range (as code): **ZA ZR ZW**
14010. **Bostra exustalis (Guenée,1854)** (Pyralidae) Synonymy: exustalis Guenée,1854 Range (as code): **ZA**
14011. **Bostra ferrealis Hampson,1906** (Pyralidae) Synonymy: ferrealis Hampson,1906 Range (as code): **ZA Mpu Brb Tva**
14012. **Bostra fumosa De Joannis,1927** (Pyralidae) Synonymy: fumosa De Joannis,1927 Range (as code): **ZA MZ**
14013. **Bostra glaucalis Hampson,1906** (Pyralidae) Synonymy: glaucalis Hampson,1906 Range (as code): **ZA Spb Tva Lpo TZ**
14014. **Bostra lateritialis (Guenée,1854)** (Pyralidae) Synonymy: lateritialis Guenée,1854 Range (as code): **ZA**
14015. **Bostra maculilinea Hampson,1917** (Pyralidae) Synonymy: maculilinea Hampson,1917 Range (as code): **ZA**
14016. **Bostra mucidalis (Guenée,1854)** (Pyralidae) Synonymy: mucidalis Guenée,1854 Range (as code): **ZA**
14017. **Bostra noctuina Butler,1875** (Pyralidae) Synonymy: noctuina Butler,1875 Range (as code): **ZA Nta Kzu**
14018. **Bostra obsoletalis (Mann,1864)** (Pyralidae) Synonymy: obsoletalis Mann,1864; tunesialis Caradja,1916; palaestinensis Amsel,1935; buckwelli Lucas,1954 Range (as code): **Cn DZ Cst Orn TN MA PT ES FR Co Sa Si IT MT YU BG GR CY TR IL Pa IR Elb Mz Kh 13 16 46**
14019. **Bostra pallidicolor Hampson,1917** (Pyralidae) Synonymy: pallidicolor Hampson,1917 Range (as code): **ZA Gau Tva Pre**
14020. **Bostra pallidifrons Hampson,1917** (Pyralidae) Synonymy: pallidifrons Hampson,1917 Range (as code): **ZA ZW**
14021. **Bostra perrubida Hampson,1910** (Pyralidae) Synonymy: perrubida Hampson,1910 Range (as code): **ZA ZW**
14022. **Bostra puncticostalis Hampson,1898** (Pyralidae) Synonymy: puncticostalis Hampson,1898 Range (as code): **ZA Gau Pre Tva**

14023.Bostra pyroxantha Hampson,1906 (Pyralidae) Synonymy: pyroxantha Hampson,1906 Range (as code): **ZA ZW**

14024.Bostra rufimarginalis Hampson,1906 (Pyralidae) Synonymy: rufimarginalis Hampson,1906; flavicostalis W.Warren,1914 Range (as code): **ZA Ec Cto**

14025.Bostra sentalis Hampson,1906 (Pyralidae) Synonymy: sentalis Hampson,1906 Range (as code): **ZA**

14026.Bostra tenebralis Hampson,1906 (Pyralidae) Synonymy: tenebralis Hampson,1906 Range (as code): **ZA UG**

14027.Bostra tripartita W.Warren,1897 (Pyralidae) Synonymy: tripartita W.Warren,1897 Range (as code): **ZA Nta Kzu Wnn**

14028.Bostra vetustalis (Zeller,1852) (Pyralidae) Synonymy: vetustalis Zeller,1852 Range (as code): **ZA**

14029.Bostra xanthorhodalis Hampson,1906 (Pyralidae) Synonymy: xanthorhodalis Hampson,1906 Range (as code): **ZA Nta Kzu Dbn Tva Lpo Spb**

14030.Botyodes asialis Guenée,1854 (Pyralidae) Synonymy: asialis Guenée,1854; chrysotalis Mabille,1880; #liliputalis Strand,1913 Range (as code): **LK MM TH NP Swk SG MY Bor TW PH Luz Pq Boh CmM Mno Bkd Ktd Crg Neg Mpl IN Sum Ja Clb Amb ID AU QAu FJ ML ZA ZW SL LR RW RE MG GO ZR CM**

14031.Botyodes diniasalis (Walker,1859) (Pyralidae) Synonymy: diniasalis Walker,1859; kosemponis Strand,1918; capnosalis Caradja,1925 Range (as code): **AF Shah Kot Bkt Srb PK Cls IN MM CN Kgs KP KR TW ZA Tva Lpo Kru Md BW ZR GM KE MW NA NG SL ML TZ UG ZM ZW**

14032.Brachiolodes ziczac Amsel,1953 (Pyralidae) Synonymy: ziczac Amsel,1953; austeritella Amsel,1965 [ssp.] Range (as code): **Cn MA EG SD IR**

14033.Bradina admixtalis (Walker,1859) (Pyralidae) Synonymy: admixtalis Walker,1859; panaeusalis Walker,1859; tabidalis Lederer,1863; sodalis Lederer,1863; leptogastralis Walker,[1866]; avunculalis Saalmüller,1880; pallidalis W.Warren,1896 Range (as code): **PH Luz ZA CM ZR GH KE RE LR MG MW MZ TZ UG ZW IN Nk JP Crm Amb ID PG LK MM TW AU**

14034.Bradyrrhoa (s.str.) cantenerella (Duponchel,1837) (Pyralidae) Synonymy: cantenerella Duponchel,1837; ravella Heydenreich,1851; subflavella Ragonot,1887; sardicolella Schawerda,1936; variegatella Lucas,1948; brunneella Lucas,1955 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT CH YU MK GR TR Cc AM KK Na 05 06 16 31 46**

14035.Bradyrrhoa (s.str.) confiniella Zeller,1848 (Pyralidae) Synonymy: confiniella Zeller,1848; remotella Mann,1867; nubigerella Ragonot,1887; ifraneella Lucas,1956; ebertella Roesler,1969 Range (as code): **MA Ifr Co Si IT MT YU AL BG GR Cr TR SY IL Pa LB Bei CY RU UA Cm 16 33 41 47**

14036.Bradyrrhoa (s.str.) marianella Ragonot,1887 (Pyralidae) Synonymy: marianella Ragonot,1887; andryalella Chrétien,1911; lyratella Chrétien,1926 Range (as code): **TN Gf ES An Grn Py FR**

14037.Bradyrrhoa (s.str.) trapezella (Duponchel,1836) (Pyralidae) Synonymy: trapezella Duponchel,1836; cinerella Duponchel,1836; saxeella Zeller,1848; chalcedoniella Herrisch-Schäffer,1851; seniella Staudinger,1879; petryi Schawerda,1933 Range (as code): **Cn TN Dhm FR Co Sa Si IT HV YU MK BG GR TR TM 05 16 38 42 46**

14038.Brihaspa chrysostoma (Zeller,1852) (Pyralidae) Synonymy: chrysostoma Zeller,1852; nigropunctella Pagenstecher,1893 Range (as code): **ZA**

14039.Cabotella inconspicua Balinsky,1994 (Pyralidae) Synonymy: inconspicua Balinsky,1994 Range (as code): **ZA Tra**

14040.Cactoblastis cactorum (Berg,1885) (Pyralidae) Synonymy: cactorum Berg,1885 Range (as code): **AU ZA**

14041.Cadarena pudoraria (Hübner,1825) (Pyralidae) Synonymy: sinuata Fabricius,1781 nec Fabr.,1777; marginata Stoll,1782 nec Linn.,1758; pudoraria Hübner,1825; marginalis Guenée,1854 Range (as code): **ZA AO CM ZR GO ET GA GM GH KE RE MG MW NG RW SC SL TZ UG ZM ZW ML**

14042.Cadra calidella (Guenée,1845) (Pyralidae) Synonymy: calidella Guenée,1845; #ficella Douglas,1851; xanthotricha Staudinger,1859. Range (as code): **DZ Bsk Ajj PT ES FR Si IT MT IE GB NL DE CH AT CZ SK YU GR TR IQ Amr Bgd IL Pa Hf EG SA DK NO SE FI RU MD UA BY ZA 06 13 46 61**

14043.Cadra cautella (Walker,1863) (Pyralidae) Synonymy: cautella Walker,1863; defectella Walker,1864; desuetella Walker,1866; passulella Barrett,1875; formosella Wileman & South,1918; rotundatella Turati,1930; pelopis Turner,1947; irakella Amsel,1959 Range (as code): **Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz AF Srb Pic Nu Bsg CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID Ja CN TW TH JP Bsr Amr Enz PH WS FJ SB OW NW 03 06 21 38 42 46**

14044.Cadra figulilella (Gregson,1871) (Pyralidae) Synonymy: figulilella Gregson,1871; ficulella Barrett,1875; milleri Zeller,1876; gypsella Ragonot,1887; venosella Turati,1926; ernestinella Turati,1927; #halfaella Roesler,1965. Range (as code): **Cn MR MA DZ Bsk TN Gf LY Cy PT ES B-I FR Co Sa Si IT MT GB BE NL DE CH AT CZ RO YU HV AL BG GR Cr TR CY LB IL JO Pa EG SD SA YE NO SE RU MD UA BY IQ IR Elb Shh Mz AF PK NP Ch CN JP KP KR ZA AU 13 31 34 46 71 76**

14045. **Cadra furcatella (Herrich-Schäffer,[1849])** (Pyralidae) Synonymy: furcatella Herrich-Schäffer,[1849] Range (as code): **IR Fa Elb LB IQ Cc AZ GG AF Srb Pag Kab Pic Bd Nu Bsg Bkt UZ LY Cy Co Sa Si IT MA PT ES Mu An Py CZ SK AT HU RO HV B-H YU MK BG AL GR Cr TR RU 01 03 05 06 09 13 16 21 31 42 44 46 65 71**
14046. **Caffrocrambus alcibiades Bleszynski,1961** (Pyralidae) Synonymy: alcibiades Bleszynski,1961 Range (as code): **ZA Ec**
14047. **Caffrocrambus chalcimerus (Hampson,1919)** (Pyralidae) Synonymy: chalcimerus Hampson,1919 Range (as code): **ZA**
14048. **Caffrocrambus decolorelloides Bleszynski,1970** (Pyralidae) Synonymy: decolorelloides Bleszynski,1970 Range (as code): **KE Nai**
14049. **Caffrocrambus decolorellus (Walker,1866)** (Pyralidae) Synonymy: decolorellus Walker,1866 Range (as code): **ZA Ec**
14050. **Caffrocrambus dichotomellus (Hampson,1919)** (Pyralidae) Synonymy: dichotomellus Hampson,1919 Range (as code): **ZA Ec**
14051. **Caffrocrambus leucofascialis (Janse,1922)** (Pyralidae) Synonymy: leucofascialis Janse,1922 Range (as code): **ZA Tva Lpo Pre Wm**
14052. **Caffrocrambus ochreus Bleszynski,1970** (Pyralidae) Synonymy: ochreus Bleszynski,1970 Range (as code): **ZW Har KE Nai**
14053. **Caffrocrambus undilineatus (Hampson,1919)** (Pyralidae) Synonymy: undilineatus Hampson,1919 Range (as code): **ZA Tva Lpo Gau Pre KE**
14054. **Caina deletella Ragonot,1893** (Pyralidae) Synonymy: deletella Ragonot,1893; subdeletella Ragonot,1893; ciniferella Ragonot,1893; gayneri Rothschild,1902; tahlaella Dumont,1932; vasta Amsel,1935 Range (as code): **KE IN Poo EG TN IL Pa LB MT Cn**
14055. **Calamochrous flavimarginalis Hampson,1913** (Pyralidae) Synonymy: flavimarginalis Hampson,1913 Range (as code): **ZA**
14056. **Calamoschoena stictalis Hampson,1919** (Pyralidae) Synonymy: stictalis Hampson,1919 Range (as code): **ZA**
14057. **Calamotropha abjectella Snellen,1872** (Pyralidae) Synonymy: abjectella Snellen,1872 Range (as code): **PH Luz Boh Ja Clb ID ZA**
14058. **Calamotropha agryppina Bleszynski,1961** (Pyralidae) Synonymy: agryppina Bleszynski,1961 Range (as code): **TZ**
14059. **Calamotropha albidalis (Hampson,1919)** (Pyralidae) Synonymy: albidalis Hampson,1919 Range (as code): **SL SD**
14060. **Calamotropha anticella (Walker,1866)** (Pyralidae) Synonymy: anticellus Walker,1866 Range (as code): **ZA Nta Kzu IN LK AU NAu Dwn ID Sum TW**
14061. **Calamotropha argenteociliella Pagenstecher,1893** (Pyralidae) Synonymy: argenteociliella Pagenstecher,1893 Range (as code): **MZ ZA**
14062. **Calamotropha argyrostola (Hampson,1919)** (Pyralidae) Synonymy: argyrostola Hampson,1919 Range (as code): **ZA Nta Kzu**
14063. **Calamotropha athena Bleszynski,1961** (Pyralidae) Synonymy: athena Bleszynski,1961 Range (as code): **SL NG**
14064. **Calamotropha bicornutella Bleszynski,1961** (Pyralidae) Synonymy: bicornutella Bleszynski,1961 Range (as code): **AO**
14065. **Calamotropha bradleyi Bleszynski,1960** (Pyralidae) Synonymy: bradleyi Bleszynski,1960 Range (as code): **ZA**
14066. **Calamotropha cleopatra Bleszynski,1961** (Pyralidae) Synonymy: cleopatra Bleszynski,1961 Range (as code): **TZ**
14067. **Calamotropha danutae Bleszynski,1961** (Pyralidae) Synonymy: danutae Bleszynski,1961 Range (as code): **TZ**
14068. **Calamotropha diakonoffi Bleszynski,1961** (Pyralidae) Synonymy: diakonoffi Bleszynski,1961 Range (as code): **ZA Nta Kzu**
14069. **Calamotropha diodonta (Hampson,1919)** (Pyralidae) Synonymy: diodonta Hampson,1919 Range (as code): **NG CM LR**
14070. **Calamotropha discella (Walker,1863)** (Pyralidae) Synonymy: discella Walker,1863; mesoscia Hampson,1919 Range (as code): **ZA MG**
14071. **Calamotropha fuscilineatella (Lucas,1938)** (Pyralidae) Synonymy: fuscilineatella Lucas,1938 Range (as code): **MA PT Sa**

14072. **Calamotropha fuscivittalis (Hampson,1900)** (Pyralidae) Synonymy: fuscivittalis Hampson,1900 Range (as code): **ZW**
14073. **Calamotropha heliocausta (Wallengren,1876)** (Pyralidae) Synonymy: heliocausta Wallengren,1876 Range (as code): **ZA Tva Lpo Nta Kzu**
14074. **Calamotropha janusella Bleszynski,1961** (Pyralidae) Synonymy: janusella Bleszynski,1961 Range (as code): **ET**
14075. **Calamotropha joskeaella Bleszynski,1961** (Pyralidae) Synonymy: joskeaella Bleszynski,1961 Range (as code): **TZ**
14076. **Calamotropha kuchleini Bleszynski,1961** (Pyralidae) Synonymy: kuchleini Bleszynski,1961 Range (as code): **TZ**
14077. **Calamotropha lattini Bleszynski,1961** (Pyralidae) Synonymy: lattini Bleszynski,1961 Range (as code): **TZ**
14078. **Calamotropha martini Bleszynski,1961** (Pyralidae) Synonymy: martini Bleszynski,1961 Range (as code): **UG**
14079. **Calamotropha megalopunctata Bleszynski,1961** (Pyralidae) Synonymy: megalopunctata Bleszynski,1961 Range (as code): **SD**
14080. **Calamotropha mesostrigalis (Hampson,1919)** (Pyralidae) Synonymy: mesostrigalis Hampson,1919 Range (as code): **MZ**
14081. **Calamotropha mimosa Bleszynski,1961** (Pyralidae) Synonymy: mimosa Bleszynski,1961 Range (as code): **ZR**
14082. **Calamotropha niveicostella (Hampson,1919)** (Pyralidae) Synonymy: niveicostella Hampson,1919 Range (as code): **ZA Nta Kzu**
14083. **Calamotropha paludella (Hübner,[1824])** (Pyralidae) Synonymy: paludella Hübner,[1824]; obtusellus Stainton,1856; paramattellus Meyrick,1879; carpherus Hampson,1898; nivellus Rebel,1914; calamosus Hampson,1919; durandi Lucas,1931; typhivorus Meyrick,1932; #digitatus Osthelder,1937; afghanistanica Bleszynski,1959 Range (as code): **PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Bsr SY IR Ahz TM DK NO SE FI EE LV LT RU Am Prj Us MD UA BY KG Dj Tk IR Mz Gh Ra Kd Kz Dzf Enz Fa Shr Abn AF Srb PK Ch AU MG ZA Tva Pre CN Sz Kgs Ui Yu IMn Mc Hun Fkn TW JP Kyu Hkk ID IN 42 46**
14084. **Calamotropha psaltrias (Meyrick,1933)** (Pyralidae) Synonymy: psaltrias Meyrick,1933 Range (as code): **ZR**
14085. **Calamotropha schoenmanni Bleszynski,1961** (Pyralidae) Synonymy: schoenmanni Bleszynski,1961 Range (as code): **TZ**
14086. **Calamotropha stachi Bleszynski,1961** (Pyralidae) Synonymy: stachi Bleszynski,1961 Range (as code): **ZW**
14087. **Calamotropha subdiodonta Bleszynski,1961** (Pyralidae) Synonymy: subdiodonta Bleszynski,1961 Range (as code): **GA**
14088. **Calamotropha torpidella (Zeller,1852)** (Pyralidae) Synonymy: torpidella Zeller,1852 Range (as code): **ZA**
14089. **Calamotropha toxophora (Joannis,1927)** (Pyralidae) Synonymy: toxophorus Joannis,1927 Range (as code): **MZ**
14090. **Calamotropha tripartita (Hampson,1919)** (Pyralidae) Synonymy: tripartitus Hampson,1919 Range (as code): **ZA Nta Kzu**
14091. **Calamotropha wallengreni Bleszynski,1961** (Pyralidae) Synonymy: wallengreni Bleszynski,1961 Range (as code): **ZA Tva Gau Pre**
14092. **Calamotropha xanthypa Bleszynski,1961** (Pyralidae) Synonymy: xanthypa Bleszynski,1961 Range (as code): **ZA Nta Kzu**
14093. **Calamotropodes grisella Janse,1922** (Pyralidae) Synonymy: grisella Janse,1922 Range (as code): **ZA**
14094. **Calomacalla metachryseis (Hampson,1906)** (Pyralidae) Synonymy: metachryseis Hampson,1906 Range (as code): **ZA NA**
14095. **Candiope joannisella Ragonot,1888** (Pyralidae) Synonymy: joannisella Ragonot,1888 Range (as code): **ZA**
14096. **Candiope sahariensis (Rothschild,1921)** (Pyralidae) Synonymy: sahariensis Rothschild,1921; pseudodiscomaculella Amsel,1935 Range (as code): **NG IL Pa IQ Mos**
14097. **Candiopella dukei Balinksy,1994** (Pyralidae) Synonymy: dukei Balinksy,1994 Range (as code): **ZA Ec Tra**
14098. **Canthelea africanella (Ragonot,1888)** (Pyralidae) Synonymy: africanella Ragonot,1888 Range (as code): **ZW Bul ZA Tva Fs Mdp Gau Pre Nta Kzu Imp Ktz Ec Ste**

14099. **Canthelea oegnusalis (Walker,1859)** (Pyralidae) Synonymy: oegnusalis Walker,1859; lateritialis Walker,1863; gratella Walker,1863; concolorella Walker,1866; stibiella Snellen,1872; punctigera Butler,1880; laxalis Swinhoe,1885; africana Janse,1942 Range (as code): **MG IN LK MM ID Sbw Sum Clb Amb IC SG PH TW CN AU ZA Tva Mpu Brb Pil Lds Dmm Gau Pre Nha Nta Kzu Esw Ptw Wv ZW**

14100. **Cantheleamima excisa Balinsky,1994** (Pyralidae) Synonymy: excisa Balinsky,1994 Range (as code): **ZW Wnk**

14101. **Cataclysta argyrochrysalis Mabille,1900** (Pyralidae) Synonymy: argyrochrysalis Mabille,1900 Range (as code): **MG**

14102. **Cataclysta blandialis (Walker,1859)** (Pyralidae) Synonymy: blandialis Walker,1859; patnalis R.Felder & Rogenhofer,1875; stipalis Snellen,1880; cuneifera Moore,1885; junctalis Hampson,1891; nigritalis Hampson,1893; mesorphna Meyrick,1894; xanthbathra Meyrick,1894; perirorata Hampson,1917; #bombayensis Klima,1937 Range (as code): **IN Mh Bba Nl Clc Drm Hp LK MY Bor TW CN Kwa VN Ton JP ID Clb Sum Ja Amb PG AU FJ MZ CI MW ZW NG ZA Ec**

14103. **Cataclysta callichromalis Mabille,1878** (Pyralidae) Synonymy: callichromalis Mabille,1878 Range (as code): **MG**

14104. **Cataclysta euclidialis Hampson,1906** (Pyralidae) Synonymy: euclidialis Hampson,1906 Range (as code): **NG**

14105. **Cataclysta lemnata (Linnaeus,1758)** (Pyralidae) Synonymy: lemnata Linnaeus,1758; lemnalis [Denis & Schiffermüller],1775; uliginata Fabricius,1794; confirmata Krulikowsky,1909; brunneospersa Osthelder,1935. Range (as code): **MA Rbt ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB DK NO SE FI EE LV LT RU Ur MD UA BY Cc GG AZ AM Len IR Gh Tgo 42 46**

14106. **Cataclysta leroii Strand,1914** (Pyralidae) Synonymy: leroii Strand,1914 Range (as code): **SD**

14107. **Cataclysta nyasalis Hampson,1917** (Pyralidae) Synonymy: nyasalis Hampson,1917 Range (as code): **MW ZA**

14108. **Cataclysta perirrorata Hampson,1917** (Pyralidae) Synonymy: perirrorata Hampson,1917 Range (as code): **ZA**

14109. **Cataclysta pusillalis Saalmüller,1879** (Pyralidae) Synonymy: pusillalis Saalmüller,1879 Range (as code): **MG**

14110. **Catalaodes malgassicalis Viette,1953** (Pyralidae) Synonymy: malgassicalis Viette,1953 Range (as code): **MG**

14111. **Cataonia erubescens (Christoph,1877)** (Pyralidae) Synonymy: erubescens Christoph,1877; monocerialis Ragonot,1891; mineti Vives,2001 Range (as code): **MR ES MT GR TR TM Krn Kp IR Ss Chh AF Srb Bsg Dwe Gbh Asm 01 31 38 46**

14112. **Catoptria algeriensis (Müller-Rutz,1931)** (Pyralidae) Synonymy: algeriensis Müller-Rutz,1931 Range (as code): **MA DZ**

14113. **Catoptria pinella (Linnaeus,1758)** (Pyralidae) Synonymy: pinella Linnaeus,1758; virginella Scopoli,1763. Range (as code): **MA DZ TN PT ES C-M Cue FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB IR Gls Ar Ak Gh Ra Tle Gor Mz Kld Enz DK NO SE FI EE LV LT RU Tt Ur Kj Mnu Ir Irk Vv Ask Sh MD UA BY JP Hkk KG Tk Dj 01 05 13 14 16 33 65 80 81**

14114. **Caustella phoenicias Hampson,1930** (Pyralidae) Synonymy: phoenicias Hampson,1930 Range (as code): **ZA**

14115. **Ceuthelea umtalensis Balinsky,1994** (Pyralidae) Synonymy: umtalensis Balinsky,1994 Range (as code): **ZW Uma**

14116. **Ceutholopha isidis (Zeller,1867)** (Pyralidae) Synonymy: isidis Zeller,1867; gilvibasella Ragonot,1888; aequalisella Lucas,1948; parallelolineata Lucas,1950. Range (as code): **TR TN DZ Bsk Cst Ajj MT MA Co PT EG LY Cy CY AF PK Krc Sd Swa Kkar IN LK IR Ss Irs Ana Ke AE KE NA ZA 63**

14117. **Chalcidoptera thermographa Hampson,1912** (Pyralidae) Synonymy: rufilinealis Hampson,1910; thermographa Hampson,1912 Range (as code): **ZA ZR ET ZM ZW**

14118. **Charltona actinialis Hampson,1919** (Pyralidae) Synonymy: actinialis Hampson,1919 Range (as code): **NG**

14119. **Charltona albimixtalis Hampson,1919** (Pyralidae) Synonymy: albimixtalis Hampson,1919; villiersi Marion,1957. Range (as code): **GM NG**

14120. **Charltona argyrastis Hampson,1919** (Pyralidae) Synonymy: argyrastis Hampson,1919 Range (as code): **KE**

14121. **Charltona chrysopasta Hampson,1910** (Pyralidae) Synonymy: chrysopasta Hampson,1910 Range (as code): **ZW**

14122. **Charltona interstitialis Hampson,1919** (Pyralidae) Synonymy: interstitialis Hampson,1919 Range (as code): **NG**

14123. **Charltona plurivittalis Hampson,1910** (Pyralidae) Synonymy: plurivittalis Hampson,1910 Range (as code): **ZR ZA**
14124. **Charltona synaula Meyrick,1933** (Pyralidae) Synonymy: synaula Meyrick,1933 Range (as code): **ZR**
14125. **Charltona tritonella (Hampson,1898)** (Pyralidae) Synonymy: tritonella Hampson,1898 Range (as code): **ZA**
14126. **Cherchera abatesella Dumont,1932** (Pyralidae) Synonymy: abatesella Dumont,1932 Range (as code): **Cn MT MA TN AE**
14127. **Chilo agamemnon Bleszynski,1962** (Pyralidae) Synonymy: agamemnon Bleszynski,1962 Range (as code): **ES EG EG11 IL Pa SD UG**
14128. **Chilo aleniellus (Strand,1913)** (Pyralidae) Synonymy: aleniella Strand,1913 Range (as code): **UG NG GO Bio ZR CM**
14129. **Chilo argyrolepius (Hampson,1919)** (Pyralidae) Synonymy: argyrolepia Hampson,1919 Range (as code): **TZ**
14130. **Chilo argyropasta Hampson,1919** (Pyralidae) Synonymy: argyropasta Hampson,1919; argentisparsalis Hampson,1919 Range (as code): **ZA Nta Kzu Ec**
14131. **Chilo bostralis (Hampson,1919)** (Pyralidae) Synonymy: bostralis Hampson,1919 Range (as code): **UG**
14132. **Chilo costifusalis (Hampson,1919)** (Pyralidae) Synonymy: costifusalis Hampson,1919 Range (as code): **TZ MW ZR AO**
14133. **Chilo diffusilineus (De Joannis,1927)** (Pyralidae) Synonymy: diffusilinea De Joannis,1927; phaeosema Martin,1958 Range (as code): **MZ ET SD TZ MW ZW GN SN SL NG**
14134. **Chilo luniferalis Hampson,1896** (Pyralidae) Synonymy: luniferalis Hampson,1896 Range (as code): **ET SD CF ZR**
14135. **Chilo luteellus (Motschulsky,1866)** (Pyralidae) Synonymy: lutellus Motschulsky,1860 nec [Denis & Schiff.],1775; luteellus Motschulsky,1866; concolorellus Christoph,1885; gensamellus Leech,1889;dubia Bethune-Baker,1894;boxanus Hering,1903; plumbosellus Chrétien,1910; molydellus Zerny,1935; molybdellus Zerny,1941 Range (as code): **DZ Bsk ES Sa IT HU BG GR Cr RO UA Cm TR RU TM Kp IR Mz Shh Gh Tgo Ar Enz Km Dzf Ak Cc AZ Len SY EG LB IQ Rwz AF Hr PK Cp CN Stg Ui Ku KP KR JP Hkk Kyu KG Tk Dj Ii KK Ik PH 01 05 06 16 25 33 36 42 46 58 76 80**
14136. **Chilo mercatorius Bleszynski,1970** (Pyralidae) Synonymy: mercatorius Bleszynski,1970 Range (as code): **ZR**
14137. **Chilo mesoplagalis (Hampson,1919)** (Pyralidae) Synonymy: mesoplagalis Hampson,1919 Range (as code): **SL NG UG SD GH**
14138. **Chilo orichalcociliellus (Strand,1911)** (Pyralidae) Synonymy: orichalcociliella Strand,1911 Range (as code): **TZ KE ZA ZR MG**
14139. **Chilo partellus (Swinhoe,1885)** (Pyralidae) Synonymy: zonellus Swinhoe,[1885] nec Zell.,1847; partellus Swinhoe,1885; lutulentalis Tams,1932 Range (as code): **UG MW ZA TZ SD SD91 AF Bm Srb PK Sd Krc LK IN Poo Bba BD NP TH TW IR Ss IQ IL Pa Hf KM ID JP CY TR 01 31 80**
14140. **Chilo perfusalis (Hampson,1919)** (Pyralidae) Synonymy: perfusalis Hampson,1919 Range (as code): **NG SN SL GH**
14141. **Chilo phaeosemus Martin,1958** (Pyralidae) Synonymy: phaeosema Martin,1958 Range (as code): **ZW**
14142. **Chilo powelli Lucas,1943** (Pyralidae) Synonymy: powelli Lucas,1943 Range (as code): **MA**
14143. **Chilo prophylactes Meyrick,1934** (Pyralidae) Synonymy: prophylactes Meyrick,1934 Range (as code): **ZR ZA**
14144. **Chilo psammathis (Hampson,1919)** (Pyralidae) Synonymy: psammathis Hampson,1919 Range (as code): **NG GH**
14145. **Chilo quirimbellus Bleszynski,1970** (Pyralidae) Synonymy: quirimbellus Bleszynski,1970 Range (as code): **AO ZR**
14146. **Chilo recalvus Wallengren,1876** (Pyralidae) Synonymy: recalvus Wallengren,1876 Range (as code): **ZA Tva Lpo**
14147. **Chilo thyrsis Bleszynski,1963** (Pyralidae) Synonymy: thyrsis Bleszynski,1963 Range (as code): **TZ Dss KE Mb ZR UG ZW**
14148. **Chilo williami (De Joannis,1927)** (Pyralidae) Synonymy: williami De Joannis,1927 Range (as code): **MZ**
14149. **Chilo zacconius Bleszynski,1970** (Pyralidae) Synonymy: zacconius Bleszynski,1970 Range (as code): **SN ML CI NG**

14150.Chilo zoriandellus Bleszynski,1970 (Pyralidae) Synonymy: zoriandellus Bleszynski,1970 Range (as code): **KE**

14151.Cholius luteolaris (Scopoli,1772) (Pyralidae) Synonymy: luteolaris Scopoli,1772; ochrealis [Denis & Schiffermüller],1775; silacella Hübner,1796; flavellus O.-G.Costa,1836; simplicella Laharpe,1861; albescentalis Hampson,1900; cremealis Zerny,1934 Range (as code): **MA ES FR IT BE AT CZ SK HU RO YU MK BG GR TR LB Bsa RU MD UA BY 01 05 46 47 49 80**

14152.Christophia dattinella Ragonot,1887 (Pyralidae) Synonymy: dattinella Ragonot,1887; hampsoniella D.Lucas,1909; dilutalis Rothschild,1913 Range (as code): **DZ TN Gab**

14153.Chrysocatharylla fusca Bassi,1999 (Pyralidae) Synonymy: fusca Bassi,1999 Range (as code): **ZA**

14154.Chrysocatharylla lucasi Schouten,1994 (Pyralidae) Synonymy: lucasi Schouten,1994; bathurstella Bassi,1999 Range (as code): **ZA KE TZ**

14155.Chrysocatharylla oenescentella (Hampson,1896) (Pyralidae) Synonymy: oenescentellus Hampson,1896 Range (as code): **ZA Nta Kzu**

14156.Chrysocrambus chrysonuchelloides (Rothschild,1925) (Pyralidae) Synonymy: chrysonuchelloides Rothschild,1925; maghrebellus Marion,1950. Range (as code): **MA**

14157.Chrysocrambus kobelti (Saalmüller,1885) (Pyralidae) Synonymy: kobelti Saalmüller,1885; tingitanellus Chrétien,1922. Range (as code): **MA DZ Lbs**

14158.Chrysocrambus mauretanicus (Müller-Rutz,1931) (Pyralidae) Synonymy: mauretanicus Müller-Rutz,1931 Range (as code): **MA DZ TN**

14159.Chrysocrambus similimellus (Müller-Rutz,1931) (Pyralidae) Synonymy: similimellus Müller-Rutz,1931; #umbrosellus Müller-Rutz,1931. Range (as code): **TN DZ**

14160.Cirrhochrista argentiplaga W.Warren,1897 (Pyralidae) Synonymy: argentiplaga W.Warren,1897 Range (as code): **ZA**

14161.Cirrhochrista grabczewskyi (E.Hering,1903) (Pyralidae) Synonymy: grabczewskyi E.Hering,1903; conjuncta Gaede,1917; convoluta Hampson,1919 Range (as code): **CM GM GH ML KE NG ZW ZA Tva Lpo Ltr Spb**

14162.Classeya argyrodonta (Hampson,1910) (Pyralidae) Synonymy: argyrodonta Hampson,1910; diplophanes Meyrick,1933 Range (as code): **ZW**

14163.Classeya bicuspidalis (Hampson,1919) (Pyralidae) Synonymy: bicuspidalis Hampson,1919 Range (as code): **ZA**

14164.Classeya placydioni Bleszynski,1960 (Pyralidae) Synonymy: placydioni Bleszynski,1960 Range (as code): **SN ML GM**

14165.Classeya quadricuspis (Hampson,1910) (Pyralidae) Synonymy: quadricuspis Hampson,1910 Range (as code): **ZR ZW ZA**

14166.Classeya trichelites (Meyrick,1936) (Pyralidae) Synonymy: trichelites Meyrick,1936 Range (as code): **ZA**

14167.Cnaphalocrocis poeyalis (Boisduval,1833) (Pyralidae) Synonymy: poeyalis Boisduval,1833; venilialis Walker,1859; marisalis Walker,1859; cicatricosa Lederer,1863; rectistrigosa Snellen,1872; minutalis Mabille,1880; hampsoni Rothschild,1921 Range (as code): **AE PG JP RE MU CM ZR GO GM CI KE MG ML MZ NA NG SC SL TZ AU**

14168.Cnaphalocrocis poyealis (Boisduval,1833) (Pyralidae) Synonymy: poyealis Boisduval,1833; marisalis Walker,1859; ruralis Walker,1859; venilialis Walker,1859; cicatricosa Lederer,1863; rectistrigosa Snellen,1872; minutalis Mabille,1880; mimica W.Warren,1896; hampsoni Rothschild,1921 Range (as code): **WS PC FJ SB PG AU ID Ja SG MY TH IN LK JP OW ZA CI GO CM CV NG RE SH SC SL AE YE**

14169.Cnaphalocrocis trapezalis (Guenée,1854) (Pyralidae) Synonymy: trapezalis Guenée,1854; suspicalis Walker,1859; convectalis Walker,[1866]; bifurcalis Snellen,1880. Range (as code): **CM ZR EG GM KE RE MG ML MU NG SN SC SL SO ZA SD TZ UG ZM ZW AU**

14170.Cnephidia serraticornella (Zeller,1839) (Pyralidae) Synonymy: serraticornella Zeller,1839; gregella Eversmann,1844; zernyi Toll,1942; rungsella D.Lucas,1942; ifraneella D.Lucas,1956; kairouanensis Leraut,2003 Range (as code): **MA Ifr DZ Orn TN SK HU RO YU BG GR TR IQ Ama RU Sb At IR TM KG 13 42 46**

14171.Coenochroa ablutella (Zeller,1839) (Pyralidae) Synonymy: ablutella Zeller,1839; flaveolella Ragonot,1887; stigmatellus Ragonot,1888; seeboldi Ragonot,1894; korbi Caradja,1910; majorella Rothschild,1913; buxtoni Rothschild,1921 Range (as code): **Cn Md MA Rbt DZ Ajj Bsk Onç Ogl Gle PT ES Grn FR Si IT RO YU BG GR Cr TR CY UA Cm RU Cc Da AZ Kir IQ Bgd Mos Kbl IR Mz Qz Ss Irs Fa Shr Th Kdj Se KuB Kz Com IL Hf Pa TE LB JO EG TM Kp KG Tk AF UZ KK PK Sd Krc YE IN MM ZA NG ZR SD AE 01 05 06 13 23 35 42 45 46**

14172.Coenochroa nitidicostella (Ragonot,1887) (Pyralidae) Synonymy: nitidicostella Ragonot,1887 Range (as code): **DZ Orn TN Gf GR? RU Sr IL Pa CN Ui Au**

14173.Commotria albinervella Hampson,1918 (Pyralidae) Synonymy: albinervella Hampson,1918 Range (as code): **ZA**

14174.Commotria albistria Janse,1922 (Pyralidae) Synonymy: albistria Janse,1922 Range (as code): **ZA**

14175. **Commotria castaneipars Hampson,1918** (Pyralidae) Synonymy: castaneipars Hampson,1918 Range (as code): **ZA**
14176. **Commotria leucosparsalis Janse,1922** (Pyralidae) Synonymy: leucosparsalis Janse,1922 Range (as code): **ZA**
14177. **Commotria phlebicella Hampson,1918** (Pyralidae) Synonymy: phlebicella Hampson,1918 Range (as code): **ZA**
14178. **Commotria rhodoneura Hampson,1918** (Pyralidae) Synonymy: rhodoneura Hampson,1918 Range (as code): **ZA**
14179. **Commotria ruficolor Janse,1922** (Pyralidae) Synonymy: ruficolor Janse,1922 Range (as code): **ZA**
14180. **Conotalis aurantifascia (Hampson,1896)** (Pyralidae) Synonymy: aurantifascia Hampson,1896 Range (as code): **GM GH**
14181. **Conotalis nigrisquamalis Hampson,1919** (Pyralidae) Synonymy: nigrisquamalis Hampson,1919 Range (as code): **ZA Tva Lpo Nta Kzu**
14182. **Conotalis nigroradians (Mabille,1899)** (Pyralidae) Synonymy: nigroradians Mabille,1899 Range (as code): **KM**
14183. **Corcyra nidicolella Rebel,1914** (Pyralidae) Synonymy: nidicolella Rebel,1914 Range (as code): **EG EG11**
14184. **Cornifrons albidiscalis Hampson,1916** (Pyralidae) Synonymy: albidiscalis Hampson,1916 Range (as code): **ZA**
14185. **Cornifrons ulceratalis Lederer,1858** (Pyralidae) Synonymy: ulceratalis Lederer,1858; seriziatalis Oberthür,1876 Range (as code): **DZ Rhr Bsk Gha Ceg Nbr Tou Ogl Heh Gle Gtt Ah Ajj TN Gf Cn ES Sa Si IT MT YU AL GR Cr TR SY Dms SA EG IL Pa Hf Js CY JO LB IQ Bgd Dia Kbl KW IR Fa Ss Chh Kz Sde AF PK Sd Krc 07 27 65**
14186. **Crambus acyperas Hampson,1919** (Pyralidae) Synonymy: acyperas Hampson,1919 Range (as code): **UG**
14187. **Crambus archimedes Bleszynski,1961** (Pyralidae) Synonymy: archimedes Bleszynski,1961 Range (as code): **ZA Nta Kzu Tva Lpo**
14188. **Crambus aristophanes Bleszynski,1961** (Pyralidae) Synonymy: aristophanes Bleszynski,1961 Range (as code): **KE**
14189. **Crambus arnaudiae Rougeot,1977** (Pyralidae) Synonymy: arnaudiae Rougeot,1977 Range (as code): **ET**
14190. **Crambus attis Bassi,2012** (Pyralidae) Synonymy: attis Bassi,2012 Range (as code): **ZA Gau Tva Lpo Mpu Kzu Nta SZ Fs**
14191. **Crambus bachi Bassi,2012** (Pyralidae) Synonymy: bachi Bassi,2012 Range (as code): **ET**
14192. **Crambus bellissimus Bleszynski,1961** (Pyralidae) Synonymy: bellissimus Bleszynski,1961 Range (as code): **ZA Kzu Nta**
14193. **Crambus berliozi Bassi,2012** (Pyralidae) Synonymy: berliozi Bassi,2012 Range (as code): **ZA Kzu Nta**
14194. **Crambus boislamberti Rougeot,1977** (Pyralidae) Synonymy: boislamberti Rougeot,1977 Range (as code): **ET**
14195. **Crambus brachiiferus Hampson,1919** (Pyralidae) Synonymy: brachiiferus Hampson,1919 Range (as code): **TZ ZA**
14196. **Crambus brunneisquamatus Hampson,1919** (Pyralidae) Synonymy: brunneisquamatus Hampson,1919 Range (as code): **TZ**
14197. **Crambus caligula Bleszynski,1961** (Pyralidae) Synonymy: caligula Bleszynski,1961 Range (as code): **KE ZR ET**
14198. **Crambus cormieri Bleszynski,1961** (Pyralidae) Synonymy: cormieri Bleszynski,1961 Range (as code): **TZ**
14199. **Crambus dedalus Bassi,2000** (Pyralidae) Synonymy: dedalus Bassi,2000 Range (as code): **ET**
14200. **Crambus descarpentriesi (Rougeot,1977)** (Pyralidae) Synonymy: descarpentriesi Rougeot,1977 Range (as code): **ET**
14201. **Crambus diarhabdellus Hampson,1919** (Pyralidae) Synonymy: diarhabdellus Hampson,1919 Range (as code): **SD TZ MG ET**
14202. **Crambus ellipticellus Hampson,1919** (Pyralidae) Synonymy: ellipticellus Hampson,1919 Range (as code): **ZA Nta Kzu TZ**
14203. **Crambus endoxantha Hampson,1919** (Pyralidae) Synonymy: endoxantha Hampson,1919 Range (as code): **ZA Tva Lpo**

14204. **Crambus eurypides Bleszysnki,1961** (Pyralidae) Synonymy: eurypides Bleszysnki,1961 Range (as code): **UG**
14205. **Crambus frescobaldii Bassi,2012** (Pyralidae) Synonymy: frescobaldii Bassi,2012 Range (as code): **ZW**
14206. **Crambus guerini Bleszynski,1961** (Pyralidae) Synonymy: guerini Bleszynski,1961 Range (as code): **TZ**
14207. **Crambus hampsoni Bleszynski,1961** (Pyralidae) Synonymy: mediofasciellus Hampson,1919 nec Zny.,1914; hampsoni Bleszynski,1961. Range (as code): **KE Nai**
14208. **Crambus icarus Bleszynski,1961** (Pyralidae) Synonymy: icarus Bleszynski,1961 Range (as code): **KE**
14209. **Crambus jupiter Bleszynski,1963** (Pyralidae) Synonymy: jupiter Bleszynski,1963 Range (as code): **ET**
14210. **Crambus lacteella Janse,1922** (Pyralidae) Synonymy: lacteella Janse,1922 Range (as code): **ZA Tva Lpo**
14211. **Crambus leucofascialis Janse,1922** (Pyralidae) Synonymy: leucofascialis Janse,1922 Range (as code): **ZW**
14212. **Crambus leucoschalis Hampson,1898** (Pyralidae) Synonymy: leucoschalis Hampson,1898; infradentatus Hampson,1919 Range (as code): **ZA Tva Gau Pre**
14213. **Crambus lybistidellus Turati,1924** (Pyralidae) Synonymy: lybistidellus Turati,1924 Range (as code): **LY Cy**
14214. **Crambus mesombrellus Hampson,1919** (Pyralidae) Synonymy: mesombrellus Hampson,1919 Range (as code): **NG ET**
14215. **Crambus microstrigatus Hampson,1919** (Pyralidae) Synonymy: microstrigatus Hampson,1919 Range (as code): **TZ**
14216. **Crambus midas Bleszynski,1961** (Pyralidae) Synonymy: midas Bleszynski,1961 Range (as code): **AO**
14217. **Crambus monostictus Hampson,1919** (Pyralidae) Synonymy: monostictus Hampson,1919 Range (as code): **TZ**
14218. **Crambus mozarti Bassi,2012** (Pyralidae) Synonymy: mozarti Bassi,2012 Range (as code): **TZ**
14219. **Crambus nephelestictus De Joannis,1922** (Pyralidae) Synonymy: nephelestictus De Joannis,1922 Range (as code): **MZ**
14220. **Crambus nephretete Bleszynski,1961** (Pyralidae) Synonymy: nephretete Bleszynski,1961 Range (as code): **AO**
14221. **Crambus netuncus Bassi,2012** (Pyralidae) Synonymy: netuncus Bassi,2012 Range (as code): **ET**
14222. **Crambus neurellus Hampson,1919** (Pyralidae) Synonymy: neurellus Hampson,1919 Range (as code): **KE**
14223. **Crambus nigrivarialis Gaede,1916** (Pyralidae) Synonymy: nigrivarialis Gaede,1916 Range (as code): **CM**
14224. **Crambus nitens Turati,1930** (Pyralidae) Synonymy: nitens Turati,1930 Range (as code): **LY Cy**
14225. **Crambus obscurefaciellus Joannis,1927** (Pyralidae) Synonymy: obscurefaciellus Joannis,1927 Range (as code): **MZ ZA**
14226. **Crambus ovidius Bleszynski,1961** (Pyralidae) Synonymy: ovidius Bleszynski,1961 Range (as code): **ZR**
14227. **Crambus paris Bassi,2012** (Pyralidae) Synonymy: paris Bassi,2012 Range (as code): **ZA Nta Kzu**
14228. **Crambus perdentellus Hampson,1919** (Pyralidae) Synonymy: perdentellus Hampson,1919 Range (as code): **TZ**
14229. **Crambus perlellus (Scopoli,1763)** (Pyralidae) Synonymy: perlellus Scopoli,1763; dealbellus Thunberg,1788; warringtonellus Stainton,1849. Range (as code): **MA Ifr PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Mo MD UA BY TR GG AM Cc AZ KG Uk IR Qm Gh Ha Ke Jrf Msh Mz Kh Gor Nss Shh Plr Dam KK TJ Pm AF Ch Ui Kun Kml CN Mc Jn US Cf Col CA BCo Abt Als Mai Iln Mrl SDk Vr Mch Mns Mnt Nbw Nfl On Qb 01 14 13 16 24 25 42 51 58 65 69 76**
14230. **Crambus perspicuus Walker,1870** (Pyralidae) Synonymy: perspicuus Walker,1870 Range (as code): **EG SA**
14231. **Crambus promethaeus Bleszynski,1961** (Pyralidae) Synonymy: promethaeus Bleszynski,1961 Range (as code): **TZ**
14232. **Crambus pythagoras Bleszynski,1961** (Pyralidae) Synonymy: pythagoras Bleszynski,1961 Range (as code): **AO**
14233. **Crambus reductus Janse,1922** (Pyralidae) Synonymy: reductus Janse,1922 Range (as code): **ZA Tva Lpo**

14234. **Crambus richteri Bleszynski,1963** (Pyralidae) Synonymy: richteri Bleszynski,1963 Range (as code): **ET**
14235. **Crambus rossinii Bassi,2012** (Pyralidae) Synonymy: rossinii Bassi,2012 Range (as code): **ZW**
14236. **Crambus sebrus Bleszynski,1961** (Pyralidae) Synonymy: sebrus Bleszynski,1961 Range (as code): **TZ**
14237. **Crambus sectitermina Hampson,1910** (Pyralidae) Synonymy: sectitermina Hampson,1910 Range (as code): **ZW**
14238. **Crambus seychelellus T.B.Fletcher,1910** (Pyralidae) Synonymy: seychelellus T.B.Fletcher,1910; emmerezellus Joannis,1915 Range (as code): **SC MU**
14239. **Crambus sjoestedti Aurivillius,1910** (Pyralidae) Synonymy: sjoestedti Aurivillius,1910 Range (as code): **TZ ZA**
14240. **Crambus sparsellus Walker,1866** (Pyralidae) Synonymy: sparsellus Walker,1866 Range (as code): **ZA**
14241. **Crambus sudanicola Strand,1920** (Pyralidae) Synonymy: sudanicola Strand,1920 Range (as code): **SD**
14242. **Crambus tenuistrigus Hampson,1898** (Pyralidae) Synonymy: tenuistrigus Hampson,1898 Range (as code): **ZA Tva Gau Pre**
14243. **Crambus tesselatus Hampson,1919** (Pyralidae) Synonymy: tesselatus Hampson,1919 Range (as code): **KE**
14244. **Crambus themistocles Bleszynski,1961** (Pyralidae) Synonymy: themistocles Bleszynski,1961 Range (as code): **ZA Nta Kzu**
14245. **Crambus thersites Bleszynski,1961** (Pyralidae) Synonymy: thersites Bleszynski,1961 Range (as code): **KE**
14246. **Crambus undilineatus Hampson,1919** (Pyralidae) Synonymy: undilineatus Hampson,1919 Range (as code): **ZA Tva Lpo**
14247. **Crambus vagistrigellus Joannis,1913** (Pyralidae) Synonymy: vagistrigellus De Joannis,1913 Range (as code): **ER**
14248. **Crambus varii Bassi,2012** (Pyralidae) Synonymy: varii Bassi,2012 Range (as code): **ZA**
14249. **Crambus venalbellus Joannis,1922** (Pyralidae) Synonymy: venalbellus De Joannis,1922 Range (as code): **MZ**
14250. **Crambus viettellus Bleszynski,1959** (Pyralidae) Synonymy: reductus Viette,1959 nec Jns.,1922; viettellus Bleszynski,1959. Range (as code): **ZA**
14251. **Crambus vittiterminellus Hampson,1919** (Pyralidae) Synonymy: vittiterminellus Hampson,1919 Range (as code): **TZ**
14252. **Crambus zebus Bleszynski,1962** (Pyralidae) Synonymy: zebus Bleszynski,1962 Range (as code): **ZA Tva Lpo**
14253. **Criophthona aridalis Hampson,1913** (Pyralidae) Synonymy: aridalis Hampson,1913 Range (as code): **ZA**
14254. **Criophthona sabulosalis Hampson,1910** (Pyralidae) Synonymy: sabulosalis Hampson,1910 Range (as code): **KE ZM ZA**
14255. **Crocidolomia pavonana (Fabricius,1794)** (Pyralidae) Synonymy: pavonana Fabricius,1794; binotalis Zeller,1852; comalis Guenée,1854; incomalis Guenée,1854; quadripunctata Shiraki,1913; dentalis Amsel,1951 Range (as code): **AU NF TW PH Luz Boh ZA Lpo Tva Spb Mdk PK Sd Krc IN IR Ss Chh LK MM TH CMa Dst ID Sum Ja Clb Bli MY BN Swk Bor**
14256. **Crocidophora caffralis (Hampson,1910)** (Pyralidae) Synonymy: caffralis Hampson,1910 Range (as code): **ZA Tra ZW ZM KM**
14257. **Crocidophora craspedalis Hampson,1913** (Pyralidae) Synonymy: craspedalis Hampson,1913 Range (as code): **SL**
14258. **Crocidophora elongalis Viette,1978** (Pyralidae) Synonymy: elongalis Viette,1978; angazidzia Viette,1981 Range (as code): **MG KM**
14259. **Crocidophora sinisalis (Walker,1859)** (Pyralidae) Synonymy: sinisalis Walker,1859 Range (as code): **ZR**
14260. **Crocidophora velialis (Gaede,1917)** (Pyralidae) Synonymy: velialis Gaede,1917 Range (as code): **KE**
14261. **Crypsiptya ruficostalis (Hampson,1918)** (Pyralidae) Synonymy: ruficostalis Hampson,1918 Range (as code): **ZA**

14262.Cryptoblabes gnidiella (Millière,1867) (Pyralidae) Synonymy: gnidiella Millière,1867; wockiana Briosi,[1877]; aliena Swezey,1909 Range (as code): **Cn PT ES FR Sa Si IT MT GB NL AT GR TR IL Pa Hf EG JO DK NO SE FI TH Hw NZ BR UY MY ZA ZW 01 33 80**

14263.Cryptosara caritalis (Walker,1859) (Pyralidae) Synonymy: caritalis Walker,1859 Range (as code): **SL LR CM ML ZR CG GH MU TG**

14264.Cryptosara snelleni nom. nov.
http://zoobank.org/urn:lsid:zoobank.org:act:E0B1816D-C63E-4E1F-92F7-A8390B548534
Remarks: *Botys auralis* Snellen,1872 (*Tijdschr. Ent.* 15 : 90-91) is junior primary homonym of *Botys auralis* Peyerimhoff,1872 (*Petites nouv. Ent.* 4 (58): 232 [date of publication: 15 aout 1872]. These two taxa were described from different places by different authors and in different journals. Both taxa are currently used as valid. The taxon, *Botys auralis* Peyerimhoff,1872 is currently considered as valid in the genus *Mecyna* Doubleday [in Europe]. The date of publication of the journal, where Peyerimhoff's name published, is specified as "15 August 1872", in accordance with the Article 21.2. [3] The taxon, *Botys auralis* Snellen,1872 is currently considered as valid in the genus *Cryptosara* Martin [SW Africa].[4] The date of publication of the journal, where Snellen's name published, is incompletely specified, *i.e.,* only the year demonstrated as "1872". Therefore, the last day of 1872 must be the date of the publication of *Botys auralis* Snellen. (Article 21.3.2). For this reason we consider Snellen's name as junior than Peyerimhoff's name. There is no other available synonym of *auralis* Snellen; therefore we propose here a replacement name, *Cryptosara snelleni* **nom. nov.** for *Botys auralis* Snellen,1872 nec *Botys auralis* Peyerimhoff,1872.
Range (as code): **GN**

14265.Cryptosara vadonalis Marion,1957 (Pyralidae) Synonymy: vadonalis Marion,1957 Range (as code): **MG**

14266.Culladia achroella (Mabille,1899) (Pyralidae) Synonymy: achroella Mabille,1899 Range (as code): **MG SD TZ ET ZR KE MU RE ZA Nta Kzu Dbn**

14267.Culladia elgonella Bleszynski,1970 (Pyralidae) Synonymy: elgonella Bleszynski,1970 Range (as code): **KE Elg UG ZR CM**

14268.Culladia inconspicuella (Snellen,1872) (Pyralidae) Synonymy: inconspicuella Snellen,1872; troglodytella Snellen,1872 Range (as code): **GY CI SL LR KE Mb ET ZR SC ZA**

14269.Culladia serranella Bleszynski,1970 (Pyralidae) Synonymy: serranella Bleszynski,1970 Range (as code): **ZA Ec Ans Grh**

14270.Culladia suffusella Hampson,1896 (Pyralidae) Synonymy: suffusella Hampson,1896 Range (as code): **MG IN Nl NP PH Luz**

14271.Culladia troglodytella (Snellen,1872) (Pyralidae) Synonymy: troglodytella Snellen,1872 Range (as code): **GN NG GH KE**

14272.Culladiella generosa (Meyrick,1936) (Pyralidae) Synonymy: generosa Meyrick,1936 o Range (as code): **ZR**

14273.Culladiella sinuimargo (Hampson,1919) (Pyralidae) Synonymy: sinuimargo Hampson,1919 Range (as code): **ZA Tva Gau Pre KE**

14274.Culladiella subsinuimargo Bleszynski,1970 (Pyralidae) Synonymy: subsinuimargo Bleszynski,1970 Range (as code): **SD**

14275.Cybalomia arenosalis Rebel,1912 (Pyralidae) Synonymy: arenosalis Rebel,1912 Range (as code): **EG**

14276.Cybalomia azzalana Rothschild,1921 (Pyralidae) Synonymy: azzalana Rothschild,1921 Range (as code): **NE**

14277.Cybalomia fenestrata Rothschild,1921 (Pyralidae) Synonymy: fenestrata Rothschild,1921 Range (as code): **NE**

14278.Cybalomia gyoti (Rebel,1909) (Pyralidae) Synonymy: gyoti Rebel,1909; #guyoti Amsel,1935 Range (as code): **EG Sn**

14279.Cybalomia ledereri Rothschild,1921 (Pyralidae) Synonymy: ledereri Rothschild,1921 Range (as code): **NE**

14280.Cybalomia pulverosalis Hampson (Pyralidae) Synonymy: Range (as code): **TN Sfx**

14281.Cybalomia simplex W.Warren & Rothschild,1905 (Pyralidae) Synonymy: simplex W.Warren & Rothschild,1905 Range (as code): **SD**

[3] https://www.iczn.org/the-code/the-international-code-of-zoological-nomenclature/the-code-online/
[4] http://globiz.pyraloidea.org/Pages/Reports/TaxonReport.aspx?ReturnUrl=%2fPages%2fReports%2fTaxonomyReport.aspx

14282.Cybalomia squamosa (Hampson,1913) (Pyralidae) Synonymy: squamosa Hampson,1913 Range (as code): **ZA**

14283.Cynaeda (Noctuelia) annuliferalis Hampson,1918 (Pyralidae) Synonymy: annuliferalis Hampson,1918 Range (as code): **ZA**

14284.Cynaeda (Noctuelia) superba (Freyer,[1844]) (Pyralidae) Synonymy: superba Freyer,[1844]; superbalis Herrich-Schäffer,1848; petitjeanii Oberthür,1876 Range (as code): **MA Ifr DZ Lbs MK TR GG Cc Bjo AM LB IR Elb Shh Ha Kdj Th Fa Kdv IQ AF Shah 01 05 06 12 13 21 25 30 38 42 44 46 58 65 70 71**

14285.Cynaeda (s.str.) dentalis ([Denis & Schiffermüller],1775) (Pyralidae) Synonymy: dentalis [Denis & Schiffermüller],1775; ramalis Fabricius,1787; radiata Esper,1788; fulminans Fabricius,1794; dilutalis De Lattin,1959 Range (as code): **DZ Clo Lbs Ges TN Gf PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LT RU MD UA BY IL EG KG Uk Tk Dj Ii Ui CN Ku TM Kp CY LB IR Elb Kdv Th Kdj Dam Gor Cc GG Bjo Lag Kir AZ Mng Nv Ord 01 05 06 08 16 17 31 42 44 46 50 58 71 73 76 80**

14286.Cynaeda distictalis (Hampson,1913) (Pyralidae) Synonymy: distictalis Hampson,1913 Range (as code): **ZA**

14287.Cynaeda euprepialis (Hampson,1913) (Pyralidae) Synonymy: euprepialis Hampson,1913; iotaenialis Gaede,1917 Range (as code): **ZW Har ZA Tva**

14288.Cypholomia amphiaula Meyrick,1934 (Pyralidae) Synonymy: amphiaula Meyrick,1934 Range (as code): **ZR**

14289.Cypholomia crypsibela Meyrick,1934 (Pyralidae) Synonymy: crypsibela Meyrick,1934 Range (as code): **ZR**

14290.Cypholomia leptodeta Meyrick,1933 (Pyralidae) Synonymy: leptodeta Meyrick,1933 Range (as code): **ZR**

14291.Cyrtogramme melagynalis (Agassiz,1978) (Pyralidae) Synonymy: melagynalis Agassiz,1978 Range (as code): **SL TH LK JP ID Sum Bli PH PG GB**

14292.Daulia auriplumbea (W.Warren,1914) (Pyralidae) Synonymy: auriplumbea W.Warren,1914 Range (as code): **ZA**

14293.Daulia subaurealis (Walker,1865) (Pyralidae) Synonymy: subaurealis Walker,1865 Range (as code): **ZA Wca Cto**

14294.Dejoannisia pallidella (Joannis,1927) (Pyralidae) Synonymy: pallidella Joannis,1927 Range (as code): **ZA**

14295.Delopterus basalis Janse,1922 (Pyralidae) Synonymy: basalis Janse,1922 Range (as code): **ZA**

14296.Denticera divisella (Duponchel,1842) (Pyralidae) Synonymy: divisella Duponchel,1842; euphorbiella Zeller,1846; albiricella Herrich-Schäffer,1849; sardzeella Amsel,1961. Range (as code): **MA DZ Ajj ES FR Sa Si IT MT YU BG GR TR IR IL Pa Hf IQ Rwz Dia Shq GM ZA Nta Kzu YE Ad PK Sd Krc LK 01 02 05 13 27 33 44 46 56 72**

14297.Dentifovea praecultalis (Rebel,1896) (Pyralidae) Synonymy: praecultalis Rebel,1896 Range (as code): **Cn**

14298.Dentitegumia nigrigranella (Ragonot,1890) (Pyralidae) Synonymy: nigrigranella Ragonot,1890; comeella Amsel,1961. Range (as code): **DZ Bsk TN Gf IL Pa Jer IQ Kbl Rba IR Ss Fa**

14299.Desmia incomposita (Bethune-Baker,1909) (Pyralidae) Synonymy: incomposita Bethune-Baker,1909 Range (as code): **ZR GM NG**

14300.Deuterophysa grisealis Hampson,1917 (Pyralidae) Synonymy: grisealis Hampson,1917 Range (as code): **ZA**

14301.Diaphania indica (Saunders,1851) (Pyralidae) Synonymy: indica Saunders,1851; capensis Zeller,1852; gazorialis Guenée,1854; zygaenalis Guenée,1854; curcubitalis Guenée,1862; intermedialis Dognin,1904. Range (as code): **Cn VE US Fl ZA Tva Lpo Spb Lj MG SA AE AF Srb Gbh PH Luz Ceb Boh CmM KP TW JP AU WS FJ PG MY Bor ID Ja IR Ss Irs IN CN TH CMa Cuo Cuo1 CDo CD2 Dst Dso9 CM ZR ET GM ML KE RE MW MU MZ NA NG RW SC SL SD TZ ZW**

14302.Diasemia disjectalis (Zeller,1852) (Pyralidae) Synonymy: disjectalis Zeller,1852 Range (as code): **ZA**

14303.Diasemia lunalis Gaede,1916 (Pyralidae) Synonymy: lunalis Gaede,1916; cressarcha E.L.Martin,1956 Range (as code): **CM ET KE RW ZA TG UG BI**

14304.Diasemia monostigma Hampson,1913 (Pyralidae) Synonymy: monostigma Hampson,1913 Range (as code): **ZA RE MG RW ZW**

14305.Diasemia trigonalis Hampson,1913 (Pyralidae) Synonymy: trigonalis Hampson,1913 Range (as code): **ZA**

14306.Diasemiopsis ramburialis (Duponchel,1831) (Pyralidae) Synonymy: ramburialis Duponchel,1831; melaleucalis Walker,1859; reconditalis Walker,[1866]; leucophaealis Walker,[1866]. Range (as code): **PT ES FR Co Sa Si IT MT GB BE NL CH AT RO YU AL BG GR Cr TR IR Mz Gls DK US IN AU QAu TW ZA CM ZR ET GM RE MG MZ NA SC SL TZ ZW 16 31 46**

14307. **Diastictis incisalis (Snellen,1880)** (Pyralidae) Synonymy: incisalis Snellen,1880 Range (as code): **PK Sd Krc IN Poo LK ID Clb ZA**
14308. **Diastictis tenera (Butler,1883)** (Pyralidae) Synonymy: tenera Butler,1883 Range (as code): **ZA**
14309. **Dichocrocis fuscoalbalis (Hampson,1898)** (Pyralidae) Synonymy: fuscoalbalis Hampson,1898; antithetis Meyrick,1937 Range (as code): **ZR SL**
14310. **Didia subramosella Ragonot,1893** (Pyralidae) Synonymy: subramosella Ragonot,1893; #subsamosella Balinsky,1994 Range (as code): **ZA**
14311. **Dioryctria robiniella (Millière,1865)** (Pyralidae) Synonymy: robiniella Millière,1865; daelei Mutuura & Munroe,1974 Range (as code): **IT ES FR HV MA DZ**
14312. **Dipleurinodes bueaensis (Maes,1996)** (Pyralidae) Synonymy: bueaensis Maes,1996 Range (as code): **CM**
14313. **Dipleurinodes comorensis Leraut,1989** (Pyralidae) Synonymy: comorensis Leraut,1989 Range (as code): **KM**
14314. **Dipleurinodes mineti Leraut,1989** (Pyralidae) Synonymy: mineti Leraut,1989 Range (as code): **MG**
14315. **Dipleurinodes nigra Leraut,1989** (Pyralidae) Synonymy: nigra Leraut,1989 Range (as code): **KM**
14316. **Dipleurinodes phaeopalpia (Hampson,1917)** (Pyralidae) Synonymy: phaeopalpia Hampson,1917 Range (as code): **ZA Nta Kzu**
14317. **Diplopseustis perieresalis (Walker,1859)** (Pyralidae) Synonymy: perieresalis Walker,1859; minima Butler,1881; nana W.Warren,1896 Range (as code): **GB Cn ES PT NL JP CN TW IN Ass Khs MY Bor Swk AU FJ NZ**
14318. **Diplopseustoides mineti Guillermet,2012** (Pyralidae) Synonymy: mineti Guillermet,2012 Range (as code): **RE**
14319. **Diploschistis stygiocrena Meyrick,1937** (Pyralidae) Synonymy: stygiocrena Meyrick,1937 Range (as code): **ZR**
14320. **Diplotalis metallescens Hampson,1919** (Pyralidae) Synonymy: metallescens Hampson,1919 Range (as code): **NG**
14321. **Diptychophora minimalis Hampson,1919** (Pyralidae) Synonymy: minimalis Hampson,1919 Range (as code): **SL**
14322. **Discofrontia normella Hampson,1901** (Pyralidae) Synonymy: normella Hampson,1901 Range (as code): **ZA**
14323. **Ditrachyptera verruciferella (Ragonot,1888)** (Pyralidae) Synonymy: verruciferella Ragonot,1888 Range (as code): **ZA GM AE**
14324. **Doddiana analamalis Viette,1960** (Pyralidae) Synonymy: analamalis Viette,1960 Range (as code): **MG**
14325. **Doddiana cyanifusalis Marion,1955** (Pyralidae) Synonymy: cyanifusalis Marion,1955 Range (as code): **MG**
14326. **Dolicharthria aetnaealis (Duponchel,1833)** (Pyralidae) Synonymy: aetnaealis Duponchel,1833; concoloralis Oberthür,1876; fuscocilialis Ragonot,1881; flavipunctalis Hampson,1900; mutantalis Caradja,1916; gigantalis Zerny,1935 nec Dru.,1896; #zernyi Klima,1937; lorquinalis sensu Leraut,2003 Range (as code): **MA Ifr DZ Bsk Lbs PT Co Sa ES An FR Py IT Si IL Pa**
14327. **Dolicharthria bruguieralis (Duponchel,1833)** (Pyralidae) Synonymy: bruguieralis Duponchel,1833; coniotalis Hampson,1903; pseudobotys Rothschild,1913; similalis Rothschild,1915; bahrlutalis Amsel,1935; mauretanica D.Lucas,1949 Range (as code): **DZ Rhr Clo Ah Omy Onç LY Cy EG MA TN PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr Rd TR CY LB Bsa Bmm IL Pa Hf IQ Rwz Brs Ry Shq IR Fa Shr Sse Bu AF Pnj Kab Pli Gbh Srb Khi Adr Fz ZA 01 02 05 06 07 13 16 21 30 31 32 33 44 46 65 70 73**
14328. **Dolicharthria daralis (Chrétien,1911)** (Pyralidae) Synonymy: daralis Chrétien,1911; pseudobotys Rothschild,1913; similalis Rothschild,1915; heringi Rebel,1939; mauretanica D.Lucas,1950 Range (as code): **LY DZ Bsk MA Cn IL Pa Js TN Gf**
14329. **Dolicharthria desertalis (Hampson,1907)** (Pyralidae) Synonymy: desertalis Hampson,1907 Range (as code): **ZA**
14330. **Dolicharthria lanceolalis (Guenée,1854)** (Pyralidae) Synonymy: lanceolalis Guenée,1854; eanesalis Walker,1859; #lanceolatis Wallengren,1872 Range (as code): **ZA**
14331. **Dolicharthria paediusalis (Walker,1859)** (Pyralidae) Synonymy: paediusalis Walker,1859; poediusalis Hampson,1897 Range (as code): **ZA ZR YE BT**
14332. **Dolicharthria phaeospilalis (Hampson,1907)** (Pyralidae) Synonymy: phaeospilalis Hampson,1907 Range (as code): **KE Tet**
14333. **Dolicharthria punctalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: punctalis [Denis & Schiffermüller],1775; longipedalis Curtis,1830 Range (as code): **TN Sfx Elk PT ES FR Co Sa Si IT GB NL DE**

CH AT CZ SK HU RO B-H Sjv HV YU AL BG GR Cr CY TR DK SE FI EE IR Elb Mz Th Kdj Kdv Fa Sse Ss Kh Gh Tgo Pa IL AF Anh 01 05 06 14 16 31 33 36 39 42 46 56 58 61 65 71

14334. **Dolicharthria signatalis (Zeller,1852)** (Pyralidae) Synonymy: signatalis Zeller,1852 Range (as code): **ZA**

14335. **Donacaula ignitalis (Hampson,1919)** (Pyralidae) Synonymy: ignitalis Hampson,1919 Range (as code): **ZA**

14336. **Donacaula nilotica (Zeller,1867)** (Pyralidae) Synonymy: niloticus Zeller,1867; alpherakii Staudinger,1874; vescerellus Chrétien,1910; argophthalmus Meyrick,1933; nigrolineata Popescu-Gorj & Draghia,1968 Range (as code): **RO BG GR RU DZ Bsk EG EG05 EG11 TR AZ Cc Kir IL Pa Hf Js JO IQ Mos IR Kh KG Uk UZ Br IN 21 46 56**

14337. **Donacaula phaeopastalis (Hampson,1919)** (Pyralidae) Synonymy: phaeopastalis Hampson,1919 Range (as code): **ZA**

14338. **Donacaula rufalis (Hampson,1919)** (Pyralidae) Synonymy: rufalis Hampson,1919 Range (as code): **ZA**

14339. **Duponchelia caidalis Oberthür,1888** (Pyralidae) Synonymy: caidalis Oberthür,1888 Range (as code): **MA DZ Bsk EG EG11 Jer IL Pa**

14340. **Duponchelia fovealis Zeller,1847** (Pyralidae) Synonymy: fovealis Zeller,1847; canuisalis Millière,1869; griseata Butler,1875; uniflexalis Mabille,1880 Range (as code): **Cn DZ Agi Bsk PT ES FR Co Sa Si IT MT NL BE DE YU GR Cr CY TR IL Pa Hf EG Hx Hp Ahz Fa Sse Ana Ke JO LB YE Ad IQ Bsr AE DK SE AF Srb ZA Nta Kzu ZR MZ CM GM KE RE MG MU MA SL SN TZ TG UG 01 07 31 33 48 63 80**

14341. **Duponchelia fumidalis Turati,1934** (Pyralidae) Synonymy: fumidalis Turati,1934 Range (as code): **LY Cy**

14342. **Duponchelia lanceolalis (Guenée,1854)** (Pyralidae) Synonymy: lanceolalis Guenée,1854; eanesalis Walker,1859; lanceolatis Wallengren,1872 Range (as code): **ZA ZW**

14343. **Dysallacta negatalis (Walker,1859)** (Pyralidae) Synonymy: negatalis Walker,1859; monesusalis Walker,1859; phanasalis Walker,1859 Range (as code): **AF Srb PK Pj IN Guj MM IN LK TW AU ZA TH CMa CDo Pki ZR GM LS NG MW MZ ML NA ZW**

14344. **Dysphylia viridella Ragonot,1888** (Pyralidae) Synonymy: viridella Ragonot,1888; viridis Saalmüller,1891 Range (as code): **ZA Wca Kny**

14345. **Ecpyrrhorrhoe diffusalis (Guenée,1854)** (Pyralidae) Synonymy: carnealis Dup.,1831 nec Treit.1829; diffusalis Guenée,1854; affusalis Guenée,1854; tenuialis Mann,1862. Range (as code): **Cn MA TN ES FR IT CH HU RO YU HV AL BG GR IL Pa Hf TR IR Fa Shr Com Ss Th Kdj Ha Mz LB Bsa AF Pic Kab Srb Bsg Pag PK Cp UA Lvv Cc GG Tbl Bjo AZ Kir Nv Ord AE IN 01 02 05 06 13 16 21 30 31 36 38 42 44 46 47 56 58 60 65 71 73 76**

14346. **Eldana saccharina Walker,1865** (Pyralidae) Synonymy: saccharina Walker,1865; conipyga Strand,1913 Range (as code): **ZA MZ ZW UG BJ SN ET**

14347. **Elegia fallax (Staudinger,1881)** (Pyralidae) Synonymy: fallax Staudinger,1881; nigribasella Ragonot,1895 Range (as code): **MA PT ES TR 05**

14348. **Elegia inconspicuella (Ragonot,1888)** (Pyralidae) Synonymy: inconspicuella Ragonot,1888; fuscidorsella Ragonot,1888; insulsella Ragonot,1893 Range (as code): **ZA**

14349. **Eleusina homoeosomella Hampson,1901** (Pyralidae) Synonymy: homoeosomella Hampson,1901 Range (as code): **ZA**

14350. **Elisabethinia cosmia Ghesquière,1942** (Pyralidae) Synonymy: cosmia Ghesquière,1942 Range (as code): **ZR**

14351. **Eloeidiphilos adustalis (Hampson,1917)** (Pyralidae) Synonymy: adustalis Hampson,1917; aliberti Praviel,1938 Range (as code): **KE**

14352. **Elophila acornutus Agassiz,2012** (Pyralidae) Synonymy: acornutus Agassiz,2012 Range (as code): **SD UG ZR**

14353. **Elophila africalis (Hampson,1906)** (Pyralidae) Synonymy: africalis Hampson,1906 Range (as code): **ZM MW ZW MZ ZA NA BW AO SL CI BJ SN GH NE NG CM ZR KE TZ UG MG**

14354. **Elophila circealis (Walker,1859)** (Pyralidae) Synonymy: circealis Walker,1859 Range (as code): **ZA**

14355. **Elophila ealensis Agassiz,2012** (Pyralidae) Synonymy: ealensis Agassiz,2012 Range (as code): **ZR**

14356. **Elophila melagynalis (Agassiz,1978)** (Pyralidae) Synonymy: melagynalis Agassiz,1978 Range (as code): **LK TH Nna Kao Knc IN JP ID SL KE TZ**

14357. **Elophila minima Agassiz,2012** (Pyralidae) Synonymy: minima Agassiz,2012 Range (as code): **NG UG ZA KE GH SL**

14358. **Elophila nymphaeata (Linnaeus,1758)** (Pyralidae) Synonymy: nymphaeata Linnaeus,1758; potamogata Linnaeus,1758; rivulata Scopoli,1763; nymphaealis [Denis & Schiffermüller],1775; potamogalis [Denis & Schiffermüller],1775; obscuralis Selys-Longchamps,1845; potamogetalis Reutti,1898 Range (as code): **MA DZ ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Pa DK NO SE FI EE LV LT RU MD UA BY IR Enz Ui Kön Brç CN Mc 01 14 16**

14359. **Elophila obliteralis (Walker,1859)** (Pyralidae) Synonymy: obliteralis Walker,1859 Range (as code): **ZA Gau Tva BW**
14360. **Ematheudes convexus J.C.Shaffer,1998** (Pyralidae) Synonymy: convexus J.C.Shaffer,1998 Range (as code): **NA Abc ZW Bul**
14361. **Ematheudes crassinotellus Ragonot,1888** (Pyralidae) Synonymy: crassinotellus Ragonot,1888 Range (as code): **ZA**
14362. **Ematheudes crenulatus J.C.Shaffer,1998** (Pyralidae) Synonymy: crenulatus J.C.Shaffer,1998 Range (as code): **ZR**
14363. **Ematheudes dewittei J.C.Shaffer,1998** (Pyralidae) Synonymy: dewittei J.C.Shaffer,1998 Range (as code): **ZR**
14364. **Ematheudes elysium J.C.Shaffer,1998** (Pyralidae) Synonymy: elysium J.C.Shaffer,1998 Range (as code): **ZA Fs**
14365. **Ematheudes erectus J.C.Shaffer,1998** (Pyralidae) Synonymy: erectus J.C.Shaffer,1998 Range (as code): **ZA Ec Grh Tva Gau Pre Wm Lpo**
14366. **Ematheudes forficatus J.C.Shaffer,1998** (Pyralidae) Synonymy: forficatus J.C.Shaffer,1998 Range (as code): **ZR**
14367. **Ematheudes hamatus J.C.Shaffer,1998** (Pyralidae) Synonymy: hamatus J.C.Shaffer,1998 Range (as code): **ZM AO ZR UG**
14368. **Ematheudes hispidus J.C.Shaffer,1998** (Pyralidae) Synonymy: hispidus J.C.Shaffer,1998 Range (as code): **ZA Tva Gau Pre Mpu ZW Bul**
14369. **Ematheudes kenyaensis J.C.Shaffer,1998** (Pyralidae) Synonymy: kenyaensis J.C.Shaffer,1998 Range (as code): **KE Nai**
14370. **Ematheudes lusingensis J.C.Shaffer,1998** (Pyralidae) Synonymy: lusingensis J.C.Shaffer,1998 Range (as code): **ZR**
14371. **Ematheudes maculescens J.C.Shaffer,1998** (Pyralidae) Synonymy: maculescens J.C.Shaffer,1998 Range (as code): **ZA Wca**
14372. **Ematheudes megacantha J.C.Shaffer,1998** (Pyralidae) Synonymy: megacantha J.C.Shaffer,1998 Range (as code): **ZR KE Nai ZM**
14373. **Ematheudes michaelshafferi J.C.Shaffer,1998** (Pyralidae) Synonymy: michaelshafferi J.C.Shaffer,1998 Range (as code): **KE**
14374. **Ematheudes miostictus (Hampson,1918)** (Pyralidae) Synonymy: miostictus Hampson,1918 Range (as code): **SL**
14375. **Ematheudes natalensis J.C.Shaffer,1998** (Pyralidae) Synonymy: natalensis J.C.Shaffer,1998 Range (as code): **ZA Kzu Nta Kkf Fs Tva Gau Pre Jh**
14376. **Ematheudes neonepsia Martin,1956** (Pyralidae) Synonymy: neonepsia Martin,1956; #neonepsis Maes,2002 Range (as code): **ZR UG ZW Har**
14377. **Ematheudes neurias (Hampson,1918)** (Pyralidae) Synonymy: neurias Hampson,1918; erythrograptus Hampson,1918 Range (as code): **ZA Tva Lpo Spb Tak ZW ZM Vf Bul**
14378. **Ematheudes nigropunctatus (Legrand,1965)** (Pyralidae) Synonymy: nigropunctatus Legrand,1965 Range (as code): **SC Ald MG**
14379. **Ematheudes paleatellus Ragonot,1888** (Pyralidae) Synonymy: paleatellus Ragonot,1888 Range (as code): **LS MW ZA Ec Elo Fs Gau Tva Jh Pre Nta Kzu Est Kmb Pto Dbn Hwk Kkf Mpu Wkk Nwe Rtb Wca ZM ET**
14380. **Ematheudes pollex J.C.Shaffer,1998** (Pyralidae) Synonymy: pollex J.C.Shaffer,1998 Range (as code): **ET**
14381. **Ematheudes punctellus (Treitschke,1833)** (Pyralidae) Synonymy: punctellus Treitschke,1833; pseudopunctellus Ragonot,1888; tunesiella Ragonot,1892 Range (as code): **MA DZ Anna Cst Btna Phv Eba Bsk TN Gf PT ES FR Co Sa Si IT MT BE CH AT CZ SK HU RO YU AL BG GR Cr TR RU MD UA Cm BY IR Elb Th Ha Fa Kdj Shr Sse Kh CY EG IL Pa Hf LB JO KG Tk UZ Tas TM 01 05 06 13 16 27 31 33 34 35 38 42 46 48 71 80**
14382. **Ematheudes quintuplex J.C.Shaffer,1998** (Pyralidae) Synonymy: quintuplex J.C.Shaffer,1998 Range (as code): **ZR**
14383. **Ematheudes rhodochrous (Hampson,1918)** (Pyralidae) Synonymy: rhodochrous Hampson,1918; brunneicostellus Hampson,1918; sarcoidus Hampson,1918; venatellus Hampson,1918; aulacodes Meyrick,1933. Range (as code): **ZA Nta Kzu Tug Tva Wri ZR ZW Vf Har**
14384. **Ematheudes setigera J.C.Shaffer,1998** (Pyralidae) Synonymy: setigera J.C.Shaffer,1998; #setiger Maes,2002 Range (as code): **ZA Wca Tva Gau Pre Nta Kzu MZ Blv**
14385. **Ematheudes sinuosus J.C.Shaffer,1998** (Pyralidae) Synonymy: sinuosus J.C.Shaffer,1998 Range (as code): **ZA Tva Lpo Pie ZW Vf**

14386.Ematheudes straminellus Snellen,1872 (Pyralidae) Synonymy: straminellus Snellen,1872; lentistrigalis Hampson,1909 Range (as code): **ZA Nta Kzu UG Rz ZM ZW BI CM ZR GA CI KE Nai RW**

14387.Ematheudes strictus J.C.Shaffer,1998 (Pyralidae) Synonymy: strictus J.C.Shaffer,1998 Range (as code): **ZA Tva Mpu Wv**

14388.Ematheudes togoensis J.C.Shaffer,1998 (Pyralidae) Synonymy: togoensis J.C.Shaffer,1998 Range (as code): **TG**

14389.Ematheudes toxalis J.C.Shaffer,1998 (Pyralidae) Synonymy: toxalis J.C.Shaffer,1998 Range (as code): **ZA Ec Elo Nta Kzu Nha Ste Umk Wnn Mpu Mll Kru Tva Lpo Spb Wp Stj Tz Pf ZW MW**

14390.Ematheudes triangularus J.C.Shaffer,1998 (Pyralidae) Synonymy: triangularus J.C.Shaffer,1998; #triangularis Maes,2002 Range (as code): **ZA Tva Gau Pre**

14391.Ematheudes trimaculosus J.C.Shaffer,1998 (Pyralidae) Synonymy: trimaculosus J.C.Shaffer,1998 Range (as code): **ZM AO**

14392.Emmalocera anerastica (Snellen,1879) (Pyralidae) Synonymy: anerastica Snellen,1879; latilimbella Ragonot,1890 Range (as code): **Co ES FR MA TN CN ID Sum AU**

14393.Emmalocera unitella Joannis,1927 (Pyralidae) Synonymy: unitella Joannis,1927 Range (as code): **MZ**

14394.Emporia grisescens Ragonot,1887 (Pyralidae) Synonymy: grisescens Ragonot,1887 Range (as code): **DZ Bsk TN Gf Gab**

14395.Emporia melanobasis Balinsky,1991 (Pyralidae) Synonymy: melanobasis Balinsky,1991 Range (as code): **ZA**

14396.Emprepes pudicalis (Duponchel,1832) (Pyralidae) Synonymy: pudicalis Duponchel,1832; #pudicale Caradja,1917. Range (as code): **MA DZ Bsk ES Mu FR**

14397.Emprepes russulalis (Christoph,1877) (Pyralidae) Synonymy: russulalis Christoph,1877; baryscia Meyrick,1937 Range (as code): **DZ Bsk TN Gf IQ Dia Kbl IR Th Elb Kdj Srd Fa Shr Ss Irs Mkr KW AF Srb Hr Kab**

14398.Emprepes sudanalis (Zerny,1927) (Pyralidae) Synonymy: sudanalis Zerny,1927 Range (as code): **SD Kdf**

14399.Encryphodes ethiopella Balinsky,1991 (Pyralidae) Synonymy: ethiopella Balinsky,1991 Range (as code): **ZA**

14400.Endolasia transvaalica Hampson,1926 (Pyralidae) Synonymy: transvaalica Hampson,1926 Range (as code): **ZA Tva Lpo Gau Pre**

14401.Endotricha altitudinalis (Viette,1957) (Pyralidae) Synonymy: altitudinalis Viette,1957 Range (as code): **ST**

14402.Endotricha consobrinalis Zeller,1852 (Pyralidae) Synonymy: consobrinalis Zeller,1852; brunnea W.Warren,1897; dissimulans W.Warren,1897; jordana Hampson,1900. Range (as code): **ZA KE SD GH IL Pa JO MG EG EG11 TZ**

14403.Endotricha ellisoni Whalley,1963 (Pyralidae) Synonymy: ellisoni Whalley,1963 Range (as code): **ZA ET UG KE**

14404.Endotricha erythralis Mabille,1900 (Pyralidae) Synonymy: erythralis Mabille,1900; rosellita Ghesquière,1942 Range (as code): **ZA SC MG Sk ZW ZR YE ML**

14405.Endotricha flammealis ([Denis & Schiffermüller],1775) (Pyralidae) Synonymy: flammealis [Denis & Schiffermüller],1775; adustalis Turati,1905; lutealis Turati,1905; carnealis De Lattin,1951 Range (as code): **DZ Clo TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ IL Hf Pa CY LB Cc GG IR Fa Sse Com Shr Mz Th Kdj Gor Gh Tgo TM Kp DK SE RU MD UA BY KG 01 05 06 07 08 10 12 13 16 30 31 33 34 42 44 46 48 56 58 60 65 71 72 80**

14406.Endotricha niveifimbrialis Hampson,1906 (Pyralidae) Synonymy: niveifimbrialis Hampson,1906 Range (as code): **SL CM**

14407.Endotricha rogenhoferi Rebel,1892 (Pyralidae) Synonymy: rogenhoferi Rebel,1892 Range (as code): **Cn**

14408.Endotricha rosina Ghesquière,1942 (Pyralidae) Synonymy: rosina Ghesquière,1942 Range (as code): **ZR**

14409.Endotricha tamsi Whalley,1963 (Pyralidae) Synonymy: tamsi Whalley,1963 Range (as code): **ST**

14410.Endotricha thomealis (Viette,1957) (Pyralidae) Synonymy: thomealis Viette,1957 Range (as code): **ST**

14411.Endotricha viettealis Whalley,1963 (Pyralidae) Synonymy: rosealis Viette,1957 nec Wlk.,1865; viettealis Whalley,1963 Range (as code): **ST**

14412.Endotricha vinolentalis Ragonot,1891 (Pyralidae) Synonymy: vinolentalis Ragonot,1891 Range (as code): **CI GM CM SL GH KE**

14413. **Eoophyla accra (Strand,1912)** (Pyralidae) Synonymy: accra Strand,1912; dorophanes Meyrick,1937; alba Mey,2009 Range (as code): **GH SL Bio CM AO UG ZR**
14414. **Eoophyla belladotae Agassiz,2012** (Pyralidae) Synonymy: belladotae Agassiz,2012 Range (as code): **KE ZA ZM UG Etb**
14415. **Eoophyla cameroonensis Agassiz,2012** (Pyralidae) Synonymy: cameroonensis Agassiz,2012 Range (as code): **CM**
14416. **Eoophyla capensis (Hampson,1906)** (Pyralidae) Synonymy: capensis Hampson,1906; sambesica Strand,1909; periopis Hampson,1910 Range (as code): **ZA Vum Est Nta Kzu Dbn Tva Ans Tra NG KE Nai UG TZ MW Mje Zom ZM NA AO ZW MZ LR ET**
14417. **Eoophyla carcassoni Agassiz,2012** (Pyralidae) Synonymy: carcassoni Agassiz,2012 Range (as code): **KE**
14418. **Eoophyla citrialis Agassiz,2012** (Pyralidae) Synonymy: citrialis Agassiz,2012 Range (as code): **TZ**
14419. **Eoophyla dentisigna Agassiz,2012** (Pyralidae) Synonymy: dentisigna Agassiz,2012 Range (as code): **SL ZR CM**
14420. **Eoophyla euprepialis Agassiz,2012** (Pyralidae) Synonymy: euprepialis Agassiz,2012 Range (as code): **ZR TZ**
14421. **Eoophyla euryxantha (Meyrick,1936)** (Pyralidae) Synonymy: euryxantha Meyrick,1936 Range (as code): **ZR**
14422. **Eoophyla excentrica Mey & Speidel,1999** (Pyralidae) Synonymy: excentrica Mey & Speidel,1999 Range (as code): **YE ET UG TZ**
14423. **Eoophyla grandifuscalis Agassiz,2012** (Pyralidae) Synonymy: grandifuscalis Agassiz,2012 Range (as code): **NG CM**
14424. **Eoophyla interopalis Agassiz,2012** (Pyralidae) Synonymy: interopalis Agassiz,2012 Range (as code): **MW Mje ZA Nta Kzu Dbn MZ ZW TZ**
14425. **Eoophyla kingstoni Agassiz,2012** (Pyralidae) Synonymy: kingstoni Agassiz,2012 Range (as code): **MW**
14426. **Eoophyla leroii (Strand,1915)** (Pyralidae) Synonymy: leroii Strand,1915; lithocharis Meyrick,1936 Range (as code): **SD SL ZR UG NG BW**
14427. **Eoophyla leucostola (Hampson,1917)** (Pyralidae) Synonymy: leucostola Hampson,1917 Range (as code): **MW Mje TZ**
14428. **Eoophyla leucostrialis (Hampson,1906)** (Pyralidae) Synonymy: leucostrialis Hampson,1906 Range (as code): **SL**
14429. **Eoophyla limalis (Viette,1957)** (Pyralidae) Synonymy: limalis Viette,1957 Range (as code): **GO**
14430. **Eoophyla mimicalis (Hampson,1917)** (Pyralidae) Synonymy: mimicalis Hampson,1917; lithorma Meyrick,1936; sphragidacma Meyrick,1937 Range (as code): **NG UG TZ MW ZR CM GH SL**
14431. **Eoophyla munroei Agassiz & Mey,2011** (Pyralidae) Synonymy: munroei Agassiz & Mey,2011 Range (as code): **ZA Ec**
14432. **Eoophyla nandinalis (Hampson,1906)** (Pyralidae) Synonymy: nandinalis Hampson,1906 Range (as code): **KE ZR Nai**
14433. **Eoophyla nigerialis (Hampson,1906)** (Pyralidae) Synonymy: nigerialis Hampson,1906; dualalis Gaede,1916 Range (as code): **NG CM**
14434. **Eoophyla nyasalis (Hampson,1917)** (Pyralidae) Synonymy: nyasalis Hampson,1917; kenyalis Agassiz,2012 [ssp.] Range (as code): **MW Mje ET ZR KE TZ CM**
14435. **Eoophyla nymphulalis (Hampson,1906)** (Pyralidae) Synonymy: nymphulalis Hampson,1906 Range (as code): **ZA Nta Kzu Est**
14436. **Eoophyla pentopalis (Hampson,1906)** (Pyralidae) Synonymy: pentopalis Hampson,1906 Range (as code): **SL**
14437. **Eoophyla pervenustalis (Hampson,1897)** (Pyralidae) Synonymy: pervenustalis Hampson,1897 Range (as code): **KE UG AO ZR CM NG GH SL**
14438. **Eoophyla piscatorum Agassiz,2012** (Pyralidae) Synonymy: piscatorum Agassiz,2012 Range (as code): **KE**
14439. **Eoophyla platyxantha Agassiz,2012** (Pyralidae) Synonymy: platyxantha Agassiz,2012 Range (as code): **CM ZR ML**
14440. **Eoophyla principensis Agassiz,2012** (Pyralidae) Synonymy: principensis Agassiz,2012 Range (as code): **ST**
14441. **Eoophyla ruwenzoriensis Agassiz,2012** (Pyralidae) Synonymy: ruwenzoriensis Agassiz,2012 Range (as code): **UG Rz**

14442. **Eoophyla scioxantha (Meyrick,1937)** (Pyralidae) Synonymy: scioxantha Meyrick,1937 Range (as code): **CG ZR ZM ZA**
14443. **Eoophyla stepheni Agassiz,2012** (Pyralidae) Synonymy: stepheni Agassiz,2012 Range (as code): **ZM**
14444. **Eoophyla tanzanica Agassiz,2012** (Pyralidae) Synonymy: tanzanica Agassiz,2012 Range (as code): **TZ**
14445. **Eoophyla tetropalis (Hampson,1906)** (Pyralidae) Synonymy: tetropalis Hampson,1906 Range (as code): **SL CI GH NG CM UG KE**
14446. **Eoophyla tripunctalis (Snellen,1872)** (Pyralidae) Synonymy: tripunctalis Snellen,1872; triopalis Hampson,1906 Range (as code): **CG SL NG SN GH GN CM**
14447. **Epacternis bicoloralis Leraut,2013** (Pyralidae) Synonymy: bicoloralis Leraut,2013 Range (as code): **CI**
14448. **Epascestria argyrostacta (Hampson,1910)** (Pyralidae) Synonymy: argyrostacta Hampson,1910 Range (as code): **ZA**
14449. **Epascestria croesusalis (Hampson,1913)** (Pyralidae) Synonymy: croesusalis Hampson,1913 Range (as code): **ZA Nta Kzu**
14450. **Epascestria distictalis (Hampson,1913)** (Pyralidae) Synonymy: distictalis Hampson,1913 Range (as code): **ZA**
14451. **Epascestria euprepialis (Hampson,1913)** (Pyralidae) Synonymy: euprepialis Hampson,1913; iotaenialis Gaede,1917 Range (as code): **ZW Har ZA Tva Lpo**
14452. **Epascestria microdontalis (Hampson,1913)** (Pyralidae) Synonymy: microdontalis Hampson,1913 Range (as code): **ZA**
14453. **Epascestria pictalis (Hampson,1913)** (Pyralidae) Synonymy: pictalis Hampson,1913 Range (as code): **ZA Cto**
14454. **Ephedrophila jordanalis (Rebel,1902)** (Pyralidae) Synonymy: jordanalis Rebel,1902; constantialis Hampson,1906. Range (as code): **IL Pa Jt JO EG EG61**
14455. **Ephedrophila lucasi (Mabille,1907)** (Pyralidae) Synonymy: lucasi Mabille,1907 Range (as code): **TN MA**
14456. **Ephelis cruentalis (Geyer,[1832])** (Pyralidae) Synonymy: cruentalis Geyer,[1832]; bourjotalis Duponchel,1833; badialis Treitschke,1835 Range (as code): **FR Si IT YU BG GR Rd Cr TR LB Cc GG Tbl Mng Lag AM AZ IL Pa Hf EG IR Fa Sse Elb Th Kdj Nss Kdv Gor Kh IQ Ry Shq AF Adr Shv Kab KG Slu Syr 01 05 06 12 13 16 21 25 30 31 33 34 35 36 38 39 42 44 46 49 56 58 63 65 72 76 80**
14457. **Ephestia (Anagasta) kuehniella Zeller,1879** (Pyralidae) Synonymy: kuehniella Zeller,1879; fuscofasciella Ragonot,1887; gitoniella Druce,1896; lunella Noel,1904; ischnomorpha Meyrick,1931; #kueniella Hutacharern & Tubtim,1995 Range (as code): **DZ Hdr MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG Sk DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch SA CN Kgs JP TH TW MX NZ AU ZA 01 06**
14458. **Ephestia (Anagasta) welseriella (Zeller,1848)** (Pyralidae) Synonymy: welseriella Zeller,1848; modestella Lederer,1863; tephrinella Lederer,1870; rhenanella Fuchs,1877; suffusella Ragonot,1901; immodestella Rebel,1916; superbella Lucas,1954; capricola Hampson,1927 Range (as code): **LY Cy DZ MA TN Gf PT ES Mu FR Co Sa Si IT MT DE CH AT HU RO YU HV MK AL BG GR Cr TR IL Hf Pa LB Bsa Bei RU Cc GG AM AZ IR Mz Elb 05 06 13 16 30 36 42 44 45 46 65 71**
14459. **Ephestia (s.str.) disparella Hampson,1901** (Pyralidae) Synonymy: disparella Hampson,1901; rectifasciella Turati,1913; semicostella Turati,1934. Range (as code): **Cn MA DZ TN Gf LY Cy PT ES An Mu FR Co Sa IT YU HV MK B-H AL BG GR Cr TR Cc LB Bsa Bro Bmm IL Hf Js Jt Pa SY Dms 01 03 05 06 07 09 16 21 31 34 35 42 46 76**
14460. **Ephestia (s.str.) elutella (Hübner,1796)** (Pyralidae) Synonymy: elutella Hübner,1796; semirufa Haworth,1811; rufa Haworth,1811; angusta Haworth,1811; sericarium Scott,1859; roxburghii Gregson,1873; infumatella Ragonot,1887; affusella Ragonot,1888; icosiella Ragonot,1888; amarella Dyar,1904; pterogrisella Roesler,1965 Range (as code): **Md Cn MA DZ Anna TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY KG Uk AF PK Ch NP CN KP KR JP TH TW AU ZA 05 06 16 34 46 76**
14461. **Ephestia (s.str.) inquietella Zerny,1932** (Pyralidae) Synonymy: inquietella Zerny,1932 Range (as code): **MA DZ ES An**
14462. **Ephestia (s.str.) mistralella (Millière,1874)** (Pyralidae) Synonymy: mistralella Millière,1874; moebiusi Rebel,1906; metoenella Zerny,1927. Range (as code): **MA PT ES Mu FR Co DE DK NO SE FI EE TR? 13**
14463. **Ephestia (s.str.) parasitella Staudinger,1859** (Pyralidae) Synonymy: parasitella Staudinger,1859; bimaculella Lucas,1955. Range (as code): **MA Ifr DZ Eba PT ES An**
14464. **Ephestia (s.str.) rectivittella Ragonot & Hampson,1901** (Pyralidae) Synonymy: rectivittella Ragonot & Hampson,1901 Range (as code): **MG**

14465. **Ephestia (s.str.) woodiella Richards & Thomson,1932** (Pyralidae) Synonymy: woodiella Richards & Thomson,1932 Range (as code): **PT ES FR GB BE NL DE CZ SK HU AT CH Sa Si IT YU GR RO MA DZ TN**
14466. **Epichilo irroralis (Hampson,1919)** (Pyralidae) Synonymy: irroralis Hampson,1919 Range (as code): **KE**
14467. **Epicrocis abbreviata (Balinsky,1994)** (Pyralidae) Synonymy: abbreviata Balinsky,1994 Range (as code): **ZA Ly Lpo Tva**
14468. **Epicrocis africanella Ragonot,1888** (Pyralidae) Synonymy: africanella Ragonot,1888 Range (as code): **ZA**
14469. **Epicrocis albigeralis (Walker,1865)** (Pyralidae) Synonymy: albigeralis Walker,1865; varii Balinsky,1991 Range (as code): **ZA**
14470. **Epicrocis ancylosiformis (Balinsky,1994)** (Pyralidae) Synonymy: ancylosiformis Balinsky,1994 Range (as code): **ZA Tva Mwe**
14471. **Epicrocis arcana (Balinsky,1994)** (Pyralidae) Synonymy: arcana Balinsky,1994 Range (as code): **ZA Ec Elo**
14472. **Epicrocis brevipalpata (Balinsky,1994)** (Pyralidae) Synonymy: brevipalpata Balinsky,1994 Range (as code): **ZA Ec Elo**
14473. **Epicrocis complicata (Balinsky,1994)** (Pyralidae) Synonymy: complicata Balinsky,1994 Range (as code): **ZA Ec NA**
14474. **Epicrocis coriacelloides (Balinsky,1994)** (Pyralidae) Synonymy: coriacelloides Balinsky,1994 Range (as code): **ZW ZA Tva Gau Pre Slpp**
14475. **Epicrocis crassa (Balinsky,1994)** (Pyralidae) Synonymy: crassa Balinsky,1994 Range (as code): **ZA Wca Cto**
14476. **Epicrocis ferrealis (Hampson,1898)** (Pyralidae) Synonymy: ferrealis Hampson,1898 Range (as code): **ZA Tva Fs Mdp Buf Gau Pre Kzu Nta Ktz**
14477. **Epicrocis festivella Zeller,1848** (Pyralidae) Synonymy: festivella Zeller,1848; ratoalis Walker,1859; albigeralis Walker,1865; tinealella Walker,1866; joannisella Ragonot,1888 Range (as code): **AC LK IN ID Ja Sum MY TW ZA MG ZW TZ SD YE Ad PK Pj Ass Nag Meg Khs BT**
14478. **Epicrocis flavicosta (Balinsky,1994)** (Pyralidae) Synonymy: flavicosta Balinsky,1994 Range (as code): **ZA Tva Gau Pre Jh Buf Kzu Nta NA ZW Vf**
14479. **Epicrocis furcilinea (Balinsky,1994)** (Pyralidae) Synonymy: furcilinea Balinsky,1994 Range (as code): **ZA Tva Mpu Brb**
14480. **Epicrocis gracilis (Balinsky,1994)** (Pyralidae) Synonymy: gracilis Balinsky,1994 Range (as code): **NA Abc ZW Umv ZA Ec Stj**
14481. **Epicrocis holophaea (Hampson,1926)** (Pyralidae) Synonymy: holophaea Hampson,1926 Range (as code): **ZA**
14482. **Epicrocis imitans (Balinsky,1994)** (Pyralidae) Synonymy: imitans Balinsky,1994 Range (as code): **ZA Fs Blo**
14483. **Epicrocis insolita (Balinsky,1994)** (Pyralidae) Synonymy: insolita Balinsky,1994 Range (as code): **ZA Wca Cto Nta Kzu**
14484. **Epicrocis intermedia (Balinsky,1994)** (Pyralidae) Synonymy: intermedia Balinsky,1994 Range (as code): **ZA Tva Mwe**
14485. **Epicrocis laticostella (Ragonot,1888)** (Pyralidae) Synonymy: laticostella Ragonot,1888 Range (as code): **ZA Tva Gau Pre ZW ML**
14486. **Epicrocis neftaella (Lucas,1911)** (Pyralidae) Synonymy: neftaella Lucas,1911 Range (as code): **MA DZ TN CY SD JO**
14487. **Epicrocis nigricans (Ragonot,1888)** (Pyralidae) Synonymy: nigricans Ragonot,1888 Range (as code): **ZA Nta Kzu Em**
14488. **Epicrocis nigrilinea (Joannis,1927)** (Pyralidae) Synonymy: nigrilinea Joannis,1927 Range (as code): **ZA**
14489. **Epicrocis nigrinella (Balinsky,1994)** (Pyralidae) Synonymy: nigrinella Balinsky,1994 Range (as code): **NA ZA Ec**
14490. **Epicrocis noncapillata (Balinsky,1994)** (Pyralidae) Synonymy: noncapillata Balinsky,1994 Range (as code): **ZA Fs Mdp**
14491. **Epicrocis ornata (Balinsky,1994)** (Pyralidae) Synonymy: ornata Balinsky,1994 Range (as code): **NA Abc ZA Gau Pre Tva Lpo Pot**
14492. **Epicrocis ornatella (Balinsky,1994)** (Pyralidae) Synonymy: ornatella Balinsky,1994 Range (as code): **NA Abc**
14493. **Epicrocis piliferella (Ragonot,1888)** (Pyralidae) Synonymy: piliferella Ragonot,1888 Range (as code): **ZA**

14494. **Epicrocis plumbifasciata (Balinsky,1994)** (Pyralidae) Synonymy: plumbifasciata Balinsky,1994 Range (as code): **ZA Gau Pre Tva Nbs Ec**
14495. **Epicrocis pseudodiscomaculella (Amsel,1935)** (Pyralidae) Synonymy: pseudodiscomaculella Amsel,1935; candiopella Amsel,1961 Range (as code): **ET Hrr IL Pa JO IR Fa SA SA63 IQ Mos AE**
14496. **Epicrocis pseudonatalensis (Balinsky,1994)** (Pyralidae) Synonymy: pseudonatalensis Balinsky,1994 Range (as code): **ZA Nta Kzu Umk**
14497. **Epicrocis punctata (Balinsky,1994)** (Pyralidae) Synonymy: punctata Balinsky,1994 Range (as code): **ZA Nta Kzu Tva Lpo Nyl Nha**
14498. **Epicrocis sacculata (Balinsky,1994)** (Pyralidae) Synonymy: sacculata Balinsky,1994 Range (as code): **ZA Tva Gau Pre**
14499. **Epicrocis saturatella Mabille,1879** (Pyralidae) Synonymy: saturatella Mabille,1879 Range (as code): **ZA**
14500. **Epicrocis siderella (Ragonot,1888)** (Pyralidae) Synonymy: siderella Ragonot,1888 Range (as code): **ZA**
14501. **Epicrocis spiculata (Balinsky,1994)** (Pyralidae) Synonymy: spiculata Balinsky,1994 Range (as code): **ZA Tva Gau Pre Nta Kzu Umk ZW**
14502. **Epicrocis stibiella (Snellen,1872)** (Pyralidae) Synonymy: stibiella Snellen,1872 Range (as code): **ZA**
14503. **Epicrocis striaticosta (Joannis,1927)** (Pyralidae) Synonymy: striaticosta Joannis,1927 Range (as code): **ZA**
14504. **Epicrocis vansoni (Balinsky,1994)** (Pyralidae) Synonymy: vansoni Balinsky,1994 Range (as code): **ZA Tva Gau Pre**
14505. **Epicrocis vicinella (Joannis,1927)** (Pyralidae) Synonymy: vicinella Joannis,1927 Range (as code): **ZA**
14506. **Epilepia melanobasis (Hampson,1906)** (Pyralidae) Synonymy: melanobasis Hampson,1906 Range (as code): **ZA**
14507. **Epilepia melanobrunnea (Janse,1922)** (Pyralidae) Synonymy: melanobrunnea Janse,1922 Range (as code): **NA ZW ZA**
14508. **Epilepia melanosparsalis (Janse,1922)** (Pyralidae) Synonymy: melanosparsalis Janse,1922; confusa Janse,1922 Range (as code): **BW ZR MW MZ ZM ZW ZA**
14509. **Epimetasia monotona (Amsel,1953)** (Pyralidae) Synonymy: monotona Amsel,1953 Range (as code): **MR MA**
14510. **Epipagis roseocinctalis (Hampson,1913)** (Pyralidae) Synonymy: roseocinctalis Hampson,1913 Range (as code): **ZA**
14511. **Epiparthia dattinella (Ragonot,1887)** (Pyralidae) Synonymy: dattinella Ragonot,1887; hampsoniella Lucas,1909; #dattinelle Caradja,1910; dilutalis Rothschild,1913 Range (as code): **MA DZ Bsk Ah Gf TN LY Cy IL Jer Pa**
14512. **Epiparthia rebeli Roesler,1989** (Pyralidae) Synonymy: rebeli Roesler,1989 Range (as code): **EG**
14513. **Epischidia caesariella (Ragonot,1901)** (Pyralidae) Synonymy: caesariella Ragonot,1901 Range (as code): **MA TN TR SY MN TM Kp 38 42**
14514. **Epischidia fulvostrigella (Eversmann,1844)** (Pyralidae) Synonymy: fulvostrigella Eversmann,1844; fronticornella Herrich-Schäffer,1860. Range (as code): **ES RO RU Ur Sr Cc Ro LY Cy EG Sn JO IL Pa**
14515. **Epischnia albella Amsel,1953** (Pyralidae) Synonymy: albella Amsel,1953 Range (as code): **EG IL Pa Jer AE**
14516. **Epischnia beharella (Viette,1964)** (Pyralidae) Synonymy: beharella Viette,1964 Range (as code): **MG**
14517. **Epischnia brevipalpella Ragonot,1893** (Pyralidae) Synonymy: brevipalpella Ragonot,1893 Range (as code): **MG**
14518. **Epischnia castillella Ragonot,1894** (Pyralidae) Synonymy: castillella Ragonot,1894; ifranella D.Lucas,1942 Range (as code): **MA Ifr ES**
14519. **Epischnia cretaciella Mann,1869** (Pyralidae) Synonymy: cretaciella Mann,1869; cuculliella Ragonot,1887; demartinella Turati,1922. Range (as code): **YU GR RU Sr TR Cc IL Pa IR Kdj Fa Com Sse JO Cy LY MD UA BY KG Uk TR Cc AZ Nv Ord IR Elb Kdv Dam Mz 05 16 42 46 76**
14520. **Epischnia duchateneti Leraut,2014** (Pyralidae) Synonymy: duchateneti Leraut,2014 Range (as code): **TN**
14521. **Epischnia illotella Zeller,1839** (Pyralidae) Synonymy: illotella Zeller,1839; asteriscella Millière,1873; alfacarella Amsel,1954; #micronella Roesler,1969 Range (as code): **DZ Bsk Ges TN Gf PT ES Mu FR Co Sa Si IT MT DE SK RO YU MK AL GR Cr RU MD UA BY TR KG Uk CY IL Pa LB Bsa Bmm EG 16 31 42 44 65 76**

14522.Epischnia prodromella (Hübner,[1799]) (Pyralidae) Synonymy: prodromella Hübner,[1799]; #prodomella Rebel,1939 Range (as code): **DZ Bsk Ges TN Gf PT ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM SY IR Shh Gor Mz Elb IL Pa Hf LB CY TM Kp KG Uk RU MD UA BY 01 05 06 08 13 16 21 27 30 31 32 34 42 44 46 56 58 65 72**

14523.Epischnia siticulosa Meyrick,1935 (Pyralidae) Synonymy: siticulosa Meyrick,1935 Range (as code): **SD**

14524.Epischnia thewysi Leraut,2002 (Pyralidae) Synonymy: thewysi Leraut,2002 Range (as code): **MA**

14525.Episindris albimaculalis Ragonot,1891 (Pyralidae) Synonymy: albimaculalis Ragonot,1891 Range (as code): **ZA**

14526.Epizonora bertrami (Lucas,1939) (Pyralidae) Synonymy: bertrami Lucas,1939 Range (as code): **MA DZ**

14527.Epizonora poliopastalis (Hampson,1906) (Pyralidae) Synonymy: poliopastalis Hampson,1906 Range (as code): **DZ LY**

14528.Eporidia dariusalis Walker,1859 (Pyralidae) Synonymy: dariusalis Walker,1859; transparitalis Karsch,1900 Range (as code): **CM ZR GO GA GH SL TG**

14529.Ercta scotialis Hampson,1912 (Pyralidae) Synonymy: scotialis Hampson,1912 Range (as code): **ZA**

14530.Eschata diplophanes Meyrick,1933 (Pyralidae) Synonymy: diplophanes Meyrick,1933 Range (as code): **ZR**

14531.Essina atribasalis Ragonot,1891 (Pyralidae) Synonymy: atribasalis Ragonot,1891 Range (as code): **ZA**

14532.Etiella zinckenella (Treitschke,1832) (Pyralidae) Synonymy: marginella Fabricius,1781 nec Den. & Schiff.,1775; zinckenella Treitschke,1832; etiella Treitschke,1835; majorellus Costa,1836; colonnellus Costa,1836; dymnusalis Walker,1859; heraldella Guenée,1862; anticalis Walker,1863; indicatalis Walker,1863; hastiferella Walker,1866; decipiens Staudinger,1870; spartiella Rondani,1876; sabulinus Butler,1879; madagascariensis Saalmüller,1880; schisticolor Zeller,1881; villosella Hulst,1887; rubribasella Hulst,1890; #tiella Pinhey,1975. Range (as code): **PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE Sk CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY Bor ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ MA NA TN LY EG GW LB SL GA CM NG NE Gg Cls GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH CMa Cmz Cz10 Cz11 ID Sum Sbh AE Fa Shr Com Se Ha Th Elb Kuh Ss Kdj 01 05 06 09 13 16 17 30 31 33 39 44 46 58 65 71 76 80**

14533.Eucarphia anomala Balinsky,1994 (Pyralidae) Synonymy: anomala Balinsky,1994 Range (as code): **ZA Gau Pre Tva**

14534.Eucarphia hemityrella (De Joannis,1927) (Pyralidae) Synonymy: hemityrella De Joannis,1927 Range (as code): **ZA**

14535.Eucarphia leucomera (Hampson,1926) (Pyralidae) Synonymy: leucomera Hampson,1926 Range (as code): **ZA**

14536.Euchromius anapiellus (Zeller,1847) (Pyralidae) Synonymy: anapiellus Zeller,1847 Range (as code): **MA Tgr Azr Rbt DZ Anna Dja Lbs TN PT ES FR Sa Si IT TR EG**

14537.Euchromius aris Schouten,1988 (Pyralidae) Synonymy: aris Schouten,1988 Range (as code): **KE**

14538.Euchromius bellus (Hübner,1796) (Pyralidae) Synonymy: bella Hübner,1796; bellalis Hübner,[1825]. Range (as code): **MA Ifr DZ Bsk ES An Mu FR Sa Si IT SK HU RO MK B-H ME YU BG GR Cr TR RU Cc MD UA Cm BY IQ Rwz Dia Brs Ama IR Ak Bk Fa Shr Qz Km Kd Snj Th Zj IL Pa JO Amm LB Bei EG TJ PK Bl Chm 01 05 06 12 13 16 17 21 26 29 30 31 33 35 39 42 44 46 58 59 65 71 76 80**

14539.Euchromius cambridgei (Zeller,1867) (Pyralidae) Synonymy: cambridgei Zeller,1867; luciella Chrétien,1907; prototypa Meyrick,1935; congruentella Amsel,1958; szijartoi Gozmany,1959; ilkui Gozmany,1959. Range (as code): **MA Cn DZ Bsk Gle Ktr Hes Lgt Elt Abe Sbd TN Gf Sfx LY PT ES FR Sa IT MT SS B-H HV MK ME YU EG IL Jt Pa JO TR SD SA SA63 BH AE OM JO IR Ab Mak Ak Tbz Bu Bk Gls Gor Hz B-A Kh Kz Ss Ss AF PK Krc**

14540.Euchromius delicatalis (Hampson,1919) (Pyralidae) Synonymy: delicatalis Hampson,1919 Range (as code): **TZ ZA**

14541.Euchromius discopis (Hampson,1919) (Pyralidae) Synonymy: discopis Hampson,1919 Range (as code): **ZA Tva Gau Pre ZW BW NA**

14542.Euchromius donum Schouten,1988 (Pyralidae) Synonymy: donum Schouten,1988 Range (as code): **ET**

14543.Euchromius erum Schouten,1988 (Pyralidae) Synonymy: erum Schouten,1988 Range (as code): **KE ET**

14544.Euchromius geminus Schouten,1988 (Pyralidae) Synonymy: geminus Schouten,1988 Range (as code): **KE Nai**

14545.Euchromius gnathosellus Schouten,1988 (Pyralidae) Synonymy: gnathosellus Schouten,1988 Range (as code): **SN SL CI GH TG NG CF**

14546.Euchromius gozmanyi Bleszynski,1961 (Pyralidae) Synonymy: gozmanyi Bleszynski,1961 Range (as code): **TN Dhm DZ Afl Bsk Elt Abe Sbd Fzz MA PT ES FR Sa Si**

14547. **Euchromius hampsoni (Rothschild,1921)** (Pyralidae) Synonymy: hampsoni Rothschild,1921 Range (as code): **DZ NE**

14548. **Euchromius klimeschi Bleszynski,1961** (Pyralidae) Synonymy: klimeschi Bleszynski,1961 Range (as code): **ZA Nta Kzu Wnn NA ZW MZ MG ZM ZR KE SO ET TZ**

14549. **Euchromius labellum Schouten,1988** (Pyralidae) Synonymy: labellum Schouten,1988 Range (as code): **KE**

14550. **Euchromius locustus Schouten,1988** (Pyralidae) Synonymy: locustus Schouten,1988 Range (as code): **ZM ZR TZ**

14551. **Euchromius matador Bleszynski,1966** (Pyralidae) Synonymy: matador Bleszynski,1966 Range (as code): **TZ ZR**

14552. **Euchromius mythus Bleszynski,1970** (Pyralidae) Synonymy: mythus Bleszynski,1970 Range (as code): **KE Nai TZ ZR MW MG KM ZW NA ZA Tva Gau Pre**

14553. **Euchromius nigrobasalis Schouten,1988** (Pyralidae) Synonymy: nigrobasalis Schouten,1988 Range (as code): **ZA Tva Gau Pre ZW**

14554. **Euchromius ocelleus (Haworth,[1811])** (Pyralidae) Synonymy: ocellea Haworth,[1811]; cyrilli Costa,1832; fumiculella Treitschke,1832; texana Robinson,1870; gigantea Turati,1924; quadrii Ahmad, Zaidi & Kamaluddin,1982 Range (as code): **Md Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Rd Cr TR Cc DK NO SE FI EE LV LT RU MD UA Cm BY KG Uk Tk Dj Ii EG IL LB TM Kp YE Ad Sk IQ Kbl Bgd Amr CY AF Hr IN Mh Poo PK Cp Pj Krc Sd Mhw AU US Tx UZ Br ET AE IR Ahz Nss Yz Dzf Enz Plr Th Dam Elb Qm Gls Clu Ar Ab Oru Gh Tgo Ss Irs Sde Kz Mz Kh Se Es Ke Ar Jrf Ak Msh Kz Lo Km Ss By Zhd Yas B-A Bu SO KE MT TZ CF UG MW SC MG MZ ZW Bul Har Nta Kzu Ec Ans Fs Blo Wca Cto Dbn Grh Lds Tva Lpo Pie Gau Pre Wnn Wr Ste Cer Grg BW NA AO GO NG NE BF GH SN FP Pag Pa Hf Onç Bsk Gf Ajj Ah Hw MM NP T-S 01 05 07 13 16 31 32 34 42 48 56 65 71 76**

14555. **Euchromius ramburiellus (Duponchel,1836)** (Pyralidae) Synonymy: ramburiellus Duponchel,1836; zonellus Zeller,1847; luteella Caradja,1910; #ramburellus Rothschild,1924; islamella Amsel,1949 Range (as code): **Cn MA LY DZ Afl Sfr BSa Gle Ktr Gha Hes Lgt Sbd Abe Bsk Onç TN Sfx PT ES An Grn Mu FR Co Sa Si IT SS YU BG RU Tv MD UA BY CN Ui KG Uk IL Pa Hf EG JO LB IR Kdj Fa Enz Ssh Sde Kz Zhd Es Ahz Dzf Hz Bu Dlk IQ Bsr Bgd Amr TR Cc 05 06 07 09 42 76**

14556. **Euchromius subcambridgei Bleszynski,1965** (Pyralidae) Synonymy: subcambridgei Bleszynski,1965 Range (as code): **TN Sfx CV SD**

14557. **Euchromius sudanellus Bleszynski,1965** (Pyralidae) Synonymy: sudanellus Bleszynski,1965 Range (as code): **SD SD95**

14558. **Euchromius tanalis Schouten,1988** (Pyralidae) Synonymy: tanalis Schouten,1988 Range (as code): **KE ET**

14559. **Euchromius viettei Bleszynski,1961** (Pyralidae) Synonymy: viettei Bleszynski,1961; karsholti Ganev,1987 Range (as code): **TD OM SA Hj SA39 IR Hz B-A**

14560. **Euchromius vinculellus (Zeller,1847)** (Pyralidae) Synonymy: vinculellus Zeller,1847; corsicalis Hampson,1919; joiceyella Schmidt,1934; bahrlutella Amsel,1949. Range (as code): **Cn MA DZ Ah Hmk Ktr Sbd Abe Tmn TN Dhm LY SD EG PT ES Co Sa Si IT TR GR IL Pa Hf LB IR Ahw Ke Kdj Ahz Bu Hz B-A Kaz Ss Jrf IQ AF Srb AE KE NE Air 01 07 33 44 59 65**

14561. **Euchromius zephyrus Bleszynski,1962** (Pyralidae) Synonymy: zephyrus Bleszynski,1962 Range (as code): **SN ML CI GH NG**

14562. **Euclasta (Proteuclasta) bacescui Popescu-Gorj & Constantinescu,1977** (Pyralidae) Synonymy: bacescui Popescu-Gorj & Constantinescu,1977 Range (as code): **ZA Tva Nta Kzu Wm**

14563. **Euclasta (Proteuclasta) insularis Viette,1958** (Pyralidae) Synonymy: insularis Viette,1958 Range (as code): **CV**

14564. **Euclasta (Proteuclasta) mirabilis Amsel,1949** (Pyralidae) Synonymy: mirabilis Amsel,1949 Range (as code): **SO IR Ss Chh AE AF Srb Asm Bsg Nu PK**

14565. **Euclasta (Proteuclasta) pauli Popescu-Gorj & Constantinescu,1973** (Pyralidae) Synonymy: pauli Popescu-Gorj & Constantinescu,1973 Range (as code): **ZA Ec Wca Wr**

14566. **Euclasta (Proteuclasta) warreni Distant,1892** (Pyralidae) Synonymy: warreni Distant,1892; hiracopis Meyrick,1933 Range (as code): **ZA Tva Gau Pre Jh Wnn Lpo Pma Pot Rtb Nwe Wb Nta Kzu ZW Har Bul ZM AO ZR BI KE TZ ET GH**

14567. **Euclasta (s.str.) gigantalis Viette,1957** (Pyralidae) Synonymy: gigantalis Viette,1957; whalleyi Popescu-Gorj & Constantinescu,1973 Range (as code): **ZR ZW AO MW KE UG ET MG**

14568. **Euclasta (s.str.) sokotrensis Popescu-Gorj & Constantinescu,1977** (Pyralidae) Synonymy: sokotrensis Popescu-Gorj & Constantinescu,1977 Range (as code): **Sk**

14569. **Euclasta (s.str.) splendidalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonymy: splendidalis Herrich-Schäffer,[1848] Range (as code): **TN Gf DZ Bsk MT MK RO BG GR TR GG AM RU Da TM Kp CY LB Bei IQ Shq Cc AZ Kir Len CN Ui Ku 01 05 16 17 21 30 31 33 44 46 48 56 67**

14570.Euclasta (s.str.) varii Popescu-Gorj & Constantinescu,1973 (Pyralidae) Synonymy: varii Popescu-Gorj & Constantinescu,1973; perisalis Vives Moreno,1980 Range (as code): **ES MW ZA Tva Nta Kzu Pto Dbn Gau Pm Pre MZ ZW ZM ZR SL TZ SN YE TN MA DZ LY**

14571.Euctenospila castalis W.Warren,1892 (Pyralidae) Synonymy: castalis W.Warren,1892; callipeda Meyrick,1936 Range (as code): **ET ZR**

14572.Eudonia angustea (Curtis,1827) (Pyralidae) Synonymy: angustea Curtis,1827; coarctata Zeller,1846; hesperella Heydenreich,1851; acuminatella Stainton,1859; napolitalis Milliere,1870; vafra Meyrick,1913; imparilis Dyar,1929 Range (as code): **Az Cn Md MA DZ TN Gf PT ES FR Co Sa Si IT MT IE GB YU MK GR TR Cc AZ Len GG Mng 07 16 35**

14573.Eudonia delunella (Stainton,1849) (Pyralidae) Synonymy: resinea auct.; delunella Stainton,1849; vandaliella Herrich-Schäffer,1851; vandalialis Herrich-Schäffer,1862; pernigralis Turati,1923 Range (as code): **DZ MA PT ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK YU B-H BG CY GR DK RU Pja Sb MD UA BY LB Bei**

14574.Eudonia gracilineata Nuss,2000 (Pyralidae) Synonymy: gracilineata Nuss,2000 Range (as code): **ZA**

14575.Eudonia lineola (Curtis,1827) (Pyralidae) Synonymy: lineola Curtis,1827 Range (as code): **MA DZ Cst PT ES FR Sa IE GB NL TR 05**

14576.Eudonia mercurella (Linnaeus,1758) (Pyralidae) Synonymy: mercurella Linnaeus,1758; mercurii Fabricius,1798; mercurea Haworth,1811; mercuralis Hübner,[1825]; portlandica Westwood,1845; frequentella Stainton,1849; concinnella Curtis,1850; frequentalis Herrich-Schäffer,1862 Range (as code): **MA DZ Az PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H AL BG GR Cr DK NO SE FI EE LV LT RU MD UA BY IR Elb Dam TR Cc AZ Nv Ord GG Bjo Lag Mng CN 01 10 13 31 33 61 72 80**

14577.Eudonia tyrophanta (Meyrick,1932) (Pyralidae) Synonymy: tyrophanta Meyrick,1932 Range (as code): **UG Rz**

14578.Eulophota bipars Joannis,1927 (Pyralidae) Synonymy: bipars Joannis,1927 Range (as code): **ZA**

14579.Eulophota caustella (Hampson,1901) (Pyralidae) Synonymy: caustella Hampson,1901 Range (as code): **ZA Mpu Brb Tva Wo Ec Ans**

14580.Eulophota floridella Joannis,1927 (Pyralidae) Synonymy: floridella Joannis,1927 Range (as code): **ZA**

14581.Eulophota pretoriella Joannis,1927 (Pyralidae) Synonymy: pretoriella Joannis,1927 Range (as code): **ZA Tva Gau Pre**

14582.Eulophota simplex Joannis,1927 (Pyralidae) Synonymy: simplex Joannis,1927 Range (as code): **ZA**

14583.Eulophota zonata Hampson,1926 (Pyralidae) Synonymy: zonata Hampson,1926 Range (as code): **ZA Tra Ec ZW**

14584.Eurhodope (s.str.) confusella (Walker,1866) (Pyralidae) Synonymy: confusella Walker,1866 Range (as code): **ZA**

14585.Eurhodope (s.str.) cruentella (Duponchel,1843) (Pyralidae) Synonymy: cruentella Duponchel,1843; alba Caradja,1916 Range (as code): **MA TN DZ Lbs ES An FR Cc AM**

14586.Eurhodope (s.str.) incensella (Staudinger,1859) (Pyralidae) Synonymy: incensella Staudinger,1859; flavella Amsel,1954 Range (as code): **DZ Orn Lbs Phv Gf TN ES IR**

14587.Eurhodope (s.str.) infixella (Walker,1866) (Pyralidae) Synonymy: infixella Walker,1866 Range (as code): **ZA**

14588.Eurhodope (s.str.) notulella (Ragonot,1888) (Pyralidae) Synonymy: notulella Ragonot,1888 Range (as code): **ZA**

14589.Eurhodope (s.str.) nyctosia Balinsky,1991 (Pyralidae) Synonymy: nyctosia Balinsky,1991 Range (as code): **ZA**

14590.Eurrhyparodes bracteolalis (Zeller,1852) (Pyralidae) Synonymy: bracteolalis Zeller,1852; plumbalis Guenée,1854; accesalis Walker,1859; stibialis Snellen,1880; #mambarelis Strand,1920 Range (as code): **PH Luz IN NP LK CN JP Sgr Ja Clb ID AU MM MY Bor TW PG ZA CM ZR GM RE MG MZ RW SL TZ**

14591.Eurrhyparodes tricoloralis (Zeller,1852) (Pyralidae) Synonymy: tricoloralis Zeller,1852; abnegatalis Walker,1859; confusalis W.Warren,1896; #tricolaris Klima,1939 Range (as code): **TW PH Luz IN Adm MV LK ID Ja Sgr Amb AU QAu WS PC FJ SB MY OW ZA TH CMa Cuo Cu01 Cu07 PG AE CM KM ZR GM RE ML MG MU SC SL ZW**

14592.Eurrhypis pollinalis ([Denis & Schiffermüller],1775) (Pyralidae) Synonymy: pollinalis [Denis & Schiffermüller],1775; bigutta Esper,[1791]; melissalis Walker,1859; flavinotalis Grote,1881; #obcaecatalis Leraut & Luquet,1985 Range (as code): **MA DZ Lbs Sbd Clo TN ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo LB DK SE RU MD UA BY AU 05 06 14 16 32 39 42 46 70**

14593.Eusabena miltochristalis (Hampson,1896) (Pyralidae) Synonymy: miltochristalis Hampson,1896; equicalcaralis Strand,1918 Range (as code): **ZA**

14594.Euzophera (s.str.) bigella (Zeller,1848) (Pyralidae) Synonymy: bigella Zeller,1848; stenoptycha Herrich-Schäffer,1855; bisinuella Ragonot,1887; punicaeella Moore,1891; immundella Ragonot,1901; angulella

Chrétien,1922; renulella Constantini,1922 Range (as code): **DZ Bsk TN Gf Sfx MA PT ES An Mu FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO B-H HV MK YU AL BG GR CY TR Cc IL Hf Jer Pa IR Th Fa Shh Ss SY DK RU LB Bei IQ Mos AF Pli NP UZ Br TM K-K Kp 01 05 06 07 09 13 16 21 31 33 34 35 46 47 65 73 76**

14595. **Euzophera (s.str.) crassignatha Balinsky,1994** (Pyralidae) Synonymy: crassignatha Balinsky,1994 Range (as code): **ZA Nta Kzu Nkw**

14596. **Euzophera (s.str.) crinita Balinsky,1994** (Pyralidae) Synonymy: crinita Balinsky,1994 Range (as code): **ZW Uma**

14597. **Euzophera (s.str.) cullinannesis (Balinsky,1991)** (Pyralidae) Synonymy: cullinannesis Balinsky,1991 Range (as code): **ZA**

14598. **Euzophera (s.str.) fractilineella Roesler,1969** (Pyralidae) Synonymy: fractilineella Roesler,1969 Range (as code): **EG EG12**

14599. **Euzophera (s.str.) hemileuca Joannis,1927** (Pyralidae) Synonymy: hemileuca Joannis,1927 Range (as code): **ZA**

14600. **Euzophera (s.str.) hudeibella Roesler,1973** (Pyralidae) Synonymy: hudeibella Roesler,1973 Range (as code): **SD**

14601. **Euzophera (s.str.) luculentella Ragonot,1888** (Pyralidae) Synonymy: luculentella Ragonot,1888 Range (as code): **TR Cc IR Fa SD SD45 46 65 76**

14602. **Euzophera (s.str.) lunulella (Costa,1836)** (Pyralidae) Synonymy: lunulella Costa,1836; corcyrella Herrich-Schäffer,1851. Range (as code): **MA DZ TN Gf LY Cy SA ES Grn Mu FR Si IT MT LY Cy EG Sn SD Ksl SA SA63 MK AL GR Cr TR IR Ss Ana Ke IQ Kbl 38 42 44 45 46 71**

14603. **Euzophera (s.str.) minima Balinsky,1994** (Pyralidae) Synonymy: minima Balinsky,1994 Range (as code): **ZA**

14604. **Euzophera (s.str.) neomeniella Ragonot,1888** (Pyralidae) Synonymy: neomeniella Ragonot,1888 Range (as code): **ZA Nta Kzu**

14605. **Euzophera (s.str.) osseatella (Treitschke,1832)** (Pyralidae) Synonymy: osseatella Treitschke,1832; arcuatella Ragonot,1901. Range (as code): **MA DZ Cst Bsk Gf TN LY Cy PT ES Co Sa Si IT GB NL B-H MK GR LB Bei IL Hf Jt Jf Pa SY TR EG EG11 CY IQ Mos IR Ss Irs Ana Ke 16 46 47**

14606. **Euzophera (s.str.) pinguis (Haworth,[1811])** (Pyralidae) Synonymy: pinguis Haworth,[1811]; fischeri Zeller,1846; splendidella Herrich-Schäffer,1848. Range (as code): **MA DZ Anna Orn Bsk TN Gf PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA LB Bsa TR IR Fa Cc AM 06 07 13 21 46**

14607. **Euzophera (s.str.) sordidella Chrétien,1911** (Pyralidae) Synonymy: sordidella Chrétien,1911 Range (as code): **MA DZ TN LY Cy EG SA SA63**

14608. **Euzophera (s.str.) specula Joannis,1927** (Pyralidae) Synonymy: specula Joannis,1927 Range (as code): **ZA**

14609. **Euzophera (s.str.) stramentella Ragonot,1888** (Pyralidae) Synonymy: stramentella Ragonot,1888 Range (as code): **ZA**

14610. **Euzophera (s.str.) subcribrella Ragonot,1887** (Pyralidae) Synonymy: subcribrella Ragonot,1887; mercatrix Meyrick,1937; marginepunctella Amsel,1959. Range (as code): **MA DZ TN Gf LY Cy ES MT EG EG11 SA SA63 IL Pa TM UZ Fe Nmg IQ Bgd Kbl IR Kz Sde**

14611. **Euzophera (s.str.) termivelata Balinsky,1994** (Pyralidae) Synonymy: termivelata Balinsky,1994 Range (as code): **ZA Nta Kzu Umk**

14612. **Euzophera (s.str.) villora (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonymy: villora R.Felder & Rogenhofer,1875; decaamyrrylias Viette,1953 Range (as code): **ZA**

14613. **Euzopherodes capicola Balinsky,1994** (Pyralidae) Synonymy: capicola Balinsky,1994 Range (as code): **ZA Ec**

14614. **Euzopherodes charlottae (Rebel,1914)** (Pyralidae) Synonymy: charlottae Rebel,1914; nigrolineella Zerny,1936 Range (as code): **MA FR AT CZ SK HU RO YU HV AL BG GR TR LB IL Js SY Dms 12 13 16 31 46**

14615. **Euzopherodes lecerfi (Schmidt,1934)** (Pyralidae) Synonymy: lecerfi Schmidt,1934 Range (as code): **MA**

14616. **Euzopherodes lutisignella (Mann,1869)** (Pyralidae) Synonymy: lutisignella Mann,1869; leonhardi Rebel,1910; scipionella Turati,1924; battella Turati,1924. Range (as code): **Si RO RU YU B-H HV AL BG MK GR Cr LY Cy TR IL Hf Jer Pa LB Bei JO IQ Rwz IR Elb Th Kj Fa AF Pag Kbb Slg Cc AM UZ Smk TM Kp 02 13 21 23 30 31 33 35 38 42 44 46 47 56 65**

14617. **Euzopherodes pusilla (Mabille,1906)** (Pyralidae) Synonymy: pusilla Mabille,1906; cinnamomea Rothschild,1915; keltella Amsel,1935. Range (as code): **MA DZ Onç Bsk TN EG EG11 IL Js Jer Pa LB Bei**

14618. **Euzopherodes sudanicola Roesler,1973** (Pyralidae) Synonymy: sudanicola Roesler,1973 Range (as code): **SD**

14619.Euzopherodes vapidella (Mann,1857) (Pyralidae) Synonymy: vapidella Mann,1857; tenebrosa Zeller,1867; lutescentella Chrétien,1911; xylobrunnea Amsel,1951. Range (as code): **MA DZ TN Gf LY Cy PT ES Grn FR Sa Si MT CH AT HU RO YU HV B-H MK AL BG GR TR IL Hf Jt Js Pa JO LB Bei EG EG11 SA SA63 SD IR Ss 05 16 23 34 35 46 47**

14620.Evergestis aegyptiacalis Caradja,1916 (Pyralidae) Synonymy: aegyptiacalis Caradja,1916 Range (as code): **EG EG11**

14621.Evergestis africalis (Guenée,1854) (Pyralidae) Synonymy: africalis Guenée,1854; zonalis La Harpe,1860; vicarialis Walker,1866; concisalis Walker,1866; orbitalis Felder & Rogenhofer,1875 Range (as code): **DZ Si ZA IR**

14622.Evergestis caesialis (Herrich-Schäffer,[1849]) (Pyralidae) Synonymy: caesialis Herrich-Schäffer,[1849]; saxicolalis Mann,1862 Range (as code): **MA Co? IT RO HV Rgs B-H MK Och YU BG GR Cr TR IR Elb Shh Th Kdv LB Bsa TN Kp ?IQ Ama AF Pag Pnj Kbb 01 13 16 ?46 65**

14623.Evergestis desertalis (Hübner,[1813]) (Pyralidae) Synonymy: desertalis Hübner,[1813]; vandalusialis Herrich-Schäffer,[1855]; avicennae Tams,1925 Range (as code): **MA Cn DZ Thh Ges Ah Gha Bsk Tou Ogl Heh Gle Omy Gtt LY Cy ES An Grn Alm Alc Vcl Mu Si MT RO BG TR EG EG11 IQ Dy IR Fa Shr Th Kdj Elb Kz Sde Ss Irs Cc AM Eri AZ Kir Nv Ord UA SA AF Pli Kab AE 04 05 06 26 30 36 42 44 76**

14624.Evergestis dumerlei Leraut,2003 (Pyralidae) Synonymy: dumerlei Leraut,2003 Range (as code): **MA**

14625.Evergestis hordealis Chrétien,1915 (Pyralidae) Synonymy: hordealis Chrétien,1915; lambessalis Oberthür,1922 Range (as code): **MA DZ Lbs**

14626.Evergestis isatidalis (Duponchel,1833) (Pyralidae) Synonymy: isatidalis Duponchel,1833; conquisitalis Guenée,1849 Range (as code): **MA Cn DZ Orn Anna TN Gf PT ES FR Co Sa Si IT MT YU GR JO IL Pa CY IQ Bgd IR Ss Bu Fa EG LY Cy TR 01 17 34 35 39**

14627.Evergestis marionalis Leraut,2003 (Pyralidae) Synonymy: marionalis Leraut,2003 Range (as code): **ES MT FR DZ MA TN**

14628.Evergestis mimounalis (Oberthür,1922) (Pyralidae) Synonymy: mimounalis Oberthür,1922; distinctalis Rungs,1975 Range (as code): **MA**

14629.Evergestis montis Maes,2012 (Pyralidae) Synonymy: montis Maes,2012 Range (as code): **CM**

14630.Evergestis pechi (Bethune-Baker,1885) (Pyralidae) Synonymy: pechi Bethune-Baker,1885 Range (as code): **DZ TN ES MT JO**

14631.Evergestis politalis ([Denis & Schiffermüller],1775) (Pyralidae) Synonymy: politalis [Denis & Schiffermüller],1775; pictoralis Fabricius,1794; bifascialis Guenée,1849; disperalis Mann,1859; bicoloralis La Harpe,1861; maroccana Lucas,1955 Range (as code): **MA DZ Bsk Lbs TN Gf Sfx PT ES FR Co Sa Si IT BE DE CH AT PL CZ SK HU RO YU BG TR IR Gls TM Kp KG Tk Dj Ii Cc AM Eri AZ Kir Nv Ord 04 05 06 13 16 30 38 42 44 58 65**

14632.Evergestis renatalis (Oberthür,1887) (Pyralidae) Synonymy: renatalis Oberthür,1887 Range (as code): **TN Gf DZ Omy BSa Lbs Ges Eba Bsk Sfr**

14633.Falckia laetanella (Lucas,1937) (Pyralidae) Synonymy: laetanella Lucas,1937 Range (as code): **Cn TN**

14634.Faveria albilinea (Joannis,1927) (Pyralidae) Synonymy: albilinea Joannis,1927 Range (as code): **ZA MZ**

14635.Faveria coriacella (Ragonot,1888) (Pyralidae) Synonymy: coriacella Ragonot,1888 Range (as code): **ID Sum ZA Kzu Nta**

14636.Faveria dionysia (Zeller,1846) (Pyralidae) Synonymy: dionysia Zeller,1846; terrella Ragonot,1888; isoxyla Meyrick,1937; tsherenkovi Gerasimov,1940 Range (as code): **MA TN Gf DZ Bsk PT ES Si IT MT YU GR Cr Rd CY TR IQ Mos Bgd IR Ahz Kz Ss Irs EG EG12 GM ZA Gau Ec Elo NA Tva Jh TZ Zz GM IL Pa Hf AE 01 09**

14637.Faveria dubia (Balinsky,1994) (Pyralidae) Synonymy: dubia Balinsky,1994 Range (as code): **ZA Tva Gau Jh**

14638.Faveria funebrella (Ragonot,1893) (Pyralidae) Synonymy: funebrella Ragonot,1893 Range (as code): **MG**

14639.Faveria fusca (Balinsky,1994) (Pyralidae) Synonymy: fusca Balinsky,1994 Range (as code): **ZA Wca Kny**

14640.Faveria fuscitella (Ragonot,1888) (Pyralidae) Synonymy: fuscitella Ragonot,1888 Range (as code): **SN GM**

14641.Faveria ignicephalis (Balinsky,1994) (Pyralidae) Synonymy: ignicephalis Balinsky,1994 Range (as code): **ZA Tva Lpo Wm Mdp Pre Gau Mpu Brb Ec ZW Har**

14642.Faveria leucophaeella (Zeller,1867) (Pyralidae) Synonymy: leucophaeella Zeller,1867; hyemalis Butler,1880; atratella Ragonot,1888; siderella Ragonot,1888; pernigerella Ragonot,1889. Range (as code): **ZA Nta Kzu MG IN Clc BT SI Pj Ass Nag Meg Khs LK TW MM MY AU WS IN ID Sum Clb PG Bsm PH Luz**

14643.Faveria minima (Balinsky,1994) (Pyralidae) Synonymy: minima Balinsky,1994 Range (as code): **ZA Tva Gau Pre**

14644. **Faveria minuscula (Balinsky,1994)** (Pyralidae) Synonymy: minuscula Balinsky,1994 Range (as code): **ZA Tva Gau Slpp ZW Hfo**
14645. **Faveria nigrilinea (De Joannis,1927)** (Pyralidae) Synonymy: nigrilinea De Joannis,1927 Range (as code): **MZ**
14646. **Faveria nonceracanthia (Balinsky,1994)** (Pyralidae) Synonymy: nonceracanthia Balinsky,1994 Range (as code): **ZW Bul ZA Fs**
14647. **Faveria o-nigra (Balinsky,1994)** (Pyralidae) Synonymy: o-nigrum Balinsky,1994; onigra Vari et al.,2002 Range (as code): **NA Abc**
14648. **Faveria poliostrota (Balinsky,1994)** (Pyralidae) Synonymy: poliostrota Balinsky,1994 Range (as code): **ZA Gau Pre Nta Kzu Mpu Brb Tva Spb Ltr Lpo Kkf Nha ZA14**
14649. **Faveria striaticosta (De Joannis,1927)** (Pyralidae) Synonymy: striaticosta De Joannis,1927 Range (as code): **MZ**
14650. **Faveria subterrella (Ragonot,1888)** (Pyralidae) Synonymy: subterrella Ragonot,1888 Range (as code): **SN GM**
14651. **Faveria triangulata (Mey,2011)** (Pyralidae) Synonymy: triangulata Mey,2011 Range (as code): **NA**
14652. **Filodes costivitralis Guenée,1854** (Pyralidae) Synonymy: costivitralis Guenée,1854; productalis Hampson,1899 Range (as code): **ZA BW CM ZR GH KE RE MG MW MU MZ TZ UG ZM ZW**
14653. **Filodes fulvidorsalis (Hübner,1832)** (Pyralidae) Synonymy: fulvidorsalis Hübner,1832; mirificalis Lederer,1863; patruelis Moore,1888 Range (as code): **RE IN Clc Adm Nk LK MY Bor ID Sbw Ja TH CMa Dst Ds10 PH**
14654. **Gaana asperella (Ragonot,1893)** (Pyralidae) Synonymy: asperella Ragonot,1893 Range (as code): **ZA**
14655. **Gaana basiferella Walker,1866** (Pyralidae) Synonymy: basiferella Walker,1866 Range (as code): **ZA**
14656. **Gaana mesophaea (Hampson,1930)** (Pyralidae) Synonymy: mesophaea Hampson,1930 Range (as code): **ZA**
14657. **Gaana minima Balinsky,1994** (Pyralidae) Synonymy: minima Balinsky,1994 Range (as code): **ZA Nta Kzu Nkw**
14658. **Gaana quatra Balinsky,1994** (Pyralidae) Synonymy: quatra Balinsky,1994 Range (as code): **ZA Tva Lpo Nel**
14659. **Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonymy: mellonella Linnaeus,1758; cereana Blom,1764; cerella Fabricius,1775; cerea Haworth,1811; cerealis Hübner,[1825]; obliquella Walker,1866; austrina R.Felder & Rogenhofer,1875; #crombruggheela Dufrane,1930. Range (as code): **PT DZ Anna Sbd ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Th Elb Kdj LB IQ Agh IL Pa Hf EG Tls Ax Ik KK KG CY ZA AU TH MY SG Bor Sbh IN AE 01 05 06 07 13 16 34 38 42 46 51 65 80**
14660. **Getulia fulviplagella Hampson,1901** (Pyralidae) Synonymy: fulviplagella Hampson,1901 Range (as code): **ZA Ec Ans Fra NA**
14661. **Getulia institella Ragonot,1888** (Pyralidae) Synonymy: institella Ragonot,1888 Range (as code): **ZA**
14662. **Getulia maculosa Balinsky,1994** (Pyralidae) Synonymy: maculosa Balinsky,1994 Range (as code): **ZA Ec Fra**
14663. **Getulia semifuscella Ragonot,1893** (Pyralidae) Synonymy: semifuscella Ragonot,1893 Range (as code): **ZA Tva Gau Pre Bul ZW**
14664. **Ghesquierellana hirtusalis (Walker,1859)** (Pyralidae) Synonymy: hirtusalis Walker,1859; pallas Meyrick,1936; #hirsutalis Pinhey,1975; borbonica Viette,1976 Range (as code): **ZA CM KM ZR ET GM CI KE RE MG MW MZ NA SL ML UG ZM ZW**
14665. **Glaucocharis natalensis Hampson,1919** (Pyralidae) Synonymy: natalensis Hampson,1919 Range (as code): **ZA Nta Kzu**
14666. **Glaucocharis senekai (Ganev,1987)** (Pyralidae) Synonymy: senekai Ganev,1987 Range (as code): **LY**
14667. **Glaucocharis subnatalensis (Bleszynski,1970)** (Pyralidae) Synonymy: subnatalensis Bleszynski,1970 Range (as code): **ZA Nta Kzu**
14668. **Glyphodella flavibrunnea (Hampson,1899)** (Pyralidae) Synonymy: flavibrunnea Hampson,1899 Range (as code): **ZR G NG SL ZA**
14669. **Glyphodes actorionalis (Walker,1859)** (Pyralidae) Synonymy: actorionalis Walker,1859; jovialis R.Felder & Rogenhofer,1875; zelleri Lederer,1863 Range (as code): **ZM TH CN PH Luz Boh Cts Adm Sum Bor Clb Amb ID PG IN LK MY Bor Ja TW JP**
14670. **Glyphodes amicalis (Swinhoe,1904)** (Pyralidae) Synonymy: amicalis Swinhoe,1904; bipindalis Strand,1912; ephypnias Meyrick,1933 Range (as code): **ZA TZ Dss**

14671. **Glyphodes amphipeda (Meyrick,1939)** (Pyralidae) Synonymy: amphipeda Meyrick,1939 Range (as code): **ZA**
14672. **Glyphodes aniferalis Hampson,1909** (Pyralidae) Synonymy: aniferalis Hampson,1909 Range (as code): **ZA UG Rz**
14673. **Glyphodes argyraspides (Tams,1941)** (Pyralidae) Synonymy: argyraspides Tams,1941 Range (as code): **UG GM SL ML**
14674. **Glyphodes basifascialis Hampson,1898** (Pyralidae) Synonymy: basifascialis Hampson,1898; amicalis bipindalis Strand,1912; #lativittata Strand,1912; Swinhoe,1904; ephypnias Meyrick,1933 Range (as code): **AU NSw Bth CM TZ Dss ZR**
14675. **Glyphodes bicolor (Swainson,[1821])** (Pyralidae) Synonymy: bicolor Swainson,[1821]; perspicillalis Zeller,1852; diurnalis Guenée,1854; parvalis Walker,[1866] Range (as code): **PH Luz ZA IN LK MM ID AU AO ZR GM MZ TZ UG ZM ZW ML**
14676. **Glyphodes bicoloralis Strand,1912** (Pyralidae) Synonymy: bicoloralis Strand,1912 Range (as code): **CM**
14677. **Glyphodes bitjealis Strand,1920** (Pyralidae) Synonymy: bitjealis Strand,1920 Range (as code): **CM Bit**
14678. **Glyphodes bitriangulalis Gaede,1917** (Pyralidae) Synonymy: bitriangulalis Gaede,1917 Range (as code): **ZA Gau Jh Tva ZW GM CM ML**
14679. **Glyphodes boseae Saalmüller,1880** (Pyralidae) Synonymy: boseae Saalmüller,1880; mayottalis Hampson,1908 Range (as code): **MG KM**
14680. **Glyphodes chrysialis (Stoll,1790)** (Pyralidae) Synonymy: chrysialis Stoll,1790; ectargyralis Hampson,1898; pentaphragma Meyrick,1936 Range (as code): **ZA NG ZR GA GH SL TZ**
14681. **Glyphodes difficilalis Strand,1912** (Pyralidae) Synonymy: difficilalis Strand,1912 Range (as code): **TG**
14682. **Glyphodes expansialis Strand,1912** (Pyralidae) Synonymy: expansialis Strand,1912 Range (as code): **CM**
14683. **Glyphodes inclusalis Gaede,1917** (Pyralidae) Synonymy: inclusalis Gaede,1917 Range (as code): **TZ**
14684. **Glyphodes incomposita Bethune-Baker,1909** (Pyralidae) Synonymy: incomposita Bethune-Baker,1909 Range (as code): **ZR**
14685. **Glyphodes loloalis Strand,1912** (Pyralidae) Synonymy: loloalis Strand,1912 Range (as code): **CM**
14686. **Glyphodes ochripictalis Strand,1912** (Pyralidae) Synonymy: ochripictalis Strand,1912; togoalis Strand,1912 Range (as code): **TZ TG**
14687. **Glyphodes onychinalis (Guenée,1854)** (Pyralidae) Synonymy: onychinalis Guenée,1854; braurealis Walker,1859; astomalis R.Felder & Rogenhofer,1875 Range (as code): **US Cf AU IN MM LK TH CMa ID MY Bor JP NZ ZR ET GM CI MG NA SL ZA SA OM YE**
14688. **Glyphodes parallelalis Gaede,1917** (Pyralidae) Synonymy: parallelalis Gaede,1917 Range (as code): **TG**
14689. **Glyphodes paramicalis Kenrick,1917** (Pyralidae) Synonymy: paramicalis Kenrick,1917 Range (as code): **MG**
14690. **Glyphodes praefulgida Hering,1903** (Pyralidae) Synonymy: praefulgida Hering,1903 Range (as code): **MZ Del**
14691. **Glyphodes quadrifascialis Hampson,1899** (Pyralidae) Synonymy: quadrifascialis Hampson,1899 Range (as code): **GH**
14692. **Glyphodes scheffleri Strand,1912** (Pyralidae) Synonymy: scheffleri Strand,1912 Range (as code): **KE**
14693. **Glyphodes shafferorum Viette,1987** (Pyralidae) Synonymy: shafferorum Viette,1987 Range (as code): **ZA MG MU RE KM**
14694. **Glyphodes stolalis Guenée,1854** (Pyralidae) Synonymy: stolalis Guenée,1854; substolalis Snellen,1899 Range (as code): **TH MM MY Sum Ja BN Sbh Swk MY SB CN TW PG PH Luz Ceb Mno Crg IN LK Ja Bor ID Clb AU FJ Vil ZA CM KM ZR GM GH KE RE MG NA NG SC SL UG ZW ML**
14695. **Glyphodes sycina (Tams,1941)** (Pyralidae) Synonymy: sycina Tams,1941 Range (as code): **NG RW ZA UG**
14696. **Glyphodes xanthonota (Meyrick,1936)** (Pyralidae) Synonymy: xanthonota Meyrick,1936 Range (as code): **ZR RW**
14697. **Glyphodes xanthostola Hampson,1910** (Pyralidae) Synonymy: xanthostola Hampson,1910 Range (as code): **ZW**
14698. **Glyphodes zenkeralis Strand,1912** (Pyralidae) Synonymy: zenkeralis Strand,1912 Range (as code): **CM**

14699. **Goateria distrigalis (Ragonot,1891)** (Pyralidae) Synonymy: distrigalis Ragonot,1891 Range (as code): **AET**
14700. **Goniophysetis lactealis Hampson,1916** (Pyralidae) Synonymy: lactealis Hampson,1916 Range (as code): **ZA**
14701. **Goniorhynchus pasithea Fawcett,1916** (Pyralidae) Synonymy: pasithea Fawcett,1916 Range (as code): **KE**
14702. **Grammiphlebia striata (Druce,1902)** (Pyralidae) Synonymy: striata Druce,1902 Range (as code): **ZA**
14703. **Gymnancyla anabasella (Chrétien,1917)** (Pyralidae) Synonymy: anabasella Chrétien,1917 Range (as code): **TN Gf**
14704. **Gymnancyla canella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: canella [Denis & Schiffermüller],1775; depositella Zincken,1818; canellaris Hübner,[1825]. Range (as code): **MA DZ Phv TN LY Cy EG SD ES Mu Cue FR Co IT MT GB BE NL LU DE CH AT PL CZ HU RO HV YU AL BG GR Cr TR KG Uk DK RU Ur 05 06 13 33 42**
14705. **Gymnancyla gilvella (Ragonot,1887)** (Pyralidae) Synonymy: gilvella Ragonot,1887 Range (as code): **Cn MA DZ Bsk Ajj TN Gf LY Cy EG EG11 Sn IL Pa TR IQ Kbl KW Cc AM TM Krn UZ Man CN Ui Ku 76**
14706. **Gymnancyla hornigii (Lederer,1852)** (Pyralidae) Synonymy: hornigii Lederer,1852; debilis Caradja,1916; #hornigi Hannemann,1964 Range (as code): **MA DZ TN LY Cy EG SD ES Mu FR IT DE AT PL CZ SK HU RO YU AL BG GR RU UA IQ Bsr Bgd Amr TR 06**
14707. **Gymnancyla leuchochrella (Herrich-Schäffer,[1855])** (Pyralidae) Synonymy: leucochrella Herrich-Schäffer,[1855]. Range (as code): **TR IR Ha Kj Th Elb Kd EG 05 65**
14708. **Gymnancyla pempeliella (Ragonot,1893)** (Pyralidae) Synonymy: pempeliella Ragonot,1893; ochriplaga Rebel,1909; djiroftella Amsel,1959; afghanella Amsel,1970 Range (as code): **MA DZ Bsk Gf TN EG Sn IL Pa SA JO IR Ss Ana Ke AF Hr Ca TM Krn UZ Fe AE**
14709. **Gymnancyla ruscinonella Ragonot,1888** (Pyralidae) Synonymy: ruscinonella Ragonot,1888; semirosella Chrétien,1911. Range (as code): **DZ Bsk TN Gf ES Mu FR**
14710. **Gymnancyla sfakesella Chrétien,1911** (Pyralidae) Synonymy: sfakesella Chrétien,1911; merkalana Lucas,1937; candida Gozmany,1960 Range (as code): **MA DZ Bsk TN Gf Sfx ES EG**
14711. **Gymnancyla turensis (Ragonot,1887)** (Pyralidae) Synonymy: turensis Ragonot,1887 Range (as code): **MR DZ Bsk TN Gf RU TM Krn TR Cc AM KG IR Elb Th CN 06**
14712. **Haimbachia aculeata (Hampson,1903)** (Pyralidae) Synonymy: aculeata Hampson,1903 Range (as code): **SI IN ZA**
14713. **Haimbachia albiceps (Hampson,1919)** (Pyralidae) Synonymy: albiceps Hampson,1919; metaphaealis Hampson,1919 Range (as code): **ZA Tva Lpo**
14714. **Haimbachia flavilinealis (Hampson,1919)** (Pyralidae) Synonymy: flavilinealis Hampson,1919 Range (as code): **TZ**
14715. **Haimbachia fuscicilia (Hampson,1910)** (Pyralidae) Synonymy: fuscicilia Hampson,1910 Range (as code): **ZW**
14716. **Haimbachia leucopleuralis (Mabille,1899)** (Pyralidae) Synonymy: leucopleuralis Mabille,1899 Range (as code): **KM**
14717. **Haimbachia mlanjella (Bleszynski,1961)** (Pyralidae) Synonymy: undilinealis Hampson,1919 (p.p.); mlanjella Bleszynski,1961. Range (as code): **TZ MW Mje**
14718. **Haimbachia proalbivenalis (Bleszynski,1961)** (Pyralidae) Synonymy: albivenalis Hampson,1919 nec Hamps.,1919; proalbivenalis Bleszynski,1961 Range (as code): **GM IN Bba**
14719. **Haimbachia proaraealis (Bleszynski,1961)** (Pyralidae) Synonymy: araealis Hampson,1919 nec Hamps,1912; proaraealis Bleszynski,1961 Range (as code): **ZA**
14720. **Haimbachia rufifusalis (Hampson,1919)** (Pyralidae) Synonymy: rufifusalis Hampson,1919 Range (as code): **TZ**
14721. **Haimbachia rufistrigalis (Hampson,1919)** (Pyralidae) Synonymy: rufistrigalis Hampson,1919 Range (as code): **TZ**
14722. **Haimbachia subterminalis (Hampson,1919)** (Pyralidae) Synonymy: subterminalis Hampson,1919 Range (as code): **UG**
14723. **Haimbachia unipunctalis (Hampson,1919)** (Pyralidae) Synonymy: unipunctalis Hampson,1919 Range (as code): **ZA Tva Lpo**
14724. **Hannemanneia tacapella (Ragonot,1887)** (Pyralidae) Synonymy: tacapella Ragonot,1887 Range (as code): **MA DZ TN LY Cy SD SA SA63 EG BH IL Pa IQ Mos IR TR ZA 31**
14725. **Hansreisseria gilvescens (Rebel,1917)** (Pyralidae) Synonymy: gilvescens Rebel,1917 Range (as code): **Cn**

14726. **Haritalodes barbuti Leraut,2005** (Pyralidae) Synonymy: barbuti Leraut,2005 Range (as code): **MG**

14727. **Haritalodes derogata (Fabricius,1775)** (Pyralidae) Synonymy: derogata Fabricius,1775; multilinealis Guenée,1854; salomealis Walker,1859; otysalis Walker,1859; basipunctalis Bremer,1864; anuligeralis Walker,[1866]; obliqualis Lucas,1898 Range (as code): **ZA AU TH CMa Cuo Cu07 CDo CD2 Sbu Bnk Sak NP PK MM BD SG AF Srb IR Gh LK MY Bor VN ID Ja Bli CN KP TW JP PH Pal Olg RU Sb WS FJ NC SB PG IN Adm OW SC RE KM MG ZR GM GH MW NG SL UG TZ ZM ZW ML**

14728. **Haritalodes levequei Leraut,2005** (Pyralidae) Synonymy: levequei Leraut,2005 Range (as code): **ZA Kzu Nta**

14729. **Haritalodes mineti Leraut,2005** (Pyralidae) Synonymy: mineti Leraut,2005 Range (as code): **MG**

14730. **Haritalodes polycymalis (Hampson,1912)** (Pyralidae) Synonymy: polycymalis Hampson,1912 Range (as code): **AO ZR GM GN CI KE MG MW MZ SL ZA TZ UG**

14731. **Haritalodes pseudoderogata (Strand,1920)** (Pyralidae) Synonymy: pseudoderogata Strand,1920 Range (as code): **CM**

14732. **Harraria rufipicta Hampson,1930** (Pyralidae) Synonymy: rufipicta Hampson,1930 Range (as code): **ET**

14733. **Helenoscoparia helenensis (Wollaston,1879)** (Pyralidae) Synonymy: helenensis Wollaston,1879 Range (as code): **ZA SH**

14734. **Helenoscoparia lucidalis (Walker,1875)** (Pyralidae) Synonymy: lucidalis Walker,1875; lusidalis Hampson,1897 Range (as code): **ZA SH**

14735. **Helenoscoparia nigritalis (Walker,1875)** (Pyralidae) Synonymy: nigritalis Walker,1875; similis Wollaston,1879 Range (as code): **ZA SH**

14736. **Helenoscoparia scintillulalis (Wollaston,1879)** (Pyralidae) Synonymy: scintillulalis Wollaston,1879 Range (as code): **ZA SH**

14737. **Helenoscoparia transversalis (Wollaston,1879)** (Pyralidae) Synonymy: transversalis Wollaston,1879 Range (as code): **ZA SH**

14738. **Heliothela ophideresana (Walker,1863)** (Pyralidae) Synonymy: ophideresana Walker,1863; pusilla Butler,1889; kruegeri Turati,1926 Range (as code): **AU AF Srb Pag Arh Bkt LY Cy IR Ss AE ZA NG NA TZ MW MG LY SA OM YE IN LK**

14739. **Hellula undalis (Fabricius,1781)** (Pyralidae) Synonymy: undalis Fabricius,1781; lunulalis Costa,1836; alconalis Walker,1859; exemptalis Walker,[1866]; geyri Rothschild,1915; occidentalis De Joannis,1930; reniculus Pajni & Rose,1977 Range (as code): **TN Sfx PT ES FR Co Sa Si IT MT GB LU DE CH AT SK RO YU GR Cr YE IL Pa TR Sk IR Enz Qz Fa Bu Shr Sse Ss Irs Ana Ke Th Kdj Lgr Km CY LB Bei TM Kp JO IQ Bgd EG AF Hr Bmu Srb Gbh Dwe Bsg Bkt Kot PK Sd Krc Hw US SH IN LK CN PH Luz TW JP AE Cp Hf TH Cc GG Sok MY Bor BN Swk Sbh CV Md Cn AU QAu Bri Bth NSw Aby Gtn DZ Clo Bsk Gf RU Da Cc 01 13 16 30 31 33 46 65 73 80**

14740. **Hemiscopis lophopedalis Joannis,1927** (Pyralidae) Synonymy: lophopedalis Joannis,1927 Range (as code): **ZA**

14741. **Hendecasis apicefulva Hampson,1916** (Pyralidae) Synonymy: apicefulva Hampson,1916 Range (as code): **ZA KE Kky**

14742. **Hendecasis fulviplaga Hampson,1916** (Pyralidae) Synonymy: fulviplaga Hampson,1916 Range (as code): **KE Kky**

14743. **Herpetogramma basalis (Walker,1866)** (Pyralidae) Synonymy: basalis Walker,1866; inanitalis Lederer,1863; dorsipunctalis Rebel,1892; dorcalis Alpheraky,1889 Range (as code): **KE RE SC ZA ML Cn LK ID ML JP CN AU**

14744. **Herpetogramma bipunctalis (Fabricius,1794)** (Pyralidae) Synonymy: bipunctalis Fabricius,1794; detritalis Guenée,1854; lycialis Walker,1859; philealis Walker,1859; repetialis Grote,1880; terricolalis Möschler,1881 Range (as code): **US DO VE SR CM KM ZR ET SO KE RE NE SC TZ TG UG ZM**

14745. **Herpetogramma brunnealis (Hampson,1913)** (Pyralidae) Synonymy: brunnealis Hampson,1913; dissimilis W.Warren,1892 Range (as code): **NG GH**

14746. **Herpetogramma couteneyi Guillermet,2008** (Pyralidae) Synonymy: couteneyi Guillermet,2008 Range (as code): **RE**

14747. **Herpetogramma debresseyi Guillermet,2008** (Pyralidae) Synonymy: debresseyi Guillermet,2008 Range (as code): **RE**

14748. **Herpetogramma licarsisalis (Walker,1859)** (Pyralidae) Synonymy: licarsisalis Walker,1859; pharaxalis Walker,1859; immundalis Walker,[1866]; fumidalis Walker,[1866]; serotinalis De Joannis,1888; #licarsialis Rebel,1939 Range (as code): **Cn TR CY IL Pa Hf LB Bei EG EG11 IQ Bsr SD YE IR Fa Ahz Ss Irs Bmp AF Srb PK Sd Krc AE TW LK CN JP MY Bor Swk Ja ID MH FJ ZA WS TO SB PG AU IN TH PH Luz CM ZR ET RE MG ML SL SD TG ZW ML 01 08 31 33 56**

14749. **Herpetogramma minoralis (W.Warren,1892)** (Pyralidae) Synonymy: minoralis W.Warren,1892 Range (as code): **GH**

14750.Herpetogramma mutualis (Zeller,1852) (Pyralidae) Synonymy: mutualis Zeller,1852; #mictualis Zeller,1852 Range (as code): **PH Luz ZA IN Sum Ja Clb Amb ID ZR NA SO TZ ZW**

14751.Herpetogramma phaeopteralis (Guenée,1854) (Pyralidae) Synonymy: phaeopteralis Guenée,1854; vecordalis Guenée,1854; vestalis Walker,1859; triarialis Walker,1859; ostreusalis Walker,1859; neloalis Walker,1859; abstrusalis Walker,1859; additalis Walker,1862; plebejalis Lederer,1863; cellatalis Walker,1866; tridentalis Snellen,1872; communalis Snellen,1875; intricatalis Möschler,1890 nec Led.,1863; #phoeopteralis Hampson,1896; #phacopteralis Viette,1957 Range (as code): **ZA PH Luz IN LK CN TW Ja PG AU ID MX HT JM BR VE CO PR ZR GM KE RE MG MU SC SL SD ZM**

14752.Herpetogramma vacheri Guillermet,2008 (Pyralidae) Synonymy: vacheri Guillermet,2008 Range (as code): **RE**

14753.Heterochrosis oligochrodes Hampson,1926 (Pyralidae) Synonymy: oligochrodes Hampson,1926 Range (as code): **KE ZA Tva Gau Pre**

14754.Hobohmia paradoxa Balinsky,1994 (Pyralidae) Synonymy: paradoxa Balinsky,1994 Range (as code): **NA Abc**

14755.Hodebertia testalis (Fabricius,1794) (Pyralidae) Synonymy: testalis Fabricius,1794; incoloralis Guenée,1854; ruficostalis Lederer,1855; melonalis Walker,1859; nitetisalis Walker,1859; albidalis Walker,[1866]; putrescens Meyrick,1934 Range (as code): **DZ Bsk Lbs TN Sfx FR IT IL Pa Js LB Bei ZR ZA TZ Kmj IN BD Syl MM ID Ja CU ES Mu Si MT CH YU GR CY UA Cm TR AU JM AC KM YE Ad LK PG ID Ja TW BW CG ZR ET GM KE RE MG MW ML MZ SC SO ZA TZ UG ZM ZW ML**

14756.Homoeosoma asbenicola Rothschild,1921 (Pyralidae) Synonymy: asbenicola Rothschild,1921 Range (as code): **NE**

14757.Homoeosoma basalis Rothschild,1921 (Pyralidae) Synonymy: basalis Rothschild,1921 Range (as code): **NE**

14758.Homoeosoma botydellum Ragonot,1888 (Pyralidae) Synonymy: botydellum Ragonot,1888 Range (as code): **ZA Nta Kzu**

14759.Homoeosoma capsitanellum Chrétien,1911 (Pyralidae) Synonymy: capsitanellum Chrétien,1911; eminentella Turati,1924; litorella Amsel,1935; soaltheirellum Roesler,1965 Range (as code): **PT ES Grn MA TN Gf LY Cy IL Jf Pa SA SA63 IQ Bgd IR Kh KuB AF Kab**

14760.Homoeosoma cerochytum Meyrick,1933 (Pyralidae) Synonymy: cerochytum Meyrick,1933 Range (as code): **ZR**

14761.Homoeosoma masaiense Balinsky,1991 (Pyralidae) Synonymy: #masaiensis Hampson; masaiense Balinsky,1991; #massaicum Balinsky,1991; #massaiensis Balinsky,1991 Range (as code): **ZA Tva Mpu Brb**

14762.Homoeosoma nimbellum (Duponchel,[1837]) (Pyralidae) Synonymy: nimbella Duponchel,[1837]; subalbatella Mann,1864; homoeosomella Zerny,1926; snellenella Bentick,1930. Range (as code): **DZ Onç Bsk PT ES Grn An FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK BG GR Cr TR DK SE EE LV LT RU MD UA BY KG Uk LB IR JO EG AM Cc Eri 01 03 05 06 07 12 16 31 35 38 39 42 46**

14763.Homoeosoma quinquepunctellum (W.Warren,1914) (Pyralidae) Synonymy: quinquepunctellum W.Warren,1914 Range (as code): **ZA**

14764.Homoeosoma scopulellum Ragonot,1888 (Pyralidae) Synonymy: scopulellum Ragonot,1888 Range (as code): **ZA**

14765.Homoeosoma sinuellum (Fabricius,1794) (Pyralidae) Synonymy: sinuella Fabricius,1794; sinuatus Fabricius,1794; elongella Hübner,[1813]; gemina Haworth,1811; flavella Duponchel,1836; gioferella Turati,1934. Range (as code): **TN DZ MA PT ES Cue Mu An Snv FR Co Sa IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY CY LB KG KK Al IR Elb Th Kdj Clu Shh Gls TM Kp Cc AM Eri AF Hr Pli Blh 01 05 06 07 13 16 21 30 31 39 44 46 58 65 70 71 75 76**

14766.Homoeosoma stenotea Hampson,1926 (Pyralidae) Synonymy: stenotea Hampson,1926 Range (as code): **ZA Tva Gau Pre Ec ZW**

14767.Homoeosoma straminea Rothschild,1921 (Pyralidae) Synonymy: straminea Rothschild,1921 Range (as code): **NE**

14768.Homoeosoma terminellum Ragonot,1901 (Pyralidae) Synonymy: terminellum Ragonot,1901 Range (as code): **ZA**

14769.Hosidia ochrineurella Hampson,1901 (Pyralidae) Synonymy: ochrineurella Hampson,1901 Range (as code): **ZA**

14770.Huertasiella multifidella (Chrétien,1911) (Pyralidae) Synonymy: multifidella Chrétien,1911; albicostella Amsel,1958 Range (as code): **ES Grn MA DZ TN Gf CY**

14771.Hyalea africalis Hampson,1912 (Pyralidae) Synonymy: africalis Hampson,1912 Range (as code): **NG**

14772.Hyalobathra charopalis Swinhoe,1907 (Pyralidae) Synonymy: charopalis Swinhoe,1907 Range (as code): **ZA**

14773. **Hyalobathra dictatrix Meyrick,1934** (Pyralidae) Synonymy: dictatrix Meyrick,1934 Range (as code): **KM LR ZR Lbu ET MG**
14774. **Hyalobathra metallogramma Meyrick,1934** (Pyralidae) Synonymy: metallogramma Meyrick,1934 Range (as code): **ZA**
14775. **Hyalobathra retinalis (Saalmüller,1879)** (Pyralidae) Synonymy: retinalis Saalmüller,1879; argentifilalis Hampson,1908 Range (as code): **ZA**
14776. **Hydaspia dorsipunctella Ragonot,1888** (Pyralidae) Synonymy: dorsipunctella Ragonot,1888 Range (as code): **ZA**
14777. **Hydriris ornatalis (Duponchel,1832)** (Pyralidae) Synonymy: ornatalis Duponchel,1832; saturnalis Treitschke,1835; deciusalis Walker,1859; invenustalis Walker,[1866]; fraterna Butler,1875; pulchellalis Mabille,1880 nec Mill.,1873; bifascialis Heeger,1938; orientalis Yamanaka,1972 Range (as code): **US Cn DZ Anna Bsk Clo TH Bnk CMa Cuo Cu07 PH Luz Ceb WS FJ NH MY IN LK ID Ja TW US AU PT ES FR Co Sa Si IT MT CH YU GR Cr CY TR IL Pa Hf LB IQ Bgd Amr EG ZA CM ZR GM KE RE MG MW MR MU MZ SC SL ZM ZW ML 01 07 33**
14778. **Hymenia perspectalis (Hübner,1796)** (Pyralidae) Synonymy: perspectalis Hübner,1796; primordialis Zeller,1852; exportalis Guenée,1854; rhinthonalis Walker,1859; phrasiusalis Walker,1859; spilotalis Saalmüller,1880 Range (as code): **PH Luz IN ZA LK Ja Bor MY Clb ID AU QAu PF TW ET GO KE RE MG NG SL SO SD UG ZM**
14779. **Hymenoptychis sordida Zeller,1852** (Pyralidae) Synonymy: sordida Zeller,1852; tipuliformis Walker,1863; pterophoralis Walker,[1866] Range (as code): **ZA AE IN LK MY Bor Boh Clb PH ID Sum PG AU FJ**
14780. **Hypargyria impecuniosa De Joannis,1927** (Pyralidae) Synonymy: impecuniosa De Joannis,1927 Range (as code): **ZA**
14781. **Hypargyria metalliferella (Ragonot,1888)** (Pyralidae) Synonymy: metalliferella Ragonot,1888; #metaliferella Pinhey,1975 Range (as code): **SA PK Krc Sd AF IN ID Sum ZA ET GM GH NA SH ML AU TH CMa CDo Pki PH**
14782. **Hyperlais conspersalis Mey,2011** (Pyralidae) Synonymy: conspersalis Mey,2011 Range (as code): **NA**
14783. **Hyperlais intermedialis (Chrétien,1915)** (Pyralidae) Synonymy: intermedialis Chrétien,1915 Range (as code): **DZ Bsk**
14784. **Hyperlais lutosalis (Mann,1862)** (Pyralidae) Synonymy: lutosalis Mann,1862; biskralis Chrétien,1911; cruzae Agenjo,1952 Range (as code): **DZ Bsk TN Gf ES Alm An Mu Sa HV Sao TR 16**
14785. **Hyperlais rivasalis (Vazquez,1905)** (Pyralidae) Synonymy: rivasalis Vazquez,1905 Range (as code): **ES TN Sfx**
14786. **Hyperlais sahariensis Leraut,2012** (Pyralidae) Synonymy: sahariensis Leraut,2012 Range (as code): **MA**
14787. **Hyperlais squamosa (Hampson,1913)** (Pyralidae) Synonymy: squamosa Hampson,1913 Range (as code): **ZA**
14788. **Hyperlais transversalis Mey,2011** (Pyralidae) Synonymy: transversalis Mey,2011 Range (as code): **NA**
14789. **Hyperlais xanthomista Mey,2011** (Pyralidae) Synonymy: xanthomista Mey,2011 Range (as code): **NA**
14790. **Hypiesta argyrogramma Hampson,1919** (Pyralidae) Synonymy: argyrogramma Hampson,1919 Range (as code): **KE Nai TZ**
14791. **Hypiesta flavirufalis Hampson,1919** (Pyralidae) Synonymy: flavirufalis Hampson,1919 Range (as code): **KE**
14792. **Hypotia achatina R.Felder & Rogenhofer,1875** (Pyralidae) Synonymy: achatina R.Felder & Rogenhofer,1875 Range (as code): **ZA**
14793. **Hypotia aglossalis (Hampson,1906)** (Pyralidae) Synonymy: aglossalis Hampson,1906 Range (as code): **ZA**
14794. **Hypotia albicornis (Rebel,1914)** (Pyralidae) Synonymy: albicornis Rebel,1914 Range (as code): **EG**
14795. **Hypotia argentalis (Hampson,1900)** (Pyralidae) Synonymy: argentalis Hampson,1900; biscraensis Caradja,1916; subargentalis Amsel,1949; senegalensis Leraut,2004 Range (as code): **IL Pa JO DZ Bsk SN IR**
14796. **Hypotia bertazi (Turati,1926)** (Pyralidae) Synonymy: bertazi Turati,1926 Range (as code): **LY**
14797. **Hypotia bleusei (Oberthür,1888)** (Pyralidae) Synonymy: bleusei Oberthür,1888; santschii Lucas,1911 Range (as code): **DZ Bsk Omy TN**
14798. **Hypotia bolinalis (Walker,1859)** (Pyralidae) Synonymy: bolinalis Walker,1859 Range (as code): **ZA**
14799. **Hypotia brandbergensis Leraut,2007** (Pyralidae) Synonymy: brandbergensis Leraut,2007 Range (as code): **NA**

14800. **Hypotia buchanani (Rothschild,1921)** (Pyralidae) Synonymy: buchanani Rothschild,1921 Range (as code): **NE**
14801. **Hypotia chretieni (Lucas,1910)** (Pyralidae) Synonymy: chretieni Lucas,1910; sardzealis Amsel,1951 Range (as code): **IR TN**
14802. **Hypotia colchicalis (Herrich-Schäffer,[1855])** (Pyralidae) Synonymy: colchicalis Herrich-Schäffer,[1855]; anceschii Turati,1926 Range (as code): **DZ TN Sfx LY ES RU Cc Kr MD UA BY TR IR Ahz Fa Ss Shr Sse SY JO IL LB IQ Ry CY IR TM KG Tk Dj 05 13 31 38 42 65 70**
14803. **Hypotia decembralis Leraut,2007** (Pyralidae) Synonymy: decembralis Leraut,2007 Range (as code): **NA**
14804. **Hypotia deckerti Mey,2011** (Pyralidae) Synonymy: deckerti Mey,2011 Range (as code): **NA**
14805. **Hypotia dinteri Grünberg,1910** (Pyralidae) Synonymy: dinteri Grünberg,1910 Range (as code): **NA**
14806. **Hypotia dubiosa (Rothschild,1921)** (Pyralidae) Synonymy: dubiosa Rothschild,1921 Range (as code): **NE**
14807. **Hypotia eberti Leraut,2007** (Pyralidae) Synonymy: eberti Leraut,2007 Range (as code): **NA**
14808. **Hypotia faucis Mey,2011** (Pyralidae) Synonymy: faucis Mey,2011 Range (as code): **NA**
14809. **Hypotia grisescens (W.Warren,1914)** (Pyralidae) Synonymy: grisescens W.Warren,1914 Range (as code): **ZA**
14810. **Hypotia griveaudi Leraut,2004** (Pyralidae) Synonymy: griveaudi Leraut,2004 Range (as code): **MG**
14811. **Hypotia infulalis Lederer,1858** (Pyralidae) Synonymy: infulalis Lederer,1858; staudingeralis Ragonot,1891; atrisquamalis Hampson,1900; inclinatalis Rebel,1914; mavromoustakisi Rebel,1928 Range (as code): **Cn DZ Bsk PT ES Sa MT TN Gf Sfx IL Pa EG JO SY Dms CY TR IR Kh**
14812. **Hypotia juergensi Mey,2011** (Pyralidae) Synonymy: juergensi Mey,2011 Range (as code): **ZA**
14813. **Hypotia leonalis (Oberthür,1887)** (Pyralidae) Synonymy: leonalis Oberthür,1887; syrticolalis Ragonot,1887; subochrealis Ragonot,1891; fasciatalis Chrétien,1917 Range (as code): **MA DZ Bsk Ah TN Gf LY**
14814. **Hypotia lhonorei Leraut,2006** (Pyralidae) Synonymy: lhonorei Leraut,2006 Range (as code): **CI**
14815. **Hypotia littoralis Leraut,2009** (Pyralidae) Synonymy: littoralis Leraut,2009 Range (as code): **MG**
14816. **Hypotia longidentalis (Rothschild,1913)** (Pyralidae) Synonymy: longidentalis Rothschild,1913 Range (as code): **MA DZ Ogl Gle**
14817. **Hypotia mahafalyalis Leraut,2009** (Pyralidae) Synonymy: mahafalyalis Leraut,2009 Range (as code): **MG**
14818. **Hypotia meyi Leraut,2007** (Pyralidae) Synonymy: meyi Leraut,2007 Range (as code): **NA**
14819. **Hypotia mineti Leraut,2004** (Pyralidae) Synonymy: mineti Leraut,2004 Range (as code): **MG**
14820. **Hypotia muscosalis (Rebel,1917)** (Pyralidae) Synonymy: muscosalis Rebel,1917; delicatalis Asselbergs,2004 Range (as code): **ES Cn**
14821. **Hypotia myalis (Rothschild,1913)** (Pyralidae) Synonymy: myalis Rothschild,1913; faroulti Rothschild,1915; predotae Schawerda,1934 Range (as code): **Cn TN DZ Omy Ges**
14822. **Hypotia namaensis Mey,2011** (Pyralidae) Synonymy: namaensis Mey,2011 Range (as code): **NA**
14823. **Hypotia namaquensis Mey,2011** (Pyralidae) Synonymy: namaquensis Mey,2011 Range (as code): **NA**
14824. **Hypotia namibiensis Leraut,2007** (Pyralidae) Synonymy: namibiensis Leraut,2007 Range (as code): **NA**
14825. **Hypotia numidalis Hampson,1900** (Pyralidae) Synonymy: numidalis Hampson,1900 Range (as code): **DZ Gha Bsk TN Gf PT ES JO AE MA MR**
14826. **Hypotia ornata (Druce,1902)** (Pyralidae) Synonymy: ornata Druce,1902 Range (as code): **ZA**
14827. **Hypotia pallidicarnea (W.Warren,1914)** (Pyralidae) Synonymy: pallidicarnea W.Warren,1914 Range (as code): **ZA**
14828. **Hypotia pectinalis (Herrich-Schäffer,1838)** (Pyralidae) Synonymy: pectinalis Herrich-Schäffer,1838; ocelliferalis Ragonot,1887; jordanalis Rebel,1903 Range (as code): **DZ Sfr Gha Bsk TN Gab Gf Sfx ES Co Sa Si MT IL JO Pa**
14829. **Hypotia persinualis (Hampson,1900)** (Pyralidae) Synonymy: persinualis Hampson,1900; kasbahella Schmidt,1934 Range (as code): **MA SY JO**
14830. **Hypotia phaeagonalis (Hampson,1906)** (Pyralidae) Synonymy: phaeagonalis Hampson,1906 Range (as code): **ZA**
14831. **Hypotia pineaui (Rougeot,1977)** (Pyralidae) Synonymy: pineaui Rougeot,1977 Range (as code): **ET**
14832. **Hypotia poliopastalis (Hampson,1900)** (Pyralidae) Synonymy: poliopastalis Hampson,1900 Range (as code): **DZ Ogl Gle Bsk Gf TN IQ**

14833. **Hypotia pronamibiella Mey,2011** (Pyralidae) Synonymy: pronamibiella Mey,2011 Range (as code): **NA**
14834. **Hypotia quagga Mey,2011** (Pyralidae) Synonymy: quagga Mey,2011 Range (as code): **ZA Nca**
14835. **Hypotia semirosealis (Walker,1865)** (Pyralidae) Synonymy: semirosealis Walker,1865 Range (as code): **ZA**
14836. **Hypotia sinaica (Rebel,1903)** (Pyralidae) Synonymy: sinaica Rebel,1903; debskii Rebel,1912; turturalis Turati,1930; bertrami Lucas,1939; hyrcanalis Amsel,1951; mauritanica Leraut,2004 Range (as code): **MR DZ LY EG Sn KW IQ Bsr IR Ss**
14837. **Hypotia syrtalis (Ragonot,1887)** (Pyralidae) Synonymy: syrtalis Ragonot,1887; bella Bethune-Baker,1894 Range (as code): **MA DZ Mri Bsk TN EG ES Mu**
14838. **Hypotia vulgaris Butler,1881** (Pyralidae) Synonymy: vulgaris Butler,1881; eremialis Swinhoe,1889; benderalis Amsel,1949; qatarica Leraut,2007 [ssp.] Range (as code): **MR QA IN PK Sd Krc YE SA IR Ss Chh Ke Ana KW**
14839. **Hypsipyla albipartalis (Hampson,1910)** (Pyralidae) Synonymy: albipartalis Hampson,1910 Range (as code): **ZR**
14840. **Hypsipyla ereboneura Meyrick,1939** (Pyralidae) Synonymy: ereboneura Meyrick,1939 Range (as code): **ZR**
14841. **Hypsipyla robusta (Moore,[1886])** (Pyralidae) Synonymy: robusta Moore,[1886]; pagodella Ragonot,1888; terebrans Olliff,1890; scabriusculella Ragonot,1893 Range (as code): **AU NSw LK IN MG ZA**
14842. **Hypsopygia alluaudalis Leraut,2006** (Pyralidae) Synonymy: alluaudalis Leraut,2006 Range (as code): **KE**
14843. **Hypsopygia ambrensis Leraut,2006** (Pyralidae) Synonymy: ambrensis Leraut,2006 Range (as code): **MG**
14844. **Hypsopygia audeoudi (Joannis,1927)** (Pyralidae) Synonymy: audeoudi Joannis,1927 Range (as code): **MZ**
14845. **Hypsopygia bamakoensis Leraut,2006** (Pyralidae) Synonymy: bamakoensis Leraut,2006 Range (as code): **ML CF SN ML**
14846. **Hypsopygia boudinoti Leraut,2006** (Pyralidae) Synonymy: boudinoti Leraut,2006 Range (as code): **CF**
14847. **Hypsopygia caesalis (Zeller,1852)** (Pyralidae) Synonymy: caesalis Zeller,1852 Range (as code): **ZA**
14848. **Hypsopygia camerounalis Leraut,2006** (Pyralidae) Synonymy: camerounalis Leraut,2006 Range (as code): **CM**
14849. **Hypsopygia cineralis (De Joannis,1927)** (Pyralidae) Synonymy: cineralis De Joannis,1927 Range (as code): **ZA**
14850. **Hypsopygia costalis (Fabricius,1775)** (Pyralidae) Synonymy: costalis Fabricius,1775; fimbrialis [Denis & Schiffermüller],1775; purpurana Thunberg,1784; hyllalis Walker,1859; rubrocilialis Staudinger,1870; #lugens Rebel,1903; syriaca Zerny,1914; lugens Caradja,1917. Range (as code): **DZ Orn PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc DK NO SE FI EE LV LT RU MD UA BY IR Ab Sro Th Elb Mz Gls IL Hf Pa EG TM Kp UZ Fe PK IQ Shq Dia KG Tk Tks Nrk CN Ui 01 06 09 13 16 30 31 33 36 38 39 46 56 65 73 75 76**
14851. **Hypsopygia glaucinalis (Linnaeus,1758)** (Pyralidae) Synonymy: glaucinalis Linnaeus,1758; nitidalis Fabricius,1775 Range (as code): **MA PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Kir Lag Mng Hkd AZ DK NO SE FI EE LV LT RU Sb Am Sh Us MD UA BY IR Gh Tgo Mz KP KR CN Krl JP 16 34 76**
14852. **Hypsopygia griseobrunnea (Hampson,1917)** (Pyralidae) Synonymy: griseobrunnea Hampson,1917 Range (as code): **ZA**
14853. **Hypsopygia griveaudalis Leraut,2006** (Pyralidae) Synonymy: griveaudalis Leraut,2006 Range (as code): **CI**
14854. **Hypsopygia incarnatalis (Zeller,1847)** (Pyralidae) Synonymy: incarnatalis Zeller,1847 Range (as code): **MA DZ Lbs PT ES FR Co Sa Si IT HU RO YU GR TR 16 42 46**
14855. **Hypsopygia joannisalis Leraut,2006** (Pyralidae) Synonymy: joannisalis Leraut,2006 Range (as code): **CI**
14856. **Hypsopygia lacteocilia (Hampson,1917)** (Pyralidae) Synonymy: lacteocilia Hampson,1917 Range (as code): **ZA**
14857. **Hypsopygia mabokealis Leraut,2006** (Pyralidae) Synonymy: mabokealis Leraut,2006 Range (as code): **CF**
14858. **Hypsopygia maesalis Leraut,2006** (Pyralidae) Synonymy: maesalis Leraut,2006 Range (as code): **KE**

14859. **Hypsopygia mauritialis (Boisduval,1833)** (Pyralidae) Synonymy: mauritialis Boisduval,1833; lucillalis Walker,1859; regalis Walker,1866 nec Denis & Schiff.,1775; ducalis Walker,1866; crobulus Lucas,1891; laticilialis Ragonot,1891; #atralis Caradja,1932; pfeifferi Amsel,1954 Range (as code): **ML RE SD SC MU MG ZR IN MM CN Hn ID Sum Ja TW JP AU QAu Hw IR Fa PK**

14860. **Hypsopygia moramangalis (Marion & Viette,1956)** (Pyralidae) Synonymy: moramangalis Marion & Viette,1956 Range (as code): **MG**

14861. **Hypsopygia nonusalis (Walker,1859)** (Pyralidae) Synonymy: nonusalis Walker,1859; tenuis Butler,1880; imbecilis Moore,1885; incongrua Butler,1886; rhodocryptalis Cotes & Swinhoe,1889; hansi Rose & Dhillon,1980 Range (as code): **ZA BR AC IN LK TW MY Bor Swk CN TW**

14862. **Hypsopygia nossibealis Leraut,2006** (Pyralidae) Synonymy: nossibealis Leraut,2006 Range (as code): **MG**

14863. **Hypsopygia olapalis Viette,1978** (Pyralidae) Synonymy: olapalis Viette,1978 Range (as code): **MG**

14864. **Hypsopygia polycyclophora Hampson,1916** (Pyralidae) Synonymy: olycyclophora Hampson,1916 Range (as code): **ZA**

14865. **Hypsopygia roseotincta Hampson,1917** (Pyralidae) Synonymy: roseotincta Hampson,1917 Range (as code): **ZA**

14866. **Hypsopygia rubidalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: rubidalis [Denis & Schiffermüller],1775; lucidalis Hübner,[1813] Range (as code): **MA DZ Cst ES FR IT CH AT CZ SK HU RO YU AL BG GR TR Cc GG Bjo UA Cm RU 05 13 16 38**

14867. **Hypsopygia sanguinalis W.Warren,1897** (Pyralidae) Synonymy: sanguinalis W.Warren,1897 Range (as code): **ZA**

14868. **Hypsotropa adumbratella Ragonot,1888** (Pyralidae) Synonymy: adumbratella Ragonot,1888 Range (as code): **ZA**

14869. **Hypsotropa chionorhabda Hampson,1918** (Pyralidae) Synonymy: chionorhabda Hampson,1918 Range (as code): **ZA**

14870. **Hypsotropa contrastella (Ragonot,1888)** (Pyralidae) Synonymy: contrastella Ragonot,1888 Range (as code): **ZA**

14871. **Hypsotropa graptophlebia Hampson,1918** (Pyralidae) Synonymy: graptophlebia Hampson,1918 Range (as code): **ZA**

14872. **Hypsotropa infumatella Ragonot,1901** (Pyralidae) Synonymy: infumatella Ragonot,1901 Range (as code): **ZA**

14873. **Hypsotropa leucophlebiella (Ragonot,1888)** (Pyralidae) Synonymy: leucophlebiella Ragonot,1888 Range (as code): **ZA**

14874. **Hypsotropa makulanella Joannis,1927** (Pyralidae) Synonymy: makulanella Joannis,1927 Range (as code): **ZA**

14875. **Hypsotropa ochricostella Hampson,1918** (Pyralidae) Synonymy: ochricostella Hampson,1918 Range (as code): **ZA**

14876. **Hypsotropa polyactinia (Hampson,1901)** (Pyralidae) Synonymy: polyactinia Hampson,1901 Range (as code): **ZA**

14877. **Hypsotropa rhodochroella Hampson,1918** (Pyralidae) Synonymy: rhodochroella Hampson,1918 Range (as code): **ZA**

14878. **Hypsotropa sabuletella (Zeller,1852)** (Pyralidae) Synonymy: sabuletella Zeller,1852 Range (as code): **ZA**

14879. **Hypsotropa subcostella (Hampson,1918)** (Pyralidae) Synonymy: subcostella Hampson,1918 Range (as code): **MW Mje**

14880. **Iangaigheria conisella (Hampson,1926)** (Pyralidae) Synonymy: conisella Hampson,1926 Range (as code): **KE MZ ZA Mpu Brb Ec Lpo Tva Spb Ltr**

14881. **Iangaigheria heterotypa (Balinsky,1994)** (Pyralidae) Synonymy: heterotypa Balinsky,1994 Range (as code): **ZA Tva Gau Pre Nta Kzu Kkf Nha**

14882. **Iangaigheria hypolepias (De Joannis,1927)** (Pyralidae) Synonymy: hypolepias De Joannis,1927 Range (as code): **MZ**

14883. **Iangaigheria jansei (Balinsky,1994)** (Pyralidae) Synonymy: jansei Balinsky,1994 Range (as code): **NA ZW Umv Bul Fs Mdp ZA Gau Pre Nta Kzu Tva Nbs Mpu Brb Em**

14884. **Iangaigheria poliopasta (Balinsky,1994)** (Pyralidae) Synonymy: poliopasta Balinsky,1994 Range (as code): **ZW Uma Bul ZA Nta Kzu Mpu Brb Tva Lpo Pot Nbs Em**

14885. **Iangaigheria semiales (Balinsky,1994)** (Pyralidae) Synonymy: semiales Balinsky,1994 Range (as code): **ZW Uma**

14886.Ischnurges lancinalis (Guenée,1854) (Pyralidae) Synonymy: lancinalis Guenée,1854; expeditalis Lederer,1863 Range (as code): **ZA Tva Lpo Spb**

14887.Ischnurges rhodographalis Hampson,1913 (Pyralidae) Synonymy: rhodographalis Hampson,1913 Range (as code): **ZA**

14888.Isocentris filalis (Guenée,1854) (Pyralidae) Synonymy: filalis Guenée,1854; rhodophilalis Walker,[1866]; amoenalis Walker,[1866]; dives Butler,1870 Range (as code): **AU IN LK MM TH ID Ja Clb TW PH Luz MU PG CG ZR CM MG MZ RE SC TG LR ML**

14889.Khorassania incongruella (W.Warren,1914) (Pyralidae) Synonymy: incongruella W.Warren,1914 Range (as code): **ZA**

14890.Khorassania marocana (Lucas,1954) (Pyralidae) Synonymy: marocana Lucas,1954 Range (as code): **MA**

14891.Kilimandjaria alluaudi Leraut,2019 (Pyralidae) Synonymy: alluaudi Leraut,2019 Range (as code): **KE**

14892.Kilimandjaria ornata (Druce,1902) (Pyralidae) Synonymy: ornata Druce,1902 Range (as code): **MZ**

14893.Kivia longisacculata Balinsky,1994 (Pyralidae) Synonymy: longisacculata Balinsky,1994 Range (as code): **ZR**

14894.Krombia harralis Chrétien,1911 (Pyralidae) Synonymy: harralis Chrétien,1911 Range (as code): **DZ Bsk TN Gf**

14895.Krombia seghiralis (Chrétien,1911) (Pyralidae) Synonymy: seghiralis Chrétien,1911 Range (as code): **DZ Bsk TN Gf**

14896.Krombia zarcinella Lucas,1909 (Pyralidae) Synonymy: zarcinella Lucas,1909 Range (as code): **TN**

14897.Laetilia hebraica Joannis,1927 (Pyralidae) Synonymy: hebraica Joannis,1927 Range (as code): **ZA**

14898.Laetilia loxogramma (Staudinger,1870) (Pyralidae) Synonymy: loxogramma Staudinger,1870. Range (as code): **Cn ES An**

14899.Lamoria adaptella (Walker,1863) (Pyralidae) Synonymy: adaptella Walker,1863; planalis Walker,1863; foedella Walker,1866; fusconervella Ragonot,1888; anella Hampson,1896 nec Denis & Schiffermüller,[1775]. Range (as code): **TH MY PK NC FJ AU ZA IN MM LK ID Sum Ja SG TW**

14900.Lamoria anella ([Denis & Schiffermüller],1775) (Pyralidae) Synonymy: anella [Denis & Schiffermüller],1775; insulana Schawerda,1931; variegana Lucas,1949; marocana Lucas,1955 Range (as code): **MA DZ Onç TN Tun Elk PT ES FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR RU Sb Us Kr MD UA BY AF Hr IL Pa Hf LB Bei Bsa IQ Bgd IR Ahz Enz Elb Th Kdj Ha Fa Bu Ss Irs KG Uk CY TM Kp EG PK Pj Krc IN Poo Mh LK CN JP ZA AE JO SY AM Cc AZ 01 05 06 10 17 31 34 35 38 42 46 48 58 71**

14901.Lamoria attamasca Whalley,1964 (Pyralidae) Synonymy: attamasca Whalley,1964 Range (as code): **ZA Ec Stj**

14902.Lamoria caffrella (Ragonot,1888) (Pyralidae) Synonymy: caffrella Ragonot,1888 Range (as code): **ZA Nta Kzu**

14903.Lamoria exiguata Whalley,1864 (Pyralidae) Synonymy: exiguata Whalley,1864 Range (as code): **ZA Nta Kzu Wnn ZW**

14904.Lamoria imbella (Walker,1864) (Pyralidae) Synonymy: imbella Walker,1864; obscurella Saalmüller,1880 Range (as code): **NG KE ZA Nta Kzu Tva Lpo MG**

14905.Lamoria medianalis Hampson,1917 (Pyralidae) Synonymy: medianalis Hampson,1917 Range (as code): **ZA**

14906.Lamoria pallens Whalley,1964 (Pyralidae) Synonymy: pallens Whalley,1964 Range (as code): **ZA Nta Kzu Esw**

14907.Lamoria sapozhnikovi (Krulikovsky,1909) (Pyralidae) Synonymy: anella Zincken nec [Denis & Schiff.]; bipunctatus Zeller,1848 nec Curt..; sapozhnikovi Krulikovsky,1909; decolor Caradja,1910; zelleri Joannis,1932 Range (as code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf LB Bei IR Mz ZA CN Ui Ku Mc JP LK IN 35 39 65**

14908.Lamoria surrufa Whalley,1964 (Pyralidae) Synonymy: surrufa Whalley,1964 Range (as code): **ZA ZR CM**

14909.Lamprosema hottentota Hampson,1918 (Pyralidae) Synonymy: hottentota Hampson,1918 Range (as code): **ZA**

14910.Lamprosema indicata (Fabricius,1775) (Pyralidae) Synonymy: indicata Fabricius,1775; vulgalis Guenée,1854; sabalis Walker,1859; moeliusalis Walker,1859; reductalis Walker,1865; connexalis Walker,[1866]; dolosalis Möschler,1881; dnopheralis Mabille,1900; lionnetalis Legrand,1965 Range (as code): **ZA MG IN LK MY Bor TH ID SG CN TW JP**

14911.Lamprosema niphealis (Walker,1859) (Pyralidae) Synonymy: niphealis Walker,1859; epastalis Swinhoe,1885 Range (as code): **ZR KE SC SL ZW**

14912. **Lamprosema ommatalis (Hampson,1912)** (Pyralidae) Synonymy: ommatalis Hampson,1912 Range (as code): **ZA**
14913. **Lantzodes alcardi (Leraut,2007)** (Pyralidae) Synonymy: alcardi Leraut,2007 Range (as code): **CG**
14914. **Lantzodes bernardii (Leraut,2007)** (Pyralidae) Synonymy: bernardii Leraut,2007 Range (as code): **GA**
14915. **Lantzodes dargei (Leraut,2007)** (Pyralidae) Synonymy: dargei Leraut,2007 Range (as code): **GA**
14916. **Lantzodes lamtoalis Leraut,2013** (Pyralidae) Synonymy: lamtoalis Leraut,2013 Range (as code): **CI**
14917. **Lantzodes nienokouealis Leraut,2013** (Pyralidae) Synonymy: nienokouealis Leraut,2013 Range (as code): **CI**
14918. **Lantzodes obovalis (Hampson,1917)** (Pyralidae) Synonymy: obovalis Hampson,1917 Range (as code): **GH**
14919. **Lantzodes semicircularis (Hampson,1917)** (Pyralidae) Synonymy: semicircularis Hampson,1917 Range (as code): **GH**
14920. **Lantzodes subpurpuralis Leraut,2013** (Pyralidae) Synonymy: subpurpuralis Leraut,2013 Range (as code): **CI**
14921. **Lantzodes vinacealis (Leraut,2007)** (Pyralidae) Synonymy: vinacealis Leraut,2007 Range (as code): **CF**
14922. **Laodamia affinis Balinsky,1994** (Pyralidae) Synonymy: affinis Balinsky,1994 Range (as code): **ZA Nta Kzu Umk**
14923. **Laodamia dubia Balinsky,1994** (Pyralidae) Synonymy: dubia Balinsky,1994 Range (as code): **ZA Ec Nkw ZW Har**
14924. **Laodamia glaucocephalis Balinsky,1994** (Pyralidae) Synonymy: glaucocephalis Balinsky,1994 Range (as code): **ZA Kzu Nta Dmm**
14925. **Laodamia grisella Balinsky,1994** (Pyralidae) Synonymy: grisella Balinsky,1994 Range (as code): **ZW Bul**
14926. **Laodamia homotypa Balinsky,1994** (Pyralidae) Synonymy: homotypa Balinsky,1994 Range (as code): **ZA Kzu Nta Win Umk ZW NA Abc**
14927. **Laodamia horrens Balinsky,1994** (Pyralidae) Synonymy: horrens Balinsky,1994 Range (as code): **ZM ZW**
14928. **Laodamia hortensis Balinsky,1994** (Pyralidae) Synonymy: hortensis Balinsky,1994 Range (as code): **ZA Tva Gau Jh Slpp**
14929. **Laodamia inermis Balinsky,1994** (Pyralidae) Synonymy: inermis Balinsky,1994 Range (as code): **ZA Ec Elo**
14930. **Laodamia injucunda Balinsky,1994** (Pyralidae) Synonymy: injucunda Balinsky,1994 Range (as code): **ZA Tva Mpu ZA20**
14931. **Laodamia karkloofensis Balinsky,1994** (Pyralidae) Synonymy: karkloofensis Balinsky,1994 Range (as code): **ZA Nta Kzu Kkf**
14932. **Laodamia lugubris Balinsky,1994** (Pyralidae) Synonymy: lugubris Balinsky,1994 Range (as code): **ZW Bul**
14933. **Laodamia natalensis (Ragonot,1888)** (Pyralidae) Synonymy: natalensis Ragonot,1888 Range (as code): **ZW ZA Nta Kzu Wnn Gau Pre Tva Lpo Spb Suw**
14934. **Laodamia nigerrima Balinsky,1994** (Pyralidae) Synonymy: nigerrima Balinsky,1994 Range (as code): **ZA Tva Gau Jh**
14935. **Laodamia nonplagella Balinsky,1994** (Pyralidae) Synonymy: nonplagella Balinsky,1994 Range (as code): **ZA Tva Gau Pre**
14936. **Laodamia ochreomelanella (Ragonot,1888)** (Pyralidae) Synonymy: ochreomelanella Ragonot,1888 Range (as code): **ZW ZA Tva Mpu Brb Nta Kzu IN MY ID Sum**
14937. **Laodamia pulchra Balinsky,1994** (Pyralidae) Synonymy: pulchra Balinsky,1994 Range (as code): **ZA Lpo Tva**
14938. **Laodamia salisburyensis Balinsky,1994** (Pyralidae) Synonymy: salisburyensis Balinsky,1994 Range (as code): **ZW Har**
14939. **Laodamia sarniensis Balinsky,1994** (Pyralidae) Synonymy: sarniensis Balinsky,1994 Range (as code): **ZA Nta Kzu Srn**
14940. **Laodamia similis Balinsky,1994** (Pyralidae) Synonymy: similis Balinsky,1994 Range (as code): **ZA Fs Mdp**
14941. **Laodamia spiculata Balinsky,1994** (Pyralidae) Synonymy: spiculata Balinsky,1994 Range (as code): **ZW**

14942. **Laodamia spissa Balinsky,1994** (Pyralidae) Synonymy: spissa Balinsky,1994 Range (as code): **ZA Ec Elo**
14943. **Laodamia squamata Balinsky,1994** (Pyralidae) Synonymy: squamata Balinsky,1994 Range (as code): **ZW Bul**
14944. **Laodamia zoetendalensis Balinsky,1994** (Pyralidae) Synonymy: zoetendalensis Balinsky,1994 Range (as code): **ZA Ec**
14945. **Laristania nevadensis (Rebel,1910)** (Pyralidae) Synonymy: nevadensis Rebel,1910 Range (as code): **MA TN ES Grn Snv**
14946. **Leonardo davincii Bleszynski,1965** (Pyralidae) Synonymy: davincii Bleszynski,1965 Range (as code): **ZA**
14947. **Lepidogma rubricalis Hampson,1906** (Pyralidae) Synonymy: rubricalis Hampson,1906 Range (as code): **ZA**
14948. **Lepidogma tamaricalis (Mann,1873)** (Pyralidae) Synonymy: tamaricalis Mann,1873; obatralis Christoph,1876; vafera Swinhoe,1884 Range (as code): **MA DZ Bsk Agi ES Sa IT KW TR IR Ahz Ss Chh Irs Put Fa Com Kz Sde Ssh IN AF PK Sd Krc TM Krn RU Sb Pj**
14949. **Lepidoneura africalis Hampson,1899** (Pyralidae) Synonymy: africalis Hampson,1899 Range (as code): **GM**
14950. **Leucinodes africensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015** (Pyralidae) Synonymy: africensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015 Range (as code): **AO ZR GA GH CI LR NG TZ ZW**
14951. **Leucinodes ethiopica Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015** (Pyralidae) Synonymy: ethiopica Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015 Range (as code): **ET ER SA**
14952. **Leucinodes kenyensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015** (Pyralidae) Synonymy: kenyensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015 Range (as code): **KE ZW**
14953. **Leucinodes laisalis (Walker,1859)** (Pyralidae) Synonymy: laisalis Walker,1859; idmonensis Walker,1859; subterminalis Walker,1866; plenisignata Walker,1866; translucidalis Gaede,1917 Range (as code): **ES ZA Mpu MA SN CI NG KE Nai TZ**
14954. **Leucinodes malawiensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015** (Pyralidae) Synonymy: malawiensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015 Range (as code): **MW**
14955. **Leucinodes pseudorbonalis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015** (Pyralidae) Synonymy: pseudorbonalis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015 Range (as code): **AO SN UG**
14956. **Leucinodes rimavallis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015** (Pyralidae) Synonymy: rimavallis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015 Range (as code): **ZR ZA Nta Kzu UG KE Elg RW BI NL**
14957. **Leucinodes ugandensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015** (Pyralidae) Synonymy: ugandensis Mally, Korycinska, Agassiz, Hall, Hodgets & Nuss,2015 U Range (as code): **UG ET SU SO**
14958. **Leviantenna ferox Balinsky,1994** (Pyralidae) Synonymy: ferox Balinsky,1994 Range (as code): **ZW Maz**
14959. **Loryma actenioides (Rebel,1914)** (Pyralidae) Synonymy: actenioides Rebel,1914; geyri Rothschild,1915; harterti Rothschild,1915 Range (as code): **DZ Ah Onç EG**
14960. **Loryma alluaudalis Leraut,2009** (Pyralidae) Synonymy: alluaudalis Leraut,2009 Range (as code): **TZ**
14961. **Loryma ambovombealis Leraut,2009** (Pyralidae) Synonymy: ambovombealis Leraut,2009 Range (as code): **MG**
14962. **Loryma athalialis (Walker,1859)** (Pyralidae) Synonymy: athalialis Walker,1859; cultralis Snellen,1872; milloti Viette,1949 Range (as code): **ZA**
14963. **Loryma athiensis Leraut,2019** (Pyralidae) Synonymy: athiensis Leraut,2019 Range (as code): **KE**
14964. **Loryma basalis (Walker,1866)** (Pyralidae) Synonymy: basalis Walker,1866; apertalis Walker,1866; atribasalis Ragonot,1891; punctilimbalis Ragonot,1891; dentibasalis W.Warren,1914; signaticosta De Joannis,1927; pyrosalis Legrand,1966; aldabrensis Legrand,1966 Range (as code): **MZ NG ZA Nta Kzu SC Ald**
14965. **Loryma callos (Viette,1973)** (Pyralidae) Synonymy: callos Viette,1973 Range (as code): **MG**
14966. **Loryma centrafricalis (Leraut,2007)** (Pyralidae) Synonymy: centrafricalis Leraut,2007 Range (as code): **CF**

14967. **Loryma discimaculla (Hampson,1917)** (Pyralidae) Synonymy: discimaculla Hampson,1917 Range (as code): **MW Mje**
14968. **Loryma egregialis (Herrich-Schäffer,1838)** (Pyralidae) Synonymy: egregialis Herrich-Schäffer,1838; medusalis Milliere,1872; algerialis Hampson,1900 Range (as code): **DZ Bsk Onç Eal Ges TN Sfx PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr TR LB Bsa IL Hf Pa CY 01 06 22 33 35**
14969. **Loryma itremoalis Leraut,2009** (Pyralidae) Synonymy: itremoalis Leraut,2009 Range (as code): **MG**
14970. **Loryma martinae Leraut,2002** (Pyralidae) Synonymy: martinae Leraut,2002; dumonti Leraut,2002 [ssp.] Range (as code): **MA DZ Lgt**
14971. **Loryma masamalis Leraut,2009** (Pyralidae) Synonymy: masamalis Leraut,2009 Range (as code): **MG**
14972. **Loryma radamalis (Ragonot,1891)** (Pyralidae) Synonymy: radamalis Ragonot,1891 Range (as code): **MG**
14973. **Loryma recusata (Walker,[1863])** (Pyralidae) Synonymy: recusata Walker,[1863]; venosella Walker,1866; philornis Meyrick,1937 Range (as code): **LK MY Bor Swk TW AU ZA TH IN PG MY SG ID Sum Ja BN Bor Sbh Swk**
14974. **Loryma sentiusalis Walker,1859** (Pyralidae) Synonymy: sentiusalis Walker,1859; monotaenialis Ragonot,1891 Range (as code): **AU ZA**
14975. **Loryma sinuosalis Leraut,2007** (Pyralidae) Synonymy: sinuosalis Leraut,2007 Range (as code): **ZA Gau Tva Jh**
14976. **Lorymodes digonialis (Hampson,1906)** (Pyralidae) Synonymy: digonialis Hampson,1906; #diagonalis Hampson,1917 Range (as code): **ZA**
14977. **Lorymodes stenopteralis Hampson,1917** (Pyralidae) Synonymy: stenopteralis Hampson,1917 Range (as code): **ZA**
14978. **Loxophantis pretoriella Bleszynski,1970** (Pyralidae) Synonymy: pretoriella Bleszynski,1970 Range (as code): **ZA Tva Gau Pre ZW**
14979. **Loxophantis triplecta Meyrick,1935** (Pyralidae) Synonymy: triplecta Meyrick,1935 Range (as code): **ZR**
14980. **Loxostege argyrostacha (Hampson,1910)** (Pyralidae) Synonymy: argyrostacha Hampson,1910 Range (as code): **ZW**
14981. **Loxostege bilinea (Bethune-Baker,1894)** (Pyralidae) Synonymy: bilinea Bethune-Baker,1894 Range (as code): **EG**
14982. **Loxostege callipeda Meyrick,1936** (Pyralidae) Synonymy: callipeda Meyrick,1936 Range (as code): **ZR**
14983. **Loxostege comptalis (Freyer,[1848])** (Pyralidae) Synonymy: comptalis Freyer,[1848] Range (as code): **ES Mu FR HV RU Vl? MA TN DZ**
14984. **Loxostege damergouensis Rothschild,1921** (Pyralidae) Synonymy: damergouensis Rothschild,1921 Range (as code): **NG**
14985. **Loxostege decaryalis Marion & Viette,1956** (Pyralidae) Synonymy: decaryalis Marion & Viette,1956 Range (as code): **MG**
14986. **Loxostege flavinigralis (Hampson,1910)** (Pyralidae) Synonymy: flavinigralis Hampson,1910 Range (as code): **ZW**
14987. **Loxostege frustalis (Zeller,1852)** (Pyralidae) Synonymy: frustalis Zeller,1852; leucostictalis Zeller,1852 Range (as code): **ZA KE**
14988. **Loxostege lacunalis (Zeller,1852)** (Pyralidae) Synonymy: lacunalis Zeller,1852; fulvalis W.Warren,1892; xanthalis Fawcett,1916 Range (as code): **ZA**
14989. **Loxostege oblinalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonymy: oblinalis R.Felder & Rogenhofer,1875 Range (as code): **ZA**
14990. **Loxostege plumbatalis (Zeller,1852)** (Pyralidae) Synonymy: plumbatalis Zeller,1852; ferriscriptalis Walker,1865; plumbofascialis Lederer,1863 Range (as code): **ZA**
14991. **Loxostege scutalis (Hübner,[1813])** (Pyralidae) Synonymy: scutalis Hübner,[1813] Range (as code): **MA PT ES Mu An FR**
14992. **Loxostege seriziati (Staudinger,1892)** (Pyralidae) Synonymy: seriziati Staudinger,1892 Range (as code): **MA DZ Cst Clo**
14993. **Loxostege sticticalis (Linnaeus,1761)** (Pyralidae) Synonymy: #lupulina Clerk,1759; sticticalis Linnaeus,1761; miana Müller,1764; sylvata Panzer,1804; tetragonalis Haworth,1811; lupulinalis Guenée,1854 Range (as code): **MA PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR Cr TR Cc GG Tbl Bjo Der Da AZ Nv MD UA Cm TM Kp DK NO SE FI EE LV LT RU Sb Vl BY KG sKG Tks Tk Dj Ii Ui Kun Ku Kml IR Gls Kh Dam Elb AF Hr PK Psu Bl Qu CA 05 07 10 13 16 17 34 39 42 44 46 67**

14994. **Loxostege venustalis (Cramer,[1782])** (Pyralidae) Synonymy: venustalis Cramer,[1782]; divulsalis Zeller,1852; testula Hübner,[1833]; jucundalis Walker,1865 Range (as code): **ZA Tva Gau Mgl**
14995. **Luma flavimarginalis Hampson,1907** (Pyralidae) Synonymy: flavimarginalis Hampson,1907; #flavimarginalia Henning,1992 Range (as code): **ZA LK**
14996. **Luma holoxantha Hampson,1907** (Pyralidae) Synonymy: holoxantha Hampson,1907 Range (as code): **ZW**
14997. **Lygropia anaemicalis Hampson,1912** (Pyralidae) Synonymy: anaemicalis Hampson,1912 Range (as code): **ZA ZW**
14998. **Lygropia anthracopis Meyrick,1934** (Pyralidae) Synonymy: anthracopis Meyrick,1934 Range (as code): **ZR**
14999. **Lygropia antithetis Meyrick,1937** (Pyralidae) Synonymy: antithetis Meyrick,1937 Range (as code): **ZR**
15000. **Lygropia atrinervalis Hampson,1910** (Pyralidae) Synonymy: atrinervalis Hampson,1910 Range (as code): **ZA ZW**
15001. **Lygropia aureomarginalis (Gaede,1916)** (Pyralidae) Synonymy: aureomarginalis Gaede,1916 Range (as code): **CM TZ**
15002. **Lygropia flavinotalis Hampson,1912** (Pyralidae) Synonymy: flavinotalis Hampson,1912 Range (as code): **NG**
15003. **Lygropia hyalostictalis Hampson,1912** (Pyralidae) Synonymy: hyalostictalis Hampson,1912 Range (as code): **NG**
15004. **Lygropia leucostolalis Hampson,1918** (Pyralidae) Synonymy: leucostolalis Hampson,1918 Range (as code): **CM**
15005. **Lygropia nigricornis Hampson,1899** (Pyralidae) Synonymy: nigricornis Hampson,1899 Range (as code): **ZA ET**
15006. **Lygropia pogonodes Hampson,1912** (Pyralidae) Synonymy: pogonodes Hampson,1912 Range (as code): **ZA NG**
15007. **Lygropia straminea Hampson,1912** (Pyralidae) Synonymy: straminea Hampson,1912 Range (as code): **ZA Tva Lpo**
15008. **Lygropia tetraspilalis Hampson,1912** (Pyralidae) Synonymy: tetraspilalis Hampson,1912 Range (as code): **ZA Nta Kzu Dbn**
15009. **Mabilleodes lithosialis (Hampson,1899)** (Pyralidae) Synonymy: lithosialis Hampson,1899 Range (as code): **ZA Nta Kzu**
15010. **Mabokia boudinotalis Leraut,2013** (Pyralidae) Synonymy: boudinotalis Leraut,2013 Range (as code): **CF**
15011. **Mabokia delicatalis Leraut,2013** (Pyralidae) Synonymy: delicatalis Leraut,2013 Range (as code): **CI**
15012. **Macalla cupreotincta Janse,1922** (Pyralidae) Synonymy: cupreotincta Janse,1922 Range (as code): **ZA**
15013. **Macalla fasciculata Hampson,1906** (Pyralidae) Synonymy: fasciculata Hampson,1906 Range (as code): **ZA**
15014. **Macalla parvula Hampson,1896** (Pyralidae) Synonymy: parvula Hampson,1896; soudanensis Rothschild,1921 Range (as code): **SD PK Sd Krc**
15015. **Macrovalva quadrielevata Balinsky,1994** (Pyralidae) Synonymy: quadrielevata Balinsky,1994 Range (as code): **ZW Vf**
15016. **Magiriamorpha superpalpia Balinsky,1994** (Pyralidae) Synonymy: superpalpia Balinsky,1994 Range (as code): **MG**
15017. **Maliarpha concinnella (Ragonot,1888)** (Pyralidae) Synonymy: concinnella Ragonot,1888; rhodinella Ragonot,1888; pyromerella Hampson,1918; taxiarcha Meyrick,1935; haemocharis Meyrick,1937 Range (as code): **ZA ZR GM GH MW MZ NG RW UG ZW ML**
15018. **Maliarpha separatella (Ragonot,1888)** (Pyralidae) Synonymy: separatella Ragonot,1888; pallidicosta Hampson,1896; vectiferella Ragonot,1901 Range (as code): **ZA ML CM KM ZR GH KE MG MW MU NG RE SN SL SD SZ UG CN IN MM**
15019. **Maradana claveriei (Rougeot,1977)** (Pyralidae) Synonymy: claveriei Rougeot,1977 Range (as code): **ET**
15020. **Maradana fuscolimbalis (Ragonot,1887)** (Pyralidae) Synonymy: fuscolimbalis Ragonot,1887 Range (as code): **DZ Bsk TN Gab Sa MT**

15021. **Maradana modestalis Leraut,2013** (Pyralidae) Synonymy: modestalis Leraut,2013 Range (as code): **CI**
15022. **Maradana vidualis (Chrétien,1911)** (Pyralidae) Synonymy: vidualis Chrétien,1911; ragusai Turati,1922; chneouri D.Lucas,1938; mariaeludovicae D.Lucas,1950; rosinans D.Lucas,1951 Range (as code): **TN Gf MT IT Si**
15023. **Maradana yapoensis Leraut,2013** (Pyralidae) Synonymy: yapoensis Leraut,2013 Range (as code): **CI**
15024. **Marasmia trapezalis (Guenée,1854)** (Pyralidae) Synonymy: trapezalis Guenée,1854; suspicalis Walker,1859; creonalis Walker,1859; neoclesalis Walker,1859; convectalis Walker,1866; bifurcalis Snellen,1880; perinephes Meyrick,1886; andresi Rebel,1912 Range (as code): **WS PC FJ TO EL AU MY PK Cp IN OW NW SL ZA ML CM ZR EG GM KE MG MU NG OM RE SH SA SC SO SD TZ UG ZM ZW MX PE ID Clb LK PG**
15025. **Maruca vitrata (Fabricius,1787)** (Pyralidae) Synonymy: vitrata Fabricius,1787; testulalis Geyer,[1832]; aquatilis Guérin-Méneville,[1832]; bifenestralis Mabille,1880; simialalis Snellen,1892; nigroapicalis De Joannis,1930. Range (as code): **WS FJ PG TH CMa Cuo Cu01 Cu07 CDo CD2 Cz10 Cmz Dst Ds09 Pap Mro MY PH Neg Knl Boh Cco Mno Mtu IN AU BR FR AF Srb VN Ton TW ID Sum Ja MG ZA Spb Mdk Tva Lpo Hw AE KP KR RU Us AO BF CM ZR ET GA GM GH KE RE MG MU NA NE NG SC SL SO TZ TG UG ZM ZW ML**
15026. **Marwitzia dichocrocis (Hampson,1913)** (Pyralidae) Synonymy: dichocrocis Hampson,1913; polytidzalis Hampson,1918 Range (as code): **ZW CM ZR GH CI LR UG ZM**
15027. **Massepha entephriadia Hampson,1898** (Pyralidae) Synonymy: entephriadia Hampson,1898 Range (as code): **NE**
15028. **Massepha grisealis Hampson,1912** (Pyralidae) Synonymy: grisealis Hampson,1912 Range (as code): **CI**
15029. **Massepha longipennis Hampson,1912** (Pyralidae) Synonymy: longipennis Hampson,1912 Range (as code): **CM**
15030. **Massepha tessmanni Gaede,1917** (Pyralidae) Synonymy: tessmanni Gaede,1917 Range (as code): **CM**
15031. **Mecyna andalusica (Staudinger,1879)** (Pyralidae) Synonymy: andalusica Staudinger,1879; tripunctalis Oberthür,1887; joannisalis Marion,1955; maroccanensis Amsel,1956 Range (as code): **MA DZ Lbs ES An Mu**
15032. **Mecyna arroundella (Schmidt,1934)** (Pyralidae) Synonymy: arroundella Schmidt,1934 Range (as code): **MA DZ Orn**
15033. **Mecyna asinalis (Hübner,[1819])** (Pyralidae) Synonymy: asinalis Hübner,[1819]; characteralis Freyer,1848 Range (as code): **MA Cn Md Az PT ES FR Co Sa Si IT MT IE GB DE CH YU GR Cr TR AF Kab 16**
15034. **Mecyna lutealis (Duponchel,1833)** (Pyralidae) Synonymy: flavalis De Villers,1789 nec [Denis & Schiff.],1775; lutealis Duponchel,1833; citralis Herrich-Schäffer,1849; albarracinensis Fuchs,1901; gomagoialis Amsel,1932 Range (as code): **MA DZ Lbs TN ES FR Si IT BE LU DE CH AT HU RO YU AL BG GR TR 05 42 56? 65?**
15035. **Mecyna mauretanica Slamka,2013** (Pyralidae) Synonymy: mauretanica Slamka,2013 Range (as code): **MA**
15036. **Mecyna procillusalis (Walker,1859)** (Pyralidae) Synonymy: procillusalis Walker,1859; flavissimalis Walker,1865; holoxanthia Hampson,1899; #holoxantha Maes,2009 Range (as code): **ZA Nta Kzu Est**
15037. **Mecyna trinalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: trinalis [Denis & Schiffermüller],1775; andalusica Staudinger,1879; tripunctalis Oberthür,1887; anienalis Hartig,1941; joannisalis Marion,1955; maroccanensis Amsel,1956 Range (as code): **MA Rf DZ Lbs Anna Agi ES Mu FR Si IT AT CZ SK HU RO YU AL BG GR TR Cc IQ Hjo Mos IR Elb Kdv Plr Mz Gor Ha Adv UA Cc GG Bjo MN 01 05 06 08 13 23 29 30 33 44 46 56 61 65 73 76**
15038. **Megasis (Tsaraphycis) philippella (Viette,1970)** (Pyralidae) Synonymy: philippella Viette,1970 Range (as code): **MG**
15039. **Megasis (s.str.) lesurella Lucas,1932** (Pyralidae) Synonymy: lesurella Lucas,1932; bourgognella Lucas,1942 Range (as code): **MA**
15040. **Melanalis perfusca Hampson,1906** (Pyralidae) Synonymy: perfusca Hampson,1906 Range (as code): **ZA**
15041. **Melanastia bicolor Hampson,1930** (Pyralidae) Synonymy: bicolor Hampson,1930 Range (as code): **ZA**
15042. **Melathrix coenulentella (Zeller,1846)** (Pyralidae) Synonymy: coenulentella Zeller,1846; maculata Staudinger,1876; algeriella Chrétien,1911 Range (as code): **MA DZ TN MT Si Co Sa PT ES FR MK GR CY LB**
15043. **Melathrix cornutella (Amsel,1951)** (Pyralidae) Synonymy: cornutella Amsel,1951; cristinae Gaston,Ylla,Redondo & Macia,2014 Range (as code): **IR ES Grn Cn MA**
15044. **Melathrix proteella Slamka,2019** (Pyralidae) Synonymy: proteella Slamka,2019 Range (as code): **EG**

15045. **Merulempista azrouella D.Lucas,1933** (Pyralidae) Synonymy: azrouella D.Lucas,1933; juanella Leraut,2002 [ssp.] Range (as code): **FR PT ES MA Azr DZ TN**
15046. **Merulempista cingillella (Zeller,1846)** (Pyralidae) Synonymy: cingillella Zeller,1846; myricariella Millière,1864; azrounella D.Lucas,1933; hartigi Roesler,1967 Range (as code): **MA Azr ES FR Si IT DE CH AT SK YU HV B-H AL RO IL Jt Pa Hf TR RU Cc GG Lag IR Ss Irs UA AF Hr CN Ui Ln IMn NHu Hph 01 05 16 65**
15047. **Merulempista jucundella (Chrétien,1911)** (Pyralidae) Synonymy: jucundella Chrétien,1911 Range (as code): **DZ Bsk TN**
15048. **Merulempista ragonoti (Rothschild,1913)** (Pyralidae) Synonymy: ragonoti Rothschild,1913 Range (as code): **DZ Gle MA Azr FR PT**
15049. **Merulempista saharae Leraut,2002** (Pyralidae) Synonymy: saharae Leraut,2002 Range (as code): **MA DZ TN**
15050. **Mesocrambus canariensis Ganev,1987** (Pyralidae) Synonymy: canariensis Ganev,1987 Range (as code): **Cn**
15051. **Mesocrambus tamsi Bleszynski,1960** (Pyralidae) Synonymy: tamsi Bleszynski,1960 Range (as code): **MA DZ Sa SY**
15052. **Mesodiphlebia rhodesiana Janse,1922** (Pyralidae) Synonymy: rhodesiana Janse,1922 Range (as code): **ZW**
15053. **Mesolia albimaculalis Hampson,1919** (Pyralidae) Synonymy: albimaculalis Hampson,1919 Range (as code): **NG**
15054. **Mesolia microdontalis (Hampson,1919)** (Pyralidae) Synonymy: microdontalis Hampson,1919 Range (as code): **SL GH NG**
15055. **Mesolia uniformella Janse,1922** (Pyralidae) Synonymy: uniformella Janse,1922 Range (as code): **ZA**
15056. **Metacrambus marabut Bleszynski,1965** (Pyralidae) Synonymy: marabut Bleszynski,1965 Range (as code): **MA DZ ES Sa**
15057. **Metacrambus pallidellus (Duponchel,1836)** (Pyralidae) Synonymy: pallidellus Duponchel,1836; grammiculellus Lucas,1849; catalauniellus Herrich-Schäffer,[1852]; oxybiellus Millière,1872; cuencalis Hampson,1900. Range (as code): **DZ Bsk Anna Hmk MA TN Tun LY Cy PT ES Mu FR Co Sa Si IT TM Kp**
15058. **Metacrambus salahinellus (Chrétien,1917)** (Pyralidae) Synonymy: salahinellus Chrétien,1917; ? nitens Turati,1930; mendizabali Agenjo,1952 Range (as code): **DZ Hes Bsk MA LY Cy ES An Alm Sa**
15059. **Metacrateria perirrorella Hampson,1918** (Pyralidae) Synonymy: perirrorella Hampson,1918 Range (as code): **ZA**
15060. **Metallostichodes nigrocyanella (Constant,1865)** (Pyralidae) Synonymy: nigrocyanella Constant,1865; chalcocyanella Staudinger & Wocke,1871. Range (as code): **MA DZ Cst LY PT ES An FR Co Sa Si IT MT YU GR Cr TR CY IL Pa Hf LB EG 09 14 34 41**
15061. **Metasia angustipennis Rothschild,1921** (Pyralidae) Synonymy: angustipennis Rothschild,1921 Range (as code): **NE**
15062. **Metasia arida Hampson,1913** (Pyralidae) Synonymy: arida Hampson,1913 Range (as code): **ZA NG**
15063. **Metasia eremialis Hampson,1913** (Pyralidae) Synonymy: eremialis Hampson,1913 Range (as code): **ZA**
15064. **Metasia holoxanthia Hampson,1899** (Pyralidae) Synonymy: holoxanthia Hampson,1899 Range (as code): **ZA**
15065. **Metasia ibericalis Ragonot,1894** (Pyralidae) Synonymy: ibericalis Ragonot,1894; oranalis Caradja,1916; rungsi Leraut,2001 Range (as code): **MA Ifr DZ Orn PT ES Cue FR**
15066. **Metasia parallelalis Rothschild,1921** (Pyralidae) Synonymy: parallelalis Rothschild,1921 Range (as code): **NE**
15067. **Metasia perfervidalis (Hampson,1913)** (Pyralidae) Synonymy: perfervidalis Hampson,1913; prostygialis Hampson,1913; xanthofumosa Ghesquière,1942 Range (as code): **GM MW NG KE Nai ZR ZA Tva Lpo**
15068. **Metasia profanalis (Walker,1865)** (Pyralidae) Synonymy: profanalis Walker,1865 Range (as code): **ZA**
15069. **Metasia prostygialis (Hampson,1913)** (Pyralidae) Synonymy: perfervidalis Hampson,1913 nec Hmps.,1900; prostygialis Hampson,1913; xanthofumosa Ghesquière,1942 Range (as code): **ZA Tva Lpo ZR**
15070. **Metasia rebeli Slamka,2013** (Pyralidae) Synonymy: rebeli Slamka,2013 Range (as code): **EG**
15071. **Metasia roseocilialis Hampson,1918** (Pyralidae) Synonymy: roseocilialis Hampson,1918 Range (as code): **MW Mje**
15072. **Metasia sinuifera Hampson,1913** (Pyralidae) Synonymy: sinuifera Hampson,1913 Range (as code): **ZA Tva Lpo**

15073. **Metasia suppandalis (Hübner,[1823])** (Pyralidae) Synonymy: suppandalis Hübner,[1823] Range (as code): **DZ Btna Bsk TN Gf PT ES Mu FR Co Si RO YU AL BG GR Cr TR Cc CY IQ Hjo IR Elb Th Kdj Sse Fa Com Gls 05 06 16 17 33 34 35 42 45 58 65 71 76**

15074. **Metoeca foedalis (Guenée,1854)** (Pyralidae) Synonymy: foedalis Guenée,1854; tenellalis Guenée,1854; leucothoalis Walker,1859; spilomelalis Walker,1859; oethonalis Walker,1859; scitalis Lederer,1863; epispila Meyrick,1886; pseudofoedalis Strand,1913; #cantonalis Caradja,1925 Range (as code): **AU ZA TH IN LK CN TW Adm MY SG ID Ja Swk Klt Bor PH PG**

15075. **Metoecis carnifex (Coquerel,1855)** (Pyralidae) Synonymy: carnifex Coquerel,1855; lepidocerella Mabille,1880 Range (as code): **ZA**

15076. **Metoecis foedalis (Guenée,1854)** (Pyralidae) Synonymy: foedalis Guenée,1854; tenellalis Guenée,1854; leucothoalis Walker,1859; spilomelalis Walker,1859; oethonalis Walker,1859; scitalis Lederer,1863; epispila Meyrick,1886; pseudofoedalis Strand,1913; cantomalis Caradja,1925 Range (as code): **AO CM ZR GO KE MG NG RW SL ZA CN JP TW TH AU QAu**

15077. **Microthrix inconspicuella Ragonot,1888** (Pyralidae) Synonymy: inconspicuella Ragonot,1888 Range (as code): **ZA Tva Gau Pre Jh Mpu ZA20 Nta Kzu Ec Wca Cto**

15078. **Miliberta gnathilata Balinsky,1994** (Pyralidae) Synonymy: gnathilata Balinsky,1994 Range (as code): **ZA Tva Gau Pre**

15079. **Mimorista pulchellalis (Dyar,1922)** (Pyralidae) Synonymy: pulchellalis Dyar,1922 Range (as code): **AR ZA**

15080. **Mittonia carcassoni Whalley,1964** (Pyralidae) Synonymy: carcassoni Whalley,1964 Range (as code): **UG Etb CM Bit**

15081. **Mittonia hampsoni (Distant,1897)** (Pyralidae) Synonymy: hampsoni Distant,1897 Range (as code): **ZA**

15082. **Morosaphycita interniplagella (Ragonot,1888)** (Pyralidae) Synonymy: interniplagella Ragonot,1888 Range (as code): **GM**

15083. **Morosaphycita morosalis (Saalmüller,1880)** (Pyralidae) Synonymy: morosalis Saalmüller,1880 Range (as code): **MG KE SL ZA Gau Pre IL Pa LK RU Am PK IN Hp Sml Ch TW TH MY JP ID Ja Bli Sum AU PG**

15084. **Mussidia melanoneura Ragonot,1893** (Pyralidae) Synonymy: melanoneura Ragonot,1893 Range (as code): **ZA**

15085. **Mussidia nigrivenella Ragonot,1888** (Pyralidae) Synonymy: nigrivenella Ragonot,1888 Range (as code): **ZA**

15086. **Myelodes flavimargo Hampson,1930** (Pyralidae) Synonymy: flavimargo Hampson,1930 Range (as code): **ZA Tva Gau Pre**

15087. **Myelodes jansei Hampson,1930** (Pyralidae) Synonymy: jansei Hampson,1930 Range (as code): **ZW**

15088. **Myelois (Gnathogutta) circumdatella Lederer,1858** (Pyralidae) Synonymy: circumdatella Lederer,1858; ottoella Schawerda,1924; quinquepunctella Turati,1934; cinnerethella Amsel,1935 Range (as code): **LY Cy TR SY Dms IL Pa Hf Js LB IQ Shq Hjo Mos IR Fa Sse Shr Th Elb Kdj 01 13 21 31 46 49 65**

15089. **Myelois (Gnathogutta) osseella (Ragonot,1887)** (Pyralidae) Synonymy: osseella Ragonot,1887; jerusalemella Amsel,1935 Range (as code): **MA DZ Bsk Onç IL Pa Js SY TR LB Bei AF Srb Bm Pnj 01**

15090. **Myelois (s.str.) fuscicostella Mann,1861** (Pyralidae) Synonymy: fuscicostella Mann,1861; nivosella Ragonot,1890; palalbidella Chrétien,1917; margaritella Turati,1930; infumatella Amsel,1961; niveisplendella Amsel,1961 Range (as code): **DZ Ges Bsk Lms Onç TN Gf LY Cy TR ES AF Srb Bm IR IQ Kbl 05 06 71**

15091. **Nakurubia sacculata Balinsky,1994** (Pyralidae) Synonymy: sacculata Balinsky,1994 Range (as code): **KE Nak**

15092. **Namibicola barrettae (Hampson,1901)** (Pyralidae) Synonymy: barrettae Hampson,1901 Range (as code): **ZA Ec Ans**

15093. **Namibicola simplex Balinsky,1994** (Pyralidae) Synonymy: simplex Balinsky,1994 Range (as code): **ZA Ec Elo**

15094. **Namibicola splendida Balinsky,1991** (Pyralidae) Synonymy: splendida Balinsky,1991 Range (as code): **NA**

15095. **Namibiopsis punctata Balinsky,1994** (Pyralidae) Synonymy: punctata Balinsky,1994 Range (as code): **NA Abc**

15096. **Nausinoe argyrosticta (Hampson,1910)** (Pyralidae) Synonymy: argyrosticta Hampson,1910 Range (as code): **ZM TZ BI ZR ZW**

15097. **Nausinoe capensis (Walker,[1866])** (Pyralidae) Synonymy: capensis Walker,[1866] Range (as code): **ZA Wca KE SC**

15098. **Nausinoe geometralis (Guenée,1854)** (Pyralidae) Synonymy: geometralis Guenée,1854; #geometricalis Lederer,1863 Range (as code): **TW PH Luz Ceb IN MU LK MM CN TW Clb Clb Ja QAu AU ID ZA ZR GM GH KE RE MG MW MU MZ SL ZM ZW ML**

15099. **Nausinoe piabilis (Wallengren,1875)** (Pyralidae) Synonymy: piabilis Wallengren,1875 Range (as code): **ZA**

15100. **Nausinoe quadrinalis (Guenée,1854)** (Pyralidae) Synonymy: quadrinalis Guenée,1854; flavibrunnea Hampson,1898 Range (as code): **ZA ZW SC RW ML**

15101. **Navasota leuconeurella Hampson,1918** (Pyralidae) Synonymy: leuconeurella Hampson,1918 Range (as code): **ZA**

15102. **Neargyria persimilis Hampson,1919** (Pyralidae) Synonymy: persimilis Hampson,1919 Range (as code): **AU PG Eca ZA**

15103. **Neobostra ferruginalis Hampson,1906** (Pyralidae) Synonymy: ferruginalis Hampson,1906 Range (as code): **ZA**

15104. **Neopaschia flavociliata Janse,1922** (Pyralidae) Synonymy: flavociliata Janse,1922; #flavocilliata Vari & Kroon,1986 Range (as code): **ZA**

15105. **Neopempelia hieroglyphella (Ragonot,1887)** (Pyralidae) Synonymy: hieroglyphella Ragonot,1887; chneourella D.Lucas,1946 Range (as code): **TN TR IR Gls Gor RU Sr Ao AF 76**

15106. **Neostege holoxytha Hampson,1910** (Pyralidae) Synonymy: holoxytha Hampson,1910 Range (as code): **ZW ZM**

15107. **Nephopterix angustella (Hübner,1796)** (Pyralidae) Synonymy: angustella Hübner,1796; angusta Haworth,1811; gracilalis Hübner,[1825]. Range (as code): **ES FR IT GB NL LU DE CH AT PL CZ SK HU RO YU TR IR Gls DK RU MD UA BY ZA 13**

15108. **Nephopterix apotomella (Meyrick,1886)** (Pyralidae) Synonymy: apotomella Meyrick,1886 Range (as code): **ZA**

15109. **Nephopterix caradrinella Ragonot,1893** (Pyralidae) Synonymy: caradrinella Ragonot,1893 Range (as code): **ZA**

15110. **Nephopterix cleopatrella Ragonot,1887** (Pyralidae) Synonymy: cleopatrella Ragonot,1887 Range (as code): **MA TN Gab Gf DZ Tni Tis Onç Bsk IL Pa Hf**

15111. **Nephopterix cometella Joannis,1927** (Pyralidae) Synonymy: cometella Joannis,1927 Range (as code): **ZA**

15112. **Nephopterix emussitatella Ragonot,1893** (Pyralidae) Synonymy: emussitatella Ragonot,1893 Range (as code): **ZA**

15113. **Nephopterix quilimanella Pagenstecher,1893** (Pyralidae) Synonymy: quilimanella Pagenstecher,1893 Range (as code): **ZA**

15114. **Nephopterix rudostriatella Pagenstecher,1893** (Pyralidae) Synonymy: rudostriatella Pagenstecher,1893 Range (as code): **ZA**

15115. **Nephopterix variella Walker,1866** (Pyralidae) Synonymy: variella Walker,1866 Range (as code): **ZA**

15116. **Nephopterygia austeritella Amsel,1965** (Pyralidae) Synonymy: austeritella Amsel,1965 Range (as code): **SD SD119 IR Hz Fa Ss**

15117. **Neurotomia coenulentella (Zeller,1846)** (Pyralidae) Synonymy: coenulentella Zeller,1846; algeriella Chrétien,1911 Range (as code): **MA DZ ES FR Co Sa Si MT YU GR CY IL Pa Hf**

15118. **Nomophila africana Munroe,1973** (Pyralidae) Synonymy: africana Munroe,1973 Range (as code): **ZA**

15119. **Nomophila brevispinalis Munroe,1973** (Pyralidae) Synonymy: brevispinalis Munroe,1973 Range (as code): **ZA**

15120. **Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: noctuella [Denis & Schiffermüller],1775; hybridalis Hübner,1796; incertalis Hübner,[1825]; indistinctalis Walker,1859 Range (as code): **Cn Md MA Rbt DZ Bsa Btna Bsk Sfr Cst TN Sfx LY Cy Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO SS B-H HV MK YU AL BG GR Cr CY TR IQ Bgd Dia Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz JO Amm LB Bsa Bei AF Hr Bmu Anj Gz Jla Kot SA SA50 SA74 KE Elg Nai SD SD07 SN GM CG TZ MW Mje AO ZW MZ DK NO SE FI EE LV LT RU MD UA BY PH TW AE Cp Haz Abb C-P Cte ID IN ZA Ans Bf Est Nta Kzu LS Tra Gau Pre Umk Wri RE KM MG MU Sro Qba Gea Bsk Onç Ceg Heh Ogl Gle Omy Gtt Ah Ajj Ges Rhr Ii Ui Ku Njr Mer Har Nam SD95 EG EG07 EG11 EG31 EG33 EG34 EG35 ET ET08 ET70 ET87 ET263 SY Hal IL Pa Js Hf YE Sna BH PK Mre Krc UZ Smk Br Rw Bl Lag Ax Dlh Hp Cp Drm Ca Ass Khs Pj Nl Nag Nnt Poo Pus Sml NP SI MM LK CN Mc Ti Hun Pkn Yu Lik Kgs Sz Ome Stg T-T KP KR JP Hkk Hw AO BW TD ZR DJ ET GM KE MG MW MR MU MZ NA NE SN SC SD TZ ZW 01 05 06 08 11 13 14 16 17 21 30 31 32 33 34 35 37 38 39 44 46 48 49 53 55 56 58 60 63 65 71 72 73 76 80**

15121. **Nonphycita lineata Balinsky,1994** (Pyralidae) Synonymy: lineata Balinsky,1994 Range (as code): **ZA Tva Buf Mpu Brb**

15122. **Noorda anthophilalis Strand,1909** (Pyralidae) Synonymy: anthophilalis Strand,1909 Range (as code): **BI RW TZ**
15123. **Noorda atripalpalis Zerny,1917** (Pyralidae) Synonymy: atripalpalis Zerny,1917 Range (as code): **SD Kdf**
15124. **Noorda blitealis Walker,1859** (Pyralidae) Synonymy: blitealis Walker,1859; subjectalis Walker,[1866]; holocrossa Meyrick,1902 Range (as code): **AE YE Ad PK Sd Krc IN LK AU ZA TH**
15125. **Noorda diehlalis Marion & Viette,1956** (Pyralidae) Synonymy: diehlalis Marion & Viette,1956 Range (as code): **MG**
15126. **Noorda palealis Viette,1957** (Pyralidae) Synonymy: palealis Viette,1957 Range (as code): **ST**
15127. **Noorda trimaculalis Amsel,1965** (Pyralidae) Synonymy: trimaculalis Amsel,1965 Range (as code): **ET**
15128. **Noorda unipunctalis Amsel,1963** (Pyralidae) Synonymy: unipunctalis Amsel,1963 Range (as code): **ET**
15129. **Notarcha cassusalis (Walker,1859)** (Pyralidae) Synonymy: cassusalis Walker,1859; cassalis Meyrick,1884 Range (as code): **ZA**
15130. **Notarcha muscerdalis (Zeller,1852)** (Pyralidae) Synonymy: muscerdalis Zeller,1852 Range (as code): **ZA**
15131. **Notarcha obrinusalis (Walker,1859)** (Pyralidae) Synonymy: obrinusalis Walker,1859; trigalis Lederer,1863; graphicalis Swinhoe,1886; nigripunctalis Fawcett,1916; #teneralis Caradja,1932 Range (as code): **IN Sml Hp Kul Mhw Nl Nk AU Bor ID Amb ZM ZR**
15132. **Notarcha quaternalis (Zeller,1852)** (Pyralidae) Synonymy: quaternalis Zeller,1852 Range (as code): **ET ZA Tva Lpo Spb Mdk Ady TW PH Luz IN IR PK Bl Sd Krc LK CN Sum Sbw Amb PG AU ID BW ZR GM GH KE RE MG MU MZ NG SC SL TZ UG ZW ML**
15133. **Notarcha temeratalis (Zeller,1852)** (Pyralidae) Synonymy: temeratalis Zeller,1852 Range (as code): **ZA**
15134. **Nussodes abidjanalis Leraut,2013** (Pyralidae) Synonymy: abidjanalis Leraut,2013 Range (as code): **CI**
15135. **Nussodes africalis (Leraut,2007)** (Pyralidae) Synonymy: africalis Leraut,2007 Range (as code): **CF**
15136. **Nussodes nimbaensis Leraut,2013** (Pyralidae) Synonymy: nimbaensis Leraut,2013 Range (as code): **GN**
15137. **Nyctegretis inclinella Ragonot,1888** (Pyralidae) Synonymy: inclinella Ragonot,1888 Range (as code): **ZA**
15138. **Nyctegretis leonina (Hampson,1930)** (Pyralidae) Synonymy: leonina Hampson,1930 Range (as code): **ZA**
15139. **Nyctegretis ruminella Harpe,1861** (Pyralidae) Synonymy: ruminella Harpe,1861 Range (as code): **DZ Phv MA TN ES Mu FR Co Sa Si MT TR RO BG 09**
15140. **Nymphicula hexaxantha Agassiz,2012** (Pyralidae) Synonymy: hexaxantha Agassiz,2012 Range (as code): **KE UG Rz TZ Ulu MW Zom Mje ZM ZW ZA Gau Nta Kzu ZR**
15141. **Nymphicula nyasalis (Hampson,1917)** (Pyralidae) Synonymy: nyasalis Hampson,1917 Range (as code): **MW TZ ZR Mje**
15142. **Nymphicula perirrorata (Hampson,1917)** (Pyralidae) Synonymy: perirrorata Hampson,1917 Range (as code): **GH CI SL**
15143. **Nymphula circealis (Walker,1859)** (Pyralidae) Synonymy: circealis Walker,1859 Range (as code): **ZA MG**
15144. **Nymphula depunctalis (Guenée,1854)** (Pyralidae) Synonymy: depunctalis Guenée,1854; decussalis Walker,1859; vestigialis Snellen,1880; dianalis Schaus,1905 Range (as code): **AR BR UY VE MA ES Cz An Gi PH Luz Clb PK IN LK MM TH MY Bor ID Ja Sum TW VN Ton AU MZ MG MW MU NG ZR PR**
15145. **Nymphula foedalis (Guenée,1854)** (Pyralidae) Synonymy: foedalis Guenée,1854 tenellalis Guenée,1854; leucothoalis Walker,1859; oethonalis Walker,1859; scitalis Lederer,1863; solitaris Walker,1865; epispila Meyrick,1886; cantonalis Caradja,1925 Range (as code): **WS PC FJ SB PG AU NW PH Luz IN LK SG MY Bor ID Ja Clb Sbw Pla Amb Swk Aru CN TW VN Ton JP US PA GY BR AO MG**
15146. **Nymphula luteivittalis Mabille,1880** (Pyralidae) Synonymy: luteivittalis Mabille,1880 Range (as code): **MG**
15147. **Nymphula minimalis (Saalmüller,1879)** (Pyralidae) Synonymy: minimalis Saalmüller,1879 Range (as code): **MG**
15148. **Nymphula minoralis Mabille,1881** (Pyralidae) Synonymy: minoralis Mabille,1881 Range (as code): **MG**

15149. **Nymphula ophiaula Meyrick,1936** (Pyralidae) Synonymy: ophiaula Meyrick,1936 Range (as code): **ZR**
15150. **Nymphula plumbefusalis Hampson,1917** (Pyralidae) Synonymy: plumbefusalis Hampson,1917 Range (as code): **SD**
15151. **Nymphula pseudofoedalis Strand,1912** (Pyralidae) Synonymy: pseudofoedalis Strand,1912 Range (as code): **CM**
15152. **Obtusipalpis citrina Druce,1902** (Pyralidae) Synonymy: citrina Druce,1902; ragonoti E.Hering,1903 Range (as code): **GM CM NG**
15153. **Obtusipalpis pardalis Hampson,1896** (Pyralidae) Synonymy: pardalis Hampson,1896 Range (as code): **ZA ZR ET GA KE MZ NA TZ ZM ZW**
15154. **Oedilepia polygraphella (Joannis,1927)** (Pyralidae) Synonymy: polygraphella Joannis,1927; stictoglaucella Hampson,1930 Range (as code): **MA ES Grn MZ ZA Nta Kzu Umk Ans**
15155. **Ogilvia pulverealis (Hampson,1899)** (Pyralidae) Synonymy: pulverealis Hampson,1899 Range (as code): **Sk**
15156. **Oligochroides nigritella Strand,1909** (Pyralidae) Synonymy: nigritella Strand,1909 Range (as code): **ZA**
15157. **Oligostigma bipunctalis Hampson,1906** (Pyralidae) Synonymy: bipunctalis Hampson,1906 Range (as code): **NG**
15158. **Oligostigma camptoteles Hampson,1906** (Pyralidae) Synonymy: camptoteles Hampson,1906 Range (as code): **SD SD112**
15159. **Oligostigma flavibasalis Hampson,1917** (Pyralidae) Synonymy: flavibasalis Hampson,1917 Range (as code): **MG**
15160. **Oligostigma irisalis (Walker,1859)** (Pyralidae) Synonymy: irisalis Walker,1859; irisale Hampson,1897 Range (as code): **SL**
15161. **Oligostigma piperitalis Hampson,1917** (Pyralidae) Synonymy: piperitalis Hampson,1917 Range (as code): **NG**
15162. **Oligostigma rufiterminalis Hampson,1917** (Pyralidae) Synonymy: rufiterminalis Hampson,1917 Range (as code): **MG**
15163. **Omiodes indicata (Fabricius,1775)** (Pyralidae) Synonymy: indicata Fabricius,1775; vulgaris Guenée,1854; sabalis Walker,1859; moeliusalis Walker,1859; connexalis Walker,[1866]; reductalis Walker,[1866]; dolosalis Möschler,1881; fortificalis Möschler,1890; #pigralis Dognin,1909 Range (as code): **GF BR Rja MM IN Adm LK MY Bor Swk ID Ja SG DO CN SR PR CM ZR CG GH KE RE MG SC MU MZ NA NG SN SL ZA TZ CM UG ZW ML CV SA**
15164. **Omiodes poeonalis (Walker,1859)** (Pyralidae) Synonymy: poeonalis Walker,1859; halmusalis Walker,1859; bianoralis Walker,1859; praeteritalis Walker,[1866]; minoralis Walker,[1866]; misera Butler,1879; korndoerfferi Snellen,[1880]. Range (as code): **AU QAu CN ID Bor Flo Ja Sum LK JP ZR NG SL TZ**
15165. **Omphisa caustalis Hampson,1913** (Pyralidae) Synonymy: caustalis Hampson,1913 Range (as code): **UG**
15166. **Omphisa vaovao Viette,1973** (Pyralidae) Synonymy: vaovao Viette,1973 Range (as code): **MG**
15167. **Oncocera bibasella (Joannis,1927)** (Pyralidae) Synonymy: bibasella Joannis,1927 Range (as code): **ZA**
15168. **Oncocera floridana (Joannis,1927)** (Pyralidae) Synonymy: floridana Joannis,1927 Range (as code): **ZA**
15169. **Oncocera leucosticta (Joannis,1927)** (Pyralidae) Synonymy: leucosticta Joannis,1927 Range (as code): **ZA**
15170. **Oncocera ochreomeanella (Ragonot,1888)** (Pyralidae) Synonymy: ochreomeanella Ragonot,1888; #ochremeanella Balinsky,1994 Range (as code): **ZA**
15171. **Orphanostigma abruptalis (Walker,1859)** (Pyralidae) Synonymy: abruptalis Walker,1859; dotatalis Walker,[1866]; suffectalis Walker,[1866] Range (as code): **AU FJ IN Adm ZA ZR CV GO GM GH KE ML MU NG RE RW SN SC SL SO ZM ZW ML**
15172. **Ortholepis cretaciella Joannis,1927** (Pyralidae) Synonymy: cretaciella Joannis,1927 Range (as code): **ZA**
15173. **Ortholepis polyodonta Balinsky,1991** (Pyralidae) Synonymy: polyodonta Balinsky,1991 Range (as code): **ZA**
15174. **Ortholepis pyrobasis Balinsky,1991** (Pyralidae) Synonymy: pyrobasis Balinsky,1991 Range (as code): **ZA**
15175. **Ortholepis rectilineella (Ragonot,1888)** (Pyralidae) Synonymy: rectilineella Ragonot,1888 Range (as code): **ZA**

15176. **Ortholepis subgenistella (Hampson,1901)** (Pyralidae) Synonymy: subgenistella Hampson,1901 Range (as code): **ZA**
15177. **Ortholepis unguinata Balinsky,1994** (Pyralidae) Synonymy: unguinata Balinsky,1994 Range (as code): **ZA Tva Gau Jh**
15178. **Oryctocera aurocupralis Ragonot,1891** (Pyralidae) Synonymy: aurocupralis Ragonot,1891 Range (as code): **ZA**
15179. **Ostrinia erythrialis (Hampson,1913)** (Pyralidae) Synonymy: erythrialis Hampson,1913; endochlora Meyrick,1935; incensa Meyrick,1937. Range (as code): **NG ZR NY ZA Nta Dbn MG AO**
15180. **Ostrinia nubilalis (Hübner,1796)** (Pyralidae) Synonymy: nubilalis Hübner,1796; silacealis Hübner,1796; glabralis Haworth,1803; appositalis Lederer,1858; #paulalis Fuchs,1900; funeralis Zerny,1914; rubescens Krulikovsky,1928; mauretanica Mutuura & Munroe,1970; persica Mutuura & Munroe,1970 Range (as code): **MA DZ Orn Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Tk Dj Ii AF Srb Bsg UZ Fe PK K-P CY SY Dms IR Elb Gh Tgo CA On Nfl Qb Mnt CN Ui Ku US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU 01 05 07 13 16 31 32 33 46 53 58 65 80**
15181. **Oxybia transversella (Duponchel,1836)** (Pyralidae) Synonymy: transversella Duponchel,1836; bituminella Millière,1870; panorminatella Caradja,1928 Range (as code): **PT ES FR Co Sa Si IT MT AT RO YU BG GR TR IL Pa Hf RU MD UA BY ZA 05 09 16 31 33 42 46**
15182. **Pagyda salvalis Walker,1859** (Pyralidae) Synonymy: salvalis Walker,1859 Range (as code): **BT NP PH Luz IN LK MM TH CN JP Bor Sgr ID AU ZA**
15183. **Pagyda tenuivittalis (Turati,1934)** (Pyralidae) Synonymy: tenuivittalis Turati,1934 Range (as code): **LY Cy**
15184. **Palepicorsia ustrinalis (Christoph,[1877])** (Pyralidae) Synonymy: ustrinalis Christoph,[1877]; emiralis Oberthür,1888; excavatalis Ragonot,1892; palmalis Swinhoe,1884 Range (as code): **Cn MA DZ Bsk TN Gf Sfx PT ES FR Sa MT IQ Bsr CY IL Pa Jt Js IR Ahz Elb Kdj Ss Kz Sde Ssh Ke Ana AF Pag PK Sd Krc YE SA TM AE EG EG11 RU Aa**
15185. **Palpita bonjongalis (Plötz,1880)** (Pyralidae) Synonymy: bonjongalis Plötz,1880 Range (as code): **ZA**
15186. **Palpita claralis (Walker,1865)** (Pyralidae) Synonymy: claralis Walker,1865; intactalis Walker,[1866] Range (as code): **ZA**
15187. **Palpita elealis (Walker,1859)** (Pyralidae) Synonymy: elealis Walker,1859; rogenhoferi Lederer,1863; peridromella Mabille,1881; angustimargo W.Warren,1914 Range (as code): **ZA CM CG ZR GM GH CI SL ZM ZW**
15188. **Palpita lobisignalis (Hampson,1918)** (Pyralidae) Synonymy: lobisignalis Hampson,1918 Range (as code): **ZA**
15189. **Palpita metallata (Fabricius,1781)** (Pyralidae) Synonymy: metallata Fabricius,1781; picticaudalis Hampson,1908 Range (as code): **ZA AO CM KM ZR GM GH KE LR ML MG NG SL TZ UG**
15190. **Palpita prolausalis (Walker,1859)** (Pyralidae) Synonymy: prolausalis Walker,1859 Range (as code): **ZA**
15191. **Palpita sternocraspis (Butler,1898)** (Pyralidae) Synonymy: sternocraspis Butler,1898 Range (as code): **ZA**
15192. **Palpita subjectalis (Lederer,1863)** (Pyralidae) Synonymy: subjectalis Lederer,1863; #sujectalis Zimmerman,1958 Range (as code): **ZA**
15193. **Palpita vitrealis (Rossi,1794)** (Pyralidae) Synonymy: vitrealis Rossi,1794; unionalis Hübner,1796; quinquepunctalis Boisduval,1833; transvisalis Guenée,1854; suralis Lederer,1863; septempunctalis Mabille,1880 Range (as code): **LS Md MA Cn DZ Orn TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL DE Bw Bv CH AT PL CZ SK HU RO YU HV BG GR Cr CV TR SE CY YE IL Pa Hf JO LB Bsa EG AF Bsg Bkt PK Rw AU ZA AO ZR ET GM GH KE RE MG MW MU NG SC SL TZ UG ZM ZW ML 01 16 17 31 33 34 46 48 80**
15194. **Panotima copidosema Meyrick,1934** (Pyralidae) Synonymy: copidosema Meyrick,1934 Range (as code): **ZR**
15195. **Paracataclysta fuscalis (Hampson,1893)** (Pyralidae) Synonymy: fuscalis Hampson,1893; nyctopis Meyrick,1894 Range (as code): **LK ID Sum MY Bor TH Cbi Cph IN BT VN Ton AU QAu NG SN SL UG ZR SD NA ZA MZ**
15196. **Paracorsia repandalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: repandalis [Denis & Schiffermüller],1775; repandata Fabricius nec Linn.,1758; pallidalis Hübner,1796 Range (as code): **MA DZ PT ES FR Co Sa IT MT GB BE LU DE CH AT PL CZ SK HU RO YU MK BG GR Cr TR Cc AZ Nv Ord IR Th Kh Fa TM Kp RU MD UA Cm BY AF Kot Srb Bsg Pag Bm US Idp 04 05 06 13 16 31 36 38 42 44 45 46 58 65 70 76**
15197. **Paractenia atrisparsalis Hampson,1906** (Pyralidae) Synonymy: atrisparsalis Hampson,1906 Range (as code): **ZA Tva Lpo Kru Pma**
15198. **Paractenia phaeomesalis Hampson,1906** (Pyralidae) Synonymy: phaeomesalis Hampson,1906 Range (as code): **ZA**
15199. **Paractenia thermalis Hampson,1906** (Pyralidae) Synonymy: thermalis Hampson,1906 Range (as code): **ZA**

15200. **Paracymoriza scotalis (Hampson,1906)** (Pyralidae) Synonymy: scotalis Hampson,1906 Range (as code): **TZ ZM ZW ZA Tva Lpo Spb Wp AO ZR**
15201. **Paralaodamia angustata Balinsky,1994** (Pyralidae) Synonymy: angustata Balinsky,1994 Range (as code): **NA Abc**
15202. **Paralaodamia fraudulenta Balinsky,1994** (Pyralidae) Synonymy: fraudulenta Balinsky,1994 Range (as code): **ZW Hfo**
15203. **Paralaodamia grapholithella (Ragonot,1888)** (Pyralidae) Synonymy: grapholithella Ragonot,1888 Range (as code): **ZW Umv**
15204. **Paralaodamia haploa Balinsky,1994** (Pyralidae) Synonymy: haploa Balinsky,1994 Range (as code): **ZW Hfo**
15205. **Paralaodamia modesta Balinsky,1994** (Pyralidae) Synonymy: modesta Balinsky,1994 Range (as code): **ZA Ec**
15206. **Paralaodamia penicillifera Balinsky,1994** (Pyralidae) Synonymy: penicillifera Balinsky,1994 Range (as code): **TZ ZA Tva Lpo Chp**
15207. **Paralaodamia pretoriensis Balinsky,1994** (Pyralidae) Synonymy: pretoriensis Balinsky,1994 Range (as code): **ZA Tva Gau Pre**
15208. **Paralaodamia rivulella (Ragonot,1888)** (Pyralidae) Synonymy: rivulella Ragonot,1888 Range (as code): **ZA Tva Gau Pre**
15209. **Paralaodamia scalaris (Joannis,1927)** (Pyralidae) Synonymy: scalaris Joannis,1927 Range (as code): **ZA**
15210. **Paralaodamia serrata Balinsky,1994** (Pyralidae) Synonymy: serrata Balinsky,1994 Range (as code): **ZW Wnk**
15211. **Paralaodamia subdivisella (Ragonot,1893)** (Pyralidae) Synonymy: subdivisella Ragonot,1893 Range (as code): **ZW Swm NA ZA Tva Gau Pre Ec Wca Wr Cto Nta Kzu Nha BW**
15212. **Paralaodamia subligaculata Balinsky,1994** (Pyralidae) Synonymy: subligaculata Balinsky,1994 Range (as code): **ZA Gau Jh Tva Ec Tra**
15213. **Paralaodamia transvaalica Balinsky,1994** (Pyralidae) Synonymy: transvaalica Balinsky,1994 Range (as code): **ZA Gau Pre Ec Tva Lpo Nbs Nyl Fs Mdp Mdt**
15214. **Paralipsa exacta Whalley,1962** (Pyralidae) Synonymy: exacta Whalley,1962 Range (as code): **ZA Pel**
15215. **Paramaxillaria amatrix (Zerny,1927)** (Pyralidae) Synonymy: amatrix Zerny,1927 Range (as code): **MA ES An**
15216. **Paramaxillaria meretrix (Staudinger,1879)** (Pyralidae) Synonymy: meretrix Staudinger,1879; trifracta Turati,1930. Range (as code): **TR LY Cy TW 16 41**
15217. **Parancyla argyrothysana Hampson,1919** (Pyralidae) Synonymy: argyrothysana Hampson,1919 Range (as code): **TZ**
15218. **Paraphomia natalensis Hampson,1901** (Pyralidae) Synonymy: natalensis Hampson,1901 Range (as code): **ZA Nta Kzu**
15219. **Parapoynx affinialis (Guenée,1854)** (Pyralidae) Synonymy: affinialis Guenée,1854; incommoda Butler,1881; fuscomarginata Bethune-Baker,1894; #alaicalis Caradja,1916 Range (as code): **IL Pa TR SY Dms IR Fa Ahz Kz Sde Ke Ana Ss Irs Gh Tgo TM AF IQ Bsr Bgd Amr Dia Mos KW EG PK Sd Krc MY IN SI Hp Sml Nk Mh Poo Bba Mhw ID AU Aru YE Sk Al TJ ZA RU Ro 01 46**
15220. **Parapoynx bipunctalis (Hampson,1906)** (Pyralidae) Synonymy: bipunctalis Hampson,1906; piperitalis Hampson,1917 Range (as code): **NG NE SD UG ZR BJ CI GM SN CM**
15221. **Parapoynx diminutalis Snellen,1880** (Pyralidae) Synonymy: diminutalis Snellen,1880; dicentra Meyrick,1885; pallida Butler,1886; uxorialis Strand,1919 Range (as code): **TW PH Luz IN ID LK Ja Sum Lb Bor Clb CN VN Ton TH CMa Knc Nna Cbi Cph Phu Pkk MZ AU QAu GB FI EG SD ET KE UG TZ ZM ZW MW ZA Nta Kzu Dbn BW AO ZR NG MG**
15222. **Parapoynx fluctuosalis (Zeller,1852)** (Pyralidae) Synonymy: fluctuosalis Zeller,1852; linealis Guenée,1854; circealis Walker,1859; chrysippusalis Walker,1859; obitalis Walker,1859; curta Butler,1879; luteivittalis Mabille,1880; cryzalis Wood-Mason,1885; rugosalis Möschler,1890 Range (as code): **PT ES Sa GB IN BT NP LK JP TW AU CN VN Ton ID Sum Hw FJ LR PR SC MG ZA Nta Kzu Dbn NA MM TH CMa Fn Dst Dpk Knc Nna Kao Cbi Phu MY SG Ja Bli BN Bor Sbh Swk PH MA TN ET SD UG KE TZ ZM BW MZ ZR ZW SN BF SL GN KM MU ML**
15223. **Parapoynx ophiaula (Meyrick,1936)** (Pyralidae) Synonymy: ophiaula Meyrick,1936 Range (as code): **ZR ZM**
15224. **Parapoynx plumbefusalis (Hampson,1917)** (Pyralidae) Synonymy: plumbefusalis Hampson,1917 Range (as code): **SD UG KE TZ ZM ZW CM SN NG NE Nai SL AO BW MG MW**
15225. **Parapoynx stagnalis (Zeller,1852)** (Pyralidae) Synonymy: stagnalis Zeller,1852; depunctalis Guenée,1852; decussalis Walker,1859; vestigialis Snellen,1880; hillii Tepper,1890 Range (as code): **ES GR AU ZA**

Nta Kzu TH Knc MM MY SG ID Sum Ja Bli Bor Sbh Swk PH NP BT IN MA GM SL GH NG UG KE Nai TZ ZM AO ZW ET MW TG CI LR MG

15226. **Parapoynx zambiensis Agassiz,2012** (Pyralidae) Synonymy: zambiensis Agassiz,2012 Range (as code): **ZM BW ZR**

15227. **Pararotruda nesiotica (Rebel,1911)** (Pyralidae) Synonymy: nesiotica Rebel,1911 Range (as code): **Cn Md**

15228. **Paratalanta hyalinalis (Hübner,1796)** (Pyralidae) Synonymy: hyalinalis Hübner,1796; decoloralis Turati,1924 Range (as code): **DZ Clo LY Cy ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY 05 13 16 58 65**

15229. **Paratraea obliquivialis (Hampson,1918)** (Pyralidae) Synonymy: obliquivialis Hampson,1918; griseifasciata Hampson,1919; #griseifascia Bleszynski,1962. Range (as code): **ZA Tva Lpo**

15230. **Paratraea plumbipicta Hampson,1919** (Pyralidae) Synonymy: plumbipicta Hampson,1919 Range (as code): **NG**

15231. **Pardomima (Pachyparda) distortana (Strand,1913)** (Pyralidae) Synonymy: distortana Strand,1913; #hampsoniana Strand,1922; empalacta Meyrick,1937 Range (as code): **TH CMa SL CI GH NG CM GA ZR BW GO GA TZ ZA**

15232. **Pardomima (Pachyparda) margarodes E.L.Martin,1954** (Pyralidae) Synonymy: margarodes E.L.Martin,1954 Range (as code): **NG GM SL**

15233. **Pardomima (Pachyparda) tumidipes (Hampson,1912)** (Pyralidae) Synonymy: tumidipes Hampson,1912 Range (as code): **SL GA ZR**

15234. **Pardomima (s.str.) amyntusalis (Walker,1859)** (Pyralidae) Synonymy: amyntusalis Walker,1859; critheisalis Walker,1859; semizebralis Walker,[1866]; tabidialis Snellen,1879 Range (as code): **MG KE CI ZR ML AO SL MZ UG ZM IN MM LK ID AU**

15235. **Pardomima (s.str.) azancla E.L.Martin,1954** (Pyralidae) Synonymy: azancla E.L.Martin,1954 Range (as code): **MG**

15236. **Pardomima (s.str.) callixantha E.L.Martin,1954** (Pyralidae) Synonymy: callixantha E.L.Martin,1954 Range (as code): **ZA Nta Kzu Tva Lpo Spb Mdk Ec ZW MW ET CM GH NG ZR AO KE ET SD ML**

15237. **Pardomima (s.str.) furcirenalis (Hampson,1918)** (Pyralidae) Synonymy: furcirenalis Hampson,1918; #fuscirenalis Klima,1939 Range (as code): **ZA Kzy Nta Ec Tra**

15238. **Pardomima (s.str.) phaeoparda E.L.Martin,1954** (Pyralidae) Synonymy: phaeoparda E.L.Martin,1954 Range (as code): **SL CI NG ZR**

15239. **Pardomima (s.str.) phalaromima (Meyrick,1933)** (Pyralidae) Synonymy: phalaromima Meyrick,1933 Range (as code): **GO Bio AO CM CG ZR GH GN CI KE MW NG SL TZ TG**

15240. **Pardomima (s.str.) phalarota (Meyrick,1933)** (Pyralidae) Synonymy: phalarota Meyrick,1933 Range (as code): **ZA AO ZR ZW MZ KE MW ZM**

15241. **Pardomima (s.str.) telanepsia E.L.Martin,1954** (Pyralidae) Synonymy: telanepsia E.L.Martin,1954 Range (as code): **CI GH NG GO Bio**

15242. **Pardomima (s.str.) zanclophora E.L.Martin,1954** (Pyralidae) Synonymy: zanclophora E.L.Martin,1954 Range (as code): **ZA ZR MZ TZ KE KM MG ET SA**

15243. **Paremathuedes crista J.C.Shaffer,1997** (Pyralidae) Synonymy: crista J.C.Shaffer,1997 Range (as code): **ZA**

15244. **Paremathuedes diacanthus J.C.Shaffer,1997** (Pyralidae) Synonymy: diacanthus J.C.Shaffer,1997 Range (as code): **ZA**

15245. **Paremathuedes dionyx J.C.Shaffer,1997** (Pyralidae) Synonymy: dionyx J.C.Shaffer,1997 Range (as code): **ZA**

15246. **Paremathuedes hamulus J.C.Shaffer,1997** (Pyralidae) Synonymy: hamulus J.C.Shaffer,1997 Range (as code): **ZA**

15247. **Paremathuedes immaculatus J.C.Shaffer,1997** (Pyralidae) Synonymy: immaculatus J.C.Shaffer,1997 Range (as code): **ZA**

15248. **Paremathuedes interpunctellus (Hampson,1918)** (Pyralidae) Synonymy: interpunctellus Hampson,1918 Range (as code): **ZA**

15249. **Paremathuedes onyx J.C.Shaffer,1997** (Pyralidae) Synonymy: onyx J.C.Shaffer,1997 Range (as code): **ZA**

15250. **Paremathuedes polystictellus (Hampson,1918)** (Pyralidae) Synonymy: polystictellus Hampson,1918; rufimedius Hampson,1918 Range (as code): **ZA**

15251. **Paremathuedes roseotinctus (Janse,1922)** (Pyralidae) Synonymy: roseotinctus Janse,1922 Range (as code): **ZA**

15252. **Paremathuedes simplex (Janse,1922)** (Pyralidae) Synonymy: simplex Janse,1922 Range (as code): **ZA**
15253. **Paremathuedes tenuis J.C.Shaffer,1997** (Pyralidae) Synonymy: tenuis J.C.Shaffer,1997 Range (as code): **ZA**
15254. **Parerupa africana (Aurivillius,1910)** (Pyralidae) Synonymy: africana Aurivillius,1910; diagonalis Hampson,1919 Range (as code): **TZ**
15255. **Parerupa bipunctalis Hampson,1919** (Pyralidae) Synonymy: bipunctalis Hampson,1919 Range (as code): **NG**
15256. **Parerupa distictalis Hampson,1919** (Pyralidae) Synonymy: distictalis Hampson,1919 Range (as code): **NG**
15257. **Parerupa incerta (Sjöstedt,1926)** (Pyralidae) Synonymy: incerta Sjöstedt,1926 Range (as code): **SD**
15258. **Parerupa undilinealis (Hampson,1919)** (Pyralidae) Synonymy: undilinealis Hampson,1919 Range (as code): **TZ**
15259. **Parotis baldersalis (Walker,1859)** (Pyralidae) Synonymy: baldersalis Walker,1859 Range (as code): **ZA CM ZR MZ SL TZ UG ZW**
15260. **Parotis impia (Meyrick,1934)** (Pyralidae) Synonymy: impia Meyrick,1934 Range (as code): **ZR SL ZA ZW ML**
15261. **Parotis invernalis (Joannis,1927)** (Pyralidae) Synonymy: invernalis Joannis,1927 Range (as code): **ZA**
15262. **Parotis marinata (Fabricius,1794)** (Pyralidae) Synonymy: marinata Fabricius,1794; psittacalis Hübner,[1831]; maliferalis Walker,[1866]; planalis W.Warren,1896; advena Hering,1901 Range (as code): **AU PH Luz Ceb IN Ass SI Djl LK MM CN Adm Sum Bor Clb ID SB PG AU FJ Vil ZA ZR**
15263. **Parotis prasinalis (Saalmüller,1880)** (Pyralidae) Synonymy: prasinalis Saalmüller,1880; tritonalis Snellen,1895 Range (as code): **ZA ZW SC MZ CM KE MG**
15264. **Parotis prasinophila (Hampson,1912)** (Pyralidae) Synonymy: prasinophila Hampson,1912 Range (as code): **ZA**
15265. **Parotis pyritalis (Hampson,1912)** (Pyralidae) Synonymy: pyritalis Hampson,1912 Range (as code): **ZA**
15266. **Parotis squamopedalis (Guenée,1854)** (Pyralidae) Synonymy: squamopedalis Guenée,1854 Range (as code): **ZA**
15267. **Parotis squamopedalis (Guenée,1854)** (Pyralidae) Synonymy: squamopedalis Guenée,1854 Range (as code): **ZA PH Luz Gui Ceb Cts CmM Sum Nia Ja Cib Amb Crm Aru Kai Mi Flo ID PG**
15268. **Parotis vernalis (Hampson,1912)** (Pyralidae) Synonymy: vernalis Hampson,1912 Range (as code): **ZA**
15269. **Parotis zambesalis (Walker,1865)** (Pyralidae) Synonymy: zambesalis Walker,1865; #zambesialis Pagenstecher,1907 Range (as code): **ZA**
15270. **Paroxyptera filiella (Saalmüller,1880)** (Pyralidae) Synonymy: filiella Saalmüller,1880 Range (as code): **ZA**
15271. **Parthenodes africalis Hampson,1906** (Pyralidae) Synonymy: africalis Hampson,1906 Range (as code): **TZ NG**
15272. **Parthenodes albiceps Hampson,1917** (Pyralidae) Synonymy: albiceps Hampson,1917 Range (as code): **ZA Tva**
15273. **Parthenodes angularis Hampson,1897** (Pyralidae) Synonymy: angularis Hampson,1897 Range (as code): **ZA TZ MG**
15274. **Parthenodes scotalis Hampson,1906** (Pyralidae) Synonymy: scotalis Hampson,1906 Range (as code): **ZW**
15275. **Parthenodes upupalis (Guenée,1863)** (Pyralidae) Synonymy: upupalis Guenée,1863 Range (as code): **RE**
15276. **Paschiodes mesoleucalis Hampson,1913** (Pyralidae) Synonymy: mesoleucalis Hampson,1913; trichroa Meyrick,1934; bekaledjae Rougeot,1977 Range (as code): **ZA**
15277. **Patania aegrotalis (Zeller,1852)** (Pyralidae) Synonymy: aegrotalis Zeller,1852 Range (as code): **ZA**
15278. **Patania balteata (Fabricius,1798)** (Pyralidae) Synonymy: balteata Fabricius,1798; crocealis Duponchel,1834; mysolalis Walker,[1866]; accipitralis Walker,[1866]; aurea Butler,1879; fraterna Moore,1886; evergestialis Strand,1918; africalis Leraut,2005 Range (as code): **ES FR Si IT CH YU HV BG AL RO GR Cr TR Cc GG Lag IL Pa UA RU IN Mys LK CN TW KP JP TH AU QAu NSw Hw MG RE CI ZA PG ML BJ CM KM CG ZR GA GH MZ NE NG SN SL SD ZM 01 08 16 31 33 46**

15279. **Patania paleacalis (Guenée,1854)** (Pyralidae) Synonymy: paleacalis Guenée,1854 Range (as code): **ZA**
15280. **Patania tchadalis Leraut,2005** (Pyralidae) Synonymy: tchadalis Leraut,2005 Range (as code): **TD**
15281. **Patissa frontalis (Walker,1865)** (Pyralidae) Synonymy: frontalis Walker,1865 Range (as code): **ZA**
15282. **Patissa geminalis Hampson,1919** (Pyralidae) Synonymy: geminalis Hampson,1919 Range (as code): **ZA**
15283. **Patissa pulverea (Hampson,1919)** (Pyralidae) Synonymy: pulverea Hampson,1919 Range (as code): **ZA**
15284. **Patissa rubrilinealis Hampson,1919** (Pyralidae) Synonymy: rubrilinealis Hampson,1919 Range (as code): **ZA**
15285. **Patissa virginea (Zeller,1852)** (Pyralidae) Synonymy: virginea Zeller,1852; multivagellus Swinhoe,1886. Range (as code): **ZA IN Mhw Nl LK TW**
15286. **Patna venatella Hampson,1918** (Pyralidae) Synonymy: venatella Hampson,1918; brunneicostella Hampson,1918; sarcoida Hampson,1918; aulacodes Meyrick,1933 Range (as code): **KE ZA Tva MW MZ ZW ZA Wri Tva ZR**
15287. **Pediasia amandusella Bleszynski,1969** (Pyralidae) Synonymy: amandusella Bleszynski,1969 Range (as code): **ZA**
15288. **Pediasia angulilinea (W.Warren,1914)** (Pyralidae) Synonymy: angulilinea W.Warren,1914 Range (as code): **ZA**
15289. **Pediasia cistites (Meyrick,1934)** (Pyralidae) Synonymy: cistites Meyrick,1934 Range (as code): **ZR**
15290. **Pediasia contaminella (Hübner,1796)** (Pyralidae) Synonymy: contaminella Hübner,1796; squalidalis Hübner,[1825]; cantiellus Tutt,1886. Range (as code): **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Mnu Kj MD UA BY TM Kp IR Mz Gor Gh Tgo Ar Ab Mak Ak Tbz Enz Ra Gls Kh Se Th Kdj Fa Shr IQ Shq Len AZ Cc ZA 06 13 16 39 42 46 59 76**
15291. **Pediasia desertella (Lederer,1855)** (Pyralidae) Synonymy: desertellus Lederer,1855 Range (as code): **MR DZ Cst Bsk LB Bei PT Si RO TR IL Jf Js Hf Pa JO CY IQ Mos Dia Brs IR Km Fa Shr 16 46 63**
15292. **Pediasia ematheudella (Joannis,1927)** (Pyralidae) Synonymy: ematheudellus Joannis,1927; marionella Bleszynski,1963 Range (as code): **MZ MG ZA**
15293. **Pediasia figuratella (Walker,1866)** (Pyralidae) Synonymy: figuratellus Walker,1866 Range (as code): **ZA Ec**
15294. **Pediasia fulvitinctella (Hampson,1896)** (Pyralidae) Synonymy: fulvitinctellus Hampson,1896 Range (as code): **ZA**
15295. **Pediasia lucrecia Bleszynski,1969** (Pyralidae) Synonymy: lucrecia Bleszynski,1969 Range (as code): **ZA**
15296. **Pediasia melanerges (Hampson,1919)** (Pyralidae) Synonymy: melanerges Hampson,1919 Range (as code): **AU QAu UG**
15297. **Pediasia nephelosticta (Joannis,1927)** (Pyralidae) Synonymy: nephelosticta Joannis,1927 Range (as code): **MZ ZA**
15298. **Pediasia niobe Bleszynski,1962** (Pyralidae) Synonymy: niobe Bleszynski,1962 Range (as code): **KE**
15299. **Pediasia numidella (Rebel,1903)** (Pyralidae) Synonymy: numidella Rebel,1903 Range (as code): **DZ Gha EG BH IR Ss Put Hz Fa Sse SA**
15300. **Pediasia ochristrigella (Hampson,1896)** (Pyralidae) Synonymy: ochristrigella Hampson,1896; dumontellus Hartig,1953. Range (as code): **IR Hz IN PK Lh Pj Krc TN LK**
15301. **Pediasia palmitiella (Chrétien,1915)** (Pyralidae) Synonymy: palmitiella Chrétien,1915 Range (as code): **DZ Eba MA**
15302. **Pediasia serraticornis (Hampson,1900)** (Pyralidae) Synonymy: serraticornis Hampson,1900; gracilellus Chrétien,1910; distinctellus Chrétien,1910; ochrosignellus Chrétien,1915; tenellus Chrétien,1917; fusculellus Turati,1924 Range (as code): **ES JO TN Gf DZ Eba LY IL Js Jt Pa SY**
15303. **Pediasia siculella (Duponchel,1836)** (Pyralidae) Synonymy: siculella Duponchel,1836; suldesertellus Chrétien,1922; mariaeludovicae Lucas,1935. Range (as code): **MA PT ES Si IT MT HV**
15304. **Pediasia simiensis Bleszynski,1961** (Pyralidae) Synonymy: simiensis Bleszynski,1961 Range (as code): **ET**
15305. **Pempelia apicella (Joannis,1927)** (Pyralidae) Synonymy: apicella Joannis,1927 Range (as code): **ZA MZ**
15306. **Pempelia aurivilliella (Ragonot,1888)** (Pyralidae) Synonymy: aurivilliella Ragonot,1888 Range (as code): **NA**
15307. **Pempelia biocellella (Ragonot,1893)** (Pyralidae) Synonymy: biocellella Ragonot,1893 Range (as code): **MG**

15308. **Pempelia brephiella (Staudinger,1879)** (Pyralidae) Synonymy: brephiella Staudinger,1879; farinosella Caradja,1910; coremetella Amsel,1949 Range (as code): **Cn MA DZ Ah Onç Lbs Bsk Gha Gea Ges TN Gf Gab LY PT ES Cue FR Co Sa Si MT YU MK BG TR CY IL Pa Cc AZ Len IR Kz Sde IQ Shq Kbl KW 09 21 42 46 65 71**

15309. **Pempelia chlorenches (Meyrick,1937)** (Pyralidae) Synonymy: chlorenches Meyrick,1937 Range (as code): **ZR**

15310. **Pempelia compositella (Treitschke,1835)** (Pyralidae) Synonymy: compositella Treitschke,1835; murinella Heinemann,1865; senescens Heinemann,1865; kalischiella Staudinger,1870; iconiensis Caradja,1910. Range (as code): **MA DZ Eba ES An Grn FR Co Sa Si IT MT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR SE RU UA Cm 05 42 58**

15311. **Pempelia coriacella (Ragonot,1888)** (Pyralidae) Synonymy: coriacella Ragonot,1888 Range (as code): **ZA Nta Kzu ID Sum Ja Lb**

15312. **Pempelia ehrenbergi Lewandowski & Lewandowski-Krenz,2016** (Pyralidae) Synonymy: ehrenbergi Lewandowski & Lewandowski-Krenz,2016 Range (as code): **EG**

15313. **Pempelia epithalassiella (Zerney,1917)** (Pyralidae) Synonymy: epithalassiella Zerney,1917 Range (as code): **SD**

15314. **Pempelia interniplagella (Ragonot,1888)** (Pyralidae) Synonymy: interniplagella Ragonot,1888 Range (as code): **ZA**

15315. **Pempelia malgassicella (Paulian & Viette,1955)** (Pyralidae) Synonymy: malgassicella Paulian & Viette,1955 Range (as code): **MG**

15316. **Pempelia mesozonella (Bradley,1966)** (Pyralidae) Synonymy: mesozonella Bradley,1966 Range (as code): **UG**

15317. **Pempelia multicolorella (Ragonot,1893)** (Pyralidae) Synonymy: multicolorella Ragonot,1893 Range (as code): **MG**

15318. **Pempelia numidella (Ragonot,1890)** (Pyralidae) Synonymy: numidella Ragonot,1890 Range (as code): **DZ Bsk Gf TN EG ES IL Pa Hf CY**

15319. **Pempelia obscuricostella (Ragonot,1888)** (Pyralidae) Synonymy: obscuricostella Ragonot,1888 Range (as code): **SN GM**

15320. **Pempelia ochrochlaena (Meyrick,1937)** (Pyralidae) Synonymy: ochrochlaena Meyrick,1937 Range (as code): **ZR**

15321. **Pempelia zelicella (Oberthür,1888)** (Pyralidae) Synonymy: zelicella Oberthür,1888 Range (as code): **DZ Bsk Cst TN MT CY IL Pa IR**

15322. **Pempeliella bayassensis Leraut,2001** (Pyralidae) Synonymy: bayassensis Leraut,2001 Range (as code): **MA Ifr ES C-L Seg FR CH**

15323. **Pempeliella ornatella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: ornatella [Denis & Schiffermüller],1775; criptella Hübner,1796; criptea Haworth,1811; ornatalis Hübner,[1825]; fraternella Ragonot,1887; gigantella Amsel,1932; aixella Lucas,1938; elbursella Amsel,1954 Range (as code): **DZ Lbs ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv Ord DK SE FI EE LV LT RU CN Ui Ku Ju UZ Man MD UA BY Cc AM T-S MA 06 44 46 58 65 76**

15324. **Pempeliopteryx cirtensis (Ragonot,1890)** (Pyralidae) Synonymy: cirtensis Ragonot,1890 Range (as code): **DZ Bsk TN Gf CY IL Pa Js IR**

15325. **Pempeliopteryx cleopatrella (Ragonot,1887)** (Pyralidae) Synonymy: cleopatrella Ragonot,1887; atlantica Asselbergs,2009 Range (as code): **Cn MA DZ TN LY EG IL Pa**

15326. **Pempeliopteryx pulverulenta (Ragonot,1888)** (Pyralidae) Synonymy: pulverulenta Ragonot,1888; tchouruma Amsel,1961 Range (as code): **IL Pa TN EG IR**

15327. **Peoria albivenella (Janse,1922)** (Pyralidae) Synonymy: albivenella Janse,1922 Range (as code): **ZA**

15328. **Peoria cremoricosta (Ragonot,1895)** (Pyralidae) Synonymy: cremoricosta Ragonot,1895; prolai Hartig,1948; pectinellum Chrétien,1911 Range (as code): **MA DZ Bsk ES IT Si BG GR Cr AL HV TR 01 31 46**

15329. **Perisyntrocha flavalis Hampson,1917** (Pyralidae) Synonymy: flavalis Hampson,1917 Range (as code): **CM**

15330. **Phostria albescentalis Hampson,1918** (Pyralidae) Synonymy: albescentalis Hampson,1918 Range (as code): **ZA**

15331. **Phostria bistigmalis (Strand,1913)** (Pyralidae) Synonymy: bistigmalis Strand,1913; atricinctalis Hampson,1913 Range (as code): **MZ ZA TZ ZW**

15332. **Phostria hesusalis (Walker,1859)** (Pyralidae) Synonymy: hesusalis Walker,1859 Range (as code): **CM CG ZR GO GH NG SL TG ML**

15333. **Phycita asseclella Ragonot,1893** (Pyralidae) Synonymy: asseclella Ragonot,1893 Range (as code): **TZ**

15334. **Phycita attenuata Balinsky,1994** (Pyralidae) Synonymy: attenuata Balinsky,1994 Range (as code): **ZW Uma ZA Tva Lpo Spb Tak Ec**

15335. **Phycita caiella De Joannis,1913** (Pyralidae) Synonymy: caiella De Joannis,1913 Range (as code): **ER**

15336. **Phycita cirrhodelta (Meyrick,1933)** (Pyralidae) Synonymy: cirrhodelta Meyrick,1933; calycoptila Meyrick,1935 Range (as code): **ZR ID Sum Ja**

15337. **Phycita demidovi Guillermet,2007** (Pyralidae) Synonymy: demidovi Guillermet,2007 Range (as code): **RE**

15338. **Phycita diaphana (Staudinger,1870)** (Pyralidae) Synonymy: diaphana Staudinger,1870; biscraella Caradja,1916; lenitella Chrétien,1922; ricinivorella Dumont,1925 Range (as code): **Cn MA DZ Bsk TN PT ES An MT GR Cc TR CY EG AM SY IQ Bgd IR Ana Ke Shh Kz Ss Irs IL Pa YE SN SO RE MU 02 21**

15339. **Phycita exaggerata Balinsky,1994** (Pyralidae) Synonymy: exaggerata Balinsky,1994 Range (as code): **ZA Tva Gau Pre**

15340. **Phycita lugubris Balinsky,1994** (Pyralidae) Synonymy: lugubris Balinsky,1994 Range (as code): **ZA Nta Kzu ZW**

15341. **Phycita melongenae Aina,1983** (Pyralidae) Synonymy: melongenae Aina,1983 Range (as code): **NG Lgo SN**

15342. **Phycita poteriella (Zeller,1846)** (Pyralidae) Synonymy: poteriella Zeller,1846; metzneri Zeller,1846; kruegeri Turati,1911 Range (as code): **MA ES FR Co Sa Si IT RO HU HV BG GR Cr CY TR IL Pa Hf LB Bmm Bsa Cc GG AZ 06 09 16 31 35 42 46 65**

15343. **Phycita randensis Balinsky,1994** (Pyralidae) Synonymy: randensis Balinsky,1994 Range (as code): **ZA Tva Gau Jh Tst Mpu Win**

15344. **Phycita salitella Zerny,1935** (Pyralidae) Synonymy: salitella Zerny,1935 Range (as code): **MA**

15345. **Phycita singularis Balinsky,1994** (Pyralidae) Synonymy: singularis Balinsky,1994 Range (as code): **NA Abc ZW Em Vf ZA Tva Lpo Mes Gau Pre**

15346. **Phycita spiculata Balinsky,1994** (Pyralidae) Synonymy: spiculata Balinsky,1994 Range (as code): **ZA Tra Ec Nta Kzu Umk**

15347. **Phycita spissicella (Fabricius,1777)** (Pyralidae) Synonymy: #roborella [Denis & Schiffermüller],1775; spissicella Fabricius,1777; spissicornis Fabricius,1798; legatea Haworth,1811; roboralis Hübner,[1825]; legatella Stephens,1834; cristella Stephens,1834; procrisalis Walker,1859 Range (as code): **MA DZ Lbs PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa DK NO SE FI EE LV RU MD UA BY IR Gls 06 13 56 65**

15348. **Phycita spissoterminata Balinsky,1994** (Pyralidae) Synonymy: spissoterminata Balinsky,1994 Range (as code): **ZA Gau Pre Mpu Pil Tva Lpo Pot**

15349. **Phycita suppenditata Balinsky,1994** (Pyralidae) Synonymy: suppenditata Balinsky,1994 Range (as code): **ZA Tva Gau Pre**

15350. **Phycita venalbella (Joannis,1927)** (Pyralidae) Synonymy: venalbella Joannis,1927 Range (as code): **ZA**

15351. **Phycita zizyphella Chrétien,1915** (Pyralidae) Synonymy: zizyphella Chrétien,1915; jerichoella Amsel,1935 Range (as code): **DZ Bsk TN LY CY IL Pa Jer**

15352. **Phycitodes albatella (Ragonot,1887)** (Pyralidae) Synonymy: albatella Ragonot,1887; parvum Gerasimov,1930; pseudonimbella Bentick,1937 Range (as code): **LY Cy TN Gf DZ MA Cn Az PT ES Mu FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU HV MK AL BG GR DK NO SE FI LV LT RU MD UA BY TM Kp UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG CY TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ KK NP Us CN She 01 03 06 13 16 21 38 42 44 46 58 65 70 71**

15353. **Phycitodes binaevella (Hübner,[1813])** (Pyralidae) Synonymy: binaevella Hübner,[1813] Range (as code): **MA LY Cy ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY LB Bsa TM Kp IL Jf Pa IR Elb Th Mz AF Kab Pag Pli KG Tk Dj Ii 01 05 06 13 31 34 42 44 46 65**

15354. **Phycitodes carlinella (Heinemann,1865)** (Pyralidae) Synonymy: carlinella Heinemann,1865; cretacella Rössler,1866; maritima Tengström,1870; senecionis Vaughan,1870; caniusella Ragonot,1901 Range (as code): **MA DZ Bsk Gf TN PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI LV RU MD UA BY**

15355. **Phycitodes inquinatella (Ragonot,1887)** (Pyralidae) Synonymy: inquinatella Ragonot,1887; exustella Ragonot,1888; canariella Rebel,1892; ravonella Pierce,1937; amseli Roesler,1965 Range (as code): **Cn MA DZ Bsk Tni Tis PT ES Mu FR Sa Si IT MT BE NL DE Bv CH AT SK HU RO YU HV MK AL BG GR Cr CY TR LB Bsa IL Hf Js Pa SY Dms IR Elb Th Fa Shr 03 05 06 09 16 38 46**

15356. **Phycitodes lacteella (Rothschild,1915)** (Pyralidae) Synonymy: lacteella Rothschild,1915; viettella Roesler,1965. Range (as code): **LY Cy TN DZ Onç MA Cn ES Mu FR Sa Si IT MT DE HU RO SK YU AL BG GR RU Ur Mo MD UA SY Dms TR LB Bda IL Jf Jer Hf SA SA63 BH IQ Bgd IR Elb Th Kdj Fa Shr Kz Ss Kh AF Gbh Pag Sfk Pic Pli Kab Dwe Blh Slg Bm Bkt Nu KG Tk Ii Dj MN 03 06 09 13 16 31 34 38 42 44 46 58 65 71**

15357. **Phycitodes saxicola (Vaugham,1870)** (Pyralidae) Synonymy: saxicola Vaugham,1870; subbinaevella Ragonot,1888; griseopunctata Lucas,1955; vallettae Amsel,1951; comeella Amsel,1961; tenerifferlla Roesler,1965 Range

(as code): **Cn DZ MA TN Gf LY Cy PT ES Mu Py FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK RO YU HV B-H MK BG GR Cr CY DK NO SE FI EE LV LT TR RU Or Ur Sr LB Bei Bsa SY Dms IL Hf Js Jt IQ Bgd IR Elb Th Kdj Fa Shr AF Pag Kab Srb Gbh 01 06 07 09 13 35 42 44 65 76**

15358. **Phycitophila obscurita Balinsky,1994** (Pyralidae) Synonymy: obscurita Balinsky,1994 Range (as code): **ZW Uma**

15359. **Phycitopsis insulata Balinsky,1994** (Pyralidae) Synonymy: insulata Balinsky,1994 Range (as code): **ZA Ec**

15360. **Piesmopoda notandella Ragonot,1893** (Pyralidae) Synonymy: notandella Ragonot,1893 Range (as code): **ZA**

15361. **Piletocera flavalis Hampson,1917** (Pyralidae) Synonymy: flavalis Hampson,1917 Range (as code): **ZA MW**

15362. **Piletocera hemiphaealis (Hampson,1907)** (Pyralidae) Synonymy: hemiphaealis Hampson,1907 Range (as code): **ZA**

15363. **Piletocera opacalis Rebel,1927** (Pyralidae) Synonymy: opacalis Rebel,1927 Range (as code): **EG AE**

15364. **Piletocera signiferalis (Wallengren,1860)** (Pyralidae) Synonymy: signiferalis Wallengren,1860; barbicornis R.Felder & Rogenhofer,1875; mirabilis Butler,1884; nigrescens Butler,1884 Range (as code): **WS PC FJ EL LO AU ZA**

15365. **Pilocrocis dichochrocialis Hampson,1912** (Pyralidae) Synonymy: dichochrocialis Hampson,1912; usticinctalis Hampson,1912; euryatma Meyrick,1934 Range (as code): **ZA CM ZR MW MZ TZ ZM ZW**

15366. **Pilocrocis glaucitalis Hampson,1912** (Pyralidae) Synonymy: glaucitalis Hampson,1912 Range (as code): **ZA**

15367. **Pilocrocis melastictalis Hampson,1912** (Pyralidae) Synonymy: melastictalis Hampson,1912 Range (as code): **ZA**

15368. **Pilocrocis patagialis Hampson,1909** (Pyralidae) Synonymy: patagialis Hampson,1909 Range (as code): **ZA**

15369. **Pilocrocis pterygodia Hampson,1912** (Pyralidae) Synonymy: pterygodia Hampson,1912 Range (as code): **ZA**

15370. **Pima aureliae Leraut,2014** (Pyralidae) Synonymy: aureliae Leraut,2014 Range (as code): **TN Sfx**

15371. **Pima difficilis Joannis,1927** (Pyralidae) Synonymy: difficilis Joannis,1927 Range (as code): **MZ ZA**

15372. **Pima flavidorsella Joannis,1927** (Pyralidae) Synonymy: flavidorsella Joannis,1927; cinerella Joannis,1927 Range (as code): **MZ ZA**

15373. **Pima leucoloma (Herrich-Schäffer,[1849])** (Pyralidae) Synonymy: leucoloma Herrich-Schäffer,[1849] Range (as code): **TN ES Grn IT HV GR TR RU CY SY Dms LB Bei AM Cc EG Cm 16 33 42 45 46**

15374. **Pima maroccana Slamka,2019** (Pyralidae) Synonymy: maroccana Slamka,2019 Range (as code): **MA LY**

15375. **Pima pempeliella (Zerny,1936)** (Pyralidae) Synonymy: pempeliella Zerny,1936 Range (as code): **MA**

15376. **Pima tricolorella Falck, Karsholt & Slamka,2019** (Pyralidae) Synonymy: tricolorella Falck, Karsholt & Slamka,2019 Range (as code): **Cn**

15377. **Pima vilhelmseni Slamka,2019** (Pyralidae) Synonymy: vilhelmseni Slamka,2019 Range (as code): **MA TN LY**

15378. **Pima yllai Slamka,2019** (Pyralidae) Synonymy: yllai Slamka,2019 Range (as code): **MA TN**

15379. **Pinacia fulvidorsalis (Hübner,1832)** (Pyralidae) Synonymy: fulvidorsalis Hübner,1832 Range (as code): **PH Luz Boh Cts Pal RE LK IN MM Nk Ja Sbw Clb Amb QAu AU ID**

15380. **Pioneabathra olesialis (Walker,1859)** (Pyralidae) Synonymy: olesialis Walker,1859; brevialis Walker,1859; divisalis Lederer,1863; eximialis Walker,1866; pactorina Meyrick,1887; holoxuthalis Hampson,1908 Range (as code): **LR KM CG GM MZ OM SC YE ZA Tva Lpo ZR AU IN LK ML**

15381. **Pithyllis ornata Grünberg,1910** (Pyralidae) Synonymy: ornata Grünberg,1910 Range (as code): **ZA**

15382. **Plagoa cerostomella (Ragonot,1888)** (Pyralidae) Synonymy: cerostomella Ragonot,1888; #cerastomella Balinsky,1994 Range (as code): **ZA**

15383. **Plagoa zambeziella (Hampson,1901)** (Pyralidae) Synonymy: zambeziella Hampson,1901 Range (as code): **ZA**

15384. **Platytes atlantivolella Zerny,1935** (Pyralidae) Synonymy: atlantivolella Zerny,1935 Range (as code): **MA**

15385. **Platytes bipunctella Lucas,1956** (Pyralidae) Synonymy: bipunctella Lucas,1956 Range (as code): **MA**

15386. **Platytes zarcinella Lucas,1909** (Pyralidae) Synonymy: zarcinella Lucas,1909 Range (as code): **TN**

15387. **Plodia interpunctella (Hübner,[1813])** (Pyralidae) Synonymy: interpunctella Hübner,[1813]; interpunctalis Hübner,[1825]; zeae Fitch,1856; castaneella Reutti,1898; latercula Hampson,1901; glycinivora

Matsumura,1917; glycinivorella Matsumura,1932. Range (as code): **Cn MA DZ Bsk Anna LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD UA BY LB IL Pa SD SA IQ IR Ab Oru TM AF PK KG Uk CN Ui Kgs Stg JP Hkk TW ZA AU CA 01 05 06 16 30 33 35 48 65**

15388. **Pogononeura hirticostella Ragonot,1888** (Pyralidae) Synonymy: hirticostella Ragonot,1888 Range (as code): **NA ZA Gau Pre Tva**

15389. **Pogonotropha wahlbergi Zeller,1852** (Pyralidae) Synonymy: wahlbergi Zeller,1852 Range (as code): **ZA**

15390. **Poliobotys ablactalis (Walker,1859)** (Pyralidae) Synonymy: ablactalis Walker,1859; murinalis Pagenstecher,1885 Range (as code): **CM AO BW GM SL SC UG ZM ZW MZ CI ML ZR KE ZA Gau Tva MG RE Ald PK IN BD BT LK TH MY Bor ID Ja Clb PH Boh Ley Blc CN AU QAu**

15391. **Poliostola phycitimorpha Janse,1922** (Pyralidae) Synonymy: phycitimorpha Janse,1922 Range (as code): **ZA**

15392. **Polygrammodes phyllophila (Butler,1878)** (Pyralidae) Synonymy: phyllophila Butler,1878 Range (as code): **ZA**

15393. **Polyocha anomalella Janse,1922** (Pyralidae) Synonymy: anomalella Janse,1922 Range (as code): **ZA**

15394. **Polyocha chionocraspis (Hampson,1918)** (Pyralidae) Synonymy: chionocraspis Hampson,1918 Range (as code): **MW**

15395. **Polyocha epischniella Zerney,1935** (Pyralidae) Synonymy: epischniella Zerney,1935 Range (as code): **MA**

15396. **Polyocha ereboctena Meyrick,1935** (Pyralidae) Synonymy: ereboctena Meyrick,1935 Range (as code): **ZR**

15397. **Polyocha erythrinella Ragonot,1888** (Pyralidae) Synonymy: erythrinella Ragonot,1888 Range (as code): **ET**

15398. **Polyocha plinthochroa Hampson,1918** (Pyralidae) Synonymy: plinthochroa Hampson,1918 Range (as code): **ZA**

15399. **Polyocha polemarcha (Meyrick,1937)** (Pyralidae) Synonymy: polemarcha Meyrick,1937 Range (as code): **ZR**

15400. **Polyocha rhodesiae Strand,1909** (Pyralidae) Synonymy: rhodesiae Strand,1909 Range (as code): **ZW**

15401. **Polyocha sanguifusalis Hampson,1910** (Pyralidae) Synonymy: sanguifusalis Hampson,1910 Range (as code): **ZM**

15402. **Polyocha sanguinariella (Zeller,1848)** (Pyralidae) Synonymy: sanguinariella Zeller,1848 Range (as code): **ZA**

15403. **Polyocha transversariella (Zeller,1848)** (Pyralidae) Synonymy: transversariella Zeller,1848; strigosa Staudinger,1879; phoeniciella Ragonot,1895; discella Hampson,1901; granatella Zerny,1927 Range (as code): **MA DZ Ah TN PT ES An Grn IT Si RO YU GR RU MD UA BY TR Cc IL Pa Hf LB Bei JO IQ Shq Rwz Mos Dia IR Fa 01 05 13 16 21 25 31 33 42 46 47 65 71 76 80**

15404. **Polyochodes stipella Chrétien,1911** (Pyralidae) Synonymy: stipella Chrétien,1911 Range (as code): **TN Gf ES**

15405. **Polythlipta annulifera (Walker,1865)** (Pyralidae) Synonymy: annulifera Walker,1865 Range (as code): **ZA Nta Kzu MG**

15406. **Polythlipta camptozona Hampson,1910** (Pyralidae) Synonymy: camptozona Hampson,1910 Range (as code): **KE RW UG ZM ZW**

15407. **Pretoria audeoudi De Joannis,1927** (Pyralidae) Synonymy: audeoudi De Joannis,1927 Range (as code): **ZA**

15408. **Pretoria hutchinsoni Ragonot,1893** (Pyralidae) Synonymy: hutchinsoni Ragonot,1893 Range (as code): **ZA**

15409. **Pretoria nigribasis Balinsky,1994** (Pyralidae) Synonymy: nigribasis Balinsky,1994 Range (as code): **ZA Gau Jh Tra Tva**

15410. **Prionapteryx africalis Hampson,1896** (Pyralidae) Synonymy: africalis Hampson,1896 Range (as code): **ZR GH**

15411. **Prionapteryx albescens (Hampson,1919)** (Pyralidae) Synonymy: albescens Hampson,1919 Range (as code): **KE Nai**

15412. **Prionapteryx albiceps (Hampson,1919)** (Pyralidae) Synonymy: albiceps Hampson,1919 Range (as code): **ZA Ec**

15413. **Prionapteryx albimaculalis (Hampson,1919)** (Pyralidae) Synonymy: albimaculalis Hampson,1919; pretoriella Bleszynski,1970; albimaculata Mey,2011 Range (as code): **ZA Tva Lpo Gau Pre**

15414. **Prionapteryx albipunctella Marion,1957** (Pyralidae) Synonymy: albipunctella Marion,1957 Range (as code): **SN**
15415. **Prionapteryx albirufalis Hampson,1919** (Pyralidae) Synonymy: albirufalis Hampson,1919 Range (as code): **SD**
15416. **Prionapteryx albofascialis (Hampson,1919)** (Pyralidae) Synonymy: albofascialis Hampson,1919 Range (as code): **ZA Tva Lpo**
15417. **Prionapteryx alternalis Maes,2002** (Pyralidae) Synonymy: africalis Hampson,1919 nec Hamps.,1896; alternalis Maes,2002 Range (as code): **SD**
15418. **Prionapteryx argentescens (Hampson,1919)** (Pyralidae) Synonymy: argentescens Hampson,1919 Range (as code): **ZA Ec Tva Lpo**
15419. **Prionapteryx banaadirensis Bassi,2013** (Pyralidae) Synonymy: banaadirensis Bassi,2013 Range (as code): **SO**
15420. **Prionapteryx brevivittalis Hampson,1919** (Pyralidae) Synonymy: brevivittalis Hampson,1919 Range (as code): **ZA Tva Lpo Nta Kzu**
15421. **Prionapteryx diaplecta (Meyrick,1936)** (Pyralidae) Synonymy: diaplecta Meyrick,1936 Range (as code): **ZR RW**
15422. **Prionapteryx eberti Bassi & Mey,2013** (Pyralidae) Synonymy: eberti Bassi & Mey,2013 Range (as code): **NA**
15423. **Prionapteryx endoleuca (Hampson,1919)** (Pyralidae) Synonymy: endoleuca Hampson,1919 Range (as code): **IL Pa EG EG61**
15424. **Prionapteryx flavipars (Hampson,1919)** (Pyralidae) Synonymy: flavipars Hampson,1919 Range (as code): **ZW**
15425. **Prionapteryx lancerotella (Rebel,1892)** (Pyralidae) Synonymy: lancerotella Rebel,1892 Range (as code): **Cn**
15426. **Prionapteryx moghrebana (D.Lucas,1954)** (Pyralidae) Synonymy: moghrebana D.Lucas,1954 Range (as code): **MA**
15427. **Prionapteryx molybdella (Hampson,1919)** (Pyralidae) Synonymy: molybdella Hampson,1919 Range (as code): **ZA**
15428. **Prionapteryx ochrifasciata (Hampson,1919)** (Pyralidae) Synonymy: ochrifasciata Hampson,1919 Range (as code): **KE**
15429. **Prionapteryx phaeomesa (Hampson,1919)** (Pyralidae) Synonymy: phaeomesa Hampson,1919 Range (as code): **TZ**
15430. **Prionapteryx plumbealis (Hampson,1919)** (Pyralidae) Synonymy: plumbealis Hampson,1919 Range (as code): **ZW**
15431. **Prionapteryx rubricalis Hampson,1919** (Pyralidae) Synonymy: rubricalis Hampson,1919 Range (as code): **NG**
15432. **Prionapteryx rubrifusalis (Hampson,1919)** (Pyralidae) Synonymy: rubrifusalis Hampson,1919 Range (as code): **KE**
15433. **Prionapteryx selenalis (Hampson,1919)** (Pyralidae) Synonymy: selenalis Hampson,1919 Range (as code): **ET**
15434. **Prionapteryx somala Bassi & Mey,2011** (Pyralidae) Synonymy: somala Bassi & Mey,2011 Range (as code): **SO**
15435. **Prionapteryx soudanensis (Hampson,1919)** (Pyralidae) Synonymy: soudanensis Hampson,1919 Range (as code): **SD SD95 SA BH IR Hz AE AF**
15436. **Prionapteryx splendida Bassi & Mey,2011** (Pyralidae) Synonymy: splendida Bassi & Mey,2011 Range (as code): **ZA Ec**
15437. **Prionapteryx texturella Zeller,1877** (Pyralidae) Synonymy: texturella Zeller,1877 Range (as code): **TZ Zz**
15438. **Prionotalis africanellus (Strand,1909)** (Pyralidae) Synonymy: africanellus Strand,1909 Range (as code): **TZ**
15439. **Prionotalis balia (Tams,1932)** (Pyralidae) Synonymy: balia Tams,1932; phacodes Meyrick,1934 Range (as code): **KE ZR**
15440. **Prionotalis peracutella Hampson,1919** (Pyralidae) Synonymy: peracutella Hampson,1919 Range (as code): **KE GH NG**
15441. **Pristocerella schawerdae (Zerny,1927)** (Pyralidae) Synonymy: schawerdae Zerny,1927 Range (as code): **MA ES**

15442. **Proceras sacchariphagus (Bojer,1856)** (Pyralidae) Synonymy: sacchariphagus Bojer,1856; saccharellus Guenée,1862; mauriciellus Walker,1863; striatalis Snellen,1891. Range (as code): **MU RE MG ID Clb Ja Sum Bli MY Prk SG TH PH Luz CN TW IN Ass LK**

15443. **Prochoristis campylopa Meyrick,1935** (Pyralidae) Synonymy: campylopa Meyrick,1935 Range (as code): **ZR**

15444. **Productalius tritaeniellus Marion,1954** (Pyralidae) Synonymy: tritaeniellus Marion,1954 Range (as code): **MG**

15445. **Prophantis octoguttalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonymy: octoguttalis R.Felder & Rogenhofer,1875; stenopalis Mabille,1880; cofferlia Bordage,1897; #octogutale Hampson,1899 Range (as code): **ZA**

15446. **Prophantis smaragdina (Butler,1875)** (Pyralidae) Synonymy: smaragdina Butler,1875; stenopalis Mabille,1880; coffealis Bordage,1897 Range (as code): **ZA CM CG ZR GO ER ET GM GH CI KE RE MG MW MU MZ NG SL TZ UG ZW**

15447. **Prophtasia rosa Joannis,1927** (Pyralidae) Synonymy: rosa Joannis,1927 Range (as code): **ZA MZ**

15448. **Prophtasia sphalmatella Hampson,1918** (Pyralidae) Synonymy: sphalmatella Hampson,1918 Range (as code): **ZA**

15449. **Prorophora (s.str.) grisealella Marion,1957** (Pyralidae) Synonymy: grisealella Marion,1957 Range (as code): **SN**

15450. **Prosaris pulverea Hampson,1906** (Pyralidae) Synonymy: pulverea Hampson,1906 Range (as code): **ZA**

15451. **Prosaris rufalis Hampson,1906** (Pyralidae) Synonymy: rufalis Hampson,1906 Range (as code): **ZA**

15452. **Psammotis haematidea (Hampson,1913)** (Pyralidae) Synonymy: haematidea Hampson,1913 Range (as code): **ZA**

15453. **Psara aprepia (Hampson,1913)** (Pyralidae) Synonymy: aprepia Hampson,1913 Range (as code): **ZA MU**

15454. **Psara atritermina (Hampson,1913)** (Pyralidae) Synonymy: atritermina Hampson,1913 Range (as code): **ZA KE GM NG SL SO**

15455. **Psara basalis (Walker,[1866])** (Pyralidae) Synonymy: basalis Walker,[1866]; inanitalis Lederer,1863 Range (as code): **IN LK ID Ja TW ZA**

15456. **Psara dorcalis (Guenée,1863)** (Pyralidae) Synonymy: dorcalis Guenée,1863; grisealis Kenrick,1917 Range (as code): **RE MG ZA**

15457. **Psara pallidalis (Hampson,1913)** (Pyralidae) Synonymy: pallidalis Hampson,1913; aethiopica Strand,1916 Range (as code): **ZA IR Enz**

15458. **Pseudobissetia terrestrella (Christoph,1885)** (Pyralidae) Synonymy: terrestrella Christoph,1885; hypenalis Rebel,1910; tozeurellus Lucas,1911 Range (as code): **ES Si IT RO BG TN JO TM Kp SY IR Kh Gh Tgo Fa Shr Sse UZ Br KK Ik CN Ui RU Us**

15459. **Pseudocatharylla angolica Blesynzki,1964** (Pyralidae) Synonymy: angolica Blesynzki,1964 Range (as code): **AO ZA**

15460. **Pseudocatharylla antiopa Blesynzki,1964** (Pyralidae) Synonymy: antiopa Blesynzki,1964 Range (as code): **ZA**

15461. **Pseudocatharylla auricinctalis (Walker,1863)** (Pyralidae) Synonymy: auricinctalis Walker,1863; argenticilia Hampson,1919 Range (as code): **ZA**

15462. **Pseudocatharylla calypso Bassi,1999** (Pyralidae) Synonymy: calypso Bassi,1999 Range (as code): **ZA**

15463. **Pseudocatharylla flavipedella (Zeller,1852)** (Pyralidae) Synonymy: flavipedellus Zeller,1852 Range (as code): **ZA Nta Kzu**

15464. **Pseudocatharylla mikengella Blesynzki,1964** (Pyralidae) Synonymy: mikengella Blesynzki,1964; submikengella Blesynzki,1964 Range (as code): **AO**

15465. **Pseudocatharylla nemesis Bleszynski,1964** (Pyralidae) Synonymy: nemesis Bleszynski,1964 Range (as code): **CI LR**

15466. **Pseudocatharylla peralbella (Hampson,1919)** (Pyralidae) Synonymy: peralbellus Hampson,1919 Range (as code): **NG GH**

15467. **Pseudocatharylla polyxena Blesynzki,1964** (Pyralidae) Synonymy: polyxena Blesynzki,1964 Range (as code): **ZA**

15468. **Pseudocatharylla xantholeuca (Meyrick,1933)** (Pyralidae) Synonymy: xantholeuca Meyrick,1933 Range (as code): **ZR**

15469. **Pseudocatharylla xymena Blesynzki,1964** (Pyralidae) Synonymy: xymena Blesynzki,1964 Range (as code): **ZA**
15470. **Pseudogetulia luminosa Balinsky,1994** (Pyralidae) Synonymy: luminosa Balinsky,1994 Range (as code): **ZA Tva**
15471. **Pseudographis dermatina Balinsky,1989** (Pyralidae) Synonymy: dermatina Balinsky,1989 Range (as code): **ZA Gau Tva Pre**
15472. **Pseudographis mesosema Balinsky,1989** (Pyralidae) Synonymy: mesosema Balinsky,1989 Range (as code): **ZA Wca Cto Ec Ste**
15473. **Pseudographis sp.** (Pyralidae) Synonymy: Range (as code): **ZA Ec Ste**
15474. **Pseudoinsalebria albipunctella (Chrétien,1911)** (Pyralidae) Synonymy: albipunctella Chrétien,1911 Range (as code): **MA DZ Bsk TN Gf ES Mu**
15475. **Pseudonoorda ecthaemata (Hampson,1913)** (Pyralidae) Synonymy: ecthaemata Hampson,1913 Range (as code): **ZA**
15476. **Pseudonoorda rubricostalis (Hampson,1910)** (Pyralidae) Synonymy: rubricostalis Hampson,1910 Range (as code): **ZA**
15477. **Pseudosyria fibrivora (Meyrick,1934)** (Pyralidae) Synonymy: fibrivora Meyrick,1934 Range (as code): **SD**
15478. **Pseudosyria malacella (Staudinger,1870)** (Pyralidae) Synonymy: malacella Staudinger,1870; punctigerella Caradja,1910; gracilis Rebel,1927 Range (as code): **MA TN Gf DZ ES Grn EG IL Pa AE**
15479. **Psorosa africana Balinsky,1991** (Pyralidae) Synonymy: africana Balinsky,1991 Range (as code): **ZA Tva Gau Pre**
15480. **Psorosa ferrugatella Turati,1924** (Pyralidae) Synonymy: ferrugatella Turati,1924 Range (as code): **PT ES Grn MA DZ TN LY Cy**
15481. **Psorosa flammealis (Hampson,1899)** (Pyralidae) Synonymy: flammealis Hampson,1899 Range (as code): **Sk**
15482. **Psorosa mediterranella Amsel,1954** (Pyralidae) Synonymy: nucleolella auct. nec Möschler,1866; mediterranella Amsel,1953. Range (as code): **MA DZ TN PT ES Mu Si FR Co IT SS HV AL MK BG**
15483. **Psorosa myrmidonella Ragonot,1901** (Pyralidae) Synonymy: myrmidonella Ragonot,1901 Range (as code): **ZA**
15484. **Psorosa nucleolella (Möschler,1866)** (Pyralidae) Synonymy: nucleolella Möschler,1866; clarella Caradja,1910; luteostrigella Caradja,1910 Range (as code): **RO BG TR Cc Nv AZ RU Sb At SY LB IL Pa IQ Shq Bgd Amr EG UA Cm FI SE LV KG Uk Tk Dj IR Elb Plr Kdv Mz Shh Ss Irs Ana Ke Kz Sde AF Hr 31 38 71 76**
15485. **Pterothrixidia damergouensis (Rothschild,1921)** (Pyralidae) Synonymy: damergouensis Rothschild,1921 Range (as code): **NE**
15486. **Pterothrixidia rufella (Duponchel,1836)** (Pyralidae) Synonymy: rufella Duponchel,1836; impurella Duponchel,1837; luridatella Herrich-Schäffer,1847; infuscatella Herrich-Schäffer,1849; corsicella Ragonot,1893; #pallida Leraut,2014; rungsella Leraut,2014 Range (as code): **MA Ifr PT ES Mu FR Co Sa IT MT CH HU RO YU AL BG GR AM Eri Cc TR 04 05 13 27 30 45 44 46 47 32 58 65 70**
15487. **Ptochostola metascotiella Hampson,1919** (Pyralidae) Synonymy: metascotiella Hampson,1919 Range (as code): **ZA Ec**
15488. **Ptychopseustis calamochroa (Hampson,1919)** (Pyralidae) Synonymy: calamochroa Hampson,1919 Range (as code): **SL**
15489. **Pycnarmon albivittale (Hampson,1912)** (Pyralidae) Synonymy: albivittale Hampson,1912 Range (as code): **ZA**
15490. **Pycnarmon cribratum (Fabricius,1794)** (Pyralidae) Synonymy: cribrata Fabricius,1794; caberale Guenée,1854; abdicale Walker,1859; coryciale Snellen,1880; privale Snellen,1890; frenulale Strand,1918. Range (as code): **IN LK SG CN TW AU ZA ZR KE MG MW MZ SL ZM ZW ML ID Ja Clb**
15491. **Pycnarmon diaphanum (Cramer,1779)** (Pyralidae) Synonymy: diaphana Cramer,1779 Range (as code): **ZA CM ZR GO ET SC SL ZM ZW**
15492. **Pycnarmon meritalis (Walker,1859)** (Pyralidae) Synonymy: meritalis Walker,1859; plexippusalis Walker,1859; baptalis Snellen,1880; annulata W.Warren,1896 Range (as code): **IN LK MY Bor TH CMa ID Ja CN TW AU JP ZA**
15493. **Pycnarmon sexpunctalis (Hampson,1912)** (Pyralidae) Synonymy: sexpunctalis Hampson,1912 Range (as code): **ZR GM NG SL ML**
15494. **Pygospila tyres (Cramer,[1780])** (Pyralidae) Synonymy: tyres Cramer,[1780]; thyralis Hübner,[1825]; #tyresalis Guenée,1852; #tyridia Strand,1920 Range (as code): **PK Cp PH Boh Luz Pq CmM Neg Knl Mpl Mno Bkd Ktd Pal Olg IN Ley Blc NP LK MM TH CMa Cuo Cu07 Cmz Cz10 Bor Ja Grm Clb Amb Aru PG AU ID ZA CM ZR CI MW NG SL ZW**

15495. **Pylamorpha albida Balinsky,1994** (Pyralidae) Synonymy: albida Balinsky,1994 Range (as code): **ZA Nta Kzu Umk**
15496. **Pylamorpha cristata Balinsky,1994** (Pyralidae) Synonymy: cristata Balinsky,1994 Range (as code): **ZW**
15497. **Pyralis albilautalis W.Warren,1891** (Pyralidae) Synonymy: albilautalis W.Warren,1891 Range (as code): **ZA Nta Kzu**
15498. **Pyralis biblisalis (Walker,1859)** (Pyralidae) Synonymy: biblisalis Walker,1859 Range (as code): **ZA**
15499. **Pyralis dentibasalis W.Warren,1914** (Pyralidae) Synonymy: dentibasalis W.Warren,1914 Range (as code): **ZA**
15500. **Pyralis effulgens W.Warren,1914** (Pyralidae) Synonymy: effulgens W.Warren,1914 Range (as code): **ZA**
15501. **Pyralis farinalis (Linnaeus,1758)** (Pyralidae) Synonymy: farinalis Linnaeus,1758; erecta Fourcroy,1785; farinatus Haworth,1810; domesticalis Zeller,1847; fraterna Butler,1879; tenerifensis Rebel,1906; meridionalis Schmidt,1934; orientalis Amsel,1961 nec Fabr.,1794. Range (as code): **Az Cn DZ Elt TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Oru Elb Th Kdj Nss Ha Gls LB Bsa IQ Bgd Er Shq DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf AF Ca Gbh Pli AU AY NZ TW JP KP KR ZA ML SH SC YE ZW 01 05 06 08 16 17 21 31 34 38 39 46 48 55 60 65 72 80**
15502. **Pyralis flavirubralis Hampson,1917** (Pyralidae) Synonymy: flavirubralis Hampson,1917 Range (as code): **ZA**
15503. **Pyralis fumipennis Butler,1889** (Pyralidae) Synonymy: fumipennis Butler,1889 Range (as code): **ZA**
15504. **Pyralis galactalis Hampson,1916** (Pyralidae) Synonymy: galactalis Hampson,1916 Range (as code): **ZA**
15505. **Pyralis manihotalis Guenée,1854** (Pyralidae) Synonymy: manihotalis Guenée,1854; vetusalis Walker,1859; gerontesalis Walker,1859; laudatella Walker,1863; despectalis Walker,1866; miseralis Walker,1866; achatina Butler,1877; haematinalis Saalmüller,1880; centripunctalis Gaede,1916; pupalis Strand,1919; compsobathra Meyrick,1932. Range (as code): **WS PG MY PH Luz VN AU IN TW ZA US Fl JP RU Us**
15506. **Pyralis rubellalis Zeller,1852** (Pyralidae) Synonymy: rubellalis Zeller,1852 Range (as code): **ZA**
15507. **Pyralis secretalis Wallengren,1875** (Pyralidae) Synonymy: secretalis Wallengren,1875 Range (as code): **ZA**
15508. **Pyralosis ocellalis (Lederer,1863)** (Pyralidae) Synonymy: ocellalis Lederer,1863; ocelliferalis Hampson,1906; circozyga Meyrick,1937 Range (as code): **CI UG ZR**
15509. **Pyralosis polycyclophora (Hampson,1916)** (Pyralidae) Synonymy: polycyclophora Hampson,1916 Range (as code): **MW Mje**
15510. **Pyralosis terminalis (Rothschild,1915)** (Pyralidae) Synonymy: terminalis Rothschild,1915 Range (as code): **DZ Ah EG**
15511. **Pyrausta admensalis (Walker,1859)** (Pyralidae) Synonymy: admensalis Walker,1859 Range (as code): **ZA**
15512. **Pyrausta adsocialis (Zeller,1852)** (Pyralidae) Synonymy: adsocialis Zeller,1852 Range (as code): **ZA**
15513. **Pyrausta albialis (Walker,1859)** (Pyralidae) Synonymy: albialis Walker,1859 Range (as code): **ZA**
15514. **Pyrausta amelokalis (Viette,1958)** (Pyralidae) Synonymy: amelokalis Viette,1958 Range (as code): **MG**
15515. **Pyrausta ankaratralis Marion & Viette,1956** (Pyralidae) Synonymy: ankaratralis Marion & Viette,1956 Range (as code): **MG**
15516. **Pyrausta apicalis (Hampson,1913)** (Pyralidae) Synonymy: apicalis Hampson,1913 Range (as code): **ZA**
15517. **Pyrausta atricinctalis Hampson,1913** (Pyralidae) Synonymy: atricinctalis Hampson,1913 Range (as code): **ZA Tva Lpo Kru Pma**
15518. **Pyrausta aurata (Scopoli,1763)** (Pyralidae) Synonymy: aurata Scopoli,1763; punicealis [Denis & Schiffermüller],1775; niepoldalis Lederer,1863; meridionalis Staudinger,1880 nec Wcke,1871; deficiens Dufrane,1957; inciae Koçak,1982 Range (as code): **Cn MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr LB Bsa IL Pa CY TR IR Fa Yz Elb Kdj Th Ana Ke Ab Sro Enz Gh Kh Tgo Gls IQ Dia Rwz Shq DK NO SE FI EE LV LT RU MD UA BY AF Srb Pli Arh Hr Kot Fz Khi Kab Dwe Cc GG Bjo Mng Nv Ord Hkd Len Sok AZ Agi 01 05 06 13 14 16 23 30 31 33 42 44 56 65 69 71 72 76**
15519. **Pyrausta bilineaterminalis Maes,2009** (Pyralidae) Synonymy: bilineaterminalis Maes,2009 Range (as code): **ZA Mpu Wv**
15520. **Pyrausta binalis (Zeller,1852)** (Pyralidae) Synonymy: binalis Zeller,1852 Range (as code): **ZA**

15521. **Pyrausta bostralis (Hampson,1919)** (Pyralidae) Synonymy: bostralis Hampson,1919 Range (as code): **UG**
15522. **Pyrausta castalis Treitschke,1829** (Pyralidae) Synonymy: castalis Treitschke,1829 Range (as code): **MA PT ES FR IT CZ HU RO HV YU AL MK BG GR RU Vl UA TR IR Elb Th Fa AZ Cc Nv Ord AM Eri 04 05 06 13 16 25 30 37 42 44 65 69 70 71 73 76**
15523. **Pyrausta centralis Maes,2009** (Pyralidae) Synonymy: centralis Maes,2009 Range (as code): **KE Kkm**
15524. **Pyrausta chrysocarpa Meyrick,1937** (Pyralidae) Synonymy: chrysocarpa Meyrick,1937 Range (as code): **ZR**
15525. **Pyrausta cinnamomealis (Wallengren,1860)** (Pyralidae) Synonymy: cinnamomealis Wallengren,1860 Range (as code): **ZA**
15526. **Pyrausta despicata (Scopoli,1763)** (Pyralidae) Synonymy: despicata Scopoli,1763; koenigiana O.F.Müller,1764; vestianella Clerk,1764; cespitalis [Denis & Schiffermüller],1775; sordialis Thunberg,1784; intermedialis Duponchel,1833; tendinosalis Bremer,1874; yangtsealis Caradja,1938; ifranalis Leraut,2001 Range (as code): **MA Ifr PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO SS YU AL BG GR Cr TR IQ Rwz Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj BdA Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli Ui Ju Ku UZ Fe AZ AM LB Bsa PK Abb Sro Mz Sb Yu Uk JO KG Db Skk Kdy DZ Lbs BY MD UA Cm Lvv Da Aa Vl KP KR 01 05 06 11 13 14 16 17 21 24 25 30 31 32 33 34 42 46 49 51 55 56 58 65 71 72 76**
15527. **Pyrausta diatoma Hampson,1913** (Pyralidae) Synonymy: diatoma Hampson,1913; rubritinctalis Hampson,1916 Range (as code): **ZA**
15528. **Pyrausta distictalis Hampson,1918** (Pyralidae) Synonymy: distictalis Hampson,1918 Range (as code): **UG**
15529. **Pyrausta falcatalis (Guenée,1854)** (Pyralidae) Synonymy: phoenicealis Fischer von Rösslerstamm,1834 nec Hbn.,1818; falcatalis Guenée,1854; tauricalis Caradja,1916 Range (as code): **FR IT DE CH AT PL CZ SK HU RO YU BG RU Vl UA TR Cc GG Bjo CN AU TW JP ZA 05 28 31 33 65**
15530. **Pyrausta flavimarginalis (Hampson,1913)** (Pyralidae) Synonymy: flavimarginalis Hampson,1913; termoxantha Meyrick,1933 Range (as code): **KE Nai ZR Kvu**
15531. **Pyrausta fulvilinealis Hampson,1918** (Pyralidae) Synonymy: fulvilinealis Hampson,1918 Range (as code): **UG**
15532. **Pyrausta gazalis Hampson,1913** (Pyralidae) Synonymy: gazalis Hampson,1913 Range (as code): **ZA**
15533. **Pyrausta gemmiferalis (Zeller,1852)** (Pyralidae) Synonymy: gemmiferalis Zeller,1852 Range (as code): **ZA**
15534. **Pyrausta grisealis Maes,2009** (Pyralidae) Synonymy: grisealis Maes,2009 Range (as code): **NA**
15535. **Pyrausta kandalis Viette,1989** (Pyralidae) Synonymy: kandalis Viette,1989 Range (as code): **MG**
15536. **Pyrausta labordalis Viette,1958** (Pyralidae) Synonymy: labordalis Viette,1958 Range (as code): **MG**
15537. **Pyrausta luteomarginalis Maes,2004** (Pyralidae) Synonymy: luteomarginalis Maes,2004 Range (as code): **CM**
15538. **Pyrausta marginepunctalis Gaede,1916** (Pyralidae) Synonymy: marginepunctalis Gaede,1916 Range (as code): **CM M**
15539. **Pyrausta microdontaloides Maes,2009** (Pyralidae) Synonymy: microdontalis Hampson,1918 nec Hmps.,1912; microdontaloides Maes,2009 Range (as code): **KE TZ**
15540. **Pyrausta multifidalis (Chrétien,1911)** (Pyralidae) Synonymy: multifidalis Chrétien,1911 Range (as code): **DZ Bsk EG**
15541. **Pyrausta neglectalis Caradja,1916** (Pyralidae) Synonymy: neglectalis Caradja,1916; rungsi D.Lucas,1942 Range (as code): **MA PT ES Cue An TR Cc AM Eri 05 42 76**
15542. **Pyrausta orbitalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonymy: orbitalis R.Felder & Rogenhofer,1875 Range (as code): **ZA**
15543. **Pyrausta ostrinalis (Hübner,1796)** (Pyralidae) Synonymy: ostrinalis Hübner,1796; moestalis Duponchel,1833; puralis La Harpe,1864 Range (as code): **MA Ifr DZ Lbs ES Mu FR IT IE GB BE NL DE CH AT CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY AF Ca 01 05 10**
15544. **Pyrausta pastrinalis (Guenée,1862)** (Pyralidae) Synonymy: pastrinalis Guenée,1862 Range (as code): **RE**
15545. **Pyrausta pellicalis (Staudinger,1871)** (Pyralidae) Synonymy: pellicalis Staudinger,1871 Range (as code): **ES An Grn Alc Vlc FR MA DZ Cr TR 65**
15546. **Pyrausta perparvula Maes,2009** (Pyralidae) Synonymy: perparvula Maes,2009 Range (as code): **TZ**
15547. **Pyrausta phoenicealis (Hübner,1818)** (Pyralidae) Synonymy: phoenicealis Hübner,1818; nerialis Boisduval,1833; flegialis Walker,1859; noraxalis Walker,1859; ocellulalis Walker,1859; panopealis Walker,1859;

coecilialis Walker,1859; probalis Walker,1859;juncturalis Walker,1866; catenalis Walker,1866; concatenalis Walker,1866; juncturalis Walker,1866; heliamma Meyrick,1885; chrysocarpa Meyrick,1937 Range (as code): **US Fl Ny SL AU QAu IN SI Djl BR CO KM ZR GM MG ML LR MR NA RE SA SN SC SL SO ZA AE CN TW JP**

15548. **Pyrausta ruficincta Hampson,1913** (Pyralidae) Synonymy: ruficincta Hampson,1913 Range (as code): **ZA**

15549. **Pyrausta rufilinealis Hampson,1910** (Pyralidae) Synonymy: rufilinealis Hampson,1910 Range (as code): **ZW**

15550. **Pyrausta sanguifusalis Hampson,1913** (Pyralidae) Synonymy: sanguifusalis Hampson,1913 Range (as code): **KE**

15551. **Pyrausta sanguinalis (Linnaeus,1767)** (Pyralidae) Synonymy: sanguinalis Linnaeus,1767; crentalis Scriba,1770; haematalis Hübner,[1819] Range (as code): **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR DK NO SE FI EE LV RU MD UA BY Cc GG AZ Tbl Bjo Kir Lag AM Eri IL Pa Hf LB CY IR Gh Tgo Ana Ke Fa Shr Com Elb Kh Th Mz Plr Gor AF Pag Kot Bkt Asm Arh Hr Slg Bsg Gbh Srb Pl Nv Ord Len Mz Gls DZ Bsk Clo TN Gf Ui Ku Js MA DZ PK Gg Cls Ds Mre 01 02 05 06 07 13 16 17 30 31 33 34 39 44 54 56 65 69 70 71 73 76 80**

15552. **Pyrausta semilimbalis Mabille,1900** (Pyralidae) Synonymy: semilimbalis Mabille,1900 Range (as code): **ZA**

15553. **Pyrausta sexplagalis Gaede,1917** (Pyralidae) Synonymy: sexplagalis Gaede,1917 Range (as code): **GO**

15554. **Pyrausta sthenialis Hampson,1916** (Pyralidae) Synonymy: sthenialis Hampson,1916 Range (as code): **SO**

15555. **Pyrausta syntomidalis (Viette,1960)** (Pyralidae) Synonymy: syntomidalis Viette,1960 Range (as code): **MG**

15556. **Pyrausta tetraplagalis Hampson,1899** (Pyralidae) Synonymy: tetraplagalis Hampson,1899 Range (as code): **ZW**

15557. **Pyrausta triselena Meyrick,1937** (Pyralidae) Synonymy: triselena Meyrick,1937 Range (as code): **ZR**

15558. **Pyrausta violascens Hampson,1918** (Pyralidae) Synonymy: violascens Hampson,1918 Range (as code): **GH**

15559. **Pyrausta virginalis Duponchel,1832** (Pyralidae) Synonymy: virginalis Duponchel,1832; auroralis Zeller,1847; tristriatalis Szent-Ivany & Uhrik-Meszaros,1942; arianalis Amsel,1970 Range (as code): **TN Elk Sfx FR Co Sa Si IT CH AT SK HU RO YU HV MK AL BG Slv GR Cr Rd CY TR Cc AM Eri IL Pa Js IQ Hjo Mos Shq IR Fa Shr Sse Th Kdj Elb Mz Kh Srd AF Pnj Kbb Kot BdA 01 02 06 13 14 16 30 31 32 38 44 58 65 71 72 73 80**

15560. **Pyraustomorpha lingulalis Maes,2014** (Pyralidae) Synonymy: lingulalis Maes,2014 Range (as code): **AO**

15561. **Quasiexuperius rhodesianus Balinsky,1994** (Pyralidae) Synonymy: rhodesianus Balinsky,1994 Range (as code): **ZW Swm**

15562. **Ralpharia scabida (Zeller,1867)** (Pyralidae) Synonymy: scabida Zeller,1867; nubicella Zerny,1917; #assuanensis Rebel Range (as code): **SD Kht SD91 EG EG11**

15563. **Ramosignathos inconspicuella Balinsky,1994** (Pyralidae) Synonymy: inconspicuella Balinsky,1994 Range (as code): **NA**

15564. **Remanephycis sudanella Roesler,1989** (Pyralidae) Synonymy: sudanella Roesler,1989 Range (as code): **SD Ksl**

15565. **Repetekiodes kraussi (Rebel,1903)** (Pyralidae) Synonymy: kraussi Rebel,1903; umbriferella Mabille,1906; biformis Rothschild,1915; fasciferella Dumont,1928; nigrifasciella Dumont,1928; lepigreella Dumont,1948. Range (as code): **DZ Gle Bsk Gha Ah TN SA**

15566. **Rhinaphe castanealis Hampson,1912** (Pyralidae) Synonymy: castanealis Hampson,1912 Range (as code): **ZA**

15567. **Rhinaphe flavodorsalis Janse,1922** (Pyralidae) Synonymy: flavodorsalis Janse,1922 Range (as code): **ZA**

15568. **Rhinaphe lutosa Janse,1922** (Pyralidae) Synonymy: lutosa Janse,1922 Range (as code): **ZA**

15569. **Rhinaphe nigricostalis (Walker,1863)** (Pyralidae) Synonymy: nigricostalis Walker,1863 Range (as code): **ZA IN LK MM MY Bor ID TW FJ WS OW**

15570. **Rhinaphe scripta De Joannis,1927** (Pyralidae) Synonymy: scripta De Joannis,1927 Range (as code): **ZA**

15571. **Rhinaphe seeboldi (Ragonot,1894)** (Pyralidae) Synonymy: seeboldi Ragonot,1894 Range (as code): **ZA**

15572. **Rhodochrysa superbella Hampson,1901** (Pyralidae) Synonymy: superbella Hampson,1901 Range (as code): **ZA Kzu Nta Est**

15573. **Rhynchopaschia melanolopha Hampson,1906** (Pyralidae) Synonymy: melanolopha Hampson,1906 Range (as code): **ZA**
15574. **Rhynchopaschia reducta Janse,1931** (Pyralidae) Synonymy: reducta Janse,1931 Range (as code): **ZA Tva Pre Gau Mpu Brb**
15575. **Rotrudosoma parvellum Roesler,1964** (Pyralidae) Synonymy: parvellum Roesler,1964 Range (as code): **LY Cy**
15576. **Rungsina canifusalis (Hampson,1900)** (Pyralidae) Synonymy: canifusalis Hampson,1900; smaraensis Leraut,2004 Range (as code): **TN Gf DZ Ges Gle Bsk Gha Hdr Eal Onç SY JO IQ Amr Kro IR Fa Shr KW**
15577. **Rungsina mideltensis Leraut,2004** (Pyralidae) Synonymy: mideltensis Leraut,2004 Range (as code): **MA**
15578. **Rungsina rungsi Leraut,2004** (Pyralidae) Synonymy: rungsi Leraut,2004 Range (as code): **MA**
15579. **Sacada erythropis Hampson,1917** (Pyralidae) Synonymy: erythropis Hampson,1917 Range (as code): **NG**
15580. **Sacada giovanettae Marion,1957** (Pyralidae) Synonymy: giovanettae Marion,1957 Range (as code): **CI**
15581. **Sacada madegassalis Viette,1960** (Pyralidae) Synonymy: madegassalis Viette,1960 Range (as code): **MG**
15582. **Sacada nicopaea Tams,1941** (Pyralidae) Synonymy: nicopaea Tams,1941 Range (as code): **UG**
15583. **Sacada nyasana Hampson,1917** (Pyralidae) Synonymy: nyasana Hampson,1917 Range (as code): **MW**
15584. **Sacada paulianalis Viette,1953** (Pyralidae) Synonymy: paulianalis Viette,1953; vinolentalis Viette,1960 Range (as code): **MG**
15585. **Sacada prasinalis Hampson,1906** (Pyralidae) Synonymy: prasinalis Hampson,1906 Range (as code): **SL NG**
15586. **Sacada rhodinalis Hampson,1916** (Pyralidae) Synonymy: rhodinalis Hampson,1916 Range (as code): **ZA**
15587. **Sacada rhyacophila Ghesquière,1942** (Pyralidae) Synonymy: rhyacophila Ghesquière,1942 Range (as code): **ZR**
15588. **Sacada rosealis Hampson,1916** (Pyralidae) Synonymy: rosealis Hampson,1916 Range (as code): **ZA ZW Bul**
15589. **Sacada viridalis Hampson,1917** (Pyralidae) Synonymy: viridalis Hampson,1917 Range (as code): **CM**
15590. **Salbia haemorrhoidalis Guenée,1854** (Pyralidae) Synonymy: haemorrhoidalis Guenée,1854; dircealis Walker,1859; futilalis Barnes & McDunnough,1914 Range (as code): **Hw QAu US Tx Fl CU BR JM AU MU NG ZA TZ UG ZM ZW**
15591. **Salma melapastalis (Hampson,1906)** (Pyralidae) Synonymy: melapastalis Hampson,1906 Range (as code): **DJ GM KE RE MW MZ NA ZA TG ZW**
15592. **Saluria albicostella Janse,1922** (Pyralidae) Synonymy: albicostella Janse,1922 Range (as code): **ZA**
15593. **Saluria arcticostella (Ragonot,1888)** (Pyralidae) Synonymy: arcticostella Ragonot,1888 Range (as code): **TZ Zz**
15594. **Saluria claricostella (Ragonot,1888)** (Pyralidae) Synonymy: claricostella Ragonot,1888 Range (as code): **IC GH AC TW**
15595. **Saluria devylderi (Ragonot,1888)** (Pyralidae) Synonymy: devylderi Ragonot,1888 Range (as code): **NA**
15596. **Saluria flavicosta Hampson,1918** (Pyralidae) Synonymy: flavicosta Hampson,1918 Range (as code): **NG**
15597. **Saluria inficita (Walker,1863)** (Pyralidae) Synonymy: inficita Walker,1863 Range (as code): **ZA IN**
15598. **Saluria macrella (Ragonot,1888)** (Pyralidae) Synonymy: macrella Ragonot,1888 Range (as code): **ZA**
15599. **Saluria maculivittella Ragonot,1887** (Pyralidae) Synonymy: maculivittella Ragonot,1887; armeniella Ragonot,1888 Range (as code): **MA DZ Ah Gle Omy Bsk TN Gab FR Sa IT? TR KG Uk JO IQ Bgd Kbl Amr IL EG CY IR Ahz Kz Fa RU UZ Man IN**
15600. **Saluria mesomelanella Hampson,1918** (Pyralidae) Synonymy: mesomelanella Hampson,1918 Range (as code): **ZA**
15601. **Saluria nimbelloides Joannis,1927** (Pyralidae) Synonymy: nimbelloides Joannis,1927 Range (as code): **MZ**
15602. **Saluria orgastica Meyrick,1935** (Pyralidae) Synonymy: orgastica Meyrick,1935 Range (as code): **RW**

15603. **Saluria pathetica Meyrick,1935** (Pyralidae) Synonymy: pathetica Meyrick,1935 Range (as code): **RW**
15604. **Saluria pretoriae Janse,1922** (Pyralidae) Synonymy: pretoriae Janse,1922 Range (as code): **ZA**
15605. **Saluria pulverata Janse,1922** (Pyralidae) Synonymy: pulverata Janse,1922 Range (as code): **ZA**
15606. **Saluria rhodophaea Hampson,1918** (Pyralidae) Synonymy: rhodophaea Hampson,1918 Range (as code): **ZA**
15607. **Saluria semirosella Hampson,1918** (Pyralidae) Synonymy: semirosella Hampson,1918 Range (as code): **SL UG**
15608. **Saluria stictophora Hampson,1918** (Pyralidae) Synonymy: stictophora Hampson,1918 Range (as code): **ZW Har**
15609. **Saluria subcarnella (Ragonot,1888)** (Pyralidae) Synonymy: subcarnella Ragonot,1888 Range (as code): **ZA Kzu Nta**
15610. **Saluria subcarnella (Ragonot,1888)** (Pyralidae) Synonymy: subcarnella Ragonot,1888 Range (as code): **ZA Kzu Nta**
15611. **Saluria tripartitella Ragonot,1901** (Pyralidae) Synonymy: tripartitella Ragonot,1901; #tripartella Hampson,1918 Range (as code): **ZA**
15612. **Samaria inconspicuella Balinsky,1994** (Pyralidae) Synonymy: inconspicuella Balinsky,1994 Range (as code): **ZA Wca Cto**
15613. **Samaria indentella Ragonot,1893** (Pyralidae) Synonymy: indentella Ragonot,1893 Range (as code): **LB Bei ZA**
15614. **Sameodes cancellalis (Zeller,1852)** (Pyralidae) Synonymy: cancellalis Zeller,1852; pipleisalis Walker,1859; lepidalis Walker,1859; sidealis Walker,1859; meridionalis Walker,[1866]; trithyralis Snellen,1880 Range (as code): **AF Srb WS SB PH Luz IN LK MM Ja Clb PG ID AU TH TW Adm MY SG FJ CM ZR GM GH RE MG MW MZ SC SL ZA TZ TG ZM ZW ML**
15615. **Sceliodes laisalis (Walker,1859)** (Pyralidae) Synonymy: laisalis Walker,1859; idmonealis Walker,1859; subterminalis Walker,1866 Range (as code): **ZA Nta Kzu ES An GB BE MA**
15616. **Schoenobius attenuatus Hampson,1919** (Pyralidae) Synonymy: attenuatus Hampson,1919 Range (as code): **ZA**
15617. **Schoenobius caminarius Zeller,1852** (Pyralidae) Synonymy: caminarius Zeller,1852 Range (as code): **ZA**
15618. **Schoenobius forficellus (Thunberg,1794)** (Pyralidae) Synonymy: forficella Thunberg,1794; consortellus Hübner,1796; lanceolellus Hübner,1810; consorta Haworth,1811; hirtus Haworth,1811; lanceolalis Hübner,[1825] Range (as code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY ZA**
15619. **Sciota elegiella (Zerny,1928)** (Pyralidae) Synonymy: elegiella Zerny,1928; rungsi Leraut,2002 Range (as code): **ES An MA DZ**
15620. **Scirpophaga bradleyi Lewvanich,1981** (Pyralidae) Synonymy: bradleyi Lewvanich,1981 Range (as code): **AO**
15621. **Scirpophaga incertulas (Walker,1863)** (Pyralidae) Synonymy: incertulas Walker,1863; ?admotella Walker,1863; punctellus Zeller,1863; minutellus Zeller,1863; bipunctifera Walker,1863; gratiosellus Walker,1864; #ncertulas Hutacharern & Tubtim,1995. Range (as code): **AF Srb NP IN Clc Bba Ass Poo LK MM VN TH Bnk CMa Cuo1 MY SG ID Sum Ja Bor Clb PH Pal Luz Mno TW CN Hn JP ZA Sbh Swk Klt**
15622. **Scirpophaga marginepunctella Joannis,1927** (Pyralidae) Synonymy: marginepunctella Joannis,1927 Range (as code): **ZA**
15623. **Scirpophaga nivella (Fabricius,1794)** (Pyralidae) Synonymy: nivella Fabricius,1794; chrysorrhoa Zeller,1863; auriflua Zeller,1863; brunnescens Moore,1888; celidias Meyrick,1894; euclastalis Strand,1918. Range (as code): **WS ZR IN Clc LK SG PH CN TW JP ID Ja Bor Crm AU TH FJ MM Adm VN MY SG Bor Sbh Swk Klt**
15624. **Scirpophaga occidentella (Walker,1863)** (Pyralidae) Synonymy: occidentella Walker,1863 Range (as code): **ZA**
15625. **Scirpophaga praelata (Scopoli,1763)** (Pyralidae) Synonymy: praelata Scopoli,1763; dubia Rossi,1790; latidactyla Hübner,1790; phantasmatalis Hübner,[1825]; alba Hübner,[1828]; #grisea Guenée,1845; #cinerea Zeller,1863; limnochares Common,1960. Range (as code): **MA DZ ES FR IT CH AT PL CZ SK HU RO YU BG GR TR KG Uk IR Shh Elb Th Enz Mz LT TM RU Sr Prj Us CN JP TW LB Bei JP Hkk TW AU 01 05 06 09 17 31 32 33 46 52**
15626. **Scoparia allicola Meyrick,1935** (Pyralidae) Synonymy: allicola Meyrick,1935 Range (as code): **UG**
15627. **Scoparia alticola Meyrick,1935** (Pyralidae) Synonymy: alticola Meyrick,1935 Range (as code): **UG Rz**
15628. **Scoparia ambigualis (Treitschke,1829)** (Pyralidae) Synonymy: ambigualis Treitschke,1829; erralis Guenée,1854; atomalis Stainton,1855; asphodeliella La Harpe,1855; aestiva Speyer,1867; #taeniatella Teich,1889; #crossi

Bankes,1909 Range (as code): **MA DZ Clo ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Ur MD UA BY TR Cc AZ Len IR Elb Gor Elb Mz CN JP CA Lbr 05 16 46**

15629. **Scoparia benigna Meyrick,1910** (Pyralidae) Synonymy: benigna Meyrick,1910 Range (as code): **MU**

15630. **Scoparia coeruleotincta Hampson,1917** (Pyralidae) Synonymy: coeruleotincta Hampson,1917 Range (as code): **Cn**

15631. **Scoparia dipenda Maes,1996** (Pyralidae) Synonymy: dipenda Maes,1996 Range (as code): **CM**

15632. **Scoparia dulcis Joannis,1932** (Pyralidae) Synonymy: dulcis Joannis,1932 Range (as code): **MU**

15633. **Scoparia elongalis Maes,1996** (Pyralidae) Synonymy: elongalis Maes,1996 Range (as code): **CM**

15634. **Scoparia fakoensis Maes,1996** (Pyralidae) Synonymy: fakoensis Maes,1996 Range (as code): **CM**

15635. **Scoparia gallica Peyerimhoff,1873** (Pyralidae) Synonymy: gallica Peyerimhoff,1873; talboti Schmidt,1934; ancipitalis Zerny,1935 Range (as code): **MA ES FR CH**

15636. **Scoparia gilvescens Rebel,1917** (Pyralidae) Synonymy: gilvescens Rebel,1917 Range (as code): **Cn**

15637. **Scoparia idiogama Meyrick,1935** (Pyralidae) Synonymy: idiogama Meyrick,1935 Range (as code): **UG**

15638. **Scoparia ingratella (Zeller,1846)** (Pyralidae) Synonymy: ?majalis Scopoli,1763; ingratella Zeller,1846; ingratalis Herrich-Schäffer,1853; sibirica Lederer,1853; octavianella Mann,1859; catalonica Leraut,1982 Range (as code): **MA ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG CY GR RU Sb MD UA BY TR LB Cc GG Tbl Bjo AM Ch At KG Ur Mn 05 58 65**

15639. **Scoparia kanai Maes,1996** (Pyralidae) Synonymy: kanai Maes,1996 Range (as code): **CM**

15640. **Scoparia murificalis Walker,1859** (Pyralidae) Synonymy: murificalis Walker,1859; truncicolella Butler,1899 nec Stt.,1849 Range (as code): **IN LK CN YE Sk**

15641. **Scoparia resinodes Joannis,1932** (Pyralidae) Synonymy: resinodes Joannis,1932 Range (as code): **RE**

15642. **Scoparia subfusca Haworth,[1811]** (Pyralidae) Synonymy: subfusca Haworth,[1811]; graecella Stainton,1849; subfuscalis Guenée,1854; scotica White,1872; cembrae auct. nec Haworth,1811; cembralis auct. nec Gn.,1854; zelleri Wocke,1855; pfeifferi Marion,1960; #sugfusca Leraut,1984 Range (as code): **MA ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR IR Ab Sro Oru Elb Mz Plr Gor DK NO SE FI EE LV RU MD UA BY 42 46 65**

15643. **Scoparia tafirella Chrétien,1908** (Pyralidae) Synonymy: tafirella Chrétien,1908 Range (as code): **Cn**

15644. **Scoparia talboti Schmidt,1934** (Pyralidae) Synonymy: talboti Schmidt,1934 Range (as code): **MA**

15645. **Scoparia thyrophania Meyrick,1932** (Pyralidae) Synonymy: thyrophania Meyrick,1932 Range (as code): **UG**

15646. **Scotomera caesarealis (Ragonot,1891)** (Pyralidae) Synonymy: caesarealis Ragonot,1891; beatalis Kalchberg,1897 Range (as code): **LB TR IL Pa Hf Jt JO CY EG GR 31 38 42 46**

15647. **Scotomera fuliginosalis Leraut,2007** (Pyralidae) Synonymy: fuliginosalis Leraut,2007 Range (as code): **NA**

15648. **Scotomera gnidusalis (Walker,1859)** (Pyralidae) Synonymy: gnidusalis Walker,1859; tristis Butler,1881 Range (as code): **TR LK PK Cp Sd Krc IQ ZA 31**

15649. **Scotomera tacapealis (Ragonot,1891)** (Pyralidae) Synonymy: tacapealis Ragonot,1891 Range (as code): **TN DZ IQ Bgd Rwz IR Th Kdj Elb**

15650. **Sebrus absconditus Bassi,1995** (Pyralidae) Synonymy: absconditus Bassi,1995 Range (as code): **ZA**

15651. **Sebrus amandus Bleszynski,1970** (Pyralidae) Synonymy: amandus Bleszynski,1970 Range (as code): **MG**

15652. **Sebrus pseudosparsellus (Bleszynski,1961)** (Pyralidae) Synonymy: pseudosparsellus Bleszynski,1961; #pseudoparsellus Bleszynski & Collins,1962 Range (as code): **ZA**

15653. **Seeboldia korgosella Ragonot,1887** (Pyralidae) Synonymy: korgosella Ragonot,1887; uralskella Caradja,1910; occidentella Zerny,1927; jolanella Schmidt,1933 Range (as code): **TN ES Cue FR Py AL RU Or CN Ui Ku Khr KG Uk KK Na Ik TR 65**

15654. **Selagia spadicella (Hübner,1796)** (Pyralidae) Synonymy: spadicella Hübner,1796; janthinella Hübner,[1813]; saltuella Mann,1862; uralensis Rebel,1910; declaratella Zerny,1927; isabella Zerny,1935; brunneella D.Lucas,1956 Range (as code): **MA Ifr ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA BY RU Ur Ui Ju KK Na KG Tk Dj Uk 06 13 16 42 46 58 65**

15655. **Sematoneura africana Balinsky,1994** (Pyralidae) Synonymy: africana Balinsky,1994 Range (as code): **ZA Tra Ec**

15656. **Sindris magnifica Jordan,1904** (Pyralidae) Synonymy: magnifica Jordan,1904 Range (as code): **ZA**

15657. **Sindris sganzini Boisduval,1833** (Pyralidae) Synonymy: sganzini Boisduval,1833; #sganziella Guenée,1852 Range (as code): **ZA**

15658. **Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: ? flaveolata Hufnagel,1767; palealis [Denis & Schiffermüller],1775; stigmatalis De Villers,1789; selenalis Hübner,[1819]; anaxisalis Walker,1859; algiralis Allard,1867; extremalis Caradja,1916 Range (as code): **MA DZ Sfr Cst PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY IR Mz Gh Tgo Cc AM GG Lag AZ Nv Ord Da Der Hkd CN Ui Ku US Iln Idp Mch Wc 06 14 16 30 37 42 46 58 65**

15659. **Spatulipalpia monstrosa Balinsky,1994** (Pyralidae) Synonymy: monstrosa Balinsky,1994 Range (as code): **ZA Tva Mpu Tst**

15660. **Sphaerodeltis psammoleuca Meyrick,1933** (Pyralidae) Synonymy: psammoleuca Meyrick,1933 Range (as code): **ZR**

15661. **Sphinctocera crassisquama W.Warren,1897** (Pyralidae) Synonymy: crassisquama W.Warren,1897 Range (as code): **ZA Ec Nta Kzu Tva Lpo**

15662. **Spoladea recurvalis (Fabricius,1775)** (Pyralidae) Synonymy: recurvalis Fabricius,1775; fascialis Cramer,[1782]; recurvella Zincken,1818; diffascialis Hübner,[1825]; albifacialis Boisduval,1833; animalis Guenée,1854; exodias Meyrick,1904; formosana Shiraki,1910. Range (as code): **Az Cn ES FR Co BE MT GB NL DE DK PH Luz Boh ID Sum Ja Amb Tim JP KP KR TW CN PG NIr AU NZ Hw IN Adm LK MG BR ZA Lpo Tva Spb Mdk AF Srb Gbh Kot IQ Bgd YE LB IR Fa Sse Shr Ss Irs CY TR IL Pa Hf WS FJ NH MY Kmd MM TH CMa Cu0 Cu01 Cu05 Dst Ds09 Sgk Hya PSu HU RU Sh Krl Am Us Cc Ce Gro UA Cm SG Md PK Cp H-A AE OM DB KH Kwa Stg Clb Bor Hkk Ri Swk NP Up Rj Tn Mys Guj CX DZ AO CN Sz KM ZR CG GO ET GN GH KE LS ML MW MU MZ NE NG RE SH ST SN SC SL SO SD TZ UG ZM ZW BM BS JM PA TT PR GP GD HN MQ MS Nje Fl SCa Vi CU CR DO CL CO GY PY PE VE NSw QAu WAu NC VAu CK TO TV Sz1 CV SH 01 31 33**

15663. **Statina albivenella Janse,1922** (Pyralidae) Synonymy: albivenella Janse,1922 Range (as code): **ZA**

15664. **Stegothyris fasciculalis (Zeller,1852)** (Pyralidae) Synonymy: fasciculalis Zeller,1852 Range (as code): **ZA**

15665. **Stemmatophora achromalis (Hampson,1906)** (Pyralidae) Synonymy: achromalis Hampson,1906 Range (as code): **ZA Nwe Rtb Nta Kzu Dbn**

15666. **Stemmatophora austautalis (Oberthür,1881)** (Pyralidae) Synonymy: austautalis Oberthür,1881; funebris D.Lucas,1950 Range (as code): **DZ Sbd Abe TN**

15667. **Stemmatophora bicincta Joannis,1927** (Pyralidae) Synonymy: bicincta Joannis,1927 Range (as code): **MZ**

15668. **Stemmatophora borgialis (Duponchel,1832)** (Pyralidae) Synonymy: borgialis Duponchel,1832; ligerulae Lhomme,1938 Range (as code): **MA DZ Lbs PT ES FR Co Sa Si IT**

15669. **Stemmatophora brunnealis (Treitschke,1829)** (Pyralidae) Synonymy: brunnealis Treitschke,1829; phaealis Hampson,1900; ocellata Rothschild,1915; lividalis Constantini,1922; #nigrobrunnealis Schawerda,1941 Range (as code): **MA DZ Anna Gue Ges TN PT ES FR Sa Si IT MT CH AT CZ SK HU RO HV YU MK BG GR CY IL TR Cc AZ Kir Lag GG LB IQ Bgd TM Kp 01 05 13 17 30 44 46 58 65**

15670. **Stemmatophora byzacaenicalis (Ragonot,1887)** (Pyralidae) Synonymy: byzacaenicalis Ragonot,1887; pallidalis Turati,1924 Range (as code): **Cy LY DZ Gle Ges TN Gab CY**

15671. **Stemmatophora chloralis Hampson,1927** (Pyralidae) Synonymy: chloralis Hampson,1927 Range (as code): **ZW ZM**

15672. **Stemmatophora combustalis (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonymy: combustalis Fischer v. Röslerstamm,[1842]. Range (as code): **MA DZ Anna Lbs PT ES FR Co Sa Si IT RO YU AL BG GR Cr TR 06 16 46**

15673. **Stemmatophora cupricolor Hampson,1917** (Pyralidae) Synonymy: cupricolor Hampson,1917 Range (as code): **MW Mje**

15674. **Stemmatophora depressalis Walker,1862** (Pyralidae) Synonymy: depressalis Walker,1862; oleagina W.Warren,1891 Range (as code): **ZA Nta Kzu**

15675. **Stemmatophora erebalis Hampson,1917** (Pyralidae) Synonymy: erebalis Hampson,1917 Range (as code): **ZA GH**

15676. **Stemmatophora excurvalis Hampson,1917** (Pyralidae) Synonymy: excurvalis Hampson,1917 Range (as code): **KE Nai**

15677. **Stemmatophora flammans Bethune-Baker,1909** (Pyralidae) Synonymy: flammans Bethune-Baker,1909 Range (as code): **ZR**

15678. **Stemmatophora flavirubralis W.Warren,1891** (Pyralidae) Synonymy: flavirubralis W.Warren,1891 Range (as code): **ZA**

15679. **Stemmatophora fuscoserrata (Mey,2011)** (Pyralidae) Synonymy: fuscoserrata Mey,2011 Range (as code): **NA**

15680. **Stemmatophora fusilinealis Hampson,1917** (Pyralidae) Synonymy: fusilinealis Hampson,1917 Range (as code): **MW Mje**

15681. **Stemmatophora gadesialis Ragonot,1882** (Pyralidae) Synonymy: gadesialis Ragonot,1882; albolineata Rothschild,1915 Range (as code): **MA DZ Tni Tis Ges ES Mu**
15682. **Stemmatophora glaucalis Hampson,1906** (Pyralidae) Synonymy: glaucalis Hampson,1906 Range (as code): **SL**
15683. **Stemmatophora hemicyclalis Hampson,1917** (Pyralidae) Synonymy: hemicyclalis Hampson,1917 Range (as code): **ZA**
15684. **Stemmatophora hemicyclalis Hampson,1917** (Pyralidae) Synonymy: hemicyclalis Hampson,1917 Range (as code): **ZA Tva Lpo**
15685. **Stemmatophora honestalis (Treitschke,1829)** (Pyralidae) Synonymy: honestalis Treitschke,1829; marrakechensis Leraut,2000 Range (as code): **MA DZ Sbd PT ES SK HU RO YU HV AL BG GR Pl TR CY IR Fa Sse Shr Elb Th Kdj IQ Ry LB 01 05 13 16 31 33 56 73**
15686. **Stemmatophora matilei (Leraut,2000)** (Pyralidae) Synonymy: matilei Leraut,2000 Range (as code): **MA**
15687. **Stemmatophora obliquisignalis Hampson,1906** (Pyralidae) Synonymy: obliquisignalis Hampson,1906 Range (as code): **ZA**
15688. **Stemmatophora oleoalbalis Hampson,1917** (Pyralidae) Synonymy: oleoalbalis Hampson,1917 Range (as code): **KE Nai**
15689. **Stemmatophora olivotincta Hampson,1917** (Pyralidae) Synonymy: olivotincta Hampson,1917 Range (as code): **CM Bit**
15690. **Stemmatophora orbicentralis (Rebel,1902)** (Pyralidae) Synonymy: orbicentralis Rebel,1902; ocellata Rothschild,1915; hilaralis Zerny,1935; ifranalis D.Lucas,1954; prospicualis D.Lucas,1956 Range (as code): **IL Pa Js MA Ifr DZ Ges TN**
15691. **Stemmatophora peltastis Meyrick,1933** (Pyralidae) Synonymy: peltastis Meyrick,1933 Range (as code): **ZR**
15692. **Stemmatophora perrubralis Hampson,1917** (Pyralidae) Synonymy: perrubralis Hampson,1917 Range (as code): **MZ**
15693. **Stemmatophora perrubralis Hampson,1917** (Pyralidae) Synonymy: perrubralis Hampson,1917 Range (as code): **MZ**
15694. **Stemmatophora postaurantia Hampson,1917** (Pyralidae) Synonymy: postaurantia Hampson,1917 Range (as code): **MW Mje**
15695. **Stemmatophora rhodesialis (Hampson,1906)** (Pyralidae) Synonymy: rhodesialis Hampson,1906 Range (as code): **ZW**
15696. **Stemmatophora rubicundalis Hampson,1906** (Pyralidae) Synonymy: rubicundalis Hampson,1906; juanita Meyrick,1934 Range (as code): **ZA**
15697. **Stemmatophora rungsi (Leraut,2000)** (Pyralidae) Synonymy: rungsi Leraut,2000 Range (as code): **MA DZ Elt PT ES FR Py**
15698. **Stemmatophora syriacalis (Ragonot,1895)** (Pyralidae) Synonymy: syriacalis Ragonot,1895 Range (as code): **MA DZ Orn ES An Grn FR SY TR IR Fa Com 01 30 31 33**
15699. **Stemmatophora tyriocrossa Meyrick,1934** (Pyralidae) Synonymy: tyriocrossa Meyrick,1934 Range (as code): **ZR**
15700. **Stemmatophora vulpecalis Ragonot,1891** (Pyralidae) Synonymy: vulpecalis Ragonot,1891; modestalis Rebel,1910 Range (as code): **MA DZ Tni Tis Agi FR Py ES**
15701. **Stemmatophora xanthozonalis Hampson,1906** (Pyralidae) Synonymy: xanthozonalis Hampson,1906 Range (as code): **ZA**
15702. **Stemorrhages sericea (Drury,1773)** (Pyralidae) Synonymy: sericea Drury,1773; polita Cramer,1779; laterata Fabricius,1794; congradalis Hübner,[1825]; thalassinalis Boisduval,1833; beryllalis Guenée,1854; sericeolalis Guenée,1863; #beryttalis Hampson,1898 Range (as code): **AO CM ZR GO GA GM GH RE MG MW MU MZ NG SC SL ZA SD TZ UG ZM ZW ML**
15703. **Styphlorachis mesophaea Hampson,1930** (Pyralidae) Synonymy: mesophaea Hampson,1930 Range (as code): **ZA Tva Lpo Mpu Brb**
15704. **Sudaniola remanella Roesler,1973** (Pyralidae) Synonymy: remanella Roesler,1973 Range (as code): **ES SD Ksl**
15705. **Susia discomaculella (Ragonot,1888)** (Pyralidae) Synonymy: discomaculella Ragonot,1888 Range (as code): **DZ Bsk TN Gf TR IL Pa Js Jt 45 47**
15706. **Susia uberalis (Swinhoe,1884)** (Pyralidae) Synonymy: uberalis Swinhoe,1884; bahrainalis Amsel,1968. Range (as code): **DZ Bsk Ath Ah TN Gf LY Cy TR IL Jf Js Jer Pa Hf BH IR Ahz Ss Irs Hz Th Elb Kj Ke B-A LB Bei SY Dms SA SA08 SA63 EG EG11 Sn JO Amm Jt IQ Mos Kbl Bgd AE AF Srb Kab PK Sd Krc Gg Ch Sk 45 47**

15707. **Syllepte butlerii (Dewitz,1881)** (Pyralidae) Synonymy: butlerii Dewitz,1881; butleri Klima,1939 Range (as code): **ML ZA AO CM ZR GO LR SL ZM**
15708. **Syllepte glebalis (Lederer,1863)** (Pyralidae) Synonymy: glebalis Lederer,1863 Range (as code): **CM ZR CI MG NG SL ZM ZW**
15709. **Syllepte mesoleucalis Hampson,1898** (Pyralidae) Synonymy: mesoleucalis Hampson,1898 Range (as code): **ZA**
15710. **Syllepte multilinealis (Guenée,1854)** (Pyralidae) Synonymy: multilinealis Guenée,1854 Range (as code): **PH Luz ZA IN LK CN JP Adm Mgr Nia Bor Pal Clb PW Amb Crm Sbw Kai ID PG QAu AU FJ Vil WS**
15711. **Syllepte mysisalis (Walker,1859)** (Pyralidae) Synonymy: mysisalis Walker,1859; #mysissalis Hampson,1899 Range (as code): **ZA**
15712. **Syllepte nasonalis Hampson,1898** (Pyralidae) Synonymy: nasonalis Hampson,1898 Range (as code): **ZA**
15713. **Syllepte orbiferalis Hampson,1898** (Pyralidae) Synonymy: orbiferalis Hampson,1898 Range (as code): **ZA**
15714. **Syllepte ovialis (Walker,1859)** (Pyralidae) Synonymy: ovialis Walker,1859; cinnamomalis Saalmüller,1880 Range (as code): **ZA ET MG IN Ass Khs SI CM CG ZR GM GH CI KE RE MZ SL TZ UG ZM ZW ML**
15715. **Syllepte patagialis (Zeller,1852)** (Pyralidae) Synonymy: patagialis Zeller,1852; pataginalis Lederer,1863; undulalis Pagenstecher,1907 Range (as code): **ZA**
15716. **Syllepte purpurascens Hampson,1899** (Pyralidae) Synonymy: purpurascens Hampson,1899 Range (as code): **ZA TZ KE ZR**
15717. **Syllepte retractalis (Hampson,1912)** (Pyralidae) Synonymy: retractalis Hampson,1912 Range (as code): **ZR GH CI SL**
15718. **Syllepte rogationis Hampson,1918** (Pyralidae) Synonymy: rogationis Hampson,1918 Range (as code): **MZ ML**
15719. **Syllepte sarronalis (Walker,1859)** (Pyralidae) Synonymy: sarronalis Walker,1859 Range (as code): **ML GA SL**
15720. **Syllepte semilugens (Hampson,1912)** (Pyralidae) Synonymy: semilugens Hampson,1912 Range (as code): **CM ZR GM GN LR NG SL TZ**
15721. **Syllepte straminea (Butler,1875)** (Pyralidae) Synonymy: straminea Butler,1875 Range (as code): **ZA**
15722. **Syllepte trifidalis Hampson,1908** (Pyralidae) Synonymy: trifidalis Hampson,1908 Range (as code): **ZA**
15723. **Syllepte vagans (Tutt,1890)** (Pyralidae) Synonymy: vagans Tutt,1890; longipalpis W.Warren,1892 Range (as code): **GB BW ZR KE MZ NA NG SL ZA TZ ZM ZW**
15724. **Syllepte xylocraspis Hampson,1912** (Pyralidae) Synonymy: xylocraspis Hampson,1912 Range (as code): **ZA**
15725. **Symphonia albioculalis Hampson,1906** (Pyralidae) Synonymy: albioculalis Hampson,1906 Range (as code): **NG**
15726. **Synaphe bombycalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: bombycalis [Denis & Schiffermüller],1775; almanica Rebel,1917. Range (as code): **MA DZ Anna Sfr Eba TN ES FR Co IT AT CZ SK HU RO YU RU Sr Tv TR Cc Arr IR Elb Th Nss Kh TM Kp UA AF KK 01 04 06 13 25 27 30 31 38 44 47 50 58 65 71 76 80**
15727. **Synaphe chellalalis (Hampson,1900)** (Pyralidae) Synonymy: chellalalis Hampson,1900; #chellalis Speidel & Hassler,[1990]; #chellalis Leraut,2014 Range (as code): **ES MA DZ Ajj Cel Bsk Onç TN Gf**
15728. **Synaphe fuscalis Amsel,1966** (Pyralidae) Synonymy: fuscalis Amsel,1966 Range (as code): **MA**
15729. **Synaphe glaisalis (Lucas,1933)** (Pyralidae) Synonymy: glaisalis Lucas,1933 Range (as code): **MA**
15730. **Synaphe interjunctalis (Guenée,1849)** (Pyralidae) Synonymy: interjunctalis Guenée,1849 Range (as code): **TN Tun DZ Sbd Lbs Clo PT**
15731. **Synaphe morbidalis (Guenée,1849)** (Pyralidae) Synonymy: morbidalis Guenée,1849; bipunctalis Hampson,1906 Range (as code): **MR DZ Mage Sét Gha Sa EG SY Dms IL Pa Hf LB TR IQ 05 21 31 46 63**
15732. **Synaphe oculatalis (Ragonot,1885)** (Pyralidae) Synonymy: oculatalis Ragonot,1885 Range (as code): **MA DZ Tlm TN ES IL Pa JO Jt EG TR 31**
15733. **Synaphe praedotalis (Zerny,1927)** (Pyralidae) Synonymy: praedotalis Zerny,1927; montarcensis Dufrane,1955; saharae Dufrane,1955 [ssp.] Range (as code): **MA DZ TN PT ES**
15734. **Synaphe punctalis (Fabricius,1775)** (Pyralidae) Synonymy: punctalis Fabricius,1775; angustalis [Denis & Schiffermüller],1775. Range (as code): **MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa IL Pa Hf DK NO SE FI LV LT RU MD UA BY 01 17 33 46 65**
15735. **Synaphe rungsi (Lucas,1937)** (Pyralidae) Synonymy: rungsi Lucas,1937 Range (as code): **MA**

15736. **Synaphe styphlotricha Hampson,1906** (Pyralidae) Synonymy: styphlotricha Hampson,1906 Range (as code): **ZA**
15737. **Synaphe subolivalis (Oberthür,1887)** (Pyralidae) Synonymy: subolivalis Oberthür,1887 Range (as code): **MA Ifr DZ**
15738. **Synclera bleusei Oberthür,1887** (Pyralidae) Synonymy: bleusei Oberthür,1887 Range (as code): **Cn DZ Bsk Hes Onç LY Cy TN Gf IR Ss Irs**
15739. **Synclera traducalis (Zeller,1852)** (Pyralidae) Synonymy: traducalis Zeller,1852; retinalis Lederer,1857; univocalis Walker,1859; achatinalis Guenée,1862; chlorophasma Butler,1878 Range (as code): **JM PR Cn SE BG CY TR LB Bei SY IL Pa Hf EG EG11 IQ Mos Rwz Shq IR Ahz Fa Bu Shr AF Kot PH Luz Mno Crg IN LK ID Ja Clb Amb TH Bnk Chc Mhs Sup LY YE Ad AE SA BW CM ZR GO ET GM CI RE MG ML MZ NA SN SC SL ZA Lpo Tva Gau TZ ZW 01 31 33 46**
15740. **Syngamia falsidicalis (Walker,1859)** (Pyralidae) Synonymy: falsidicalis Walker,1859 Range (as code): **IN LK TW ZR RW ZW**
15741. **Syngamia fervidalis (Zeller,1852)** (Pyralidae) Synonymy: fervidalis Zeller,1852; biblisalis Walker,1859 Range (as code): **ZA**
15742. **Syngamia latimarginalis (Walker,1859)** (Pyralidae) Synonymy: latimarginalis Walker,1859; jucundalis Lederer,1863; versicolor W.Warren,1896 Range (as code): **ZA ZR GO GM KE MZ SL IN LK ID Ja TW**
15743. **Synoria euglyphella Ragonot,1888** (Pyralidae) Synonymy: euglyphella Ragonot,1888 Range (as code): **ZA Tva Lpo**
15744. **Taftania serratella (Ragonot,1893)** (Pyralidae) Synonymy: serratella Ragonot,1893; obscurella Osthelder,1935; oxycyma Meyrick,1937 Range (as code): **EG Sn TR IQ Rwz IR Fa Ss AF Kab Bm Srb 13 31 42 46 47**
15745. **Talis afra (Bethune-Baker,1894)** (Pyralidae) Synonymy: afra Bethune-Baker,1894 Range (as code): **EG EG05 LY Cy**
15746. **Talis arenella Ragonot,1887** (Pyralidae) Synonymy: arenella Ragonot,1887 Range (as code): **TN DZ**
15747. **Talis quercella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonymy: #quercella [Denis & Schiffermüller],1775; noctuella Hübner,1796; neglectella Hübner,[1824]. Range (as code): **TN Gf DZ Sa IT AT PL CZ SK HU RO TR BG RU Tt Ur MD UA BY IQ Smr IR Ar Ab Bzg Ak Tbz Elb Kdj Th KG Uk CN Ui Ku MN 06 16 17 26 42 76**
15748. **Tegostoma bipartalis Hampson,1896** (Pyralidae) Synonymy: bipartalis Hampson,1896 Range (as code): **ZA**
15749. **Tegostoma comparalis (Hübner,1796)** (Pyralidae) Synonymy: comparalis Hübner,1796; ramalis Hübner,1796; tenebrosalis Walker,1865; fotalis Swinhoe,1885; #comparale Caradja,1917. Range (as code): **DZ Bsk TN Gf ES FR Sa Si IT MT YU BG GR TR Cc AF IN PK Sd Krc Cp ZA AE SY IR Mz TM RU Ro 16 42 44 45 46 56 58 71 76**
15750. **Tegostoma confluentalis Hampson,1913** (Pyralidae) Synonymy: confluentalis Hampson,1913; ahwazalis Amsel,1949. Range (as code): **EG EG11 SA IR Ahz**
15751. **Tegostoma florilegarium (Guenée,1854)** (Pyralidae) Synonymy: florilegarium Guenée,1854 Range (as code): **ZA**
15752. **Tegostoma subditalis Zeller,1852** (Pyralidae) Synonymy: subditalis Zeller,1852 Range (as code): **ZA**
15753. **Tegostoma subterminalis (Hampson,1918)** (Pyralidae) Synonymy: subterminalis Hampson,1918 Range (as code): **ZA**
15754. **Tegulifera audeoudi De Joannis,1927** (Pyralidae) Synonymy: audeoudi De Joannis,1927 Range (as code): **ZA**
15755. **Tegulifera bostralis Hampson,1917** (Pyralidae) Synonymy: bostralis Hampson,1917 Range (as code): **ZA**
15756. **Tegulifera holothermalis Hampson,1906** (Pyralidae) Synonymy: holothermalis Hampson,1906 Range (as code): **ZA**
15757. **Tegulifera oblunata (W.Warren,1897)** (Pyralidae) Synonymy: oblunata W.Warren,1897 Range (as code): **ZA**
15758. **Tegulifera obovalis Hampson,1917** (Pyralidae) Synonymy: obovalis Hampson,1917 Range (as code): **ZA**
15759. **Tegulifera ochrealis Hampson,1917** (Pyralidae) Synonymy: ochrealis Hampson,1917 Range (as code): **ZA**
15760. **Tegulifera rubicundalis Saalmüller,1880** (Pyralidae) Synonymy: rubicundalis Saalmüller,1880 Range (as code): **ZA**
15761. **Tegulifera zonalis (W.Warren,1897)** (Pyralidae) Synonymy: zonalis W.Warren,1897 Range (as code): **ZA**
15762. **Teliphasa (s.str.) dibelana Ghesquière,1942** (Pyralidae) Synonymy: dibelana Ghesquière,1942 Range (as code): **ZR**

15763. **Tephris chneourella D.Lucas,1946** (Pyralidae) Synonymy: chneourella D.Lucas,1946 Range (as code): **TN**
15764. **Tephris cyriella (Erschoff,1874)** (Pyralidae) Synonymy: cyriella Erschoff,1874 Range (as code): **DZ Ajj Ah MA ES RO UZ Bu IR AF Ui Ku Alt TM Kp Krn KG**
15765. **Tephris ochreella Ragonot,1893** (Pyralidae) Synonymy: ochreella Ragonot,1893; perlucidella Ragonot,1893; joannisella D.Lucas,1909; aridella Rothschild,1913; diversella Amsel,1951 Range (as code): **DZ Gtt SD TN ES Mu PK IL Jer Pa IQ Mos Cc AM IR Ss Irs Bmp Ssh Kz Ke Ana**
15766. **Tephris verruculella (Ragonot,1887)** (Pyralidae) Synonymy: verruculella Ragonot,1887; aridiella Rothschild,1913 [ssp.]; rungsi Leraut,2002 Range (as code): **MA DZ Gtt Bsk TN Gf TR GG Cc Lag AF 04 13 23**
15767. **Terastia africana Sourakov,2015** (Pyralidae) Synonymy: africana Sourakov,2015 Range (as code): **ML GA CM ZR GM KE MW RW SC SL ZA UG ZW**
15768. **Terastia margaritis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonymy: margaritis R.Felder & Rogenhofer,1875 Range (as code): **ZA Tva Lpo Kru Pma BW ZR MW MZ NA ZM ZW**
15769. **Terastia meticulosalis Guenée,1854** (Pyralidae) Synonymy: meticulosalis Guenée,1854; quadratalis Walker,1865; coeligenalis Hulst,1886 Range (as code): **WS FJ NH AU MY IN OW NW LK ID Ja TW ZA**
15770. **Terastia subjectalis Lederer,1863** (Pyralidae) Synonymy: subjectalis Lederer,1863; quadratalis Walker,[1866] Range (as code): **VN PH Luz Ceb IN LK ID Ja AU QAu WAu NAu MG ET RE Oki WS FJ Hw**
15771. **Thivolleo albicervix Maes,2006** (Pyralidae) Synonymy: albicervix Maes,2006 Range (as code): **CM**
15772. **Thivolleo meruensis Maes,2006** (Pyralidae) Synonymy: meruensis Maes,2006 Range (as code): **KE**
15773. **Thivolleo xanthographa (Hampson,1913)** (Pyralidae) Synonymy: xanthographa Hampson,1913 Range (as code): **NG**
15774. **Thliptoceras fenestratum Aurivillius,1910** (Pyralidae) Synonymy: fenestratum Aurivillius,1910 Range (as code): **RW TZ LR**
15775. **Thliptoceras polygrammodes Hampson,1899** (Pyralidae) Synonymy: polygrammodes Hampson,1899 Range (as code): **ZA Nta Kzu**
15776. **Thopeutis galleriellus (Ragonot,1892)** (Pyralidae) Synonymy: galleriellus Ragonot,1892; canicostalis Hampson,1896; unicolor De Joannis,1910; submedianalis Hampson,1919; buxtoni Rotschild,1921; chretienellus Dumont,1930; maculalis Predota,1934; hederalis Amsel,1935 Range (as code): **ES FR Sa RO RU Da Cc UA Cm TR IR Mz Ss Fa Gls Bu Gor Abn Ahz Kz TN DZ IN Sd Clc PK LK IQ Amr IL Pa 33**
15777. **Thylacoptila paurosema Meyrick,1885** (Pyralidae) Synonymy: paurosema Meyrick,1885; maculella Ragonot,1888; canescentella Hampson,1896; thylacandra Meyrick,1932; diehlella Marion & Viette,1956; #exorbitella Amsel,1962 Range (as code): **ZA SL CI CV ZW MG GH SD SH NG NA KE Sk Ad YE PK BT IN SI Ass LK MM Bor Swk MY ID Sum Ja PG AU**
15778. **Titanio orphnolyca Meyrick,1936** (Pyralidae) Synonymy: orphnolyca Meyrick,1936 Range (as code): **MA**
15779. **Titanio tarraconensis Leraut & Luquet,1982** (Pyralidae) Synonymy: tarraconensis Leraut & Luquet,1982; mauretanica Leraut & Luquet,1982 Range (as code): **MA ES FR**
15780. **Trachonitis capensis Hampson,1901** (Pyralidae) Synonymy: capensis Hampson,1901 Range (as code): **ES Grn ZA Tva Gau Jh Ec Ans**
15781. **Trachonitis montana (Balinsky,1991)** (Pyralidae) Synonymy: montana Balinsky,1991 Range (as code): **ZA**
15782. **Trachylepidia fructicassiella Ragonot,1887** (Pyralidae) Synonymy: fructicassiella Ragonot,1887; indecora Dyar,1921 Range (as code): **EG SY LB Bei PK Pj IN LK MZ ZA Tva Lpo**
15783. **Trachypteryx acanthotecta (Rebel,1927)** (Pyralidae) Synonymy: acanthotecta Rebel,1927; tibestiensis Herbulot & Viette,1952 Range (as code): **MR MA DZ LY Cy SD EG SA TD Tb**
15784. **Trachypteryx albisecta Hampson,1926** (Pyralidae) Synonymy: albisecta Hampson,1926 Range (as code): **ZA Tva Lpo**
15785. **Trachypteryx heterogramma Hampson,1926** (Pyralidae) Synonymy: heterogramma Hampson,1926 Range (as code): **ZA Tva Gau Pre**
15786. **Trachypteryx magella (Zeller,1848)** (Pyralidae) Synonymy: magella Zeller,1848 Range (as code): **ZA**
15787. **Trachypteryx rhodoxantha Hampson,1926** (Pyralidae) Synonymy: rhodoxantha Hampson,1926 Range (as code): **ZA Tva Lpo**
15788. **Trachypteryx rubripictella Hampson,1901** (Pyralidae) Synonymy: rubripictella Hampson,1901 Range (as code): **ZA Ec Grh**
15789. **Trachypteryx victoriola Balinsky,1991** (Pyralidae) Synonymy: victoriola Balinsky,1991 Range (as code): **ZA**

15790. **Trichophysetis flavimargo (W.Warren,1897)** (Pyralidae) Synonymy: flavimargo W.Warren,1897 Range (as code): **ZA**
15791. **Trichophysetis whitei Rebel,1906** (Pyralidae) Synonymy: whitei Rebel,1906 Range (as code): **ZA**
15792. **Triphassa anemialis Hampson,1906** (Pyralidae) Synonymy: anemialis Hampson,1906 Range (as code): **NG Lgo**
15793. **Triphassa flammealis Hampson,1906** (Pyralidae) Synonymy: flammealis Hampson,1906 Range (as code): **GH**
15794. **Triphassa marshalli (Hampson,1906)** (Pyralidae) Synonymy: marshalli Hampson,1906 Range (as code): **ZA Nta Kzu Kkf**
15795. **Triphassa rufinalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonymy: rufinalis R.Felder & Rogenhofer,1875 Range (as code): **ZA**
15796. **Triphassa stalachtis Hübner,1818** (Pyralidae) Synonymy: stalachtis Hübner,1818; guttalis Walker,1866; #stalactitis Hampson,1896. Range (as code): **ZA Ec Cto**
15797. **Tyndis dentilinealis Hampson,1906** (Pyralidae) Synonymy: dentilinealis Hampson,1906 Range (as code): **ZA**
15798. **Tyndis proteanalis Hampson,1906** (Pyralidae) Synonymy: proteanalis Hampson,1906 Range (as code): **ZA**
15799. **Tyndis rubrovittata Grünberg,1910** (Pyralidae) Synonymy: rubrovittata Grünberg,1910 Range (as code): **ZA**
15800. **Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonymy: ferruginalis Rossi,1794 nec Fabr.,1781; ferrugalis Hübner,1796; #ferugalis Hübner,1796; martialis Guenée,1854; hypatialis Walker,1859; testacea Butler,1879 Range (as code): **DZ MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY IL Pa Hf LB Bsa IR Ahz Elb Mz Kdv Dam Plr Gor Kdj Km Th Fa Shr Sse Kh Gh Tgo IQ Dia Bgd Rwz AF Ca Arh Khi Adr Fz Bsg Hr Blh IN LK MM ET JP TW TH CMa Dst Ds09 Cc GG Tbl Lag Len AZ Sok Cn AE Ajj Clo BW BI CM ZR ER KE RE MG MU MZ SC ZA SD ZW 01 03 05 06 07 13 14 16 17 26 30 31 32 33 34 35 38 42 44 46 48 49 56 58 63 65 71 75 76 80**
15801. **Udea fimbriatralis (Duponchel,1834)** (Pyralidae) Synonymy: fimbriatralis Duponchel,1834; #fimbriatalis Rebel,1901 Range (as code): **MA ES FR RO IT YU BG GR TR Cc IL Pa Hf LB Bsa 01 05 06 16 31 38 42 46 76**
15802. **Udea hageni Viette,1952** (Pyralidae) Synonymy: hageni Viette,1952 Range (as code): **ZA**
15803. **Udea infuscalis (Zeller,1852)** (Pyralidae) Synonymy: infuscalis Zeller,1852 Range (as code): **ZA**
15804. **Udea martialis (Guenée,1854)** (Pyralidae) Synonymy: martialis Guenée,1854 Range (as code): **TN Elk Sfx**
15805. **Udea melanostictalis (Hampson,1916)** (Pyralidae) Synonymy: melanostictalis Hampson,1916 Range (as code): **SO**
15806. **Udea muscosalis (Hampson,1913)** (Pyralidae) Synonymy: muscosalis Hampson,1913 Range (as code): **ZA**
15807. **Udea nolalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonymy: nolalis R.Felder & Rogenhofer,1875 Range (as code): **ZA**
15808. **Udea numeralis (Hübner,1796)** (Pyralidae) Synonymy: numeralis Hübner,1796; illutalis Guenée,1854; simplicella La Harpe,1861; catilualis Hampson,1900; thalalis D.Lucas,1908 Range (as code): **DZ Clo Btna Lbs Ges TN Elk PT ES FR Co Sa Si IT YU GR Cr TR 13 16 45**
15809. **Ulopeza conigeralis Zeller,1852** (Pyralidae) Synonymy: conigeralis Zeller,1852; latiferalis Walker,1865; trigonalis Walker,1869; trigonalis Mabille,1890 Range (as code): **ML ZA TZ UG ZM ZW CM CG ZR GO ET GH CI LR MW MZ NG SL**
15810. **Ulopeza denticulalis Hampson,1912** (Pyralidae) Synonymy: denticulalis Hampson,1912 Range (as code): **ZA**
15811. **Ulopeza flavicepsalis Hampson,1912** (Pyralidae) Synonymy: flavicepsalis Hampson,1912 Range (as code): **ML CM ZR SL**
15812. **Ulophora flavinia Balinsky,1994** (Pyralidae) Synonymy: flavinia Balinsky,1994 Range (as code): **ZA Tva**
15813. **Umkulunkula kalahariensis Mey,2010** (Pyralidae) Synonymy: kalahariensis Mey,2010 Range (as code): **ZA Tva Lpo Spb Kru Pf Pot Slp Fs Mdp BW NA ZW Vf**
15814. **Uncinus hispanellus (Staudinger,1859)** (Pyralidae) Synonymy: hispanella Staudinger,1859; maroccanella D.Lucas,1932 Range (as code): **MA DZ Eba ES Grn FR MT**
15815. **Uncinus thymiellus (Zeller,1846)** (Pyralidae) Synonymy: thymiella Zeller,1846; libyella Leraut,2014 [ssp.] Range (as code): **DZ LY Cy Si IT TR SY 05 16**
15816. **Urbania lophopterella Hampson,1901** (Pyralidae) Synonymy: lophopterella Hampson,1901 Range (as code): **ZA**

15817. **Uresiphita gilvata (Fabricius,1794)** (Pyralidae) Synonymy: polygonalis sensu [Denis & Schiff.],1775 nec Linn.,1767; #limbalis [Denis & Schiffermüller],1775; gilvata Fabricius,1794; orientalis Fabricius,1794; diversalis Hübner,1796; rusticalis Hübner,1796; aversalis Guenée,1854; consanguinalis Guenée,1854; teriadalis Guenée,1854; deprivalis Walker,1859; meridionalis Wocke,1871; virescens Butler,1881; gracilis Caradja,1916; ochrocrossa Clarke,1971 Range (as code): **TN Sfx PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY DK RU UA BY TR IL Pa Hf LB Bsa IQ Mos Brs Dia Amr Ssa IR Ahz Fa Shr Se Ha Gls Elb Th Kdj Lo KG sKG Tks AF Hr Bmu Kab Srb Arh Gbh Bsg Blh Dwe Bkt PK Cp Gg Ui Sjd ZA Tva Lpo Spb Hgl Mdk Cm Lvv Vl Ur Tv Lj Sd Krc Lbs An Grn Bei DZ Gtt Onç Anna Orn Ges 01 05 13 16 30 31 33 45 46 56 65 71 72 80**

15818. **Valdovecaria unipunctella (Chrétien,1911)** (Pyralidae) Synonymy: unipunctella Chrétien,1911; rungsella Leraut,2002 Range (as code): **MA Ifr DZ Onç Bsk TN**

15819. **Veldticola irrorella Hampson,1930** (Pyralidae) Synonymy: irrorella Hampson,1930 Range (as code): **ZA Tva Lpo**

15820. **Veldticola megista Hampson,1930** (Pyralidae) Synonymy: megista Hampson,1930 Range (as code): **ZW Uma**

15821. **Veldticola nebulosella Hampson,1930** (Pyralidae) Synonymy: nebulosella Hampson,1930 Range (as code): **ZA Tva Gau Pre**

15822. **Veldticola persinuella Hampson,1930** (Pyralidae) Synonymy: persinuella Hampson,1930 Range (as code): **ZA Tva Lpo**

15823. **Veldticola striatella Hampson,1930** (Pyralidae) Synonymy: striatella Hampson,1930 Range (as code): **ZA Tva Gau Pre**

15824. **Viettessa bethalis (Viette,1958)** (Pyralidae) Synonymy: bethalis Viette,1958 Range (as code): **LR CM CG ZR MG MW**

15825. **Viettessa margaritalis (Hampson,1910)** (Pyralidae) Synonymy: margaritalis Hampson,1910 Range (as code): **ZA Kzu Nta**

15826. **Vitessa (hemiallactis-gr.) ternatica Lederer,1863** (Pyralidae) Synonymy: ternatica Lederer,1863; sarumensis Holland,1900 Range (as code): **ID Mlc Trn Bru Crm NG**

15827. **Xanthocrambus watsoni Bleszynski,1960** (Pyralidae) Synonymy: watsoni Bleszynski,1960 Range (as code): **MA DZ**

15828. **Zacatecas ankasokellus (Viette,1960)** (Pyralidae) Synonymy: ankasokellus Viette,1960 Range (as code): **MG**

15829. **Zamora bertazzii (Turati,1926)** (Pyralidae) Synonymy: bertazzii Turati,1926 Range (as code): **LY Cy**

15830. **Zebronia phenice (Cramer,[1780])** (Pyralidae) Synonymy: phenice Cramer,[1780]; perspicalis Hübner,[1811]; foederalis Hübner,[1825]; podalirialis Guenée,1854; lathurusalis Walker,1859; trivilvalis Mabille,1880; imparivirgalis Mabille,1881; #podaliavialis Hampson,1897; #podalivalis Klima,1937; #podalivalvis Pi Range (as code): **ZA AO CM ZR GO ET GA GM GH CI KE RE MG MW MU MZ NG SN SL TZ UG ZM ZW**

15831. **Zitha absconsalis Leraut,2011** (Pyralidae) Synonymy: absconsalis Leraut,2011 Range (as code): **MG**

15832. **Zitha adjunctalis Leraut,2007** (Pyralidae) Synonymy: adjunctalis Leraut,2007 Range (as code): **MG**

15833. **Zitha agnielealis Leraut,2011** (Pyralidae) Synonymy: agnielealis Leraut,2011 Range (as code): **MG**

15834. **Zitha albostrigalis (Saalmüller,1880)** (Pyralidae) Synonymy: albostrigalis Saalmüller,1880 Range (as code): **MG**

15835. **Zitha allutalis (Zeller,1852)** (Pyralidae) Synonymy: allutalis Zeller,1852; cleoalis Walker,1859; harpyialis Walker,1859; rubiginalis Walker,1863; #illutalis Janse,1917 Range (as code): **ZA**

15836. **Zitha alticolalis Leraut,2011** (Pyralidae) Synonymy: alticolalis Leraut,2011 Range (as code): **MG**

15837. **Zitha ambahonalis Leraut,2019** (Pyralidae) Synonymy: ambahonalis Leraut,2019 q Range (as code): **MG**

15838. **Zitha ambatosoratralis Leraut,2008** (Pyralidae) Synonymy: ambatosoratralis Leraut,2008 q Range (as code): **MG**

15839. **Zitha ambinanitalis (Viette,1960)** (Pyralidae) Synonymy: ambinanitalis Viette,1960 q Range (as code): **MG**

15840. **Zitha ambodirianalis Leraut,2011** (Pyralidae) Synonymy: ambodirianalis Leraut,2011 q Range (as code): **MG**

15841. **Zitha ambralis Leraut,2011** (Pyralidae) Synonymy: ambralis Leraut,2011 q Range (as code): **MG**

15842. **Zitha ankafinalis Leraut,2007** (Pyralidae) Synonymy: ankafinalis Leraut,2007 q Range (as code): **MG**

15843. **Zitha ankasokalis (Viette,1960)** (Pyralidae) Synonymy: ankasokalis Viette,1960 q Range (as code): **MG**

15844. **Zitha anneliese (Viette,1981)** (Pyralidae) Synonymy: anneliese Viette,1981 q Range (as code): **MG**

15845.**Zitha arambourgi Leraut,2011** (Pyralidae) Synonymy: arambourgi Leraut,2011 Range (as code): **KE**
15846.**Zitha barbutalis Leraut,2008** (Pyralidae) Synonymy: barbutalis Leraut,2008 Range (as code): **MG**
15847.**Zitha bekilyalis Leraut,2019** (Pyralidae) Synonymy: bekilyalis Leraut,2019 Range (as code): **MG**
15848.**Zitha belalonalis Leraut,2011** (Pyralidae) Synonymy: belalonalis Leraut,2011 Range (as code): **MG**
15849.**Zitha benazalis Leraut,2019** (Pyralidae) Synonymy: benazalis Leraut,2019 Range (as code): **MG**
15850.**Zitha betsakotsakoalis Leraut,2011** (Pyralidae) Synonymy: betsakotsakoalis Leraut,2011 Range (as code): **MG**
15851.**Zitha bombycalis Leraut,2007** (Pyralidae) Synonymy: bombycalis Leraut,2007 Range (as code): **MG**
15852.**Zitha callos (Viette,1973)** (Pyralidae) Synonymy: callos Viette,1973 Range (as code): **MG**
15853.**Zitha cambeforti Leraut,2011** (Pyralidae) Synonymy: cambeforti Leraut,2011 Range (as code): **MG**
15854.**Zitha capalis Leraut,2019** (Pyralidae) Synonymy: capalis Leraut,2019 Range (as code): **MG**
15855.**Zitha capuronalis (Viette,1960)** (Pyralidae) Synonymy: capuronalis Viette,1960 Range (as code): **MG**
15856.**Zitha catochrysalis (Ragonot,1891)** (Pyralidae) Synonymy: catochrysalis Ragonot,1891 Range (as code): **MG**
15857.**Zitha concoloralis Leraut,2019** (Pyralidae) Synonymy: concoloralis Leraut,2019 Range (as code): **MG**
15858.**Zitha cyanealis (Mabille,1879)** (Pyralidae) Synonymy: cyanealis Mabille,1879 Range (as code): **MG**
15859.**Zitha dakarensis Leraut,2007** (Pyralidae) Synonymy: dakarensis Leraut,2007 Range (as code): **SN**
15860.**Zitha decaryalis Leraut,2019** (Pyralidae) Synonymy: decaryalis Leraut,2019 Range (as code): **MG**
15861.**Zitha decrepis (Viette,1989)** (Pyralidae) Synonymy: decrepis Viette,1989 Range (as code): **MG**
15862.**Zitha deuvealis Leraut,2009** (Pyralidae) Synonymy: deuvealis Leraut,2009 Range (as code): **MG**
15863.**Zitha didyalis Leraut,2008** (Pyralidae) Synonymy: didyalis Leraut,2008 Range (as code): **MG**
15864.**Zitha fulviceps Hampson,1917** (Pyralidae) Synonymy: fulviceps Hampson,1917 Range (as code): **MW Mje**
15865.**Zitha gallienalis (Viette,1960)** (Pyralidae) Synonymy: gallienalis Viette,1960 Range (as code): **MG**
15866.**Zitha geometralis Leraut,2007** (Pyralidae) Synonymy: geometralis Leraut,2007 Range (as code): **MG**
15867.**Zitha gueneealis Leraut,2011** (Pyralidae) Synonymy: ignealis Marion,1955 (preocc.); gueneealis Leraut,2011 Range (as code): **MG**
15868.**Zitha herbulotalis (Marion,1954)** (Pyralidae) Synonymy: herbulotalis Marion,1954 Range (as code): **MG**
15869.**Zitha hiarakalis Leraut,2011** (Pyralidae) Synonymy: hiarakalis Leraut,2011 Range (as code): **MG**
15870.**Zitha hongalis Leraut,2011** (Pyralidae) Synonymy: hongalis Leraut,2011 Range (as code): **MG**
15871.**Zitha humberti (Viette,1973)** (Pyralidae) Synonymy: humberti Viette,1973 Range (as code): **MG**
15872.**Zitha ignalis (Guenée,1854)** (Pyralidae) Synonymy: ignalis Guenée,1854 Range (as code): **ZA**
15873.**Zitha imerinalis Leraut,2019** (Pyralidae) Synonymy: imerinalis Leraut,2019 Range (as code): **MG**
15874.**Zitha joannisalis Leraut,2008** (Pyralidae) Synonymy: joannisalis Leraut,2008 Range (as code): **MG**
15875.**Zitha lalannealis Leraut,2009** (Pyralidae) Synonymy: lalannealis Leraut,2009 Range (as code): **MG**
15876.**Zitha laminalis (Guenée,1854)** (Pyralidae) Synonymy: laminalis Guenée,1854 Range (as code): **ZA**
15877.**Zitha lanitralis (Viette,1978)** (Pyralidae) Synonymy: lanitralis Viette,1978 Range (as code): **MG**
15878.**Zitha legrandalis Leraut,2009** (Pyralidae) Synonymy: legrandalis Leraut,2009 Range (as code): **MG**
15879.**Zitha lignosalis (Viette,1960)** (Pyralidae) Synonymy: lignosalis Viette,1960 Range (as code): **MG**
15880.**Zitha luquetalis Leraut,2011** (Pyralidae) Synonymy: luquetalis Leraut,2011 Range (as code): **MG**
15881.**Zitha mabokealis Leraut,2007** (Pyralidae) Synonymy: mabokealis Leraut,2007 Range (as code): **CF**
15882.**Zitha maesalis Leraut,2007** (Pyralidae) Synonymy: maesalis Leraut,2007 Range (as code): **MG**
15883.**Zitha mantasoalis Leraut,2011** (Pyralidae) Synonymy: mantasoalis Leraut,2011 Range (as code): **MG**
15884.**Zitha marionalis (Viette,1960)** (Pyralidae) Synonymy: marionalis Viette,1960 Range (as code): **MG**
15885.**Zitha martinealis Leraut,2011** (Pyralidae) Synonymy: martinealis Leraut,2011 Range (as code): **MG**
15886.**Zitha matsaboryalis Leraut,2011** (Pyralidae) Synonymy: matsaboryalis Leraut,2011 q Range (as code): **MG**

15887.**Zitha meloui Leraut,2019** (Pyralidae) Synonymy: meloui Leraut,2019 Range (as code): **MG**
15888.**Zitha millotalis (Viette,1960)** (Pyralidae) Synonymy: millotalis Viette,1960 Range (as code): **MG**
15889.**Zitha minetalis Leraut,2008** (Pyralidae) Synonymy: minetalis Leraut,2008 Range (as code): **MG**
15890.**Zitha mixtalis Leraut,2011** (Pyralidae) Synonymy: mixtalis Leraut,2011 Range (as code): **MG**
15891.**Zitha montanalis Leraut,2019** (Pyralidae) Synonymy: montanalis Leraut,2019 Range (as code): **MG**
15892.**Zitha montreuilalis Leraut,2009** (Pyralidae) Synonymy: montreuilalis Leraut,2009 Range (as code): **MG**
15893.**Zitha mourzinalis Leraut,2019** (Pyralidae) Synonymy: mourzinalis Leraut,2019 Range (as code): **MG**
15894.**Zitha navattealis Leraut,2008** (Pyralidae) Synonymy: navattealis Leraut,2008 Range (as code): **MG**
15895.**Zitha noctualis Leraut,2007** (Pyralidae) Synonymy: noctualis Leraut,2007 Range (as code): **MG**
15896.**Zitha nosivolalis (Viette,1960)** (Pyralidae) Synonymy: nosivolalis Viette,1960 Range (as code): **MG**
15897.**Zitha novembralis Leraut,2009** (Pyralidae) Synonymy: novembralis Leraut,2009 Range (as code): **MG**
15898.**Zitha nussalis Leraut,2011** (Pyralidae) Synonymy: nussalis Leraut,2011 Range (as code): **MG**
15899.**Zitha oecophoralis Leraut,2007** (Pyralidae) Synonymy: oecophoralis Leraut,2007 Range (as code): **MG**
15900.**Zitha palpalis Leraut,2019** (Pyralidae) Synonymy: palpalis Leraut,2019 Range (as code): **MG**
15901.**Zitha panemerialis Leraut,2007** (Pyralidae) Synonymy: panemerialis Leraut,2007 Range (as code): **MG**
15902.**Zitha pernalis (Viette,1960)** (Pyralidae) Synonymy: pernalis Viette,1960 Range (as code): **MG**
15903.**Zitha pronubalis (Marion & Viette,1956)** (Pyralidae) Synonymy: pronubalis Marion & Viette,1956 Range (as code): **MG**
15904.**Zitha punicealis Walker,[1866]** (Pyralidae) Synonymy: punicealis Walker,[1866] Range (as code): **ZA**
15905.**Zitha pyraustalis Leraut,2007** (Pyralidae) Synonymy: pyraustalis Leraut,2007 Range (as code): **MG**
15906.**Zitha radamalis (Viette,1960)** (Pyralidae) Synonymy: radamalis Viette,1960 Range (as code): **MG**
15907.**Zitha ragonotalis (Viette,1960)** (Pyralidae) Synonymy: ragonotalis Viette,1960 Range (as code): **MG**
15908.**Zitha ranomafamalis Leraut,2019** (Pyralidae) Synonymy: ranomafamalis Leraut,2019 Range (as code): **MG**
15909.**Zitha rosalinde (Viette,1981)** (Pyralidae) Synonymy: rosalinde Viette,1981 Range (as code): **MG**
15910.**Zitha rubicundalis (Saalmüller,1880)** (Pyralidae) Synonymy: rubicundalis Saalmüller,1880 Range (as code): **MG**
15911.**Zitha rufalis (Gaede,1916)** (Pyralidae) Synonymy: rufalis Gaede,1916 Range (as code): **KE**
15912.**Zitha sahafaryalis Leraut,2011** (Pyralidae) Synonymy: sahafaryalis Leraut,2011 Range (as code): **MG**
15913.**Zitha sakavondroalis Leraut,2008** (Pyralidae) Synonymy: sakavondroalis Leraut,2008 Range (as code): **MG**
15914.**Zitha sambavalis Leraut,2009** (Pyralidae) Synonymy: sambavalis Leraut,2009 Range (as code): **MG**
15915.**Zitha sanguinalis (Marion,1954)** (Pyralidae) Synonymy: sanguinalis Marion,1954 Range (as code): **MG**
15916.**Zitha saturninalis Leraut,2011** (Pyralidae) Synonymy: saturninalis Leraut,2011 Range (as code): **MG**
15917.**Zitha secundalis Leraut,2008** (Pyralidae) Synonymy: secundalis Leraut,2008 Range (as code): **MG**
15918.**Zitha sogalis (Viette,1960)** (Pyralidae) Synonymy: sogalis Viette,1960 Range (as code): **MG**
15919.**Zitha subambahonalis Leraut,2019** (Pyralidae) Synonymy: subambahonalis Leraut,2019 Range (as code): **MG**
15920.**Zitha subcupralis (Zeller,1852)** (Pyralidae) Synonymy: subcupralis Zeller,1852 Range (as code): **ZA**
15921.**Zitha sublignosalis Leraut,2011** (Pyralidae) Synonymy: sublignosalis Leraut,2011 Range (as code): **MG**
15922.**Zitha subnigralis Leraut,2019** (Pyralidae) Synonymy: subnigralis Leraut,2019 Range (as code): **MG**

15923.**Zitha subochracea W.Warren,1897** (Pyralidae) Synonymy: subochracea W.Warren,1897 Range (as code): **ZA**
15924.**Zitha subvinosalis Leraut,2011** (Pyralidae) Synonymy: subvinosalis Leraut,2011 Range (as code): **MG**
15925.**Zitha tanaalis Leraut,2019** (Pyralidae) Synonymy: tanaalis Leraut,2019 Range (as code): **MG**
15926.**Zitha tananarivalis Leraut,2019** (Pyralidae) Synonymy: tananarivalis Leraut,2019 Range (as code): **MG**
15927.**Zitha tertialis Leraut,2008** (Pyralidae) Synonymy: tertialis Leraut,2008 Range (as code): **MG**
15928.**Zitha tortricoidalis Leraut,2007** (Pyralidae) Synonymy: tortricoidalis Leraut,2007 Range (as code): **MG**
15929.**Zitha toulgoetalis Leraut,2009** (Pyralidae) Synonymy: toulgoetalis Leraut,2009 Range (as code): **MG**
15930.**Zitha touretalbyalis Leraut,2008** (Pyralidae) Synonymy: touretalbyalis Leraut,2008 Range (as code): **MG**
15931.**Zitha tristiculalis (Saalmüller,1880)** (Pyralidae) Synonymy: tristiculalis Saalmüller,1880 Range (as code): **MG**
15932.**Zitha tsarafidyalis Leraut,2011** (Pyralidae) Synonymy: tsarafidyalis Leraut,2011 Range (as code): **MG**
15933.**Zitha tsaratananalis Leraut,2011** (Pyralidae) Synonymy: tsaratananalis Leraut,2011 Range (as code): **MG**
15934.**Zitha viettealis Leraut,2009** (Pyralidae) Synonymy: viettealis Leraut,2009 Range (as code): **MG**
15935.**Zitha vieualis Leraut,2011** (Pyralidae) Synonymy: vieualis Leraut,2011 Range (as code): **MG**
15936.**Zitha vincentalis Leraut,2009** (Pyralidae) Synonymy: vincentalis Leraut,2009 Range (as code): **MG**
15937.**Zitha vinosalis Leraut,2011** (Pyralidae) Synonymy: vinosalis Leraut,2011 Range (as code): **MG**
15938.**Zitha whalleyalis (Viette,1960)** (Pyralidae) Synonymy: whalleyalis Viette,1960 Range (as code): **MG**
15939.**Zitha zombistalis (Viette,1960)** (Pyralidae) Synonymy: zombistalis Viette,1960 Range (as code): **MG**
15940.**Zonora argentalis (Hampson,1900)** (Pyralidae) Synonymy: argentalis Hampson,1900; biscraeensis Caradja,1916; senegalensis Leraut,2004 Range (as code): **MA DZ Bsk TN Gf SN IR Elb Th Ss SY Fa Shr IQ Kbl Amr JO**
15941.**Zophodia ebeniella (Ragonot,1888)** (Pyralidae) Synonymy: ebeniella Ragonot,1888 Range (as code): **ZA**
15942.**Zophodia lignea Joannis,1927** (Pyralidae) Synonymy: lignea Joannis,1927 Range (as code): **ZA**

Roeslerstammiidae

15943.**Roeslerstammia tianpingshana Hirowatari, Huang & Wang,2017** (Roeslerstammiidae) Synonymy: tianpingshana Hirowatari, Huang & Wang,2017 Range (as code): **Cn Hun**

Saturniidae

15944.**Adafroptilum aberfoylensis Darge,2014** (Saturniidae) Synonymy: aberfoylensis Darge,2014 Range (as code): **ZW**
15945.**Adafroptilum acuminatum (Darge,2003)** (Saturniidae) Synonymy: acuminatum Darge,2003 Range (as code): **TZ**
15946.**Adafroptilum austriorientale (Darge,2008)** (Saturniidae) Synonymy: austriorientale Darge,2008 Range (as code): **MZ**
15947.**Adafroptilum bellum (Darge, Naumann & Brosch,2003)** (Saturniidae) Synonymy: bellum Darge, Naumann & Brosch,2003 Range (as code): **AD TZ**
15948.**Adafroptilum coccineum (Darge,2013)** (Saturniidae) Synonymy: coccineum Darge,2013 Range (as code): **ZM**
15949.**Adafroptilum coloratum (Darge, Naumann & Brosch,2003)** (Saturniidae) Synonymy: coloratum Darge, Naumann & Brosch,2003 Range (as code): **TZ**
15950.**Adafroptilum convictum (Darge,2007)** (Saturniidae) Synonymy: convictum Darge,2007 Range (as code): **TZ**

15951. **Adafroptilum exiguum (Darge,2012)** (Saturniidae) Synonymy: exiguum Darge,2012 Range (as code): **ZM**
15952. **Adafroptilum hausmanni (Darge,2007)** (Saturniidae) Synonymy: hausmanni Darge,2007 Range (as code): **TZ**
15953. **Adafroptilum incana (Sonthonnax,1899)** (Saturniidae) Synonymy: incana Sonthonnax,1899 Range (as code): **TZ MW MZ ZM ZW ZR ZA**
15954. **Adafroptilum kalamboensis (Darge,2007)** (Saturniidae) Synonymy: kalamboensis Darge,2007 Range (as code): **TZ**
15955. **Adafroptilum mikessensis (Darge,2007)** (Saturniidae) Synonymy: mikessensis Darge,2007 Range (as code): **TZ**
15956. **Adafroptilum occidaneum (Darge,2008)** (Saturniidae) Synonymy: occidaneum Darge,2008 Range (as code): **AO**
15957. **Adafroptilum pancratia (Weymer,1903)** (Saturniidae) Synonymy: pancratia Weymer,1903 Range (as code): **TZ**
15958. **Adafroptilum permixtum (Darge,2003)** (Saturniidae) Synonymy: permixtum Darge,2003 Range (as code): **TZ**
15959. **Adafroptilum pullum (Darge,2014)** (Saturniidae) Synonymy: pullum Darge,2014 Range (as code): **ZM**
15960. **Adafroptilum rougerii (Darge,2006)** (Saturniidae) Synonymy: rougerii Darge,2006 Range (as code): **TZ**
15961. **Adafroptilum scheveni (Darge,2003)** (Saturniidae) Synonymy: scheveni Darge,2003 Range (as code): **TZ**
15962. **Adafroptilum septiguttatum (Weymer,1909)** (Saturniidae) Synonymy: septiguttatum Weymer,1909 Range (as code): **TZ**
15963. **Adafroptilum tricoronatum (Darge, Naumann & Brosch,2003)** (Saturniidae) Synonymy: tricoronatum Darge, Naumann & Brosch,2003 Range (as code): **ZW**
15964. **Adafroptilum tuberculatum (Darge, Naumann & Brosch,2003)** (Saturniidae) Synonymy: tuberculatum Darge, Naumann & Brosch,2003 Range (as code): **AL ZW**
15965. **Adafroptilum violaceum (Darge,2014)** (Saturniidae) Synonymy: violaceum Darge,2014 Range (as code): **ZW AG**
15966. **Antheraea (s.str.) diehli Lemaire,1979** (Saturniidae) Synonymy: diehli Lemaire,1979 Range (as code): **ID Bor Sum MY ZA**
15967. **Antheraea (s.str.) melaina John,1928** (Saturniidae) Synonymy: melaina John,1928 Range (as code): **ZA**
15968. **Antistathmoptera daltonae Tams,1935** (Saturniidae) Synonymy: daltonae Tams,1935 Range (as code): **ZA TZ MZ ZM ZW**
15969. **Antistathmoptera elegans Darge,2015** (Saturniidae) Synonymy: elegans Darge,2015 Range (as code): **TZ**
15970. **Antistathmoptera granti Bouyer,2006** (Saturniidae) Synonymy: granti Bouyer,2006 Range (as code): **TZ**
15971. **Argema mimosae (Boisduval,1847)** (Saturniidae) Synonymy: mimosae Boisduval,1847; elucidata Grünberg,1910; occidentalis Gschwandner,1923; bouvieri Ghesquière,1934 Range (as code): **ZA Tva Lpo Wm Suw Spb Nta Kzu ET**
15972. **Athletes ethra (Westwood,1849)** (Saturniidae) Synonymy: ethra Westwood,1849 Range (as code): **UG ZW RW CM CF GO GA ZR GN**
15973. **Athletes gigas (Sonthonnax,1904)** (Saturniidae) Synonymy: gigas Sonthonnax,1904; steindachneri Rebel,1904 Range (as code): **ZA AO ZR MW RW TZ ZM ZW**
15974. **Athletes nyansae Rebel,1904** (Saturniidae) Synonymy: nyansae Rebel,1904 Range (as code): **UG TZ NG GH CM CF GO GA ZR**
15975. **Athletes semialba (Sonthonnax,1904)** (Saturniidae) Synonymy: semialba Sonthonnax,1904 Range (as code): **ZA ZR TZ MW MZ ZM ZW**
15976. **Aurivillius aratus Westwood,1849** (Saturniidae) Synonymy: aratus Westwood,1849 Range (as code): **TZ AO CM CF TD ZR CG GO ER GA GH KE MW MZ NG SL TG ZW ZM**
15977. **Aurivillius bisinflectus Darge,2013** (Saturniidae) Synonymy: bisinflectus Darge,2013 Range (as code): **ZM**
15978. **Aurivillius cadioui Bouyer,2008** (Saturniidae) Synonymy: cadioui Bouyer,2008 Range (as code): **ET**

15979. **Aurivillius cliftoni Rougeot,1977** (Saturniidae) Synonymy: cliftoni Rougeot,1977 Range (as code): **UG**
15980. **Aurivillius curiosus Darge,2013** (Saturniidae) Synonymy: curiosus Darge,2013 Range (as code): **TZ**
15981. **Aurivillius divaricatus Bouvier,1927** (Saturniidae) Synonymy: divaricatus Bouvier,1927 Range (as code): **ZR TZ ZA**
15982. **Aurivillius diversus Darge,2013** (Saturniidae) Synonymy: diversus Darge,2013 Range (as code): **ZM**
15983. **Aurivillius drumonti Bouyer,2008** (Saturniidae) Synonymy: drumonti Bouyer,2008 Range (as code): **CM**
15984. **Aurivillius fuscus (Rothschild,1895)** (Saturniidae) Synonymy: fuscus Rothschild,1895 Range (as code): **ZA TZ**
15985. **Aurivillius haszprunari Darge,2013** (Saturniidae) Synonymy: haszprunari Darge,2013 Range (as code): **ZM**
15986. **Aurivillius horsini Bouvier,1927** (Saturniidae) Synonymy: horsini Bouvier,1927 Range (as code): **BJ**
15987. **Aurivillius lucidus Darge,2013** (Saturniidae) Synonymy: lucidus Darge,2013 Range (as code): **ZM**
15988. **Aurivillius oberthuri Bouvier,1927** (Saturniidae) Synonymy: oberthuri Bouvier,1927 Range (as code): **TZ**
15989. **Aurivillius orientalis Bouyer,2007** (Saturniidae) Synonymy: orientalis Bouyer,2007 Range (as code): **TZ**
15990. **Aurivillius propinquus Darge,2013** (Saturniidae) Synonymy: propinquus Darge,2013 Range (as code): **ZM**
15991. **Aurivillius schoenitzeri Darge,2013** (Saturniidae) Synonymy: schoenitzeri Darge,2013 Range (as code): **TZ**
15992. **Aurivillius seydeli Rougeot,1966** (Saturniidae) Synonymy: seydeli Rougeot,1966 Range (as code): **KE UG MW ZM ZR**
15993. **Aurivillius triramis Rothschild,1907** (Saturniidae) Synonymy: triramis Rothschild,1907 Range (as code): **TZ KE UG NG CI SL GM SN AO CM CF GO GA ZR**
15994. **Aurivillius xerophilus Rougeot,1977** (Saturniidae) Synonymy: xerophilus Rougeot,1977 Range (as code): **TZ UG TD**
15995. **Aurivillius zambianus Darge,2013** (Saturniidae) Synonymy: zambianus Darge,2013 Range (as code): **ZM**
15996. **Bunaea alcinoe (Stoll,1780)** (Saturniidae) Synonymy: alcinoe Stoll,1780; caffraria Stoll,1790; caffra Hübner,1819; nyctalops Wallengren,1858; punctigera Wallengren,1860; tricolor Rothschild,1895; alcinoina Oberthür,1910; barbertoniana Oberthür,1910; debeeri Oberthür,1910; durbania Oberthür,1910; nubica Jordan,1910; albercini Dufrane,1953; katangensis Dufrane,1953; atlantica Dufrane,1953. Range (as code): **ZA Tva Kzu Nta Dbn Mpu Brb Gau Pre Jh MZ Del Ptb MG**
15997. **Bunaeopsis annabellae Lemaire & Rougeot,1975** (Saturniidae) Synonymy: annabellae Lemaire & Rougeot,1975 Range (as code): **ZA**
15998. **Bunaeopsis arabella (Aurivillius,1893)** (Saturniidae) Synonymy: arabella Aurivillius,1893 Range (as code): **ZA Tva Gau Pre Jh Mdd Nta Kzu Ec Tra**
15999. **Bunaeopsis bomfordi Pinhey,1962** (Saturniidae) Synonymy: bomfordi Pinhey,1962 Range (as code): **ZA**
16000. **Bunaeopsis hersilia (Westwood,1849)** (Saturniidae) Synonymy: hersilia Westwood,1849; dido Maassen & Weymer,1881; rendalli Rothschild,1896; ansorgei Rothschild,1898; fenestricatula Strand,1911; elisa Wichgraf,1914; schoenheiti Wichgraf,1914; hersilioides Fleury,1924; rendalliana Gaede,1927; nigericola Strand,1929. Range (as code): **ZA**
16001. **Bunaeopsis jacksoni (Jordan,1908)** (Saturniidae) Synonymy: jacksoni Jordan,1908; oenopa Grünberg,1910; rosea Bouvier,1927; carabella Strand,1929; observabilis Darge,1993 Range (as code): **ZA**
16002. **Bunaeopsis oubie (Guérin-Méneville,1847)** (Saturniidae) Synonymy: oubie Guérin-Méneville,1847; zaddachii Dewitz,1879; aethiopica Le Cerf,1911; argillosa Le Cerf,1911; ferruginea Bouvier,1927; lutea Bouvier,1927; tanganyikae Schüsser,1933; afraorientalis Stoneham,1959 Range (as code): **ZA**
16003. **Bunaeopsis princeps (Le Cerf,1918)** (Saturniidae) Synonymy: princeps Le Cerf,1918; callichroma Le Cerf,1918 Range (as code): **ZA**
16004. **Cinabra hyperbius (Westwood,1881)** (Saturniidae) Synonymy: hyperbius Westwood,1881; bracteata Distant,1897; gaedei Schüsser,1933 Range (as code): **ZA**
16005. **Decachorda aspersa Bouvier,1927** (Saturniidae) Synonymy: aspersa Bouvier,1927 Range (as code): **ZW MW TZ KE**

16006. **Decachorda bouvieri M.Hering,1929** (Saturniidae) Synonymy: bouvieri M.Hering,1929 Range (as code): **ZR TZ KE ZM RW**
16007. **Decachorda congolana Bouvier,1930** (Saturniidae) Synonymy: congolana Bouvier,1930 Range (as code): **ZR**
16008. **Decachorda flavilinia Stoneham,1962** (Saturniidae) Synonymy: flavilinia Stoneham,1962 Range (as code): **KE**
16009. **Decachorda fletcheri Rougeot,1970** (Saturniidae) Synonymy: fletcheri Rougeot,1970 Range (as code): **NG**
16010. **Decachorda fulvia (Druce,1886)** (Saturniidae) Synonymy: fulvia Druce,1886 Range (as code): **ZA CM KE RW SL TZ ZM ZW ZR**
16011. **Decachorda gaedei Dufrane,1953** (Saturniidae) Synonymy: gaedei Dufrane,1953 Range (as code): **ZR**
16012. **Decachorda inspersa Hampson,1910** (Saturniidae) Synonymy: inspersa Hampson,1910 Range (as code): **ZR**
16013. **Decachorda mombasana Stoneham,1962** (Saturniidae) Synonymy: mombasana Stoneham,1962 Range (as code): **KE Mb**
16014. **Decachorda rosea Aurivillius,1898** (Saturniidae) Synonymy: rosea Aurivillius,1898 Range (as code): **ZA**
16015. **Decachorda seydeli Rougeot,1970** (Saturniidae) Synonymy: seydeli Rougeot,1970 Range (as code): **ZR**
16016. **Decachorda talboti Bouvier,1930** (Saturniidae) Synonymy: talboti Bouvier,1930 Range (as code): **AET**
16017. **Dogoia addita (Darge,2008)** (Saturniidae) Synonymy: addita Darge,2008 Range (as code): **ZR**
16018. **Dogoia astrica (Darge,1977)** (Saturniidae) Synonymy: astrica Darge,1977 Range (as code): **CM CF**
16019. **Dogoia dimonica (Darge,2008)** (Saturniidae) Synonymy: dimonica Darge,2008 Range (as code): **ZR**
16020. **Dogoia egeri (Bouyer,2009)** (Saturniidae) Synonymy: egeri Bouyer,2009 Range (as code): **DZ GO**
16021. **Dogoia fulvescens (Sonthonnax,1898)** (Saturniidae) Synonymy: fulvescens Sonthonnax,1898 Range (as code): **ZR**
16022. **Dogoia hierax (Jordan,1922)** (Saturniidae) Synonymy: hierax Jordan,1922 Range (as code): **CM GO GA GH NG**
16023. **Dogoia leonardi (Bouyer,2008)** (Saturniidae) Synonymy: leonardi Bouyer,2008 Range (as code): **GN**
16024. **Dogoia lunata (Holland,1893)** (Saturniidae) Synonymy: lunata Holland,1893 Range (as code): **CM ZR GO GA CG**
16025. **Dogoia nyungwensis (Bouyer,2009)** (Saturniidae) Synonymy: nyungwensis Bouyer,2009 Range (as code): **RW**
16026. **Dogoia obscuripennis (Strand,1912)** (Saturniidae) Synonymy: obscuripennis Strand,1912 Range (as code): **GO**
16027. **Dogoia perfulvastra (Darge,1994)** (Saturniidae) Synonymy: perfulvastra Darge,1994 Range (as code): **CM CF GA ZR**
16028. **Dogoia stellata (Darge,1994)** (Saturniidae) Synonymy: stellata Darge,1994 Range (as code): **GA**
16029. **Dogoia thia (Jordan,1922)** (Saturniidae) Synonymy: thia Jordan,1922 Range (as code): **CM**
16030. **Dogoia unguiculata (Bouvier,1936)** (Saturniidae) Synonymy: unguiculata Bouvier,1936 Range (as code): **CF ZR KE CG RW TZ UG**
16031. **Dogoia veneris (Darge,1994)** (Saturniidae) Synonymy: veneris Darge,1994 Range (as code): **CM**
16032. **Eochroa trimenii (Felder,1874)** (Saturniidae) Synonymy: trimenii Felder,1874 Range (as code): **ZA Nta Kzu**
16033. **Eosia digennaroi Bouyer,2008** (Saturniidae) Synonymy: digennaroi Bouyer,2008 Range (as code): **ET KE**
16034. **Eosia insignis Le Cerf,1911** (Saturniidae) Synonymy: insignis Le Cerf,1911; crenulata Fawcett,1915 Range (as code): **ET KE SO TZ AF**
16035. **Eosia minettii Bouyer,2008** (Saturniidae) Synonymy: minettii Bouyer,2008 Range (as code): **TZ**
16036. **Epiphora acuta Darge,2012** (Saturniidae) Synonymy: acuta Darge,2012 Range (as code): **MW**
16037. **Epiphora aequatorialis Testout,1935** (Saturniidae) Synonymy: aequatorialis Testout,1935 Range (as code): **LR**
16038. **Epiphora antinorii Oberthür,1880** (Saturniidae) Synonymy: antinorii Oberthür,1880 Range (as code): **TZ KE UG ET MW ZM ER**

16039. **Epiphora bauhiniae (Guérin-Ménéville,1829)** (Saturniidae) Synonymy: bauhiniae Guérin-Ménéville,1829; atbarina Butler,1870; schultzei Aurivillius,1905; damarensis Schultze,1913; sudanica Le Cerf,1917; vera Janse,1918 Range (as code): **BJ CM TD ZR DJ ER ET GA GM GN KE MW NA NE NG SN SL SO SU SD TZ UG ZM ZW ZA**

16040. **Epiphora bedoci Bouvier,1929** (Saturniidae) Synonymy: bedoci Bouvier,1929 Range (as code): **TZ CI**

16041. **Epiphora berliozi Rougeot,1948** (Saturniidae) Synonymy: berliozi Rougeot,1948 Range (as code): **GA**

16042. **Epiphora boolana Strand,1909** (Saturniidae) Synonymy: boolana Strand,1909; liberensis Bouvier,1928; cordieri Bouvier,1928 Range (as code): **NG GN LR SL CM GA ZR**

16043. **Epiphora boursini Testout,1935** (Saturniidae) Synonymy: boursini Testout,1935 Range (as code): **TZ ZW CF**

16044. **Epiphora brunnea Bouvier,1930** (Saturniidae) Synonymy: brunnea Bouvier,1930 Range (as code): **TZ**

16045. **Epiphora cadioui Bouyer,2008** (Saturniidae) Synonymy: cadioui Bouyer,2008 Range (as code): **AO**

16046. **Epiphora congolana Bouvier,1929** (Saturniidae) Synonymy: congolana Bouvier,1929 Range (as code): **TZ KE ZR**

16047. **Epiphora cotei Testout,1935** (Saturniidae) Synonymy: cotei Testout,1935 Range (as code): **TZ**

16048. **Epiphora elianae Rougeot,1974** (Saturniidae) Synonymy: elianae Rougeot,1974 Range (as code): **ET**

16049. **Epiphora eugeniae Darge,2012** (Saturniidae) Synonymy: eugeniae Darge,2012 Range (as code): **TZ**

16050. **Epiphora feae Aurivillius,1910** (Saturniidae) Synonymy: feae Aurivillius,1910 Range (as code): **CM**

16051. **Epiphora gabonensis Testout,1935** (Saturniidae) Synonymy: gabonensis Testout,1935 Range (as code): **GA**

16052. **Epiphora getula Maassen & Weymer,1885** (Saturniidae) Synonymy: getula Maassen & Weymer,1885 Range (as code): **TZ SD SU CM GN**

16053. **Epiphora hassoni Bouyer,2008** (Saturniidae) Synonymy: hassoni Bouyer,2008 Range (as code): **ZR**

16054. **Epiphora imperator Stoneham,1933** (Saturniidae) Synonymy: imperator Stoneham,1933 Range (as code): **KE MW TZ**

16055. **Epiphora intermedia Rougeot,1955** (Saturniidae) Synonymy: intermedia Rougeot,1955 Range (as code): **KE UG ZR**

16056. **Epiphora kipengerensis Darge,2007** (Saturniidae) Synonymy: kipengerensis Darge,2007 Range (as code): **TZ**

16057. **Epiphora leae Darge,2012** (Saturniidae) Synonymy: leae Darge,2012 Range (as code): **TZ**

16058. **Epiphora lecerfi Testout,1935** (Saturniidae) Synonymy: lecerfi Testout,1935 Range (as code): **TZ**

16059. **Epiphora lineata Bouvier,1930** (Saturniidae) Synonymy: lineata Bouvier,1930 Range (as code): **GH**

16060. **Epiphora lugardi Kirby,1894** (Saturniidae) Synonymy: lugardi Kirby,1894; marwitzi Weymer,1894 Range (as code): **TZ KE UG ET**

16061. **Epiphora macedoi Darge, Mendes & Bivar de Sousa,2006** (Saturniidae) Synonymy: macedoi Darge, Mendes & Bivar de Sousa,2006 Range (as code): **AO**

16062. **Epiphora macrops Bouvier,1929** (Saturniidae) Synonymy: macrops Bouvier,1929 Range (as code): **AET**

16063. **Epiphora magdalena Grünberg,1909** (Saturniidae) Synonymy: magdalena Grünberg,1909 Range (as code): **TZ KE SD SU GN CM**

16064. **Epiphora marginimacula Joicey & Talbot,1924** (Saturniidae) Synonymy: marginimacula Joicey & Talbot,1924; ugandensis Testout,1948 Range (as code): **UG RW ZR**

16065. **Epiphora mineti Darge,1994** (Saturniidae) Synonymy: mineti Darge,1994; styrax Darge,1994 Range (as code): **CM CF GO**

16066. **Epiphora murphyi Bouyer,2008** (Saturniidae) Synonymy: murphyi Bouyer,2008 Range (as code): **MW**

16067. **Epiphora mythimnia (Westwood,1849)** (Saturniidae) Synonymy: mythimnia Westwood,1849; scribonia Wallengren,1860. Range (as code): **ZA Tva Lpo Spb Lj Mpu Brb Nta Kzu MZ Del BW ZR GA KE SO TZ ZM ZW**

16068. **Epiphora newporti Bouyer,2007** (Saturniidae) Synonymy: newporti Bouyer,2007 Range (as code): **ZM**

16069. **Epiphora nubilosa Testout,1938** (Saturniidae) Synonymy: nubilosa Testout,1938 Range (as code): **TZ**
16070. **Epiphora oberprieleri Bouyer,2008** (Saturniidae) Synonymy: oberprieleri Bouyer,2008 Range (as code): **ZW**
16071. **Epiphora obscura Dufrane,1953** (Saturniidae) Synonymy: obscura Dufrane,1953 Range (as code): **ZR**
16072. **Epiphora pelosoma Rothschild,1907** (Saturniidae) Synonymy: pelosoma Rothschild,1907 Range (as code): **CM TZ**
16073. **Epiphora perspicuus Butler,1878** (Saturniidae) Synonymy: perspicuus Butler,1878 Range (as code): **CM CF ZR GA CI LR NG SL**
16074. **Epiphora ploetzi Weymer,1880** (Saturniidae) Synonymy: ploetzi Weymer,1880 Range (as code): **AO AU CM CF ZR GO GA GN NG RW SU SD**
16075. **Epiphora pygmaea Bouvier,1929** (Saturniidae) Synonymy: pygmaea Bouvier,1929 Range (as code): **TZ**
16076. **Epiphora rectifascia Rothschild,1907** (Saturniidae) Synonymy: rectifascia Rothschild,1907; ileshana Rougeot,1955; watulegei Rougeot,1974 Range (as code): **AO CM CF ZR GO GA GN CI KE NG RW TZ UG ZM**
16077. **Epiphora rotunda Naumann,2006** (Saturniidae) Synonymy: rotunda Naumann,2006 Range (as code): **TZ KE**
16078. **Epiphora testenoirei Bouvier,1929** (Saturniidae) Synonymy: testenoirei Bouvier,1929 Range (as code): **ZR**
16079. **Epiphora testouti Rougeot,1948** (Saturniidae) Synonymy: testouti Rougeot,1948 Range (as code): **AO GA**
16080. **Epiphora vacuna Westwood,1849** (Saturniidae) Synonymy: vacuna Westwood,1849 Range (as code): **AO CM CF GA ZR UG SU SD CI GH GN SL BJ**
16081. **Epiphora werneri Darge,2007** (Saturniidae) Synonymy: werneri Darge,2007 Range (as code): **TZ**
16082. **Goodia kuntzei (Dewitz,1881)** (Saturniidae) Synonymy: kuntzei Dewitz,1881; ansorgei Kirby,1896; ochracea Aurivillius,1901 Range (as code): **ZA Tva Lpo Mpu Brb Suw Spb**
16083. **Gynanisa ata Strand,1911** (Saturniidae) Synonymy: ata Strand,1911; daula Tams,1930 Range (as code): **ZA**
16084. **Gynanisa maja (Klug,1836)** (Saturniidae) Synonymy: maja Klug,1836; isis Duncan & Westwood,1841; tata Wallengren,1860; macromaja Strand,1920; nigra Bouvier,1927 Range (as code): **ZA Tva Gau Pre Lpo Ly Mpu Brb Jh Tra Ec**
16085. **Heniocha apollonia (Cramer,1779)** (Saturniidae) Synonymy: apollonia Cramer,1779; divisa Bryk,1939 Range (as code): **ZA**
16086. **Heniocha distincta Bryk,1939** (Saturniidae) Synonymy: distincta Bryk,1939 Range (as code): **ZA**
16087. **Heniocha dyops (Maassen,1872)** (Saturniidae) Synonymy: dyops Maassen,1872; bioculata Aurivillius,1879 Range (as code): **ZA Gau Pre Lpo Tva Spb Mdk**
16088. **Heniocha marnois (Rogenhofer,1891)** (Saturniidae) Synonymy: marnois Rogenhofer,1891 Range (as code): **ZA**
16089. **Holocerina agomensis (Karsch,1896)** (Saturniidae) Synonymy: agomensis Karsch,1896; #angomensis Pinhey,1972 Range (as code): **ZA**
16090. **Holocerina angulata (Aurivillius,1893)** (Saturniidae) Synonymy: angulata Aurivillius,1893; bistricta Strand,1911; guineensis Strand,1912; micropteryx Hering,1949 Range (as code): **ZA**
16091. **Holocerina rhodesiensis (Janse,1918)** (Saturniidae) Synonymy: rhodesiensis Janse,1918 Range (as code): **ZA**
16092. **Holocerina smilax (Westwood,1849)** (Saturniidae) Synonymy: smilax Westwood,1849 Range (as code): **ZA**
16093. **Imbrasia (Gonimbrasia) affinis (Bouvier,1926)** (Saturniidae) Synonymy: affinis Bouvier,1926 Range (as code): **ZA**
16094. **Imbrasia (Gonimbrasia) anna (Maassen & Weyding,1885)** (Saturniidae) Synonymy: anna Maassen & Weyding,1885 Range (as code): **ZA**
16095. **Imbrasia (Gonimbrasia) belina (Westwood,1849)** (Saturniidae) Synonymy: belina Westwood,1849; junodi Oberthür,1910; annulata Bouvier,1936 Range (as code): **ZA Tva Gau Pre Ly Nta Kzu MZ Del Dbn ZW BW NA**
16096. **Imbrasia (Gonimbrasia) bubo (Bouvier,1930)** (Saturniidae) Synonymy: bubo Bouvier,1930; clarki Geertsema,1971 Range (as code): **ZA**
16097. **Imbrasia (Gonimbrasia) carnigiei (Janse,1918)** (Saturniidae) Synonymy: carnigiei Janse,1918 Range (as code): **ZA**

16098. **Imbrasia (Gonimbrasia) cytherea (Fabricius,1775)** (Saturniidae) Synonymy: cytherea Fabricius,1775; capensis Stool,1780; pauper Bouvier,1926; unicolor Bouvier,1926 Range (as code): **ZA Tva Gau Pre Jh Ly Wca Cto Kny Plt**

16099. **Imbrasia (Gonimbrasia) gueinzii (Staudinger,1872)** (Saturniidae) Synonymy: gueinzii Staudinger,1872 Range (as code): **ZA**

16100. **Imbrasia (Gonimbrasia) macrothyris (Rotschild,1906)** (Saturniidae) Synonymy: macrothyris Rotschild,1906; regalis Rebel,1906; heroum Oberthür,1910 Range (as code): **ZA**

16101. **Imbrasia (Gonimbrasia) perscitus (Darge,1992)** (Saturniidae) Synonymy: perscitus Darge,1992; herbuloti Darge,1992 Range (as code): **ZA**

16102. **Imbrasia (Gonimbrasia) rectilineata (Sonthonnax,1899)** (Saturniidae) Synonymy: rectilineata Sonthonnax,1899 Range (as code): **ZA**

16103. **Imbrasia (Gonimbrasia) tyrrhea (Cramer,1775)** (Saturniidae) Synonymy: tyrrhea Cramer,1775; rubra Bouvier,1936 Range (as code): **ZA Tva Gau Pre Jh**

16104. **Imbrasia (Gonimbrasia) wahlbergii (Boisduval,1847)** (Saturniidae) Synonymy: wahlbergii Boisduval,1847; ochracea Rebel,1917 Range (as code): **ZA Tva Lpo Spb Suw Nta Kzu Ptb Dbn**

16105. **Imbrasia (Gonimbrasia) zambesina (Walker,1865)** (Saturniidae) Synonymy: zambesina Walker,1865; zambesia Feldwer,1874; said Oberthür,1878; barcas Maassen & Weymer,1881; ringleri Wichgraf,1906; rectilinea Oberthür,1910; zanguebarica Oberthür,1910. Range (as code): **ZA Tva Lpo Spb Suw ZM TZ MZ Del**

16106. **Imbrasia (Nudaurelia) emini (Butler,1888)** (Saturniidae) Synonymy: emini Butler,1888 Range (as code): **CM CF MW Zom**

16107. **Imbrasia (s.str.) ertli Rebel,1904** (Saturniidae) Synonymy: ertli Rebel,1904 Range (as code): **ZA**

16108. **Imbrasia (s.str.) forda (Westwood,1849)** (Saturniidae) Synonymy: forda Westwood,1849; patens Boisduval,1847; semicaeca Walker,1855; invenusta Wallengren,1858; cervina Westwood,1881; similis Distant,1897 Range (as code): **ZA Tva Gau Mpu Brb Nta Kzu**

16109. **Lobobunaea angasana (Westwood,1849)** (Saturniidae) Synonymy: angasana Westwood,1849; saturnus Maassen & Weyding,1885; tanganicae Sonthonnax,1899; weymeri Aurivillius,1910 Range (as code): **ZA**

16110. **Lobobunaea phaedusa** (Saturniidae) Synonymy: Range (as code): **ZA**

16111. **Ludia corticea Jordan,1922** (Saturniidae) Synonymy: corticea Jordan,1922 Range (as code): **ZA**

16112. **Ludia delegorguei (Boisduval,1847)** (Saturniidae) Synonymy: delegorguei Boisduval,1847; vetusta Strand,1911 Range (as code): **ZA Tva Gau Jh Ec Grh Nta Kzu MZ Del**

16113. **Ludia goniata (Rothschild,1907)** (Saturniidae) Synonymy: goniata Rothschild,1907 Range (as code): **ZA**

16114. **Ludia limbobrunnea** (Saturniidae) Synonymy: Range (as code): **ZA**

16115. **Maltagorea auricolor (Mabille,1879)** (Saturniidae) Synonymy: auricolor Mabille,1879 Range (as code): **MG**

16116. **Maltagorea fuscicolor (Mabille,1879)** (Saturniidae) Synonymy: fuscicolor Mabille,1879 Range (as code): **MG**

16117. **Melanocera dargei Terral,1991** (Saturniidae) Synonymy: dargei Terral,1991; emmanuellae Rougeot,[1992] Range (as code): **ZA**

16118. **Melanocera menippe (Westwood,1849)** (Saturniidae) Synonymy: menippe Westwood,1849; habenichti Wichgraf,1911; transiens Wichgraf,1911 Range (as code): **ZA Tva Mpu Brb Nta Kzu Ec Pel MZ Del**

16119. **Micragone ansorgei (Rothschild,1907)** (Saturniidae) Synonymy: ansorgei Rothschild,1907 Range (as code): **ZW BW AO**

16120. **Micragone cana (Aurivillius,1893)** (Saturniidae) Synonymy: cana Aurivillius,1893; junodi Oberthür,1910 Range (as code): **ZA**

16121. **Micragone nubifera Bouvier,1936** (Saturniidae) Synonymy: nubifera Bouvier,1936 Range (as code): **ZA**

16122. **Nudaurelia herbuloti Darge,1992** (Saturniidae) Synonymy: herbuloti Darge,1992 Range (as code): **MW**

16123. **Orthogonioptilum adiegetum Karsch,1893** (Saturniidae) Synonymy: adiegetum Karsch,1893 Range (as code): **CM ZA**

16124. **Orthogonioptilum incanum (Sonthonnax,1899)** (Saturniidae) Synonymy: incanum Sonthonnax,1899; pancratium Weymer,1903; septiguttatum Weymer,1909 Range (as code): **ZA**

16125. **Pselaphelia flavivitta (Walker,1862)** (Saturniidae) Synonymy: flavivitta Walker,1862; dentifera Maassen & Weyding,1885; conspersa Aurivillius,1893 Range (as code): **ZA**

16126. **Pseudaphelia apollinaris (Boisduval,1847)** (Saturniidae) Synonymy: apollinaris Boisduval,1847; balanoal Guérin-Méneville,1847; palaeacea Herrich-Schäffer,1855 Range (as code): **ZA Tva Lpo Spb Suw Nta Kzu ET**

16127. **Pseudimbrasia deyrollii (Thomson,1858)** (Saturniidae) Synonymy: deyrollii Thomson,1858; senegalensis Kirby,1892; congolensis Oberthür,1910; intermedia Strand,1911; gerresheimi Strand,1911 Range (as code): **ZA SN ZR**

16128. **Pseudobunaea irius (Fabricius,1793)** (Saturniidae) Synonymy: irius Fabricius,1793; epithyrena Maassen & Weyding,1885; melinde Maassen & Weyding,1885; natalensis Aurivillius,1893; pallens Sonthonnax,1899; inornata Sonthonnax,1899; redlichi Weymer,1901; patruelis Distant,1903; meloui Riel,1910;cremeri Oberthür,1919; bispecularis Aurivillius,1925; immaculata Bouvier,1930; bruneli Rougeot,1974 Range (as code): **ZA Kzu Nta**

16129. **Pseudobunaea tyrrhena (Westwood,1849)** (Saturniidae) Synonymy: tyrrhena Westwood,1849 Range (as code): **ZA Tva Mpu Brb Nta Kzu Dbn CM**

16130. **Rohaniella pygmaea (Maassen & Weyding,1885)** (Saturniidae) Synonymy: pygmaea Maassen & Weyding,1885; pygela Druce,1886 Range (as code): **ZA Tva Gau Pre**

16131. **Samia cynthia (Drury,1773)** (Saturniidae) Synonymy: cynthia Drury,1773; aylanti Motschulsky,1858; walkeri C.Felder & R.Felder,1862; ailanthi Weil,1863; parisiensis Clemens,1899; advena Watson,1912; eulouvaina Watson,1914 Range (as code): **ES FR IT CH AT YU BG TN CA US UY BR VE IN NP LK JP AU] KP KR CN RU MY ID Ja PH**

16132. **Saturnia (s.str.) atlantica Lucas,1848** (Saturniidae) Synonymy: atlantica Lucas,1848; numida Austaut,1883; maroccana Austaut,1894 Range (as code): **DZ Tlm Orn Agi Ght Phv MA Dhm TN**

16133. **Tagoropsis flavinata (Walker,1865)** (Saturniidae) Synonymy: flavinata Walker,1865; natalensis R.Felder,1874 Range (as code): **ZA Nta Kzu**

16134. **Tagoropsis hanningtoni (Butler,1883)** (Saturniidae) Synonymy: hanningtoni Butler,1883; juncta Strand,1911; songeana Strand,1911; nzoiana Stoneham,1933 Range (as code): **ZA**

16135. **Urota sinope (Westwood,1849)** (Saturniidae) Synonymy: sinope Westwood,1849; conjuncta Bouvier,1930 Range (as code): **ZA**

16136. **Usta terpsichore (Maassen & Weyding,1885)** (Saturniidae) Synonymy: terpsichore Maassen & Weyding,1885; subangulata Bouvier,1930; grantae Terral & Lequeux,1991; alba Terral & Lequeux,1991 Range (as code): **ZA**

16137. **Usta wallengrenii (C.Felder & R.Felder,1859)** (Saturniidae) Synonymy: wallengrenii C.Felder & R.Felder,1859; biplaga Rebel,1912 Range (as code): **ZA**

16138. **Vegetia dewitzi (Maassen & Weyding,1885)** (Saturniidae) Synonymy: dewitzi Maassen & Weyding,1885 Range (as code): **ZA**

16139. **Vegetia ducalis Jordan,1922** (Saturniidae) Synonymy: ducalis Jordan,1922 Range (as code): **ZA**

16140. **Vegetia grimmia (Geyer,[1831])** (Saturniidae) Synonymy: grimmia Geyer,[1831] Range (as code): **ZA**

Scythridae

16141. **Apostibes griseolineata Walsingham,1907** (Scythridae) Synonymy: griseolineata Walsingham,1907; striella Turati,1929; bahrlutella Amsel,1935 Range (as code): **DZ Bsk Hes TN Gf LY IL Pa SA KG TJ AF UZ**

16142. **Apostibes inota (Meyrick,1924)** (Scythridae) Synonymy: inota Meyrick,1924 Range (as code): **AF Bm Srb PK IN Ch NA**

16143. **Enolmis acanthella (Godart,1824)** (Scythridae) Synonymy: acanthella Godart,1824; gallicella Zeller,1839; delicatella Agenjo,1951 nec Rbl.; tavaresi Monteiro,1961 Range (as code): **DZ Bsk Sfr TN Gf PT ES FR LU IT CH IL Pa Hf TR 42**

16144. **Enolmis amseli Passerin d'Entrèves,1997** (Scythridae) Synonymy: amseli Passerin d'Entrèves,1997 Range (as code): **MA Ouk**

16145. **Enolmis desidella (Lederer,1855)** (Scythridae) Synonymy: desidella Lederer,1855 Range (as code): **YU Rd TR LB Bei LY MR SA SY 01 07 33**

16146. **Enolmis gigantella (Lucas,1942)** (Scythridae) Synonymy: gigantella Lucas,1942 Range (as code): **MA**

16147. **Enolmis tunisiae Bengtsson,2005** (Scythridae) Synonymy: tunisiae Bengtsson,2005 Range (as code): **TN Gf**

16148. **Episcythris albiflua (Meyrick,1928)** (Scythridae) Synonymy: albiflua Meyrick,1928 Range (as code): **LY MA**

16149. **Episcythris arenicolorella Bengtsson,1997** (Scythridae) Synonymy: arenicolorella Bengtsson,1997 Range (as code): **MA Ifr DZ**

16150. **Episcythris asymetrica Passerin d'Entrèves,1991** (Scythridae) Synonymy: asymetrica Passerin d'Entrèves,1991 Range (as code): **DZ LY**

16151. **Episcythris bouhedmae Passerin d'Entrèves,1991** (Scythridae) Synonymy: bouhedmae Passerin d'Entrèves,1991 Range (as code): **TN**
16152. **Episcythris cremorella (Zerny,1936)** (Scythridae) Synonymy: cremorella Zerny,1936 Range (as code): **LY MA**
16153. **Episcythris grossi Bengtsson,1997** (Scythridae) Synonymy: grossi Bengtsson,1997 Range (as code): **MA Ifr**
16154. **Episcythris marocanella (D.Lucas,1955)** (Scythridae) Synonymy: marocanella D.Lucas,1955 Range (as code): **MA**
16155. **Episcythris pseudoalbiflua Passerin d'Entrèves,1991** (Scythridae) Synonymy: pseudoalbiflua Passerin d'Entrèves,1991 Range (as code): **DZ TN LY**
16156. **Episcythris triangulella (Ragonot,1875)** (Scythridae) Synonymy: triangulella Ragonot,1875; albonigrella Amsel,1939; marocanella Lucas,1955. Range (as code): **MA PT FR Co Sa IT Si RO GR BG**
16157. **Eretmocera alenica Strand,1913** (Scythridae) Synonymy: alenica Strand,1913 Range (as code): **GO**
16158. **Eretmocera basistrigata Walsingham,1889** (Scythridae) Synonymy: basistrigata Walsingham,1889 Range (as code): **ZA**
16159. **Eretmocera benitonis Strand,1913** (Scythridae) Synonymy: benitonis Strand,1913 Range (as code): **GO**
16160. **Eretmocera contermina Meyrick,1926** (Scythridae) Synonymy: contermina Meyrick,1926 Range (as code): **NA**
16161. **Eretmocera fasciata Walsingham,1896** (Scythridae) Synonymy: fasciata Walsingham,1896 Range (as code): **SO YE YE6o SA**
16162. **Eretmocera florifera Meyrick,1909** (Scythridae) Synonymy: florifera Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
16163. **Eretmocera fuscipennis Zeller,1852** (Scythridae) Synonymy: fuscipennis Zeller,1852; lunifera Zeller,1852; inclusella Walker,1864; derogatella Walker,1864; carteri Walsingham,1889 Range (as code): **ZA Nta Kzu**
16164. **Eretmocera haemogastra Meyrick,1936** (Scythridae) Synonymy: haemogastra Meyrick,1936 Range (as code): **ZR**
16165. **Eretmocera homalocrossa Meyrick,1930** (Scythridae) Synonymy: homalocrossa Meyrick,1930 Range (as code): **UG**
16166. **Eretmocera illucens Meyrick,1914** (Scythridae) Synonymy: illucens Meyrick,1914 Range (as code): **ZA Tst**
16167. **Eretmocera laetissima Zeller,1852** (Scythridae) Synonymy: laetissima Zeller,1852; divisella Walker,1864 Range (as code): **ZA SL ZR MG KM**
16168. **Eretmocera levicornella Rebel,1917** (Scythridae) Synonymy: levicornella Rebel,1917 Range (as code): **SD Kdf**
16169. **Eretmocera medinella (Staudinger,1859)** (Scythridae) Synonymy: medinella Staudinger,1859; #decolorata Turati,1924 Range (as code): **DZ TN LY Cy ES An IT Si Sa YU? Cc IR TM Krn TR UZ Smk 25 76**
16170. **Eretmocera miniata Walsingham,1889** (Scythridae) Synonymy: miniata Walsingham,1889 Range (as code): **ZA**
16171. **Eretmocera monophaea Meyrick,1926** (Scythridae) Synonymy: monophaea Meyrick,1926 Range (as code): **ZA Nta Kzu**
16172. **Eretmocera nomadica Walsingham,1907** (Scythridae) Synonymy: nomadica Walsingham,1907 Range (as code): **DZ Hes Bsk TN Gf**
16173. **Eretmocera pachypennis Strand,1913** (Scythridae) Synonymy: pachypennis Strand,1913 Range (as code): **GO**
16174. **Eretmocera scatospila Zeller,1852** (Scythridae) Synonymy: scatospila Zeller,1852 Range (as code): **ZA**
16175. **Eretmocera shoabensis Rebel,1907** (Scythridae) Synonymy: shoabensis Rebel,1907 Range (as code): **YE Sk**
16176. **Eretmocera syleuta Meyrick,1926** (Scythridae) Synonymy: syleuta Meyrick,1926 Range (as code): **ZA**
16177. **Eretmocera typhonica Meyrick,1917** (Scythridae) Synonymy: typhonica Meyrick,1917 Range (as code): **CI**
16178. **Erigethes strobilacei Walsingham,1907** (Scythridae) Synonymy: strobilacei Walsingham,1907 Range (as code): **DZ Bsk Hes TN Gf**

16179. **Falkovitshella pediculella (Bengtsson,1997)** (Scythridae) Synonymy: pediculella Bengtsson,1997 Range (as code): **TN**
16180. **Haploscythris paulianella Viette,1956** (Scythridae) Synonymy: paulianella Viette,1956 Range (as code): **MG**
16181. **Necrothalassia compsias (Walsingham,1907)** (Scythridae) Synonymy: compsias Walsingham,1907; argilosella Amsel,1935 Range (as code): **MA DZ Bsk IL Pa**
16182. **Oedematopoda illucens (Meyrick,1914)** (Scythridae) Synonymy: illucens Meyrick,1914 Range (as code): **ZA**
16183. **Oedematopoda princeps Zeller,1852** (Scythridae) Synonymy: princeps Zeller,1852 Range (as code): **ZA**
16184. **Paralogistis ochrura Meyrick,1913** (Scythridae) Synonymy: ochrura Meyrick,1913 Range (as code): **ZA Don**
16185. **Proterochyta epicoena (Meyrick,1914)** (Scythridae) Synonymy: epicoena Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
16186. **Scythris (Catascythris) kebirella (Amsel,1935)** (Scythridae) Synonymy: kebirella Amsel,1935 Range (as code): **AE OM IL Pa Jer JO IR Kdj Elb Ss Th Nss Ke B-A PK Krc Sd SA IN NA**
16187. **Scythris (aerariella-gr.) imperiella Jäckh,1978** (Scythridae) Synonymy: imperiella Jäckh,1978 Range (as code): **MA ES FR IT TR 21**
16188. **Scythris (bazaensis-gr.) bazaensis Bengtsson,1997** (Scythridae) Synonymy: bazaensis Bengtsson,1997 Range (as code): **ES Mu TN**
16189. **Scythris (boseanella-gr.) boseanella Klimesch,1986** (Scythridae) Synonymy: boseanella Klimesch,1986 Range (as code): **Cn**
16190. **Scythris (camelella-gr.) camelella Walsingham,1907** (Scythridae) Synonymy: camelella Walsingham,1907 Range (as code): **DZ Bsk TN EG EG11 SD YE YE68 IR JO PK**
16191. **Scythris (canescens-gr.) articulatella Chrétien,1915** (Scythridae) Synonymy: articulatella Chrétien,1915 Range (as code): **DZ Bsk TN Gf LY**
16192. **Scythris (canescens-gr.) barbatella Chrétien,1915** (Scythridae) Synonymy: barbatella Chrétien,1915 Range (as code): **DZ Bsk TN**
16193. **Scythris (canescens-gr.) canescens (Staudinger,1880)** (Scythridae) Synonymy: canescens Staudinger,1880; plumbeogrisea Walsingham,1907; maculatella Chrétien,1915 Range (as code): **DZ Gha Bsk Hes LY MA TN Gf SY TR AF Kab Ca PK IR Ab Mak Khy Th 05 38**
16194. **Scythris (canescens-gr.) cupellella Bengtsson,1997** (Scythridae) Synonymy: cupellella Bengtsson,1997 Range (as code): **TN**
16195. **Scythris (canescens-gr.) curlettii Bengtsson,1997** (Scythridae) Synonymy: curlettii Bengtsson,1997 Range (as code): **TN EG IR Ss B-A IL Pa**
16196. **Scythris (canescens-gr.) eremella Chrétien,1915** (Scythridae) Synonymy: eremella Chrétien,1915 Range (as code): **DZ Bsk TN Gf**
16197. **Scythris (canescens-gr.) eucharis Walsingham,1907** (Scythridae) Synonymy: eucharis Walsingham,1907; elongatella Lucas,1933; halophilella Amsel,1935; lacteella Caradja,1920 Range (as code): **DZ Bsk Hes Ges TN Gf IL Pa Jer JO**
16198. **Scythris (canescens-gr.) maculosa Bengtsson,1997** (Scythridae) Synonymy: maculosa Bengtsson,1997 Range (as code): **MA TN**
16199. **Scythris (canescens-gr.) neftae Bengtsson,1997** (Scythridae) Synonymy: neftae Bengtsson,1997 Range (as code): **LY MA TN**
16200. **Scythris (canescens-gr.) senecai Bengtsson,1997** (Scythridae) Synonymy: senecai Bengtsson,1997 Range (as code): **IR Ss LY SY Dms YE Hd**
16201. **Scythris (canescens-gr.) tessulatella Rebel,1903** (Scythridae) Synonymy: tessulatella Rebel,1903; erminea Walsingham,1907 Range (as code): **TN LY DZ Gea Bsk Ktr Hes IL Pa IR**
16202. **Scythris (cistorum-gr.) cistorum (Millière,1876)** (Scythridae) Synonymy: cistorum Millière,1876; biventrella Rössler,1877; bidentella Mees,1910 Range (as code): **MA PT ES FR IT**
16203. **Scythris (decrepidella-gr.) decrepidella Bengtsson,1997** (Scythridae) Synonymy: decrepidella Bengtsson,1997 Range (as code): **EG IR Ss B-A**
16204. **Scythris (decrepidella-gr.) goundafae Bengtsson,1997** (Scythridae) Synonymy: goundafae Bengtsson,1997 Range (as code): **MA**
16205. **Scythris (dissitella-gr.) dissitella (Zeller,1847)** (Scythridae) Synonymy: dissitella Zeller,1847; eatoni Caradja,1920; aritzoella Amsel,1936 Range (as code): **DZ MA TN Dhm IT Sa Si CY**

16206. **Scythris (elegantella-gr.) elegantella (Lucas,1955)** (Scythridae) Synonymy: elegantella Lucas,1955; limbelloides Jackh,1977 Range (as code): **MA ES**

16207. **Scythris (formicella-gr.) kebiliensis Bengtsson,1997** (Scythridae) Synonymy: kebiliensis Bengtsson,1997 Range (as code): **TN**

16208. **Scythris (grandipennis-gr.) maroccensis Jäckh,1977** (Scythridae) Synonymy: maroccensis Jäckh,1977 Range (as code): **MA**

16209. **Scythris (gravatella-gr.) gravatella (Zeller,1847)** (Scythridae) Synonymy: gravatella Zeller,1847; vagabundella Herrich-Schäffer,[1854]; caradjae Amsel,1939; flavidella Passerin d'Entrèves,1986 nec Preiss.,1911 Range (as code): **TN ES FR Sa Si? IT CH YU AL GR TR 05 16 71**

16210. **Scythris (inclusella-gr.) inclusella Lederer,1855** (Scythridae) Synonymy: inclusella Lederer,1855; subflabella Stainton,1867 Range (as code): **Cc GG TR LB Bei Bsa IL Pa SY JO ER 46**

16211. **Scythris (inertella-gr.) inertella (Zeller,1855)** (Scythridae) Synonymy: inertella Zeller,1855; tangerensis Stainton,1872; gurdella Christoph,1877; orbidella Chrétien,1901; marionella Walsingham,1907; praeflava Meyrick,1913; hassenella Chrétien,1915; semialbicostella Turati,1927 Range (as code): **MA Tgr DZ Ktr TN LY ES FR Sa Si IT GR TR LB Bei IL Pa RU Da Cc Der**

16212. **Scythris (klimeschi-gr.) guimarensis Bengtsson,1997** (Scythridae) Synonymy: guimarensis Bengtsson,1997 Range (as code): **Cn**

16213. **Scythris (klimeschi-gr.) klimeschi Passerin d'Entrèves,1983** (Scythridae) Synonymy: klimeschi Passerin d'Entrèves,1983 Range (as code): **Cn**

16214. **Scythris (knochella-gr.) ciliatella Zerny,1936** (Scythridae) Synonymy: ciliatella Zerny,1936 Range (as code): **MA**

16215. **Scythris (laminella-gr.) thomisioides Bengtsson,1997** (Scythridae) Synonymy: thomisioides Bengtsson,1997 Range (as code): **TN**

16216. **Scythris (monochreella-gr.) monochreella (Ragonot,1895)** (Scythridae) Synonymy: monochreella Ragonot,1895; lychnitis Meyrick,1918 Range (as code): **EG TR SY LB IL Pa IQ Bsr Bgd IR AE IN Rj AF 31 33 46**

16217. **Scythris (mus-gr.) mus Walsingham,1898** (Scythridae) Synonymy: mus Walsingham,1898; talpella Walsingham,1907; blandella Chrétien,1915; griseomiscella Turati,1924 Range (as code): **DZ Bsk Hes LY TN Gf ES Co Sa DE GR CY IL Pa SA IR**

16218. **Scythris (nipholecta-gr) nipholecta Meyrick,1918** (Scythridae) Synonymy: nipholecta Meyrick,1918; melanosticta Turati,1930 Range (as code): **EG EG07 LY OM AE SD YE**

16219. **Scythris (pascuella-gr.) aciella Bengtsson,1997** (Scythridae) Synonymy: aciella Bengtsson,1997 Range (as code): **TN EG EG07 LB Bei YE?**

16220. **Scythris (pascuella-gr.) albidella (Stainton,1867)** (Scythridae) Synonymy: albidella Stainton,1867; recreata Meyrick,1925; abdominalis Turati,1926; lemarchandella Lucas,1950 Range (as code): **LY Cy TN JO YU AL GR IL Pa**

16221. **Scythris (pascuella-gr.) cornuella Bengtsson,1997** (Scythridae) Synonymy: cornuella Bengtsson,1997 Range (as code): **MA**

16222. **Scythris (passerini-gr.) passerini Bengtsson,1997** (Scythridae) Synonymy: passerini Bengtsson,1997 Range (as code): **IR Ab Mak SY Dms LY Cy**

16223. **Scythris (petrella-gr.) arachnodes Walsingham,1908** (Scythridae) Synonymy: arachnodes Walsingham,1908 Range (as code): **Cn**

16224. **Scythris (petrella-gr.) hierroella Klimesch,1986** (Scythridae) Synonymy: hierroella Klimesch,1986 Range (as code): **Cn**

16225. **Scythris (petrella-gr.) petrella Walsingham,1908** (Scythridae) Synonymy: petrella Walsingham,1908 Range (as code): **Cn**

16226. **Scythris (petrella-gr.) pseudarachnodes Bengtsson,1997** (Scythridae) Synonymy: pseudarachnodes Bengtsson,1997 Range (as code): **Cn**

16227. **Scythris (pinkeri-gr.) pinkeri Klimesch,1986** (Scythridae) Synonymy: pinkeri Klimesch,1986 Range (as code): **Cn**

16228. **Scythris (polycarpaeae-gr.) polycarpaeae Klimesch,1986** (Scythridae) Synonymy: polycarpaeae Klimesch,1986 Range (as code): **Cn**

16229. **Scythris (pulicella-gr.) azrouensis Bengtsson,1997** (Scythridae) Synonymy: azrouensis Bengtsson,1997 Range (as code): **MA Azr TN**

16230. **Scythris (punctivittella-gr.) atlasensis Bengtsson,1997** (Scythridae) Synonymy: atlasensis Bengtsson,1997 Range (as code): **MA Ouk**

16231. **Scythris (schleichiella-gr.) glacialis (Frey,1870)** (Scythridae) Synonymy: glacialis Frey,1870; carnicheella Jäckh,1978 Range (as code): **FR IT CH AT SL**

16232. **Scythris (scopolella-gr.) scopolella (Linnaeus,1767)** (Scythridae) Synonymy: scopolella Linnaeus,1767; quadripunctella Hübner,1793; triguttella Duponchel,1839; humillimella Staudinger,1859; biforella Staudinger,1859; heleniella Millière,1876; tenietella Caradja,1920; gredosella Schmidt,1941 Range (as code): **DZ TN PT ES FR IT BE LU DE CH AT PL CZ**

16233. **Scythris (subfasciata-gr.) friedeli Bengtsson,1997** (Scythridae) Synonymy: friedeli Bengtsson,1997 Range (as code): **MA Ifr IR Ss IL Pa**

16234. **Scythris (subfasciata-gr.) locustella Chrétien,1915** (Scythridae) Synonymy: locustella Chrétien,1915 Range (as code): **TN Gf**

16235. **Scythris (tributella-gr.) tributella (Zeller,1847)** (Scythridae) Synonymy: tributella Zeller,1847; terrenella Zeller,1847; parvella Herrich-Schäffer,1855; denigratella Herrich-Schäffer,1855; serella Constant,1885; karnyella Rebel,1918; monotinctella Turati,1924; bulbosella Lhomme,1949; igaloensis Amsel,1951 Range (as code): **LY PT ES FR Sa Si IT BE NL DE CH AT CZ SK HU RO YU AL GR RU Ur Cc GG TR IR Elb Kdj TM 21**

16236. **Scythris accumulata Meyrick,1914** (Scythridae) Synonymy: accumulata Meyrick,1914 Range (as code): **ZA Tva Gau Pre**

16237. **Scythris amplexella Bengtsson,2002** (Scythridae) Synonymy: amplexella Bengtsson,2002 Range (as code): **OM SD YE Sna AE**

16238. **Scythris anthracodelta Meyrick,1912** (Scythridae) Synonymy: anthracodelta Meyrick,1912 Range (as code): **ZA Tva Wo**

16239. **Scythris aphanatma Meyrick,1933** (Scythridae) Synonymy: aphanatma Meyrick,1933 Range (as code): **UG**

16240. **Scythris aquaria Meyrick,1913** (Scythridae) Synonymy: aquaria Meyrick,1913 Range (as code): **ZA Tva Gau Pre Mpu Brb**

16241. **Scythris autochlorella Paulian & Viette,1956** (Scythridae) Synonymy: autochlorella Paulian & Viette,1956 Range (as code): **MG**

16242. **Scythris badiella Bengtsson,2002** (Scythridae) Synonymy: badiella Bengtsson,2002 Range (as code): **YE ZR**

16243. **Scythris biacutella Bengtsson,2002** (Scythridae) Synonymy: biacutella Bengtsson,2002 Range (as code): **Cn YE SA As IL Pa IR Ss B-A**

16244. **Scythris bifractella (Rebel,1917)** (Scythridae) Synonymy: bifractella Rebel,1917 Range (as code): **SD Kdf**

16245. **Scythris brachyplecta Meyrick,1928** (Scythridae) Synonymy: brachyplecta Meyrick,1928 Range (as code): **ZA Nta Kzu**

16246. **Scythris calciflua Meyrick,1921** (Scythridae) Synonymy: calciflua Meyrick,1921 Range (as code): **ZA Tva Gau Pre**

16247. **Scythris canispersa Meyrick,1913** (Scythridae) Synonymy: canispersa Meyrick,1913 Range (as code): **ZA Tva Gau Pre**

16248. **Scythris chloraema (Meyrick,1887)** (Scythridae) Synonymy: chloraema Meyrick,1887 Range (as code): **ZA Ec Grh**

16249. **Scythris clemens Meyrick,1921** (Scythridae) Synonymy: clemens Meyrick,1921 Range (as code): **MZ Mag**

16250. **Scythris cometa Meyrick,1909** (Scythridae) Synonymy: cometa Meyrick,1909 Range (as code): **ZA Tva Gau Pre**

16251. **Scythris concurrens Meyrick,1921** (Scythridae) Synonymy: concurrens Meyrick,1921 Range (as code): **MZ Mag**

16252. **Scythris cretiflua Meyrick,1913** (Scythridae) Synonymy: cretiflua Meyrick,1913 Range (as code): **ZA Gau Tva Pre Mpu Brb**

16253. **Scythris delodelta Meyrick,1930** (Scythridae) Synonymy: delodelta Meyrick,1930 Range (as code): **ZA Nta Kzu Wnn**

16254. **Scythris denticolor Walsingham,1900** (Scythridae) Synonymy: denticolor Walsingham,1900 Range (as code): **YE Sk**

16255. **Scythris dimensa Meyrick,1920** (Scythridae) Synonymy: dimensa Meyrick,1920 Range (as code): **ZA Nta Kzu Dbn**

16256. **Scythris distactica Meyrick,1921** (Scythridae) Synonymy: distactica Meyrick,1921 Range (as code): **ZW Swm**

16257. **Scythris eloquens Meyrick,1921** (Scythridae) Synonymy: eloquens Meyrick,1921 Range (as code): **MZ Mag**

16258. **Scythris erudita Meyrick,1917** (Scythridae) Synonymy: erudita Meyrick,1917 Range (as code): **ZA Bul**

16259. **Scythris exsoluta Meyrick,1920** (Scythridae) Synonymy: exsoluta Meyrick,1920 Range (as code): **ZA Wdh**

16260. **Scythris faeculenta Meyrick,1912** (Scythridae) Synonymy: faeculenta Meyrick,1912 Range (as code): **ZA Fs Sfe**
16261. **Scythris farrata Meyrick,1913** (Scythridae) Synonymy: farrata Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
16262. **Scythris fissurella Bengtsson,1997** (Scythridae) Synonymy: fissurella Bengtsson,1997 Range (as code): **KG AF OM SD PK YE Sna IR Ss RU Ao**
16263. **Scythris fluctuosa Meyrick,1914** (Scythridae) Synonymy: fluctuosa Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
16264. **Scythris fonticola Meyrick,1911** (Scythridae) Synonymy: fonticola Meyrick,1911 Range (as code): **ZA Tva Mdt**
16265. **Scythris glaphyropa Meyrick,1914** (Scythridae) Synonymy: glaphyropa Meyrick,1914 Range (as code): **ZA Tva Mpu Tst**
16266. **Scythris halmyrodes Meyrick,1921** (Scythridae) Synonymy: halmyrodes Meyrick,1921 Range (as code): **ZW Swm**
16267. **Scythris homoxantha Meyrick,1921** (Scythridae) Synonymy: homoxantha Meyrick,1921 Range (as code): **ZW Uma**
16268. **Scythris hydronoma Meyrick,1921** (Scythridae) Synonymy: hydronoma Meyrick,1921 Range (as code): **SD Wme**
16269. **Scythris ilyopa Meyrick,1921** (Scythridae) Synonymy: ilyopa Meyrick,1921 Range (as code): **ZW Vf**
16270. **Scythris indigoferivora Bengtsson,2002** (Scythridae) Synonymy: indigoferivora Bengtsson,2002 Range (as code): **YE SD**
16271. **Scythris invisa Meyrick,1920** (Scythridae) Synonymy: invisa Meyrick,1920 Range (as code): **KE**
16272. **Scythris justifica Meyrick,1911** (Scythridae) Synonymy: justifica Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
16273. **Scythris karsholti Bengtsson,1997** (Scythridae) Synonymy: karsholti Bengtsson,1997 Range (as code): **TN**
16274. **Scythris kefensis K.Nupponen,2001** (Scythridae) Synonymy: kefensis K.Nupponen,2001 Range (as code): **TN**
16275. **Scythris lactanea Meyrick,1913** (Scythridae) Synonymy: lactanea Meyrick,1913 Range (as code): **ZA Tva Gau Pre Mpu Brb**
16276. **Scythris landryi Passerin d'Entrèves & Roggero,2004** (Scythridae) Synonymy: landryi Passerin d'Entrèves & Roggero,2004 Range (as code): **TN**
16277. **Scythris latebrosa Meyrick,1913** (Scythridae) Synonymy: latebrosa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst**
16278. **Scythris lemarchandella Lucas,1950** (Scythridae) Synonymy: lemarchandella Lucas,1950 Range (as code): **TN**
16279. **Scythris maroccanella D.Lucas,1955** (Scythridae) Synonymy: maroccanella D.Lucas,1955 Range (as code): **MA**
16280. **Scythris melanodora Meyrick,1912** (Scythridae) Synonymy: melanodora Meyrick,1912 Range (as code): **ZA**
16281. **Scythris melanopleura Meyrick,1914** (Scythridae) Synonymy: melanopleura Meyrick,1914 Range (as code): **ZA**
16282. **Scythris meligastra Meyrick,1920** (Scythridae) Synonymy: meligastra Meyrick,1920 Range (as code): **ZA**
16283. **Scythris mesoplecta Meyrick,1921** (Scythridae) Synonymy: mesoplecta Meyrick,1921 Range (as code): **ZA Ec Stj**
16284. **Scythris neurogramma Walsingham,1900** (Scythridae) Synonymy: neurogramma Walsingham,1900 Range (as code): **YE Sk**
16285. **Scythris nigrispersa Meyrick,1918** (Scythridae) Synonymy: nigrispersa Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
16286. **Scythris obstans Meyrick,1928** (Scythridae) Synonymy: obstans Meyrick,1928 Range (as code): **ZA**
16287. **Scythris ochrantha Meyrick,1909** (Scythridae) Synonymy: ochrantha Meyrick,1909 Range (as code): **ZA Nta Kzu**
16288. **Scythris pangalactis Meyrick,1933** (Scythridae) Synonymy: pangalactis Meyrick,1933 Range (as code): **BW GM IN Rj IR B-A SD AE OM YE JO**
16289. **Scythris patiens Meyrick,1921** (Scythridae) Synonymy: patiens Meyrick,1921 Range (as code): **ZW Hfo**

16290.**Scythris pectinicornis Walsingham,1900** (Scythridae) Synonymy: pectinicornis Walsingham,1900 Range (as code): **YE Sk**
16291.**Scythris pelochyta Meyrick,1909** (Scythridae) Synonymy: pelochyta Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
16292.**Scythris psamathota Meyrick,1913** (Scythridae) Synonymy: psamathota Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
16293.**Scythris rivigera Meyrick,1911** (Scythridae) Synonymy: rivigera Meyrick,1911 Range (as code): **ZA Tva Lpo Wo**
16294.**Scythris roseola Meyrick,1912** (Scythridae) Synonymy: roseola Meyrick,1912 Range (as code): **ZA**
16295.**Scythris sacharissa Meyrick,1913** (Scythridae) Synonymy: sacharissa Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
16296.**Scythris sinuosella Bengtsson,2002** (Scythridae) Synonymy: sinuosella Bengtsson,2002 Range (as code): **IR Ss B-A SD YE**
16297.**Scythris stagnosa Meyrick,1913** (Scythridae) Synonymy: stagnosa Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
16298.**Scythris vulgata Meyrick,1914** (Scythridae) Synonymy: vulgata Meyrick,1914 Range (as code): **ZA Tva Pre Gau**

Sesiidae

16299."**Macrotarsipus" microthyris Hampson,1919** (Sesiidae) Synonymy: microthyris Hampson,1919 Range (as code): **AET KE MW**
16300.**Aenigmina aenea Le Cerf,1912** (Sesiidae) Synonymy: aenea Le Cerf,1912 Range (as code): **AET**
16301.**Aenigmina critheis (Druce,1899)** (Sesiidae) Synonymy: critheis Druce,1899 Range (as code): **AET ZA MZ**
16302.**Aenigmina latimargo Le Cerf,1912** (Sesiidae) Synonymy: latimargo Le Cerf,1912 Range (as code): **AET**
16303.**Aenigmina tiresa (Druce,1899)** (Sesiidae) Synonymy: tiresa Druce,1899 Range (as code): **AET**
16304.**Afrokona aerea Fischer,2006** (Sesiidae) Synonymy: aerea Fischer,2006 Range (as code): **AET ZR**
16305.**Afromelittia aenescens (Butler,1896)** (Sesiidae) Synonymy: aenescens Butler,1896 Range (as code): **AET**
16306.**Afromelittia iridisquama (Mabille,1890)** (Sesiidae) Synonymy: iridisquama Mabille,1890 Range (as code): **AET**
16307.**Afromelittia natalensis (Butler,1874)** (Sesiidae) Synonymy: natalensis Butler,1874 Range (as code): **AET ZA Nta Kzu**
16308.**Afromelittia occidentalis (Le Cerf,1917)** (Sesiidae) Synonymy: occidentalis Le Cerf,1917 Range (as code): **AET ZA**
16309.**Agriomelissa aethiopica (Le Cerf,1917)** (Sesiidae) Synonymy: aethiopica Le Cerf,1917 Range (as code): **AET**
16310.**Agriomelissa amblyphaea (Hampson,1919)** (Sesiidae) Synonymy: amblyphaea Hampson,1919 Range (as code): **AET**
16311.**Agriomelissa brevicornis (Aurivillius,1905)** (Sesiidae) Synonymy: brevicornis Aurivillius,1905 Range (as code): **AET**
16312.**Agriomelissa gypsospora Meyrick,1931** (Sesiidae) Synonymy: gypsospora Meyrick,1931 Range (as code): **AET UG**
16313.**Agriomelissa malagasy (Viette,1982)** (Sesiidae) Synonymy: malagasy Viette,1982 Range (as code): **AET MG**
16314.**Agriomelissa ursipes (Walker,1856)** (Sesiidae) Synonymy: ursipes Walker,1856; #hirtipes Boisduval,1875 Range (as code): **AET ZA Nta Kzu**
16315.**Agriomelissa victrix (Le Cerf,1916)** (Sesiidae) Synonymy: victrix Le Cerf,1916 Range (as code): **AET**
16316.**Alonina difformis Hampson,1919** (Sesiidae) Synonymy: difformis Hampson,1919 Range (as code): **AET ZA Nta Kzu Dbn**
16317.**Alonina longipes (Holland,1893)** (Sesiidae) Synonymy: longipes Holland,1893 Range (as code): **AET GA Ogo**
16318.**Alonina rygchiiformis Walker,1856** (Sesiidae) Synonymy: rygchiiformis Walker,1856; rhynchiiformis Hampson,1919 Range (as code): **AET ZA Nta Kzu**

16319. **Anaudia felderi Wallengren,1863** (Sesiidae) Synonymy: felderi Wallengren,1863 Range (as code): **AET ZA**
16320. **Barbasphecia ares Pühringer & Safian,2011** (Sesiidae) Synonymy: ares Pühringer & Safian,2011 Range (as code): **AET GH**
16321. **Barbasphecia hephaistos Pühringer & Safian,2011** (Sesiidae) Synonymy: hephaistos Pühringer & Safian,2011 Range (as code): **AET GH**
16322. **Bembecia albanensis (Rebel,1918)** (Sesiidae) Synonymy: albanensis Rebel,1918; corcyrensis Rebel,1918; tunetana Le Cerf,1920 [ssp.]; kalavrytana Sheljuzhko,1924 Range (as code): **TN ES FR Sa Si IT GB DE CH AT CZ SK RO YU AL BG GR Cr TR RU MD UA 01 59**
16323. **Bembecia astragali (Joannis,1909)** (Sesiidae) Synonymy: astragali Joannis,1909; igueri Bettag & Bläsius,1998 Range (as code): **MA FR ES An IT MA SS HV GR**
16324. **Bembecia dispar (Staudinger,1881)** (Sesiidae) Synonymy: dispar Staudinger,1881; oberthueri Le Cerf,1916; dumonti Le Cerf,1920; deniba Le Cerf,1934 Range (as code): **DZ Lgt Bsk BSa MA TN Gf**
16325. **Bembecia flavida (Oberthür,1890)** (Sesiidae) Synonymy: flavida Oberthür,1890 Range (as code): **DZ Cst MA Si**
16326. **Bembecia hymenopteriformis (Bellier,1860)** (Sesiidae) Synonymy: hymenopteriformis Bellier,1860; algeriensis Le Cerf,1911; #algirica Le Cerf,1920; luticornis Mariani,1937 Range (as code): **ES Si IT MA DZ Agi TN**
16327. **Bembecia iberica K.Spatenka,1992** (Sesiidae) Synonymy: iberica K.Spatenka,1992 Range (as code): **MA PT ES FR Co IT**
16328. **Bembecia joesti Bettag,1997** (Sesiidae) Synonymy: joesti Bettag,1997 Range (as code): **MA**
16329. **Bembecia karel Herrmann & Hofmann,1997** (Sesiidae) Synonymy: karel Herrmann & Hofmann,1997 Range (as code): **MA**
16330. **Bembecia powelli (Le Cerf,1925)** (Sesiidae) Synonymy: powelli Le Cerf,1925 Range (as code): **MA Ifr**
16331. **Bembecia sirphiformis (Lucas,1849)** (Sesiidae) Synonymy: sirphiformis Lucas,1849; tunetana Le Cerf,1920; #syrphiformis Dalla Torre & Strand,1925 Range (as code): **DZ MA TN PT ES FR IT Sa Si Co**
16332. **Bembecia uroceriformis (Treitschke,1834)** (Sesiidae) Synonymy: uroceriformis Treitschke,1834; mamertina Zeller,1847; monedulaeformis Rambur,1866; athaliaeformis Boisduval,[1875]; armoricana Oberthür,1907; atlantica Le Cerf,1920; nigricornis Mariani,1937 Range (as code): **MA PT ES FR Co Sa Si IT CH AT SK HU RO YU GR TR RU Cc GG JO IL Pa**
16333. **Cabomina dragomontana De Freina,2008** (Sesiidae) Synonymy: dragomontana De Freina,2008 Range (as code): **AET ZA**
16334. **Cabomina heliostoma (Meyrick,1926)** (Sesiidae) Synonymy: heliostoma Meyrick,1926 Range (as code): **AET ZA**
16335. **Cabomina monicae De Freina,2008** (Sesiidae) Synonymy: monicae De Freina,2008 Range (as code): **AET ZA**
16336. **Cabomina tsomoana De Freina,2011** (Sesiidae) Synonymy: tsomoana De Freina,2011 Range (as code): **AET ZA**
16337. **Callisphecia bicincta Le Cerf,1916** (Sesiidae) Synonymy: bicincta Le Cerf,1916 Range (as code): **AET CM**
16338. **Callisphecia oberthueri Le Cerf,1916** (Sesiidae) Synonymy: oberthueri Le Cerf,1916 Range (as code): **AET CM**
16339. **Camaegeria aristura (Meyrick,1931)** (Sesiidae) Synonymy: aristura Meyrick,1931; leptomorpha Meyrick,1931; hadassa Meyrick,1932 Range (as code): **AET UG**
16340. **Camaegeria auripicta Strand,1914** (Sesiidae) Synonymy: auripicta Strand,1914 Range (as code): **AET CM**
16341. **Camaegeria exochiformis (Walker,1856)** (Sesiidae) Synonymy: exochiformis Walker,1856 Range (as code): **AET**
16342. **Camaegeria lychnitis Bartsch & Berg,2012** (Sesiidae) Synonymy: lychnitis Bartsch & Berg,2012 Range (as code): **AET MG**
16343. **Camaegeria massai Bartsch & Berg,2012** (Sesiidae) Synonymy: massai Bartsch & Berg,2012 Range (as code): **AET TZ KE Nai**
16344. **Camaegeria monogama (Meyrick,1932)** (Sesiidae) Synonymy: monogama Meyrick,1932; lioscelis Meyrick,1935 Range (as code): **AET SL**
16345. **Camaegeria polytelis Bartsch & Berg,2012** (Sesiidae) Synonymy: polytelis Bartsch & Berg,2012 Range (as code): **AET MG**
16346. **Camaegeria sophax (Druce,1899)** (Sesiidae) Synonymy: sophax Druce,1899 Range (as code): **AET ZA Nta Kzu Dbn MZ ZW KE UG**

16347. **Camaegeria sylvestralis (Viette,[1955])** (Sesiidae) Synonymy: sylvestralis Viette,[1955] Range (as code): **AET MG**
16348. **Camaegeria xanthomos Bartsch & Berg,2012** (Sesiidae) Synonymy: xanthomos Bartsch & Berg,2012 Range (as code): **AET MG**
16349. **Camaegeria xanthopimplaeformis (Viette,[1955])** (Sesiidae) Synonymy: xanthopimplaeformis Viette,[1955] Range (as code): **AET MG**
16350. **Ceritrypetes idiotropha Bradley,1956** (Sesiidae) Synonymy: idiotropha Bradley,1956 Range (as code): **AET NG**
16351. **Chamaesphecia aerifrons (Zeller,1847)** (Sesiidae) Synonymy: aerifrons Zeller,1847; sardoa Staudinger,1856 [ssp.] Range (as code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT BE DE HU YU AL GR Cr**
16352. **Chamaesphecia andrianony Viette,1982** (Sesiidae) Synonymy: andrianony Viette,1982 Range (as code): **AET MG**
16353. **Chamaesphecia anthraciformis (Rambur,1832)** (Sesiidae) Synonymy: anthraciformis Rambur,1832; agriliformis Walker,1856; joppiformis Staudinger,1856; phoeniformis Faila-Teddaldi,1883; lahayei Oberthür,1888; seitzi Püngeler,1905; suprema Oberthür,1907; louisae Le Cerf,1915; phoenix Le Cerf,1925; major Rothschild,1926; reisseri Capuse,1973 Range (as code): **DZ Bsk Lbs Btna Naam Sfr MA TN Co Sa MT IL Pa Js**
16354. **Chamaesphecia anthrax Le Cerf,1916** (Sesiidae) Synonymy: anthrax Le Cerf,1916 Range (as code): **ES Si DZ Orn Sbd MA**
16355. **Chamaesphecia clathrata Le Cerf,1917** (Sesiidae) Synonymy: clathrata Le Cerf,1917 Range (as code): **AET ZR**
16356. **Chamaesphecia festai Turati,1925** (Sesiidae) Synonymy: festai Turati,1925 Range (as code): **LY Cy**
16357. **Chamaesphecia guenter Herrmann & Hofmann,1997** (Sesiidae) Synonymy: guenter Herrmann & Hofmann,1997 Range (as code): **MA**
16358. **Chamaesphecia lemur Le Cerf,1957** (Sesiidae) Synonymy: lemur Le Cerf,1957 Range (as code): **AET MG**
16359. **Chamaesphecia maurusia Püngeler,1912** (Sesiidae) Synonymy: maurusia Püngeler,1912 Range (as code): **DZ Tni Tis MA Ifr ES**
16360. **Chamaesphecia mysiniformis (Boisduval,1840)** (Sesiidae) Synonymy: mysiniformis Boisduval,1840; boisduvali Bartel,1912; rondauana Le Cerf,1922 Range (as code): **MA PT ES Mu FR IT**
16361. **Chamaesphecia osmiaeformis (Herrich-Schäffer,1848)** (Sesiidae) Synonymy: stelidiformis Zeller,1847 nec Frr.,1836; osmiaeformis Herrich-Schäffer,1848; zelleri Lederer,1853; osmiiformis Staudinger,1856; floricola Oberthür,1881; agnes Oberthür,1890 Range (as code): **MA DZ Sbd TN ES Co Si IT**
16362. **Chamaesphecia seyrigi Le Cerf,1957** (Sesiidae) Synonymy: seyrigi Le Cerf,1957 Range (as code): **AET MG**
16363. **Chamanthedon amorpha Hampson,1919** (Sesiidae) Synonymy: amorpha Hampson,1919 Range (as code): **AET**
16364. **Chamanthedon brillans (Beutenmüller,1899)** (Sesiidae) Synonymy: brillans Beutenmüller,1899 Range (as code): **AET**
16365. **Chamanthedon chalypsa Hampson,1919** (Sesiidae) Synonymy: chalypsa Hampson,1919 Range (as code): **AET ZA Nta Kzu Dbn**
16366. **Chamanthedon chrysopasta Hampson,1919** (Sesiidae) Synonymy: chrysopasta Hampson,1919 Range (as code): **AET**
16367. **Chamanthedon elymais (Druce,1899)** (Sesiidae) Synonymy: elymais Druce,1899 Range (as code): **AET ZA Tva Lpo MZ**
16368. **Chamanthedon fulvipes (Hampson,1910)** (Sesiidae) Synonymy: fulvipes Hampson,1910 Range (as code): **AET**
16369. **Chamanthedon hilariformis (Walker,1856)** (Sesiidae) Synonymy: hilariformis Walker,1856 Range (as code): **AET ZA Nta Kzu**
16370. **Chamanthedon leucocera Hampson,1919** (Sesiidae) Synonymy: leucocera Hampson,1919 Range (as code): **AET**
16371. **Chamanthedon leucopleura (Hampson,1919)** (Sesiidae) Synonymy: leucopleura Hampson,1919 Range (as code): **AET ZA Tva Gau Jh**
16372. **Chamanthedon ochracea (Walker,1856)** (Sesiidae) Synonymy: ochracea Walker,1856 Range (as code): **AET ZA Nta Kzu**
16373. **Chamanthedon striata Gaede,1929** (Sesiidae) Synonymy: striata Gaede,1929 Range (as code): **AET**

16374. **Chamanthedon tapeina Hampson,1919** (Sesiidae) Synonymy: tapeina Hampson,1919 Range (as code): **AET ZA Tva Lpo Spb**
16375. **Chamanthedon tiresa (Druce,1899)** (Sesiidae) Synonymy: tiresa Druce,1899 Range (as code): **AET ZA MZ**
16376. **Chamanthedon tropica (Beutenmüller,1899)** (Sesiidae) Synonymy: tropica Beutenmüller,1899 Range (as code): **AET**
16377. **Chamanthedon xanthopasta Hampson,1919** (Sesiidae) Synonymy: xanthopasta Hampson,1919 Range (as code): **AET ZA Tva Lpo Wb Gau Jh ZW**
16378. **Conopsia bicolor (Le Cerf,1917)** (Sesiidae) Synonymy: bicolor Le Cerf,1917 Range (as code): **AET**
16379. **Conopsia flavimacula Kallies,2000** (Sesiidae) Synonymy: flavimacula Kallies,2000 Range (as code): **AET**
16380. **Conopsia lambornella (Durrant,1914)** (Sesiidae) Synonymy: lambornella Durrant,1914 Range (as code): **AET NG Lgo**
16381. **Conopsia phoenosoma (Meyrick,1930)** (Sesiidae) Synonymy: phoenosoma Meyrick,1930 Range (as code): **AET UG**
16382. **Conopsia terminiflava Strand,[1913]** (Sesiidae) Synonymy: terminiflava Strand,[1913] Range (as code): **AET CM**
16383. **Crinipus marisa (Druce,1899)** (Sesiidae) Synonymy: marisa Druce,1899 Range (as code): **AET MW**
16384. **Crinipus pictipes (Hampson,1919)** (Sesiidae) Synonymy: pictipes Hampson,1919 Range (as code): **AET ZW**
16385. **Crinipus vassei (Le Cerf,1917)** (Sesiidae) Synonymy: vassei Le Cerf,1917 Range (as code): **AET MZ**
16386. **Echidgnathia khomasana De Freina,2011** (Sesiidae) Synonymy: khomasana De Freina,2011 Range (as code): **AET**
16387. **Echidgnathia viridifasciata (Hampson,1910)** (Sesiidae) Synonymy: viridifasciata Hampson,1910; viridifascia Dalla-Torre,1925 Range (as code): **ZA**
16388. **Echidgnathia vitrifasciata (Hampson,1900)** (Sesiidae) Synonymy: vitrifasciata Hampson,1900 Range (as code): **ZW**
16389. **Echidgnathia vitrifasciata (Hampson,1910)** (Sesiidae) Synonymy: vitrifasciata Hampson,1910 Range (as code): **AET**
16390. **Episannina albifrons (Hampson,1910)** (Sesiidae) Synonymy: albifrons Hampson,1910 Range (as code): **AET GH**
16391. **Episannina chalybea Aurivillius,1905** (Sesiidae) Synonymy: chalybea Aurivillius,1905; pulchra Le Cerf,1916 Range (as code): **AET CM**
16392. **Episannina flavicincta Hampson,1919** (Sesiidae) Synonymy: flavicincta Hampson,1919 Range (as code): **AET GH**
16393. **Episannina lodimana (Strand,1918)** (Sesiidae) Synonymy: lodimana Strand,1918 Range (as code): **AET ZR**
16394. **Episannina modesta (Le Cerf,1916)** (Sesiidae) Synonymy: modesta Le Cerf,1916 Range (as code): **AET CM**
16395. **Episannina perlucida (Le Cerf,1911)** (Sesiidae) Synonymy: perlucida Le Cerf,1911 Range (as code): **AET ZR**
16396. **Episannina zygaenura Meyrick,1933** (Sesiidae) Synonymy: zygaenura Meyrick,1933 Range (as code): **AET SL**
16397. **Erismatica erythropis Meyrick,1933** (Sesiidae) Synonymy: erythropis Meyrick,1933 Range (as code): **AET ZW**
16398. **Grypopalpia iridescens Hampson,1919** (Sesiidae) Synonymy: iridescens Hampson,1919 Range (as code): **AET ZA Nta Kzu Dbn**
16399. **Grypopalpia uranopla (Meyrick,1934)** (Sesiidae) Synonymy: uranopla Meyrick,1934 Range (as code): **AET TZ**
16400. **Gymnosophistis thyrsodoxa Meyrick,1934** (Sesiidae) Synonymy: thyrsodoxa Meyrick,1934 Range (as code): **AET UG**
16401. **Homogyna alluaudi Le Cerf,1911** (Sesiidae) Synonymy: alluaudi Le Cerf,1911 Range (as code): **AET**
16402. **Homogyna bartschi De Freina,2011** (Sesiidae) Synonymy: bartschi De Freina,2011 Range (as code): **AET ZA**
16403. **Homogyna endopyra (Hampson,1910)** (Sesiidae) Synonymy: endopyra Hampson,1910 Range (as code): **ZA Nta Kzu**

16404. **Homogyna ignivittata Hampson,1919** (Sesiidae) Synonymy: ignivittata Hampson,1919 Range (as code): **ZA Nta Kzu Wnn Tva Gau Pre**
16405. **Homogyna ignivittata Hampson,1919** (Sesiidae) Synonymy: ignivittata Hampson,1919 Range (as code): **AET**
16406. **Homogyna pythes (Druce,1899)** (Sesiidae) Synonymy: pythes Druce,1899 Range (as code): **AET**
16407. **Homogyna sanguicosta Hampson,1919** (Sesiidae) Synonymy: sanguicosta Hampson,1919 Range (as code): **AET**
16408. **Homogyna sanguicosta Hampson,1919** (Sesiidae) Synonymy: sanguicosta Hampson,1919 Range (as code): **ZA ZW CM**
16409. **Homogyna sanguipennis (Meyrick,1926)** (Sesiidae) Synonymy: sanguipennis Meyrick,1926 Range (as code): **AET**
16410. **Homogyna xanthophora (Hampson,1910)** (Sesiidae) Synonymy: xanthophora Hampson,1910 Range (as code): **AET**
16411. **Homogyna xanthophora (Hampson,1910)** (Sesiidae) Synonymy: xanthophora Hampson,1910 Range (as code): **ZA Nta Kzu Ec**
16412. **Hovaesia donckieri Le Cerf,1957** (Sesiidae) Synonymy: donckieri Le Cerf,1957 Range (as code): **AET**
16413. **Hyleina kaphetea Bartsch,2017** (Sesiidae) Synonymy: kaphetea Bartsch,2017 Range (as code): **ZR MW TZ ZM**
16414. **Hymenosphecia albomaculata Le Cerf,1917** (Sesiidae) Synonymy: albomaculata Le Cerf,1917 Range (as code): **AET UG**
16415. **Hypanthedon marisa (Druce,1899)** (Sesiidae) Synonymy: marisa Druce,1899 Range (as code): **ZA Tva Mpu Brb Wca KE**
16416. **Lenyrhova heckmanniae Le Cerf,1957** (Sesiidae) Synonymy: heckmanniae Le Cerf,1957 Range (as code): **AET**
16417. **Lepidopoda sylphina Hampson,1900** (Sesiidae) Synonymy: sylphina Hampson,1900 Range (as code): **AET SL**
16418. **Leuthneria ruficincta (R.Felder,1874)** (Sesiidae) Synonymy: ruficincta R.Felder,1874 Range (as code): **AET SD**
16419. **Lophoceps abdominalis Hampson,1919** (Sesiidae) Synonymy: abdominalis Hampson,1919 Range (as code): **KE**
16420. **Lophoceps alenicola (Strand,[1913])** (Sesiidae) Synonymy: alenicola Strand,[1913] Range (as code): **AET GO**
16421. **Lophoceps quinquepunctata Hampson,1919** (Sesiidae) Synonymy: quinquepunctata Hampson,1919 Range (as code): **AET SL**
16422. **Macrotarsipus africanus (Beutenmüller,1899)** (Sesiidae) Synonymy: africanus Beutenmüller,1899; belia Druce,1910 Range (as code): **CM GA**
16423. **Macrotarsipus microthyris Hampson,1919** (Sesiidae) Synonymy: microthyris Hampson,1919 Range (as code): **KE**
16424. **Madasphecia griveaudi (Viette,1982)** (Sesiidae) Synonymy: griveaudi Viette,1982 Range (as code): **AET MG**
16425. **Madasphecia puera (Viette,1957)** (Sesiidae) Synonymy: puera Viette,1957 Range (as code): **AET MG**
16426. **Malgassesia ankaratralis Viette,1957** (Sesiidae) Synonymy: ankaratralis Viette,1957 Range (as code): **AET MG**
16427. **Malgassesia biedermanni Viette,1982** (Sesiidae) Synonymy: biedermanni Viette,1982 Range (as code): **AET MG**
16428. **Malgassesia milloti Viette,1982** (Sesiidae) Synonymy: milloti Viette,1982 Range (as code): **AET MG**
16429. **Malgassesia pauliani Viette,[1955]** (Sesiidae) Synonymy: pauliani Viette,[1955] Range (as code): **AET MG**
16430. **Malgassesia rufescens Le Cerf,1922** (Sesiidae) Synonymy: rufescens Le Cerf,1922 Range (as code): **AET MG**
16431. **Malgassesia rufithorax (Le Cerf,1922)** (Sesiidae) Synonymy: rufithorax Le Cerf,1922 Range (as code): **AET MG**
16432. **Malgassesia seyrigi Viette,[1955]** (Sesiidae) Synonymy: seyrigi Viette,[1955] Range (as code): **AET MG**
16433. **Megalosphecia callosoma Hampson,1919** (Sesiidae) Synonymy: callosoma Hampson,1919 Range (as code): **AET ZW**

16434. **Megalosphecia gigantipes Le Cerf,1916** (Sesiidae) Synonymy: gigantipes Le Cerf,1916; obscura Le Cerf,1916 Range (as code): **AET CM**
16435. **Melisophista geraropa Meyrick,1927** (Sesiidae) Synonymy: geraropa Meyrick,1927 Range (as code): **AET KE**
16436. **Melittia abyssiniensis Hampson,1919** (Sesiidae) Synonymy: abyssiniensis Hampson,1919 Range (as code): **AET ET**
16437. **Melittia acosmetes Hampson,1919** (Sesiidae) Synonymy: acosmetes Hampson,1919 Range (as code): **AET UG**
16438. **Melittia ambo Gorbunov,2015** (Sesiidae) Synonymy: ambo Gorbunov,2015 Range (as code): **AET ET**
16439. **Melittia aureosquamata (Wallengren,1863)** (Sesiidae) Synonymy: aureosquamata Wallengren,1863 Range (as code): **AET ZA UG KE ZW Wca Tva Lpo**
16440. **Melittia auriplumia Hampson,1910** (Sesiidae) Synonymy: auriplumia Hampson,1910 Range (as code): **AET ZR**
16441. **Melittia aurociliata (Aurivillius,1879)** (Sesiidae) Synonymy: aurociliata Aurivillius,1879 Range (as code): **AET ZA NA Dmr**
16442. **Melittia azrael Le Cerf,1914** (Sesiidae) Synonymy: azrael Le Cerf,1914 Range (as code): **AET CF Cpl**
16443. **Melittia bouleti Le Cerf,1917** (Sesiidae) Synonymy: bouleti Le Cerf,1917 Range (as code): **AET ZA MZ**
16444. **Melittia chalconota Hampson,1910** (Sesiidae) Synonymy: chalconota Hampson,1910 Range (as code): **AET CI NG ZR TZ**
16445. **Melittia chrysobapta Hampson,1919** (Sesiidae) Synonymy: chrysobapta Hampson,1919 Range (as code): **AET ZW**
16446. **Melittia congoana Le Cerf,1916** (Sesiidae) Synonymy: congoana Le Cerf,1916 Range (as code): **AET ZR**
16447. **Melittia ectothyris Hampson,1919** (Sesiidae) Synonymy: ectothyris Hampson,1919 Range (as code): **AET ZA Tva Lpo**
16448. **Melittia endoxantha Hampson,1919** (Sesiidae) Synonymy: endoxantha Hampson,1919 Range (as code): **AET TZ MZ**
16449. **Melittia houlberti Le Cerf,1917** (Sesiidae) Synonymy: houlberti Le Cerf,1917 Range (as code): **AET UG**
16450. **Melittia hyaloxantha Meyrick,1928** (Sesiidae) Synonymy: hyaloxantha Meyrick,1928 Range (as code): **AET ZR**
16451. **Melittia laboissierei Le Cerf,1917** (Sesiidae) Synonymy: laboissierei Le Cerf,1917 Range (as code): **AET UG**
16452. **Melittia laniremis (Wallengren,1858)** (Sesiidae) Synonymy: laniremis Wallengren,1858 Range (as code): **AET ZA Wca**
16453. **Melittia lentistriata Hampson,1919** (Sesiidae) Synonymy: lentistriata Hampson,1919 Range (as code): **AET KE ZW Har**
16454. **Melittia oedipus Oberthür,1878** (Sesiidae) Synonymy: oedipus Oberthür,1878; ignidiscata Hampson,1910; oedipoides Strand,1912; #oedippus Le Cerf,1917 Range (as code): **AET ZA Tva Lpo TZ KE ZW YE**
16455. **Melittia pyropis Hampson,1919** (Sesiidae) Synonymy: pyropis Hampson,1919 Range (as code): **AET ZA Nta Kzu KE ET**
16456. **Melittia rufodorsa Hampson,1910** (Sesiidae) Synonymy: rufodorsa Hampson,1910 Range (as code): **AET ZA**
16457. **Melittia usambara Le Cerf,1917** (Sesiidae) Synonymy: usambara Le Cerf,1917 Range (as code): **AET TZ Usa**
16458. **Melittia xanthogaster Hampson,1919** (Sesiidae) Synonymy: xanthogaster Hampson,1919 Range (as code): **AET KE**
16459. **Melittosesia flavitarsa Bartsch,2009** (Sesiidae) Synonymy: flavitarsa Bartsch,2009 Range (as code): **AET**
16460. **Metasphecia vuilleti Le Cerf,1917** (Sesiidae) Synonymy: vuilleti Le Cerf,1917 Range (as code): **AET SN**
16461. **Microsphecia tineiformis (Esper,[1789])** (Sesiidae) Synonymy: tineiformis Esper,[1789]; aselliformis Rossi,1794. Range (as code): **AET MA DZ Lbs Cst TN PT ES Grn An Mu FR Co Sa Si IT HU YU AL BG GR Cr TR IR Elb Th Kdj 10 16 30 35 46 65**
16462. **Microsynathedon ambrensis Viette,[1955]** (Sesiidae) Synonymy: ambrensis Viette,[1955] Range (as code): **AET**

16463. **Microsynathedon setodiformis (Mabille,1891)** (Sesiidae) Synonymy: setodiformis Mabille,1891 Range (as code): **AET**
16464. **Microsynathedon tanala Minet,1976** (Sesiidae) Synonymy: tanala Minet,1976 Range (as code): **AET**
16465. **Mimocrypta hampsoni (Butler,1902)** (Sesiidae) Synonymy: hampsoni Butler,1902 Range (as code): **AET UG**
16466. **Monopetalotaxis candescens (Felder,1874)** (Sesiidae) Synonymy: candescens Felder,1874 Range (as code): **AET ZA Wca**
16467. **Monopetalotaxis doleriformis (Walker,1856)** (Sesiidae) Synonymy: doleriformis Walker,1856; wahlbergi Wallengren,1858; taylori Druce,1899 Range (as code): **AET ZA Tva Lpo Nta Kzu Ec Wca**
16468. **Monopetalotaxis luteopunctata De Freina,2011** (Sesiidae) Synonymy: luteopunctata De Freina,2011 Range (as code): **AET**
16469. **Monopetalotaxis pyrocraspis (Hampson,1910)** (Sesiidae) Synonymy: pyrocraspis Hampson,1910 Range (as code): **AET ZA Wca**
16470. **Noctusphecia puchneri De Freina,2011** (Sesiidae) Synonymy: puchneri De Freina,2011 Range (as code): **AET TZ**
16471. **Nyctaegeria nobilis (Druce,1910)** (Sesiidae) Synonymy: nobilis Druce,1910; rohani Le Cerf,1914 Range (as code): **AET AO**
16472. **Osminia namibiana Kallies,2004** (Sesiidae) Synonymy: namibiana Kallies,2004 Range (as code): **AET NA**
16473. **Paranthrene anthrax Le Cerf,1916** (Sesiidae) Synonymy: anthrax Le Cerf,1916 Range (as code): **AET SL**
16474. **Paranthrene callipleura (Meyrick,1931)** (Sesiidae) Synonymy: callipleura Meyrick,1931 Range (as code): **AET UG**
16475. **Paranthrene chalcochlora Hampson,1919** (Sesiidae) Synonymy: chalcochlora Hampson,1919 Range (as code): **AET ZW**
16476. **Paranthrene dukei Bartsch,2008** (Sesiidae) Synonymy: dukei Bartsch,2008 Range (as code): **AET**
16477. **Paranthrene mesothyris Hampson,1919** (Sesiidae) Synonymy: mesothyris Hampson,1919 Range (as code): **AET ZA Nta Kzu Umk Dbn**
16478. **Paranthrene porphyractis (Meyrick,1937)** (Sesiidae) Synonymy: porphyractis Meyrick,1937 Range (as code): **AET UG**
16479. **Paranthrene propyria Hampson,1919** (Sesiidae) Synonymy: propyria Hampson,1919 Range (as code): **AET ZW**
16480. **Paranthrene pythes (Druce,1899)** (Sesiidae) Synonymy: pythes Druce,1899 Range (as code): **AET ZA Wca**
16481. **Paranthrene sanguipennis Meyrick,1926** (Sesiidae) Synonymy: sanguipennis Meyrick,1926 Range (as code): **AET ZA**
16482. **Paranthrene tabaniformis (Rottemburg,1775)** (Sesiidae) Synonymy: tabaniformis Rottemburg,1775; asiliformis [Denis & Schiffermüller],1775 nec Rott.,1775; sesia Gmelin,1789; rhingiaeformis Hübner,1790; crabroniformis Laspeyres,1801 nec Fabr.,1793; tricincta Harris,1839; serratiformis Freyer,1842; rhingiiformis Staudinger,1856; denotata Edwards,1882; flammans Hampson,1893 Range (as code): **MA DZ Orn Sbd TN PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL Bnt BG Hsk GR CY TR DK NO SE FI EE LV LT RU Am Sb MD UA BY CN Ui Kun Chr TJ Pm IR Elb Mz Ha Es 05 06? 18 31 40? 81**
16483. **Paranthrene thalassina Hampson,1919** (Sesiidae) Synonymy: thalassina Hampson,1919 Range (as code): **AET KE**
16484. **Paranthrene xanthopyga Hampson,1919** (Sesiidae) Synonymy: xanthopyga Hampson,1919 Range (as code): **AET ZA KE UG**
16485. **Paranthrene xanthosoma (Hampson,1910)** (Sesiidae) Synonymy: xanthosoma Hampson,1910 Range (as code): **AET ZA UG ZW Bul**
16486. **Pedalonina semimarginata Gaede,1929** (Sesiidae) Synonymy: semimarginata Gaede,1929 Range (as code): **AET**
16487. **Podosesia surodes Hampson,1919** (Sesiidae) Synonymy: surodes Hampson,1919 Range (as code): **AET MW**
16488. **Proaegeria vouauxi Le Cerf,1917** (Sesiidae) Synonymy: vouauxi Le Cerf,1917 Range (as code): **AET CM**
16489. **Pseudalcathoe aspetura Meyrick,1932** (Sesiidae) Synonymy: aspetura Meyrick,1932 Range (as code): **AET KE Nai**

16490. **Pseudomelittia andraenipennis (Walker,1856)** (Sesiidae) Synonymy: andraenipennis Walker,1856; andraeniformis Boisduval,1874 Range (as code): **AET ZA Wca**
16491. **Pseudomelittia berlandi Le Cerf,1917** (Sesiidae) Synonymy: berlandi Le Cerf,1917 Range (as code): **AET MW TZ**
16492. **Pseudomelittia cingulata Gaede,1929** (Sesiidae) Synonymy: cingulata Gaede,1929 Range (as code): **AET NG**
16493. **Pyranthrene flammans Hampson,1919** (Sesiidae) Synonymy: flammans Hampson,1919 Range (as code): **AET MW**
16494. **Pyropteron biedermanni Le Cerf,1925** (Sesiidae) Synonymy: biedermanni Le Cerf,1925 Range (as code): **MA Ifr Azr**
16495. **Pyropteron reisseri Capuse,1973** (Sesiidae) Synonymy: reisseri Capuse,1973 Range (as code): **AET DZ**
16496. **Pyropteron seitzi (Püngeler,1907)** (Sesiidae) Synonymy: seitzi Püngeler,1907 Range (as code): **AET DZ**
16497. **Rodolphia hombergi Le Cerf,1911** (Sesiidae) Synonymy: hombergi Le Cerf,1911 Range (as code): **AET MG**
16498. **Rubukona cuprescens (Hampson,1919)** (Sesiidae) Synonymy: cuprescens Hampson,1919 Range (as code): **MZ**
16499. **Rubukona svetlanae Fischer,2007** (Sesiidae) Synonymy: svetlanae Fischer,2007 Range (as code): **AET TZ**
16500. **Similipepsis aurea Gaede,1929** (Sesiidae) Synonymy: aurea Gaede,1929 Range (as code): **AET**
16501. **Similipepsis ekisi Wang,1984** (Sesiidae) Synonymy: ekisi Wang,1984 Range (as code): **AET**
16502. **Similipepsis eumenidiformis Bartsch,2008** (Sesiidae) Synonymy: eumenidiformis Bartsch,2008 Range (as code): **AET**
16503. **Similipepsis maromizaensis Bartsch,2008** (Sesiidae) Synonymy: maromizaensis Bartsch,2008 Range (as code): **AET**
16504. **Similipepsis osuni Bakowski & Kallies,2008** (Sesiidae) Synonymy: osuni Bakowski & Kallies,2008 Range (as code): **AET**
16505. **Similipepsis typica (Strand,[1913])** (Sesiidae) Synonymy: typica Strand,[1913] Range (as code): **AET**
16506. **Similipepsis violacea Le Cerf,1911** (Sesiidae) Synonymy: violacea Le Cerf,1911 Range (as code): **AET**
16507. **Sura ellenbergeri (Le Cerf,1917)** (Sesiidae) Synonymy: ellenbergeri Le Cerf,1917 Range (as code): **GA Ogo**
16508. **Sura lampadura Meyrick,1935** (Sesiidae) Synonymy: lampadura Meyrick,1935 Range (as code): **AET UG**
16509. **Sura melanochalcia (Le Cerf,1917)** (Sesiidae) Synonymy: melanochalcia Le Cerf,1917; melancholica Gaede,1929 Range (as code): **AET ZA MZ ZW**
16510. **Sura pyrocera Hampson,1919** (Sesiidae) Synonymy: pyrocera Hampson,1919 Range (as code): **AET MW**
16511. **Sura ruficauda (Rothschild,1911)** (Sesiidae) Synonymy: ruficauda Rothschild,1911 Range (as code): **AET MW TZ**
16512. **Sura rufitibia Hampson,1919** (Sesiidae) Synonymy: rufitibia Hampson,1919 Range (as code): **AET NG**
16513. **Sura xylocopiformis Walker,1856** (Sesiidae) Synonymy: xylocopiformis Walker,1856; bicolor Le Cerf,1917 Range (as code): **AET ZA Tva Lpo Nta Kzu**
16514. **Synansphecia affinis (Staudinger,1856)** (Sesiidae) Synonymy: affinis Staudinger,1856; erodiiphaga Dumont,1922 [ssp.] Range (as code): **AET DZ Lbs TN PT ES FR Si IT BE DE CH AT CZ SK HU RO YU AL GR TR Cc GG Akh Smt Bjo RU MD UA BY 05 42 46**
16515. **Synansphecia atlantis (Schwingenschuss,1935)** (Sesiidae) Synonymy: atlantis Schwingenschuss,1935 Range (as code): **MA**
16516. **Synansphecia borreyi (Le Cerf,1922)** (Sesiidae) Synonymy: borreyi Le Cerf,1922 Range (as code): **MA**
16517. **Synansphecia doryliformis (Ochsenheimer,1808)** (Sesiidae) Synonymy: doryliformis Ochsenheimer,1808; icteropus Zeller,1847 [ssp.]; euglossaeformis Lucas,1849; ceriaeformis Lucas,1849; teriolensis Staudinger,1894; erythrostigma Rebel,1901; bellieri Le Cerf,1916; tingitana Le Cerf,1916 Range (as code): **AET MA Azr Rbt TN DZ Lbs Orn Sbd MA PT ES Sa Si IT**
16518. **Synansphecia leucomelaena (Zeller,1847)** (Sesiidae) Synonymy: leucomelaena Zeller,1847; therevaeformis Lederer,1853; cretica Rebel,1916 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT RO YU HV AL BG GR Cr CY TR RU MD UA Cm IR Elb Kdv Mz 01 05 06 07 16 20 34 48**

16519.**Synansphecia powelli (Le Cerf,1916)** (Sesiidae) Synonymy: powelli Le Cerf,1916 Range (as code): **MA DZ Lbs**
16520.**Synanthedon aericincta (Meyrick,1928)** (Sesiidae) Synonymy: aericincta Meyrick,1928 Range (as code): **AET UG**
16521.**Synanthedon africana (Le Cerf,1917)** (Sesiidae) Synonymy: africana Le Cerf,1917 Range (as code): **AET**
16522.**Synanthedon astyarcha (Meyrick,1930)** (Sesiidae) Synonymy: astyarcha Meyrick,1930 Range (as code): **AET UG**
16523.**Synanthedon aulagrapta (Meyrick,1934)** (Sesiidae) Synonymy: aulagrapta Meyrick,1934 Range (as code): **AET MW**
16524.**Synanthedon auripes (Hampson,1910)** (Sesiidae) Synonymy: auripes Hampson,1910 Range (as code): **AET GH**
16525.**Synanthedon beutenmuelleri Heppner & Duckworth,1981** (Sesiidae) Synonymy: albiventris Beutenmüller,1899 nec Led.,1853; beutenmuelleri Heppner & Duckworth,1981 Range (as code): **AET CF**
16526.**Synanthedon bifenestrata Gaede,1929** (Sesiidae) Synonymy: bifenestrata Gaede,1929 Range (as code): **AET**
16527.**Synanthedon chlorothyris (Meyrick,1935)** (Sesiidae) Synonymy: chlorothyris Meyrick,1935 Range (as code): **UG**
16528.**Synanthedon chrysonympha (Meyrick,1935)** (Sesiidae) Synonymy: chrysonympha Meyrick,1935 Range (as code): **AET UG**
16529.**Synanthedon citrura (Meyrick,1927)** (Sesiidae) Synonymy: citrura Meyrick,1927 Range (as code): **AET UG**
16530.**Synanthedon codeti (Oberthür,1881)** (Sesiidae) Synonymy: codeti Oberthür,1881; puigi Oberthür,1881; inversa Le Cerf,1916; kabylaria Le Cerf,1916; atavus Le Cerf,1920; maroccana Le Cerf,1920; almohades Le Cerf,1920; ferdinandi Rungs,1972 Range (as code): **MA Rf DZ Btna Sbd Orn TN ES Ag Ter FR Sa**
16531.**Synanthedon cyanescens (Hampson,1910)** (Sesiidae) Synonymy: cyanescens Hampson,1910 Range (as code): **AET**
16532.**Synanthedon cyanospira (Meyrick,1928)** (Sesiidae) Synonymy: cyanospira Meyrick,1928 Range (as code): **AET**
16533.**Synanthedon dasysceles Bradley,1968** (Sesiidae) Synonymy: dasysceles Bradley,1968 Range (as code): **AET KE TZ UG**
16534.**Synanthedon dybowskii (Le Cerf,1917)** (Sesiidae) Synonymy: dybowskii Le Cerf,1917 Range (as code): **AET**
16535.**Synanthedon erythrogama (Meyrick,1934)** (Sesiidae) Synonymy: erythrogama Meyrick,1934 Range (as code): **AET MW**
16536.**Synanthedon erythromma Hampson,1919** (Sesiidae) Synonymy: erythromma Hampson,1919; pyrostoma Meyrick,1927 Range (as code): **AET**
16537.**Synanthedon ethiopica (Hampson,1919)** (Sesiidae) Synonymy: ethiopica Hampson,1919; aethiopica Dalla Torre & Strand,1925 Range (as code): **AET**
16538.**Synanthedon ferox (Meyrick,1929)** (Sesiidae) Synonymy: ferox Meyrick,1929 Range (as code): **AET UG**
16539.**Synanthedon flavipalpis (Hampson,1910)** (Sesiidae) Synonymy: flavipalpis Hampson,1910 Range (as code): **AET ZA Tva Lpo KE ZW**
16540.**Synanthedon flavipectus (Hampson,1910)** (Sesiidae) Synonymy: flavipectus Hampson,1910 Range (as code): **AET**
16541.**Synanthedon gabuna (Beutenmüller,1899)** (Sesiidae) Synonymy: gabuna Beutenmüller,1899 Range (as code): **AET**
16542.**Synanthedon gracilis (Hampson,1910)** (Sesiidae) Synonymy: gracilis Hampson,1910 Range (as code): **AET**
16543.**Synanthedon guineabia (Strand,[1913])** (Sesiidae) Synonymy: guineabia Strand,[1913] Range (as code): **AET**
16544.**Synanthedon hadassa (Meyrick,1932)** (Sesiidae) Synonymy: hadassa Meyrick,1932 Range (as code): **AET UG**
16545.**Synanthedon iris Le Cerf,1916** (Sesiidae) Synonymy: iris Le Cerf,1916 Range (as code): **AET**
16546.**Synanthedon leptomorpha (Meyrick,1931)** (Sesiidae) Synonymy: leptomorpha Meyrick,1931 Range (as code): **AET UG**

16547. **Synanthedon leptosceles Bradley,1968** (Sesiidae) Synonymy: leptosceles Bradley,1968 Range (as code): **AET**
16548. **Synanthedon leucogaster (Hampson,1919)** (Sesiidae) Synonymy: albiventris Le Cerf,1917 nec Beunten.,1899; leucogaster (Hampson,1919 Range (as code): **AET**
16549. **Synanthedon maculiventris Le Cerf,1916** (Sesiidae) Synonymy: maculiventris Le Cerf,1916 Range (as code): **AET**
16550. **Synanthedon mercatrix (Meyrick,1931)** (Sesiidae) Synonymy: mercatrix Meyrick,1931 Range (as code): **AET UG**
16551. **Synanthedon mesochoriformis (Walker,1856)** (Sesiidae) Synonymy: mesochoriformis Walker,1856 Range (as code): **AET ZA Nta Kzu**
16552. **Synanthedon monozona (Hampson,1910)** (Sesiidae) Synonymy: monozona Hampson,1910 Range (as code): **AET ZA Wca**
16553. **Synanthedon myopaeformis (Borkhausen,1789)** (Sesiidae) Synonymy: myopaeformis Borkhausen,1789; mutillaeformis Laspeyres,1801; luctuosa Lederer,1853; myopiformis Staudinger,1856; elegans Lederer,1861. Range (as code): **EG PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR NO SE EE LV LT RU MD UA BY Cc GG Smt Bjo IR 05 06 16 25 31 32 34 35 42 44 50**
16554. **Synanthedon nuba (Beutenmüller,1899)** (Sesiidae) Synonymy: nuba Beutenmüller,1899 Range (as code): **AET**
16555. **Synanthedon nyanga (Beutenmüller,1899)** (Sesiidae) Synonymy: nyanga Beutenmüller,1899 Range (as code): **AET**
16556. **Synanthedon olenda (Beutenmüller,1899)** (Sesiidae) Synonymy: olenda Beutenmüller,1899 Range (as code): **AET**
16557. **Synanthedon pauper (Le Cerf,1916)** (Sesiidae) Synonymy: pauper Le Cerf,1916 Range (as code): **AET**
16558. **Synanthedon peltata (Meyrick,1932)** (Sesiidae) Synonymy: peltata Meyrick,1932 Range (as code): **AET UG**
16559. **Synanthedon phedrostoma (Meyrick,1934)** (Sesiidae) Synonymy: phedrostoma Meyrick,1934 Range (as code): **AET**
16560. **Synanthedon platyuriformis (Walker,1856)** (Sesiidae) Synonymy: platyuriformis Walker,1856 Range (as code): **AET ZA Wca**
16561. **Synanthedon pyrethra (Hampson,1910)** (Sesiidae) Synonymy: pyrethra Hampson,1910 Range (as code): **AET ZA Wca**
16562. **Synanthedon rhodia (Druce,1899)** (Sesiidae) Synonymy: rhodia Druce,1899 Range (as code): **AET ZA Wca**
16563. **Synanthedon rubripalpis (Meyrick,1932)** (Sesiidae) Synonymy: rubripalpis Meyrick,1932 Range (as code): **AET SL**
16564. **Synanthedon rubripicta Hampson,1919** (Sesiidae) Synonymy: rubripicta Hampson,1919 Range (as code): **AET**
16565. **Synanthedon semirufa (R.Felder,1874)** (Sesiidae) Synonymy: semirufa R.Felder,1874 Range (as code): **AET ZA Wca**
16566. **Synanthedon squamata (Gaede,1929)** (Sesiidae) Synonymy: squamata Gaede,1929 Range (as code): **AET**
16567. **Synanthedon stenothyris (Meyrick,1933)** (Sesiidae) Synonymy: stenothyris Meyrick,1933 Range (as code): **AET ZA**
16568. **Synanthedon theryi Le Cerf,1916** (Sesiidae) Synonymy: theryi Le Cerf,1916; pistarcha Meyrick,1931 Range (as code): **ES MA DZ Agi**
16569. **Synanthedon tipuliformis (Clerck,1759)** (Sesiidae) Synonymy: #salmachus Linnaeus,1758 (suppressed); tipuliformis Clerck,1759; tipula Retzius,1783; ophioniformis Hübner,[1813] Range (as code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Cc DK NO SE FI EE LV LT RU MD UA BY ZA 14**
16570. **Synanthedon trithyris (Meyrick,1926)** (Sesiidae) Synonymy: trithyris Meyrick,1926 Range (as code): **AET SL**
16571. **Synanthedon vassei (Le Cerf,1917)** (Sesiidae) Synonymy: vassei Le Cerf,1917 Range (as code): **ZA MZ**
16572. **Synanthedon xanthopyga (Aurivillius,1905)** (Sesiidae) Synonymy: xanthopyga Aurivillius,1905 Range (as code): **NG**
16573. **Thyranthrene albicincta (Hampson,1919)** (Sesiidae) Synonymy: albicincta Hampson,1919 Range (as code): **KE**

16574. **Thyranthrene capensis De Freina,2011** (Sesiidae) Synonymy: capensis De Freina,2011 Range (as code): **AET ZA Wca**
16575. **Thyranthrene metazonata Hampson,1919** (Sesiidae) Synonymy: metazonata Hampson,1919 Range (as code): **AET ZA Nta Kzu Mv**
16576. **Thyranthrene obliquizona (Hampson,1910)** (Sesiidae) Synonymy: obliquizona Hampson,1910 Range (as code): **AET ZW**
16577. **Thyranthrene pyrophora (Hampson,1919)** (Sesiidae) Synonymy: pyrophora Hampson,1919 Range (as code): **ZA Nta Kzu Mv AET**
16578. **Thyranthrene xhosarum De Freina,1911** (Sesiidae) Synonymy: xhosarum De Freina,1911 Range (as code): **AET ZA**
16579. **Tipulamima auronitens (Le Cerf,1913)** (Sesiidae) Synonymy: auronitens Le Cerf,1913 Range (as code): **AET GA**
16580. **Tipulamima festiva (Beutenmüller,1899)** (Sesiidae) Synonymy: festiva Beutenmüller,1899 Range (as code): **AET BI CM GA**
16581. **Tipulamima flammipes (Hampson,1910)** (Sesiidae) Synonymy: flammipes Hampson,1910 Range (as code): **AET UG**
16582. **Tipulamima flavifrons Holland,1893** (Sesiidae) Synonymy: flavifrons Holland,1893 Range (as code): **AET GA**
16583. **Tipulamima grandidieri (Le Cerf,1917)** (Sesiidae) Synonymy: grandidieri Le Cerf,1917 Range (as code): **AET MG**
16584. **Tipulamima haugi (Le Cerf,1917)** (Sesiidae) Synonymy: haugi Le Cerf,1917 Range (as code): **AET GA Ogo**
16585. **Tipulamima hypocalla Le Cerf,1937** (Sesiidae) Synonymy: hypocalla Le Cerf,1937 Range (as code): **AET MZ**
16586. **Tipulamima ivondro Viette,[1955]** (Sesiidae) Synonymy: ivondro Viette,[1955] Range (as code): **AET MG**
16587. **Tipulamima malimba (Beutenmüller,1899)** (Sesiidae) Synonymy: malimba Beutenmüller,1899 Range (as code): **AET GA**
16588. **Tipulamima nigriceps Hampson,1919** (Sesiidae) Synonymy: nigriceps Hampson,1919 Range (as code): **AET SL**
16589. **Tipulamima opalimargo (Le Cerf,1913)** (Sesiidae) Synonymy: opalimargo Le Cerf,1913 Range (as code): **AET MG**
16590. **Tipulamima pyrosoma Hampson,1919** (Sesiidae) Synonymy: pyrosoma Hampson,1919 Range (as code): **AET KE**
16591. **Tipulamima sexualis (Hampson,1919)** (Sesiidae) Synonymy: sexualis Hampson,1919; waterloti Le Cerf,1917 Range (as code): **AET NG MW**
16592. **Tipulamima seyrigi Viette,[1955]** (Sesiidae) Synonymy: seyrigi Viette,[1955] Range (as code): **AET MG**
16593. **Tipulamima tricincta (Le Cerf,1916)** (Sesiidae) Synonymy: tricincta Le Cerf,1916 Range (as code): **AET ZA Nta Kzu**
16594. **Uranothyris pterotarsa Meyrick,1933** (Sesiidae) Synonymy: pterotarsa Meyrick,1933 Range (as code): **AET SL**
16595. **Vespanthedon cerceris Le Cerf,1917** (Sesiidae) Synonymy: cerceris Le Cerf,1917 Range (as code): **AET ZA MZ**
16596. **Vespanthedon chalciphora (Hampson,1919)** (Sesiidae) Synonymy: chalciphora Hampson,1919 Range (as code): **AET ZA**

Somabrachyidae

16597. **Somabrachys aegrota (Klug,1830)** (Somabrachyidae) Synonymy: aegrota Klug,1830; arcanaria Millière,1884; unicolor Oberthür,1911; powelli Oberthür,1908; mogadorensis Oberthür,1911; massiva Oberthür,1911; maroccana Oberthür,1911; holli Oberthür,1911; klugi Oberthür,1911; manastabal Oberthür,1911; hiempsal Oberthür,1911; adherbal Oberthür,1911 Range (as code): **MA Ess ES Si EG EG05 TN Dhm DZ Sbd Eba Khh**
16598. **Somabrachys infuscata Klug,1830** (Somabrachyidae) Synonymy: infuscata Klug,1830; ?kroumira Oberthür,1911; ragmata Chrétien,1910; atrinervis Oberthür,1911 Range (as code): **EG EG05 TN Gf DZ Eba Sbd Dhm**

Sphingidae

16599.Acherontia atropos (Linnaeus,1758) (Sphingidae) Synonymy: atropos Linnaeus,1758; solani Oken,1815; sculda Kirby,1877. Range (as code): **Az Cn CV MA DZ TN LY PT ES Mu An FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR DK NO SE FI EE LV LT RU MD UA Cm BY LB IL Hf Pa JO AZ IR Elb Gor IQ SA MU MG ZA Nta Cap Ec Pre Tva SO MZ GN SL TZ GM GA EG EG05 SY AZ AM Bkw Gau Lpo Spb Mdk Mpu Brb Dbn Kir GG Bjo Tbl Lag Len Da Mo Vl St Sr Cc Kh Agi Btna Orn Clo 01 06 17 21 31 33 34 35 36 37 46 48 55 56 61**

16600.Afroclanis calcarea (Rothschild & Jordan,1907) (Sphingidae) Synonymy: calcarea Rothschild & Jordan,1907; burorum Strand,1915; aurora Clark,1936 Range (as code): **ZA**

16601.Afroclanis neavi (Hampson,1910) (Sphingidae) Synonymy: neavi Hampson,1910; martha Closs,1911 Range (as code): **ZA**

16602.Agrius cingulatus (Fabricius,1775) (Sphingidae) Synonymy: cingulatus Fabricius,1775; affinis Goeze,1780; druraei Donovan,1810; pungens Eschscholtz,1821 Range (as code): **ZA US Fl Pns VE BR GP MQ**

16603.Agrius convolvuli (Linnaeus,1758) (Sphingidae) Synonymy: convolvuli Linnaeus,1758; abadonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927 Range (as code): **Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN Ui Au Ln Ga Pkn Ti KP KR JP ID Ja Sum GN NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm YE Ad Gor Elb TW Tn Ngl PK Krc Ask Clc BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt Vl Mo Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb CmM Din Jol Ley Luz Pq Mdo Mno Bkd Ktd Neg Pal Pan Sam Sga Siq Pre Brb Mpu AU NSw WS FJ SB TZ Bkw Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab CMa Cu0 Cu03 Cmz Cz10 TAk Bnk Cbu Nst Phc Kln TW Cc AZ AM Cp LK Pdy Abe Btna Bsk Tun Agi Clo 01 05 06 10 13 16 21 31 42 44 48 60 65 75 76**

16604.Andriasa contraria Walker,1856 (Sphingidae) Synonymy: contraria Walker,1856; submarginalis Walker,1865; suffusa Walker,1869; adansoniae Boisduval,[1875]; peuchellii Dewitz,1879; marginalis Butler,1882; perpallida Holland,1893; crenulata Bethune-Baker,1911; objecta Strand,1912; towadea Gehlen,1935; stigmatica Gehlen,1940 Range (as code): **ZA**

16605.Antinephele lunulata Rothschild & Jordan,1903 (Sphingidae) Synonymy: lunulata Rothschild & Jordan,1903; weberi Clark,1923 Range (as code): **ZA**

16606.Antinephele maculifera Holland,1889 (Sphingidae) Synonymy: maculifera Holland,1889 Range (as code): **ZA**

16607.Atemnora westermannii (Boisduval,[1875]) (Sphingidae) Synonymy: westermannii Boisduval,[1875]; falkensteini Dewitz,1879 Range (as code): **ZA**

16608.Basiothia aureata (Karsch,1891) (Sphingidae) Synonymy: aureata Karsch,1891; brevipennis Rothschild,1894 Range (as code): **ZA**

16609.Basiothia charis (Boisduval,[1875]) (Sphingidae) Synonymy: celerionina Walker,1856; charis Boisduval,[1875] Range (as code): **SL GA ZA Nta Kzu Ec TZ UG**

16610.Basiothia medea (Fabricius,1781) (Sphingidae) Synonymy: medea Fabricius,1781; idrieus Drury,1782; minus Fabricius,1787; clio Fabricius,1793; onotherina Martyn,1797; transfigurata Wallengren,1860 Range (as code): **GM ZA Tva Mpu Brb Gau Pre Nta Kzu Dbn MZ Del SL**

16611.Basiothia schenki (Möschler,1872) (Sphingidae) Synonymy: schenki Möschler,1872; protocharis Staudinger,1872 Range (as code): **ZA Tva Gau Pre Jh Mpu Brb Nta Kzu Ptb Ec Tra**

16612.Batocnema africana (Distant,1899) (Sphingidae) Synonymy: africana Distant,1899 Range (as code): **ZA Tva Mpu Ly**

16613.Centroctena imitans (Butler,1882) (Sphingidae) Synonymy: imitans Butler,1882 Range (as code): **ZA**

16614.Cephonodes hylas (Linnaeus,1771) (Sphingidae) Synonymy: hylas Linnaeus,1771 Range (as code): **PH CmM Luz Mdo Mno Neg Pal Taw ZA Tva Lpo Spb Gau Pre Jh Nta Kzu Dbn GM MG SL KP KR JP PK Cp H-A IN ID Flo Tim Sum LK MM TH CMa Cu0 Knc Cbi Cph VN CN TW MY AU**

16615.Coelonia fulvinotata (Butler,1875) (Sphingidae) Synonymy: fulvinotata Butler,1875; mauritii Butler,1876 Range (as code): **MU ZA Tva Lpo Spb Lj Mdk Ly Mpu Gau Pre MZ Del TZ Pb**

16616.Daphnis nerii (Linnaeus,1758) (Sphingidae) Synonymy: nerii Linnaeus,1758; infernelutea Saalmüller,1884; #confluens Closs,1912; #nigra Schmidt,1914; bipartita Gehlen,1934. Range (as code): **Az Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY GG Bjo EG EG11 IR Ss LB Bei Bsa IL Hf Pa GN MU MG MZ ZA Nta Kzu Tva Lpo Spb Mdk NG TZ YE Ad IN ID Ja PH Ceb Jol Ley Luz IQ Bkw Tn LK Agh Mar Neg Gau Pre Dbn Rd JO PK AF Sfk Srb TH Bnk CMa Cu0 JP Hw Sum NP MM TW Cc Agi 07 09 30 31 33 34 35 42 46 48 65**

16617.Euchloron megaera (Linnaeus,1758) (Sphingidae) Synonymy: megaera Linnaeus,1758 Range (as code): **ET ZA YE**

16618.Falcatula falcata (Rothschild & Jordan,1903) (Sphingidae) Synonymy: falcata Rothschild & Jordan,1903 Range (as code): **ZA**

16619.Hemaris (Eitschbergera) aksana (Le Cerf,1913) (Sphingidae) Synonymy: aksana Le Cerf,1913 Range (as code): **MA**

16620.Hemaris (s.str.) fuciformis (Linnaeus,1758) (Sphingidae) Synonymy: fuciformis Linnaeus,1758; variegata Allioni,1766; musca Retzius,1783; bombyliformis sensu Ochsenheimer,1808; milesiformis Treitschke,1834; caprifolii Zeller,1869; lonicerae Zeller,1869; robusta Alpheraky,1882; simillima Moore,1888; ganssuensis Grum-Grshimailo,1891; heynei Bartel,1898; Range (as code): **MA DZ Lbs Hrh PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR IR Mz Elb Th Kh DK NO SE FI EE LV LT RU Mo Sr Ur Or Ao Sb Am At MD UA Bkw BY KG Ssn Lps Sp Uk AZ Tlh Cc GG Smt Bjo Tbl Bku CN Ui Ku Muz Gn IN Hp Kgr AF Nu Bsg**

16621.Hippotion balsaminae (Walker,1856) (Sphingidae) Synonymy: balsaminae Walker,1856; pinastrinus Butler,1876 Range (as code): **ZA**

16622.Hippotion celerio (Linnaeus,1758) (Sphingidae) Synonymy: celerio Linnaeus,1758; tisiphone Linnaeus,1758; inquilinus Harris,1780; phoenix Oken,1815; ocys Hübner,[1819]; albolineatus Montrousier,1864 Range (as code): **Md Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Slv Vrn GR Rd Cr TR CY LB Bei IL Hf Pa IR Kh Th Gls Ss DK RU MD UA BY GG Smt Bjo IN Tn LK ID Sum Ja Kai AU QAu Hw PG NC NH FJ ZA Fs Cap Blo Tva Lpo Spb Mdk MZ GN SA SL PH Bal Boh Cal Ceb Dum Jol Ley Luz Pq Mar Mdo Mno Neg Pal Olg Pan Pao Sam Tic WS TO EL LO SB MY Gau Pre Mpu Brb Jh Nta Kzu Dbn SL JO AF Sfk Srb Nu Bsg PK Swa Sgl TH CMa Cuo TW Cc Cp Abe Rbt Btna Agi Orn Blid Mzg Hrh 31 33 35 48**

16623.Hippotion eson (Cramer,1779) (Sphingidae) Synonymy: eson Cramer,1779; thyelia Westwood,1881; elegans Butler,1875; gracilis Butler,1875; comoroana Clark,1929; luridus Gehlen,1944 Range (as code): **KM ZA Tva Mpu Brb Nta Kzu Dbn TZ Pb SL Wca Cto Ec Tra**

16624.Hippotion moorei Jordan,1926 (Sphingidae) Synonymy: moorei Jordan,1926; canens Jordan,1926; nuimaculata Zhu & Wang,1997 Range (as code): **ET TZ SO SA**

16625.Hippotion osiris (Dalman,1823) (Sphingidae) Synonymy: osiris Dalman,1823 Range (as code): **ES SL GM NG ZR ZA MG IL Pa**

16626.Hippotion pentagramma (Hampson,1910) (Sphingidae) Synonymy: pentagramma Hampson,1910; somalicum Jordan,1916 Range (as code): **SO ET SA**

16627.Hippotion rosae (Butler,1882) (Sphingidae) Synonymy: rosae Butler,1882 Range (as code): **ZA**

16628.Hippotion roseipennis (Butler,1882) (Sphingidae) Synonymy: roseipennis Butler,1882; exclamationis Fawcett,1915; austrinum Jordan,1930; robur Jordan,1938 Range (as code): **ZA**

16629.Hoplistopus butti Rothschild & Jordan,1903 (Sphingidae) Synonymy: butti Rothschild & Jordan,1903 Range (as code): **ZA**

16630.Hoplistopus penricei Rothschild & Jordan,1903 (Sphingidae) Synonymy: penricei Rothschild & Jordan,1903 Range (as code): **ZA**

16631.Hyles euphorbiae (Linnaeus,1758) (Sphingidae) Synonymy: euphorbiae Linnaeus,1758; esulae Hufnagel,1766; vandalusica Ribbe,1910; etrusca Verity,1911; sinensis Closs,1917; rothschildi Stauder,1928; dolomiticola Stauder,1930; filipjevi O.Bang-Haas,1936; lucida Derzhavets,1980. Range (as code): **Md Cn MA DZ TN PT ES FR Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd DK SE FI EE LV LT RU Ao Sr Sb Ur MD UA Bkw BY AZ Tlh IR Elb Th CN Ui Ku Muz TJ Pm TR Cc GG Smt Bjo Tbl JO IL Pa Hf LB Bsa Bei IQ SY Dms IR Elb Th 01 04 05 06 07 09 10 13 14 15 16 17 20 21 24 25 30 32 33 35 36 42 45 44 46 47 48 50 51 56 58 60 63 65 70 72 73 76**

16632.Hyles gallii (Rottemburg,1775) (Sphingidae) Synonymy: galii Rottemburg,1775; intermedia Kirby,1837; oxybaphi Clemens,1859; galii Kirby,1892; sachaliensis Matsumura,1929; nepalensis Daniel,1961; tibetanica Eichler,1971. Range (as code): **Cn ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo DK NO SE FI EE LV LT RU Sb Am At To Ir Irk Ya Prj Us Pt Ao Sr Or Tt MD UA Bkw BY CN Ui Yu Mc Pkn KG Ssn Uk Sp Lps JP IN Ch Ch CA Lbr US 05 33 60**

16633.Hyles livornica (Esper,[1780]) (Sphingidae) Synonymy: livornica Esper,[1780]; koechlini Fuessly,1781; tatsienluica Oberthür,1916; saharae Gehlen,1932; malgassica Denso,1944; tatsienluica Oberthür,1944; renneri Eitschberger, Danner & Surholt,1998. Range (as code): **Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAu Ade Hw ZA Cap Fs Blo SO MG IQ TW Bkw TH CMa NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc Cp Ak Msw Ess Orn Odj Agi Ges BSa Omy Bsk Ktr Khh Dhm Onç Gha Dzc Mzg Hrh Gf Omy Gle Ceg Gtt Ath Ah 01 05 06 07 09 10 13 16 17 19 21 23 30 31 33 34 35 36 44 45 46 47 48 53 56 58 60 61 63 65 72 73 75 76**

16634.Hyles nicaea (Prunner,1798) (Sphingidae) Synonymy: nicaea Prunner,1798; cyparissiae Hübner,[1813]; #nicea De Freina,1981 Range (as code): **DZ Sbd MA Khh Afl PT ES FR Co Sa IT YU AL BG GR TR Cc AM Eri LB Bsa UA Cm IN KG Ssn IQ 06 13 19 25 30 36 50 58 60 65 66 76**

16635.Hyles tithymali (Boisduval,1834) (Sphingidae) Synonymy: tithymali Boisduval,1834; calverleyi Grote,1865. Range (as code): **Md Cn MA DZ TN Md EG MT Cr YE Ktr Btna Khh Lbs Dhm Tun Bsk Onç BSa Gha Ges Hrh Sfr Lgt Gle Hes**

16636.Laothoe austauti (Staudinger,1877) (Sphingidae) Synonymy: austauti Staudinger,1877; poupillieri Bellier,1878; #austanti Bellier,1878; #staudingeri Austaut,1879; #incarnata Austaut,1880; #mirabilis Austaut,1883; #flava Bartel,1900; #aurantiaca Oberthür,1916; #brunnea Huard,1928 Range (as code): **DZ Ght Agi MR MA Abe Btna TN Tun Hrh Sfr**

16637. **Leptoclanis pulchra Rothschild & Jordan,1903** (Sphingidae) Synonymy: pulchra Rothschild & Jordan,1903 Range (as code): **ZA**

16638. **Leucophlebia (Afrophlebia) afra Karsch,1891** (Sphingidae) Synonymy: afra Karsch,1891; edentata Rothschild & Jordan,1917 Range (as code): **ZA**

16639. **Leucophlebia (Afrophlebia) caecilie Eitschberger,2003** (Sphingidae) Synonymy: caecilie Eitschberger,2003 Range (as code): **CM ZR**

16640. **Leucophlebia (Afrophlebia) edentata Rothschild & Jordan,1916** (Sphingidae) Synonymy: edentata Rothschild & Jordan,1916 Range (as code): **CI**

16641. **Leucophlebia (Afrophlebia) muehlei Eitschberger,2003** (Sphingidae) Synonymy: muehlei Eitschberger,2003 Range (as code): **RW**

16642. **Leucophlebia (Afrophlebia) paul Eitschberger,2003** (Sphingidae) Synonymy: paul Eitschberger,2003 Range (as code): **TZ**

16643. **Leucophlebia (Afrophlebia) xanthopis Hampson,1910** (Sphingidae) Synonymy: xanthopis Hampson,1910; rosulenta Rothschild & Jordan,1917 Range (as code): **ZA**

16644. **Leucostrophus alterhirundo D'Abrera,[1987]** (Sphingidae) Synonymy: hirundo Gerstaecker,1871 (praeocc.); alterhirundo D'Abrera,[1987] Range (as code): **ZA**

16645. **Likoma apicalis Rothschild & Jordan,1903** (Sphingidae) Synonymy: apicalis Rothschild & Jordan,1903 Range (as code): **ZA**

16646. **Litosphingia corticea Jordan,1920** (Sphingidae) Synonymy: corticea Jordan,1920 Range (as code): **ZA**

16647. **Lophostethus dumolinii (Angas,[1849])** (Sphingidae) Synonymy: dumolinii Angas,[1849] Range (as code): **ZA Tva Gau Pre**

16648. **Macroglossum stellatarum (Linnaeus,1758)** (Sphingidae) Synonymy: stellatarum Linnaeus,1758; nigra Cosmovici,1892. Range (as code): **Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK Bl Qu CN Ui Kun Bkw BY KP KR TW JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm Vl Pt Tt Or Bgd Rd JO Kab Khi Pjr Hzr Cc Mre Ab Qba Oru Ak Shf Rbt Saia Orn Agi Blid Omy Bsk Ktr Mzg Hrh Ahr Sfr Tni Tis 01 05 06 09 10 11 13 14 16 17 21 25 30 31 33 35 36 38 45 46 48 55 56 58 60 63 65 70 71 72 75 76**

16649. **Macroglossum trochilum (Hübner,[1823])** (Sphingidae) Synonymy: trochilus Hübner,[1823]; sitiene Walker,1856; fasciatum Wallegren,1858; lysithous Boisduval,[1875]; #trochailus Mitchell,1973 Range (as code): **SA ZA Tva Lpo Spb Lj Gau Pre Jh Mpu Brb Nta Kzu**

16650. **Macropoliana natalensis (Butler,1875)** (Sphingidae) Synonymy: natalensis Butler,1875; spei Butler,1875 Range (as code): **ZA Nta Kzu**

16651. **Macropoliana oheffernani (Gess,1967)** (Sphingidae) Synonymy: oheffernani Gess,1967 Range (as code): **ZA Wca Cto Grg**

16652. **Marumba dyras (Walker,1856)** (Sphingidae) Synonymy: dyras Walker,1856; ceylonica Moore,1883 Range (as code): **NP IN Hp LK Kndy Pdy TH CMA Cuo CDo MY MM VN CN Adm ID Ja Sum Bor PH Ceb Ley Luz Mno Neg Pal Sam TW**

16653. **Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) Synonymy: quercus [Denis & Schiffermüller],1775; denisii Fuessly,1779; #brunnescens Rebel,1910; #canescens, pallescens Closs,1922; mesopotamica O.Bang-Haas,1938; schirasi O.Bang-Haas,1938; #pallida Vilarrubia,1973. Range (as code): **MA PT ES FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR TR AM AZ GG Cc Smt Bjo RU MD UA Bkw IR Fa Shr IQ Rwz LB JO 01 02 05 06 07 10 12 13 19 21 30 31 33 42 46 47 48 49 56 62 65 72 73**

16654. **Microsphinx pumila (Boisduval,[1875])** (Sphingidae) Synonymy: pumila Boisduval,[1875]; minuta Distant,1897 Range (as code): **ZA Tva Gau Pre Jh**

16655. **Neoclanis basalis (Walker,1866)** (Sphingidae) Synonymy: basalis Walker,1866; virgo Westwood,1881 Range (as code): **ZA**

16656. **Neopolyptychus ancylus (Rothschild & Jordan,1916)** (Sphingidae) Synonymy: ancylus Rothschild & Jordan,1916 Range (as code): **GM**

16657. **Neopolyptychus compar (Rothschild & Jordan,1903)** (Sphingidae) Synonymy: compar Rothschild & Jordan,1903 Range (as code): **ZA**

16658. **Neopolyptychus convexus (Rothschild & Jordan,1903)** (Sphingidae) Synonymy: convexus Rothschild & Jordan,1903; springerae Clark,1936 Range (as code): **ZA**

16659. **Nephele accentifera (Beauvois,1805)** (Sphingidae) Synonymy: accentifera Beauvois,1805; tridyma Van der Hoeven,1840; ranzani Bertolini,1850; variegata Butler,1875 Range (as code): **ZA**

16660. **Nephele aequivalens (Walker,1856)** (Sphingidae) Synonymy: aequivalens Walker,1856; zebu Boisduval,[1875] Range (as code): **ZA**

16661. **Nephele argentifera (Walker,1856)** (Sphingidae) Synonymy: argentifera Walker,1856 Range (as code): **ZA Tva Mpu Wv Nta Kzu MZ Del**
16662. **Nephele bipartita Butler,1878** (Sphingidae) Synonymy: bipartita Butler,1878 Range (as code): **ZA**
16663. **Nephele comma Hopffer,1857** (Sphingidae) Synonymy: comma Hopffer,1857; charoba Kirby,1877; derasa Rothschild & Jordan,1903; triangulifera Closs,1914 Range (as code): **ZA Lpo Tva Spb Mdk Lj Gau Pre Jh Nta Kzu Dbn MW TZ NG CF GA ZM GH NA ET RW IR PK**
16664. **Nephele funebris (Fabricius,1793)** (Sphingidae) Synonymy: funebris Fabricius,1793; viridescens Walker,1856; infernalis Kirby,1877 Range (as code): **ZA GM**
16665. **Nephele lannini Jordan,1926** (Sphingidae) Synonymy: lannini Jordan,1926 Range (as code): **ZA**
16666. **Nephele oenopion (Hübner,1806)** (Sphingidae) Synonymy: oenopion Hübner,1806 Range (as code): **ZR GM MU MG**
16667. **Nephele peneus (Cramer,1776)** (Sphingidae) Synonymy: peneus Cramer,1776; pachyderma Karsch,1892 Range (as code): **ZA**
16668. **Nephele rosae Butler,1875** (Sphingidae) Synonymy: rosae Butler,1875 Range (as code): **ZA**
16669. **Nephele vau (Walker,1856)** (Sphingidae) Synonymy: vau Walker,1856; schimpferi Lucas,1857; raffrayi Oberthür,1878 Range (as code): **ZA Tva Lpo Spb ZR ET**
16670. **Odontosida magnifica (Rothschild,1894)** (Sphingidae) Synonymy: magnifica Rothschild,1894 Range (as code): **ZA Tva Lpo Pie Nta Kzu Ec Grh Tra**
16671. **Odontosida pusilla (Felder,[1874])** (Sphingidae) Synonymy: pusilla Felder,[1874]; pulcherrima Rothschild,1894 Range (as code): **ZA Tva Mpu Brb Nta Kzu Dbn**
16672. **Oligographa juniperi (Boisduval,1847)** (Sphingidae) Synonymy: juniperi Boisduval,1847; mosambiquensis Joicey & Kaye,1917 Range (as code): **ZA Tva Lpo Spb Mdk MZ**
16673. **Pantophaea favillacea (Walker,1866)** (Sphingidae) Synonymy: favillacea Walker,1866; distanti Rothschild & Jordan,1903; maxima Clark,1922 Range (as code): **ZA**
16674. **Pantophaea oneili (Clark,1925)** (Sphingidae) Synonymy: oneili Clark,1925 Range (as code): **ZA**
16675. **Phylloxiphia metria (Jordan,1920)** (Sphingidae) Synonymy: metria Jordan,1920; noctivaga Kernbach,1957 Range (as code): **ZA**
16676. **Phylloxiphia punctum (Rothschild,1907)** (Sphingidae) Synonymy: punctum Rothschild,1907 Range (as code): **ZA**
16677. **Phylloxiphia vicina (Rothschild & Jordan,1915)** (Sphingidae) Synonymy: vicina Rothschild & Jordan,1915 Range (as code): **ZA**
16678. **Platysphinx piabilis (Distant,1897)** (Sphingidae) Synonymy: piabilis Distant,1897; bourkei Trimen,1910 Range (as code): **ZA Tva Gau Pre**
16679. **Poliana buchholzi (Plötz,1880)** (Sphingidae) Synonymy: buchholzi Plötz,1880 Range (as code): **CM**
16680. **Poliana wintgensi (Strand,1910)** (Sphingidae) Synonymy: wintgensi Strand,1910; marmorata Fawcett,1915 Range (as code): **ZA**
16681. **Polyptychoides grayii (Walker,1856)** (Sphingidae) Synonymy: grayii Walker,1856 Range (as code): **ZA Tva Mpu Ly Nta Kzu Dbn**
16682. **Polyptychopsis marshalli (Rothschild & Jordan,1903)** (Sphingidae) Synonymy: marshalli Rothschild & Jordan,1903 Range (as code): **ZA**
16683. **Polyptychus baxteri Rothschild & Jordan,1908** (Sphingidae) Synonymy: baxteri Rothschild & Jordan,1908 Range (as code): **TZ ZA**
16684. **Polyptychus coryndoni Rothschild & Jordan,1903** (Sphingidae) Synonymy: coryndoni Rothschild & Jordan,1903 Range (as code): **GM ZA**
16685. **Praedora leucophaea Rothschild & Jordan,1903** (Sphingidae) Synonymy: leucophaea Rothschild & Jordan,1903 Range (as code): **ZA**
16686. **Praedora marshalli Rothschild & Jordan,1903** (Sphingidae) Synonymy: marshalli Rothschild & Jordan,1903; tropicalis Rothschild & Jordan,1912; australis Clark,1930 Range (as code): **ZA**
16687. **Praedora plagiata Rothschild & Jordan,1903** (Sphingidae) Synonymy: plagiata Rothschild & Jordan,1903; meridionalis Kiriakoff,1954 Range (as code): **ZA**
16688. **Proserpinus proserpinus (Pallas,1772)** (Sphingidae) Synonymy: proserpinus Pallas,1772; oenotherae [Denis & Schiffermüller],1775; schiffermilleri Fuessly,1779; francofurtana Fabricius,1781; aenotheroides Butler,[1876], maxima Groum-Grshimailo,1887; japetus Groum-Grshimailo,1890; gigas Oberthür,1922. Range (as code): **MA LT CZ SK DE NL GB BE LU FR ES Grn Snv Alv Act Bgs Ccs Hv Ter Lda Gna Hue Nrr Rio Val Ple PT Si IT CH AT HU YU MK HV BY UA Cm B-H RO BG AL GR TR GG Bjo AM Eri LB JO IR Elb Th KG Uk Kw Sp Tk Aa UZ TJ TM Kp RU Pt Mo Chu Tt Pe Ul Sm Sr Vl Ao Ba Pr St Bkw No Om To AF Nu Bsg Pag Kab 13 40 65**

16689. **Pseudandriasa mutata (Walker,1855)** (Sphingidae) Synonymy: mutata Walker,1855; erubescens Walker,1862 Range (as code): **ZA**
16690. **Pseudoclanis aequabilis Darge,2005** (Sphingidae) Synonymy: aequabilis Darge,2005 Range (as code): **TZ**
16691. **Pseudoclanis diana Gehlen,1922** (Sphingidae) Synonymy: diana Gehlen,1922 Range (as code): **ZA**
16692. **Pseudoclanis kenyae Clark,1928** (Sphingidae) Synonymy: kenyae Clark,1928 Range (as code): **KE**
16693. **Pseudoclanis molitor (Rothschild & Jordan,1912)** (Sphingidae) Synonymy: molitor Rothschild & Jordan,1912; lauta Jordan,1920; subviridis Talbot,1932; sororia Kernbach,1954; #mollis Wiltshire,1983 Range (as code): **ZW ZA BF CM CF ZR ET GM GH GN CI KE ML NG SN SO SD TZ UG**
16694. **Pseudoclanis occidentalis Rothschild & Jordan,1903** (Sphingidae) Synonymy: occidentalis Rothschild & Jordan,1903 Range (as code): **BF CM CF ZR ET GA GM GN CI KE NG SL TZ UG**
16695. **Pseudoclanis postica (Walker,1856)** (Sphingidae) Synonymy: postica Walker,1856 Range (as code): **ZA Tva Gau Pre Nta Kzu Dbn ZW**
16696. **Rhodafra marshalli Rothschild & Jordan,1903** (Sphingidae) Synonymy: marshalli Rothschild & Jordan,1903 Range (as code): **ZA**
16697. **Rhodafra opheltes (Cramer,1780)** (Sphingidae) Synonymy: opheltes Cramer,1780; mariae Wallengren,1875 Range (as code): **ZA Tva Mpu Ly Nta Kzu Ec**
16698. **Rufoclanis fulgurans (Rothschild & Jordan,1903)** (Sphingidae) Synonymy: fulgurans Rothschild & Jordan,1903 Range (as code): **ZA**
16699. **Rufoclanis jansei (Vari,1964)** (Sphingidae) Synonymy: jansei Vari,1964 Range (as code): **ZA**
16700. **Rufoclanis numosae (Wallengren,1860)** (Sphingidae) Synonymy: numosae Wallengren,1860; mimosae Wallengren,1860; cytis Druce,1882; consanguinea Distant,1899; hesperus Rothschild & Jordan,1916 Range (as code): **ZA Tva Mpu Ly**
16701. **Smerinthus atlanticus Austaut,1890** (Sphingidae) Synonymy: atlanticus Austaut,1890; aestivalis Austaut,1890 Range (as code): **MA Odj DZ Agi Btna Abe Sbd TN**
16702. **Sphingonaepiopsis ansorgei (Rothschild,1904)** (Sphingidae) Synonymy: ansorgei Rothschild,1904; featheri Clark,1929. Range (as code): **ZA**
16703. **Sphingonaepiopsis malgassica (Clark,1929)** (Sphingidae) Synonymy: malgassica Clark,1929; wellsi Griveaud,1959. Range (as code): **MG**
16704. **Sphingonaepiopsis nana (Walker,1856)** (Sphingidae) Synonymy: #nanum Boisduval,1847; nana Walker,1856; gracilipes Wallengren,1858. Range (as code): **SL KE ZA Tva Gau Pre Nta Kzu MZ Del PK Bl OM YE Ad SA As IR Ss TZ UG AO BW ZW MW NG GM GN BF CI GA CF ZM**
16705. **Sphingonaepiopsis obscurus (Mabille,1880)** (Sphingidae) Synonymy: obscurus Mabille,1880 Range (as code): **MG**
16706. **Sphinx ligustri Linnaeus,1758** (Sphingidae) Synonymy: ligustri Linnaeus,1758; spiraeae Esper,1800; amurensis Oberthür,1886; nisseni Rothschild & Jordan,1903; fraxini Dannehl,1925; chischimensis Matsumura,1929; weryi Rungs,1977; zolutuhini Eitschberger & Lukhtanov,1996; eichleri Eitschberger, Danner & Surholt,1998 Range (as code): **Az Cn TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Am Sb Ask Pt Tt Vl Or Sr MD UA Bkw BY KG Mp KK Aa T-S At MN JP CN Cc GG Bjo Cm 06 16 25 36 42 60 69**
16707. **Temnora elegans (Rothschild,1895)** (Sphingidae) Synonymy: elegans Rothschild,1895 Range (as code): **ZA AO ZM ZW MW TZ NG**
16708. **Temnora fumosa (Walker,1856)** (Sphingidae) Synonymy: fumosa Walker,1856 Range (as code): **ZA**
16709. **Temnora funebris (Holland,1893)** (Sphingidae) Synonymy: funebris Holland,1893; vambui Stevenson,1938 Range (as code): **ZA**
16710. **Temnora iapygoides (Holland,1889)** (Sphingidae) Synonymy: iapygoides Holland,1889; preussi Karsch,1891; clementsi Rothschild,1894; pernix Kernbach,1962. Range (as code): **ZA**
16711. **Temnora inornata (Rothschild,1894)** (Sphingidae) Synonymy: inornata Rothschild,1894 Range (as code): **ZA**
16712. **Temnora marginata (Walker,1856)** (Sphingidae) Synonymy: marginata Walker,1856; brunnea Rothschild,1894 Range (as code): **ZA**
16713. **Temnora murina (Walker,1856)** (Sphingidae) Synonymy: murina Walker,1856; tyrrhus Boisduval,1875 Range (as code): **ZA Tva Mpu Brb Nta Kzu Dbn**
16714. **Temnora namaqua Rothschild & Jordan,1903** (Sphingidae) Synonymy: namaqua Rothschild & Jordan,1903 Range (as code): **ZA**

16715. **Temnora natalis Walker,1856** (Sphingidae) Synonymy: natalis Walker,1856; natalii Boisduval,1875; kafakumbae Clark,1936 Range (as code): **ZA**

16716. **Temnora plagiata Walker,1856** (Sphingidae) Synonymy: plagiata Walker,1856; confusa Walker,1856; dicana Boisduval,1875; maculata Rothschild,1894 Range (as code): **ZA**

16717. **Temnora pseudopylas (Rothschild,1894)** (Sphingidae) Synonymy: brisaeus Wallengren,1865 nec Walk.,1856; pseudopylas Rothschild,1894; congoi Clark,1936; #pseudohylas Fletcher,1968 Range (as code): **ZA**

16718. **Temnora pylades Rothschild & Jordan,1903** (Sphingidae) Synonymy: pylades Rothschild & Jordan,1903; stevensoni Clark,1926 Range (as code): **ZA**

16719. **Temnora pylas (Cramer,1779)** (Sphingidae) Synonymy: pylas Cramer,1779; brisaeus Walker,1856 Range (as code): **ZA Tva Lpo Gau Spb Pre Nta Kzu Dbn Ptb**

16720. **Temnora robertsoni Carcasson,1968** (Sphingidae) Synonymy: robertsoni Carcasson,1968 Range (as code): **ZA**

16721. **Temnora sardanus (Walker,1856)** (Sphingidae) Synonymy: sardanus Walker,1856; uniformis Rothschild,1894 Range (as code): **ZA**

16722. **Temnora subapicalis Rothschild & Jordan,1903** (Sphingidae) Synonymy: subapicalis Rothschild & Jordan,1903 Range (as code): **ZA**

16723. **Temnora swynnertoni Stevenson,1938** (Sphingidae) Synonymy: swynnertoni Stevenson,1938 Range (as code): **ZA**

16724. **Temnora zantus (Herrich-Schäffer,[1854])** (Sphingidae) Synonymy: zantus Herrich-Schäffer,[1854]; excisa Walker,1856; dorus Boisduval,1875; brunnescens Clark,1919 Range (as code): **ZA**

16725. **Theretra cajus (Cramer,1777)** (Sphingidae) Synonymy: cajus Cramer,1777; gordius Stoll,1781; celaeno Esper,1782; gortys Hübner,[1819]; epicles Boisduval,1875 Range (as code): **ZA Tva Nta Kzu Wca**

16726. **Theretra capensis (Linnaeus,1764)** (Sphingidae) Synonymy: capensis Linnaeus,1764; aeas Cramer,1779; cecrops Cramer,1779; clotho Fabricius,1787 nec Dru.,1773; immaculata Gmelin,1790; ostracina Wallengren,1858; #vinacea Closs,1915. Range (as code): **ZA Wca Cto Tva Gau Pre Nta Kzu**

16727. **Theretra jugurtha (Boisduval,[1875])** (Sphingidae) Synonymy: jugurtha Boisduval,[1875]; obliterata Rothschild,1894 Range (as code): **ZA**

16728. **Theretra monteironis (Butler,1882)** (Sphingidae) Synonymy: monteironis Butler,1882; ugandae Clark,1923 Range (as code): **ZA**

16729. **Theretra orpheus (Herrich-Schäffer,[1854])** (Sphingidae) Synonymy: orpheus Herrich-Schäffer,[1854]; natalensis Rothschild,1894; #orphaeus Distant,1899 Range (as code): **ZA**

16730. **Xanthopan morganii (Walker,1856)** (Sphingidae) Synonymy: morganii Walker,1856; morgan Mitchell,1973 Range (as code): **ZA**

16731. **Xenosphingia jansei Jordan,1920** (Sphingidae) Synonymy: jansei Jordan,1920 Range (as code): **ZA**

Stathmopodidae

16732. **Aeoloscelis tripoda Meyrick,1913** (Stathmopodidae) Synonymy: tripoda Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

16733. **Pachyrhabda triplecta Meyrick,1913** (Stathmopodidae) Synonymy: triplecta Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

16734. **Pachyrhabda unctoria Meyrick,1911** (Stathmopodidae) Synonymy: unctoria Meyrick,1911 Range (as code): **ZA Lpo Tva Hae**

16735. **Stathmopoda aegotricha Meyrick,1921** (Stathmopodidae) Synonymy: aegotricha Meyrick,1921 Range (as code): **MZ Mag**

16736. **Stathmopoda arcata Meyrick,1913** (Stathmopodidae) Synonymy: arcata Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

16737. **Stathmopoda auriferella (Walker,1864)** (Stathmopodidae) Synonymy: auriferella Walker,1864; divisa Walsingham,1891; ischnotis Meyrick,1897; crocophanes Meyrick,1897; theoris Meyrick,1906; tharsalea Meyrick,1914; adulatrix Meyrick,1917; cirrhapis Meyrick,1922 Range (as code): **SL LY Cy SD EG GM NG UG MG KM SC IL IR Ss PK IN LK ID Ja CN TW AU PH Luz JP ZA TH MY**

16738. **Stathmopoda autoxantha Meyrick,1913** (Stathmopodidae) Synonymy: autoxantha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

16739. **Stathmopoda citrinopis Meyrick,1927** (Stathmopodidae) Synonymy: citrinopis Meyrick,1927 Range (as code): **ZA**

16740. **Stathmopoda crassella Walsingham,1891** (Stathmopodidae) Synonymy: crassella Walsingham,1891 Range (as code): **ZA**
16741. **Stathmopoda ficivora Kasy,1973** (Stathmopodidae) Synonymy: ficivora Kasy,1973 Range (as code): **TM IR Kh NG NA ZA AE**
16742. **Stathmopoda glyceropa Meyrick,1915** (Stathmopodidae) Synonymy: glyceropa Meyrick,1915 Range (as code): **ZA**
16743. **Stathmopoda hemiplecta Meyrick,1921** (Stathmopodidae) Synonymy: hemiplecta Meyrick,1921 Range (as code): **ZA Ec**
16744. **Stathmopoda luminata Meyrick,1911** (Stathmopodidae) Synonymy: luminata Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
16745. **Stathmopoda maculata Walsingham,1891** (Stathmopodidae) Synonymy: maculata Walsingham,1891 Range (as code): **ZA**
16746. **Stathmopoda pomifera Meyrick,1913** (Stathmopodidae) Synonymy: pomifera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
16747. **Stathmopoda revincta Meyrick,1921** (Stathmopodidae) Synonymy: revincta Meyrick,1921 Range (as code): **ZW Uma**
16748. **Stathmopoda teleozona Meyrick,1921** (Stathmopodidae) Synonymy: teleozona Meyrick,1921 Range (as code): **MZ Mag**
16749. **Stathmopoda xanthoplitis Meyrick,1908** (Stathmopodidae) Synonymy: xanthoplitis Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
16750. **Tortilia charadritis (Meyrick,1924)** (Stathmopodidae) Synonymy: charadritis Meyrick,1924; stupenda Turati,1927; viatrix Busck,1934; zernyi Amsel,1935; trissorrhiza Meyrick,1939. Range (as code): **EG EG07 LY Cy SD IL Pa Jer PK Bl Qu US**
16751. **Tortilia flavella Chrétien,1908** (Stathmopodidae) Synonymy: flavella Chrétien,1908; #favella Hacker,1999 Range (as code): **DZ TN Gf ES MA YE SY IL Pa CY IR**
16752. **Tortilia trigonella (Zerny,1935)** (Stathmopodidae) Synonymy: trigonella Zerny,1935 Range (as code): **MA**

Stenomidae

16753. **Acria psamatholeuca Meyrick,1930** (Stenomidae) Synonymy: psamatholeuca Meyrick,1930 Range (as code): **CM**
16754. **Antaeotricha ovata Walsingham,1881** (Stenomidae) Synonymy: ovata Walsingham,1881 Range (as code): **ZA**
16755. **Stenoma dicentra Meyrick,1913** (Stenomidae) Synonymy: dicentra Meyrick,1913 Range (as code): **ZA**
16756. **Stenoma modicola Meyrick,1911** (Stenomidae) Synonymy: modicola Meyrick,1911 Range (as code): **ZA**
16757. **Stenoma reticens Meyrick,1917** (Stenomidae) Synonymy: reticens Meyrick,1917 Range (as code): **ZA**
16758. **Stenoma simulatrix Meyrick,1914** (Stenomidae) Synonymy: simulatrix Meyrick,1914 Range (as code): **ZA**
16759. **Stenoma stolida Meyrick,1911** (Stenomidae) Synonymy: stolida Meyrick,1911 Range (as code): **ZA**

Thaumetopoeidae

16760. **Adrallia bipunctata Walker,1865** (Thaumetopoeidae) Synonymy: bipunctata Walker,1865 Range (as code): **ZA**
16761. **Anaphe panda (Boisduval,1847)** (Thaumetopoeidae) Synonymy: panda Boisduval,1847 Range (as code): **ZA**
16762. **Anaphe reticulata Walker,1855** (Thaumetopoeidae) Synonymy: reticulata Walker,1855 Range (as code): **ZA Tva Gau Pre Jh Nta Kzu**
16763. **Epanaphe clarilla Aurivillius,1904** (Thaumetopoeidae) Synonymy: clarilla Aurivillius,1904 Range (as code): **ZA**
16764. **Helianthocampa herculeana (Rambur,1866)** (Thaumetopoeidae) Synonymy: herculeana Rambur,1866; #bifasciata Spuler,1903; colossa A.Bang-Haas,1910; phosphatophila Dumont,1922; alvarezi Agenjo,1941;

carneades Agenjo,1941; ibarrae Agenjo,1941; lustrata Agenjo,1941; zernyi Agenjo,1941 Range (as code): **MA Rbt DZ Ges PT ES An TN LY Cy IL Pa Js**

16765. **Paradrallia rhodesi Bethune-Baker,1908** (Thaumetopoeidae) Synonymy: rhodesi Bethune-Baker,1908 Range (as code): **ZA**

16766. **Thaumetopoea (s.str.) apologetica Strand,1909** (Thaumetopoeidae) Synonymy: apologetica Strand,1909; abyssinica Strand,1911 Range (as code): **ET ZA**

Thyatiridae

16767. **Aethiopsestis austrina Watson,1965** (Thyatiridae) Synonymy: austrina Watson,1965 Range (as code): **ZW ZA Ec**

16768. **Aethiopsestis echinata Watson,1965** (Thyatiridae) Synonymy: echinata Watson,1965 Range (as code): **ZW**

16769. **Aethiopsestis mufindiae Watson,1965** (Thyatiridae) Synonymy: mufindiae Watson,1965 Range (as code): **TZ**

16770. **Marplena designina Lane,1973** (Thyatiridae) Synonymy: designina Lane,1973 Range (as code): **ET ZA**

Thyretidae

16771. **Automolis abyssinibia (Kiriakoff,1957)** (Thyretidae) Synonymy: #abyssinibia Strand,1920; abyssinibia Kiriakoff,1957 Range (as code): **ET ETo9**

16772. **Automolis benitensis (Holland,1893)** (Thyretidae) Synonymy: benitensis Holland,1893 Range (as code): **ZA CM KE**

16773. **Automolis bicolora (Walker,1856)** (Thyretidae) Synonymy: bicolora Walker,1856 Range (as code): **ZA Nta Kzu**

16774. **Automolis bipartita (Kiriakoff,1973)** (Thyretidae) Synonymy: bipartita Kiriakoff,1973 Range (as code): **TZ**

16775. **Automolis brunneipennis (M.Hering,1932)** (Thyretidae) Synonymy: brunneipennis M.Hering,1932 Range (as code): **ZR ZA**

16776. **Automolis burgessi (Kiriakoff,1957)** (Thyretidae) Synonymy: burgessi Kiriakoff,1957 Range (as code): **UG**

16777. **Automolis burungae (Debauche,1942)** (Thyretidae) Synonymy: burungae Debauche,1942 Range (as code): **ZR**

16778. **Automolis cameruna (Hampson,1914)** (Thyretidae) Synonymy: haematoessa Oberthür nec Holl.; cameruna Hampson,1914 Range (as code): **CM**

16779. **Automolis capricornis (Kiriakoff,1957)** (Thyretidae) Synonymy: capricornis Kiriakoff,1957 Range (as code): **AO**

16780. **Automolis carmel (Kiriakoff,1957)** (Thyretidae) Synonymy: carmel Kiriakoff,1957 Range (as code): **ET**

16781. **Automolis confederationis (Kiriakoff,1961)** (Thyretidae) Synonymy: confederationis Kiriakoff,1961 Range (as code): **ZA Nta Kzu**

16782. **Automolis crassa (R.Felder & Rogenhofer,1874)** (Thyretidae) Synonymy: crassa R.Felder & Rogenhofer,1874 Range (as code): **ZA ET**

16783. **Automolis crocina Kiriakoff,1973** (Thyretidae) Synonymy: crocina Kiriakoff,1973 Range (as code): **ZA ZW Har**

16784. **Automolis didyma (Kiriakoff,1957)** (Thyretidae) Synonymy: didyma Kiriakoff,1957 Range (as code): **NE CI TD**

16785. **Automolis dracoena (Kiriakoff,1953)** (Thyretidae) Synonymy: dracoena Kiriakoff,1953 Range (as code): **ZA**

16786. **Automolis fario (Kiriakoff,1957)** (Thyretidae) Synonymy: fario Kiriakoff,1957 Range (as code): **ZR**

16787. **Automolis flavivena (Hampson,1901)** (Thyretidae) Synonymy: flavivena Hampson,1901 Range (as code): **ZA MZ**

16788. **Automolis fletcheri (Kiriakoff,1958)** (Thyretidae) Synonymy: fletcheri Kiriakoff,1958 Range (as code): **UG Rz**

16789. **Automolis flora (Kiriakoff,1957)** (Thyretidae) Synonymy: flora Kiriakoff,1957 Range (as code): **RW**
16790. **Automolis forsteri (Kiriakoff,1955)** (Thyretidae) Synonymy: forsteri Kiriakoff,1955 Range (as code): **CM RW**
16791. **Automolis ghesquierei (Kiriakoff,1953)** (Thyretidae) Synonymy: ghesquierei Kiriakoff,1953 Range (as code): **ZR**
16792. **Automolis hecqi (Kiriakoff,1959)** (Thyretidae) Synonymy: hecqi Kiriakoff,1959 Range (as code): **ZR**
16793. **Automolis hector (Kiriakoff,1959)** (Thyretidae) Synonymy: hector Kiriakoff,1959 Range (as code): **RW**
16794. **Automolis heinrichi (Kiriakoff,1961)** (Thyretidae) Synonymy: heinrichi Kiriakoff,1961 Range (as code): **AO**
16795. **Automolis helga (Kiriakoff,1957)** (Thyretidae) Synonymy: helga Kiriakoff,1957 Range (as code): **TZ**
16796. **Automolis hypomela (Kiriakoff,1956)** (Thyretidae) Synonymy: hypomela Kiriakoff,1956 Range (as code): **KE**
16797. **Automolis incensa (Walker,1864)** (Thyretidae) Synonymy: incensa Walker,1864; hewitti Janse,1945 Range (as code): **ZA**
16798. **Automolis infausta (Kiriakoff,1957)** (Thyretidae) Synonymy: infausta Kiriakoff,1957 Range (as code): **ZR**
16799. **Automolis invaria (Walker,1856)** (Thyretidae) Synonymy: invaria Walker,1856; erubescens Walker,1864; silacea Plötz,1880; syntomia Plötz,1880; pareclecta Holland,1893; conradti Oberthür,1911; #pusillima Strand,1912; postrosea Rothschild,1913; #opobensis Strand,1917 Range (as code): **SL CI NG ZR**
16800. **Automolis jacksoni (Kiriakoff,1956)** (Thyretidae) Synonymy: jacksoni Kiriakoff,1956 Range (as code): **UG**
16801. **Automolis jansei (Kiriakoff,1957)** (Thyretidae) Synonymy: jansei Kiriakoff,1957 Range (as code): **ZA Nta Kzu ZW KE**
16802. **Automolis johanna Kiriakoff,1979** (Thyretidae) Synonymy: johanna Kiriakoff,1979 Range (as code): **NG**
16803. **Automolis jordani (Kiriakoff,1957)** (Thyretidae) Synonymy: jordani Kiriakoff,1957 Range (as code): **AO**
16804. **Automolis jubdoensis (Kiriakoff,1955)** (Thyretidae) Synonymy: jubdoensis Kiriakoff,1955 Range (as code): **CM**
16805. **Automolis kamitugensis (Dufrane,1945)** (Thyretidae) Synonymy: kamitugensis Dufrane,1945 Range (as code): **ZR Kvu**
16806. **Automolis katriona (Kiriakoff,1957)** (Thyretidae) Synonymy: katriona Kiriakoff,1957 Range (as code): **RW**
16807. **Automolis kelleni Snellen,1886** (Thyretidae) Synonymy: kelleni Snellen,1886; #helleni Hampson,1900 Range (as code): **AO**
16808. **Automolis kenyae (Kiriakoff,1957)** (Thyretidae) Synonymy: kenyae Kiriakoff,1957 Range (as code): **KE ZA**
16809. **Automolis latipennis (Kiriakoff,1957)** (Thyretidae) Synonymy: latipennis Kiriakoff,1957 Range (as code): **ET**
16810. **Automolis lindemannae (Kiriakoff,1961)** (Thyretidae) Synonymy: lindemannae Kiriakoff,1961; #lindenmannae Pinhey,1975 Range (as code): **ZA**
16811. **Automolis major (Le Cerf,1922)** (Thyretidae) Synonymy: major Le Cerf,1922 Range (as code): **KE**
16812. **Automolis margaretha (Kiriakoff,1957)** (Thyretidae) Synonymy: margaretha Kiriakoff,1957 Range (as code): **KE Nai**
16813. **Automolis maria (Kiriakoff,1957)** (Thyretidae) Synonymy: maria Kiriakoff,1957 Range (as code): **GN**
16814. **Automolis meteus (Stoll,1781)** (Thyretidae) Synonymy: meteus Stoll,1781; #metus Taylor,1968 Range (as code): **ZA**
16815. **Automolis moira (Kiriakoff,1957)** (Thyretidae) Synonymy: moira Kiriakoff,1957 Range (as code): **SD**
16816. **Automolis morag (Kiriakoff,1957)** (Thyretidae) Synonymy: morag Kiriakoff,1957 Range (as code): **ZR Kvu**
16817. **Automolis ochreogaster (Joicey & Talbot,1921)** (Thyretidae) Synonymy: ochreogaster Joicey & Talbot,1921 Range (as code): **KE**

16818. **Automolis pallida (Hampson,1901)** (Thyretidae) Synonymy: pallida Hampson,1901 Range (as code): **ZA**
16819. **Automolis pamela (Kiriakoff,1957)** (Thyretidae) Synonymy: pamela Kiriakoff,1957 Range (as code): **CM Bit**
16820. **Automolis paremphares (Holland,1893)** (Thyretidae) Synonymy: paremphares Holland,1893 Range (as code): **ZA**
16821. **Automolis pavlitzkae (Kiriakoff,1961)** (Thyretidae) Synonymy: pavlitzkae Kiriakoff,1961 Range (as code): **TZ**
16822. **Automolis priscilla (Kiriakoff,1957)** (Thyretidae) Synonymy: priscilla Kiriakoff,1957 Range (as code): **GH**
16823. **Automolis quinta Kiriakoff,1973** (Thyretidae) Synonymy: quinta Kiriakoff,1973 Range (as code): **ZW Vum Uma**
16824. **Automolis rhodites (Kiriakoff,1957)** (Thyretidae) Synonymy: rhodites Kiriakoff,1957 Range (as code): **RW ZR**
16825. **Automolis rubra (Walker,1856)** (Thyretidae) Synonymy: rubra Walker,1856 Range (as code): **ZA Nta Kzu Dbn**
16826. **Automolis rubripuncta (Hampson,1898)** (Thyretidae) Synonymy: rubripuncta Hampson,1898; chapini Holland,1920 Range (as code): **ZA**
16827. **Automolis rufescens (Walker,1855)** (Thyretidae) Synonymy: rufescens Walker,1855; maculifera Wallengren,1860 Range (as code): **ZA**
16828. **Automolis salmonea (Kiriakoff,1957)** (Thyretidae) Synonymy: salmonea Kiriakoff,1957 Range (as code): **AO**
16829. **Automolis schoutedeni (Kiriakoff,1953)** (Thyretidae) Synonymy: schoutedeni Kiriakoff,1953 Range (as code): **ZR Kvu Rz KE Nai**
16830. **Automolis sheljuzkoi (Kiriakoff,1961)** (Thyretidae) Synonymy: sheljuzkoi Kiriakoff,1961 Range (as code): **CI**
16831. **Automolis subrosea (Kiriakoff,1957)** (Thyretidae) Synonymy: subrosea Kiriakoff,1957 Range (as code): **KE**
16832. **Automolis sudanica Kiriakoff,1973** (Thyretidae) Synonymy: sudanica Kiriakoff,1973 Range (as code): **SD Kgl**
16833. **Automolis transvaalica Kiriakoff,1973** (Thyretidae) Synonymy: transvaalica Kiriakoff,1973 Range (as code): **ZA Gau Tva Pre**
16834. **Balacra affinis (Rothschild,1910)** (Thyretidae) Synonymy: affinis Rothschild,1910 Range (as code): **CG ZR**
16835. **Balacra alberici Dufrane,1945** (Thyretidae) Synonymy: alberici Dufrane,1945 Range (as code): **ZR**
16836. **Balacra basilewskyi Kiriakoff,1953** (Thyretidae) Synonymy: basilewskyi Kiriakoff,1953 Range (as code): **ZR**
16837. **Balacra batesi (Druce,1910)** (Thyretidae) Synonymy: batesi Druce,1910; congoensis Rothschild,1910; ugandae Rothschild,1910; decora Oberthür,1911; #elegantissima Strand Range (as code): **CM Bit CG UG Etb ZR**
16838. **Balacra belga Kiriakoff,1954** (Thyretidae) Synonymy: belga Kiriakoff,1954 Range (as code): **ZR**
16839. **Balacra caeruleifascia Walker,1856** (Thyretidae) Synonymy: caeruleifascia Walker,1856; ochracea Walker,1869; ehrmanni Holland,1893; conradti Oberthür,1911; germana Rothschild,1912; inflammata Hampson,1914; magna Hulstaert,1923; similis Hulstaert,1923 Range (as code): **ZR GH SL CM LR**
16840. **Balacra compsa (Jordan,1904)** (Thyretidae) Synonymy: compsa Jordan,1904; fenestrata Jordan,1904; melaena Hampson,1905; stigmatica Grünberg,1907; vitreata Rothschild,1910 Range (as code): **UG AO ZR Kga**
16841. **Balacra daphaena (Hampson,1898)** (Thyretidae) Synonymy: daphaena Hampson,1898 Range (as code): **NG**
16842. **Balacra diaphana Kiriakoff,1957** (Thyretidae) Synonymy: diaphana Kiriakoff,1957 Range (as code): **UG**
16843. **Balacra elegans Aurivillius,1892** (Thyretidae) Synonymy: elegans Aurivillius,1892; damalis Holland,1893; curriei Dyar,1899; bumba Strand,1918 Range (as code): **GO CM LR ZR**
16844. **Balacra flavimacula Walker,1856** (Thyretidae) Synonymy: flavimacula Walker,1856 Range (as code): **GA GH**
16845. **Balacra fontainei Kiriakoff,1953** (Thyretidae) Synonymy: fontainei Kiriakoff,1953; oreophila Kiriakoff,1963 Range (as code): **ZR Rz**
16846. **Balacra furva Hampson,1911** (Thyretidae) Synonymy: furva Hampson,1911 Range (as code): **GH**

16847. **Balacra guillemei Oberthür,1911** (Thyretidae) Synonymy: guillemei Oberthür,1911; erubescens Joicey & Talbot,1924 Range (as code): **ZR**
16848. **Balacra haemalea Holland,1893** (Thyretidae) Synonymy: haemalea Holland,1893 Range (as code): **GA**
16849. **Balacra herona (Druce,1887)** (Thyretidae) Synonymy: herona Druce,1887 Range (as code): **CM**
16850. **Balacra humphreyi Rothschild,1912** (Thyretidae) Synonymy: humphreyi Rothschild,1912; intermedia Rothschild,1912 Range (as code): **SL NG**
16851. **Balacra jaensis Bethune-Baker,1927** (Thyretidae) Synonymy: jaensis Bethune-Baker,1927 Range (as code): **CM Bit**
16852. **Balacra monotonia (Strand,1912)** (Thyretidae) Synonymy: monotonia Strand,1912; simplex Aurivillius,1925; simplicior Kiriakoff,1957; angolensis Kiriakoff,1961 Range (as code): **GO CG ZR AO**
16853. **Balacra nigripennis (Aurivillius,1904)** (Thyretidae) Synonymy: nigripennis Aurivillius,1904; gloriosa Jordan,1904; aurivilliusi Kiriakoff,1957 Range (as code): **AO ZR Kga**
16854. **Balacra preussi (Aurivillius,1904)** (Thyretidae) Synonymy: preussi Aurivillius,1904; speculigera Grünberg,1907; laureola Druce,1910; umbra Druce,1910; vitreigutta Hulstaert,1923 Range (as code): **CM Bit ZR**
16855. **Balacra pulchra Aurivillius,1892** (Thyretidae) Synonymy: pulchra Aurivillius,1892; glagoessa Holland,1893 Range (as code): **GA Ogo CM**
16856. **Balacra rattrayi (Rothschild,1910)** (Thyretidae) Synonymy: rattrayi Rothschild,1910 Range (as code): **UG Etb**
16857. **Balacra rubricincta Holland,1893** (Thyretidae) Synonymy: rubricincta Holland,1893; furva Hampson,1911; ashantica Strand,1917 Range (as code): **AET GH GA**
16858. **Balacra rubrostriata (Aurivillius,1898)** (Thyretidae) Synonymy: rubrostriata Aurivillius,1898 Range (as code): **TG**
16859. **Balacra simplex Aurivillius,1925** (Thyretidae) Synonymy: simplex Aurivillius,1925 Range (as code): **CG**
16860. **Balacra tamsi (Kiriakoff,1957)** (Thyretidae) Synonymy: tamsi Kiriakoff,1957 Range (as code): **ZR**
16861. **Bergeria bourgognei Kiriakoff,1952** (Thyretidae) Synonymy: bourgognei Kiriakoff,1952; fletcheri Kiriakoff,1957 Range (as code): **ZR**
16862. **Bergeria haematochrysia Kiriakoff,1952** (Thyretidae) Synonymy: haematochrysia Kiriakoff,1952; occidentalis Kiriakoff,1957 [ssp.] Range (as code): **ZR CM**
16863. **Bergeria octava Kiriakoff,1961** (Thyretidae) Synonymy: octava Kiriakoff,1961 Range (as code): **ZR**
16864. **Bergeria ornata Kiriakoff,1959** (Thyretidae) Synonymy: ornata Kiriakoff,1959 Range (as code): **ZR**
16865. **Bergeria schoutedeni Kiriakoff,1952** (Thyretidae) Synonymy: schoutedeni Kiriakoff,1952 Range (as code): **ZR**
16866. **Bergeria tamsi Kiriakoff,1952** (Thyretidae) Synonymy: tamsi Kiriakoff,1952 Range (as code): **ZR**
16867. **Cameroonia nigriceps (Aurivillius,1904)** (Thyretidae) Synonymy: nigriceps Aurivillius,1904 Range (as code): **CM Bit**
16868. **Hippurarctia cinereoguttata (Strand,1912)** (Thyretidae) Synonymy: cinereoguttata Strand,1912; cameruna Hampson,1914 Range (as code): **GO CM**
16869. **Hippurarctia ferrigera (Druce,1910)** (Thyretidae) Synonymy: ferrigera Druce,1910; kamitugensis Dufrane,1945; diffusa Dufrane,1952; vicina Kiriakoff,1952; overlaeti Kiriakoff,1953; bergeri Kiriakoff,1953 Range (as code): **CM Bit ZR**
16870. **Hippurarctia judith Kiriakoff,1959** (Thyretidae) Synonymy: judith Kiriakoff,1959 Range (as code): **GH ZR**
16871. **Hippurarctia taymansi (Rothschild,1910)** (Thyretidae) Synonymy: taymansi Rothschild,1910; septentrionalis Kiriakoff,1957 Range (as code): **ZR**
16872. **Lempkeella avellana (Kiriakoff,1957)** (Thyretidae) Synonymy: avellana Kiriakoff,1957 Range (as code): **ZR**
16873. **Lempkeella dufranei (Kiriakoff,1952)** (Thyretidae) Synonymy: dufranei Kiriakoff,1952 Range (as code): **ZR**
16874. **Lempkeella vanoyei (Kiriakoff,1952)** (Thyretidae) Synonymy: vanoyei Kiriakoff,1952 Range (as code): **ZR**
16875. **Mecistorhabdia haematoessa (Holland,1893)** (Thyretidae) Synonymy: haematoessa Holland,1893; burgessi Kiriakoff,1957 Range (as code): **UG GA Ogo**
16876. **Melisa croceipes (Aurivillius,1892)** (Thyretidae) Synonymy: croceipes Aurivillius,1892; atavistis Hampson,1911; mariae Dufrane,1945 Range (as code): **AET CM GH ZR Kvu**

16877. **Melisa diptera Walker,1854** (Thyretidae) Synonymy: diptera Walker,1854; grandis Holland,1893 Range (as code): **AET GA CG NG Caa GH CM ZR CI**
16878. **Melisa hancocki Jordan,1936** (Thyretidae) Synonymy: hancocki Jordan,1936 Range (as code): **AET UG**
16879. **Melisoides lobata Strand,1912** (Thyretidae) Synonymy: lobata Strand,1912; bitjeana Bethune-Baker,1927; collartorum Kiriakoff,1953 Range (as code): **CM Bit**
16880. **Metamicroptera christophi Przybylowicz,2005** (Thyretidae) Synonymy: christophi Przybylowicz,2005 Range (as code): **ZM**
16881. **Metamicroptera rotundata (Hulstaert,1923)** (Thyretidae) Synonymy: rotundata Hulstaert,1923; paradoxa Romieux,1934 Range (as code): **ZR Kga**
16882. **Metarctia aethiops (Kiriakoff,1973)** (Thyretidae) Synonymy: aethiops Kiriakoff,1973 Range (as code): **MW**
16883. **Metarctia alticola Aurivillius,1925** (Thyretidae) Synonymy: alticola Aurivillius,1925; rhodites Kiriakoff,1957 Range (as code): **RW**
16884. **Metarctia atrivenata Kiriakoff,1956** (Thyretidae) Synonymy: atrivenata Kiriakoff,1956 Range (as code): **TZ**
16885. **Metarctia benitensis Holland,1893** (Thyretidae) Synonymy: benitensis Holland,1893; paniscus Kiriakoff,1957; subnigra Kiriakoff,1958 Range (as code): **UG GO ZR**
16886. **Metarctia brunneipennis M.Hering,1932** (Thyretidae) Synonymy: brunneipennis M.Hering,1932 Range (as code): **ZR**
16887. **Metarctia burra (Schaus & Clemente,1893)** (Thyretidae) Synonymy: burra Schaus & Clemente,1893 Range (as code): **ZA Kga SL ZR UG**
16888. **Metarctia burungae Debauche,1942** (Thyretidae) Synonymy: burungae Debauche,1942 Range (as code): **ZR**
16889. **Metarctia carmel Kiriakoff,1957** (Thyretidae) Synonymy: carmel Kiriakoff,1957 Range (as code): **ET**
16890. **Metarctia cinnamomea (Wallengren,1860)** (Thyretidae) Synonymy: cinnamomea Wallengren,1860 Range (as code): **ZA**
16891. **Metarctia collocalia (Kiriakoff,1957)** (Thyretidae) Synonymy: collocalia Kiriakoff,1957 Range (as code): **ZW Vum MW ZR Kvu**
16892. **Metarctia debauchei Kiriakoff,1953** (Thyretidae) Synonymy: debauchei Kiriakoff,1953 Range (as code): **BI**
16893. **Metarctia diversa Bethune-Baker,1911** (Thyretidae) Synonymy: diversa Bethune-Baker,1911; pallidicosta Hulstaert,1923 Range (as code): **AO ZR**
16894. **Metarctia dracoena Kiriakoff,1953** (Thyretidae) Synonymy: dracoena Kiriakoff,1953 Range (as code): **ZR**
16895. **Metarctia fario Kiriakoff,1957** (Thyretidae) Synonymy: fario Kiriakoff,1957 Range (as code): **ZR Kga**
16896. **Metarctia flaviciliata Hampson,1907** (Thyretidae) Synonymy: flaviciliata Hampson,1907 Range (as code): **ZR**
16897. **Metarctia flavicincta Aurivillius,1900** (Thyretidae) Synonymy: flavicincta Aurivillius,1900; contrasta Bethune-Baker,1911; jacksoni Kiriakoff,1956; dracuncula Kiriakoff,1957; subpumila Kiriakoff,1957; moira Kiriakoff,1957 Range (as code): **AO UG ZR SD**
16898. **Metarctia flavivena Hampson,1901** (Thyretidae) Synonymy: flavivena Hampson,1901; zegina Strand,1920; panyamana Strand,1920; rothschildi Le Cerf,1922 Range (as code): **ET NG KE**
16899. **Metarctia flora Kiriakoff,1957** (Thyretidae) Synonymy: flora Kiriakoff,1957; katriona Kiriakoff,1957 Range (as code): **RW**
16900. **Metarctia fontainei Kiriakoff,1957** (Thyretidae) Synonymy: fontainei Kiriakoff,1957 Range (as code): **ZR**
16901. **Metarctia forsteri Kiriakoff,1955** (Thyretidae) Synonymy: forsteri Kiriakoff,1955 Range (as code): **CM**
16902. **Metarctia fuliginosa Kiriakoff,1953** (Thyretidae) Synonymy: fuliginosa Kiriakoff,1953 Range (as code): **ZR**
16903. **Metarctia fulvia Hampson,1901** (Thyretidae) Synonymy: fulvia Hampson,1901; neaera Fawcett,1915 Range (as code): **KE**
16904. **Metarctia fusca Hampson,1901** (Thyretidae) Synonymy: fusca Hampson,1901 Range (as code): **KE**
16905. **Metarctia galla Rougeot,1977** (Thyretidae) Synonymy: galla Rougeot,1977 Range (as code): **ET**

16906. **Metarctia haematica Holland,1893** (Thyretidae) Synonymy: haematica Holland,1893 Range (as code): **ZR GA GH KE CM CF GN NG TZ UG**
16907. **Metarctia haematricha Hampson,1905** (Thyretidae) Synonymy: haematricha Hampson,1905; latipennis Kiriakoff,1957 Range (as code): **ET**
16908. **Metarctia henrardi Kiriakoff,1953** (Thyretidae) Synonymy: henrardi Kiriakoff,1953 Range (as code): **ZR**
16909. **Metarctia hulstaertiana Kiriakoff,1953** (Thyretidae) Synonymy: hulstaertiana Kiriakoff,1953 Range (as code): **ZR**
16910. **Metarctia inconspicua Holland,1892** (Thyretidae) Synonymy: inconspicua Holland,1892 Range (as code): **TZ Zz**
16911. **Metarctia jansei Kiriakoff,1957** (Thyretidae) Synonymy: jansei Kiriakoff,1957 Range (as code): **ZA Nta Kzu**
16912. **Metarctia johanna (Kiriakoff,1979)** (Thyretidae) Synonymy: johanna Kiriakoff,1979 Range (as code): **NG**
16913. **Metarctia kumasina Strand,1920** (Thyretidae) Synonymy: kumasina Strand,1920; jubdoensis Kiriakoff,1955 Range (as code): **ET**
16914. **Metarctia lateritia (Herrich-Schäffer,1855)** (Thyretidae) Synonymy: lateritia Herrich-Schäffer,1855; venosa Walker,1856; cinnamomea Wallengren,1860; unicolor Oberthür,1880 Range (as code): **ZA Nta Kzu ZW**
16915. **Metarctia lindemannae Kiriakoff,1961** (Thyretidae) Synonymy: lindemannae Kiriakoff,1961 Range (as code): **TZ**
16916. **Metarctia olbrechtsi Kiriakoff,1953** (Thyretidae) Synonymy: olbrechtsi Kiriakoff,1953 Range (as code): **ZR**
16917. **Metarctia paremphares Holland,1893** (Thyretidae) Synonymy: paremphares Holland,1893 Range (as code): **GH AO GA RW**
16918. **Metarctia pavlitzkae Kiriakoff,1953** (Thyretidae) Synonymy: pavlitzkae Kiriakoff,1953 Range (as code): **TZ**
16919. **Metarctia priscilla Kiriakoff,1957** (Thyretidae) Synonymy: priscilla Kiriakoff,1957 Range (as code): **GH GN**
16920. **Metarctia rubra (Walker,1856)** (Thyretidae) Synonymy: rubra Walker,1856; kelleni Snellen,1886; titan Talbot,1929 Range (as code): **AO ZA**
16921. **Metarctia seydeliana Kiriakoff,1953** (Thyretidae) Synonymy: seydeliana Kiriakoff,1953 Range (as code): **ZR**
16922. **Metarctia subincarnata Kiriakoff,1954** (Thyretidae) Synonymy: subincarnata Kiriakoff,1954 Range (as code): **ZR**
16923. **Metarctia tenebrosa Le Cerf,1922** (Thyretidae) Synonymy: tenebrosa Le Cerf,1922; margaretha Kiriakoff,1957 Range (as code): **KE Nai UG**
16924. **Owambarctia owamboensis Kiriakoff,1957** (Thyretidae) Synonymy: owamboensis Kiriakoff,1957 Range (as code): **ZR ZA**
16925. **Owambarctia unipuncta Kiriakoff,1973** (Thyretidae) Synonymy: unipuncta Kiriakoff,1973 Range (as code): **TZ**
16926. **Takwa xenops Kiriakoff,1957** (Thyretidae) Synonymy: xenops Kiriakoff,1957 Range (as code): **GH**
16927. **Thyretes caffra Wallengren,1863** (Thyretidae) Synonymy: caffra Wallengren,1863 Range (as code): **ZA Ec MZ Del**
16928. **Thyretes hippotes (Cramer,1780)** (Thyretidae) Synonymy: hippotes Cramer,1780; #hiphothes Boisduval,1847; #hiphotes Wallengren,1856 Range (as code): **ZA Ec**
16929. **Thyretes montana Boisduval,1847** (Thyretidae) Synonymy: montana Boisduval,1847 Range (as code): **ZA Nta Kzu Ec**
16930. **Thyretes monteiroi Butler,1876** (Thyretidae) Synonymy: monteiroi Butler,1876; angolensis Gaede,1926 Range (as code): **AO ZR Kga**
16931. **Thyretes negus Oberthür,1878** (Thyretidae) Synonymy: negus Oberthür,1878 Range (as code): **ET ZA**
16932. **Thyretes signivenis M.Hering,1937** (Thyretidae) Synonymy: signivenis M.Hering,1937 Range (as code): **ZR**
16933. **Thyretes trichaetiformis Zerny,1912** (Thyretidae) Synonymy: trichaetiformis Zerny,1912 Range (as code): **TZ Zz**

Thyridae

16934. **Arniocera auriguttata Hopffer,1857** (Thyridae) Synonymy: auriguttata Hopffer,1857; melanopyga Wallengren,1858; chrysosticta Butler,1898. Range (as code): **ZA ZW ZM**
16935. **Arniocera cyanoxantha (Mabille,1893)** (Thyridae) Synonymy: cyanoxantha Mabille,1893 Range (as code): **ET ZA**
16936. **Arniocera elata Jordan,1915** (Thyridae) Synonymy: elata Jordan,1915 Range (as code): **ZA**
16937. **Arniocera erythropyga (Wallengren,1860)** (Thyridae) Synonymy: erythropyga Wallengren,1860; negamica Walker,1865 Range (as code): **ZA Lpo Tva Spb Mdk MZ BW ZW MW**
16938. **Arniocera lugubris Gaede,1926** (Thyridae) Synonymy: lugubris Gaede,1926 Range (as code): **ZA**
16939. **Arniocera zambesina (Walker,1866)** (Thyridae) Synonymy: zambesina Walker,1866 Range (as code): **ZA ZW ZM**
16940. **Banisia aldabrana (Fryer,1912)** (Thyridae) Synonymy: aldabrana Fryer,1912 Range (as code): **ZA SC**
16941. **Banisia antiopa (Viette,1954)** (Thyridae) Synonymy: antiopa Viette,1954 Range (as code): **MG**
16942. **Banisia clathrula (Guenée,1877)** (Thyridae) Synonymy: clathrula Guenée,1877 Range (as code): **MU**
16943. **Banisia fuliginea Whalley,1971** (Thyridae) Synonymy: fuliginea Whalley,1971 Range (as code): **GH**
16944. **Banisia inoptata Whalley,1971** (Thyridae) Synonymy: inoptata Whalley,1971 Range (as code): **GH**
16945. **Banisia joccatia (Whalley,1971)** (Thyridae) Synonymy: joccatia Whalley,1971 Range (as code): **ZA Tva Lpo**
16946. **Banisia plagifera (Butler,1886)** (Thyridae) Synonymy: plagifera Butler,1886 Range (as code): **SD SD113**
16947. **Banisia zamia (Whalley,1971)** (Thyridae) Synonymy: zamia Whalley,1971 Range (as code): **ZA Ec Stj**
16948. **Belonoptera sanguinea W.Warren,1905** (Thyridae) Synonymy: sanguinea W.Warren,1905 Range (as code): **GN**
16949. **Cornuterus nigropunctula (Pagenstecher,1902)** (Thyridae) Synonymy: nigropunctula Pagenstecher,1902; seriata W.Warren,1897 Range (as code): **TZ Dss ZA Nta Kzu**
16950. **Cornuterus paratrivus Whalley,1971** (Thyridae) Synonymy: paratrivus Whalley,1971 Range (as code): **CM Bit**
16951. **Cornuterus trivius Whalley,1967** (Thyridae) Synonymy: trivius Whalley,1967 Range (as code): **MG**
16952. **Dysodia angulata W.Warren,1901** (Thyridae) Synonymy: angulata W.Warren,1901 Range (as code): **SL**
16953. **Dysodia binoculata W.Warren,1901** (Thyridae) Synonymy: binoculata W.Warren,1901 Range (as code): **ZA**
16954. **Dysodia constellata W.Warren,1908** (Thyridae) Synonymy: constellata W.Warren,1908 Range (as code): **ZA Tva Lpo MZ ZW ZM MW**
16955. **Dysodia crassa (Walker,1865)** (Thyridae) Synonymy: crassa Walker,1865; flavidula W.Warren,1908 Range (as code): **ZA Nta Kzu ZM**
16956. **Dysodia fenestratella W.Warren,1900** (Thyridae) Synonymy: fenestratella W.Warren,1900 Range (as code): **KE**
16957. **Dysodia fumida Whalley,1968** (Thyridae) Synonymy: fumida Whalley,1968 Range (as code): **ZW KE**
16958. **Dysodia intermedia (Walker,1865)** (Thyridae) Synonymy: intermedia Walker,1865 Range (as code): **ZA Nta Kzu MZ**
16959. **Dysodia lutescens Whalley,1968** (Thyridae) Synonymy: lutescens Whalley,1968 Range (as code): **KE Tvt TZ**
16960. **Dysodia magnifica Whalley,1968** (Thyridae) Synonymy: magnifica Whalley,1968 Range (as code): **UG SA ZR CI**
16961. **Dysodia subsignata W.Warren,1908** (Thyridae) Synonymy: subsignata W.Warren,1908 Range (as code): **ZA Nta Kzu Dbn**
16962. **Epaena candida Whalley,1971** (Thyridae) Synonymy: candida Whalley,1971 Range (as code): **GH ZR CI MZ ZA TZ**
16963. **Epaena danista Whalley,1971** (Thyridae) Synonymy: danista Whalley,1971 Range (as code): **ZW KE**
16964. **Epaena inops (Gaede,1917)** (Thyridae) Synonymy: inops Gaede,1917 Range (as code): **AO CM ZR TZ ZM**
16965. **Epaena pellucida Whalley,1971** (Thyridae) Synonymy: pellucida Whalley,1971 Range (as code): **CM GA GM LR TZ**

16966. **Epaena trijuncta (W.Warren,1898)** (Thyridae) Synonymy: trijuncta W.Warren,1898; elephantinalis Karsch,1900 Range (as code): **CM AO ZR GA GH LR NG SL ZA**
16967. **Epaena vocata Whalley,1971** (Thyridae) Synonymy: vocata Whalley,1971 Range (as code): **ZR**
16968. **Epaena xystica Whalley,1971** (Thyridae) Synonymy: xystica Whalley,1971 Range (as code): **TZ**
16969. **Heteroschista nigranalis W.Warren,1903** (Thyridae) Synonymy: nigranalis W.Warren,1903 Range (as code): **NE**
16970. **Hypolamprus minutulus Saalmüller,1880** (Thyridae) Synonymy: minutulus Saalmüller,1880 Range (as code): **MG KE Mb**
16971. **Hypolamprus verticalis W.Warren,1899** (Thyridae) Synonymy: verticalis W.Warren,1899 Range (as code): **NE**
16972. **Isothauma opalinula (Mabille,1879)** (Thyridae) Synonymy: opalinula Mabille,1879 Range (as code): **MG**
16973. **Isothauma serraticornis W.Warren,1899** (Thyridae) Synonymy: serraticornis W.Warren,1899 Range (as code): **KE**
16974. **Marmax hyparchus (Cramer,1779)** (Thyridae) Synonymy: hyparchus Cramer,1779 Range (as code): **SL CI NG GA GO Bio**
16975. **Marmax smaragdina (Butler,1888)** (Thyridae) Synonymy: smaragdina Butler,1888 Range (as code): **ZA**
16976. **Mathoris lenistrialis Hampson,1906** (Thyridae) Synonymy: lenistrialis Hampson,1906 Range (as code): **CI**
16977. **Plagiosella clathrata Hampson,1898** (Thyridae) Synonymy: clathrata Hampson,1898 Range (as code): **CI**
16978. **Plagiosella interrupta Hampson,1898** (Thyridae) Synonymy: interrupta Hampson,1898 Range (as code): **MG**
16979. **Plagiosella pectinifera Hampson,1906** (Thyridae) Synonymy: pectinifera Hampson,1906 Range (as code): **SL**
16980. **Proterozeuxis brunnea W.Warren,1908** (Thyridae) Synonymy: brunnea W.Warren,1908 Range (as code): **ZA Tva Lpo Spb Suw**
16981. **Proterozeuxis splendida W.Warren,1899** (Thyridae) Synonymy: splendida W.Warren,1899 Range (as code): **ZA Nta Kzu**
16982. **Proterozeuxis tessellata W.Warren,1908** (Thyridae) Synonymy: tessellata W.Warren,1908 Range (as code): **TZ**
16983. **Rhodoneura albisignata (W.Warren,1899)** (Thyridae) Synonymy: albisignata W.Warren,1899 Range (as code): **NE**
16984. **Rhodoneura bastialis (Walker,1859)** (Thyridae) Synonymy: bastialis Walker,1859; furcatula Pagenstecher,1892 Range (as code): **IN LK MM AU QAu ZA**
16985. **Rhodoneura catenula (Pagenstecher,1892)** (Thyridae) Synonymy: catenula Pagenstecher,1892 Range (as code): **CM**
16986. **Rhodoneura curviflua (W.Warren,1898)** (Thyridae) Synonymy: curviflua W.Warren,1898 Range (as code): **NE**
16987. **Rhodoneura discata (W.Warren,1905)** (Thyridae) Synonymy: discata W.Warren,1905 Range (as code): **ZA Kzu Nta Dbn**
16988. **Rhodoneura flavicilia Hampson,1906** (Thyridae) Synonymy: flavicilia Hampson,1906 Range (as code): **ZW Bul**
16989. **Rhodoneura fractifascia (W.Warren,1908)** (Thyridae) Synonymy: fractifascia W.Warren,1908 Range (as code): **NE**
16990. **Rhodoneura fuscibasis Hampson,1910** (Thyridae) Synonymy: fuscibasis Hampson,1910 Range (as code): **ZR**
16991. **Rhodoneura gemmata Hampson,1906** (Thyridae) Synonymy: gemmata Hampson,1906 Range (as code): **NG**
16992. **Rhodoneura latizonalis Hampson,1898** (Thyridae) Synonymy: latizonalis Hampson,1898 Range (as code): **SL**
16993. **Rhodoneura margaritalis Hampson,1898** (Thyridae) Synonymy: margaritalis Hampson,1898 Range (as code): **MG**
16994. **Rhodoneura mellea Saalmüller,1881** (Thyridae) Synonymy: mellea Saalmüller,1881 Range (as code): **MG**

16995. **Rhodoneura micragraphalis Hampson,1897** (Thyridae) Synonymy: micragraphalis Hampson,1897 Range (as code): **SL**
16996. **Rhodoneura myrsusalis (Walker,1859)** (Thyridae) Synonymy: myrsusalis Walker,1859; elaralis Walker,1859; idalialis Walker,1859; Range (as code): **PR BR ZA Nta Kzu IN LK MM MY Bor**
16997. **Rhodoneura obliquifascia (W.Warren,1908)** (Thyridae) Synonymy: obliquifascia W.Warren,1908 Range (as code): **AO**
16998. **Rhodoneura palealides Hampson,1906** (Thyridae) Synonymy: palealides Hampson,1906 Range (as code): **NA ZA ZW**
16999. **Rhodoneura pexa Hampson,1906** (Thyridae) Synonymy: pexa Hampson,1906 Range (as code): **NA ZA Wca**
17000. **Rhodoneura pusillata (W.Warren,1902)** (Thyridae) Synonymy: pusillata W.Warren,1902 Range (as code): **NE**
17001. **Rhodoneura sigillata (W.Warren,1898)** (Thyridae) Synonymy: sigillata W.Warren,1898 Range (as code): **NE**
17002. **Rhodoneura spilotata (W.Warren,1887)** (Thyridae) Synonymy: spilotata W.Warren,1887; complicata W.Warren,1898 Range (as code): **NE**
17003. **Rhodoneura squamigera (Pagenstecher,1892)** (Thyridae) Synonymy: squamigera Pagenstecher,1892 Range (as code): **ZA Nta Kzu**
17004. **Rhodoneura terreola Mabille,1880** (Thyridae) Synonymy: terreola Mabille,1880 Range (as code): **MG**
17005. **Rhodoneura werneburgalis (Keferstein,1870)** (Thyridae) Synonymy: werneburgalis Keferstein,1870; plagula Guenée,1877; wirneburgalis Hampson,1898 Range (as code): **MG**
17006. **Striglina guttistigma Hampson,1906** (Thyridae) Synonymy: guttistigma Hampson,1906 Range (as code): **NG**
17007. **Striglina rothi W.Warren,1898** (Thyridae) Synonymy: rothi W.Warren,1898 Range (as code): **NE**
17008. **Symphleps suffusa W.Warren,1898** (Thyridae) Synonymy: suffusa W.Warren,1898 Range (as code): **NE**
17009. **Tridesmodes ansorgei W.Warren,1901** (Thyridae) Synonymy: ansorgei W.Warren,1901 Range (as code): **UG**
17010. **Vaena eacleoides Walker,1873** (Thyridae) Synonymy: eacleoides Walker,1873 Range (as code): **ZR**

Tineidae

17011. **"Myrmecozela" paurosperma Meyrick,1926** (Tineidae) Synonymy: paurosperma Meyrick,1926 Range (as code): **ZA**
17012. **"Myrmecozela" pogonopis Meyrick,1926** (Tineidae) Synonymy: pogonopis Meyrick,1926 Range (as code): **ZA**
17013. **"Oxymachaeris" zulella (Walsingham,1881)** (Tineidae) Synonymy: zulella Walsingham,1881 Range (as code): **ZA**
17014. **"Phyllobrostis" argillosa Meyrick,1911** (Tineidae) Synonymy: argillosa Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
17015. **"Stenoptinea" argyrospora (Meyrick,1931)** (Tineidae) Synonymy: argyrospora Meyrick,1931 Range (as code): **SL**
17016. **Acanthocheira loxopa (Meyrick,1914)** (Tineidae) Synonymy: loxopa Meyrick,1914 Range (as code): **ZA**
17017. **Acridotarsa melipecta (Meyrick,1915)** (Tineidae) Synonymy: melipecta Meyrick,1915; divisa Silvestri,1920; integra Silvestri,1920; comprehensa Meyrick,1921; melicosma Meyrick,1921; tentatrix Meyrick,1935 Range (as code): **ZA Nta Kzu Dbn CF ZR Lbu GH CI KE MW Mje MZ NG TZ UG Rz ZM ZW**
17018. **Afrocelestis evertata Gozmany,1965** (Tineidae) Synonymy: evertata Gozmany,1965 Range (as code): **ZR Lbu**
17019. **Afrocelestis inanis Gozmany,1968** (Tineidae) Synonymy: inanis Gozmany,1968 Range (as code): **SL**
17020. **Afrocelestis sacculata Gozmany,1968** (Tineidae) Synonymy: sacculata Gozmany,1968 Range (as code): **GH SL**
17021. **Agnathosia byrsinopa (Meyrick,1933)** (Tineidae) Synonymy: byrsinopa Meyrick,1933 Range (as code): **SL SN**

17022. **Amphixystis aethalopis (Meyrick,1930)** (Tineidae) Synonymy: aethalopis Meyrick,1930 Range (as code): **MU**
17023. **Amphixystis anachoreta (Meyrick,1921)** (Tineidae) Synonymy: anachoreta Meyrick,1921 Range (as code): **ZW**
17024. **Amphixystis anchiala (Meyrick,1909)** (Tineidae) Synonymy: anchiala Meyrick,1909; oxystyla Meyrick,1911; certa Meyrick,1918 Range (as code): **MG ZA Tva Gau Pre Mdt Mpu Brb**
17025. **Amphixystis antongilella (Viette,1955)** (Tineidae) Synonymy: antongilella Viette,1955 Range (as code): **MG**
17026. **Amphixystis aromaticella (Viette,1957)** (Tineidae) Synonymy: aromaticella Viette,1957 Range (as code): **RE MG**
17027. **Amphixystis beverrasella (Legrand,1966)** (Tineidae) Synonymy: beverrasella Legrand,1966 Range (as code): **Mea Ald TZ**
17028. **Amphixystis colubrina (Meyrick,1914)** (Tineidae) Synonymy: colubrina Meyrick,1914 Range (as code): **MW**
17029. **Amphixystis crocinacma (Meyrick,1930)** (Tineidae) Synonymy: crocinacma Meyrick,1930 Range (as code): **MU**
17030. **Amphixystis crypsrias (Meyrick,1930)** (Tineidae) Synonymy: crypsrias Meyrick,1930 Range (as code): **MU**
17031. **Amphixystis cymataula (Meyrick,1926)** (Tineidae) Synonymy: cymataula Meyrick,1926 Range (as code): **ZW**
17032. **Amphixystis divulsa (Meyrick,1923)** (Tineidae) Synonymy: divulsa Meyrick,1923 Range (as code): **EG**
17033. **Amphixystis epirota (Meyrick,1914)** (Tineidae) Synonymy: epirota Meyrick,1914 Range (as code): **MW Mje**
17034. **Amphixystis fragosa (Meyrick,1910)** (Tineidae) Synonymy: fragosa Meyrick,1910 Range (as code): **MU**
17035. **Amphixystis herbulotella (Viette,1955)** (Tineidae) Synonymy: herbulotella Viette,1955 Range (as code): **MG**
17036. **Amphixystis hydrochalca (Meyrick,1930)** (Tineidae) Synonymy: hydrochalca Meyrick,1930 Range (as code): **MU**
17037. **Amphixystis islamella (Turati,1927)** (Tineidae) Synonymy: islamella Turati,1927; leucelloides Amsel,1935; eremica Amsel,1935 Range (as code): **LY Cy IL Pa**
17038. **Amphixystis magica (Gozmany,2004)** (Tineidae) Synonymy: magica Gozmany,2004 Range (as code): **NA Dmr Bnd**
17039. **Amphixystis maillardella (Viette,1957)** (Tineidae) Synonymy: maillardella Viette,1957 Range (as code): **RE**
17040. **Amphixystis paroditella (Viette,1957)** (Tineidae) Synonymy: paroditella Viette,1957 Range (as code): **RE**
17041. **Amphixystis pentacarpa (Meyrick,1910)** (Tineidae) Synonymy: pentacarpa Meyrick,1910 Range (as code): **MU**
17042. **Amphixystis reunionella Guillermet,2011** (Tineidae) Synonymy: reunionella Guillermet,2011 Range (as code): **RE**
17043. **Amphixystis serrata (Meyrick,1914)** (Tineidae) Synonymy: serrata Meyrick,1914 Range (as code): **ZA MW**
17044. **Amphixystis siccata (Meyrick,1910)** (Tineidae) Synonymy: siccata Meyrick,1910 Range (as code): **MU**
17045. **Amphixystis spathistis (Meyrick,1930)** (Tineidae) Synonymy: spathistis Meyrick,1930 Range (as code): **MU**
17046. **Amphixystis syntricha (Meyrick,1910)** (Tineidae) Synonymy: syntricha Meyrick,1910 Range (as code): **ZA MU RE**
17047. **Amphixystis trixysta (Meyrick,1910)** (Tineidae) Synonymy: trixysta Meyrick,1910 Range (as code): **MU**
17048. **Amphixystis undosa (Walsingham,1908)** (Tineidae) Synonymy: undosa Walsingham,1908 Range (as code): **Cn ES**
17049. **Anomalotinea fulvescentella (Lucas,1956)** (Tineidae) Synonymy: fulvescentella Lucas,1956; maroccana G.Petersen & Gaedike,1979. Range (as code): **MA**

17050. **Anomalotinea paepalella (Walsingham,1907)** (Tineidae) Synonymy: paepalella Walsingham,1907; nigropilella Chrétien,1915. Range (as code): **DZ Bsk Hes TN Gf SA**
17051. **Antigambra amphitrocta Meyrick,1927** (Tineidae) Synonymy: amphitrocta Meyrick,1927 Range (as code): **ZA**
17052. **Asymphyla asperata (Meyrick,1918)** (Tineidae) Synonymy: asperata Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
17053. **Ateliotum convicta (Meyrick,1932)** (Tineidae) Synonymy: convicta Meyrick,1932 Range (as code): **ET ET88 Sw**
17054. **Ateliotum crymodes (Meyrick,1908)** (Tineidae) Synonymy: crymodes Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
17055. **Ateliotum insulare (Rebel,1896)** (Tineidae) Synonymy: insulare Rebel,1896 Range (as code): **Cn PT ES Si MT GB**
17056. **Ateliotum larseni Gaedike,2011** (Tineidae) Synonymy: larseni Gaedike,2011 Range (as code): **Cn**
17057. **Ateliotum petrinellum (Herrich-Schäffer,1853)** (Tineidae) Synonymy: petrinella Herrich-Schäffer,1853; turatiella Millière,1886 Range (as code): **MA PT ES FR CH IT GR TR AF Kab 05**
17058. **Ateliotum reluctans (Meyrick,1921)** (Tineidae) Synonymy: reluctans Meyrick,1921 Range (as code): **ZW Ema NA**
17059. **Ateliotum resurgens (Gozmany,1969)** (Tineidae) Synonymy: resurgens Gozmany,1969 Range (as code): **TZ Mru**
17060. **Autochthonus chalybiellus Walsingham,1891** (Tineidae) Synonymy: chalybiellus Walsingham,1891 Range (as code): **GM TZ**
17061. **Betroka madagascarica (Gozmany,1969)** (Tineidae) Synonymy: madagascarica Gozmany,1969 Range (as code): **MG**
17062. **Betroka pauliani (Gozmany,1970)** (Tineidae) Synonymy: pauliani Gozmany,1970 Range (as code): **MG**
17063. **Cataxipha euxantha Gozmany,1965** (Tineidae) Synonymy: euxantha Gozmany,1965 Range (as code): **CM**
17064. **Cephimallota crassiflavella (Bruand,1851)** (Tineidae) Synonymy: crassiflavella Bruand,1851; simplicella Zeller,1852. Range (as code): **MA DZ Cn PT ES Grn FR Co Sa IT BE NL DE CH AT PL CZ SK YU MK GR TR RU MD UA BY 42 46**
17065. **Cephimallota repetekiella Zagulyaev,1971** (Tineidae) Synonymy: striatella Lucas,1942 nec [Denis & Schiff.],1775; ? repetekiella Zagulyaev,1971; tunusensis Koçak,1981. Range (as code): **DZ TN TJ TM Rpt**
17066. **Cephimallota tunesiella (Zagulyaev,1966)** (Tineidae) Synonymy: tunesiella Zagulyaev,1966 Range (as code): **ES TN TR RU Da TM Cr Cc AZ GG Lag IR Gls Bk**
17067. **Cephimallota vittatella (Chrétien,1915)** (Tineidae) Synonymy: vittatella Chrétien,1915 Range (as code): **TN Gf**
17068. **Ceratophaga chalcodryas (Meyrick,1938)** (Tineidae) Synonymy: chalcodryas Meyrick,1938 Range (as code): **UG Rz**
17069. **Ceratophaga ethadopa (Meyrick,1938)** (Tineidae) Synonymy: ethadopa Meyrick,1938 Range (as code): **ZR Lbu Lsb ZM ZW Har KE Nai**
17070. **Ceratophaga infuscatella (de Joannis,1897)** (Tineidae) Synonymy: infuscatella de Joannis,1897 Range (as code): **MR MA DZ TN**
17071. **Ceratophaga lichmodes (Meyrick,1921)** (Tineidae) Synonymy: lichmodes Meyrick,1921 Range (as code): **ZW Uma ZM TZ**
17072. **Ceratophaga luridula (Meyrick,1932)** (Tineidae) Synonymy: luridula Meyrick,1932 Range (as code): **ET ET70 Sw**
17073. **Ceratophaga neodryas Gozmany,2004** (Tineidae) Synonymy: neodryas Gozmany,2004 Range (as code): **NA Dmr Bnd**
17074. **Ceratophaga nephelotorna (Meyrick,1932)** (Tineidae) Synonymy: nephelotorna (Meyrick,1932 Range (as code): **ET ET181 ET88 Sw Oro**
17075. **Ceratophaga obnoxia (Meyrick,1917)** (Tineidae) Synonymy: obnoxia Meyrick,1917 Range (as code): **ZA Ec TZ Mru**
17076. **Ceratophaga tenebrosa Gozmany,1968** (Tineidae) Synonymy: tenebrosa Gozmany,1968 Range (as code): **SL**
17077. **Ceratophaga tragoptila (Meyrick,1917)** (Tineidae) Synonymy: tragoptila Meyrick,1917 Range (as code): **ZA Tva Lpo Gau Pre Nta Kzu Ec Ans SN SD ET Gm Snnp BW**

17078. **Ceratophaga vastella (Zeller,1852)** (Tineidae) Synonymy: vastella Zeller,1852; gigantella Stainton,1860; lucidella Walker,1863 Range (as code): **ZA Ec Gau Pre Wca Kny ZM NA ZW Har Bul TZ Mru Zz KE Nai UG ZR Lbu CF BI GH CG Brv SD ET Snnp Gm**
17079. **Ceratophaga xanthastis (Meyrick,1908)** (Tineidae) Synonymy: xanthastis Meyrick,1908; tolma Bradley,1965 Range (as code): **ZA Tva Gau Pre Mpu Brb Nta Kzu Est TZ Mru UG Rz KE**
17080. **Ceratuncus maroccanellus (Amsel,1951)** (Tineidae) Synonymy: maroccanellus Amsel,1951 Range (as code): **MA**
17081. **Cimitra fetialis (Meyrick,1917)** (Tineidae) Synonymy: fetialis Meyrick,1917; endroedyi Gozmany,1965; corrigata Gozmany,1967 Range (as code): **ZA**
17082. **Cimitra horridella (Walker,1863)** (Tineidae) Synonymy: horridella Walker,1863 Range (as code): **ZA**
17083. **Cimitra spinignatha (Gozmany,1968)** (Tineidae) Synonymy: spinignatha Gozmany,1968 Range (as code): **ZA**
17084. **Clepticodes horocentra Meyrick,1927** (Tineidae) Synonymy: horocentra Meyrick,1927 Range (as code): **ZA Nta Kzu Kkf**
17085. **Contralissa catagrapta (Meyrick,1927)** (Tineidae) Synonymy: catagrapta Meyrick,1927 Range (as code): **ZA Tva Pil**
17086. **Cosmeombra doxochares (Meyrick,1926)** (Tineidae) Synonymy: doxochares Meyrick,1926 Range (as code): **ZA**
17087. **Criticonoma aspergata Gozmany & Vari,1973** (Tineidae) Synonymy: aspergata Gozmany & Vari,1973 Range (as code): **TZ**
17088. **Criticonoma calligrapta Gozmany,2004** (Tineidae) Synonymy: calligrapta Gozmany,2004 Range (as code): **NA Dmr Bnd**
17089. **Criticonoma chelonaea Meyrick,1910** (Tineidae) Synonymy: chelonaea Meyrick,1910 Range (as code): **ZA Ec Cto Fs**
17090. **Criticonoma crassa Gozmany & Vari,1973** (Tineidae) Synonymy: crassa Gozmany & Vari,1973 Range (as code): **ZR ZM**
17091. **Criticonoma doliopis (Meyrick,1932)** (Tineidae) Synonymy: doliopis Meyrick,1932 Range (as code): **SL**
17092. **Criticonoma episcardina (Gozmany,1965)** (Tineidae) Synonymy: episcardina Gozmany,1965 Range (as code): **ZR**
17093. **Criticonoma esoterica (Gozmany,1966)** (Tineidae) Synonymy: esoterica Gozmany,1966 Range (as code): **UG Rz**
17094. **Criticonoma flaveata (Gozmany,1968)** (Tineidae) Synonymy: flaveata Gozmany,1968 Range (as code): **ZA Ec Ans**
17095. **Criticonoma gypsocoma (Meyrick,1931)** (Tineidae) Synonymy: gypsocoma Meyrick,1931 Range (as code): **GN**
17096. **Criticonoma phalacropis (Meyrick,1915)** (Tineidae) Synonymy: phalacropis Meyrick,1915 Range (as code): **MW**
17097. **Crypsithyris auriala (Gozmany,1967)** (Tineidae) Synonymy: auriala Gozmany,1967; coruscans Gozmany,1967 Range (as code): **ZR Lbu**
17098. **Crypsithyris cerodectis Meyrick,1921** (Tineidae) Synonymy: cerodectis Meyrick,1921 Range (as code): **ZW Uma**
17099. **Crypsithyris cerodectis Meyrick,1921** (Tineidae) Synonymy: cerodectis Meyrick,1921 Range (as code): **ZW Uma**
17100. **Crypsithyris concolorella (Walker,1863)** (Tineidae) Synonymy: concolorella Walker,1863; ignotella Walker,1864 Range (as code): **SL**
17101. **Crypsithyris fuscicoma Meyrick,1937** (Tineidae) Synonymy: fuscicoma Meyrick,1937 Range (as code): **ZA Nta Kzu Kkf**
17102. **Crypsithyris hemiphracta Meyrick,1926** (Tineidae) Synonymy: hemiphracta Meyrick,1926 Range (as code): **ZW Bul**
17103. **Crypsithyris insolita Meyrick,1918** (Tineidae) Synonymy: insolita Meyrick,1918 Range (as code): **MZ Blv**
17104. **Crypsithyris miranda (Gozmany,1966)** (Tineidae) Synonymy: miranda Gozmany,1966 Range (as code): **UG Rz**
17105. **Crypsithyris ruwenzorica (Gozmany,1966)** (Tineidae) Synonymy: ruwenzorica Gozmany,1966 Range (as code): **UG Rz**

17106. **Crypsithyris spissa Meyrick,1918** (Tineidae) Synonymy: spissa Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
17107. **Crypsithyris stenovalva (Gozmany,1965)** (Tineidae) Synonymy: stenovalva Gozmany,1965 Range (as code): **ET Gm Snnp**
17108. **Cylicobathra chionarga Meyrick,1920** (Tineidae) Synonymy: chionarga Meyrick,1920; leucomima Meyrick,1921 Range (as code): **KE Tvt UG ET Gm Snnp TZ ZW Ema**
17109. **Dasyses archipis Gozmany,1967** (Tineidae) Synonymy: archipis Gozmany,1967 Range (as code): **ZR Lbu Kga**
17110. **Dasyses centralis Gozmany,1967** (Tineidae) Synonymy: centralis Gozmany,1967 Range (as code): **ZR RW**
17111. **Dasyses colorata Gozmany,1967** (Tineidae) Synonymy: colorata Gozmany,1967 Range (as code): **ZR**
17112. **Dasyses dinoptera Gozmany,1967** (Tineidae) Synonymy: dinoptera Gozmany,1967 Range (as code): **ZR**
17113. **Dasyses incrustata (Meyrick,1930)** (Tineidae) Synonymy: incrustata Meyrick,1930 Range (as code): **UG Kmp**
17114. **Dasyses langenieri Guillermet,2009** (Tineidae) Synonymy: langenieri Guillermet,2009 Range (as code): **RE**
17115. **Dasyses nigerica Gozmany,1968** (Tineidae) Synonymy: nigerica Gozmany,1968 Range (as code): **NG**
17116. **Dasyses obliterata Gozmany,1968** (Tineidae) Synonymy: obliterata Gozmany,1968 Range (as code): **ZW Har**
17117. **Dasyses rugosella (Stainton,1859)** (Tineidae) Synonymy: rugosella Stainton,1859; hirsutella Walsingham,1881 Range (as code): **ZA Kzu Nta IN Clc ZR ET TH LK ID Ja**
17118. **Dasyses thanatis Gozmany,1967** (Tineidae) Synonymy: thanatis Gozmany,1967 Range (as code): **ZR Skr**
17119. **Dicanica acrocentra Meyrick,1913** (Tineidae) Synonymy: acrocentra Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17120. **Dinica aspirans (Meyrick,1920)** (Tineidae) Synonymy: aspirans Meyrick,1920 Range (as code): **KE**
17121. **Dinica diana Gozmany,1966** (Tineidae) Synonymy: diana Gozmany,1966 Range (as code): **UG Rz**
17122. **Dinica hyacinthopa (Meyrick,1932)** (Tineidae) Synonymy: hyacinthopa Meyrick,1932 Range (as code): **UG**
17123. **Dinica orphnospila (Meyrick,1934)** (Tineidae) Synonymy: orphnospila Meyrick,1934 Range (as code): **UG Rz**
17124. **Dinica vulcanica Gozmany,2004** (Tineidae) Synonymy: vulcanica Gozmany,2004 Range (as code): **NA Dmr Bnd**
17125. **Drosica objectella Walker,1863** (Tineidae) Synonymy: objectella Walker,1863 Range (as code): **ZA**
17126. **Dryadaula zygodes (Meyrick,1918)** (Tineidae) Synonymy: zygodes Meyrick,1918 Range (as code): **ZA Nta Kzu Srn**
17127. **Ecpeptamena esotera Gozmany,1968** (Tineidae) Synonymy: esotera Gozmany,1968 Range (as code): **SL**
17128. **Ectabola deviata (Gozmany,1966)** (Tineidae) Synonymy: deviata Gozmany,1966 Range (as code): **UG Rz**
17129. **Ectabola extans Gozmany,1976** (Tineidae) Synonymy: extans Gozmany,1976 Range (as code): **ZR Kga**
17130. **Ectabola laxata (Gozmany,1967)** (Tineidae) Synonymy: laxata Gozmany,1967 Range (as code): **ZR Lbu**
17131. **Ectabola perversa (Gozmany,1967)** (Tineidae) Synonymy: perversa Gozmany,1967 Range (as code): **ZR Lbu**
17132. **Ectabola phaeocephala (Meyrick,1918)** (Tineidae) Synonymy: phaeocephala Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
17133. **Ectabola protracta Gozmany,1966** (Tineidae) Synonymy: protracta Gozmany,1966 Range (as code): **CF**
17134. **Ectabola pygmina (Gozmany,1965)** (Tineidae) Synonymy: pygmina Gozmany,1965 Range (as code): **ET MA**
17135. **Edosa argocoma (Meyrick,1914)** (Tineidae) Synonymy: argocoma Meyrick,1914 Range (as code): **ZW KE TZ Mru**
17136. **Edosa audens (Meyrick,1921)** (Tineidae) Synonymy: audens Meyrick,1921 Range (as code): **ZA Tva Gau Pre ZW**

17137. **Edosa besucheti (Gozmany,1976)** (Tineidae) Synonymy: besucheti Gozmany,1976 Range (as code): **ZR**
17138. **Edosa biclavata (Gozmany,1968)** (Tineidae) Synonymy: biclavata Gozmany,1968 Range (as code): **MW Mje**
17139. **Edosa catharinae (Gozmany,1968)** (Tineidae) Synonymy: catharinae Gozmany,1968 Range (as code): **ZA Nta Kzu Est**
17140. **Edosa cheligera (Gozmany,1970)** (Tineidae) Synonymy: cheligera Gozmany,1970 Range (as code): **ZM**
17141. **Edosa chionarga (Meyrick,1920)** (Tineidae) Synonymy: chionarga Meyrick,1920; leucomima Meyrick,1921 Range (as code): **ZW KE TZ UG ET**
17142. **Edosa crassivalva (Gozmany,1968)** (Tineidae) Synonymy: crassivalva Gozmany,1968 Range (as code): **TZ KE**
17143. **Edosa creagra (Gozmany,1968)** (Tineidae) Synonymy: creagra Gozmany,1968 Range (as code): **GM**
17144. **Edosa cristata (Gozmany,1967)** (Tineidae) Synonymy: cristata Gozmany,1967 Range (as code): **GM NG SD**
17145. **Edosa cuspidata (Gozmany,1968)** (Tineidae) Synonymy: cuspidata Gozmany,1968 Range (as code): **SL**
17146. **Edosa decipiens (Gozmany,1967)** (Tineidae) Synonymy: decipiens Gozmany,1967 Range (as code): **ZR Kga Lbu**
17147. **Edosa ectofurca (Gozmany,1965)** (Tineidae) Synonymy: ectofurca Gozmany,1965 Range (as code): **ZA**
17148. **Edosa ectofurca (Gozmany,1965)** (Tineidae) Synonymy: ectofurca Gozmany,1965 Range (as code): **ZA Nta Kzu Esw**
17149. **Edosa effulgens (Gozmany,1965)** (Tineidae) Synonymy: effulgens Gozmany,1965 Range (as code): **ZA ZR**
17150. **Edosa endroedyi (Gozmany,1966)** (Tineidae) Synonymy: endroedyi Gozmany,1966 Range (as code): **GH SL**
17151. **Edosa ensigera (Gozmany,1966)** (Tineidae) Synonymy: ensigera Gozmany,1966 Range (as code): **UG**
17152. **Edosa epiforma (Gozmany,1967)** (Tineidae) Synonymy: epiforma Gozmany,1967 Range (as code): **ZR Kga Lbu TZ**
17153. **Edosa epixena (Gozmany,1966)** (Tineidae) Synonymy: epixena Gozmany,1966 Range (as code): **UG Rz**
17154. **Edosa euplocamis (Meyrick,1918)** (Tineidae) Synonymy: euplocamis Meyrick,1918 Range (as code): **ZA Nta Kzu Umk Ptb**
17155. **Edosa exarata (Gozmany,1968)** (Tineidae) Synonymy: exarata Gozmany,1968 Range (as code): **ZW Har MW Mje**
17156. **Edosa exiguens (Gozmany,1967)** (Tineidae) Synonymy: exiguens Gozmany,1967 Range (as code): **TZ**
17157. **Edosa extraphalla (Gozmany,1966)** (Tineidae) Synonymy: extraphalla Gozmany,1966 Range (as code): **UG Rz**
17158. **Edosa fletcheri (Gozmany,1966)** (Tineidae) Synonymy: fletcheri Gozmany,1966 Range (as code): **UG Rz**
17159. **Edosa forficula (Gozmany,1968)** (Tineidae) Synonymy: forficula Gozmany,1968 Range (as code): **SL**
17160. **Edosa gypsoptera (Gozmany,1968)** (Tineidae) Synonymy: gypsoptera Gozmany,1968 Range (as code): **ZA**
17161. **Edosa hyalodes (Meyrick,1913)** (Tineidae) Synonymy: hyalodes Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17162. **Edosa jansei (Gozmany,1965)** (Tineidae) Synonymy: jansei Gozmany,1965 Range (as code): **ZR Kga Lbu ZA Tva Gau Pre**
17163. **Edosa lardatella (Lederer,1858)** (Tineidae) Synonymy: lardatella Lederer,1858 Range (as code): **MA DZ Gea Gha Omy Gtt Lbs Dja Eba Bsk TN Gf LY IL Pa Js JO LB Bei TR Sn EG SA OM IR Ab Oru Kd Mrv Bne Ak Tbz Kz Hz Dzf 30 31 44 46**
17164. **Edosa leucastis (Meyrick,1908)** (Tineidae) Synonymy: leucastis Meyrick,1908 Range (as code): **ZW Uma Bul ZA Tva Lpo Gau Pre Pie**
17165. **Edosa lissochlora (Meyrick,1921)** (Tineidae) Synonymy: lissochlora Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
17166. **Edosa magnifica (Gozmany,1967)** (Tineidae) Synonymy: magnifica Gozmany,1967 Range (as code): **ZR Kga Lbu**

17167. **Edosa mahunkai (Gozmany,1976)** (Tineidae) Synonymy: mahunkai Gozmany,1976 Range (as code): **ZR**
17168. **Edosa melanostoma (Meyrick,1908)** (Tineidae) Synonymy: melanostoma Meyrick,1908 Range (as code): **KE Mb**
17169. **Edosa montanata (Gozmany,1968)** (Tineidae) Synonymy: montanata Gozmany,1968 Range (as code): **MW**
17170. **Edosa nagyi (Gozmany,1969)** (Tineidae) Synonymy: nagyi Gozmany,1969 Range (as code): **TZ Mru**
17171. **Edosa namakwana Mey,2011** (Tineidae) Synonymy: namakwana Mey,2011 Range (as code): **ZA**
17172. **Edosa namibiae (Gozmany,2004)** (Tineidae) Synonymy: namibiae Gozmany,2004 Range (as code): **NA**
17173. **Edosa nigralba (Gozmany,1968)** (Tineidae) Synonymy: nigralba Gozmany,1968 Range (as code): **NG**
17174. **Edosa oenopis (Meyrick,1908)** (Tineidae) Synonymy: oenopis Meyrick,1908 Range (as code): **ZA Gau Pre Tva Wo Lpo ZR ZM TZ ZW**
17175. **Edosa oratrix (Meyrick,1913)** (Tineidae) Synonymy: oratrix Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
17176. **Edosa paramecis (Gozmany,1969)** (Tineidae) Synonymy: paramecis Gozmany,1969 Range (as code): **ZA Tva Wv**
17177. **Edosa paraxena (Meyrick,1908)** (Tineidae) Synonymy: paraxena Meyrick,1908 Range (as code): **ZA Tva Lpo Pie Mpu Brb**
17178. **Edosa pectinigera (Gozmany,1969)** (Tineidae) Synonymy: pectinigera Gozmany,1969 Range (as code): **TZ Mru**
17179. **Edosa perinipha (Gozmany,1968)** (Tineidae) Synonymy: perinipha Gozmany,1968 Range (as code): **ZA**
17180. **Edosa phlegethon (Gozmany,1968)** (Tineidae) Synonymy: phlegethon Gozmany,1968 Range (as code): **NG TZ MW**
17181. **Edosa powelli (Robinson,1985)** (Tineidae) Synonymy: powelli Robinson,1985 Range (as code): **DZ Orn Lbs Cst MA**
17182. **Edosa pyroceps (Gozmany,1967)** (Tineidae) Synonymy: pyroceps Gozmany,1967 Range (as code): **TZ**
17183. **Edosa pyrochra (Gozmany,1965)** (Tineidae) Synonymy: pyrochra Gozmany,1965 Range (as code): **SD**
17184. **Edosa rhodesica (Gozmany,1967)** (Tineidae) Synonymy: rhodesica Gozmany,1967 Range (as code): **ZW**
17185. **Edosa romieuxi (Gozmany,1976)** (Tineidae) Synonymy: romieuxi Gozmany,1976 Range (as code): **ZR**
17186. **Edosa sanctifica (Meyrick,1921)** (Tineidae) Synonymy: sanctifica Meyrick,1921 Range (as code): **ZA Ec Ww**
17187. **Edosa saskai (Gozmany,1969)** (Tineidae) Synonymy: saskai Gozmany,1969 Range (as code): **TZ Mru**
17188. **Edosa semiumbrata (Meyrick,1920)** (Tineidae) Synonymy: semiumbrata Meyrick,1920 Range (as code): **KE NG SL UG**
17189. **Edosa sinuosa (Gozmany,1966)** (Tineidae) Synonymy: sinuosa Gozmany,1966 Range (as code): **UG Rz**
17190. **Edosa spatulata (Gozmany,1967)** (Tineidae) Synonymy: spatulata Gozmany,1967 Range (as code): **ZW Har TZ**
17191. **Edosa spinifurca (Gozmany,1969)** (Tineidae) Synonymy: spinifurca Gozmany,1969 Range (as code): **GH**
17192. **Edosa szunyoghyi (Gozmany,1969)** (Tineidae) Synonymy: szunyoghyi Gozmany,1969 Range (as code): **TZ Mru**
17193. **Edosa tanystis (Meyrick,1908)** (Tineidae) Synonymy: tanystis Meyrick,1908; angulivalva Gozmany,1965 Range (as code): **ZA Tva Lpo Hae Wo Pie Gau Pre Nta Kzu Umk Est ZW Uma Vum**
17194. **Edosa torrifacta (Gozmany,1965)** (Tineidae) Synonymy: torrifacta Gozmany,1965 Range (as code): **ET**
17195. **Edosa truncata (Gozmany,1966)** (Tineidae) Synonymy: truncata Gozmany,1966 Range (as code): **CF**
17196. **Elatobia fuliginosella (Lienig & Zeller,1846)** (Tineidae) Synonymy: fuliginosella Lienig & Zeller,1846 Range (as code): **MA DZ Bsk TN ES FR Sa IT DE CH AT PL SK HU BG GR TR NO SE FI LV RU MD UA BY IR Th Dam Elb MN Sb CA US Col 29**
17197. **Ellochotis caligata (Meyrick,1913)** (Tineidae) Synonymy: caligata Meyrick,1913 Range (as code): **ZA Tva Wv**

17198. **Ellochotis ectocharis Gozmany,1976** (Tineidae) Synonymy: ectocharis Gozmany,1976 Range (as code): **ZA**
17199. **Ellochotis exilis Gozmany & Vari,1973** (Tineidae) Synonymy: exilis Gozmany & Vari,1973 Range (as code): **ZA Ec**
17200. **Ellochotis fraudulenta (Meyrick,1912)** (Tineidae) Synonymy: fraudulenta Meyrick,1912 Range (as code): **ZA Nta Kzu**
17201. **Ellochotis infausta Meyrick,1920** (Tineidae) Synonymy: infausta Meyrick,1920 Range (as code): **ZA Ec**
17202. **Ellochotis leontopa (Meyrick,1908)** (Tineidae) Synonymy: leontopa Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
17203. **Ellochotis lyncodes (Meyrick,1921)** (Tineidae) Synonymy: lyncodes Meyrick,1921 Range (as code): **MZ Mag**
17204. **Ellochotis opifica (Meyrick,1908)** (Tineidae) Synonymy: opifica Meyrick,1908 Range (as code): **ZA Tva Lpo Pie**
17205. **Ellochotis picroxesta (Meyrick,1926)** (Tineidae) Synonymy: picroxesta Meyrick,1926 Range (as code): **ZA Ec**
17206. **Ellochotis purpurea (Stainton,1860)** (Tineidae) Synonymy: purpurea Stainton,1860 Range (as code): **ZA Wca Kny Tva**
17207. **Ellochotis territa (Meyrick,1920)** (Tineidae) Synonymy: territa Meyrick,1920 Range (as code): **ZA**
17208. **Ellochotis trophias (Meyrick,1908)** (Tineidae) Synonymy: trophias Meyrick,1908 Range (as code): **ZA Tva Lpo Wv Gau Pre Pie Cto Ec Wo**
17209. **Ellochotis verecunda (Meyrick,1911)** (Tineidae) Synonymy: verecunda Meyrick,1911 Range (as code): **ZA Tva Hae Wo Lpo**
17210. **Emblematodes aberrans Gozmany,1966** (Tineidae) Synonymy: aberrans Gozmany,1966 Range (as code): **UG Rz**
17211. **Emblematodes cyanochra Meyrick,1914** (Tineidae) Synonymy: cyanochra Meyrick,1914 Range (as code): **MW Mje**
17212. **Enargocrasis galactopis (Meyrick,1921)** (Tineidae) Synonymy: galactopis Meyrick,1921 Range (as code): **MZ Mag**
17213. **Epicnaptis myelodes (Meyrick,1921)** (Tineidae) Synonymy: myelodes Meyrick,1921 Range (as code): **MZ**
17214. **Epicnaptis rigens Meyrick,1916** (Tineidae) Synonymy: rigens Meyrick,1916 Range (as code): **MW Mje**
17215. **Erechthias amphibaphes (Meyrick,1939)** (Tineidae) Synonymy: amphibaphes Meyrick,1939 Range (as code): **ZR**
17216. **Erechthias dracaenura (Meyrick,1934)** (Tineidae) Synonymy: dracaenura Meyrick,1934 Range (as code): **ST**
17217. **Erechthias glossophora (Meyrick,1926)** (Tineidae) Synonymy: glossophora Meyrick,1926 Range (as code): **ZA Ec**
17218. **Erechthias nigromaculella Guillermet,2009** (Tineidae) Synonymy: nigromaculella Guillermet,2009 Range (as code): **RE**
17219. **Erechthias richardella Viette,1957** (Tineidae) Synonymy: richardella Viette,1957 Range (as code): **RE**
17220. **Erechthias travestita (Gozmany,1968)** (Tineidae) Synonymy: travestita Gozmany,1968 Range (as code): **GH SL NG**
17221. **Erechthias zebrina (Butler,1881)** (Tineidae) Synonymy: zebrina Butler,1881; xenica Meyrick,1911 Range (as code): **SC MU Hw IN ID Bor LK**
17222. **Eriozancla trachyphaea (Meyrick,1921)** (Tineidae) Synonymy: trachyphaea Meyrick,1921 Range (as code): **ZA Ec Stj**
17223. **Eudarcia (Meessia) nigraella (Mariani,1937)** (Tineidae) Synonymy: nigraella Mariani,1937 Range (as code): **FR Sa Si IT HV TN Cc GG**
17224. **Exonomasis exolescens (Meyrick,1926)** (Tineidae) Synonymy: exolescens Meyrick,1926 Range (as code): **ZA Ec**
17225. **Galachrysis armata Gozmany,1968** (Tineidae) Synonymy: armata Gozmany,1968 Range (as code): **SL**
17226. **Glaucostolella oxyteles (Meyrick,1926)** (Tineidae) Synonymy: oxyteles Meyrick,1926 Range (as code): **ZA**

17227. **Graphidivalva genitalis (Meyrick,1913)** (Tineidae) Synonymy: genitalis Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
17228. **Hapsifera euschema Gozmany,2004** (Tineidae) Synonymy: euschema Gozmany,2004 Range (as code): **NA Dmr Bnd**
17229. **Hapsifera glebata Meyrick,1908** (Tineidae) Synonymy: glebata Meyrick,1908; cervina Gozmany,1965 Range (as code): **UG ZA Tva Gau Pre**
17230. **Hapsifera luridella Zeller,1847** (Tineidae) Synonymy: luridella Zeller,1847; eburnea Butler,1881; palaestinensis Rebel,1901; baliopsamma Meyrick,1921; torulosa Turati,1919; cyrenaicensis Turati,1924; pustulatella Lucas,1942 nec Zell.,1852; kerbelella Amsel,1949; asiatica Amsel,1949; susaella Amsel,1959 Range (as code): **MA TN LY Cy EG MK BG GR Nx Cr TR CY LB Bei IL Pa Hf Js JO IQ Kbl Hjo Sqw Bgd SA YE IR Ab Oru Kz Ahz Yas Km Sdt Mak Ak Hz Bu Fa Shr Ss Ke Jrf Kaz Das Snj Kd Es Th Kdj Qz Gh Elb Dam UZ Smk Br TJ PK Krc AF Srb BH Cc GG Lag AM AZ Kir Nv Ord SY Dms 01 05 06 16 21 22 27 30 31 33 42 46 47 56 65 71 73 76**
17231. **Hapsifera maculata (Walsingham,1907)** (Tineidae) Synonymy: maculata Walsingham,1907 Range (as code): **DZ Bsk Ktr Phv TN Gf**
17232. **Hapsifera marmarota Meyrick,1914** (Tineidae) Synonymy: marmarota Meyrick,1914 Range (as code): **ZA**
17233. **Hapsifera meliceris Meyrick,1908** (Tineidae) Synonymy: meliceris Meyrick,1908 Range (as code): **ZA Nta Kzu Tva Gau Pre**
17234. **Hapsifera multiguttella (Ragonot,1895)** (Tineidae) Synonymy: multiguttella Ragonot,1895; jerichoella Amsel,1935. Range (as code): **DZ Orn TN Gab LB Bei SY Dms JO IL Pa Jer TR 31 42 46**
17235. **Hapsifera ochroptila Meyrick,1908** (Tineidae) Synonymy: ochroptila Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
17236. **Hapsifera pardalea Meyrick,1908** (Tineidae) Synonymy: pardalea Meyrick,1908 Range (as code): **ZA Nta Kzu**
17237. **Hapsifera septica Meyrick,1908** (Tineidae) Synonymy: septica Meyrick,1908 Range (as code): **ZA TZ**
17238. **Hapsiferona glareosa (Meyrick,1912)** (Tineidae) Synonymy: glareosa Meyrick,1912 Range (as code): **ZW SA**
17239. **Harmaclona afrotephrantha Davis,1998** (Tineidae) Synonymy: afrotephrantha Davis,1998 Range (as code): **CF**
17240. **Harmaclona berberea Bradley,1956** (Tineidae) Synonymy: berberea Bradley,1956 Range (as code): **MG**
17241. **Harmaclona hilethera Bradley,1953** (Tineidae) Synonymy: hilethera Bradley,1953 Range (as code): **GH CM CF**
17242. **Harmaclona natalensis Bradley,1953** (Tineidae) Synonymy: natalensis Bradley,1953; #notalensis Bradley,1956 Range (as code): **ZA Nta Kzu Tra Ec Stj Umk TZ AO CM Bia GH GN CI MG MZ L-M Del**
17243. **Harmaclona tephrantha (Meyrick,1916)** (Tineidae) Synonymy: tephrantha Meyrick,1916 Range (as code): **ZA IN LK PG AU TH Chy Cbi CMa Dst Nna Kao Loe Ntt MY Sgo Pah Bor BN Sbh Swk PH Luz Mno Pal TW ID Ja Klt Clb**
17244. **Heterostatis extricata Gozmany,1965** (Tineidae) Synonymy: extricata Gozmany,1965 Range (as code): **ZR Lbu**
17245. **Homalopsycha pericharacta Meyrick,1924** (Tineidae) Synonymy: pericharacta Meyrick,1924 Range (as code): **ZA Nta Kzu**
17246. **Homalopsycha rapida (Meyrick,1909)** (Tineidae) Synonymy: rapida Meyrick,1909; aestuaria Meyrick,1920 Range (as code): **ZA Ec Cto**
17247. **Hyperbola bradleyi Gozmany,1966** (Tineidae) Synonymy: bradleyi Gozmany,1966 Range (as code): **UG Rz**
17248. **Hyperbola chloristis (Meyrick,1908)** (Tineidae) Synonymy: chloristis Meyrick,1908 Range (as code): **ZA Tva Gau Pre Tst Brb Mpu Wv**
17249. **Hyperbola hemispina Gozmany,1969** (Tineidae) Synonymy: hemispina Gozmany,1969 Range (as code): **TZ Mru**
17250. **Hyperbola hesperis Gozmany,1967** (Tineidae) Synonymy: hesperis Gozmany,1967 Range (as code): **ZM TZ**
17251. **Hyperbola homogena Gozmany,1967** (Tineidae) Synonymy: homogena Gozmany,1967 Range (as code): **ZM**
17252. **Hyperbola mellichroa (Gozmany,1968)** (Tineidae) Synonymy: mellichroa Gozmany,1968 Range (as code): **ZW Har TZ Mru**
17253. **Hyperbola moschias (Meyrick,1914)** (Tineidae) Synonymy: moschias Meyrick,1914 Range (as code): **MW Mje ZM TZ Mru**

17254. **Hyperbola pastoralis (Meyrick,1931)** (Tineidae) Synonymy: pastoralis Meyrick,1931 Range (as code): **ML NG Lgo GH SL**
17255. **Hyperbola phocina (Meyrick,1908)** (Tineidae) Synonymy: phocina Meyrick,1908 Range (as code): **TZ ZM ZW ZA Tva Gau Pre**
17256. **Hyperbola primoti Gozmany,1966** (Tineidae) Synonymy: primoti Gozmany,1966 Range (as code): **CF**
17257. **Hyperbola somphota (Meyrick,1920)** (Tineidae) Synonymy: somphota Meyrick,1920 Range (as code): **TZ Kmj ET Gm Snnp**
17258. **Hyperbola zicsii Gozmany,1965** (Tineidae) Synonymy: zicsii Gozmany,1965 Range (as code): **CG Brv CF ZR TZ MW Mje**
17259. **Infurcitinea atrifasciella (Staudinger,1871)** (Tineidae) Synonymy: atrifasciella Staudinger,1871; diasi Amsel,1957; zernyi Zagulyaev,1974 Range (as code): **MA TN PT ES FR IT CH AT**
17260. **Infurcitinea captans Gozmany,1960** (Tineidae) Synonymy: captans Gozmany,1960 Range (as code): **ES FR IT CH AT SL HV B-H YU**
17261. **Infurcitinea frustigerella (Walsingham,1907)** (Tineidae) Synonymy: frustigerella Walsingham,1907; absconditella Chrétien,1915. Range (as code): **DZ Hes MA TN Gf ES TR CY IR Mz Amo 47**
17262. **Infurcitinea incertula (Meyrick,1928)** (Tineidae) Synonymy: incertula Meyrick,1928 Range (as code): **MA**
17263. **Infurcitinea lambessella G.Petersen,1958** (Tineidae) Synonymy: lambessella G.Petersen,1958 Range (as code): **DZ Lbs TN**
17264. **Infurcitinea marcunella (Rebel,1901)** (Tineidae) Synonymy: marcunella Rebel,1901 Range (as code): **DZ Lbs MA ES An Mu PT MR**
17265. **Infurcitinea maroccana G.Petersen & Gaedike,1979** (Tineidae) Synonymy: maroccana G.Petersen & Gaedike,1979 Range (as code): **MA**
17266. **Infurcitinea maura G.Petersen,1962** (Tineidae) Synonymy: maura G.Petersen,1962 Range (as code): **MA**
17267. **Infurcitinea media (Walsingham,1907)** (Tineidae) Synonymy: media Walsingham,1907; intricatella Chrétien,1915. Range (as code): **DZ Ktr TN Gf**
17268. **Infurcitinea nigropluviella (Walsingham,1907)** (Tineidae) Synonymy: nigropluviella Walsingham,1907; maraschensis G.Petersen,1968. Range (as code): **DZ Hes TN TR GR Cr Rd CY IR Fa 34 46 71**
17269. **Infurcitinea senecai Gaedike,1987** (Tineidae) Synonymy: senecai Gaedike,1987 Range (as code): **LY**
17270. **Infurcitinea toechophila (Walsingham,1908)** (Tineidae) Synonymy: toechophila Walsingham,1908 Range (as code): **Cn**
17271. **Janseana sceptica (Meyrick,1910)** (Tineidae) Synonymy: sceptica Meyrick,1910 Range (as code): **ZA Tva Lpo Wri Ec Tlb**
17272. **Janseana vibrata (Meyrick,1913)** (Tineidae) Synonymy: vibrata Meyrick,1913; crispa Meyrick,1920 Range (as code): **ZA Tva Mpu Brb Nta Kzu**
17273. **Leptozancla cultellata Gozmany & Vari,1973** (Tineidae) Synonymy: cultellata Gozmany & Vari,1973 Range (as code): **UG Rz**
17274. **Leptozancla talaroscia Meyrick,1920** (Tineidae) Synonymy: talaroscia Meyrick,1920 Range (as code): **KE**
17275. **Leptozancla zelotica (Meyrick,1932)** (Tineidae) Synonymy: zelotica Meyrick,1932 Range (as code): **ET Sw ET88**
17276. **Lysitona euryacta Meyrick,1918** (Tineidae) Synonymy: euryacta Meyrick,1918; phasganopa Meyrick,1921 Range (as code): **MZ Blv**
17277. **Merunympha nipha Gozmany,1969** (Tineidae) Synonymy: nipha Gozmany,1969 Range (as code): **TZ Mru**
17278. **Miarotagmata penetrata (Meyrick,1912)** (Tineidae) Synonymy: penetrata Meyrick,1912; myelopis Meyrick,1927 Range (as code): **ZA Tva Wo ZW Har**
17279. **Micrerethista africana Davis,1998** (Tineidae) Synonymy: africana Davis,1998 Range (as code): **CF**
17280. **Minicorona tricarpa (Meyrick,1913)** (Tineidae) Synonymy: tricarpa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17281. **Monopis addenda Gozmany,1965** (Tineidae) Synonymy: addenda Gozmany,1965; stenorrhoea Gozmany,1966; marcans Gozmany,1966 Range (as code): **ET CF GH GN TZ Mru**
17282. **Monopis altivagans Meyrick,1938** (Tineidae) Synonymy: altivagans Meyrick,1938 Range (as code): **ZR**

17283. **Monopis anaphracta Gozmany,1967** (Tineidae) Synonymy: anaphracta Gozmany,1967 Range (as code): **TZ Mru**

17284. **Monopis coniodina Meyrick,1931** (Tineidae) Synonymy: coniodina Meyrick,1931 Range (as code): **CM**

17285. **Monopis crocicapitella (Clemens,1859)** (Tineidae) Synonymy: crocicapitella Clemens,1859; amandatella Walker,1863; hyalinella Staudinger,1870; lombardica Hering,1889; heringi Richardson,1893; ptilophaga Enderlein,1909; prometopias Gyen,1913; cecconii Turati,1919; dobrogica Georgescu,1964 Range (as code): **MA PT ES FR Co Si IT MT IE GB BE NL DE CH AT CZ SK HU RO YU BG GR Cr TR RU MD UA BY JP ZA 34**

17286. **Monopis hypopiasta Meyrick,1931** (Tineidae) Synonymy: hypopiasta Meyrick,1931 Range (as code): **CM**

17287. **Monopis imella (Hübner,[1813])** (Tineidae) Synonymy: imella Hübner,[1813]; nitidella Zagulyaev,1960. Range (as code): **DZ Anna TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc AZ Len LB Bsa DK SE FI EE LV LT RU MD UA BY IR Fa Shr Kh MN Ui 05 16 35 46 65 76**

17288. **Monopis immaculata Gozmany,1967** (Tineidae) Synonymy: immaculata Gozmany,1967 Range (as code): **MZ ZR Lbu CF GH TZ Mru**

17289. **Monopis jacobsi Gozmany,1967** (Tineidae) Synonymy: jacobsi Gozmany,1967 Range (as code): **NG Lgo**

17290. **Monopis lamprostola Meyrick,1918** (Tineidae) Synonymy: lamprostola Meyrick,1918 Range (as code): **BW ZA Tva Gau Pre**

17291. **Monopis leopardina Gozmany,1965** (Tineidae) Synonymy: leopardina Gozmany,1965 Range (as code): **ET**

17292. **Monopis liberiella Zeller,1879** (Tineidae) Synonymy: liberiella Zeller,1879; excavata Meyrick,1914; insectivora Meyrick,1932 Range (as code): **LR SL MW Mje ZM**

17293. **Monopis liparota Meyrick,1920** (Tineidae) Synonymy: liparota Meyrick,1920 Range (as code): **KE UG Rz ZR**

17294. **Monopis malescripta Meyrick,1938** (Tineidae) Synonymy: malescripta Meyrick,1938 Range (as code): **ZR UG Etb**

17295. **Monopis megalodelta Meyrick,1908** (Tineidae) Synonymy: megalodelta Meyrick,1908 Range (as code): **ZA Ntz Kzu Umk NG UG Rz ZR Lbu CG Brv TZ ZM ZW MZ Del**

17296. **Monopis meyricki Gozmany,1967** (Tineidae) Synonymy: meyricki Gozmany,1967 Range (as code): **ZA Ec Stj Nta Kzu Umk Srn Gau Tva Pre CF ZR Lbu MZ TZ Mru**

17297. **Monopis ministrans Gozmany,1968** (Tineidae) Synonymy: ministrans Gozmany,1968 Range (as code): **GH**

17298. **Monopis nepheloscopa Meyrick,1928** (Tineidae) Synonymy: nepheloscopa Meyrick,1928 Range (as code): **ZA Tva Wo Nta Kzu**

17299. **Monopis persimilis Gozmany,1965** (Tineidae) Synonymy: persimilis Gozmany,1965 Range (as code): **ZA Tva Gau Pre Tra Ec Umt ZW Har TZ Mru UG Rz**

17300. **Monopis rejectella (Walker,1875)** (Tineidae) Synonymy: rejectella Walker,1875; pellucida Wallengren,1875; ethelella Meyrick,1909; ubangi Gozmany,1966 Range (as code): **ZA Ec Cto Nta Kzu Wnn Gau Tva Mpu Pre Brb Tst TZ ZR Lbu CF GH**

17301. **Monopis rutilicostella Stainton,1860** (Tineidae) Synonymy: rutilicostella Stainton,1860; ethelella Meyrick,1909; perforata Meyrick,1911 Range (as code): **ZA Ec Kny Wca Nta Kzu Drb Kkf Est Gau Tva Pre Hae KE ZR Lbu**

17302. **Monopis sciagrapha Bradley,1965** (Tineidae) Synonymy: sciagrapha Bradley,1965; evanescens Gozmany,1966 Range (as code): **UG Rz ET**

17303. **Monopis speculella (Zeller,1852)** (Tineidae) Synonymy: speculella Zeller,1852 Range (as code): **ZA Wca Kny Tva Gau Pre TZ ZR ET**

17304. **Monopis transeans Gozmany,1965** (Tineidae) Synonymy: transeans Gozmany,1965 Range (as code): **ZA Ec Cto Gau Tva Pre**

17305. **Monopis triplacopa Meyrick,1932** (Tineidae) Synonymy: triplacopa Meyrick,1932 Range (as code): **ET ET88 Sw**

17306. **Morophaga (bucephala-gr.) soror Gozmany,1965** (Tineidae) Synonymy: soror Gozmany,1965 Range (as code): **ZA SL CI GH CM GO Bio UG KE ZR ZM**

17307. **Morophaga (bucephala-gr.) vadonella (Viette,1954)** (Tineidae) Synonymy: vadonella Viette,1954 Range (as code): **MG**

17308. **Morophaga (choragella-gr.) choragella ([Denis & Schiffermüller],1775)** (Tineidae) Synonymy: choragella [Denis & Schiffermüller],1775; boleti Fabricius,1777; fungella Thunberg,1794; mediella Hübner,1796 Range (as code): **MA TN PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR KG Sb Cc**

17309.Morophaga (morella-gr.) morella (Duponchel,1838) (Tineidae) Synonymy: morella Duponchel,1838; #fungicolella Dumont,1930 Range (as code): **MA TN PT ES FR Co Sa IT MT GR Rd TR RU MD UA Cm AF 16**

17310.Myrmecozela (Dulcana) diacona Walsingham,1907 (Tineidae) Synonymy: diacona Walsingham,1907 Range (as code): **DZ Bsk Hes TN Gf TR 26**

17311.Myrmecozela (Dulcana) lambesella Rebel,1901 (Tineidae) Synonymy: lambesella Rebel,1901 Range (as code): **DZ TN ES**

17312.Myrmecozela (Flavida) isopsamma Meyrick,1920 (Tineidae) Synonymy: isopsamma Meyrick,1920; favens Meyrick,1917; pelochlora Meyrick,1920; philoptica Meyrick,1931; abyssinica Gozmany,1960; ethiopica Gozmany,1960 Range (as code): **ET ET87 Hrr ZA Nta Kzu KE Nai**

17313.Myrmecozela (Promasia) ataxella (Chrétien,1905) (Tineidae) Synonymy: ataxella Chrétien,1905; chneourella Lucas,1950 Range (as code): **DZ Bsk LY TN Gf ES Mu FR IT**

17314.Myrmecozela (Promasia) sordidella (Caradja,1920) (Tineidae) Synonymy: sordidella Caradja,1920 Range (as code): **TN Gf**

17315.Nannotinea holovalva Gozmany,1968 (Tineidae) Synonymy: holovalva Gozmany,1968 Range (as code): **SL**

17316.Nannotinea simplex Gozmany,1966 (Tineidae) Synonymy: simplex Gozmany,1966 Range (as code): **CF**

17317.Nearolyma pyrsocoma (Meyrick,1937) (Tineidae) Synonymy: pyrsocoma Meyrick,1937 Range (as code): **ZA Nta Kzu Lds**

17318.Nemapogon agenjoi G.Petersen,1959 (Tineidae) Synonymy: agenjoi G.Petersen,1959; hispanellus Gozmany,1960 Range (as code): **PT ES Mu FR Co IT MA**

17319.Nemapogon granella (Linnaeus,1758) (Tineidae) Synonymy: granella Linnaeus,1758; domesticella Scopoli,1763; fenestrella Scopoli,1763 (praeocc.); nebulosella Fourcroy,1785; tesserella Fabricius,1794; costotristrigella Chambers,1873; marmorella Chambers,1873; fuscomaculella Chambers,1875; mancuniella Hodgkinson,1880; nigroatomella Dietz,1905; fuscicomella Wörz,1958 Range (as code): **MA DZ Clo PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR BG TR DK NO SE FI EE LV LT RU MD UA BY UZ Tas LB Bmm Bsa IL Pa AM Cc GG Tbl Sok Abk Mng Btm Aj Da IR Gls TM CN Ti JP ZA 05 16 46**

17320.Nemapogon inconditella (Lucas,1956) (Tineidae) Synonymy: inconditella Lucas,1956; buckwelli Lucas,1956; heydeni G.Petersen,1957; hispanellus Gozmany,1960; thomasi Capuşe,1975. Range (as code): **MA ES FR Co Sa IT GB DE AT CZ SK HU RO YU BG GR TR Cc GG Bjo Tbl DK SE RU Sb MD UA Cm BY KG Aa CN At Ui 06 32 41**

17321.Nemapogon orientalis G.Petersen,1961 (Tineidae) Synonymy: orientalis G.Petersen,1961 Range (as code): **GR Cr Da AZ Bak Nv Ord Cc AM Eri GG Tbl LB Bei SY Hal IL Pa EG CY TR IR AF KG 46 51 55**

17322.Nemapogon palmella (Chrétien,1908) (Tineidae) Synonymy: palmella Chrétien,1908; oueddarella Amsel,1952 Range (as code): **Cn TN MA GR**

17323.Nemapogon picarella (Clerck,1759) (Tineidae) Synonymy: picarella Clerck,1759; rigaella Sodoffsky,1830; acerella Treitschke,1832; riganella Zeller,1839 Range (as code): **MA Ifr FR Co IT GB DE AT PL CZ SK HU DK NO SE FI EE LV LT RU Ur MD UA Cm BY Cc KG**

17324.Nemapogon sardica Gaedike,1983 (Tineidae) Synonymy: sardica Gaedike,1983 Range (as code): **MA Sa**

17325.Neoepiscardia bicornuta Gozmany,2004 (Tineidae) Synonymy: bicornuta Gozmany,2004 Range (as code): **NA Dmr Bnd**

17326.Neoepiscardia namibiae Gozmany,2004 (Tineidae) Synonymy: namibiae Gozmany,2004 Range (as code): **NA Dmr Bnd**

17327.Neospolarcha varii (Gozmany,1967) (Tineidae) Synonymy: varii Gozmany,1967 Range (as code): **ZA Ec Ste**

17328.Neurothaumasia ankerella (Mann,1867) (Tineidae) Synonymy: ankerella Mann,1867; geratocoma Walsingham,1907; nigratella Chrétien,1917; burdigalensis Le Marchand,1934; tirsella Amsel,1952; Range (as code): **MA DZ Anna Phv ES Mu FR Sa IT DE AT PL CZ SK HU RO YU AL BG GR TR DK RU MD UA Cm Cc GG IR 01 07 31 46**

17329.Neurothaumasia ragusaella (Wocke,1889) (Tineidae) Synonymy: ragusaella Wocke,1889; purella Chrétien,1907; bifasciatella Turati,1924; roeweri Amsel,1939; africana Gozmany,960 Range (as code): **MA DZ TN LY EG PT ES Sa Si**

17330.Neurothaumasia tenuipennella Gaedike,2011 (Tineidae) Synonymy: tenuipennella Gaedike,2011 Range (as code): **ES FR EG RO Cr HV Ae Le GR**

17331.Neurothaumasia tunesiella Gaedike,2011 (Tineidae) Synonymy: tunesiella Gaedike,2011 Range (as code): **TN**

17332.Niditinea fuscella (Linnaeus,1758) (Tineidae) Synonymy: fuscella Linnaeus,1758; spretella [Denis & Schiffermüller],1775; crinitella Schrank,1802; fuscipunctella Haworth,[1828]; nubilipennella Clemens,1859; abligatella Walker,1863; eurinella Zagulyaev,1952; distans Gozmany,1959. Range (as code): **AD PT ES FR Co Sa Si IT MT IE GB**

BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc IQ Bgd DK NO SE FI EE LV LT RU MD UA BY AF Nu ZA Ec Cto SC 05 16 35 44 76

17333. **Niditinea tugurialis (Meyrick,1932)** (Tineidae) Synonymy: tugurialis Meyrick,1932; baryspilas Meyrick,1937; unipunctella Zagulyaev,1960 Range (as code): **CN Ui Kgs Ch IR Ab Oru Elb Th Kh Msh Bzg Mz IQ BH TR HV CY IL Pa JO SY EG LB TM K-K SA JP**

17334. **Novotinea reinhardella Nel,2014** (Tineidae) Synonymy: reinhardella Nel,2014 Range (as code): **FR Cn**

17335. **Nyctocyrmata crotalopis (Meyrick,1921)** (Tineidae) Synonymy: crotalopis Meyrick,1921; amphicrossa Meyrick,1921 Range (as code): **ZA Tva Gau Pre**

17336. **Ochetoxena phaneraula Meyrick,1920** (Tineidae) Synonymy: phaneraula Meyrick,1920 Range (as code): **ZA**

17337. **Ocnophilella autocrypta (Meyrick,1926)** (Tineidae) Synonymy: autocrypta Meyrick,1926 Range (as code): **ZA Wca Wr**

17338. **Ocnophilella tetraula (Meyrick,1926)** (Tineidae) Synonymy: tetraula Meyrick,1926 Range (as code): **ZA**

17339. **Oinophila nesiotes Walsingham,1908** (Tineidae) Synonymy: nesiotes Walsingham,1908 Range (as code): **Cn**

17340. **Oinophila v-flava (Haworth,[1828])** (Tineidae) Synonymy: v-flava Haworth,[1828] Range (as code): **ES FR GB BE NL LU CH AT HU GR DK ZA**

17341. **Opogona amphichorda Meyrick,1921** (Tineidae) Synonymy: amphichorda Meyrick,1921 Range (as code): **MZ Mag**

17342. **Opogona anachoreta (Meyrick,1921)** (Tineidae) Synonymy: anachoreta Meyrick,1921 Range (as code): **ZW**

17343. **Opogona anisacta Meyrick,1920** (Tineidae) Synonymy: anisacta Meyrick,1920 Range (as code): **KE**

17344. **Opogona antiarcha Meyrick,1934** (Tineidae) Synonymy: antiarcha Meyrick,1934 Range (as code): **ST**

17345. **Opogona chlorophanes Meyrick,1908** (Tineidae) Synonymy: chlorophanes Meyrick,1908 Range (as code): **ZA Tva Gau Pre**

17346. **Opogona cyrtomis Meyrick,1915** (Tineidae) Synonymy: cyrtomis Meyrick,1915 Range (as code): **ZA**

17347. **Opogona dimidiatella Zeller,1853** (Tineidae) Synonymy: dimidiatella Zeller,1853; semisuphurea Stainton,1859; dimidiatella Walker,1864 Range (as code): **ZA RE IN ID Ja**

17348. **Opogona etiennella Viette,1988** (Tineidae) Synonymy: etiennella Viette,1988 Range (as code): **RE**

17349. **Opogona harpalea Meyrick,1911** (Tineidae) Synonymy: harpalea Meyrick,1911 Range (as code): **ZA SC Ald**

17350. **Opogona heroicella Viette,1957** (Tineidae) Synonymy: heroicella Viette,1957 Range (as code): **RE**

17351. **Opogona incorrectella Viette,1957** (Tineidae) Synonymy: incorrectella Viette,1957 Range (as code): **RE**

17352. **Opogona indiscreta (Meyrick,1917)** (Tineidae) Synonymy: indiscreta Meyrick,1917 Range (as code): **ZA**

17353. **Opogona iricharis (Meyrick,1926)** (Tineidae) Synonymy: iricharis Meyrick,1926 Range (as code): **ZA**

17354. **Opogona ischnoscia Meyrick,1928** (Tineidae) Synonymy: ischnoscia Meyrick,1928 Range (as code): **ZA**

17355. **Opogona masoalella (Viette,1955)** (Tineidae) Synonymy: masoalella Viette,1955 Range (as code): **MG**

17356. **Opogona omiastis Meyrick,1937** (Tineidae) Synonymy: omiastis Meyrick,1937 Range (as code): **ZA**

17357. **Opogona omoscopa (Meyrick,1893)** (Tineidae) Synonymy: omoscopa Meyrick,1893; strassenella Enderlein,1903; apicalis Swezey,1909; praematura Meyrick,1909 Range (as code): **ZA ES DK RE AU Syd NSw Hw**

17358. **Opogona phaeochalca Meyrick,1908** (Tineidae) Synonymy: phaeochalca Meyrick,1908 Range (as code): **ZA RE**

17359. **Opogona phaeocrana Meyrick,1914** (Tineidae) Synonymy: phaeocrana Meyrick,1914 Range (as code): **ZA MW**

17360. **Opogona plumbifera (Meyrick,1914)** (Tineidae) Synonymy: plumbifera Meyrick,1914 Range (as code): **MW**

17361. **Opogona pyrometalla (Meyrick,1928)** (Tineidae) Synonymy: pyrometalla Meyrick,1928 Range (as code): **ZA**

17362. **Opogona sacchari (Bojer,1856)** (Tineidae) Synonymy: sacchari Bojer,1856; subcervinella Walker,1863; plumipes Butler,1876; ligniferella Walker,1875; sanctahelenae Walker,1875 Range (as code): **ES FR IT GB BE DK SE ZA RE MU SH**

17363. **Opogona salamolardella Guillermet,2011** (Tineidae) Synonymy: salamolardella Guillermet,2011 Range (as code): **RE**

17364. **Opogona scaphopis Meyrick,1909** (Tineidae) Synonymy: scaphopis Meyrick,1909 Range (as code): **ZA**

17365. **Opogona sogaella Viette,1985** (Tineidae) Synonymy: sogaella Viette,1985 Range (as code): **MG**

17366. **Opogona sycastella Viette,1957** (Tineidae) Synonymy: sycastella Viette,1957 Range (as code): **RE**

17367. **Opogona tanydora Meyrick,1920** (Tineidae) Synonymy: tanydora Meyrick,1920 Range (as code): **KE**

17368. **Opogona trophis Meyrick,1913** (Tineidae) Synonymy: trophis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**

17369. **Opogona zophocrana Meyrick,1915** (Tineidae) Synonymy: zophocrana Meyrick,1915 Range (as code): **MW**

17370. **Organodesma arsiptila (Meyrick,1931)** (Tineidae) Synonymy: arsiptila Meyrick,1931 Range (as code): **CM ZR**

17371. **Organodesma aurocrata Gozmany,1976** (Tineidae) Synonymy: aurocrata Gozmany,1976 Range (as code): **ZR**

17372. **Organodesma erinacea (Walker,1863)** (Tineidae) Synonymy: erinacea Walker,1863 Range (as code): **ZA Nta Kzu Dbn**

17373. **Organodesma heptazona (Meyrick,1931)** (Tineidae) Synonymy: heptazona Meyrick,1931 Range (as code): **SL**

17374. **Organodesma leucomicra (Gozmany,1966)** (Tineidae) Synonymy: leucomicra Gozmany,1966 Range (as code): **UG Rz GH**

17375. **Organodesma merui Gozmany,1969** (Tineidae) Synonymy: merui Gozmany,1969 Range (as code): **TZ Mru**

17376. **Organodesma onomasta Gozmany & Vari,1973** (Tineidae) Synonymy: onomasta Gozmany & Vari,1973 Range (as code): **ZM TZ Mru**

17377. **Organodesma optata Gozmany,1967** (Tineidae) Synonymy: optata Gozmany,1967 Range (as code): **ZR Kvu**

17378. **Organodesma ornata Gozmany,1966** (Tineidae) Synonymy: ornata Gozmany,1966 Range (as code): **UG Rz**

17379. **Organodesma petaloxantha (Meyrick,1931)** (Tineidae) Synonymy: petaloxantha Meyrick,1931 Range (as code): **CM ZR Lbu ZM**

17380. **Organodesma psapharogma (Meyrick,1936)** (Tineidae) Synonymy: psapharogma Meyrick,1936 Range (as code): **ZR**

17381. **Organodesma simplex Gozmany,1967** (Tineidae) Synonymy: simplex Gozmany,1967 Range (as code): **ZR Lbu**

17382. **Orocrypsona micraula Gozmany,2004** (Tineidae) Synonymy: micraula Gozmany,2004 Range (as code): **NA Dmr Bnd**

17383. **Orocrypsona periacantha Gozmany,2004** (Tineidae) Synonymy: periacantha Gozmany,2004 Range (as code): **NA Dmr Bnd**

17384. **Orocrypsona punctirama Gozmany,2004** (Tineidae) Synonymy: punctirama Gozmany,2004 Range (as code): **NA Dmr Bnd**

17385. **Orocrypsona rhyparala Gozmany,2004** (Tineidae) Synonymy: rhyparala Gozmany,2004 Range (as code): **NA Dmr Bnd**

17386. **Oxymachaeris euryzancla Meyrick,1918** (Tineidae) Synonymy: euryzancla Meyrick,1918 Range (as code): **ZA Nta Kzu Umk CG MZ**

17387. **Oxymachaeris niveocervina Walsingham,1891** (Tineidae) Synonymy: niveocervina Walsingham,1891 Range (as code): **GM**

17388. **Oxymachaeris zulella (Walsingham,1881)** (Tineidae) Synonymy: zulella Walsingham,1881 Range (as code): **ZA Nta Kzu**

17389. **Pachyarthra lividella (Chrétien,1915)** (Tineidae) Synonymy: lividella Chrétien,1915 Range (as code): **MA DZ Bsk TN LY**

17390. **Pachyarthra mediterranea (Baker,1894)** (Tineidae) Synonymy: mediterranea Baker,1894; serotinella Chrétien,1915; pallidella Lucas,1933; variegata Lucas,1950 Range (as code): **MA DZ TN Gf ES EG EG05 IL Pa**

17391. **Pachyarthra ochroplicella (Chrétien,1915)** (Tineidae) Synonymy: ochroplicella Chrétien,1915; pentatma Meyrick,1937. Range (as code): **MA DZ Agi TN LY**
17392. **Pachypsaltis meyricki Gozmany & Vari,1973** (Tineidae) Synonymy: meyricki Gozmany & Vari,1973 Range (as code): **ZR**
17393. **Pachypsaltis morosa Gozmany,1966** (Tineidae) Synonymy: morosa Gozmany,1966 Range (as code): **CF**
17394. **Pachypsaltis pachystoma (Meyrick,1920)** (Tineidae) Synonymy: pachystoma Meyrick,1920 Range (as code): **KE MW Mje TZ ZR Lbu**
17395. **Paraptica concinerata Meyrick,1917** (Tineidae) Synonymy: concinerata Meyrick,1917 Range (as code): **ZA**
17396. **Pelecystola melanchares (Meyrick,1937)** (Tineidae) Synonymy: melanchares Meyrick,1937 Range (as code): **ZA**
17397. **Pelecystola tephrinitis (Meyrick,1911)** (Tineidae) Synonymy: tephrinitis Meyrick,1911; #tephrinistis Janse,1917 Range (as code): **ZA Tva Wo**
17398. **Perissomastix (Psolarcha) acutibasis (Gozmany,1968)** (Tineidae) Synonymy: acutibasis Gozmany,1968 Range (as code): **MW Mje**
17399. **Perissomastix (Psolarcha) adamasta (Meyrick,1909)** (Tineidae) Synonymy: adamasta Meyrick,1909 Range (as code): **ZA Tva Pre Wo**
17400. **Perissomastix (Psolarcha) bergeri (Gozmany,1967)** (Tineidae) Synonymy: bergeri Gozmany,1967 Range (as code): **ZR**
17401. **Perissomastix (Psolarcha) breviberbis (Meyrick,1933)** (Tineidae) Synonymy: breviberbis Meyrick,1933 Range (as code): **ZR CF KE Mb**
17402. **Perissomastix (Psolarcha) caryocephala (Meyrick,1937)** (Tineidae) Synonymy: caryocephala Meyrick,1937 Range (as code): **ZA Cap Ec**
17403. **Perissomastix (Psolarcha) catapulta (Gozmany,1968)** (Tineidae) Synonymy: catapulta Gozmany,1968 Range (as code): **KE**
17404. **Perissomastix (Psolarcha) christinae (Gozmany,1965)** (Tineidae) Synonymy: christinae Gozmany,1965 Range (as code): **TZ**
17405. **Perissomastix (Psolarcha) damnificella (Zeller,1852)** (Tineidae) Synonymy: damnificella Zeller,1852; ochropsamma Meyrick,1908 Range (as code): **ZA Ec Cap**
17406. **Perissomastix (Psolarcha) dentifera Gozmany & Vari,1973** (Tineidae) Synonymy: dentifera Gozmany & Vari,1973 Range (as code): **ZA Nta MW ZW ZM ZR**
17407. **Perissomastix (Psolarcha) fulvicoma (Meyrick,1921)** (Tineidae) Synonymy: fulvicoma Meyrick,1921 Range (as code): **ZW**
17408. **Perissomastix (Psolarcha) gabori (Gozmany,1967)** (Tineidae) Synonymy: gabori Gozmany,1967 Range (as code): **ZR**
17409. **Perissomastix (Psolarcha) gibi (Gozmany,1965)** (Tineidae) Synonymy: gibi Gozmany,1965 Range (as code): **BF**
17410. **Perissomastix (Psolarcha) holopsamma (Meyrick,1908)** (Tineidae) Synonymy: holopsamma Meyrick,1908 Range (as code): **ZA Tva Lpo Pie**
17411. **Perissomastix (Psolarcha) idolatrix Gozmany & Vari,1973** (Tineidae) Synonymy: idolatrix Gozmany & Vari,1973 Range (as code): **CF**
17412. **Perissomastix (Psolarcha) lala (Gozmany,1967)** (Tineidae) Synonymy: lala Gozmany,1967 Range (as code): **ZR Lbu RW**
17413. **Perissomastix (Psolarcha) lucifer (Gozmany,1965)** (Tineidae) Synonymy: lucifer Gozmany,1965 Range (as code): **ET**
17414. **Perissomastix (Psolarcha) marcescens (Meyrick,1908)** (Tineidae) Synonymy: marcescens Meyrick,1908 Range (as code): **KE**
17415. **Perissomastix (Psolarcha) mascherata (Gozmany,1965)** (Tineidae) Synonymy: mascherata Gozmany,1965 Range (as code): **ZA Tva Gau Jh Pre**
17416. **Perissomastix (Psolarcha) melanops (Gozmany,1967)** (Tineidae) Synonymy: melanops Gozmany,1967 Range (as code): **ZR Lbu**
17417. **Perissomastix (Psolarcha) meretrix (Meyrick,1908)** (Tineidae) Synonymy: meretrix Meyrick,1908 Range (as code): **ZA Ec Grh**
17418. **Perissomastix (Psolarcha) meruicola (Gozmany,1969)** (Tineidae) Synonymy: meruicola Gozmany,1969 Range (as code): **TZ Mru**

17419. **Perissomastix (Psolarcha) mili (Gozmany,1965)** (Tineidae) Synonymy: mili Gozmany,1965 Range (as code): **GA ZA**
17420. **Perissomastix (Psolarcha) montis (Gozmany,1968)** (Tineidae) Synonymy: montis Gozmany,1968 Range (as code): **MW Mje MZ**
17421. **Perissomastix (Psolarcha) mucrapex (Gozmany,1968)** (Tineidae) Synonymy: mucrapex Gozmany,1968 Range (as code): **ZW Har**
17422. **Perissomastix (Psolarcha) nox (Gozmany,1968)** (Tineidae) Synonymy: nox Gozmany,1968 Range (as code): **ZA Ec Cap**
17423. **Perissomastix (Psolarcha) onyx (Gozmany,1966)** (Tineidae) Synonymy: onyx Gozmany,1966 Range (as code): **CF**
17424. **Perissomastix (Psolarcha) pantsa (Gozmany,1967)** (Tineidae) Synonymy: pantsa Gozmany,1967 Range (as code): **RW**
17425. **Perissomastix (Psolarcha) perlata (Gozmany,1967)** (Tineidae) Synonymy: perlata Gozmany,1967 Range (as code): **ZR ZW**
17426. **Perissomastix (Psolarcha) praxis (Gozmany,1969)** (Tineidae) Synonymy: praxis Gozmany,1969 Range (as code): **TZ**
17427. **Perissomastix (Psolarcha) protaxia (Meyrick,1924)** (Tineidae) Synonymy: protaxia Meyrick,1924 Range (as code): **ZR**
17428. **Perissomastix (Psolarcha) pyroxantha (Meyrick,1914)** (Tineidae) Synonymy: pyroxantha Meyrick,1914 Range (as code): **MZ**
17429. **Perissomastix (Psolarcha) recurvata (Gozmany,1968)** (Tineidae) Synonymy: recurvata Gozmany,1968 Range (as code): **ZW Har**
17430. **Perissomastix (Psolarcha) ruwenzorica Gozmany & Vari,1973** (Tineidae) Synonymy: ruwenzorica Gozmany & Vari,1973 Range (as code): **UG Rz KE**
17431. **Perissomastix (Psolarcha) sericea (Gozmany,1966)** (Tineidae) Synonymy: sericea Gozmany,1966 Range (as code): **GH**
17432. **Perissomastix (Psolarcha) similatrix (Gozmany,1968)** (Tineidae) Synonymy: similatrix Gozmany,1968 Range (as code): **NG SL**
17433. **Perissomastix (Psolarcha) styx (Gozmany,1966)** (Tineidae) Synonymy: styx Gozmany,1966 Range (as code): **GH**
17434. **Perissomastix (Psolarcha) szunyoghyi (Gozmany,1969)** (Tineidae) Synonymy: szunyoghyi Gozmany,1969 Range (as code): **TZ**
17435. **Perissomastix (Psolarcha) titanea (Gozmany,1967)** (Tineidae) Synonymy: titanea Gozmany,1967 Range (as code): **ZR TZ ZM**
17436. **Perissomastix (Psolarcha) topaz (Gozmany,1967)** (Tineidae) Synonymy: topaz Gozmany,1967 Range (as code): **TZ**
17437. **Perissomastix (s.str.) acutibasis Gozmany,1968** (Tineidae) Synonymy: acutibasis Gozmany,1968 Range (as code): **MW**
17438. **Perissomastix (s.str.) adamasta (Meyrick,1909)** (Tineidae) Synonymy: adamasta Meyrick,1909 Range (as code): **ZA Tva**
17439. **Perissomastix (s.str.) agenjoi (G.Petersen,1957)** (Tineidae) Synonymy: agenjoi G.Petersen,1957 Range (as code): **MA DZ TN PT ES Mu**
17440. **Perissomastix (s.str.) atlantis (Zagulyaev,1975)** (Tineidae) Synonymy: atlantis Zagulyaev,1975 Range (as code): **MA**
17441. **Perissomastix (s.str.) bifurcatella (G.Petersen,1957)** (Tineidae) Synonymy: bifurcatella G.Petersen,1957 Range (as code): **TN**
17442. **Perissomastix (s.str.) biskraella (Rebel,1901)** (Tineidae) Synonymy: biskraella Rebel,1901; intermediella Turati,1926. Range (as code): **DZ Bsk Omy Out Hes MA TN Gf LY EG IL Pa JO SY Dms TR 23**
17443. **Perissomastix (s.str.) crassicornella (Zeller,1847)** (Tineidae) Synonymy: crassicornella Zeller,1847 Range (as code): **TN Si IT AL GR Cr Rd TR Cc LB Bei Bsa 05 16 76**
17444. **Perissomastix (s.str.) hirudinea (Meyrick,1928)** (Tineidae) Synonymy: hirudinea Meyrick,1928 Range (as code): **MA**
17445. **Perissomastix (s.str.) nigerica Gozmany,1967** (Tineidae) Synonymy: nigerica Gozmany,1967 Range (as code): **NG Lgo**
17446. **Perissomastix (s.str.) nigriceps W.Warren & Rothschild,1905** (Tineidae) Synonymy: nigriceps W.Warren & Rothschild,1905; intermedia G.Petersen,1961. Range (as code): **SD SA YE OM As EG JO**

17447. **Perissomastix (s.str.) othello (Meyrick,1907)** (Tineidae) Synonymy: othello Meyrick,1907 Range (as code): **IN LK ET**
17448. **Perissomastix (s.str.) pantsa Gozmany,1967** (Tineidae) Synonymy: pantsa Gozmany,1967 Range (as code): **BI**
17449. **Perissomastix (s.str.) pauliani Gozmany,1970** (Tineidae) Synonymy: pauliani Gozmany,1970 Range (as code): **MG**
17450. **Perissomastix (s.str.) perdita Gozmany,1965** (Tineidae) Synonymy: perdita Gozmany,1965 Range (as code): **SD Ksl ET SA As**
17451. **Perissomastix (s.str.) ruwenzorica Gozmany & Vari,1973** (Tineidae) Synonymy: ruwenzorica Gozmany & Vari,1973 Range (as code): **UG Rz**
17452. **Perissomastix (s.str.) stibarodes (Meyrick,1908)** (Tineidae) Synonymy: stibarodes Meyrick,1908 Range (as code): **SL NG GH**
17453. **Perissomastix (s.str.) szunyoghyi Gozmany,1969** (Tineidae) Synonymy: szunyoghyi Gozmany,1969 Range (as code): **TZ**
17454. **Perissomastix (s.str.) taeniaecornis (Walsingham,1896)** (Tineidae) Synonymy: taeniaecornis Walsingham,1896; aegyptiella Rebel,1914. Range (as code): **YE Ad EG EG39 SA ET As SD IQ Brs**
17455. **Perissomastix (s.str.) topaz Gozmany,1967** (Tineidae) Synonymy: topaz Gozmany,1967 Range (as code): **TZ**
17456. **Perissomastix (s.str.) zernyi (G.Petersen,1957)** (Tineidae) Synonymy: zernyi G.Petersen,1957 Range (as code): **MA**
17457. **Phaeoses lithacma (Meyrick,1921)** (Tineidae) Synonymy: lithacma Meyrick,1921 Range (as code): **ZW Vf**
17458. **Phaeoses pileigera (Meyrick,1913)** (Tineidae) Synonymy: pileigera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17459. **Phalloscardia semiumbrata (Meyrick,1920)** (Tineidae) Synonymy: semiumbrata Meyrick,1920 Range (as code): **KE Nai UG Rz NG Lgo SL**
17460. **Phereoeca barysticta (Meyrick,1927)** (Tineidae) Synonymy: barysticta Meyrick,1927 Range (as code): **UG**
17461. **Phereoeca postulata Gozmany,1967** (Tineidae) Synonymy: postulata Gozmany,1967 Range (as code): **ZR CF**
17462. **Phereoeca praecox Gozmany & Vari,1973** (Tineidae) Synonymy: praecox Gozmany & Vari,1973 Range (as code): **SL NG Caa GH GM**
17463. **Phereoeca proletaria (Meyrick,1921)** (Tineidae) Synonymy: proletaria Meyrick,1921 Range (as code): **SL NG GH GM**
17464. **Phthoropoea halogramma (Meyrick,1927)** (Tineidae) Synonymy: halogramma Meyrick,1927 Range (as code): **SO**
17465. **Phthoropoea oenochares (Meyrick,1920)** (Tineidae) Synonymy: oenochares Meyrick,1920 Range (as code): **ZA NG GH ZR UG KE**
17466. **Phthoropoea pycnosaris (Meyrick,1932)** (Tineidae) Synonymy: pycnosaris Meyrick,1932; coniographa Meyrick,1936 Range (as code): **UG TZ**
17467. **Phyciodyta neritis Meyrick,1918** (Tineidae) Synonymy: neritis Meyrick,1918 Range (as code): **ZA Ec Stj**
17468. **Pitharcha atrisecta Meyrick,1918** (Tineidae) Synonymy: atrisecta Meyrick,1918 Range (as code): **MZ Blv**
17469. **Pitharcha chalinaea Meyrick,1908** (Tineidae) Synonymy: chalinaea Meyrick,1908 Range (as code): **SL NG TZ ZA**
17470. **Pitharcha fasciata (Ghesquière,1940)** (Tineidae) Synonymy: fasciata Ghesquière,1940 Range (as code): **ZA**
17471. **Pringleophaga crozetensis Enderlein,1905** (Tineidae) Synonymy: crozetensis Enderlein,1905 Range (as code): **ZA**
17472. **Pringleophaga kerguelensis Enderlein,1905** (Tineidae) Synonymy: kerguelensis Enderlein,1905; nigritarsis Enderlein,1905 Range (as code): **ZA**
17473. **Pringleophaga marioni Viette,1968** (Tineidae) Synonymy: marioni Viette,1968 Range (as code): **ZA**
17474. **Probatostola ochromalla Meyrick,1926** (Tineidae) Synonymy: ochromalla Meyrick,1926 Range (as code): **ZA**
17475. **Propachyarthra convallata (Meyrick,1918)** (Tineidae) Synonymy: convallata Meyrick,1918 Range (as code): **ZA Tva Mdt**

17476. **Propachyarthra euzona Gozmany,2004** (Tineidae) Synonymy: euzona Gozmany,2004 Range (as code): **NA Dmr Bnd**
17477. **Propachyarthra meyi Gozmany,2004** (Tineidae) Synonymy: meyi Gozmany,2004 Range (as code): **NA Dmr Bnd**
17478. **Protaphreutis antipyla Meyrick,1930** (Tineidae) Synonymy: antipyla Meyrick,1930 Range (as code): **MU**
17479. **Protaphreutis borboniella (Boisduval,1833)** (Tineidae) Synonymy: borboniella Boisduval,1833; acquisitella Walker,1863; trancarti Guillermet,2009 Range (as code): **MU RE MG**
17480. **Protaphreutis brasmatias Meyrick,1930** (Tineidae) Synonymy: brasmatias Meyrick,1930 Range (as code): **MU**
17481. **Protaphreutis cubitalis (Meyrick,1910)** (Tineidae) Synonymy: cubitalis Meyrick,1910 Range (as code): **MU**
17482. **Protaphreutis leucopsamma Meyrick,1930** (Tineidae) Synonymy: leucopsamma Meyrick,1930 Range (as code): **MU**
17483. **Protaphreutis sauroderma Meyrick,1930** (Tineidae) Synonymy: sauroderma Meyrick,1930 Range (as code): **MU**
17484. **Proterospastis antiphracta (Meyrick,1909)** (Tineidae) Synonymy: antiphracta Meyrick,1909; psacadias Meyrick,1911 Range (as code): **ZA Ec Cto Tva Wo Hae**
17485. **Proterospastis barystacta Meyrick,1937** (Tineidae) Synonymy: barystacta Meyrick,1937 Range (as code): **ZA Nta Kzu Kkf Nha Esw**
17486. **Proterospastis brandbergica Gozmany,2004** (Tineidae) Synonymy: brandbergica Gozmany,2004 Range (as code): **NA Dmr Bnd**
17487. **Proterospastis craurota (Meyrick,1920)** (Tineidae) Synonymy: craurota Meyrick,1920 Range (as code): **ZA Ec Cto**
17488. **Proterospastis ellipticella (Chrétien,1915)** (Tineidae) Synonymy: ellipticella Chrétien,1915 Range (as code): **TN Gf**
17489. **Proterospastis homestia (Meyrick,1908)** (Tineidae) Synonymy: homestia Meyrick,1908 Range (as code): **ZA Tva Lpo Hae Gau Pre**
17490. **Proterospastis megaspila (Meyrick,1913)** (Tineidae) Synonymy: megaspila Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17491. **Proterospastis merdella (Zeller,1852)** (Tineidae) Synonymy: merdella Zeller,1852; autochthones Walsingham,1907; siccanella Chrétien,1915; palaestinella Amsel,1935. Range (as code): **Cn DZ Ktr Bsk ES Si MT YU HV Cr GR Ae Sms TR IL Pa Jer JO 34**
17492. **Proterospastis platyphallos Gozmany,2004** (Tineidae) Synonymy: platyphallos Gozmany,2004 Range (as code): **NA Dmr Bnd**
17493. **Proterospastis taeniala (Gozmany,1968)** (Tineidae) Synonymy: taeniala Gozmany,1968 Range (as code): **ZA Nta Kzu Est**
17494. **Proterospastis trilinguis (Meyrick,1920)** (Tineidae) Synonymy: trilinguis Meyrick,1920 Range (as code): **ZA Ec**
17495. **Proterospastis zebra (Walsingham,1891)** (Tineidae) Synonymy: zebra Walsingham,1891 Range (as code): **ZA Ec Grh Emt**
17496. **Prothinodes arvicola Meyrick,1924** (Tineidae) Synonymy: arvicola Meyrick,1924 Range (as code): **ZA**
17497. **Reisserita chrysopterella (Herrich-Schäffer,[1854])** (Tineidae) Synonymy: chrysopterella Herrich-Schäffer,[1854]; vitellinella Staudinger,1859 Range (as code): **MA PT ES TR LB Bsa 31 33**
17498. **Reisserita luteoptera G.Petersen,1957** (Tineidae) Synonymy: luteoptera G.Petersen,1957 Range (as code): **MA**
17499. **Rhodobates algiricellus (Rebel,1901)** (Tineidae) Synonymy: algiricellus Rebel,1901; chneouri Lucas,1942; mauretanicus G.Petersen,1958 Range (as code): **MA DZ TN LY Cy EG**
17500. **Rhodobates canariensis Petersen & Gaedike,1979** (Tineidae) Synonymy: canariensis Petersen & Gaedike,1979 Range (as code): **Cn**
17501. **Rhodobates friedeli G.Petersen,1987** (Tineidae) Synonymy: friedeli G.Petersen,1987 Range (as code): **MA ES**
17502. **Rhodobates paracosma (Meyrick,1908)** (Tineidae) Synonymy: paracosma Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
17503. **Rhodobates pinkeri Petersen,1987** (Tineidae) Synonymy: pinkeri Petersen,1987; gomerae Petersen,1987 [ssp.] Range (as code): **Cn**

17504. **Rhodobates unicolor (Staudinger,1871)** (Tineidae) Synonymy: unicolor Staudinger,1871; tibulella Rebel,1936. Range (as code): **ES FR Co Sa Si IT MT GR Cr TN LY**

17505. **Scalmatica ascendens Gozmany,1966** (Tineidae) Synonymy: ascendens Gozmany,1966 Range (as code): **UG Rz**

17506. **Scalmatica phaulocentra (Meyrick,1921)** (Tineidae) Synonymy: phaulocentra Meyrick,1921 Range (as code): **MZ**

17507. **Scalmatica separata Gozmany,1965** (Tineidae) Synonymy: separata Gozmany,1965 Range (as code): **ET Snnp Gm**

17508. **Scalmatica zernyi Gozmany,1967** (Tineidae) Synonymy: zernyi Gozmany,1967 Range (as code): **TZ UG ZR Lbu**

17509. **Setomorpha rutella Zeller,1852** (Tineidae) Synonymy: rutella Zeller,1852; rupicella Zeller,1852; inamaoenella Zeller,1873; operosella Zeller,1873; ruderella Zeller,1873; clemensella Chambers,1874; multimaculella Chambers,1878; dryas Butler,1881; corticinella Snellen,1885; discipunctella Rebel,1894; fractiliniella Dietz,1905; majorella Dietz,1905; sigmoidella Dietz,1905; transversestrigella Dietz,1905; margalaestrigata Keuchenius,1917; euryspoda Lower,1918; tineoides Dammermann,1919; contestata Meyrick,1922; nitella Voute,1935 Range (as code): **ZA RE MU SC SL ZR CF IN**

17510. **Setomorpha tessellatella (Blanchard,1852)** (Tineidae) Synonymy: tessellatella Blanchard,1852; variegella Blanchard,1852; bogotatella Walker,1864; cruciferella Dietz,1905; ehrhornella Dietz,1905; simulella Dietz,1905; calcularis Meyrick,1906 Range (as code): **ZA Ec Nta Kzu**

17511. **Silosca hypsocola Gozmany,1968** (Tineidae) Synonymy: hypsocola Gozmany,1968 Range (as code): **UG Rz**

17512. **Silosca licziae Gozmany,1967** (Tineidae) Synonymy: licziae Gozmany,1967 Range (as code): **ZR UG CI GH SL**

17513. **Silosca mariae Gozmany,1965** (Tineidae) Synonymy: mariae Gozmany,1965 Range (as code): **ET TZ Mru**

17514. **Silosca savannae Gozmany,1968** (Tineidae) Synonymy: savannae Gozmany,1968 Range (as code): **ZW Uma UG**

17515. **Silosca somnis Gozmany,1967** (Tineidae) Synonymy: somnis Gozmany,1967 Range (as code): **ZR Lbu**

17516. **Silosca superba Gozmany,1967** (Tineidae) Synonymy: superba Gozmany,1967 Range (as code): **ZR Lbu**

17517. **Stemagoris asylaea Meyrick,1911** (Tineidae) Synonymy: asylaea Meyrick,1911 Range (as code): **ZA Lpo Tva Hae**

17518. **Stenoptinea cyaneimarmorella (Millière,1854)** (Tineidae) Synonymy: cyaneimarmorella Millière,1854; angustipennis Herrich-Schäffer,1854; angustipennis Staudinger,1871 nec H.-S.,1854 Range (as code): **Cn DZ TN PT ES FR Sa IT GB NL DE CH AT PL CZ SK HU RO YU GR DK NO SE FI LV LT RU Us MD UA BY LB IR Gls**

17519. **Strophalinga glycinocoma (Meyrick,1932)** (Tineidae) Synonymy: glycinocoma Meyrick,1932 Range (as code): **ET ET88 Sw**

17520. **Struthisca agitata Meyrick,1913** (Tineidae) Synonymy: agitata Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Wv**

17521. **Struthisca areata Meyrick,1908** (Tineidae) Synonymy: areata Meyrick,1908 Range (as code): **ZA Tva Lpo Pie**

17522. **Struthisca hormotris Meyrick,1908** (Tineidae) Synonymy: hormotris Meyrick,1908 Range (as code): **ZA TZ**

17523. **Struthisca omichlodes Meyrick,1908** (Tineidae) Synonymy: omichlodes Meyrick,1908 Range (as code): **ZA Tva Gau Pre**

17524. **Tenaga nigripunctella (Haworth,[1828])** (Tineidae) Synonymy: nigripunctella Haworth,[1828]; pomiliella Clemens,1862; moeniella Rössler,1877; linobola eyrick,1893; sesquitertia Meyrick,1909 Range (as code): **MA PT ES FR IT GB NL CH AT HV GR RU MD UA Cc GG ZA Cto Ec**

17525. **Tetracladessa chalcoxesta (Meyrick,1920)** (Tineidae) Synonymy: chalcoxesta Meyrick,1920 Range (as code): **ZA Ec**

17526. **Theatrochora cosmophanes Meyrick,1921** (Tineidae) Synonymy: cosmophanes Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**

17527. **Tinea allomella Bradley,1965** (Tineidae) Synonymy: allomella Bradley,1965 Range (as code): **UG Rz**

17528. **Tinea amphitrite Meyrick,1932** (Tineidae) Synonymy: amphitrite Meyrick,1932 Range (as code): **UG Rz**

17529. **Tinea atomosella Walker,1863** (Tineidae) Synonymy: atomosella Walker,1863 Range (as code): **SL GM**

17530. **Tinea basifasciella Ragonot,1895** (Tineidae) Synonymy: basifasciella Ragonot,1895; punctigera Walsingham,1907; nitentella Chrétien,1908; palaestinensis Amsel,1955; #basifacsiella Gaedike,2011 Range (as code): **MA DZ Cst Hes TN Gf LY PT ES FR Co Sa Si IT MT YU AL GR BG IL Pa Js TR IR 05**

17531. **Tinea dubiella Stainton,1859** (Tineidae) Synonymy: dubiella Stainton,1857; turicensis Müller-Rutz,1920; tenerifi Zagulyaev,1960; bispinella Zagulyaev,1960 Range (as code): **Md Cn DZ ES FR Si IT IE GB NL DE CH CZ HU RO HV YU BG Cc GG DK SE RU MD UA BY ZA SI SH AU NZ US**

17532. **Tinea encausta Meyrick,1911** (Tineidae) Synonymy: encausta Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**

17533. **Tinea melancholica Gozmany,1967** (Tineidae) Synonymy: melancholica Gozmany,1967 Range (as code): **NA**

17534. **Tinea messalina G.S.Robinson,1979** (Tineidae) Synonymy: messalina G.S.Robinson,1979 Range (as code): **Cn DZ PT IT GR YE**

17535. **Tinea murariella Staudinger,1859** (Tineidae) Synonymy: murariella Staudinger,1859; bipunctella Ragonot,1874. Range (as code): **Cn Md Az DZ MA EG PT ES FR IT MT GB CH RO YU GR TR SA YE SD VE AR BR 42**

17536. **Tinea nesiastis (Meyrick,1911)** (Tineidae) Synonymy: nesiastis Meyrick,1911 Range (as code): **ZA Tva Gau Pre TZ Mru**

17537. **Tinea pellionella Linnaeus,1758** (Tineidae) Synonymy: pellionella Linnaeus,1758; zoolegella Scopoli,1763; albella Costa,[1836] nec Thunb.,1788; demiurga Meyrick,1920; gerasimovi Zagulyaev,1978. Range (as code): **DZ Agi ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn BG GR Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY ZA YE IN Ass SI CA US NZ NO SE MN CN Ui AU 05 16 46 48 76**

17538. **Tinea pentametra Meyrick,1921** (Tineidae) Synonymy: pentametra Meyrick,1921 Range (as code): **ZA Nta Kzu Nha**

17539. **Tinea roesleri Gozmany,1969** (Tineidae) Synonymy: roesleri Gozmany,1969 Range (as code): **NA**

17540. **Tinea spilocoma Meyrick,1920** (Tineidae) Synonymy: spilocoma Meyrick,1920 Range (as code): **ZA Ec**

17541. **Tinea spinizona Gozmany,1968** (Tineidae) Synonymy: spinizona Gozmany,1968 Range (as code): **ZA Tva Gau Pre**

17542. **Tinea sporoptera Gozmany,1968** (Tineidae) Synonymy: sporoptera Gozmany,1968 Range (as code): **MW**

17543. **Tinea squalida Gozmany,1968** (Tineidae) Synonymy: squalida Gozmany,1968 Range (as code): **ZA Nta Kzu Kkf**

17544. **Tinea subalbidella Stainton,1867** (Tineidae) Synonymy: subalbidella Stainton,1867; liberiella Zeller,1879; excavata Meyrick,1914; frugivora Meyrick,1917; insectivora Meyrick,1932; arcanella Zagulyaev,1960 Range (as code): **IL Pa Js PK Krc IN MM TH ZA**

17545. **Tinea taedia Gozmany,1968** (Tineidae) Synonymy: taedia Gozmany,1968 Range (as code): **GM**

17546. **Tinea translucens Meyrick,1917** (Tineidae) Synonymy: translucens Meyrick,1917; metonella Pierce & Metcalfe,1934; leonhardi G.Petersen,1957; margaritacea Gozmany,1967; fortificata Gozmany,1968 Range (as code): **ES FR Sa Si IT IE GB DE AT CZ SK HU RO YU AL GR Cr TR Cc IR Fa Shr SY TN EG PK Nwf Pes DK LV LT RU BY IN Ch LK NP JP TM AF Hr GM GA ZA Tva Gau Pre ZW ZR Lbu US CL 34**

17547. **Tinemelitta ceriaula (Meyrick,1914)** (Tineidae) Synonymy: ceriaula Meyrick,1914 Range (as code): **NG Iba UG Kmp**

17548. **Tineola bisselliella (Hummel,1823)** (Tineidae) Synonymy: flavifrontella Thunberg,1794 nec [Denis & Schiff.],1775; bisselliella Hummel,1823; crinella Sodoffsky,1830; destructor Stephens,1834; lanariella Clemens,1859; furciferella Zagulyaev,1954; anaphecola Gozmany,1967 Range (as code): **ES FR Co IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL LB DK NO SE FI EE LV LT RU MD UA BY ZW Har ZA CG 46**

17549. **Tineomigma transiens Gozmany,2004** (Tineidae) Synonymy: transiens Gozmany,2004 Range (as code): **NA Dmr Bnd**

17550. **Tinissa poliophasma Bradley,1965** (Tineidae) Synonymy: poliophasma Bradley,1965 Range (as code): **UG Rz**

17551. **Tinissa polystacta (Meyrick,1918)** (Tineidae) Synonymy: polystacta Meyrick,1918; perilithas Meyrick,1927 Range (as code): **ZA Tva Nha Nta Kzu Wo**

17552. **Tinissa ruwenzorica Gozmany,1966** (Tineidae) Synonymy: ruwenzorica Gozmany,1966 Range (as code): **UG Rz**

17553. **Tinissa spaniastra Meyrick,1932** (Tineidae) Synonymy: spaniastra Meyrick,1932 Range (as code): **ET ET88 Sw TZ Mru**

17554. **Tiquadra cultrifera Meyrick,1914** (Tineidae) Synonymy: cultrifera Meyrick,1914 Range (as code): **BJ ZR GH**

17555. **Tiquadra etiennei Viette,1988** (Tineidae) Synonymy: etiennei Viette,1988 Range (as code): **RE**

17556. **Tiquadra goochii Walsingham,1881** (Tineidae) Synonymy: goochii Walsingham,1881; #goochi Gozmany,1968 Range (as code): **ZA KM GH ZR**

17557. **Tiquadra guillermeti Viette,1988** (Tineidae) Synonymy: guillermeti Viette,1988 Range (as code): **RE**

17558. **Tiquadra lichenea Walsingham,1897** (Tineidae) Synonymy: lichenea Walsingham,1897 Range (as code): **ZA UG TZ KE CG**

17559. **Tiquadra ochreata Gozmany,1967** (Tineidae) Synonymy: ochreata Gozmany,1967 Range (as code): **ZR**
17560. **Tiquadra seraphinei Guillermet,2009** (Tineidae) Synonymy: seraphinei Guillermet,2009 Range (as code): **RE**
17561. **Tiquadra trancarti Guillermet,2010** (Tineidae) Synonymy: trancarti Guillermet,2010 Range (as code): **RE**
17562. **Tracheloteina arctocephala (Meyrick,1909)** (Tineidae) Synonymy: arctocephala Meyrick,1909 Range (as code): **ZA**
17563. **Tracheloteina bilobata Gozmany,1968** (Tineidae) Synonymy: bilobata Gozmany,1968 Range (as code): **ZA**
17564. **Tracheloteina farraginella (Zeller,1852)** (Tineidae) Synonymy: farraginella Zeller,1852 Range (as code): **ZA**
17565. **Tracheloteina ordinata (Meyrick,1921)** (Tineidae) Synonymy: ordinata Meyrick,1921 Range (as code): **ZA**
17566. **Tracheloteina peloplaca (Meyrick,1917)** (Tineidae) Synonymy: peloplaca Meyrick,1917 Range (as code): **ZA**
17567. **Tracheloteina percastis (Meyrick,1908)** (Tineidae) Synonymy: percastis Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
17568. **Tracheloteina spinipenis Gozmany,1968** (Tineidae) Synonymy: spinipenis Gozmany,1968 Range (as code): **ZA**
17569. **Tracheloteina suspiciosa (Meyrick,1912)** (Tineidae) Synonymy: suspiciosa Meyrick,1912; favens Meyrick,1917 (p.p.) Range (as code): **ZA**
17570. **Tracheloteina virgo Gozmany,1967** (Tineidae) Synonymy: virgo Gozmany,1967 Range (as code): **ZA**
17571. **Transmixta fortuita (Meyrick,1920)** (Tineidae) Synonymy: fortuita Meyrick,1920 Range (as code): **ZA Ec**
17572. **Trichophaga bipartitella (Ragonot,1892)** (Tineidae) Synonymy: abruptella Wollaston,1858 (praeocc.); bipartitella Ragonot,1892; desertella Mabille,1907; amina Meyrick,1925 Range (as code): **MA Cn DZ Ajj TN Gab PT ES Mu FR Sa IT MT RO YU BG GR Cr TR RU TM IR Hz Ss Bu Kz Ke Jrf Ahz SA IQ Bgd IL Pa Hf AE YE EG BH SD**
17573. **Trichophaga cuspidata Gozmany,1967** (Tineidae) Synonymy: cuspidata Gozmany,1967 Range (as code): **NA SA ZA Ec TZ**
17574. **Trichophaga mormopis Meyrick,1935** (Tineidae) Synonymy: mormopis Meyrick,1935; percna Corbet & Tams,1943 Range (as code): **ZR Lbu TZ Mru GM SC IN LK MY TW FJ Hw**
17575. **Trichophaga tapetzella (Linnaeus,1758)** (Tineidae) Synonymy: tapetzella Linnaeus,1758; pulchella Fabricius,1794; pulchana Fabricius,1798; #tapezana Fabricius,1798; #tapetiella Zeller,1839; palaestrica Butler,1877 Range (as code): **PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Gor Gls TM Krn DK NO SE FI EE LV RU MD UA BY ZA SA 05 16 31**
17576. **Wegneria acervalis (Meyrick,1914)** (Tineidae) Synonymy: acervalis Meyrick,1914 Range (as code): **MW**
17577. **Wegneria astragalodes (Meyrick,1922)** (Tineidae) Synonymy: astragalodes Meyrick,1922 Range (as code): **UG**
17578. **Wegneria chrysophthalma (Meyrick,1934)** (Tineidae) Synonymy: chrysophthalma Meyrick,1934 Range (as code): **UG**
17579. **Wegneria panchalcella (Staudinger,1871)** (Tineidae) Synonymy: panchalcella Staudinger,1871 Range (as code): **Cn Si HU RU Sr Da Der DZ Bsk TN Gf MK GR BG UA TR Cc AZ Len 65 76**
17580. **Wegneria scaeozona (Meyrick,1920)** (Tineidae) Synonymy: scaeozona Meyrick,1920 Range (as code): **KE**
17581. **Wegneria speciosa (Meyrick,1914)** (Tineidae) Synonymy: speciosa Meyrick,1914 Range (as code): **NG ZA**
17582. **Wegneria villiersi (Viette,1955)** (Tineidae) Synonymy: villiersi Viette,1955 Range (as code): **GN**
17583. **Xerantica tephroclysta Meyrick,1930** (Tineidae) Synonymy: tephroclysta Meyrick,1930; trichophagoides Zerny,1935 Range (as code): **UG NG MA**

Tischeriidae

17584. **Coptotriche basipectinella Puplesis & Diskus,2003** (Tischeriidae) Synonymy: basipectinella Puplesis & Diskus,2003 Range (as code): **ZA Gau Tva Pre ZW**
17585. **Coptotriche berberella (De Prins,1984)** (Tischeriidae) Synonymy: berberella De Prins,1984 Range (as code): **PT ES MA TN**
17586. **Coptotriche heinemanni (Wocke,1871)** (Tischeriidae) Synonymy: heinemanni Wocke,1871 Range (as code): **TN DE FR IT GB NL BE DE AT PL CZ SK HU RO NO SE FI EE LV RU MD UA BY KR JP**
17587. **Coptotriche longiciliella (Rebel,1896)** (Tischeriidae) Synonymy: longiciliella Rebel,1896 Range (as code): **Cn**
17588. **Coptotriche marginea (Haworth,[1828])** (Tischeriidae) Synonymy: marginea Haworth,[1828] Range (as code): **MA TM PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR DK SE FI LT RU MD UA BY 16 48**
17589. **Coptotriche tantalella (Walsingham,1907)** (Tischeriidae) Synonymy: tantalella Walsingham,1907 Range (as code): **Cn**
17590. **Coptotriche zimbabwiensis Puplesis & Diskus,2003** (Tischeriidae) Synonymy: zimbabwiensis Puplesis & Diskus,2003 Range (as code): **ZW**
17591. **Tischeria antilope Puplesis, Diskus & Mey,2003** (Tischeriidae) Synonymy: antilope Puplesis, Diskus & Mey,2003 Range (as code): **NA**
17592. **Tischeria ekebladoides Puplesis & Diskus,2003** (Tischeriidae) Synonymy: ekebladoides Puplesis & Diskus,2003 Range (as code): **PT ES TN**
17593. **Tischeria martinkruegeri Puplesis & Diskus,2003** (Tischeriidae) Synonymy: martinkruegeri Puplesis & Diskus,2003 Range (as code): **ZA Tva Mpu**
17594. **Tischeria sparmanniae Puplesis & Diskus,2003** (Tischeriidae) Synonymy: sparmanniae Puplesis & Diskus,2003 Range (as code): **ZA ZW NA**
17595. **Tischeria urticicolella (Ghesquière,1940)** (Tischeriidae) Synonymy: urticicolella Ghesquière,1940 Range (as code): **ZR**
17596. **Tischeria zestica Meyrick,1911** (Tischeriidae) Synonymy: zestica Meyrick,1911 Range (as code): **ZA Tva Gau Pre**

Tortricidae

17597. **"Argyroploce" brevisecta Meyrick,1930** (Tortricidae) Synonymy: brevisecta Meyrick,1930 Range (as code): **NG**
17598. **"Argyroploce" decidua Meyrick,1934** (Tortricidae) Synonymy: decidua Meyrick,1934 Range (as code): **ST**
17599. **"Argyroploce" gutturalis Meyrick,1934** (Tortricidae) Synonymy: gutturalis Meyrick,1934 Range (as code): **ST**
17600. **"Argyroploce" hormoterma Meyrick,1938** (Tortricidae) Synonymy: hormoterma Meyrick,1938 Range (as code): **ZR**
17601. **"Argyroploce" metaplecta Meyrick,1920** (Tortricidae) Synonymy: metaplecta Meyrick,1920 Range (as code): **TZ Kmj**
17602. **"Argyroploce" nephelopsycha Meyrick,1934** (Tortricidae) Synonymy: nephelopsycha Meyrick,1934 Range (as code): **UG Rz**
17603. **"Argyroploce" nephelopyrga Meyrick,1938** (Tortricidae) Synonymy: nephelopyrga Meyrick,1938 Range (as code): **ZR**
17604. **"Argyroploce" perchnochlaena Meyrick,1938** (Tortricidae) Synonymy: perchnochlaena Meyrick,1938 Range (as code): **ZR**
17605. **"Argyroploce" phyllodoxa Meyrick,1932** (Tortricidae) Synonymy: phyllodoxa Meyrick,1932 Range (as code): **UG Rz**
17606. **"Argyroploce" symmictopa Meyrick,1930** (Tortricidae) Synonymy: symmictopa Meyrick,1930 Range (as code): **MU**
17607. **"Argyroploce" thermoptera Meyrick,1930** (Tortricidae) Synonymy: thermoptera Meyrick,1930 Range (as code): **CM**
17608. **"Argyroploce" vinculigera Meyrick,1939** (Tortricidae) Synonymy: vinculigera Meyrick,1939 Range (as code): **UG**
17609. **"Cnephasia" captiva Meyrick,1911** (Tortricidae) Synonymy: captiva Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**

17610. **"Cnephasia" catastrepta Meyrick,1926** (Tortricidae) Synonymy: catastrepta Meyrick,1926 Range (as code): **ZA**
17611. **"Cnephasia" cedrota (Meyrick,1908)** (Tortricidae) Synonymy: cedrota Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
17612. **"Cnephasia" chlorocrossa Meyrick,1926** (Tortricidae) Synonymy: chlorocrossa Meyrick,1926 Range (as code): **ZA**
17613. **"Cnephasia" designata Meyrick,1921** (Tortricidae) Synonymy: designata Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
17614. **"Cnephasia" ergastularis Meyrick,1911** (Tortricidae) Synonymy: ergastularis Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**
17615. **"Cnephasia" finita Meyrick,1924** (Tortricidae) Synonymy: finita Meyrick,1924 Range (as code): **ZA**
17616. **"Cnephasia" flavisecta Meyrick,1918** (Tortricidae) Synonymy: flavisecta Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
17617. **"Cnephasia" incepta Meyrick,1912** (Tortricidae) Synonymy: incepta Meyrick,1912 Range (as code): **ZA**
17618. **"Cnephasia" macrostoma Meyrick,1920** (Tortricidae) Synonymy: macrostoma Meyrick,1920 Range (as code): **ZA Ec Wth**
17619. **"Cnephasia" olearis Meyrick,1912** (Tortricidae) Synonymy: olearis Meyrick,1912 Range (as code): **ZA**
17620. **"Cnephasia" opsarias Meyrick,1911** (Tortricidae) Synonymy: opsarias Meyrick,1911 Range (as code): **ZA Tva Gau Pre Wo**
17621. **"Cnephasia" pachydesma Meyrick,1918** (Tortricidae) Synonymy: pachydesma Meyrick,1918 Range (as code): **ZA Nta Kzu**
17622. **"Cnephasia" phalarocosma Meyrick,1937** (Tortricidae) Synonymy: phalarocosma Meyrick,1937 Range (as code): **ZA**
17623. **"Cnephasia" temulenta Meyrick,1912** (Tortricidae) Synonymy: temulenta Meyrick,1912 Range (as code): **ZA**
17624. **"Cnephasia" tigrina (Walsingham,1891)** (Tortricidae) Synonymy: tigrina Walsingham,1891 Range (as code): **ZA**
17625. **"Grapholitha" atrana Mabille,1900** (Tortricidae) Synonymy: atrana Mabille,1900; socratica Meyrick,1930 Range (as code): **MG MU**
17626. **"Olethreutes" orestera Bradley,1965** (Tortricidae) Synonymy: orestera Bradley,1965 Range (as code): **UG Rz**
17627. **"Sericoris" apicipunctana Walsingham,1891** (Tortricidae) Synonymy: apicipunctana Walsingham,1891 Range (as code): **GM**
17628. **"Syndemis" saburrana Zeller,1852** (Tortricidae) Synonymy: saburrana Zeller,1852 Range (as code): **ZA**
17629. **"Trachybyrsis" chionochlaena Meyrick,1932** (Tortricidae) Synonymy: chionochlaena Meyrick,1932 Range (as code): **ET ET70**
17630. **Acanthoclita chromataspis (Meyrick,1913)** (Tortricidae) Synonymy: chromataspis Meyrick,1913 Range (as code): **ZW Uma**
17631. **Acanthoclita pectinata (Diakonoff,1988)** (Tortricidae) Synonymy: pectinata Diakonoff,1988 Range (as code): **MG**
17632. **Acanthoclita phaulomorpha (Meyrick,1927)** (Tortricidae) Synonymy: phaulomorpha Meyrick,1927 Range (as code): **EG EG31**
17633. **Acanthoclita psimythistes (Diakonoff,1988)** (Tortricidae) Synonymy: psimythistes Diakonoff,1988 Range (as code): **MG**
17634. **Accra erythrocyma (Meyrick,1930)** (Tortricidae) Synonymy: erythrocyma Meyrick,1930 Range (as code): **CM**
17635. **Accra ornata Razowski,1966** (Tortricidae) Synonymy: ornata Razowski,1966 Range (as code): **GA Ogo**
17636. **Accra plumbeana Razowski,1966** (Tortricidae) Synonymy: plumbeana Razowski,1966 Range (as code): **KE Kky**
17637. **Accra rubicunda Razowski,1966** (Tortricidae) Synonymy: Accra rubicunda Razowski,1966 Range (as code): **ZR**

17638. **Accra rubrothicta Razowski,1986** (Tortricidae) Synonymy: rubrothicta Razowski,1986 Range (as code): **NG**
17639. **Accra tanzanica Razowski,1990** (Tortricidae) Synonymy: tanzanica Razowski,1990 Range (as code): **TZ Tnga Usa**
17640. **Accra venatrix (Meyrick,1930)** (Tortricidae) Synonymy: venatrix Meyrick,1930 Range (as code): **CM**
17641. **Accra viridis (Walsingham,1891)** (Tortricidae) Synonymy: viridis Walsingham,1891 Range (as code): **GH Acc**
17642. **Accra witteae Razowski,1964** (Tortricidae) Synonymy: witteae Razowski,1964; wittei Razowski,1966 Range (as code): **ZR**
17643. **Acleris bacurana (Turati,1934)** (Tortricidae) Synonymy: bacurana Turati,1934 Range (as code): **LY Cy**
17644. **Acleris baleana Razowski & Trematerra,2010** (Tortricidae) Synonymy: baleana Razowski & Trematerra,2010 Range (as code): **ET Ble**
17645. **Acleris chloroma Razowski,1993** (Tortricidae) Synonymy: chloroma Razowski,1993 Range (as code): **UG**
17646. **Acleris harenna Razowski & Trematerra,2010** (Tortricidae) Synonymy: harenna Razowski & Trematerra,2010 Range (as code): **ET Ble**
17647. **Acleris hectaea (Meyrick,1911)** (Tortricidae) Synonymy: hectaea Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
17648. **Acleris kinangopana Razowski,1964** (Tortricidae) Synonymy: kinangopana Razowski,1964 Range (as code): **KE**
17649. **Acleris undulana (Walsingham,1900)** (Tortricidae) Synonymy: undulana Walsingham,1900; coprana Walsingham,1900; aphorista Meyrick,1923; subcoprana Obraztsov,1956 Range (as code): **MA CY SY Hal TR RU At 07 46**
17650. **Acleris variegana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonymy: variegana [Denis & Schiffermüller],1775; asperana Fabricius,1777; osbeckiana Thunberg,1784; nyctemerana Hübner,[1817]; blandiana Charpentier,1821; blandana Hübner,[1825]; cirrana Curtis,1835; albana Humpreys & Westwood,1845; insignana Herrich-Schäffer, 1851. Range (as code): **MA Rbt DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cm Da LB Bsa IL Pa Js IQ Shq SY Ltk Hal Cc AM GG IR Es Dam Gls Mz Elb Kdj Th Kh KG Aa TrA T-S TM UZ Br US Cf CA BCo Org AZ Len 05 06 09 15 16 30 31 32 35 42 44 46 61 65**
17651. **Acroclita guanchana Walsingham,1907** (Tortricidae) Synonymy: guanchana Walsingham,1907 Range (as code): **Cn**
17652. **Acroclita klimeschi Diakonoff,1985** (Tortricidae) Synonymy: klimeschi Diakonoff,1985 Range (as code): **Cn**
17653. **Acroclita pertracta Diakonoff,1989** (Tortricidae) Synonymy: pertracta Diakonoff,1989 Range (as code): **MG**
17654. **Acroclita sonchana Walsingham,1907** (Tortricidae) Synonymy: sonchana Walsingham,1907 Range (as code): **Cn**
17655. **Acroclita subsequana (Herrich-Schäffer,1851)** (Tortricidae) Synonymy: subsequana Herrich-Schäffer,1851; hawkerana Stephens,1856; arctana Staudinger,1859; mulsantana Milliére,1860; littorana Constant,1865; convallensis Walsingham,1907 Range (as code): **Cn PT ES FR IT MT GB**
17656. **Acroclita trichocnemis Meyrick,1914** (Tortricidae) Synonymy: trichocnemis Meyrick,1914 Range (as code): **MW**
17657. **Actihema hemiacta (Meyrick,1920)** (Tortricidae) Synonymy: hemiacta Meyrick,1920 Range (as code): **KE**
17658. **Adoxophyes microptycha Diakonoff,1957** (Tortricidae) Synonymy: microptycha Diakonoff,1957 Range (as code): **RE**
17659. **Adoxophyes perangusta Diakonoff,1960** (Tortricidae) Synonymy: perangusta Diakonoff,1960 Range (as code): **MG**
17660. **Adoxophyes peritoma Meyrick,1918** (Tortricidae) Synonymy: peritoma Meyrick,1918 Range (as code): **MG**
17661. **Adoxophyes telesticta Meyrick,1930** (Tortricidae) Synonymy: telesticta Meyrick,1930 Range (as code): **MU**
17662. **Aemulatrix notognatha Diakonoff,1988** (Tortricidae) Synonymy: notognatha Diakonoff,1988 Range (as code): **MG**
17663. **Aethes bilbaensis (Rössler,1877)** (Tortricidae) Synonymy: bilbaensis Rössler,1877; loxopteroides Walsingham,1903; mediterranea Rebel,1906; #loxoperoides Chrétien,1917; reclusa Meyrick,1923. Range (as code):

MA DZ Lbs PT ES FR Co Sa Si IT MT AT CZ SK HU RO YU HV AL BG Vrn GR Cr TR UA Cm RU Sr IL Jf Pa LB Bsa Say AF Pnj IR Fa Gh Tgo Mz Clu Th TM Kp PK Qu Bl KG TrA Ket Aa DsA KK 03 05 06 33 46 71

17664. **Aethes conversana (Walsingham,1908)** (Tortricidae) Synonymy: conversana Walsingham,1908 Range (as code): **Cn ES IR Mz Clu**

17665. **Aethes deaurana (Peyerimhoff,1877)** (Tortricidae) Synonymy: deaurana Peyerimhoff,1877; fusciella Turati,1924. Range (as code): **DZ Phv LY Cy PT ES FR Sa IT MT YU TR 31**

17666. **Aethes elpidia Razowski,1983** (Tortricidae) Synonymy: elpidia Razowski,1983 Range (as code): **TN**

17667. **Aethes flagellana (Duponchel,1836)** (Tortricidae) Synonymy: ?eryngiella Vallot,1829; flagellana Duponchel,1836; helveticana Heyden,1865; eryngiana Heyden,1865; sardoa Amsel,1952. Range (as code): **MA DZ Anna Bsk ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB Bsa SY Dms LT RU Sr Wo MD UA BY IR Elb Mz Clu Th Kdv Fa Sse TM Kp 01 06 42 46 65**

17668. **Aethes francillana (Fabricius,1794)** (Tortricidae) Synonymy: francillana Fabricius,1794; francillonana Humprey & Westwood,1845; ferulae Müller-Rutz,1920. Range (as code): **Cn DZ MA PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Da Der Tt MD UA BY LB AF Pag Pm TJ KG DsA IR Elb Kdj Th TM Krn 01 05 06 16 33 42 45**

17669. **Aethes hoppei Blackstein & Karisch,2011** (Tortricidae) Synonymy: hoppei Blackstein & Karisch,2011 Range (as code): **TN**

17670. **Aethes margarotana (Duponchel,1836)** (Tortricidae) Synonymy: margarotana Duponchel,1836; maritimana Guenée,1845; parallelana Kennel,1913; edrisitana Chrétien,1922; paronyma Meyrick,1932. Range (as code): **MA DZ PT ES FR Si IT GB DE AT PL CZ SK HU RO YU AL GR Cr TR Cc AM Eri IL Pa SY Ltk IR Fa By Ke Es Ss 05 06 16 31 33 35 42 46 54 65 71**

17671. **Aethes mauritanica (Walsingham,1898)** (Tortricidae) Synonymy: mauritanica Walsingham,1898; #mauretanica Kennel,1910; cornelia Turati,1924; albella Amsel,1952. Range (as code): **MA Ess Tgr DZ Orn LY Cy ES Sa IT YU BG GR TR 06 13 34 41 47**

17672. **Aethes prefuscata (Meyrick,1925)** (Tortricidae) Synonymy: prefuscata Meyrick,1925 Range (as code): **EG EG11**

17673. **Aethes rubiginana (Walsingham,1903)** (Tortricidae) Synonymy: rubiginana Walsingham,1903 Range (as code): **ES IT Si MA DZ**

17674. **Aethes vicinana (Mann,1859)** (Tortricidae) Synonymy: vicinana Mann,1859; unicolor Bethune-Baker,1885; durantana Lucas,1942. Range (as code): **MA DZ Lbs Si TN HU**

17675. **Aethes williana (Brahm,1791)** (Tortricidae) Synonymy: williana Brahm,1791; cembrana Hübner,[1825]; zephyrana Treitschke,1830; dubrisana Curtis,1834; marmoratana Curtis,1834; luteolana Stephens,1834; virginana Guenée,1845; loriculana Guenée,1849; costignata Filipjev,1926. Range (as code): **DZ Cst Orn TN Gf PT ES FR Co Sa Si IT GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr TR RU St Ur Sb IR Gh MD UA BY LB IL TM MN 05 16 34 35 42 46**

17676. **Afrocostosa flaviapicella Aarvik,2004** (Tortricidae) Synonymy: flaviapicella Aarvik,2004 Range (as code): **TZ**

17677. **Afroploce ealana Aarvik,2004** (Tortricidae) Synonymy: ealana Aarvik,2004 Range (as code): **ZR**

17678. **Afroploce karsholti Aarvik,2004** (Tortricidae) Synonymy: karsholti Aarvik,2004 Range (as code): **TZ Tnga Usa**

17679. **Afroploce turiana Aarvik,2004** (Tortricidae) Synonymy: turiana Aarvik,2004 Range (as code): **KE**

17680. **Afrothreutes madoffei Aarvik,2004** (Tortricidae) Synonymy: madoffei Aarvik,2004 Range (as code): **TZ**

17681. **Agapeta translucidana (Turati,1934)** (Tortricidae) Synonymy: translucidana Turati,1934 Range (as code): **LY Cy**

17682. **Anaccra camerunica (Razowski,1966)** (Tortricidae) Synonymy: camerunica Razowski,1966 Range (as code): **CM**

17683. **Anaccra limitana (Razowski,1966)** (Tortricidae) Synonymy: limitana Razowski,1966 Range (as code): **CM**

17684. **Ancylis argenticiliana Walsingham,1897** (Tortricidae) Synonymy: argenticiliana Walsingham,1897 Range (as code): **ZR ZA NG**

17685. **Ancylis falsicoma Meyrick,1914** (Tortricidae) Synonymy: falsicoma Meyrick,1914 Range (as code): **ZA Nta Kzu Ptw Tva Gau Pre**

17686. **Ancylis halisparta Meyrick,1909** (Tortricidae) Synonymy: halisparta Meyrick,1909 Range (as code): **ZA Tva Lpo Spb Wmb**

17687. **Ancylis impatiens (Meyrick,1921)** (Tortricidae) Synonymy: impatiens Meyrick,1921 Range (as code): **MZ**

17688. **Ancylis natalana (Walsingham,1881)** (Tortricidae) Synonymy: natalana Walsingham,1881 Range (as code): **ZA Kzu Nta**
17689. **Ancylis rimosa Meyrick,1921** (Tortricidae) Synonymy: rimosa Meyrick,1921 Range (as code): **ZW Umv**
17690. **Ancylis sederana Chrétien,1915** (Tortricidae) Synonymy: sederana Chrétien,1915 Range (as code): **TN Gf DZ Bsk**
17691. **Ancylis spinicola Meyrick,1927** (Tortricidae) Synonymy: spinicola Meyrick,1927 Range (as code): **SO**
17692. **Anthozela chrysoxantha Meyrick,1913** (Tortricidae) Synonymy: chrysoxantha Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17693. **Aphelia (Zelotherses) peramplana (Hübner,[1825])** (Tortricidae) Synonymy: amplana Hübner,[1813] nec amplana Hübn.,[1799]; peramplana Hübner,[1825] Range (as code): **DZ MA TN PT ES Sa Si IT MT IR Gls GR Cr IQ Cc TR RU Sb**
17694. **Apotoforma algoana (R.Felder & Rogenhofer,1875)** (Tortricidae) Synonymy: algoana R.Felder & Rogenhofer,1875 Range (as code): **ZA Ec Grh Wca Nta Kzu**
17695. **Apotoforma cimelia (Diakonoff,1960)** (Tortricidae) Synonymy: cimelia Diakonoff,1960 Range (as code): **MG**
17696. **Apotoforma fustigera Razowski,1986** (Tortricidae) Synonymy: fustigera Razowski,1986 Range (as code): **NG**
17697. **Apotoforma rotundipennis (Walsingham,1897)** (Tortricidae) Synonymy: rotundipennis Walsingham,1897 Range (as code): **ST**
17698. **Apotoforma uncifera Razowski,1964** (Tortricidae) Synonymy: uncifera Razowski,1964 Range (as code): **NG ZA Nta Kzu Ptw**
17699. **Archips occidentalis (Walsingham,1891)** (Tortricidae) Synonymy: occidentalis Walsingham,1891 Range (as code): **ZA Tva Mpu Nel Wca Cto**
17700. **Archips socotranus Walsingham,1900** (Tortricidae) Synonymy: socotranus Walsingham,1900 Range (as code): **YE Sk**
17701. **Aterpia microchlamys (Diakonoff,1983)** (Tortricidae) Synonymy: microchlamys Diakonoff,1983; niphoclasma Diakonoff,1992 Range (as code): **MG**
17702. **Avaria constanti (Rebel,1894)** (Tortricidae) Synonymy: constanti Rebel,1894 Range (as code): **Cn**
17703. **Avaria hyerana (Millière,1858)** (Tortricidae) Synonymy: hyerana Millière,1858; reynana Staudinger,1861; lithosiana Kennel,1899; #alpha Chapman,1906; marginata Chapman,1906 Range (as code): **Cn PT ES FR Sa Si IT MT YU GR**
17704. **Bactra (Chiloides) adelpha Diakonoff,1963** (Tortricidae) Synonymy: adelpha Diakonoff,1963 Range (as code): **ZA**
17705. **Bactra (Chiloides) fasciata Diakonoff,1963** (Tortricidae) Synonymy: fasciata Diakonoff,1963 Range (as code): **ZA**
17706. **Bactra (Chiloides) jansei Diakonoff,1963** (Tortricidae) Synonymy: jansei Diakonoff,1963 Range (as code): **ZA**
17707. **Bactra (Chiloides) punctistrigana Mabille,1900** (Tortricidae) Synonymy: punctistrigana Mabille,1900 Range (as code): **MA MG ?ZA**
17708. **Bactra (Chiloides) rhabdonoma Diakonoff,1963** (Tortricidae) Synonymy: rhabdonoma Diakonoff,1963 Range (as code): **ZA**
17709. **Bactra (Chiloides) salpictris Diakonoff,1963** (Tortricidae) Synonymy: salpictris Diakonoff,1963 Range (as code): **ZA**
17710. **Bactra (Chiloides) sinassula Diakonoff,1963** (Tortricidae) Synonymy: sinassula Diakonoff,1963 Range (as code): **ZA**
17711. **Bactra (Chiloides) sordidata Diakonoff,1963** (Tortricidae) Synonymy: sordidata Diakonoff,1963 Range (as code): **ZA**
17712. **Bactra (Chiloides) stagnicolana Zeller,1852** (Tortricidae) Synonymy: stagnicolana Zeller,1852; siccella Walker,1866 Range (as code): **ZA Tva Gau Pre**
17713. **Bactra (Chiloides) triceps Diakonoff,1963** (Tortricidae) Synonymy: triceps Diakonoff,1963 Range (as code): **ZA**
17714. **Bactra (Chiloides) trimera Diakonoff,1963** (Tortricidae) Synonymy: trimera Diakonoff,1963 Range (as code): **ZA**
17715. **Bactra (Chiloides) tylophora Diakonoff,1963** (Tortricidae) Synonymy: tylophora Diakonoff,1963 Range (as code): **ZA**

17716. **Bactra (Chiloides) venosana (Zeller,1847)** (Tortricidae) Synonymy: venosana Zeller,1847; truculenta Meyrick,1909; scythropa Meyrick,1911; geraropa Meyrick,1932; banosii Gozmany,1960 Range (as code): **Md Cn MA DZ Bsk TN Gf PT ES FR Co Sa Si IT MT CH SK GR EG SD IQ SA As TR LB Bei IN NP LK CN TH CMa Int Fn Nna Kao Cbi Knc Tpp Loe ID Ja Tim TW VN Ton JP PH AU Hw FJ Bor Sbh Klt KR**

17717. **Bactra (Nannobactra) aciculata Diakonoff,1963** (Tortricidae) Synonymy: aciculata Diakonoff,1963 Range (as code): **ZA**

17718. **Bactra (Nannobactra) dasioma Diakonoff,1963** (Tortricidae) Synonymy: dasioma Diakonoff,1963 Range (as code): **ZA**

17719. **Bactra (Nannobactra) legitima Meyrick,1911** (Tortricidae) Synonymy: legitima Meyrick,1911 Range (as code): **ZA SC SD SD91 Cn**

17720. **Bactra (Nannobactra) minima Meyrick,1909** (Tortricidae) Synonymy: minima Meyrick,1909; phaeopis Meyrick,1911; anpingiana Strand,1920; microtripa Meyrick,1927 Range (as code): **SA As Az Cn IN LK PG NP TH CMa Int TW PH ID Tim SB AU**

17721. **Bactra (Nannobactra) sardonia (Meyrick,1908)** (Tortricidae) Synonymy: sardonia Meyrick,1908 Range (as code): **ZA Tva Gau Pre**

17722. **Bactra (Nannobactra) verutana Zeller,1875** (Tortricidae) Synonymy: verutana Zeller,1875; dasioma Diakonoff,1863 Range (as code): **ZA Wca US Tx Cf**

17723. **Bactra (Spinobactra) spinosa Diakonoff,1963** (Tortricidae) Synonymy: spinosa Diakonoff,1963 Range (as code): **ZA**

17724. **Bactra (s.str.) bactrana (Kennel,1901)** (Tortricidae) Synonymy: bactrana Kennel,1901; cyperana Amsel,1951; mediterraneana Agenjo,1952. Range (as code): **Cn MA DZ PT ES FR IT Si MT GR RU EG SA As IQ Bgd IR AF Hr TJ UZ KK TR Cc PK IN**

17725. **Bactra (s.str.) confusa Diakonoff,1963** (Tortricidae) Synonymy: confusa Diakonoff,1963 Range (as code): **ZA Tva Lpo Spb Wp**

17726. **Bactra (s.str.) dolia Diakonoff,1963** (Tortricidae) Synonymy: dolia Diakonoff,1963 Range (as code): **ZA**

17727. **Bactra (s.str.) graminivora Meyrick,1922** (Tortricidae) Synonymy: graminivora Meyrick,1922; cyperana Amsel,1951; mediterraneana Agenjo,1952 Range (as code): **Cn ES DZ MT MA EG SD GM CG SA IQ Cc AZ TM TJ IR AF PK ZA IN Bi Pus**

17728. **Bactra (s.str.) lancealana (Hübner,[1799])** (Tortricidae) Synonymy: lancealana Hübner,[1799]; #lanceolana Hübner,[1822]; egestana Haworth,1811; plagana Haworth,1811; dibeliana Hübner,[1819]; rufana Stephens,1834; nigrovittana Stephens,1852; suspensa Diakonoff,1962; mongolica Diakonoff,1972 Range (as code): **DZ Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr DK NO SE FI EE LV LT RU MD UA BY TR IL Pa LB AZ Len SY Hal Cc AM Eri IQ Bsr Hjo TM Krn PK Krc IN IR Gor Gh Tgo Mz Gls Kh TJ Pm MN Ui Kml ID Sum Clb LK KP KR 05 06 16 31 34 46**

17729. **Bactra (s.str.) pythonia Meyrick,1909** (Tortricidae) Synonymy: pythonia Meyrick,1909; hebetata Meyrick,1911 Range (as code): **ZA Tva Gau Pre Wo**

17730. **Bactra (s.str.) robustana (Christoph,1872)** (Tortricidae) Synonymy: robustana Christoph,1872; griseana A.M.Djakonov,1929; grisea A.M.Djakonov,1929; scirpicolana Pierce,1935 Range (as code): **MA ES FR Sa Si IT MT IE GB BE NL DE AT SK HU RO AL BG TR IR Gh Tgo DK NO SE FI EE LV RU MD UA BY Cc GG AF KG JP 42**

17731. **Bactra (s.str.) scrupulosa Meyrick,1909** (Tortricidae) Synonymy: scrupulosa Meyrick,1909 Range (as code): **ZA Tva Lpo Wo Pre Gau**

17732. **Bactra (s.str.) simpliciana Chrétien,1915** (Tortricidae) Synonymy: simpliciana Chrétien,1915; lactosana Turati,1922; pauperrima Turati,1934; #telaviviana Amsel,1933; telaviviana Amsel,1935 Range (as code): **TN Gf LY Cy IL Jf Pa SA As OM**

17733. **Bactra (s.str.) tradens Diakonoff,1963** (Tortricidae) Synonymy: tradens Diakonoff,1963 Range (as code): **ZA**

17734. **Brachiolia obscurana Razowski,1966** (Tortricidae) Synonymy: obscurana Razowski,1966 Range (as code): **ZA Est Wnn Nta Kzu**

17735. **Brachiolia wojtusiaki Razowski,1986** (Tortricidae) Synonymy: wojtusiaki Razowski,1986 Range (as code): **NG**

17736. **Brachioxena lutrocopa (Meyrick,1914)** (Tortricidae) Synonymy: lutrocopa Meyrick,1914 Range (as code): **ZA Tva Mpu Brb**

17737. **Brachioxena niveipalpis (Meyrick,1938)** (Tortricidae) Synonymy: niveipalpis Meyrick,1938 Range (as code): **ZR**

17738. **Brachioxena psammacta (Meyrick,1908)** (Tortricidae) Synonymy: psammacta Meyrick,1908 Range (as code): **ZA Gau Tva Pre**

17739. **Brachioxena sparactis (Meyrick,1928)** (Tortricidae) Synonymy: sparactis Meyrick,1928 Range (as code): **UG**

17740. **Bubonoxena alatheta Razowski & Trematerra,2010** (Tortricidae) Synonymy: alatheta Razowski & Trematerra,2010 Range (as code): **ET Ble**

17741. **Cacoecimorpha pronubana (Hübner,[1799])** (Tortricidae) Synonymy: pronubana Hübner,[1799]; ambustana Frölich,1830; herminiana Treitschke,1835; insolatana Lucas,1848; perochreana Herrich-Schäffer,1856; obsoletana Strand,1901 Range (as code): **DZ Cst Orn Anna TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL CH RO AL GR Rd CY TR SY Hal DK ?ZA UA Cm 01 06 07 16 27 31 33 34 35 46 79 80**

17742. **Camptrodoxa inclyta Meyrick,1925** (Tortricidae) Synonymy: inclyta Meyrick,1925 Range (as code): **ZA**

17743. **Capua arctophaea Meyrick,1924** (Tortricidae) Synonymy: arctophaea Meyrick,1924 Range (as code): **RW**

17744. **Capua liparcha Meyrick,1928** (Tortricidae) Synonymy: liparcha Meyrick,1928 Range (as code): **ZR**

17745. **Capua spilonoma Meyrick,1932** (Tortricidae) Synonymy: spilonoma Meyrick,1932 Range (as code): **ET ET88 UG**

17746. **Catamacta imbriculata Meyrick,1938** (Tortricidae) Synonymy: imbriculata Meyrick,1938 Range (as code): **ZR**

17747. **Catamacta manticopa Meyrick,1934** (Tortricidae) Synonymy: manticopa Meyrick,1934; melanophragma Meyrick,1936 Range (as code): **ZR**

17748. **Catamacta scrutatrix Meyrick,1912** (Tortricidae) Synonymy: scrutatrix Meyrick,1912 Range (as code): **ZA Nta Kzu Ptw**

17749. **Celypha perfracta Diakonoff,1983** (Tortricidae) Synonymy: perfracta Diakonoff,1983 Range (as code): **MG**

17750. **Charitostega poliocycla Diakonoff,1988** (Tortricidae) Synonymy: poliocycla Diakonoff,1988 Range (as code): **MG**

17751. **Choristoneura heliaspis (Meyrick,1909)** (Tortricidae) Synonymy: heliaspis Meyrick,1909; #heliastis Pinhey,1975 Range (as code): **ZA Nta Kzu MZ ET Ble**

17752. **Choristoneura palladinoi Razowski & Trematerra,2010** (Tortricidae) Synonymy: palladinoi Razowski & Trematerra,2010 Range (as code): **ET Ble**

17753. **Clavigesta sylvestrana (Curtis,1850)** (Tortricidae) Synonymy: sylvestrana Curtis,1850; pollinis Millière,1874 Range (as code): **Az AD Md Cn PT ES FR Co IT IE GB BE NL DE CH PL CZ RU MD UA BY GR**

17754. **Clepsis canariensis (Rebel,1896)** (Tortricidae) Synonymy: canariensis Rebel,1896 Range (as code): **Cn**

17755. **Clepsis consimilana (Hübner,[1817])** (Tortricidae) Synonymy: consimilana Hübner,[1817]; unifasciana Duponchel,1843; productana Zeller,1847; obliterana Herrich-Schäffer,1851; peregrinana Stephens,1852; eatoniana Ragonot,1881; semiana Chrétien,1915; acclivana Zerny,1933; placida Diakonoff,1948 Range (as code): **MA Tgr DZ TN Dhm Gf PT ES FR Co Sa Si IT MT IE GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Th DK SE FI RU MD UA BY LB Bei Bsa MG 05 16 33 34**

17756. **Clepsis coriacana (Rebel,1894)** (Tortricidae) Synonymy: coriacana Rebel,1894 Range (as code): **Cn MA ES GB**

17757. **Clepsis neglectana (Herrich-Schäffer,1851)** (Tortricidae) Synonymy: neglectana Herrich-Schäffer,1851; flavana Duponchel,1834 nec Hüb.,[1799]; betulifoliana Lederer,1859; striolana Ragonot,1879; xylotoma Meyrick,1891; severana Kennel,1901; delibatana Rothschild,1912; dorana Kennel,1919; acclivana Zerny,1933 Range (as code): **DZ Phv TN PT FR IT MT BE DE CH AT PL CZ RO BG TR SE FI EE LV LT RU Tv MD UA BY LB Bsa Cc GG CY KK Ik KG Uk Tk Dj Ii Ket Ava Ui Um Brç 05 33**

17758. **Clepsis oblimatana (Kennel,1901)** (Tortricidae) Synonymy: oblimatana Kennel,1901; palaestinensis Rebel,1911; callimachana Turati,1924. Range (as code): **LY Cy TN IL Jt Pa**

17759. **Clepsis siciliana (Ragonot,1894)** (Tortricidae) Synonymy: siciliana Ragonot,1894; fluxana Kennel,1901; granadanus Walsingham,1903 Range (as code): **DZ Tni Tis TN PT ES FR Si IT?**

17760. **Clepsis soriana (Kennel,1899)** (Tortricidae) Synonymy: soriana Kennel,1899; seclusa Meyrick,1926. Range (as code): **MA DZ IL Pa Hf LB Bei SY Hal**

17761. **Clepsis stenophora (Bradley,1965)** (Tortricidae) Synonymy: stenophora Bradley,1965 Range (as code): **UG**

17762. **Clepsis tetraplegma (Diakonoff,1957)** (Tortricidae) Synonymy: tetraplegma Diakonoff,1957 Range (as code): **RE**

17763. **Clepsis trivia (Meyrick,1913)** (Tortricidae) Synonymy: trivia Meyrick,1913 Range (as code): **TN Tun KG Uk**

17764. **Cnephasia (s.str.) albatana Chrétien,1915** (Tortricidae) Synonymy: albatana Chrétien,1915 Range (as code): **DZ Bsk TN Gf**

17765. **Cnephasia (s.str.) amseli (Lucas,1942)** (Tortricidae) Synonymy: amseli Lucas,1942; taurominana Razowski,1955 Range (as code): **Si TN**

17766. **Cnephasia (s.str.) asseclana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonymy: asseclana [Denis & Schiffermüller],1775; interjectana Haworth,1811; virgaureana Treitschke,1835; #virgaureana Ragonot,1895; oleraceana Gibson,1916 Range (as code): **Cn ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY Cc GG TR 31**

17767. **Cnephasia (s.str.) communana (Herrich-Schäffer,[1851])** (Tortricidae) Synonymy: communana Herrich-Schäffer,[1851] Range (as code): **MA LY ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY LB Bsa Cc GG TM KG 14 71**

17768. **Cnephasia (s.str.) constantinana Razowski,1958** (Tortricidae) Synonymy: constantinana Razowski,1958 Range (as code): **MA DZ Cst IR Ha**

17769. **Cnephasia (s.str.) fiorii Razowski,1958** (Tortricidae) Synonymy: fiorii Razowski,1958 Range (as code): **LY**

17770. **Cnephasia (s.str.) fragosana (Zeller,1847)** (Tortricidae) Synonymy: fragosana Zeller,1847; adulterinana Kennel,1901; reisseri Filipjev,1934; distinctana Lucas,1937 Range (as code): **MR MA DZ Lbs Tni Tis FR Sa Si IT? GR TR 47**

17771. **Cnephasia (s.str.) genitalana Pierce & Metcalfe,1922** (Tortricidae) Synonymy: genitalana Pierce & Metcalfe,1922; gallicana Réal,1953 Range (as code): **LY ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK SE RU Da Cc 0**

17772. **Cnephasia (s.str.) longana (Haworth,[1811])** (Tortricidae) Synonymy: longana Haworth,[1811]; egenana Haworth,[1811]; expallidana Haworth,[1811]; ictericana Haworth,[1811]; lutosana Hübner,[1813]; capillana Guenée,1845; stratana Zeller,1847; loewiana Zeller,1847; luridalbana Herrich-Schäffer,1851; insolatana Herrich-Schäffer,1851; gratana Laharpe,1860; #ongana Meyrick,1912; cadizensis Razowski,1959 Range (as code): **DZ Phv Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH PL CZ SK GR Cr Rd TR DK SE EE RU MD UA BY KK US CA CBo Cf Org 16**

17773. **Cnephasia (s.str.) nesiotica Razowski,1983** (Tortricidae) Synonymy: nesiotica Razowski,1983 Range (as code): **Cn**

17774. **Cnephasia (s.str.) pasiuana (Hübner,[1799])** (Tortricidae) Synonymy: pasiuana Hübner,[1799]; obsoletana Stephens,1835; pumicana Zeller,1847; #pasivana Staudinger,1879; crassifasciana Joannis,1920; linophagana Rebel,1939; pyrophagana Rebel,1939; cleuana Réal,1952; pseudotypica Réal,1952; algerana Réal,1953; blezynskii Toll,1953; hagiosana Razowski,1959 Range (as code): **DZ EG PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR SY DK NO SE FI EE LV LT RU Cc MD UA BY 05 16 34 35**

17775. **Cnephasia (s.str.) stephensiana (Doubleday,[1849])** (Tortricidae) Synonymy: stephensiana Doubleday,[1849]; octomaculata Curtis,1850; perplexana Stephens,1852; albooctomaculana Pierce & Metcalfe,1915; uniformana Caradja,1916; anatolica Obraztsov,1950; hispanica Obraztsov,1950 Range (as code): **MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Gls Mz Elb Th Sb Us Vv CN JP 05 42 71**

17776. **Cnephasia (s.str.) tripolitana Razowski,1958** (Tortricidae) Synonymy: tripolitana Razowski,1958 Range (as code): **LY**

17777. **Cnephasia (s.str.) zernyi Razowski,1959** (Tortricidae) Synonymy: zernyi Razowski,1959 Range (as code): **MA TN**

17778. **Coccothera carolae Razowski & Trematerra,2010** (Tortricidae) Synonymy: carolae Razowski & Trematerra,2010 Range (as code): **ET Ble**

17779. **Coccothera ferrifracta Diakonoff,1969** (Tortricidae) Synonymy: ferrifracta Diakonoff,1969 Range (as code): **GH**

17780. **Coccothera pharaonana (Kollar,1858)** (Tortricidae) Synonymy: pharaonana Kollar,1858 Range (as code): **EG TR SA As YE**

17781. **Coccothera spissana (Zeller,1852)** (Tortricidae) Synonymy: spissana Zeller,1852 Range (as code): **ZA Tva Gau Pre Ec**

17782. **Coccothera triorbis Razowski & Trematerra,2010** (Tortricidae) Synonymy: triorbis Razowski & Trematerra,2010 Range (as code): **ET Ble**

17783. **Cochylidia heydeniana (Herrich-Schäffer,[1851])** (Tortricidae) Synonymy: heydeniana Herrich-Schäffer,[1851]; pudorana Staudinger,1859; erigenana Walsingham,1891; sabulicola Walsingham,1900; almana Kennel,1919; obraztsovi Amsel,1951; amseli Obraztsov,1956 Range (as code): **MA PT ES FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IQ LB Bei DK NO SE FI LV LT RU Ur Sb Am Us Krl Sh MD UA BY CN Ui KG KP KR JP MN 16 33**

17784. **Cochylidia implicitana (Wocke,1856)** (Tortricidae) Synonymy: implicitana Wocke,1856; coercitana Staudinger,1859; noctulatana Agenjo,1952. Range (as code): **MA PT ES An FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Ur Sb MD UA BY KK KG TrA Aa DsA IR Mz CN Ui 31**

17785. **Cochylimorpha alternana (Stephens,1834)** (Tortricidae) Synonymy: alternana Stephens,1834; #gigantana Doubleday,1849; moscovana Kennel,1913; cinnamomella Turati & C.G.Krüger,1936. Range (as code): **TN FR IT GB NL DE CH AT PL CZ SK HU TR CY DK NO SE FI EE LV LT RU Ur Mo MD UA LY Cy IR Ar 06 35**

17786. **Cochylimorpha asiana (Kennel,1899)** (Tortricidae) Synonymy: asiana Kennel,1899; taganrogana Kennel,1900; mirabilana Turati,1934. Range (as code): **LY Cy RU Da Ro Tgn Cc AZ Kir UA TM K-K KG Ka UZ Nmg Man Fe IR Elb Th Es Clu AF Kab Srb PK Haz Kag Nar TR CY MN KK Ik CN Pkn Gn Mc Ts She Hph Stg 26**

17787. **Cochylimorpha cultana (Lederer,1855)** (Tortricidae) Synonymy: cultana Lederer,1855; pontana Staudinger,1859; extensana Staudinger,1859; lambessana Baker,1888; oedemana Constant,1893; bigenerana Kennel,1900; assalana Chrétien,1915; albidana Caradja,1916; symmerista Meyrick,1935. Range (as code): **MA DZ Bsk Gha Lbs TN Gf PT ES An Mu FR RU Da Cc Ur At TR PK KG Uk TM Kp IR Elb Maz Clu CN Shs Hun Gn Jn Ts She Stg 06 42 50**

17788. **Cochylimorpha decolorella (Zeller,1839)** (Tortricidae) Synonymy: decolorella Zeller,1839; chamomillana Herrich-Schäffer,[1851]; pentactinana Mann,1855. Range (as code): **Cn MA EG PT ES An B-I FR Co Sa Si MT BG TR 16**

17789. **Cochylimorpha psalmophanes (Meyrick,1925)** (Tortricidae) Synonymy: psalmophanes Meyrick,1925 Range (as code): **EG**

17790. **Cochylimorpha straminea (Haworth,[1811])** (Tortricidae) Synonymy: straminea Haworth,[1811]; tischerana Treitschke,1830; sudana Duponchel,1836; substraminea Ragonot,1895; scabiosana Kennel,1900; lentiginosana Kennel,1900; ramessana Rebel,1912; numidana Turati,1924; glaisana Lucas,1942; pallens Lucas,1954. Range (as code): **Cn MA Ifr DZ Bsk Lbs Anna TN Gf Sfx LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IR Elb Mz Kdj Clu Ak Mrd Ar Km DK SE LT RU Pt Ur MD UA BY IL Pa Hf Js LB IQ Shq Hjo SY Dms Cc AM Eri AZ Len TM KG Uk 05 06 16 31 33 35 42 46 47 65 76**

17791. **Cochylis atricapitana (Stephens,1852)** (Tortricidae) Synonymy: atricapitana Stephens,1852 Range (as code): **MA ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK SE RU Sr TR MD UA BY CN Ui 29**

17792. **Cochylis epilinana Duponchel,1842** (Tortricidae) Synonymy: epilinana Duponchel,1842; carpophilana Staudinger,1859. Range (as code): **MA Cn ES An Grn Mu FR Co Sa Si IT BE DE CH AT PL CZ SK HU RO YU MK AL BG GR TR SY Hal IL Hf Pa DK SE FI EE LV LT RU Cc MD UA BY 06 38 42 44 51 71**

17793. **Cochylis molliculana Zeller,1847** (Tortricidae) Synonymy: molliculana Zeller,1847; rufosignana Kennel,1899; calavrytana Rebel,1906. Range (as code): **TN ES An FR Co Si IT MT GB YU GR**

17794. **Cochylis posterana Zeller,1847** (Tortricidae) Synonymy: posterana Zeller,1847; collaterana Seebold,1879; nigrociliana Kennel,1899; cuerana Chrétien,1925 Range (as code): **MA DZ PT ES An Grn FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY LB Say SY Dms Cc AM Eri KK Ik IR KuM Kh Elb Kdv Th Gls Gor Es Se Zj Ha Bk Ab Mak Ar Lo Ak Fa Sse TM Kp IQ Hjo CN Ui Ku Gn 01 05 06 13 14 15 16 17 30 38 42 46 49 58 65**

17795. **Coniostola omistus Diakonoff,1988** (Tortricidae) Synonymy: omistus Diakonoff,1988 Range (as code): **MG**

17796. **Cornesia molytes Razowski,1993** (Tortricidae) Synonymy: molytes Razowski,1993 Range (as code): **KE**

17797. **Cosmorrhyncha acrocosma (Meyrick,1908)** (Tortricidae) Synonymy: acrocosma Meyrick,1908 Range (as code): **KE**

17798. **Cosmorrhyncha microcosma Aarvik,2004** (Tortricidae) Synonymy: microcosma Aarvik,2004 Range (as code): **ZR KE ST UG**

17799. **Cosmorrhyncha ocelliferana (Walker,1863)** (Tortricidae) Synonymy: ocelliferana Walker,1863; ocellata Mabille,1900; acrocosma Meyrick,1908 Range (as code): **BR Azn MG MW**

17800. **Crimnologa fletcheri Bradley,1965** (Tortricidae) Synonymy: fletcheri Bradley,1965 Range (as code): **UG Rz**

17801. **Crimnologa kirunguana Razowski,2012** (Tortricidae) Synonymy: kirunguana Razowski,2012 Range (as code): **ZR**

17802. **Crimnologa perspicua (Meyrick,1920)** (Tortricidae) Synonymy: perspicua Meyrick,1920 Range (as code): **TZ Kmj**

17803. **Crimnologa transmutata (Meyrick,1931)** (Tortricidae) Synonymy: transmutata Meyrick,1931 Range (as code): **ZR RW**

17804. **Crocidosema bostrychodes Diakonoff,1992** (Tortricidae) Synonymy: bostrychodes Diakonoff,1992 Range (as code): **MG**

17805. **Crocidosema plebejana Zeller,1847** (Tortricidae) Synonymy: plebejana Zeller,1847; altheana Mann,1855; lavaterana Millière,1863; peregrinana Möschler,1866; obscura Wollaston,1879; blackburnii Butler,1881; signatana Walsingham,1894; ptiladelpha Meyrick,1917; insulana Aurivillius,1922; synneurota Meyrick,1926; tornocycla Turner,1946; charmera Turner,1946. Range (as code): **DZ Anna Bsk MA TN Gf Cn Md Az PT ES FR Co Sa Si IT MT IE GB BE DE CH AT PL CZ SK HU RO YU B-H HV MK SS AL BG GR Cr TR DK RU MD UA BY Cc GG AZ AM SA SD IR IL Hf LB Bsa SA As YE TM IN Hp Ddu LK TH CMa TW AU CA US Cf MX BR PE CO VE EC GS ZA PH Luz Hw SH CL FJ TO WS Fl Tx Tnn SCa 01 13 14 30 31 42 65**

17806. **Crocidosema sp.** (Tortricidae) Synonymy: Range (as code): **ET Ble**

17807. **Crotalaria albapex Razowski & Trematerra,2010** (Tortricidae) Synonymy: albapex Razowski & Trematerra,2010 Range (as code): **ET Ble**

17808. **Crotalaria crotalariae Razowski & Brown,2010** (Tortricidae) Synonymy: crotalariae Razowski & Brown,2010 Range (as code): **KE**
17809. **Cryptaspasma (Metaspasma) atrinodis (Meyrick,1926)** (Tortricidae) Synonymy: atrinodis Meyrick,1926 Range (as code): **UG ZA Wca Cto Nta Kzu Ptw**
17810. **Cryptaspasma (Metaspasma) subtilis Diakonoff,1959** (Tortricidae) Synonymy: subtilis Diakonoff,1959 Range (as code): **MG**
17811. **Cryptophlebia leucotreta (Meyrick,1913)** (Tortricidae) Synonymy: leucotreta Meyrick,1913 Range (as code): **ZA Tva Gau Pre Nta Kzu Dbn**
17812. **Cryptophlebia macrops Diakonoff,1959** (Tortricidae) Synonymy: macrops Diakonoff,1959 Range (as code): **ZA Wca Cto Ec Kwi Ans**
17813. **Cryptophlebia peltastica (Meyrick,1921)** (Tortricidae) Synonymy: peltastica Meyrick,1921 Range (as code): **ZA Ec Tra Nta Kzu SA As**
17814. **Cryptophlebia praesiliens (Meyrick,1924)** (Tortricidae) Synonymy: praesiliens Meyrick,1924; xylodelta Meyrick,1928 Range (as code): **ZA**
17815. **Cryptophlebia rhizophorae Vari,1981** (Tortricidae) Synonymy: rhizophorae Vari,1981 Range (as code): **ZA Nta Kzu**
17816. **Cryptophlebia semilunana (Saalmüller,1880)** (Tortricidae) Synonymy: semilunana Saalmüller,1880; praesiliens Meyrick,1924; xylodelta Meyrick,1928 Range (as code): **MG ZA UG**
17817. **Cryptophlebia socotrensis Walsingham,1900** (Tortricidae) Synonymy: socotrensis Walsingham,1900 Range (as code): **Sk YE**
17818. **Cryptophlebia williamsi Bradley,1953** (Tortricidae) Synonymy: williamsi Bradley,1953 Range (as code): **MU ZA**
17819. **Ctenopseustis haplodryas Meyrick,1920** (Tortricidae) Synonymy: haplodryas Meyrick,1920 Range (as code): **KE**
17820. **Cydia alazon (Diakonoff,1976)** (Tortricidae) Synonymy: alazon Diakonoff,1976 Range (as code): **Cn**
17821. **Cydia anthracotis (Meyrick,1913)** (Tortricidae) Synonymy: anthracotis Meyrick,1913 Range (as code): **ZA Tva Mpu Mdd**
17822. **Cydia aphrospila (Meyrick,1921)** (Tortricidae) Synonymy: aphrospila Meyrick,1921 Range (as code): **ZA Tva Lpo Hae Nta Kzu Kkf**
17823. **Cydia areata (Meyrick,1918)** (Tortricidae) Synonymy: areata Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
17824. **Cydia blackmoreana (Walsingham,1903)** (Tortricidae) Synonymy: blackmoreana Walsingham,1903 Range (as code): **MA TN PT GR SY Dms IQ**
17825. **Cydia calliglypta (Meyrick,1932)** (Tortricidae) Synonymy: calliglypta Meyrick,1932 Range (as code): **ET Sw ET88**
17826. **Cydia campestris (Meyrick,1914)** (Tortricidae) Synonymy: campestris Meyrick,1914 Range (as code): **ZA Tva Gau Pre**
17827. **Cydia choleropa (Meyrick,1913)** (Tortricidae) Synonymy: choleropa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17828. **Cydia cyanocephala (Meyrick,1921)** (Tortricidae) Synonymy: cyanocephala Meyrick,1921 Range (as code): **ZA Nta Kzu Ptw ZW Swm**
17829. **Cydia dinshoi Razowski & Trematerra,2010** (Tortricidae) Synonymy: dinshoi Razowski & Trematerra,2010 Range (as code): **ET Ble**
17830. **Cydia duplicana (Zetterstedt,1839)** (Tortricidae) Synonymy: ?dahliana Frölich,1828; duplicana Zetterstedt,1839; #interruptana Herrich-Schäffer,1848; interruptana Herrich-Schäffer,1851 Range (as code): **Cn PT ES FR Sa IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Da Ur GG MD UA BY SY Hal KG TrA 20 42 71 81**
17831. **Cydia euclera (Meyrick,1921)** (Tortricidae) Synonymy: euclera Meyrick,1921 Range (as code): **ZA Nta Kzu Dbn**
17832. **Cydia excoriata (Meyrick,1918)** (Tortricidae) Synonymy: excoriata Meyrick,1918 Range (as code): **ZA Nta Kzu Nkw**
17833. **Cydia halmyris (Meyrick,1909)** (Tortricidae) Synonymy: halmyris Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
17834. **Cydia ichthyura (Meyrick,1926)** (Tortricidae) Synonymy: ichthyura Meyrick,1926 Range (as code): **ZA**
17835. **Cydia lathetica Razowski & Trematerra,2010** (Tortricidae) Synonymy: lathetica Razowski & Trematerra,2010 Range (as code): **ET Ble**

17836. **Cydia leptogramma (Meyrick,1913)** (Tortricidae) Synonymy: leptogramma Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17837. **Cydia leucatma (Meyrick,1925)** (Tortricidae) Synonymy: leucatma Meyrick,1925 Range (as code): **ZA**
17838. **Cydia malacodes (Meyrick,1911)** (Tortricidae) Synonymy: malacodes Meyrick,1911 Range (as code): **ZA Tva Gau Pre**
17839. **Cydia malesana (Meyrick,1920)** (Tortricidae) Synonymy: malesana Meyrick,1920; platydryas Meyrick,1932 Range (as code): **IN TH Knc Tpp NA Dmr Bnd**
17840. **Cydia modica (Meyrick,1913)** (Tortricidae) Synonymy: modica Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Gau Pre**
17841. **Cydia multistriana (Chrétien,1915)** (Tortricidae) Synonymy: multistriana Chrétien,1915 Range (as code): **DZ Bsk TN**
17842. **Cydia nicomacha (Meyrick,1921)** (Tortricidae) Synonymy: nicomacha Meyrick,1921 Range (as code): **ZW Uma**
17843. **Cydia ocnogramma (Meyrick,1910)** (Tortricidae) Synonymy: ocnogramma Meyrick,1910 Range (as code): **ZA**
17844. **Cydia phaulomorpha (Meyrick,1927)** (Tortricidae) Synonymy: phaulomorpha Meyrick,1927 Range (as code): **ZA**
17845. **Cydia platydryas (Meyrick,1932)** (Tortricidae) Synonymy: platydryas Meyrick,1932 Range (as code): **ZA**
17846. **Cydia plectocosma (Meyrick,1921)** (Tortricidae) Synonymy: plectocosma Meyrick,1921 Range (as code): **ZW Uma**
17847. **Cydia plerota (Meyrick,1921)** (Tortricidae) Synonymy: plerota Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
17848. **Cydia pomonella (Linnaeus,1758)** (Tortricidae) Synonymy: pomonella Linnaeus,1758; pomona Fabricius,1775; pomonana [Denis & Schiffermüller],1775; nitens Fourcroy,1785; aeneana De Villers,1789; putaminana Staudinger,1859; simpsonii Busck,1903; glaphyrana Rebel,1941 Range (as code): **DZ Cst Btna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IL Pa IR Gh Tgo Ss Irs Cc Fa Shr GG AZ Len Da LB Bsa SY Hal Ch PK Bl Qu KG Db Kdy Ui Ku Kl US MX CA AU NZ ZA 01 05 08 13 16 24 25 27 30 32 34 36 42 45 46 51 52 65 71 76**
17849. **Cydia psamminitis (Meyrick,1913)** (Tortricidae) Synonymy: psamminitis Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
17850. **Cydia stelocosma (Meyrick,1925)** (Tortricidae) Synonymy: stelocosma Meyrick,1925 Range (as code): **ZA**
17851. **Cydia stelosema (Meyrick,1931)** (Tortricidae) Synonymy: stelosema Meyrick,1931 Range (as code): **UG**
17852. **Cydia strigulatana (Kennel,1899)** (Tortricidae) Synonymy: strigulatana Kennel,1899; ?cretaceana Kennel,1899; seriana Kennel,1901; obesana Kennel,1901; escorialana Schmidt,1933; rebeli Hartig,1938; hartigi Lucas,1942; agenjoi Obraztsov,1968 Range (as code): **MA DZ Tni Tis PT ES FR**
17853. **Cydia succedana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonymy: succedana [Denis & Schiffermüller],1775; asseclana Hübner,[1800] nec [Den. & Schiff.],1775; griseana Osthelder,1938; decolorana Obraztsov,1949 Range (as code): **DZ Cst Lbs TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Elb Mz LB Bsa Bmm Cc AM KG MN AF 05 14 16 48 71**
17854. **Cydia triangulella (Goeze,1783)** (Tortricidae) Synonymy: triangulella Goeze,1783; bicolorata Fourcroy,1785; splendana Hübner,[1799]; #glandella Schrank,1802; reaumurana Heinemann,1863 Range (as code): **TN PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG 05 14 16 34 42 71 81**
17855. **Cydia trigonoptila (Meyrick,1921)** (Tortricidae) Synonymy: trigonoptila Meyrick,1921 Range (as code): **MZ Mag**
17856. **Cydia tumulata Meyrick,1908** (Tortricidae) Synonymy: tumulata Meyrick,1908 Range (as code): **ZA Tva Gau Pre**
17857. **Cydia tunisiana Aarvik & Karsholt,1993** (Tortricidae) Synonymy: tunisiana Aarvik & Karsholt,1993 Range (as code): **TN**
17858. **Cydia tytthaspis Razowski & Trematerra,2010** (Tortricidae) Synonymy: tytthaspis Razowski & Trematerra,2010 Range (as code): **ET Ble**
17859. **Cydia victrix (Meyrick,1918)** (Tortricidae) Synonymy: victrix Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
17860. **Cydia violescens (Meyrick,1918)** (Tortricidae) Synonymy: violescens Meyrick,1918 Range (as code): **ZA Tva Gau Pre**

17861. **Diceratura infantana (Kennel,1899)** (Tortricidae) Synonymy: infantana Kennel,1899; puellana Walsingham,1903 Range (as code): **MA Tgr DZ Lbs PT ES An Mu FR TR 44**
17862. **Dichrorampha embolaea (Meyrick,1918)** (Tortricidae) Synonymy: embolaea Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
17863. **Dichrorampha letarfensis Gibeaux,1983** (Tortricidae) Synonymy: letarfensis Gibeaux,1983 Range (as code): **MA DZ Elt TN Si**
17864. **Dinogenes meteoropa Meyrick,1934** (Tortricidae) Synonymy: meteoropa Meyrick,1934 Range (as code): **UG**
17865. **Ditula angustiorana (Haworth,[1811])** (Tortricidae) Synonymy: angustiorana Haworth,[1811]; rotundana Haworth,[1811]; dumeriliana Duponchel,1836 Range (as code): **TN PT ES Co Sa IT IE GB BE NL LU CH DK SE TR 16**
17866. **Doliochastis homograpta Meyrick,1920** (Tortricidae) Synonymy: homograpta Meyrick,1920 Range (as code): **ZA Tva ZW Har**
17867. **Dracontogena bernardi Karisch,2005** (Tortricidae) Synonymy: bernardi Karisch,2005 Range (as code): **ZR Kvu**
17868. **Dracontogena hoppei Karisch,2005** (Tortricidae) Synonymy: hoppei Karisch,2005 Range (as code): **GO Bio**
17869. **Dracontogena lucki Karisch,2005** (Tortricidae) Synonymy: lucki Karisch,2005 Range (as code): **KE**
17870. **Dracontogena metamorphica (Meyrick,1928)** (Tortricidae) Synonymy: metamorphica Meyrick,1928 Range (as code): **ST**
17871. **Dracontogena niphadonta Diakonoff,1970** (Tortricidae) Synonymy: niphadonta Diakonoff,1970 Range (as code): **MG ZM ET Ble**
17872. **Dracontogena schnirchi Karisch,2005** (Tortricidae) Synonymy: schnirchi Karisch,2005 Range (as code): **ZR**
17873. **Dracontogena tonitraulis (Meyrick,1934)** (Tortricidae) Synonymy: tonitraulis Meyrick,1934 Range (as code): **ST**
17874. **Droceta cedrota (Meyrick,1908)** (Tortricidae) Synonymy: cedrota Meyrick,1908 Range (as code): **ZA Tva Gau Pre Mpu Kwy**
17875. **Dudua adocima Diakonoff,1981** (Tortricidae) Synonymy: adocima Diakonoff,1981 Range (as code): **MG**
17876. **Dudua hemitypa Diakonoff,1983** (Tortricidae) Synonymy: hemitypa Diakonoff,1983 Range (as code): **MG**
17877. **Eana (s.str.) biruptana (Oberthür,1922)** (Tortricidae) Synonymy: biruptana Oberthür,1922 Range (as code): **MA**
17878. **Eana (s.str.) maroccana Filipjev,1935** (Tortricidae) Synonymy: maroccana Filipjev,1935 Range (as code): **MA**
17879. **Eana (s.str.) schonmanni Razowski,1959** (Tortricidae) Synonymy: schonmanni Razowski,1959 Range (as code): **MA**
17880. **Eana antiphila Meyrick,1913** (Tortricidae) Synonymy: antiphila Meyrick,1913 Range (as code): **TN**
17881. **Eboda bryochlora Diakonoff,1960** (Tortricidae) Synonymy: bryochlora Diakonoff,1960 Range (as code): **MG**
17882. **Ebodina lagoana Razowski & Tuck,2000** (Tortricidae) Synonymy: lagoana Razowski & Tuck,2000 Range (as code): **NG**
17883. **Ebodina lithoptila (Diakonoff,1960)** (Tortricidae) Synonymy: lithoptila Diakonoff,1960 Range (as code): **MG**
17884. **Eccopsis aegidia (Meyrick,1932)** (Tortricidae) Synonymy: aegidia Meyrick,1932 Range (as code): **ET Sw ET88**
17885. **Eccopsis agassizi Aarvik,2004** (Tortricidae) Synonymy: agassizi Aarvik,2004 Range (as code): **KE**
17886. **Eccopsis bohatolae Razowski,2012** (Tortricidae) Synonymy: bohatolae Razowski,2012 Range (as code): **ZR**
17887. **Eccopsis brunneopostica Razowski & Trematerra,2010** (Tortricidae) Synonymy: brunneopostica Razowski & Trematerra,2010 Range (as code): **ET Ble**
17888. **Eccopsis dallastai Razowski,2012** (Tortricidae) Synonymy: dallastai Razowski,2012 Range (as code): **KE**
17889. **Eccopsis deprinsi Aarvik,2004** (Tortricidae) Synonymy: deprinsi Aarvik,2004 Range (as code): **KE**

17890. **Eccopsis encardia Diakonoff,1983** (Tortricidae) Synonymy: encardia Diakonoff,1983 Range (as code): **KM**
17891. **Eccopsis heterodon Diakonoff,1981** (Tortricidae) Synonymy: heterodon Diakonoff,1981 Range (as code): **KM**
17892. **Eccopsis incultana (Walker,1863)** (Tortricidae) Synonymy: incultana Walker,1863; trixiphias Meyrick,1939; undosa Diakonoff,1981 Range (as code): **MU ZA Tva Gau Pre ZR MG AO GM GH MW NA**
17893. **Eccopsis lukiana Razowski,2012** (Tortricidae) Synonymy: lukiana Razowski,2012 Range (as code): **ZR**
17894. **Eccopsis maschalista (Meyrick,1932)** (Tortricidae) Synonymy: maschalista Meyrick,1932 Range (as code): **ET Sw ET88**
17895. **Eccopsis minicecelie Aarvik,2004** (Tortricidae) Synonymy: minicecelie Aarvik,2004 Range (as code): **TZ**
17896. **Eccopsis morogoro Aarvik,2004** (Tortricidae) Synonymy: morogoro Aarvik,2004 Range (as code): **TZ**
17897. **Eccopsis nebulana Walsingham,1891** (Tortricidae) Synonymy: nebulana Walsingham,1891 Range (as code): **GM**
17898. **Eccopsis ochrana Aarvik,2004** (Tortricidae) Synonymy: ochrana Aarvik,2004 Range (as code): **TZ ZR**
17899. **Eccopsis praecedens Walsingham,1897** (Tortricidae) Synonymy: praecedens Walsingham,1897; chromatica Diakonoff,1983 Range (as code): **CG CV ZA**
17900. **Eccopsis subincana Razowski & Trematerra,2010** (Tortricidae) Synonymy: subincana Razowski & Trematerra,2010 Range (as code): **ET Ble**
17901. **Eccopsis tucki Aarvik,2004** (Tortricidae) Synonymy: tucki Aarvik,2004 Range (as code): **KE**
17902. **Eccopsis wahlbergiana Zeller,1852** (Tortricidae) Synonymy: wahlbergiana Zeller,1852; fluctuatana Walsingham,1881 Range (as code): **ZA Tva Gau Pre Cto Eca Nta Kzu Dbn SA As ZR MG**
17903. **Emrahia tenuivalva Razowski & Trematerra,2008** (Tortricidae) Synonymy: tenuivalva Razowski & Trematerra,2008 Range (as code): **MZ**
17904. **Enarmoniodes mirabilis Ghesquière,1940** (Tortricidae) Synonymy: mirabilis Ghesquière,1940 Range (as code): **ZR**
17905. **Enarmoniodes praetextana (Walsingham,1897)** (Tortricidae) Synonymy: praetextana Walsingham,1897 Range (as code): **CG**
17906. **Endothenia alpigena Bradley,1965** (Tortricidae) Synonymy: alpigena Bradley,1965 Range (as code): **UG Rz**
17907. **Endothenia ethiopica Razowski & Trematerra,2010** (Tortricidae) Synonymy: ethiopica Razowski & Trematerra,2010 Range (as code): **ET Ble**
17908. **Endothenia gutturalis (Meyrick,1934)** (Tortricidae) Synonymy: gutturalis Meyrick,1934 Range (as code): **ST ET Ble**
17909. **Endothenia pauperculana (Staudinger,1859)** (Tortricidae) Synonymy: pauperculana Staudinger,1859; nougatana Chrétien,1898; marrubiana Walsingham,1908; schmidti Rebel,1936 Range (as code): **TN PT ES FR CH**
17910. **Endothenia vasculigera Meyrick,1938** (Tortricidae) Synonymy: vasculigera Meyrick,1938 Range (as code): **ZR**
17911. **Epiblema fiorii Turati,1922** (Tortricidae) Synonymy: fiorii Turati,1922 Range (as code): **LY Cy**
17912. **Epiblema indecoranum Rebel,1907** (Tortricidae) Synonymy: indecorana Rebel,1907 Range (as code): **YE Sk Ad**
17913. **Epichorista aethocoma Meyrick,1923** (Tortricidae) Synonymy: aethocoma Meyrick,1923 Range (as code): **AO**
17914. **Epichorista benevola Meyrick,1920** (Tortricidae) Synonymy: benevola Meyrick,1920 Range (as code): **KE**
17915. **Epichorista chloradelpha Meyrick,1912** (Tortricidae) Synonymy: chloradelpha Meyrick,1912 Range (as code): **ZA**
17916. **Epichorista cinerata Meyrick,1920** (Tortricidae) Synonymy: cinerata Meyrick,1920 Range (as code): **ZA Ec Wth**
17917. **Epichorista exanimata Meyrick,1920** (Tortricidae) Synonymy: exanimata Meyrick,1920 Range (as code): **ZA Ec Wth**
17918. **Epichorista galeata Meyrick,1921** (Tortricidae) Synonymy: galeata Meyrick,1921 Range (as code): **ZW Uma**

17919. **Epichorista geraeas Meyrick,1909** (Tortricidae) Synonymy: geraeas Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
17920. **Epichorista mesosceptra Meyrick,1920** (Tortricidae) Synonymy: mesosceptra Meyrick,1920 Range (as code): **KE**
17921. **Epichorista niphosema Meyrick,1917** (Tortricidae) Synonymy: niphosema Meyrick,1917 Range (as code): **ZA**
17922. **Epichorista passaleuta Meyrick,1920** (Tortricidae) Synonymy: passaleuta Meyrick,1920 Range (as code): **KE**
17923. **Epichorista perversa Meyrick,1912** (Tortricidae) Synonymy: perversa Meyrick,1912 Range (as code): **ZA Nta Kzu Ptw**
17924. **Epichorista phaeocoma Meyrick,1914** (Tortricidae) Synonymy: phaeocoma Meyrick,1914 Range (as code): **MW**
17925. **Epichorista phalaraea Meyrick,1920** (Tortricidae) Synonymy: phalaraea Meyrick,1920 Range (as code): **ZA Wca**
17926. **Epichorista prodigiosa Meyrick,1920** (Tortricidae) Synonymy: prodigiosa Meyrick,1920 Range (as code): **KE**
17927. **Epichorista psoropis Meyrick,1920** (Tortricidae) Synonymy: psoropis Meyrick,1920 Range (as code): **KE**
17928. **Epichorista sicca Meyrick,1912** (Tortricidae) Synonymy: sicca Meyrick,1912 Range (as code): **MG**
17929. **Epichorista tortuosa Meyrick,1912** (Tortricidae) Synonymy: tortuosa Meyrick,1912 Range (as code): **ZA**
17930. **Epichorista vestigialis Meyrick,1914** (Tortricidae) Synonymy: vestigialis Meyrick,1914 Range (as code): **ZA**
17931. **Epichoristodes (Tubula) acerbella (Walker,1864)** (Tortricidae) Synonymy: acerbella Walker,1864; iocoma Meyrick,1908; ionephela Meyrick,1908; galeata Meyrick,1921 Range (as code): **ES Sa Si IT GB DK DE RE ZA Gau Pre Tva ZW Cto Eca MG**
17932. **Epichoristodes (s.str.) apilectica Diakonoff,1960** (Tortricidae) Synonymy: apilectica Diakonoff,1960 Range (as code): **MG**
17933. **Epichoristodes (s.str.) atricaput Diakonoff,1973** (Tortricidae) Synonymy: atricaput Diakonoff,1973 Range (as code): **MG**
17934. **Epichoristodes (s.str.) atycta Bradley,1965** (Tortricidae) Synonymy: atycta Bradley,1965 Range (as code): **UG**
17935. **Epichoristodes (s.str.) canonicum Diakonoff,1973** (Tortricidae) Synonymy: canonicum Diakonoff,1973 Range (as code): **MG**
17936. **Epichoristodes (s.str.) goniopa Diakonoff,1960** (Tortricidae) Synonymy: goniopa Diakonoff,1960 Range (as code): **MG**
17937. **Epichoristodes (s.str.) heterotropha Bradley,1965** (Tortricidae) Synonymy: heterotropha Bradley,1965 Range (as code): **UG**
17938. **Epichoristodes (s.str.) incerta Diakonoff,1960** (Tortricidae) Synonymy: incerta Diakonoff,1960; nervosum Diakonoff,1970 Range (as code): **MG**
17939. **Epichoristodes (s.str.) leucocymba (Meyrick,1912)** (Tortricidae) Synonymy: leucocymba Meyrick,1912 Range (as code): **MG**
17940. **Epichoristodes (s.str.) licmaea (Meyrick,1920)** (Tortricidae) Synonymy: licmaea Meyrick,1920 Range (as code): **KE**
17941. **Epichoristodes (s.str.) macrosema Diakonoff,1970** (Tortricidae) Synonymy: macrosema Diakonoff,1970 Range (as code): **MG**
17942. **Epichoristodes (s.str.) panochra Bradley,1965** (Tortricidae) Synonymy: panochra Bradley,1965 Range (as code): **UG**
17943. **Epichoristodes (s.str.) psoricodes (Meyrick,1911)** (Tortricidae) Synonymy: psoricodes Meyrick,1911 Range (as code): **ZA Tva Hae**
17944. **Epichoristodes (s.str.) ypsilon Diakonoff,1960** (Tortricidae) Synonymy: ypsilon Diakonoff,1960 Range (as code): **MG**
17945. **Epinotia anepenthes Razowski & Trematerra,2010** (Tortricidae) Synonymy: anepenthes Razowski & Trematerra,2010 Range (as code): **ET Ble**
17946. **Epinotia atacta Diakonoff,1992** (Tortricidae) Synonymy: atacta Diakonoff,1992 Range (as code): **MG**

17947. **Epinotia cedricida Diakonoff,1969** (Tortricidae) Synonymy: cedricida Diakonoff,1969 Range (as code): **MA Azr DZ Tni Tis Cré Dja FR AT TR 05**
17948. **Epinotia infausta (Walsingham,1881)** (Tortricidae) Synonymy: infausta Walsingham,1881 Range (as code): **ZA**
17949. **Epinotia ketamana (Amsel,1956)** (Tortricidae) Synonymy: ketamana Amsel,1956 Range (as code): **MA**
17950. **Epinotia latiloba Razowski & Trematerra,2010** (Tortricidae) Synonymy: latiloba Razowski & Trematerra,2010 Range (as code): **ET Ble**
17951. **Epinotia thapsiana (Zeller,1847)** (Tortricidae) Synonymy: thapsiana Zeller,1847 Range (as code): **Cn PT ES FR Co Sa Si IT MT CH AT CZ HU YU AL GR Cr TR RU Mo MD UA BY IL IR Ss Elb Kdv Cc Gls GG IN Ld KG KK TJ TM CN Ui Ku KP KR 03 05 06 16 35 45 46 65 71**
17952. **Eucosma accipitrina Meyrick,1913** (Tortricidae) Synonymy: accipitrina Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17953. **Eucosma actuosa Meyrick,1913** (Tortricidae) Synonymy: actuosa Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17954. **Eucosma albicostella (Turati & C.G.Krüger,1936)** (Tortricidae) Synonymy: albicostella Turati & C.G.Krüger,1936 Range (as code): **LY Cy**
17955. **Eucosma amara Meyrick,1913** (Tortricidae) Synonymy: amara Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
17956. **Eucosma anisodelta Meyrick,1923** (Tortricidae) Synonymy: anisodelta Meyrick,1923 Range (as code): **AO**
17957. **Eucosma antidora Meyrick,1921** (Tortricidae) Synonymy: antidora Meyrick,1921 Range (as code): **ZW Uma**
17958. **Eucosma antirrhoa Meyrick,1920** (Tortricidae) Synonymy: antirrhoa Meyrick,1920 Range (as code): **KE**
17959. **Eucosma bisecta Meyrick,1918** (Tortricidae) Synonymy: bisecta Meyrick,1918 Range (as code): **ZA Ntz Kzu Esw**
17960. **Eucosma calculosa Meyrick,1913** (Tortricidae) Synonymy: calculosa Meyrick,1913 Range (as code): **MU ZA Tva Mpu Brb Tst MZ**
17961. **Eucosma calliarma Meyrick,1909** (Tortricidae) Synonymy: calliarma Meyrick,1909 Range (as code): **ZA Nta Kzu Tva Gau Pre**
17962. **Eucosma carcharitis Meyrick,1924** (Tortricidae) Synonymy: carcharitis Meyrick,1924 Range (as code): **AO**
17963. **Eucosma chloroterma Meyrick,1913** (Tortricidae) Synonymy: chloroterma Meyrick,1913 Range (as code): **ZA Gau Pre Tva**
17964. **Eucosma clarifica Meyrick,1913** (Tortricidae) Synonymy: clarifica Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
17965. **Eucosma cremastropis Meyrick,1930** (Tortricidae) Synonymy: cremastropis Meyrick,1930 Range (as code): **UG**
17966. **Eucosma deltozyga Meyrick,1928** (Tortricidae) Synonymy: deltozyga Meyrick,1928 Range (as code): **ZA Tva**
17967. **Eucosma desipiens Meyrick,1918** (Tortricidae) Synonymy: desipiens Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
17968. **Eucosma drastica Meyrick,1918** (Tortricidae) Synonymy: drastica Meyrick,1918 Range (as code): **ZA Ec Stj Nta Kzu Ptw**
17969. **Eucosma florescens Meyrick,1925** (Tortricidae) Synonymy: florescens Meyrick,1925 Range (as code): **ZW ZA**
17970. **Eucosma galactitis Meyrick,1912** (Tortricidae) Synonymy: galactitis Meyrick,1912 Range (as code): **ZA**
17971. **Eucosma giarabubensis (Turati,1930)** (Tortricidae) Synonymy: giarabubensis Turati,1930 Range (as code): **LY Cy**
17972. **Eucosma glyphicodes Meyrick,1918** (Tortricidae) Synonymy: glyphicodes Meyrick,1918 Range (as code): **ZA Nta Kzu Srn**
17973. **Eucosma gomphacma Meyrick,1928** (Tortricidae) Synonymy: gomphacma Meyrick,1928 Range (as code): **ZW ZA**
17974. **Eucosma habrotoma Meyrick,1934** (Tortricidae) Synonymy: habrotoma Meyrick,1934 Range (as code): **ZW ZA**
17975. **Eucosma haematospila Meyrick,1921** (Tortricidae) Synonymy: haematospila Meyrick,1921 Range (as code): **MZ Mag**

17976. **Eucosma impatiens Meyrick,1921** (Tortricidae) Synonymy: impatiens Meyrick,1921 Range (as code): **MZ Mag**
17977. **Eucosma inscita Meyrick,1913** (Tortricidae) Synonymy: inscita Meyrick,1913 Range (as code): **ZA Mpu Tva Brb Mdd**
17978. **Eucosma insolens Meyrick,1909** (Tortricidae) Synonymy: insolens Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
17979. **Eucosma ioplintha Meyrick,1930** (Tortricidae) Synonymy: ioplintha Meyrick,1930 Range (as code): **SD Kht**
17980. **Eucosma isogramma (Meyrick,1908)** (Tortricidae) Synonymy: isogramma Meyrick,1908 Range (as code): **ZA Tva Gau Pre LK**
17981. **Eucosma leptozona Meyrick,1921** (Tortricidae) Synonymy: leptozona Meyrick,1921 Range (as code): **MZ Mag**
17982. **Eucosma leucopetra Meyrick,1908** (Tortricidae) Synonymy: leucopetra Meyrick,1908 Range (as code): **ZA Gau Tva Pre**
17983. **Eucosma lobostola Meyrick,1918** (Tortricidae) Synonymy: lobostola Meyrick,1918 Range (as code): **MZ Mag**
17984. **Eucosma lochmaea Meyrick,1920** (Tortricidae) Synonymy: lochmaea Meyrick,1920 Range (as code): **ZA Nta Kzu Dbn**
17985. **Eucosma marmara Meyrick,1909** (Tortricidae) Synonymy: marmara Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
17986. **Eucosma marocana (Lucas,1954)** (Tortricidae) Synonymy: marocana Lucas,1954 Range (as code): **MA**
17987. **Eucosma micropterana (Turati,1930)** (Tortricidae) Synonymy: micropterana Turati,1930 Range (as code): **LY Cy**
17988. **Eucosma monitrix Meyrick,1909** (Tortricidae) Synonymy: monitrix Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
17989. **Eucosma nasuta Meyrick,1911** (Tortricidae) Synonymy: nasuta Meyrick,1911 Range (as code): **ZA Ngg Tra**
17990. **Eucosma nereidopa Meyrick,1927** (Tortricidae) Synonymy: nereidopa Meyrick,1927; phylloscia Meyrick,1937 Range (as code): **KE UG**
17991. **Eucosma niphaspis Meyrick,1918** (Tortricidae) Synonymy: niphaspis Meyrick,1918 Range (as code): **ZA**
17992. **Eucosma opsonoma Meyrick,1918** (Tortricidae) Synonymy: opsonoma Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
17993. **Eucosma orphnogenes Meyrick,1939** (Tortricidae) Synonymy: orphnogenes Meyrick,1939 Range (as code): **ZR**
17994. **Eucosma orthopeda Meyrick,1934** (Tortricidae) Synonymy: orthopeda Meyrick,1934 Range (as code): **UG**
17995. **Eucosma paracremna Meyrick,1913** (Tortricidae) Synonymy: paracremna Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
17996. **Eucosma paradelta Meyrick,1925** (Tortricidae) Synonymy: paradelta Meyrick,1925 Range (as code): **ZA**
17997. **Eucosma passiva Meyrick,1913** (Tortricidae) Synonymy: passiva Meyrick,1913 Range (as code): **ZA Tva Gau Pre**
17998. **Eucosma phaecochyta Bradley,1965** (Tortricidae) Synonymy: phaecochyta Bradley,1965 Range (as code): **UG ZR Rz**
17999. **Eucosma picrodelta Meyrick,1932** (Tortricidae) Synonymy: picrodelta Meyrick,1932 Range (as code): **ET Sw ET88**
18000. **Eucosma plumbaginea Meyrick,1932** (Tortricidae) Synonymy: plumbaginea Meyrick,1932 Range (as code): **UG**
18001. **Eucosma projecta Meyrick,1921** (Tortricidae) Synonymy: projecta Meyrick,1921 Range (as code): **ZA Nta Kzu Rie**
18002. **Eucosma regionalis Meyrick,1934** (Tortricidae) Synonymy: regionalis Meyrick,1934 Range (as code): **ZR**
18003. **Eucosma riciniata Meyrick,1911** (Tortricidae) Synonymy: riciniata Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**
18004. **Eucosma rigens Meyrick,1938** (Tortricidae) Synonymy: rigens Meyrick,1938 Range (as code): **ZR**

18005. **Eucosma rufescens Meyrick,1913** (Tortricidae) Synonymy: rufescens Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst**
18006. **Eucosma salticola Meyrick,1913** (Tortricidae) Synonymy: salticola Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Tst Wv**
18007. **Eucosma scenica Meyrick,1911** (Tortricidae) Synonymy: scenica Meyrick,1911 Range (as code): **ZA Lpo Tva Hae**
18008. **Eucosma siccescens Meyrick,1912** (Tortricidae) Synonymy: siccescens Meyrick,1912 Range (as code): **ZA**
18009. **Eucosma sollennis Meyrick,1913** (Tortricidae) Synonymy: sollennis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
18010. **Eucosma somalica Durrant,1916** (Tortricidae) Synonymy: somalica Durrant,1916 Range (as code): **SO**
18011. **Eucosma spiculifera Meyrick,1913** (Tortricidae) Synonymy: spiculifera Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Nta Kzu Ptw**
18012. **Eucosma superciliosa Meyrick,1920** (Tortricidae) Synonymy: superciliosa Meyrick,1920 Range (as code): **KE**
18013. **Eucosma symbola Meyrick,1909** (Tortricidae) Synonymy: symbola Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
18014. **Eucosma tenax Meyrick,1920** (Tortricidae) Synonymy: tenax Meyrick,1920 Range (as code): **ZA Ec Wth**
18015. **Eucosma thalameuta Meyrick,1918** (Tortricidae) Synonymy: thalameuta Meyrick,1918 Range (as code): **ZA Ec Stj**
18016. **Eucosma thematica Meyrick,1918** (Tortricidae) Synonymy: thematica Meyrick,1918 Range (as code): **ZA Tva Gau Pre**
18017. **Eucosma transmutata Meyrick,1931** (Tortricidae) Synonymy: transmutata Meyrick,1931 Range (as code): **ZR**
18018. **Eucosma tremula Meyrick,1909** (Tortricidae) Synonymy: tremula Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
18019. **Eucosma vulpecularis Meyrick,1932** (Tortricidae) Synonymy: vulpecularis Meyrick,1932 Range (as code): **ET Sw ET88**
18020. **Eucosma xenarcha Meyrick,1920** (Tortricidae) Synonymy: xenarcha Meyrick,1920 Range (as code): **TZ Kmj**
18021. **Eudemis (s.str.) polychroma (Diakonoff,1981)** (Tortricidae) Synonymy: polychroma Diakonoff,1981 Range (as code): **MG**
18022. **Eugnosta anxifera Razowski,1993** (Tortricidae) Synonymy: anxifera Razowski,1993 Range (as code): **ZA Wca Cto**
18023. **Eugnosta assecula (Meyrick,1909)** (Tortricidae) Synonymy: assecula Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
18024. **Eugnosta cataracta Aarvik,2004** (Tortricidae) Synonymy: cataracta Aarvik,2004 Range (as code): **NA Dmr Bnd**
18025. **Eugnosta feriata (Meyrick,1913)** (Tortricidae) Synonymy: feriata Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
18026. **Eugnosta heteroclita Razowski,1993** (Tortricidae) Synonymy: heteroclita Razowski,1993 Range (as code): **ZA Wca Cto**
18027. **Eugnosta meyi Aarvik,2004** (Tortricidae) Synonymy: meyi Aarvik,2004 Range (as code): **NA Dmr Bnd**
18028. **Eugnosta misella Razowski,1993** (Tortricidae) Synonymy: misella Razowski,1993 Range (as code): **ZA Tva Lpo Wo**
18029. **Eugnosta namibiana Aarvik,2004** (Tortricidae) Synonymy: namibiana Aarvik,2004 Range (as code): **NA Dmr Bnd**
18030. **Eugnosta replicata (Meyrick,1913)** (Tortricidae) Synonymy: replicata Meyrick,1913 Range (as code): **ZA Tva Lpo Hae**
18031. **Eugnosta stigmatica (Meyrick,1909)** (Tortricidae) Synonymy: stigmatica Meyrick,1909 Range (as code): **ZA Nta Kzu Ptw Wnn Est Kkf Wca Cto Grg Pel Umk Tva Gau Pre**
18032. **Eugnosta trimeni (R.Felder & Rogenhofer,1875)** (Tortricidae) Synonymy: trimeni R.Felder & Rogenhofer,1875; minor R.Felder & Rogenhofer,1875. Range (as code): **ZA Nta Kzu Wca Cto**
18033. **Eugnosta uganoa Razowski,1993** (Tortricidae) Synonymy: uganoa Razowski,1993 Range (as code): **TZ**

18034. **Eugnosta umbraculata (Meyrick,1918)** (Tortricidae) Synonymy: umbraculata Meyrick,1918 Range (as code): **ZA Tva Lpo Mdd Nha Nta Kzu Wca Cto**
18035. **Eugnosta vecorda Razowski,1993** (Tortricidae) Synonymy: vecorda Razowski,1993 Range (as code): **ZA Tva Gau Pre**
18036. **Eugnosta xanthochroma Razowski,1993** (Tortricidae) Synonymy: xanthochroma Razowski,1993 Range (as code): **ZA Nta Kzu Dbn Kmb**
18037. **Eupoecilia aburica Razowski,1993** (Tortricidae) Synonymy: aburica Razowski,1993 Range (as code): **CI**
18038. **Eupoecilia kruegeriana Razowski,1993** (Tortricidae) Synonymy: kruegeriana Razowski,1993 Range (as code): **ZA Tva Mpu ZA14**
18039. **Fulcrifera aphrospila (Meyrick,1921)** (Tortricidae) Synonymy: aphrospila Meyrick,1921 Range (as code): **ET Ble ZA Nta Kzu MZ**
18040. **Fulcrifera cirrata (Diakonoff,1987)** (Tortricidae) Synonymy: cirrata Diakonoff,1987 Range (as code): **MG**
18041. **Fulcrifera periculosa (Meyrick,1913)** (Tortricidae) Synonymy: periculosa Meyrick,1913 Range (as code): **ZA Tva Tst**
18042. **Fulcrifera refrigescens (Meyrick,1924)** (Tortricidae) Synonymy: refrigescens Meyrick,1924 Range (as code): **SA As OM EG EG07 SD SD91**
18043. **Fulcrifera tricentra (Meyrick,1907)** (Tortricidae) Synonymy: tricentra Meyrick,1907; crocopa Meyrick,1907; pseudonectis Meyrick,1907 Range (as code): **ZA Gau Lpo Tva Pre Pie IN Bba Mh LK Mky Pdy TH Knc Tpp**
18044. **Geita bjoernstadi Aarvik,2004** (Tortricidae) Synonymy: bjoernstadi Aarvik,2004 Range (as code): **TZ**
18045. **Grapholita (Aspila) molesta (Busck,1916)** (Tortricidae) Synonymy: molesta Busck,1916 Range (as code): **MA ES FR Sa Si IT MT GB BE DE CH AT CZ SK HU RO YU BG GR TR DK SE LV LT UA Cc GG ZA US Vi Nje CN KP KR TW AU NZ 16**
18046. **Grapholita (Aspila) molesta (Busck,1916)** (Tortricidae) Synonymy: molesta Busck,1916 Range (as code): **US MA ES GB YU UA Cc CN TW KP KR JP AU NZ**
18047. **Grapholita (s.str.) delineana (Walker,1863)** (Tortricidae) Synonymy: delineana Walker,1863; apicatana Walker,1863; sinana Felder,1874; tetragrammana Staudinger,1879; mundana Christoph,1881; terstrigana Ragonot,1894; quadristrana Walsingham,1900. Range (as code): **FR IT DE AT PL CZ SK HU RO GR TR IR RU MD UA BY ZA Tva Gau Pre MU IN CN JP 05 16**
18048. **Grapholita (s.str.) lunulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonymy: lunulana [Denis & Schiffermüller],1775; mederleana Frölich,1828; jungiana Frölich,1828; selenana Zeller,1847; effusana Lederer,1855; conspectana Lederer,1859; selliferana Kennel,1901; bipartitana Kennel,1901; dimidiatana Kennel,1901; intacta Walsingham, 1903; amplidorsana Caradja,1916; exosticha Meyrick,1936; praedorsana Amsel,1958 Range (as code): **DZ Lbs MA PT ES FR Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK RO YU AL TR Cc CY LB DK NO SE FI EE LV LT RU Ur Sb At MD UA BY CN Ui 13 35**
18049. **Grapholita insperata Razowski & Trematerra,2010** (Tortricidae) Synonymy: insperata Razowski & Trematerra,2010 Range (as code): **ET**
18050. **Gypsonoma giorgiae Razowski & Trematerra,2012** (Tortricidae) Synonymy: giorgiae Razowski & Trematerra,2012 Range (as code): **ET**
18051. **Gypsonoma scolopiae Razowski & Brown,2012** (Tortricidae) Synonymy: scolopiae Razowski & Brown,2012 Range (as code): **KE**
18052. **Herpystis capeana Razowski & Brown,2009** (Tortricidae) Synonymy: capeana Razowski & Brown,2009 Range (as code): **ZA Cto**
18053. **Homona polyarcha Meyrick,1924** (Tortricidae) Synonymy: polyarcha Meyrick,1924 Range (as code): **ZA**
18054. **Idiothauma africanum Walsingham,1897** (Tortricidae) Synonymy: africanum Walsingham,1897 Range (as code): **ZR**
18055. **Idiothauma malgassicella Viette,1958** (Tortricidae) Synonymy: malgassicella Viette,1958 Range (as code): **MG**
18056. **Idiothauma rigatiella Ghesquière,1940** (Tortricidae) Synonymy: rigatiella Ghesquière,1940 Range (as code): **ZR**
18057. **Isotrias buckwelli (Lucas,1954)** (Tortricidae) Synonymy: buckwelli Lucas,1954 Range (as code): **MA**
18058. **Josefrazowskia recondita (Razowski,2006)** (Tortricidae) Synonymy: recondita Razowski,2006 Range (as code): **ZA**

18059. **Lathronympha oios Razowski,2015** (Tortricidae) Synonymy: oios Razowski,2015 Range (as code): **CM**
18060. **Lobesia (Harmosma) harmonia (Meyrick,1908)** (Tortricidae) Synonymy: harmonia Meyrick,1908 Range (as code): **ZA Tva Gau Pre MG**
18061. **Lobesia (Lomaschiza) quadratica (Meyrick,1911)** (Tortricidae) Synonymy: quadratica Meyrick,1911 Range (as code): **ZA Ngg Tra**
18062. **Lobesia (Polychrosis) cetratana (Rebel,1907)** (Tortricidae) Synonymy: cetratana Rebel,1907 Range (as code): **YE Sk**
18063. **Lobesia (Polychrosis) deltophora (Meyrick,1921)** (Tortricidae) Synonymy: deltophora Meyrick,1921 Range (as code): **MZ Mag**
18064. **Lobesia (Polychrosis) ephippias (Meyrick,1907)** (Tortricidae) Synonymy: ephippias Meyrick,1907 Range (as code): **ZA**
18065. **Lobesia (Polychrosis) metachlora (Meyrick,1913)** (Tortricidae) Synonymy: metachlora Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Gau Pre**
18066. **Lobesia (Polychrosis) primaria (Meyrick,1909)** (Tortricidae) Synonymy: primaria Meyrick,1909 Range (as code): **ZA Tva Gau Pre**
18067. **Lobesia (Polychrosis) scorpiodes (Meyrick,1908)** (Tortricidae) Synonymy: scorpiodes Meyrick,1908 Range (as code): **ZA Tva Pie Gau Lpo Pre**
18068. **Lobesia (Polychrosis) stenaspis (Meyrick,1921)** (Tortricidae) Synonymy: stenaspis Meyrick,1921 Range (as code): **ZA Nta Kzu Dbn**
18069. **Lobesia (Polychrosis) stericta (Meyrick,1911)** (Tortricidae) Synonymy: stericta Meyrick,1911 Range (as code): **ZA Lpo Tva Hae**
18070. **Lobesia (s.str.) vitisana (Jacquin,1788)** (Tortricidae) Synonymy: #botrana [Denis & Schiffermüller],1775; vitisana Jacquin,1788; rosmarinana Millière,1865 Range (as code): **DZ EG ER ET KE LY PT ES FR Co Sa Si IT MT GB BE DE Bw By CH AT PL CZ SK HU RO BG GR Cr TR DK SE LT RU MD UA BY Cc AZ AM GG IQ Shq Bgd LB Say IL Pa JO IR Ab Oru Mz Gls KG TM UZ TJ JP 05 06 14 30 45 70 71**
18071. **Lobesia archaetypa Diakonoff,1992** (Tortricidae) Synonymy: archaetypa Diakonoff,1992 Range (as code): **MG**
18072. **Lobesia crithopa Diakonoff,1957** (Tortricidae) Synonymy: crithopa Diakonoff,1957 Range (as code): **MG**
18073. **Lobesia embrithes Diakonoff,1961** (Tortricidae) Synonymy: embrithes Diakonoff,1961 Range (as code): **MU**
18074. **Lobesia hendrickxi (Ghesquière,1940)** (Tortricidae) Synonymy: hendrickxi Ghesquière,1940 Range (as code): **ZR**
18075. **Lobesia neptunia (Walsingham,1907)** (Tortricidae) Synonymy: neptunia Walsingham,1907 Range (as code): **Cn**
18076. **Lobesia oludúcha Razowski,2012** (Tortricidae) Synonymy: oludúcha Razowski,2012 Range (as code): **NG**
18077. **Lobesia oxypercna (Meyrick,1930)** (Tortricidae) Synonymy: oxypercna Meyrick,1930 Range (as code): **MU**
18078. **Lobesia scopifera Razowski,2012** (Tortricidae) Synonymy: scopifera Razowski,2012 Range (as code): **ZR Lbu**
18079. **Lobesia semosa Diakonoff,1992** (Tortricidae) Synonymy: semosa Diakonoff,1992 Range (as code): **MG**
18080. **Lobesia sitophaga Meyrick,1922** (Tortricidae) Synonymy: sitophaga Meyrick,1922 Range (as code): **UG**
18081. **Lobesia talyana Razowski,2012** (Tortricidae) Synonymy: talyana Razowski,2012 Range (as code): **ZR**
18082. **Lobesia vanillana (De Joannis,1900)** (Tortricidae) Synonymy: vanillana De Joannis,1900; triancanthis Diakonoff,1992 Range (as code): **MG RE**
18083. **Lobesia vittigera (Meyrick,1932)** (Tortricidae) Synonymy: pusillana Mabille,1900 (praeocc.); vittigera Meyrick,1932 Range (as code): **MG**
18084. **Lobesia xenosema Diakonoff,1983** (Tortricidae) Synonymy: xenosema Diakonoff,1983 Range (as code): **MG**
18085. **Lozotaenia capensana (Walker,1863)** (Tortricidae) Synonymy: capensana Walker,1863; meridionana Walker,1863; reciprocana Walker,1863; adustana Walsingham,1881; dorsiplagana Walsingham,1881; catadryas Meyrick,1937 Range (as code): **ZA**

18086. **Lozotaenia capitana (R.Felder & Rogenhofer,1875)** (Tortricidae) Synonymy: capitana R.Felder & Rogenhofer,1875 Range (as code): **ZA**
18087. **Lozotaenia cupidinana (Staudinger,1859)** (Tortricidae) Synonymy: cupidinana Staudinger,1859; rasana Zerny,1935 Range (as code): **MA TN PT ES Si**
18088. **Lozotaenia edwardsi (Bradley,1965)** (Tortricidae) Synonymy: edwardsi Bradley,1965 Range (as code): **UG**
18089. **Lozotaenia karchana Razowski & Trematerra,2010** (Tortricidae) Synonymy: karchana Razowski & Trematerra,2010 Range (as code): **ET Ble**
18090. **Lozotaenia sciarettae Razowski & Trematerra,2010** (Tortricidae) Synonymy: sciarettae Razowski & Trematerra,2010 Range (as code): **ET Ble**
18091. **Lumaria afrotropica Razowski,2002** (Tortricidae) Synonymy: afrotropica Razowski,2002 Range (as code): **CM**
18092. **Lumaria petrophora (Meyrick,1938)** (Tortricidae) Synonymy: petrophora Meyrick,1938 Range (as code): **ZR**
18093. **Lumaria probolias (Meyrick,1907)** (Tortricidae) Synonymy: probolias Meyrick,1907; exalbescens Meyrick,1922 Range (as code): **TH NP IN LK TW MY ID Ja Sbh Bor UG MW**
18094. **Megalota archana Aarvik,2004** (Tortricidae) Synonymy: archana Aarvik,2004 Range (as code): **TZ Usa Tnga Ani**
18095. **Megalota insolenta Razowski,2012** (Tortricidae) Synonymy: insolenta Razowski,2012 Range (as code): **ZR**
18096. **Megalota lygaria Razowski & Trematerra,2010** (Tortricidae) Synonymy: lygaria Razowski & Trematerra,2010 Range (as code): **ET Ble**
18097. **Megalota namibiana Aarvik,2004** (Tortricidae) Synonymy: namibiana Aarvik,2004 Range (as code): **NA**
18098. **Megalota purpurana Aarvik,2004** (Tortricidae) Synonymy: purpurana Aarvik,2004 Range (as code): **KE Nai**
18099. **Megalota rhopalitis (Meyrick,1920)** (Tortricidae) Synonymy: rhopalitis Meyrick,1920 Range (as code): **KE Nai**
18100. **Megalota spondylis (Meyrick,1918)** (Tortricidae) Synonymy: spondylis Meyrick,1918 Range (as code): **ZA**
18101. **Metamesia dilucida Diakonoff,1960** (Tortricidae) Synonymy: dilucida Diakonoff,1960 Range (as code): **MG**
18102. **Metamesia elegans (Walsingham,1881)** (Tortricidae) Synonymy: elegans Walsingham,1881; hedrastis Meyrick,1908; prona Meyrick,1911. Range (as code): **ZA Tva Gau Pre Lpo Hae Nta Kzu Dbn Ptw**
18103. **Metamesia endopyrrha (Meyrick,1930)** (Tortricidae) Synonymy: endopyrrha Meyrick,1930 Range (as code): **UG**
18104. **Metamesia episema Diakonoff,1960** (Tortricidae) Synonymy: episema Diakonoff,1960 Range (as code): **MG ET Ble**
18105. **Metamesia octogona Bradley,1965** (Tortricidae) Synonymy: octogona Bradley,1965 Range (as code): **UG**
18106. **Metamesia physetopa (Meyrick,1932)** (Tortricidae) Synonymy: physetopa Meyrick,1932 Range (as code): **ET Ble**
18107. **Metendothenia balanacma (Meyrick,1914)** (Tortricidae) Synonymy: balanacma Meyrick,1914; anaclina Meyrick,1921 Range (as code): **MZ ZR Knh ZW Uma**
18108. **Multiquaestia aequivoca Razowski & Trematerra,2010** (Tortricidae) Synonymy: aequivoca Razowski & Trematerra,2010 Range (as code): **ET Ble**
18109. **Multiquaestia agassizi Aarvik & Karisch,2009** (Tortricidae) Synonymy: agassizi Aarvik & Karisch,2009 Range (as code): **KE**
18110. **Multiquaestia albimaculana Karisch,2005** (Tortricidae) Synonymy: albimaculana Karisch,2005 Range (as code): **AO**
18111. **Multiquaestia andersi Aarvik & Karisch,2009** (Tortricidae) Synonymy: andersi Aarvik & Karisch,2009 Range (as code): **TZ**
18112. **Multiquaestia dallastai Aarvik & Karisch,2009** (Tortricidae) Synonymy: dallastai Aarvik & Karisch,2009 Range (as code): **KE**
18113. **Multiquaestia fibigeri Aarvik & Karisch,2009** (Tortricidae) Synonymy: fibigeri Aarvik & Karisch,2009 Range (as code): **TZ**

18114. **Multiquaestia iringana Aarvik & Karisch,2009** (Tortricidae) Synonymy: iringana Aarvik & Karisch,2009 Range (as code): **TZ Iri**
18115. **Multiquaestia kingstoni Aarvik & Karisch,2009** (Tortricidae) Synonymy: kingstoni Aarvik & Karisch,2009 Range (as code): **MW**
18116. **Multiquaestia purana Aarvik & Karisch,2009** (Tortricidae) Synonymy: purana Aarvik & Karisch,2009 Range (as code): **TZ Iri**
18117. **Multiquaestia skulei Aarvik & Karisch,2009** (Tortricidae) Synonymy: skulei Aarvik & Karisch,2009 Range (as code): **MW**
18118. **Neorrhyncha camerunica Aarvik,2004** (Tortricidae) Synonymy: camerunica Aarvik,2004 Range (as code): **CM**
18119. **Neorrhyncha congolana Aarvik,2004** (Tortricidae) Synonymy: congolana Aarvik,2004 Range (as code): **ZR**
18120. **Nephograptis necropina Razowski,1981** (Tortricidae) Synonymy: necropina Razowski,1981 Range (as code): **NG**
18121. **Olethreutes (Argyroploce) acroplecta (Meyrick,1921)** (Tortricidae) Synonymy: acroplecta Meyrick,1921 Range (as code): **ZA Nta Kzu Rie ZW Umv**
18122. **Olethreutes (Argyroploce) affluens (Meyrick,1921)** (Tortricidae) Synonymy: affluens Meyrick,1921 Range (as code): **MZ Mag**
18123. **Olethreutes (Argyroploce) arsiptera (Meyrick,1921)** (Tortricidae) Synonymy: arsiptera Meyrick,1921 Range (as code): **ZA Nta Kzu Dbn**
18124. **Olethreutes (Argyroploce) asterota (Meyrick,1918)** (Tortricidae) Synonymy: asterota Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
18125. **Olethreutes (Argyroploce) brevibasana (Walsingham,1891)** (Tortricidae) Synonymy: brevibasana Walsingham,1891 Range (as code): **ZA Tva Gau Pre**
18126. **Olethreutes (Argyroploce) carceraria (Meyrick,1913)** (Tortricidae) Synonymy: carceraria Meyrick,1913 Range (as code): **ZA Tva Mpu Wv**
18127. **Olethreutes (Argyroploce) caryocoma (Meyrick,1918)** (Tortricidae) Synonymy: caryocoma Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
18128. **Olethreutes (Argyroploce) criopis (Meyrick,1928)** (Tortricidae) Synonymy: criopis Meyrick,1928 Range (as code): **ZA**
18129. **Olethreutes (Argyroploce) diremptana (Walker,1863)** (Tortricidae) Synonymy: diremptana Walker,1863 Range (as code): **ZA**
18130. **Olethreutes (Argyroploce) encharacta (Meyrick,1918)** (Tortricidae) Synonymy: encharacta Meyrick,1918 Range (as code): **ZA Ec Stj**
18131. **Olethreutes (Argyroploce) erythropa (Meyrick,1918)** (Tortricidae) Synonymy: erythropa Meyrick,1918 Range (as code): **ZA Nta Kzu Umk**
18132. **Olethreutes (Argyroploce) exhilarata (Meyrick,1918)** (Tortricidae) Synonymy: exhilarata Meyrick,1918; eoplecta Meyrick,1925 Range (as code): **ZA Tva Gau Pre**
18133. **Olethreutes (Argyroploce) glaphyraspis (Meyrick,1921)** (Tortricidae) Synonymy: glaphyraspis Meyrick,1921 Range (as code): **ZA Ec Stj**
18134. **Olethreutes (Argyroploce) globigera (Meyrick,1914)** (Tortricidae) Synonymy: globigera Meyrick,1914 Range (as code): **ZA**
18135. **Olethreutes (Argyroploce) iorrhoa (Meyrick,1914)** (Tortricidae) Synonymy: iorrhoa Meyrick,1914 Range (as code): **ZA MW Mje**
18136. **Olethreutes (Argyroploce) lobotona (Meyrick,1921)** (Tortricidae) Synonymy: lobotona Meyrick,1921 Range (as code): **ZW Swm**
18137. **Olethreutes (Argyroploce) lutipennis (Meyrick,1921)** (Tortricidae) Synonymy: lutipennis Meyrick,1921 Range (as code): **MZ Mag**
18138. **Olethreutes (Argyroploce) micrograpta (Meyrick,1921)** (Tortricidae) Synonymy: micrograpta Meyrick,1921 Range (as code): **MZ Mag**
18139. **Olethreutes (Argyroploce) mochlaspis (Meyrick,1921)** (Tortricidae) Synonymy: mochlaspis Meyrick,1921 Range (as code): **ZW Har**
18140. **Olethreutes (Argyroploce) nectarodes (Meyrick,1921)** (Tortricidae) Synonymy: nectarodes Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
18141. **Olethreutes (Argyroploce) niphadastra (Meyrick,1921)** (Tortricidae) Synonymy: niphadastra Meyrick,1921 Range (as code): **MZ L-M**

18142.Olethreutes (Argyroploce) nucleata (Meyrick,1913) (Tortricidae) Synonymy: nucleata Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
18143.Olethreutes (Argyroploce) orichlora (Meyrick,1920) (Tortricidae) Synonymy: orichlora Meyrick,1920 Range (as code): **ZA Wca**
18144.Olethreutes (Argyroploce) orthacta (Meyrick,1908) (Tortricidae) Synonymy: orthacta Meyrick,1908 Range (as code): **ZA Tva Gau Pre Lpo Spb**
18145.Olethreutes (Argyroploce) phoeniodes (Meyrick,1921) (Tortricidae) Synonymy: phoeniodes Meyrick,1921 Range (as code): **MZ Mag**
18146.Olethreutes (Argyroploce) polymorpha (Meyrick,1932) (Tortricidae) Synonymy: polymorpha Meyrick,1932 Range (as code): **ET Sw ET88**
18147.Olethreutes (Argyroploce) prodroma (Meyrick,1913) (Tortricidae) Synonymy: prodroma Meyrick,1913 Range (as code): **ZA Tva Mpu Tst Brb**
18148.Olethreutes (Argyroploce) propitia (Meyrick,1918) (Tortricidae) Synonymy: propitia Meyrick,1918 Range (as code): **ZA Nta Kzu Esw**
18149.Olethreutes (Argyroploce) ptilonota (Meyrick,1921) (Tortricidae) Synonymy: ptilonota Meyrick,1921 Range (as code): **ZA Tva Gau Pre**
18150.Olethreutes (Argyroploce) sagata (Meyrick,1913) (Tortricidae) Synonymy: sagata Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
18151.Olethreutes (Argyroploce) scabellana (Zeller,1852) (Tortricidae) Synonymy: scabellana Zeller,1852 Range (as code): **ZA**
18152.Olethreutes (Argyroploce) sistrata (Meyrick,1911) (Tortricidae) Synonymy: sistrata Meyrick,1911 Range (as code): **ZA Tva Lpo Wo Nta Kzu Ptw**
18153.Olethreutes (Argyroploce) transformis (Meyrick,1921) (Tortricidae) Synonymy: transformis Meyrick,1921 Range (as code): **ZW Hfo**
18154.Olethreutes (Argyroploce) trithyra (Meyrick,1921) (Tortricidae) Synonymy: trithyra Meyrick,1921 Range (as code): **ZW Hfo**
18155.Olethreutes aristomorpha (Meyrick,1931) (Tortricidae) Synonymy: aristomorpha Meyrick,1931 Range (as code): **SL**
18156.Olethreutes bryoscopa (Meyrick,1928) (Tortricidae) Synonymy: bryoscopa Meyrick,1928 Range (as code): **CM Bit**
18157.Olethreutes calchantis (Meyrick,1914) (Tortricidae) Synonymy: calchantis Meyrick,1914 Range (as code): **MW Mje**
18158.Olethreutes cybicopa (Meyrick,1933) (Tortricidae) Synonymy: cybicopa Meyrick,1933 Range (as code): **SL**
18159.Olethreutes doctrinalis (Meyrick,1934) (Tortricidae) Synonymy: doctrinalis Meyrick,1934 Range (as code): **ST**
18160.Olethreutes molybdachtha (Meyrick,1930) (Tortricidae) Synonymy: molybdachtha Meyrick,1930 Range (as code): **CI**
18161.Olethreutes pontifraga (Meyrick,1928) (Tortricidae) Synonymy: pontifraga Meyrick,1928 Range (as code): **UG**
18162.Olethreutes rhodochranta (Meyrick,1933) (Tortricidae) Synonymy: rhodochranta Meyrick,1933 Range (as code): **UG**
18163.Olethreutes stellans (Meyrick,1922) (Tortricidae) Synonymy: stellans Meyrick,1922; cassiterastra Meyrick,1931 Range (as code): **UG**
18164.Orilesa mediocris (Meyrick,1914) (Tortricidae) Synonymy: mediocris Meyrick,1914 Range (as code): **KE**
18165.Orilesa olearis (Meyrick,1912) (Tortricidae) Synonymy: olearis Meyrick,1912 Range (as code): **ZA Tva Mpu Brb SZ**
18166.Oxypteron eremica (Walsingham,1907) (Tortricidae) Synonymy: eremica Walsingham,1907; partitanum Chrétien,1915; #partinatum Razowski,1961 Range (as code): **DZ Bsk Hes TN Gf**
18167.Oxypteron kruegeri (Turati,1924) (Tortricidae) Synonymy: kruegeri Turati,1924 Range (as code): **LY**
18168.Pammene cocciferana (Walsingham,1903) (Tortricidae) Synonymy: cocciferana Walsingham,1903 Range (as code): **ES FR MA**
18169.Pammene ornata Walsingham,1903 (Tortricidae) Synonymy: ornata Walsingham,1903 Range (as code): **MA**

18170. **Pammenitis calligrapha Diakonoff,1988** (Tortricidae) Synonymy: calligrapha Diakonoff,1988 Range (as code): **MG**
18171. **Pandemis capnobathra (Meyrick,1930)** (Tortricidae) Synonymy: capnobathra Meyrick,1930 Range (as code): **MG**
18172. **Pandemis caryocentra Diakonoff,1960** (Tortricidae) Synonymy: caryocentra Diakonoff,1960 Range (as code): **MG**
18173. **Pandemis cerioschema (Meyrick,1934)** (Tortricidae) Synonymy: cerioschema Meyrick,1934 Range (as code): **UG Kmp**
18174. **Pandemis cinnamomeana (Treitschke,1830)** (Tortricidae) Synonymy: croceana Hübner,[1799]; croceana Frölich,1828 (praeocc.); cinnamomeana Treitschke,1830; basana Zerny,1935 Range (as code): **MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU Ur Sb Us MD UA BY TR MN CN KK KP KR JP 65**
18175. **Pandemis dispersa (Diakonoff,1960)** (Tortricidae) Synonymy: dispersa Diakonoff,1960 Range (as code): **MG**
18176. **Pandemis euryloncha (Diakonoff,1973)** (Tortricidae) Synonymy: euryloncha Diakonoff,1973 Range (as code): **MG**
18177. **Pandemis eustropha (Bradley,1965)** (Tortricidae) Synonymy: eustropha Bradley,1965 Range (as code): **UG Rz**
18178. **Pandemis griveaudi (Diakonoff,1960)** (Tortricidae) Synonymy: griveaudi Diakonoff,1960 Range (as code): **MG**
18179. **Pandemis ianus (Diakonoff,1970)** (Tortricidae) Synonymy: ianus Diakonoff,1970 Range (as code): **MG**
18180. **Pandemis isotetras (Meyrick,1934)** (Tortricidae) Synonymy: isotetras Meyrick,1934 Range (as code): **GO Bio**
18181. **Pandemis orophila (Bradley,1965)** (Tortricidae) Synonymy: orophila Bradley,1965 Range (as code): **UG Rz**
18182. **Pandemis pauliani (Diakonoff,1960)** (Tortricidae) Synonymy: pauliani Diakonoff,1960 Range (as code): **MG**
18183. **Pandemis regalis (Diakonoff,1960)** (Tortricidae) Synonymy: regalis Diakonoff,1960 Range (as code): **MG**
18184. **Paraeccopsis insellata (Meyrick,1920)** (Tortricidae) Synonymy: insellata Meyrick,1920; inflicta Meyrick,1920; atricapsis Meyrick,1930 Range (as code): **NG KE IN**
18185. **Paramesia pygmaeana (Amsel,1956)** (Tortricidae) Synonymy: pygmaeana Amsel,1956 Range (as code): **MA**
18186. **Paramesiodes aprepta Bradley,1965** (Tortricidae) Synonymy: aprepta Bradley,1965 Range (as code): **UG**
18187. **Paramesiodes longirostris Diakonoff,1960** (Tortricidae) Synonymy: longirostris Diakonoff,1960 Range (as code): **MG**
18188. **Paramesiodes minor Diakonoff,1960** (Tortricidae) Synonymy: minor Diakonoff,1960 Range (as code): **MG**
18189. **Pelochrista bleuseana (Oberthür,1888)** (Tortricidae) Synonymy: bleuseana Oberthür,1888; nubilana Caradja,1916; #beluseana Vives Moreno,1991 Range (as code): **MA DZ Tou Lbs TN Gf ES IT**
18190. **Pelochrista confidana (Chrétien,1915)** (Tortricidae) Synonymy: confidana Chrétien,1915 Range (as code): **TN**
18191. **Pelochrista dernina (Turati,1930)** (Tortricidae) Synonymy: dernina Turati,1930 Range (as code): **LY Cy**
18192. **Pelochrista edrisiana (Chrétien,1922)** (Tortricidae) Synonymy: edrisiana Chrétien,1922 Range (as code): **MA**
18193. **Pelochrista fusculana (Zeller,1847)** (Tortricidae) Synonymy: fusculana Zeller,1847; crustulana Lederer,1859; obstinatana Kennel,1901 Range (as code): **MA DZ Agi Lbs ES Mu FR Sa Si IT RO YU AL BG GR**
18194. **Pelochrista modicana (Zeller,1847)** (Tortricidae) Synonymy: modicana Zeller,1847; modestana Herrich-Schäffer,[1851]; definitana Kennel,1901; hinnebergiana Fuchs,1902 Range (as code): **TN PT ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG RU MD UA BY TR TM KG Uk 05 16 30 65**
18195. **Pelochrista tornimaculana (Zerny,1935)** (Tortricidae) Synonymy: tornimaculana Zerny,1935 Range (as code): **MA**
18196. **Periclepsis accinctana (Chrétien,1915)** (Tortricidae) Synonymy: accinctana Chrétien,1915; pierrelovyana Dumont,1931; abdallah Le Cerf,1932 Range (as code): **TN MA**

18197. **Phaecasiophora auroraegera Diakonoff,1983** (Tortricidae) Synonymy: auroraegera Diakonoff,1983 Range (as code): **MG**
18198. **Phaecasiophora basicornis Walsingham,1891** (Tortricidae) Synonymy: basicornis Walsingham,1891 Range (as code): **GA**
18199. **Phaecasiophora variabilis Walsingham,1891** (Tortricidae) Synonymy: variabilis Walsingham,1891 Range (as code): **GA**
18200. **Phalarocarpa crocus Razowski,2012** (Tortricidae) Synonymy: crocus Razowski,2012 Range (as code): **ZR**
18201. **Phalarocarpa harmographa Meyrick,1937** (Tortricidae) Synonymy: harmographa Meyrick,1937 Range (as code): **UG ZR**
18202. **Phaneta autochthones (Walsingham,1897)** (Tortricidae) Synonymy: autochthones Walsingham,1897 Range (as code): **TN Gf VG**
18203. **Philedonides lunana (Thunberg,1784)** (Tortricidae) Synonymy: lunana Thunberg,1784; prodromana Hübner,[1816]; walkerana Curtis,1828; rungsi Lucas,1954 Range (as code): **MA IT IE GB BE DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Cc GG**
18204. **Phlebozemia sandrinae Diakonoff,1985** (Tortricidae) Synonymy: sandrinae Diakonoff,1985 Range (as code): **ZA**
18205. **Phricanthes flexilineana (Walker,1863)** (Tortricidae) Synonymy: flexilineana Walker,1863; macroura Lower,1908 Range (as code): **LK IN MM ID Ja PH Luz PG GY AU QAu MG**
18206. **Phtheochroa duponchelana (Duponchel,1843)** (Tortricidae) Synonymy: duponchelana Duponchel,1843; duponcheliana Costa,1847; gloriosana Herrich-Schäffer,1851; syriaca Walsingham,1900 Range (as code): **MA DZ FR Si MT IT HU HV B-H YU AL GR Cr TR LB Bei SY Hal 01 06 07 16 31 42 51 65**
18207. **Phtheochroa ecballiella Huemer,1990** (Tortricidae) Synonymy: ecballiella Huemer,1990 Range (as code): **PT ES Cn**
18208. **Phtheochroa nigrisparsana (Chrétien,1922)** (Tortricidae) Synonymy: nigrisparsana Chrétien,1922 Range (as code): **MA**
18209. **Phtheochroa ochrobasana (Chrétien,1915)** (Tortricidae) Synonymy: ochrobasana Chrétien,1915; undulata Lucas,1946 Range (as code): **DZ Bsk Gle TN Gf ES SA**
18210. **Phtheochroa ochrolana (Chrétien,1915)** (Tortricidae) Synonymy: ochrolana Chrétien,1915; bedeella Lucas,1946. Range (as code): **DZ Bsk TN Gf Sfx LY SA SA63 GR**
18211. **Phtheochroa rectangulana (Chrétien,1915)** (Tortricidae) Synonymy: rectangulana Chrétien,1915 Range (as code): **DZ TN Gf ES MT**
18212. **Phtheochroa rugosana (Hübner,[1799])** (Tortricidae) Synonymy: rugosana Hübner,[1799]; v-albana Donovan,1806. Range (as code): **Cn MA DZ PT ES FR IT GB BE NL LU DE CH AT PL CZ RO YU B-H TR Cc AM Eri 05 06**
18213. **Phtheochroa simoniana (Staudinger,1859)** (Tortricidae) Synonymy: simoniana Staudinger,1859 Range (as code): **DZ MA PT ES An IT?**
18214. **Phtheochroa sinecarina Huemer,1990** (Tortricidae) Synonymy: sinecarina Huemer,1990 Range (as code): **MA DZ**
18215. **Phtheochroa syrtana Ragonot,1888** (Tortricidae) Synonymy: syrtana Ragonot,1888 Range (as code): **DZ Bsk TN Gf Gab PT ES IL Hf Js Jer Pa IR Yz**
18216. **Plutographa anopa Diakonoff,1989** (Tortricidae) Synonymy: anopa Diakonoff,1989 Range (as code): **MG**
18217. **Plutographa authodes Diakonoff,1992** (Tortricidae) Synonymy: authodes Diakonoff,1992 Range (as code): **MG**
18218. **Plutographa brochota Diakonoff,1989** (Tortricidae) Synonymy: brochota Diakonoff,1989 Range (as code): **MG**
18219. **Plutographa cryphaea Diakonoff,1989** (Tortricidae) Synonymy: cryphaea Diakonoff,1989 Range (as code): **MG**
18220. **Plutographa cyanea Diakonoff,1989** (Tortricidae) Synonymy: cyanea Diakonoff,1989 Range (as code): **MG**
18221. **Plutographa cyclops Diakonoff,1970** (Tortricidae) Synonymy: cyclops Diakonoff,1970 Range (as code): **MG**
18222. **Plutographa dyspotma Diakonoff,1989** (Tortricidae) Synonymy: dyspotma Diakonoff,1989 Range (as code): **MG**
18223. **Plutographa encharacta (Meyrick,1918)** (Tortricidae) Synonymy: encharacta Meyrick,1918 Range (as code): **ZA**

18224. **Plutographa erytema Diakonoff,1989** (Tortricidae) Synonymy: erytema Diakonoff,1989 Range (as code): **MG**
18225. **Plutographa eudela Diakonoff,1989** (Tortricidae) Synonymy: eudela Diakonoff,1989 Range (as code): **MG**
18226. **Plutographa glochydosema Diakonoff,1989** (Tortricidae) Synonymy: glochydosema Diakonoff,1989 Range (as code): **MG**
18227. **Plutographa heteranthera Diakonoff,1970** (Tortricidae) Synonymy: heteranthera Diakonoff,1970 Range (as code): **MG**
18228. **Plutographa latefracta Diakonoff,1989** (Tortricidae) Synonymy: latefracta Diakonoff,1989 Range (as code): **MG**
18229. **Plutographa lichenophyes Diakonoff,1989** (Tortricidae) Synonymy: lichenophyes Diakonoff,1989 Range (as code): **MG**
18230. **Plutographa microsarca Diakonoff,1989** (Tortricidae) Synonymy: microsarca Diakonoff,1989 Range (as code): **MG**
18231. **Plutographa monopa Diakonoff,1989** (Tortricidae) Synonymy: monopa Diakonoff,1989 Range (as code): **MG**
18232. **Plutographa nigrivittata Diakonoff,1989** (Tortricidae) Synonymy: nigrivittata Diakonoff,1989 Range (as code): **MG**
18233. **Plutographa orbiculi Diakonoff,1989** (Tortricidae) Synonymy: orbiculi Diakonoff,1989 Range (as code): **MG**
18234. **Plutographa phloena Diakonoff,1989** (Tortricidae) Synonymy: phloena Diakonoff,1989 Range (as code): **MG**
18235. **Plutographa phloeorrhages Diakonoff,1970** (Tortricidae) Synonymy: phloeorrhages Diakonoff,1970 Range (as code): **MG**
18236. **Plutographa pictura (Diakonoff,1970)** (Tortricidae) Synonymy: pictura Diakonoff,1970 Range (as code): **MG**
18237. **Plutographa reducta Diakonoff,1989** (Tortricidae) Synonymy: reducta Diakonoff,1989 Range (as code): **MG**
18238. **Plutographa rhodana Diakonoff,1989** (Tortricidae) Synonymy: rhodana Diakonoff,1989 Range (as code): **MG**
18239. **Plutographa semna Diakonoff,1989** (Tortricidae) Synonymy: semna Diakonoff,1989 Range (as code): **MG**
18240. **Plutographa seriopa Diakonoff,1989** (Tortricidae) Synonymy: seriopa Diakonoff,1989 Range (as code): **MG**
18241. **Plutographa spodostoma Diakonoff,1989** (Tortricidae) Synonymy: spodostoma Diakonoff,1989 Range (as code): **MG**
18242. **Plutographa tetracelis Diakonoff,1989** (Tortricidae) Synonymy: tetracelis Diakonoff,1989 Range (as code): **MG**
18243. **Plutographa tomion Diakonoff,1989** (Tortricidae) Synonymy: tomion Diakonoff,1989 Range (as code): **MG**
18244. **Plutographa transversa (Diakonoff,1970)** (Tortricidae) Synonymy: transversa Diakonoff,1970 Range (as code): **MG**
18245. **Plutographa xanthala Razowski & Trematerra,2010** (Tortricidae) Synonymy: xanthala Razowski & Trematerra,2010 Range (as code): **ET Ble**
18246. **Plutographa xyloglypha Diakonoff,1989** (Tortricidae) Synonymy: xyloglypha Diakonoff,1989 Range (as code): **MG**
18247. **Procrica agrapha Diakonoff,1983** (Tortricidae) Synonymy: agrapha Diakonoff,1983 Range (as code): **KM**
18248. **Procrica camerunica Razowski,2002** (Tortricidae) Synonymy: camerunica Razowski,2002 Range (as code): **CM**
18249. **Procrica diarda Diakonoff,1983** (Tortricidae) Synonymy: diarda Diakonoff,1983 Range (as code): **KM**
18250. **Procrica dinshona Razowski & Trematerra,2010** (Tortricidae) Synonymy: dinshona Razowski & Trematerra,2010 Range (as code): **ET Ble**
18251. **Procrica imitans (Diakonoff,1947)** (Tortricidae) Synonymy: imitans Diakonoff,1947 Range (as code): **MG**

18252.Procrica intrepida (Meyrick,1912) (Tortricidae) Synonymy: intrepida Meyrick,1912; obscura Diakonoff,1960 Range (as code): **KM MG**
18253.Procrica ochrata Razowski,2002 (Tortricidae) Synonymy: ochrata Razowski,2002 Range (as code): **CM**
18254.Procrica ophiograpta (Meyrick,1932) (Tortricidae) Synonymy: ophiograpta Meyrick,1932 Range (as code): **ET ET70 ET88 Sw Ble**
18255.Procrica parisii Razowski & Trematerra,2010 (Tortricidae) Synonymy: parisii Razowski & Trematerra,2010 Range (as code): **ET Ble**
18256.Procrica parva Razowski,2002 (Tortricidae) Synonymy: parva Razowski,2002 Range (as code): **KE**
18257.Procrica sanidota (Meyrick,1912) (Tortricidae) Synonymy: sanidota Meyrick,1912 Range (as code): **KM**
18258.Procrica semilutea Diakonoff,1960 (Tortricidae) Synonymy: semilutea Diakonoff,1960 Range (as code): **MG**
18259.Prohysterophora chionopa (Meyrick,1891) (Tortricidae) Synonymy: chionopa Meyrick,1891; neftana Lucas,1943 Range (as code): **DZ Bsk TN**
18260.Prophaecasia malawiana Heppner & Bae,2018 (Tortricidae) Synonymy: malawiana Heppner & Bae,2018 Range (as code): **MW**
18261.Prophaecasia usambarae (Razowski & Wojtusiak,2014) (Tortricidae) Synonymy: usambarae Razowski & Wojtusiak,2014 Range (as code): **TZ Usa**
18262.Proschistis atricapsis (Meyrick,1930) (Tortricidae) Synonymy: atricapsis Meyrick,1930 Range (as code): **NG**
18263.Protancylis bisecta Razowski,2002 (Tortricidae) Synonymy: bisecta Razowski,2002 Range (as code): **CM**
18264.Pseudeboda africana Razowski,1964 (Tortricidae) Synonymy: africana Razowski,1964 Range (as code): **ZA Stj Tra**
18265.Rhyacionia buoliana ([Denis & Schiffermüller],1775) (Tortricidae) Synonymy: buoliana [Denis & Schiffermüller],1775; herbstella Goeze,1783; thurificana Lederer,1855; #bouoliana Kalchberg,1897 Range (as code): **Md MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR CY DK NO SE FI EE LV LT RU Ur MD UA BY LB Bei IL Pa Hf KP KR CN JP US AR 06 07 09 14 15 34 41 57**
18266.Rhyacionia walsinghami (Rebel,1896) (Tortricidae) Synonymy: walsinghami Rebel,1896 Range (as code): **Cn**
18267.Rubidograptis regulus Razowski,1981 (Tortricidae) Synonymy: regulus Razowski,1981 Range (as code): **NG**
18268.Rubrograptis recrudescentia Razowski,1981 (Tortricidae) Synonymy: recrudescentia Razowski,1981 Range (as code): **NG**
18269.Russograptis albulata Razowski & Trematerra,2010 (Tortricidae) Synonymy: albulata Razowski & Trematerra,2010 Range (as code): **ET Ble**
18270.Russograptis callopista (Durrant,1914) (Tortricidae) Synonymy: callopista Durrant,1914 Range (as code): **NG Lgo**
18271.Russograptis canthararcha (Meyrick,1937) (Tortricidae) Synonymy: canthararcha Meyrick,1937; #cantararcha Razowski,1966 Range (as code): **ZR**
18272.Russograptis medleri Razowski,1981 (Tortricidae) Synonymy: medleri Razowski,1981 Range (as code): **NG**
18273.Russograptis praeconia (Meyrick,1937) (Tortricidae) Synonymy: praeconia Meyrick,1937 Range (as code): **ZR**
18274.Russograptis solaris Razowski,1981 (Tortricidae) Synonymy: solaris Razowski,1981 Range (as code): **NG**
18275.Rutilograptis cornesi Razowski,1981 (Tortricidae) Synonymy: cornesi Razowski,1981 Range (as code): **NG**
18276.Rutilograptis couteauxi (Ghesquière,1940) (Tortricidae) Synonymy: couteauxi Ghesquière,1940 Range (as code): **ZR**
18277.Sambara sciara Razowski,2012 (Tortricidae) Synonymy: sciara Razowski,2012 Range (as code): **ZR**
18278.Sambara sinuata Aarvik,2004 (Tortricidae) Synonymy: sinuata Aarvik,2004 Range (as code): **TZ**
18279.Selania costifuscana Aarvik,2004 (Tortricidae) Synonymy: costifuscana Aarvik,2004 Range (as code): **NA Dmr Bnd**

18280.Selania detrita (Meyrick,1928) (Tortricidae) Synonymy: detrita Meyrick,1928 Range (as code): **SD Wme**

18281.Selania leplastriana (Curtis,1831) (Tortricidae) Synonymy: leplastriana Curtis,1831; gueriniana Duponchel,1836; maderae Wollaston,1858; vana Kennel,1901; malcolmiae Walsingham,1903; decoratana Chrétien,1915; extinctana Chrétien,1915; #decorata Caradja,1916 Range (as code): **Md DZ Bsk TN Gf PT ES An FR Co Sa Si IT MT GB LU AT SK HU RO YU TR RU 16**

18282.Selania macella Diakonoff,1976 (Tortricidae) Synonymy: macella Diakonoff,1976 Range (as code): **Cn**

18283.Selania planifrontana (Rebel,1912) (Tortricidae) Synonymy: planifrontana Rebel,1912; lotana Chrétien,1915 Range (as code): **EG EG34 DZ Bsk**

18284.Spilonota conica Meyrick,1911 (Tortricidae) Synonymy: conica Meyrick,1911 Range (as code): **ZA Tva Gau Pre Wo**

18285.Spilonota sinuosa Meyrick,1917 (Tortricidae) Synonymy: sinuosa Meyrick,1917 Range (as code): **ZA Kzu Nta Dbn**

18286.Strepsicrates fenestrata Walsingham,1907 (Tortricidae) Synonymy: fenestrata Walsingham,1907 Range (as code): **Cn**

18287.Strepsicrates rhothia (Meyrick,1910) (Tortricidae) Synonymy: rhothia Meyrick,1910 Range (as code): **ZA VN MU LK Mky TH CMa Int Loe IN Ddu Pj Pus Ben JP**

18288.Strepsicrates trimaura Diakonoff,1985 (Tortricidae) Synonymy: trimaura Diakonoff,1985 Range (as code): **Cn**

18289.Taiteccopsis taitana Razowski,2012 (Tortricidae) Synonymy: taitana Razowski,2012 Range (as code): **KE Tet**

18290.Temnolopha sponditis (Meyrick,1918) (Tortricidae) Synonymy: sponditis Meyrick,1918 Range (as code): **ZA Ec Stj Nta Kzu Ptw**

18291.Tetramoera schistaceana (Snellen,1891) (Tortricidae) Synonymy: schistaceana Snellen,1891 Range (as code): **CN Mc JP IN TW MY VN PH Luz Mno ID Ja MG Hw MU RE**

18292.Thaumatotibia batrachopa (Meyrick,1908) (Tortricidae) Synonymy: batrachopa Meyrick,1908 Range (as code): **ZA Wca Ec Nta Kzu Tva Lpo ZW MG ET Ble**

18293.Thaumatovalva albolineana Timm & J.W.Brown,2014 (Tortricidae) Synonymy: albolineana Timm & J.W.Brown,2014 Range (as code): **ZR**

18294.Thaumatovalva deprinsorum Timm & J.W.Brown,2014 (Tortricidae) Synonymy: deprinsorum Timm & J.W.Brown,2014 Range (as code): **ZR**

18295.Thaumatovalva limbata (Diakonoff,1969) (Tortricidae) Synonymy: limbata Diakonoff,1969 Range (as code): **SC Ald KE Elg**

18296.Thaumatovalva spinai (Razowski & Trematerra,2010) (Tortricidae) Synonymy: spinai Razowski & Trematerra,2010 Range (as code): **ET NG**

18297.Thiodia albocella Razowski & Trematerra,2008 (Tortricidae) Synonymy: albocella Razowski & Trematerra,2008 Range (as code): **MZ**

18298.Thiodia excavana Aarvik,2004 (Tortricidae) Synonymy: excavana Aarvik,2004 Range (as code): **NA Dmr Bnd**

18299.Thiodia glandulosana Walsingham,1907 (Tortricidae) Synonymy: glandulosana Walsingham,1907 Range (as code): **Cn**

18300.Thiodia nasifera Razowski & Trematerra,2008 (Tortricidae) Synonymy: nasifera Razowski & Trematerra,2008 Range (as code): **MZ**

18301.Thiodia trochilana (Frölich,1828) (Tortricidae) Synonymy: trochilana Frölich,1828; delitana Fischer v. Röslerstamm,[1839]; rieseana Herrich-Schäffer,1851; bracteana Chrétien,1922 Range (as code): **DZ MA ES FR Co Si IT DE CH AT CZ SK HU RO YU AL BG GR TR IR Kh Cc GG AM LB Say TM LV RU MD UA BY 05 16 44 65**

18302.Tortricodes alternella ([Denis & Schiffermüller],1775) (Tortricidae) Synonymy: alternella [Denis & Schiffermüller],1775; violella Razowski,1956 Range (as code): **MA DZ PT ES FR Si IT IE GB BE LU DE CH AT PL CZ SK HU YU DK NO SE EE LV LT RU MD UA BY**

18303.Tortrix agroeca Meyrick,1908 (Tortricidae) Synonymy: agroeca Meyrick,1908 Range (as code): **ZA Gau Tva Pre**

18304.Tortrix albescens Meyrick,1912 (Tortricidae) Synonymy: albescens Meyrick,1912 Range (as code): **ZA**

18305.Tortrix biformis Meyrick,1920 (Tortricidae) Synonymy: biformis Meyrick,1920 Range (as code): **ZA Ec Wth**

18306.Tortrix capensana (Walker,1863) (Tortricidae) Synonymy: capensana Walker,1863; adustana Walsingham,1881 Range (as code): **ZA Wca Ec Tva Nta Kzu**

18307.Tortrix capitana R.Felder & Rogenhofer,1875 (Tortricidae) Synonymy: capitana R.Felder & Rogenhofer,1875 Range (as code): **ZA**

18308.Tortrix catadryas Meyrick,1937 (Tortricidae) Synonymy: catadryas Meyrick,1937 Range (as code): **ZA**

18309.Tortrix corroborata Meyrick,1918 (Tortricidae) Synonymy: corroborata Meyrick,1918 Range (as code): **ZA Nta Kzu**

18310.Tortrix crispata Meyrick,1912 (Tortricidae) Synonymy: crispata Meyrick,1912 Range (as code): **ZA**

18311.Tortrix diametrica Meyrick,1932 (Tortricidae) Synonymy: diametrica Meyrick,1932 Range (as code): **ET Sw ET88**

18312.Tortrix diluticiliana Walsingham,1881 (Tortricidae) Synonymy: diluticiliana Walsingham,1881 Range (as code): **ZA**

18313.Tortrix dorsiplagana (Walsingham,1881) (Tortricidae) Synonymy: dorsiplagana Walsingham,1881 Range (as code): **ZA**

18314.Tortrix furtiva Meyrick,1911 (Tortricidae) Synonymy: furtiva Meyrick,1911 Range (as code): **ZA Tva Lpo Hae**

18315.Tortrix intensa Meyrick,1921 (Tortricidae) Synonymy: intensa Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**

18316.Tortrix intrepida Meyrick,1912 (Tortricidae) Synonymy: intrepida Meyrick,1912 Range (as code): **KM ZA Nta Kzu Ptw**

18317.Tortrix mensaria Meyrick,1912 (Tortricidae) Synonymy: mensaria Meyrick,1912 Range (as code): **ZA**

18318.Tortrix meridionana (Walker,1863) (Tortricidae) Synonymy: meridionana Walker,1863; #meridionara Pinhey,1975 Range (as code): **ZA**

18319.Tortrix metapyrrha Meyrick,1918 (Tortricidae) Synonymy: metapyrrha Meyrick,1918 Range (as code): **ZA Tva Gau Pre**

18320.Tortrix myroxesta Meyrick,1924 (Tortricidae) Synonymy: myroxesta Meyrick,1924 Range (as code): **ZA**

18321.Tortrix pharetrata Meyrick,1909 (Tortricidae) Synonymy: pharetrata Meyrick,1909 Range (as code): **ZA Gau Pre Mdd Tva Lpo**

18322.Tortrix physetopa Meyrick,1932 (Tortricidae) Synonymy: physetopa Meyrick,1932 Range (as code): **ET ET70 ET88 Sw**

18323.Tortrix platystega Meyrick,1920 (Tortricidae) Synonymy: platystega Meyrick,1920 Range (as code): **ZA**

18324.Tortrix pleuroptila Meyrick,1937 (Tortricidae) Synonymy: pleuroptila Meyrick,1937 Range (as code): **ZA**

18325.Tortrix polytechna Meyrick,1924 (Tortricidae) Synonymy: polytechna Meyrick,1924 Range (as code): **ZA**

18326.Tortrix praeclinata Meyrick,1921 (Tortricidae) Synonymy: praeclinata Meyrick,1921 Range (as code): **ZW Uma**

18327.Tortrix reciprocana (Walker,1863) (Tortricidae) Synonymy: reciprocana Walker,1863 Range (as code): **ZA**

18328.Tortrix spilographa Meyrick,1937 (Tortricidae) Synonymy: spilographa Meyrick,1937 Range (as code): **ZA Wca Abd**

18329.Tortrix spinulosa Meyrick,1924 (Tortricidae) Synonymy: spinulosa Meyrick,1924 Range (as code): **ZA**

18330.Tortrix sporadias Meyrick,1920 (Tortricidae) Synonymy: sporadias Meyrick,1920 Range (as code): **ZA Ec Vrb**

18331.Tortrix symplecta Meyrick,1910 (Tortricidae) Synonymy: symplecta Meyrick,1910 Range (as code): **ZA**

18332.Tortrix viridana (Linnaeus,1758) (Tortricidae) Synonymy: viridana Linnaeus,1758; suttneriana [Denis & Schiffermüller],1775; flavipes Fourcroy,1785; flavana Zincken,1821 nec Hübn.,[1799]; coeruleana Sorhagen,1881. Range (as code): **MA DZ Tou TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR TR AZ Kir Nv Ord AM Cc GG DK NO SE FI EE LV LT RU Da MD UA Cm BY IQ Hjo IR Fa Elb Kdv By Kz Lo Gls Kh SY Hal 02 03 05 06 10 12 13 16 17 30 34 39 42 45 50 56 65 69 71 75 76**

18333.Trachybyrsis euglypta Meyrick,1927 (Tortricidae) Synonymy: euglypta Meyrick,1927 Range (as code): **RW**

18334.Trachybyrsis hypsitropha Bradley,1965 (Tortricidae) Synonymy: hypsitropha Bradley,1965 Range (as code): **UG Rz**

18335.Trymalitis scalifera Meyrick,1912 (Tortricidae) Synonymy: scalifera Meyrick,1912 Range (as code): **ZA Nta Kzu ET Ble**

18336.Tuckia africana (Walsingham,1881) (Tortricidae) Synonymy: africana Walsingham,1881 Range (as code): **ZA Tva Kzu Nta**
18337.Tuckia zuluana Razowski,2001 (Tortricidae) Synonymy: zuluana Razowski,2001 Range (as code): **ZA Kzu Nta**
18338.Vialonga pallior Diakonoff,1960 (Tortricidae) Synonymy: pallior Diakonoff,1960 Range (as code): **MG**
18339.Vialonga polyantha Diakonoff,1960 (Tortricidae) Synonymy: polyantha Diakonoff,1960 Range (as code): **MG**
18340.Viettea spectabilis Diakonoff,1960 (Tortricidae) Synonymy: spectabilis Diakonoff,1960 Range (as code): **MG**
18341.Xeneboda kumasiana Razowski & Tuck,2000 (Tortricidae) Synonymy: kumasiana Razowski & Tuck,2000 Range (as code): **GH**
18342.Xenophylla megalogona (Diakonoff,1947) (Tortricidae) Synonymy: megalogona Diakonoff,1947 Range (as code): **MG**
18343.Yunusemreia triangulum (Diakonoff,1970) (Tortricidae) Synonymy: triangulum Diakonoff,1970 Range (as code): **MG**
18344.Zellereccopsis caffreana Razowski,2008 (Tortricidae) Synonymy: caffreana Razowski,2008 Range (as code): **ZA**
18345.Zellereccopsis nowaki Razowski,2012 (Tortricidae) Synonymy: nowaki Razowski,2012 Range (as code): **CM**

Uraniidae

18346.Acropteris illiturata W.Warren,1897 (Uraniidae) Synonymy: illiturata W.Warren,1897 Range (as code): **ZA**
18347.Arussiana herbuloti Rougeot,1977 (Uraniidae) Synonymy: herbuloti Rougeot,1977 Range (as code): **ET**
18348.Dirades theclata (Guenée,[1858]) (Uraniidae) Synonymy: theclata Guenée,[1858]; sigillata Mabille,1898 Range (as code): **ZA YE Sna SL MG IN NP JP**
18349.Epiplema anomala Janse,1932 (Uraniidae) Synonymy: anomala Janse,1932 Range (as code): **ZA**
18350.Epiplema asinina W.Warren,1905 (Uraniidae) Synonymy: asinina W.Warren,1905 Range (as code): **ZA**
18351.Epiplema herbuloti Boudinot,1982 (Uraniidae) Synonymy: herbuloti Boudinot,1982 Range (as code): **MG**
18352.Epiplema illineata W.Warren,1898 (Uraniidae) Synonymy: illineata W.Warren,1898; illiturata W.Warren,1898 Range (as code): **ZA**
18353.Epiplema inconspicua Janse,1932 (Uraniidae) Synonymy: inconspicua Janse,1932 Range (as code): **ZA**
18354.Epiplema pulveralis Janse,1932 (Uraniidae) Synonymy: pulveralis Janse,1932 Range (as code): **ZA**
18355.Epiplema reducta Janse,1932 (Uraniidae) Synonymy: reducta Janse,1932 Range (as code): **ZA**
18356.Epiplema tristis Janse,1932 (Uraniidae) Synonymy: tristis Janse,1932 Range (as code): **ZA**
18357.Heteroplema dependens W.Warren,1902 (Uraniidae) Synonymy: dependens W.Warren,1902 Range (as code): **ZA**
18358.Hypoplema fumella Janse,1932 (Uraniidae) Synonymy: fumella Janse,1932 Range (as code): **ZA**
18359.Leucoplema ansorgei (W.Warren,1901) (Uraniidae) Synonymy: ansorgei W.Warren,1901 Range (as code): **ZA**
18360.Leucoplema dohertyi (W.Warren,1904) (Uraniidae) Synonymy: dohertyi W.Warren,1904 Range (as code): **ZA**
18361.Leucoplema triumbrata (W.Warren,1902) (Uraniidae) Synonymy: triumbrata W.Warren,1902 Range (as code): **ZA**
18362.Monoplema fumigera (W.Warren,1905) (Uraniidae) Synonymy: fumigera W.Warren,1905 Range (as code): **ZA**
18363.Pseudodirades lactea (W.Warren,1897) (Uraniidae) Synonymy: lactea W.Warren,1897 Range (as code): **ZA**
18364.Urapteroides falcifera (Weymer,1892) (Uraniidae) Synonymy: falcifera Weymer,1892 Range (as code): **ZA**

18365. **Urapteroides recurvata W.Warren,1898** (Uraniidae) Synonymy: recurvata W.Warren,1898; #recurva Janse,1917 Range (as code): **ZA**

Xyloryctidae

18366. **Cladophantis pristina Meyrick,1925** (Xyloryctidae) Synonymy: pristina Meyrick,1925 Range (as code): **ZA**
18367. **Cladophantis spilozeucta Meyrick,1927** (Xyloryctidae) Synonymy: spilozeucta Meyrick,1927 Range (as code): **ZA**
18368. **Cladophantis xylophracta Meyrick,1918** (Xyloryctidae) Synonymy: xylophracta Meyrick,1918 Range (as code): **ZA**
18369. **Eporycta chionaula Meyrick,1920** (Xyloryctidae) Synonymy: chionaula Meyrick,1920 Range (as code): **ZA**
18370. **Eporycta incanescens Meyrick,1921** (Xyloryctidae) Synonymy: incanescens Meyrick,1921 Range (as code): **ZA**
18371. **Eporycta tarbalea Meyrick,1908** (Xyloryctidae) Synonymy: tarbalea Meyrick,1908 Range (as code): **ZA**
18372. **Eupetochira axysta Meyrick,1927** (Xyloryctidae) Synonymy: axysta Meyrick,1927 Range (as code): **ZA**
18373. **Eupetochira xystopala (Meyrick,1908)** (Xyloryctidae) Synonymy: xystopala Meyrick,1908 Range (as code): **ZA**
18374. **Gemorodes diclera Meyrick,1925** (Xyloryctidae) Synonymy: diclera Meyrick,1925 Range (as code): **ZA**
18375. **Glycynympha roseocostella (Walsingham,1881)** (Xyloryctidae) Synonymy: roseocostella Walsingham,1881; sandycopa Meyrick,1917 Range (as code): **ZA**
18376. **Metantithyra silvestrella Viette,1957** (Xyloryctidae) Synonymy: silvestrella Viette,1957 Range (as code): **MG RE**
18377. **Microphidias bacteriopis Meyrick,1937** (Xyloryctidae) Synonymy: bacteriopis Meyrick,1937 Range (as code): **ZA**
18378. **Xylorycta artigena Meyrick,1914** (Xyloryctidae) Synonymy: artigena Meyrick,1914 Range (as code): **ZA**

Yponomeutidae

18379. **Acrolepia canachopis Meyrick,1913** (Yponomeutidae) Synonymy: canachopis Meyrick,1913 Range (as code): **ZA Tva Mpu Brb**
18380. **Acrolepia chalarodesma Meyrick,1927** (Yponomeutidae) Synonymy: chalarodesma Meyrick,1927 Range (as code): **ZA Nta Kzu Rie**
18381. **Acrolepia gelida Meyrick,1921** (Yponomeutidae) Synonymy: gelida Meyrick,1921 Range (as code): **ZA Nta Kzu Kkf**
18382. **Acrolepia xylophragma (Meyrick,1926)** (Yponomeutidae) Synonymy: xylophragma Meyrick,1926 Range (as code): **ZA**
18383. **Acrolepiopsis vesperella (Zeller,1850)** (Yponomeutidae) Synonymy: vesperella Zeller,1850; smilaxella Millière,1864; tami Hering,1927 Range (as code): **MA Cn TN PT ES FR Co Sa Si IT DE YU GR TR**
18384. **Argyresthia (s.str.) liparodes Meyrick,1914** (Yponomeutidae) Synonymy: liparodes Meyrick,1914 Range (as code): **ZA**
18385. **Argyresthia (s.str.) pentanoma Meyrick,1913** (Yponomeutidae) Synonymy: pentanoma Meyrick,1913 Range (as code): **ZA Tva Mpu Tst**
18386. **Argyresthia (s.str.) stilpnota Meyrick,1913** (Yponomeutidae) Synonymy: stilpnota Meyrick,1913 Range (as code): **ZA Tva Mpu Brb Wv**
18387. **Conchiophora spinosella Chrétien,1915** (Yponomeutidae) Synonymy: spinosella Chrétien,1915 Range (as code): **DZ Bsk TN Gf**
18388. **Digitivalva (Inuliphila) rungsella (Lucas,1943)** (Yponomeutidae) Synonymy: rungsella Lucas,1943 Range (as code): **MA**

18389. **Digitivalva (s.str.) pappella (Walsingham,1907)** (Yponomeutidae) Synonymy: pappella Walsingham,1907 Range (as code): **Cn ES**

18390. **Digitivalva trapezopa (Meyrick,1914)** (Yponomeutidae) Synonymy: trapezopa Meyrick,1914 Range (as code): **ZA**

18391. **Gypsosaris coniata Meyrick,1909** (Yponomeutidae) Synonymy: coniata Meyrick,1909 Range (as code): **ZA**

18392. **Lepocnemis bascanopa Meyrick,1913** (Yponomeutidae) Synonymy: bascanopa Meyrick,1913 Range (as code): **ZA Tva**

18393. **Lepocnemis metapelista Meyrick,1932** (Yponomeutidae) Synonymy: metapelista Meyrick,1932 Range (as code): **ET ET88 Sw**

18394. **Mieza inornata Walsingham,1900** (Yponomeutidae) Synonymy: inornata Walsingham,1900 Range (as code): **Sk YE**

18395. **Niphonympha bootella (Turati,1926)** (Yponomeutidae) Synonymy: bootella Turati,1926 Range (as code): **LY Cy**

18396. **Ochsenheimeria lovyi Dumont,1930** (Yponomeutidae) Synonymy: lovyi Dumont,1930 Range (as code): **TN**

18397. **Paradoxus restrictellus (Chrétien,1915)** (Yponomeutidae) Synonymy: restrictella Chrétien,1915 Range (as code): **TN Gf**

18398. **Phrealcia dolini (Gershenson,2003)** (Yponomeutidae) Synonymy: dolini Gershenson,2003 Range (as code): **MG**

18399. **Plutella (s.str.) balanopis Meyrick,1909** (Yponomeutidae) Synonymy: balanopis Meyrick,1909 Range (as code): **ZA**

18400. **Plutella (s.str.) dryoxyla Meyrick,1932** (Yponomeutidae) Synonymy: dryoxyla Meyrick,1932 Range (as code): **ET ET70 Sw**

18401. **Plutella (s.str.) oxylopha Meyrick,1932** (Yponomeutidae) Synonymy: oxylopha Meyrick,1932 Range (as code): **ET ET70 Sw**

18402. **Plutella (s.str.) stichocentra Meyrick,1932** (Yponomeutidae) Synonymy: stichocentra Meyrick,1932 Range (as code): **ET ET70 Sw**

18403. **Plutella (s.str.) xylostella (Linnaeus,1758)** (Yponomeutidae) Synonymy: xylostella Linnaeus,1758; cinerea Fourcroy,1785 nec Hufn.,1766; xylostei Fabricius,1798; maculipennis Curtis,1832; niveella Zeller,1839; cruciferarum Zeller,1843; brassicella Fitch,1856; limbipennella Clemens,1860; mollipedella Clemens,1860; cicerella Rondani,1876; dubiosella Beutenmüller,1889; albovenosa Walsingham,1897; megapterella Bentinck,1943; karsholtella Baraniak,2003 Range (as code): **Cn DZ Ajj Gha TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU ME Ctn AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY Cc AZ Bak TM Krn AF Hr IR Elb Kdv Dam Mz Kh Gls IQ Njf Hjo LB Bsa IL Hf Pa ZA TH MY Cmh IN Hp SA AE YE 01 06 13 21 27 30 31 33 34 38 42 44 48 49 63 65 71**

18404. **Prays citri (Millière,1873)** (Yponomeutidae) Synonymy: citri Millière,1873 Range (as code): **MA DZ TN PT ES FR Co Sa Si IT MT GR Cr TR LB IL Pa ZA IN ID MY JP AU**

18405. **Prays oleae (Bernard,1788)** (Yponomeutidae) Synonymy: oleae Bernard,1788; oleellus Fabricius,1794; oliviella Boyer,1837; adspersella Heydenreich,1851; adspersigriseella Bruand,1859 Range (as code): **Cn MA Fez PT ES FR Co Sa Si IT MT AT YU AL GR Cr TR RU MD UA BY 16**

18406. **Telosphrantis aethiopica Meyrick,1932** (Yponomeutidae) Synonymy: aethiopica Meyrick,1932 Range (as code): **ET ET70 Sw**

18407. **Yponomeuta gigas Rebel,1892** (Yponomeutidae) Synonymy: gigas Rebel,1892 Range (as code): **Cn**

18408. **Yponomeuta padella (Linnaeus,1758)** (Yponomeutidae) Synonymy: padella Linnaeus,1758; evonymella Scopoli,1763 nec Linn.,1758; malinella Zeller,1838; variabilis Zeller,1844; diffluellus Heinemann,1870. Range (as code): **MA ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY MK IR Elb Mz 06 38 44**

18409. **Ypsolopha altissimella (Chrétien,1915)** (Yponomeutidae) Synonymy: altissimella Chrétien,1915 Range (as code): **TN Gf CN Ui**

18410. **Ypsolopha divisella (Chrétien,1915)** (Yponomeutidae) Synonymy: divisella Chrétien,1915 Range (as code): **TN Gf FR**

18411. **Ypsolopha exsularis (Meyrick,1937)** (Yponomeutidae) Synonymy: exsularis Meyrick,1937 Range (as code): **ZA**

18412. **Ypsolopha fractella (Chrétien,1915)** (Yponomeutidae) Synonymy: fractella Chrétien,1915 Range (as code): **TN Gf ES**

18413. **Ypsolopha reticulatella (Chrétien,1915)** (Yponomeutidae) Synonymy: reticulatella Chrétien,1915 Range (as code): **TN Gf**

18414.Ypsolopha scenites (Meyrick,1909) (Yponomeutidae) Synonymy: scenites Meyrick,1909 Range (as code): **ZA**

18415.Zarcinia nigrosignatella Chrétien,1915 (Yponomeutidae) Synonymy: nigrosignatella Chrétien,1915 Range (as code): **TN**

18416.Zelleria oleastrella (Millière,1864) (Yponomeutidae) Synonymy: oleastrella Millière,1864 Range (as code): **Cn PT ES FR Co Sa Si MT YU GR Cr CY TR 01 31 33 80**

Zygaenidae

18417.Adscita (Tarmannita) mannii (Lederer,1853) (Zygaenidae) Synonymy: mannii Lederer,1853; heydenreichii Lederer,1853; crassicornis Staudinger,1862; prasina Rothschild,1917; glauca Verity,1946; pseudostatices Verity,1946. Range (as code): **DZ Khh TN Dhm ES FR Si IT DE CH AT RO YU AL BG GR TR Cc GG Smt Bjo Tbl 33 76**

18418.Adscita (s.str.) obscura (Zeller,1847) (Zygaenidae) Synonymy: obscura Zeller,1847; anceps Staudinger,1862. Range (as code): **MK BG GR Rd CY TR RU Da Cc GG SY LB Bsa Pa IL Hf EG IQ IR Fa Sse Gls Kh 02 05 06 12 16 21 30 31 33 35 36 38 42 44 46 50 51 56 63 65 71 80**

18419.Anticrates crocophaea Meyrick,1921 (Zygaenidae) Synonymy: crocophaea Meyrick,1921 Range (as code): **ZA**

18420.Anticrates electropis Meyrick,1921 (Zygaenidae) Synonymy: electropis Meyrick,1921 Range (as code): **ZA**

18421.Astyloneura glennia (Jordan,1907) (Zygaenidae) Synonymy: glennia Jordan,1907 Range (as code): **ZA MZ ZM**

18422.Astyloneura meridionalis (Hampson,1920) (Zygaenidae) Synonymy: meridionalis Hampson,1920 Range (as code): **ZA**

18423.Astyloneura trefurthi Gaede,1914 (Zygaenidae) Synonymy: trefurthi Gaede,1914; cyanopis Hampson,1919 Range (as code): **ZA**

18424.Cicinnocnemis magnifica (Alberti,1957) (Zygaenidae) Synonymy: magnifica Alberti,1957 Range (as code): **ZR**

18425.Cicinnocnemis plumipes (Drury,1782) (Zygaenidae) Synonymy: plumipes Drury,1782; cornuta Holland,1893 Range (as code): **CM CI SL**

18426.Cicinnocnemis saphira (Aurivillius,1900) (Zygaenidae) Synonymy: saphira Aurivillius,1900 Range (as code): **ZR**

18427.Coptoproctis languida Zeller,1852 (Zygaenidae) Synonymy: languida Zeller,1852 Range (as code): **ZA**

18428.Dilophura caudata (Jordan,1907) (Zygaenidae) Synonymy: caudata Jordan,1907 Range (as code): **ZA**

18429.Epiorna abessynica (Koch,1865) (Zygaenidae) Synonymy: abessynica Koch,1865; holoxanthina Mabille,1892; procrioides Butler,1893; xanthosoma Jordan,1907 Range (as code): **ET SD SO UG**

18430.Epiorna ochreipennis (Butler,1874) (Zygaenidae) Synonymy: ochreipennis Butler,1874; tricolorata Westwood,1881; nigromarginata Bethune-Baker,1911; occidentalis M.Hering,1929 Range (as code): **ZA Nta Kzu Tva MZ Del ZW ZM**

18431.Homophylotis leptis Jordan,1907 (Zygaenidae) Synonymy: leptis Jordan,1907 Range (as code): **AO**

18432.Janseola titaea (Druce,1896) (Zygaenidae) Synonymy: titaea Druce,1896; #fitaea Swierstra,1917 Range (as code): **ZA Tva**

18433.Jordanita (Gregorita) algirica (Rothschild,1917) (Zygaenidae) Synonymy: algirica Rothschild,1917 Range (as code): **MA DZ Cst Khh Btna TN Si**

18434.Jordanita (Gregorita) benderi (Tarmann,1985) (Zygaenidae) Synonymy: benderi Tarmann,1985 Range (as code): **MA**

18435.Jordanita (Gregorita) carolae (Dujardin,1973) (Zygaenidae) Synonymy: carolae Dujardin,1973 Range (as code): **MA**

18436.Jordanita (Gregorita) cognata (Herrich-Schäffer,1847) (Zygaenidae) Synonymy: cognata Herrich-Schäffer,1847 Range (as code): **DZ TN**

18437.Jordanita (Gregorita) maroccana (Naufock,1937) (Zygaenidae) Synonymy: maroccana Naufock,1937 Range (as code): **MA**

18438.Jordanita (Gregorita) rungsi (Dujardin,1973) (Zygaenidae) Synonymy: rungsi Dujardin,1973 Range (as code): **MA**

18439. **Jordanita (Lucasiterna) cirtana (Lucas,1849)** (Zygaenidae) Synonymy: cirtana Lucas,1849; orana Austaut,1880; orana Bethune-Baker,1888; bakeri Kirby,1892 Range (as code): **DZ Lbs Cst Sbd Orn Dje TN**

18440. **Jordanita (Praviela) anatolica (Naufock,1929)** (Zygaenidae) Synonymy: anatolica Naufock,1929; levantina Jordan,1931; pfeifferi Naufock,1935 Range (as code): **TR Cc AZ Nv IR Lo Fa Shr LB Bsa SY CY EG Sn LY JO IQ 13 23 27 30 33 42 44 46 47 63 65**

18441. **Jordanita (Tremewania) notata (Zeller,1847)** (Zygaenidae) Synonymy: notata Zeller,1847 Range (as code): **DZ Lbs Sbd Afl Ges Khh Lbs Dhm TN PT ES Mu FR Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc IR Ab Jal RU MD UA Cm 05 06 13 30 36 44 47 56 65 72 80**

18442. **Lamprochrysa scintillans Butler,1893** (Zygaenidae) Synonymy: scintillans Butler,1893 Range (as code): **ZA**

18443. **Malamblia durbanica Jordan,1907** (Zygaenidae) Synonymy: durbanica Jordan,1907 Range (as code): **ZA Kzu Nta Dbn**

18444. **Netrocera basalis Jordan,1907** (Zygaenidae) Synonymy: basalis Jordan,1907 Range (as code): **AO MZ**

18445. **Netrocera diffinis Jordan,1907** (Zygaenidae) Synonymy: diffinis Jordan,1907 Range (as code): **KE TZ**

18446. **Netrocera hemichrysa (Hampson,1910)** (Zygaenidae) Synonymy: hemichrysa Hampson,1910 Range (as code): **ZA ZW**

18447. **Netrocera jordani Joicey & Talbot,1921** (Zygaenidae) Synonymy: jordani Joicey & Talbot,1921 Range (as code): **MZ**

18448. **Netrocera overlaeti Talbot,1928** (Zygaenidae) Synonymy: overlaeti Talbot,1928 Range (as code): **ZR**

18449. **Netrocera satanas M.Hering,1931** (Zygaenidae) Synonymy: satanas M.Hering,1931 Range (as code): **ZR**

18450. **Netrocera setioides C.Felder & R.Felder,1874** (Zygaenidae) Synonymy: setioides C.Felder & R.Felder,1874 Range (as code): **ZA SD UG**

18451. **Netrocera seydeli M.Hering,1931** (Zygaenidae) Synonymy: seydeli M.Hering,1931 Range (as code): **ZR**

18452. **Neurosymploca affinis Jordan,1907** (Zygaenidae) Synonymy: affinis Jordan,1907 Range (as code): **ZA**

18453. **Neurosymploca caffra (Linnaeus,1764)** (Zygaenidae) Synonymy: caffra Linnaeus,1764 Range (as code): **ZA**

18454. **Neurosymploca concinna (Dalman,1823)** (Zygaenidae) Synonymy: concinna Dalman,1823; pulchella Guérin-Méneville,1832; wallengreni Kirby,1892 Range (as code): **ZA**

18455. **Neurosymploca hottentota (Herrich-Schäffer,[1854])** (Zygaenidae) Synonymy: hottentota Herrich-Schäffer,[1854] Range (as code): **ZA**

18456. **Neurosymploca meterythra Hampson,1920** (Zygaenidae) Synonymy: meterythra Hampson,1920 Range (as code): **ZA**

18457. **Neurosymploca pagana Kirby,1892** (Zygaenidae) Synonymy: pagana Kirby,1892 Range (as code): **ZA**

18458. **Orna contraria (Walker,1854)** (Zygaenidae) Synonymy: contraria Walker,1854; pectinicornis Schaufuss,1870; subdiaphana R.Felder & Rogenhofer,1874; zygaenoides R.Felder & Rogenhofer,1874; postrosea Hampson,1920 Range (as code): **ZA**

18459. **Orna nebulosa (Guérin-Méneville,1832)** (Zygaenidae) Synonymy: nebulosa Guérin-Méneville,1832; hyalina Hampson,1920 Range (as code): **ZA**

18460. **Praezygaena agria (Distant,1892)** (Zygaenidae) Synonymy: agria Distant,1892; muraena Druce,1899 Range (as code): **ZA Nta Kzu Tva**

18461. **Praezygaena conjuncta (Hampson,1919)** (Zygaenidae) Synonymy: conjuncta Hampson,1919 Range (as code): **ZA**

18462. **Praezygaena lateralis (Jordan,1907)** (Zygaenidae) Synonymy: lateralis Jordan,1907 Range (as code): **ZA Nta Kzu Tva**

18463. **Praezygaena microsticha (Jordan,1907)** (Zygaenidae) Synonymy: microsticha Jordan,1907 Range (as code): **ZA Ec Grh**

18464. **Praezygaena myodes (Druce,1899)** (Zygaenidae) Synonymy: myodes Druce,1899; mitisi Dziurzynski,1906 Range (as code): **ZA Tva Nta Kzu Ec Grh**

18465. **Praezygaena ochroptera (R.Felder & Rogenhofer,1874)** (Zygaenidae) Synonymy: ochroptera R.Felder & Rogenhofer,1874 Range (as code): **ZA Cto Ec**

18466. **Saliunca assimilis Jordan,1907** (Zygaenidae) Synonymy: assimilis Jordan,1907 Range (as code): **ZA**

18467.Saliunca homochroa (Holland,1897) (Zygaenidae) Synonymy: homochroa Holland,1897 Range (as code): **ZA MZ ZW KE TZ SO UG**
18468.Saliunca meruana Aurivillius,1910 (Zygaenidae) Synonymy: meruana Aurivillius,1910 Range (as code): **ZA**
18469.Saliunca styx (Fabricius,1775) (Zygaenidae) Synonymy: styx Fabricius,1775 Range (as code): **ZA**
18470.Saliunca styx (Fabricius,1775) (Zygaenidae) Synonymy: styx Fabricius,1775 Range (as code): **CM**
18471.Saliuncella marshalli Jordan,1907 (Zygaenidae) Synonymy: marshalli Jordan,1907 Range (as code): **ZA**
18472.Tascia finalis (Walker,1854) (Zygaenidae) Synonymy: finalis Walker,1854; chrysotelus Walker,1856; aethiops Distant,1897 Range (as code): **ZA**
18473.Tascia rhabdophora Vari,2002 (Zygaenidae) Synonymy: rhabdophora Vari,2002 Range (as code): **ZA**
18474.Tascia virescens Butler,1876 (Zygaenidae) Synonymy: virescens Butler,1876 Range (as code): **ZA**
18475.Tasema fulvithorax Hampson,1919 (Zygaenidae) Synonymy: fulvithorax Hampson,1919 Range (as code): **ZA**
18476.Toosa batesi Bethune-Baker,1927 (Zygaenidae) Synonymy: batesi Bethune-Baker,1927 Range (as code): **CM**
18477.Toosa glaucopiformis Walker,1856 (Zygaenidae) Synonymy: glaucopiformis Walker,1856 Range (as code): **ZA**
18478.Zutulba namaqua (Boisduval,1847) (Zygaenidae) Synonymy: namaqua Boisduval,1847; ampla Walker,1854 Range (as code): **ZA Tva ZW ZM**
18479.Zutulba ocellaris (R.Felder & Rogenhofer,1874) (Zygaenidae) Synonymy: ocellaris R.Felder & Rogenhofer,1874 Range (as code): **ZA**
18480.Zygaena (Agrumenia) algira Boisduval,1834 (Zygaenidae) Synonymy: algira Boisduval,1834; algira Duponchel,1835; bachagha Oberthür,1916 Range (as code): **MA Ifr DZ Dzc Hrh Hmk Ahr Sfr Agi Btna Lbs Khh Orn Sbd Phv Béj Dhm TN**
18481.Zygaena (Agrumenia) alluaudi Oberthür,1922 (Zygaenidae) Synonymy: alluaudi Oberthür,1922 Range (as code): **MA**
18482.Zygaena (Agrumenia) beatrix Przegendza,1932 (Zygaenidae) Synonymy: beatrix Przegendza,1932 Range (as code): **DZ Sbd MA Rf**
18483.Zygaena (Agrumenia) excelsa Rothschild,1917 (Zygaenidae) Synonymy: excelsa Rothschild,1917 Range (as code): **DZ Naam MA**
18484.Zygaena (Agrumenia) felix Oberthür,1876 (Zygaenidae) Synonymy: felix Oberthür,1876; mauretanica Staudinger,1887; eudaemon Mabille,1885; andalusiae Burgeff,1914; pseudofelix H.Reiss,1933 Range (as code): **MA DZ Sbd Sét Cst Lbs Taz Btna Mage Dje Khh Agi TN LY**
18485.Zygaena (Agrumenia) gundafica Reiss & Tremewan,1960 (Zygaenidae) Synonymy: gundafica Reiss & Tremewan,1960 Range (as code): **MA**
18486.Zygaena (Agrumenia) harterti Rothschild,1925 (Zygaenidae) Synonymy: harterti Rothschild,1925 Range (as code): **MA**
18487.Zygaena (Agrumenia) johannae Le Cerf,1923 (Zygaenidae) Synonymy: johannae Le Cerf,1923 Range (as code): **MA**
18488.Zygaena (Agrumenia) lucasi Le Charles,1946 (Zygaenidae) Synonymy: lucasi Le Charles,1946 Range (as code): **MA**
18489.Zygaena (Agrumenia) marcuna Oberthür,1888 (Zygaenidae) Synonymy: marcuna Oberthür,1888 Range (as code): **MA Rf Btna Taz Lbs Cst DZ TN**
18490.Zygaena (Agrumenia) maroccana Rothschild,1917 (Zygaenidae) Synonymy: maroccana Rothschild,1917 Range (as code): **MA Ess**
18491.Zygaena (Agrumenia) marteni H.Reiss,1943 (Zygaenidae) Synonymy: marteni H.Reiss,1943 Range (as code): **MA Rf**
18492.Zygaena (Agrumenia) orana Duponchel,1835 (Zygaenidae) Synonymy: orana Duponchel,1835; barbara Herrich-Schäffer,1846; nedroma Oberthür,1881; oberthueri Bethune-Baker,1888; minor Seitz,1907; minima Seitz,1907 Range (as code): **DZ Dje Tlm Khh Sbd Cst Clo Lbs Eba Orn Btna TN Tun MA IT Sa**
18493.Zygaena (Agrumenia) tingitana H.Reiss,1937 (Zygaenidae) Synonymy: tingitana H.Reiss,1937 Range (as code): **MA Rf**
18494.Zygaena (Agrumenia) tremewani Hofmann & Reiss,1983 (Zygaenidae) Synonymy: tremewani Hofmann & Reiss,1983 Range (as code): **TN**

18495.Zygaena (Agrumenia) youngi Rothschild,1925 (Zygaenidae) Synonymy: youngi Rothschild,1925; media Rothschild,1925; rothschildiana H.Reiss,1930 Range (as code): **MA**

18496.Zygaena (Agrumenia) zoraida H.Reiss,1943 (Zygaenidae) Synonymy: zoraida H.Reiss,1943 Range (as code): **MA Rf**

18497.Zygaena (Mesembrynus) aurata Blachier,1905 (Zygaenidae) Synonymy: aurata Blachier,1905 Range (as code): **MA**

18498.Zygaena (Mesembrynus) cadillaci Oberthür,1921 (Zygaenidae) Synonymy: cadillaci Oberthür,1921; confluens H.Reiss,1943 Range (as code): **MA**

18499.Zygaena (Mesembrynus) favonia Freyer,1845 (Zygaenidae) Synonymy: favonia Freyer,1845; cedri Bruand,1846; mediterranea Herrich-Schäffer,1846; #flava Rothschild,1917; #pseudostaudingeri Burgeff,1926 Range (as code): **MA Ess Tgr DZ Agi Sbd Cst Tlm Khh Saia Agi Lbs Dhm Tun Btna Eba Abe Orn Mage Anna Ndr**

18500.Zygaena (Mesembrynus) loyselis Oberthür,1876 (Zygaenidae) Synonymy: loyselis Oberthür,1876 Range (as code): **MA DZ Btna Tis Tni Taz Lbs Ges Dje Khh Agi Eba**

18501.Zygaena (Mesembrynus) ungemachi Le Cerf,1923 (Zygaenidae) Synonymy: ungemachi Le Cerf,1923 Range (as code): **MA Azr**

18502.Zygaena (Mesembrynus) zuleima Pierret,1837 (Zygaenidae) Synonymy: zuleima Pierret,1837; ludicra Lucas,1849; #aestiva Burgeff,1914 Range (as code): **MA DZ Orn Agi Cst Ahr TN**

18503.Zygaena (s.str.) lavandulae (Esper,1783) (Zygaenidae) Synonymy: lavandulae Esper,1783; lavandulae Fabricius,1793; spicae Hübner,1796; altalavandulae Reiss,1953; lecharlesi Bernardi & Viette,1959; eucyanea Dujardin,1969 Range (as code): **MA PT ES Mu FR IT**

18504.Zygaena (s.str.) persephone Zerny,1934 (Zygaenidae) Synonymy: persephone Zerny,1934 Range (as code): **MA**

18505.Zygaena (s.str.) trifolii (Esper,1783) (Zygaenidae) Synonymy: trifolii Esper,1783; pratorum De Villers,1789; syracusia Zeller,1847; vogesiaca Przegendza,1932; carueli Le Charles,1960 Range (as code): **DZ Eba Lbs Khh Clo Phv Agi Btna Tun Anna TN MA PT ES Mu FR Si GB BE NL LU DE CH AT PL CZ SK GR DK LT RU MD UA BY**

References

Selected 2506 bibliography for the whole Lepidoptera of Africa are given below as author index.

Aarvik,L. & D.J.L.Agassiz, 2014, Taxonomy of some African species hitherto placed in Stenentoma Diakonoff,1969 and in Eucosmocydia Diakonoff,1988 (Lepidoptera, Tortricidae). Norw. J. Ent. 61: 27-36, figs. Geographic coverage area (in codes): **TZ MW UG KE GH AO ZA Nta Kzu** *[available in Cesa Library]*

Aarvik,L. & O.Karsholt, 1993, New and little known Grapholitini (Lepidoptera, Tortricidae) from the Mediterrenean area. Nota lepid. 15 (3/4): 164-178, figs. Geographic coverage area (in codes): **GR MA DZ TN TR 33 46** *[available in Cesa Library]*

Aarvik,L. & T.Karisch, 2009, Revision of Multiquaestia Karisch (Lepidoptera, Tortricidae, Grapholitini). Zootaxa 2026: 18-32, figs. Geographic coverage area (in codes): **MW TZ KE AO** *[available in Cesa Library]*

Aarvik,L., 2004, Revision of the subtribe Neopotamiae (Lepidoptera, Tortricidae) in Africa. Norw. J. Ent. 51: 71-122, 83 figs. Geographic coverage area (in codes): **TZ ZR KE ZA Nta Kzu SC ET NG AO CM GA GH GM CI SL ML MW Mje MZ MG UG Rz NA** *[available in Cesa Library]*

Aarvik,L., 2004, A new genus and species of Tortricidae (Lepidoptera) from Africa. Norw. J. Ent. 51 (1): 67-70, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Aarvik,L., 2005, Revision of African Cryptaspasma Walsingham,1900 (Lepidoptera, Tortricidae). Norw. J. Ent. 51 (2) (2004): 193-201, 14 figs. Geographic coverage area (in codes): **KE TZ UG ZA** *[available in Cesa Library]*

Aarvik,L., 2008, New data on Bactrini (Lepidoptera, Tortricidae) from Africa. Norv. J. Ent. 55: 7-13, 8 figs. Geographic coverage area (in codes): **TZ GM MW** *[available in Cesa Library]*

Aarvik,L., 2010, Review of East African Cochylini (Lepidoptera, Tortricidae) with description of new species. Norw. J. Ent. 57: 81-108, figs. Geographic coverage area (in codes): **ET KE RW TZ UG ZR ZA Mpu** *[available in Cesa Library]*

Aarvik,L., 2012, Symmoca sparsella Joannis,1891 (Gelechioidea, Autostichidae) new to Europe. Nota lepid. 35 (2): 181-183, figs. Geographic coverage area (in codes): **ES Mu LB Bei IL Pa Hf Js JO Amm EG GR TR SY Dms IQ Shq Rwz Dia** *[available in Cesa Library]*

Ackery,P.R., Smith,C.R. & R.I.Vane-Wright, 1995, Carcasson's African Butterflies. An annotated Catalogue of the Papilionoidea and Hesperioidea of the Afrotropical Region. xi+803pp., CSIRO Publ., Australia. Geographic coverage area (in codes): **DZ MA TN LY EG IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC Myt KM SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Adamczewski,S., 1951, On the systematics and origin of the generic group Oxyptilus Zeller (Lepidoptera, Alucitidae). Bull. Br. Mus. (Nat. Hist.) Ent. 1 (5): 301-388, pls. Geographic coverage area (in codes): **FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG Cc AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Adamski,D. & K.Sattler, 2019, Holcophora Staudinger,1871, a senior synonym of Aponoea Walsingham,1905, syn.n., (Lepidoptera, Gelechioidea, Gelechiidae): with Holcophora inderskella (Caradja,1920), comb.n., transferred from Blastobasis Zeller,1855 (Blastobasidae). Nota lepid. 42 (1): 17-25. Geographic coverage area (in codes): **ES DZ Bsk Hes TN Gf LY Cy FR HU RU Ur Sr RO Cc MD UA Cm BY IR Mz KG Uk Ui Ku** *[available in Cesa Library]*

Adamski,D., Copeland,R.S., Miller,S.E., Hebert,P.D.N., Darrow,K. & Q.Luke, 2010, A review of African Blastobasinae (Lepidoptera, Gelechioidea, Coleophoridae), with new taxa reared from native fruits in Kenya. Smiths. Contr. Zool. 630: 1-68, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Agassiz,D.J.L. & D.M.Harper, 2009, The Macrolepidoptera fauna of Acacia in the Kenyan Rift valley (Part I). Trop. lepid. Res. 19 (1): 4-8, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Agassiz,D.J.L. & L.Aarvik, 2014, New Tortricidae (Lepidoptera) from East Africa with an account of the tortricid fauna of acacia in the Kenya Rift Valley. Zootaxa 3861 (4): 369-397, figs. Geographic coverage area (in codes): **ET UG KE TZ BW** *[available in Cesa Library]*

Agassiz,D.J.L., 2011, The Lepidoptera of Acacia domatia in Kenya, with description of two new genera and six new species. J. Nat. Hist. 45 (29-30): 1867-1893, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Agassiz,D.J.L., 2012, The Acentropinae (Lepidoptera, Pyraloidea, Crambidae) of Africa. Zootaxa 3494: 1-73, figs. Geographic coverage area (in codes): **MA TN DZ EG ET SD SN GM GH CI CM NG NE ZR CG TZ KE ZM MW ZW BW NA AO ZA MZ NG** *[available in Cesa Library]*

Agassiz,J.L.R., 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman. Geographic coverage area (in codes): **BG GR MK TR CY SY LB IL EG SA YE OM AE QA KW IQ IR Cc GG AM AZ TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Agenjo,R., 1941, Monografia de la Familia Thaumetopoeidae (Lepidoptera). Eos 17: 69-130, 5 pls. Geographic coverage area (in codes): **FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG Cc AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Agenjo,R., 1958, Tribus y Subtribus de la Subfamilia Phycitinae Cotes,1899 (Lepidoptera,Phycitidae). Eos 34: 205-208. Geographic coverage area (in codes): **BG GR MK TR CY SY LB IL EG SA YE OM AE QA KW IQ IR Cc GG AM AZ TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Agenjo,R., 1961, Morfologia y distribucion geografica de la Chazara briseis (L.,1764) en la peninsula Espana. Eos 37: 113-123. Geographic coverage area (in codes): **ES Abr Act Ag Alc Alm Alv An Atu Av B-I Bad Bar Bb Bgs Bg C-L C-M CRe Cas Ccs Cd Cl Cn Cor Cs Ct Cue Cz Ex For Fv Gc Gi Gna Gp Grn Hi Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Nrr Ore Ov Peu Ple Pv Rio Seg Sma Snv Sor Sul Ter Tol Trg Val Vcl Vit Zg Zm**

Agenjo,R., 1964, Los nombres vulgares de las mariposas espanolas. Graellsia 20: 149-162, 163-190. Geographic coverage area (in codes): **ES Abr Act Ag Alc Alm Alv An Atu Av B-I Bad Bar Bb Bgs Bg C-L C-M CRe Cas Ccs Cd Cl Cn Cor Cs Ct Cue Cz Ex For Fv Gc Gi Gna Gp Grn Hi Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Nrr Ore Ov Peu Ple Pv Rio Seg Sma Snv Sor Sul Ter Tol Trg Val Vcl Vit Zg Zm**

Albers,T., 1940, Beiträge zur Kenntnis der Gattung Boarmia Tr. (Geom., Pal.) I. Boarmia correptaria Z. und ihre Stellung im System. Z. Wien. ent. Ver. 25: 65-69, Taf. xii-xiii. Geographic coverage area (in codes): **MA DZ TN ES PT FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG RU DK BE NL GB NO SE FI EE LT LV BY** *[available in Cesa Library]*

Albers,T., 1941, Beiträge zur Kenntnis der Gattung Boarmia Tr. (Geom., pal.) II. Die männlichen Genitalarmaturen der europäischen und nordafrikanischen Boarmien. Mitt. münch. ent. Ges. 31: 948-982, 25 Abb. Geographic coverage area (in codes): **MA DZ TN ES PT FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG RU DK BE NL GB NO SE FI EE LT LV BY** *[available in Cesa Library]*

Alberti,B. & G.Alberti, 1978, Zur Kenntnis von Syntomis mogadorensis Blachier (Lep., Syntomidae). Ent. Z., Frankf.a.M. 88: 110-115. Geographic coverage area (in codes): **MA DZ Ah**

Alberti,B., 1955, Zur Kenntnis der Gattung Carcharodus Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z. Lepid. 3: 105-142, figs. Geographic coverage area (in codes): **DZ MA TN ES PT FR IT Si HV EG UA AT DE BG GR MK TR 65 SY LB IL IQ IR Cc GG AM AZ TM AF PK CY RU KG Sa** *[available in Cesa Library]*

Alberti,B., 1973, Ergänzende Bemerkungen zu Higgins & Riley " A field guide to the butterflies of Britain and Europe", nebst Beschreibung der Lycaena pyrenaica latedisjuncta n.subsp. Ent. Z., Frankf. a. M. 83: 217-223. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc Kb** *[available in Cesa Library]*

Albrecht,M., Goldschalt,M. & R.Treiber, 1999, Der Heilziest-Dickkopffalter Carcharodus floccifera (Zeller,1847) (Lepidoptera, Hesperiidae). Nachr. ent. Ver. Apollo, Suppl. 18: 1-256, 76 Abb. Tab. Geographic coverage area (in codes): **ES FR DE CH IT Si AT PL UA CZ HU YU HV SS MK AL BY RU TR RO BG GR AZ Nv AM GG Cc SL LT AD Sb KG At** *[available in Cesa Library]*

Alipanah,H., Sari,A., Sarafrazi,A. & Gielis,C. & S.Manzari, 2010, Key to the genera of Oxyptilini (Lepidoptera, Pterophoridae, Pterophorinae), with descriptions of two new genera. Zootaxa 2693: 21-34, figs. Geographic coverage area (in codes): **KE TZ ZA Spb Ltr Pre Gau Tva** *[available in Cesa Library]*

Allcard,H.G. & A.Valletta, 1981, The Canary Island revisited in 1979. Entomologist's Rec. J. Var. 93: 120-125. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Allcard,H.G. & A.Valletta, 1982, Two weeks at the Canary Islands in 1981. Entomologist's Rec. J. Var. 94: 111-116. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Allcard,H.G. & A.Valletta, 1984, A week in La Palma, Canary Islands, in 1982. Revta Lepid. 11 (1983): 319-321. Geographic coverage area (in codes): **ES Cn**

Alpheraky,S.N., 1913, Quelques donnes sur les races de la Zegris eupheme Esper. Etud. Lepid. comp. 7: 221-234. Geographic coverage area (in codes): **MA ES TR CN RU** *[available in Cesa Library]*

Altena,O.C.R.v., 1948, Macrolepidoptera collected in Teneriffe and La Palma in the spring of 1947. Tijdschr. Ent. 91: 12-22. Geographic coverage area (in codes): **Cn**

Alvarez,J. & J.Templado, 1982, Zur Lebensgeschichte eines ibero-marokkanischen Falters - der Weissling Zegris eupheme. Natur Mus., Frankf. 112: 230-234. Geographic coverage area (in codes): **ES MA DZ**

Amsel,H.G., 1935, Weitere Mitteilungen ueber palaestinensische Lepidopteren. Veröff. dt. Kolon. Übers.-Mus. 1(2): 223-277. Geographic coverage area (in codes): **TR SY LB IL Pa EG** *[available in Cesa Library]*

Amsel,H.G., 1942, Die Gattung Epidola Stgr. (Lep., Scythrididae). Veröff. dt. Kolon. Übers.-Mus. Bremen 3 (3): 217-223. Geographic coverage area (in codes): **ES DZ IT KG Uk Sa** *[available in Cesa Library]*

Amsel,H.G., 1953, Ueber einige von Ragonot und Dumont beschriebene palaearktische Microlepidopterendes Pariser Museums. Revue fr. Ent. 20 (3): 223-230, 11 figs. Geographic coverage area (in codes): **TN TR IR RU IL Ui** *[available in Cesa Library]*

Amsel,H.G., 1954, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16) (29 Dec.1953): 255-326, figs. Geographic coverage area (in codes): **TR LB IQ IR EG TN AF 06 13 65** *[available in Cesa Library]*

Amsel,H.G., 1957, Pyraliden Studien I. (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SüdwDtl. 16: 105-109, pl. Geographic coverage area (in codes): **EG KE UZ** *[available in Cesa Library]*

Amsel,H.G., 1966, Neue Synonymien und Bemerkungen zu paläarktischen Pyraliden (Lepidoptera, Pyralidae). Z. Wien. ent. Ges. 51: 53-55. Geographic coverage area (in codes): **PG IL IT PK EG KE ZR SD CH IQ TR SA IR DZ** *[available in Cesa Library]*

Andreas,K., 1910, Herminia flavicrinalis n.sp. (Eine neue palaearktische Schnabeleule). Ent. Z., Stuttart 24 (29): 160-161. Geographic coverage area (in codes): **DZ TN Dhm BSa Hrh Agi Phv ES Sa** *[available in Cesa Library]*

Andreini,A., 1913, Materiali per lo studio della fauna Eritrea raccolti nel 1901-03. Bull. Soc. ent. ital. 44: 115-147, 6 figs. Geographic coverage area (in codes): **ER**

Andrews,H.W., 1917, Some entomological notes from Egypt and Palestine. Entomologist's Rec. J. Var. 29: 223-226. Geographic coverage area (in codes): **Pl IL JO EG**

Anonymous, 2008, Catalogue of Life: 2008 annual checklist.- http://www.catalogueoflife.org/annual-checklist/2008/ [last accessed: 10.xi.2008]. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW FJ**

Anonymous, 2012, Lepidopterists' Society of Africa. http://www.lepsoc.org.za/ [latest access: 23 March,2012] Geographic coverage area (in codes): **ZA NA WB MZ KE UG ZM SZ LS AO**

Arenberger,E. & J.Wojtusiak, 1997, Pterophoridae aus Nigeria (Insecta, Lepidoptera). Z. ArbGem. Öst. Ent. 48: 73-85, figs. [31.12.1996] Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Arenberger,E., 1975, Pterophoriden aus Aegypten (Lepidoptera). Ent. Z., Frankf. a. M. 85 (10): 111-116 4 Abb. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Arenberger,E., 1977, Die palaearktischen Agdistis- Arten (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 36: 185-226, 1 Abb. 15 Taf. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Arenberger,E., 1984, Neue palaearktische Pterophoridae (Lep., Pterophoridae, Platyptiliinae). Z. ArbGem. öst. Ent. 36 (1/2): 8-14, 9 Abb. Geographic coverage area (in codes): **MA TN TR 58 58G RU Ur** *[available in Cesa Library]*

Arenberger,E., 1986, Ergänzende Bemerkungen zur Familie Pterophoridae (Lepidoptera). Z. ArbGem. öst. Ent. 37 (3/4): 76-80, figs. Geographic coverage area (in codes): **Ui Kml EG SA GR** *[available in Cesa Library]*

Arenberger,E., 1986, Die Agdistis-Arten der aethiopischen Region (1.Beitrag) (Lepidoptera, Pterophoridae). Mitt. Schweiz. ent. Ges. 59: 187-196, figs. Geographic coverage area (in codes): **AET**

Arenberger,E., 1987, Pterophoridae aus dem östlichen Mittelmeerraum (Lepidoptera). Z. ArbGem. öst. Ent. 38 (3/4) (1986): 103-106, figs. Geographic coverage area (in codes): **TR 06 07 66 JM EG MX Hw PE ST RE SC LK MG NG ZR ZM Md Cn MA Rbt** *[available in Cesa Library]*

Arenberger,E., 1988, Die Agdistis-Arten der aethiopischen Region (2.Beitrag) (Lepidoptera, Pterophoridae). Stapfia 16: 13-25, figs. Geographic coverage area (in codes): **ZA Nta Kzu KE UG Rz NA** *[available in Cesa Library]*

Arenberger,E., 1995, Pterophoridae Teilband I, [In] Amsel,H.G., Reisser,H. & F.Gregor: Microlepidoptera Palaearctica 9: xxv + 258 pp. 153 Taf. Karlsruhe. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui KP KR JP MN TW** *[available in Cesa Library]*

Arenberger,E., 1997, The types of the species Cosmoclostis Meyrick (Lepidoptera, Pterophoridae) and their genitalia. Ent. Scand. 28 (4): 367-379, figs. Geographic coverage area (in codes): **CX AU CI UG ZA Tva Nta NG IN Ass Bi Pus Meg MM Khs** *[available in Cesa Library]*

Arenberger,E., 2001, Beitrag zur Pterophoridenfauna Kenyas (Lepidoptera). Z. ArbGem. öst. Ent. 53: 31-36, 12 figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Arenberger,E., 2001, Zur Verbreitung der Gattung Agdistis im südlichen Africa 4.Beitrag (Lepidoptera). Z. ArbGem. öst. Ent. 53: 37-40. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Arenberger,E., 2002, Pterophoridae Teilband II, [In] Gaedike,R., Microlepidoptera Palaearctica 11: 287 pp. 96 Taf. Goecke & Evers, Keltern. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Arenberger,E., 2005, Pterophoridae Teilband III, [In] Gaedike,R., Microlepidoptera Palaearctica 12: 191 pp. 50 Taf. Goecke & Evers, Keltern. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Arenberger,E., 2006, Pterophoridae von den Kapverden (Lepidoptera). Z. ArbGem. öst. Ent. 58: 67-76, figs. Geographic coverage area (in codes): **CV** *[available in Cesa Library]*

Arenberger,E., 2009, Zur Verbreitung der Pterophoridae im südlichen Afrika. 5.Beitrag (Lepidoptera). Z. ArbGem. öst. Ent. 61: 19-28, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Arenberger,E., 2009, Faunistische Angaben über Pterophoridae vom Sokotra Archipel mit der Neubeschreibung von Agdistis haghieri sp.n. (Lepidoptera). Z. ArbGem. öst. Ent. 61: 95-100, figs. Geographic coverage area (in codes): **Sk** *[available in Cesa Library]*

Arenberger,E., 2010, Agdistis rastri sp.n., aus dem südlichen Afrika mit weiteren Angaben zur Verbreitung der Gattung Agdistis Hübner,[1825]. 6.Beitrag (Lepidoptera). Z. ArbGem. öst. Ent. 62: 75-80, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Arenberger,E., 2011, Die Pterophoridae (Lepidoptera) des Kanarischen Archipels. Z. ArbGem. öst. Ent. 63: 81-99, figs. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Arenberger,E., Gurko,V. & S.A.Binyason, 2011, Beitrag zur Kenntnis der Lepidoptera-Fauna des Sudan (Lepidoptera, Pterophoridae). Beitr. Ent. 61 (2): 277-284, figs. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Arnscheid,W.R. & M.Weidlich, 2017, Psychidae Microlepidoptera of Europe 8. 360 pp. Pls. Brill. Geographic coverage area (in codes): **Cc LU MA DZ ES FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA** *[available in Cesa Library]*

Assefa,Y., Mitchell,A. & Des E.Conlong, 2006, Phylogeography of Eldana saccharina Walker (Lepidoptera, Pyralidae). Annls Soc. ent. Fr. (n.s.) 42 (3/4): 331-337, figs. Geographic coverage area (in codes): **ZA MZ TZ UG SN ET ZW** *[available in Cesa Library]*

Asselbergs,J.E.F., 2006, Ancylosis (Syria) limoniella (Chrétien,1911) new to the fauna of the Canary Islands, Spain (Lepidoptera, Pyralidae). Shilap Revta. lepid. 34 (135): 253-254, figs. Geographic coverage area (in codes): **Cn MA DZ TN LY Cy EG EG11 YE SA SA63 SD IL Hf Pa IR Elb Th AF** *[available in Cesa Library]*

Asselbergs,J.E.F., 2009, Descriptions of new Pyraloidea from the Palaearctic Region (Lepidoptera, Pyraloidea, Pyralidae, Pyralinae, Phycitinae, Crambinae). Phegea 37 (2): 55-68, figs. Geographic coverage area (in codes): **Cn GR TR 07 38** *[available in Cesa Library]*

Asselbergs,J.E.F., 2009, New data for Pyraloidea from Fuerteventura (Canary Islands, Spain) including a species new to science (Lepidoptera, Pyraloidea). Shilap Revta lepid. 37 (148): 405-420, figs. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Aurivillius,C., 1879, Lepidoptera Damarensia. Öfv. K. VetenskAkad. Förhandl. 36: 39-69. Geographic coverage area (in codes): **NA** *[available in Cesa Library]*

Aurivillius,C., 1893, Diagnosen neuer Lepidopteren aus Afrika. Ent. Tidskr. 13/14: 199-211. Geographic coverage area (in codes): **CM MZ ZA Nta Kzu SL GH ZR GA** *[available in Cesa Library]*

Aurivillius,C., 1894, Beiträge zur Kenntnis der Insektenfauna von Kamerun. 2. Tagfalter. Ent. Tidskr. 15: 273-314, Taf.4-6. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Aurivillius,C., 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. Dt. ent. Z., Iris 7: 121-192. Geographic coverage area (in codes): **TR CY SY LB IL EG SA YE OM AE QA KW IQ IR Cc GG AM AZ TM UZ TJ AF PK CH KK KG CN** *[available in Cesa Library]*

Aurivillius,C., 1895, Diagnosen neuer Tagfalter aus Africa. Ent. Nachr. 21 (23/24): 379-382. Geographic coverage area (in codes): **ZR UG CM** *[available in Cesa Library]*

Aurivillius,C., 1895, Diagnosen neuer Lepidopteren aus Afrika. Ent. Tidskr. 16: 113-120. Geographic coverage area (in codes): **ZR CM ZA Nta Ogo** *[available in Cesa Library]*

Aurivillius,C., 1896, Diagnosen neuer Lepidopteren aus dem Congo-Gebiete. Öfv. K. VetenskAkad. Förhandl. 53: 431-436. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Aurivillius,C., 1898, Diagnosen neuer Lepidopteren aus Afrika. Ent. Tidskr. 19 (3/4): 177-186. Geographic coverage area (in codes): **ZR TZ ET TG** *[available in Cesa Library]*

Aurivillius,C., 1900, Diagnosen neuer Lepidopteren aus Afrika. Ent. Tidskr. 20 (1899): 233-258, 18 figs. Geographic coverage area (in codes): **CM NG ZR ZA Nta Kzu Ogo MG GA** *[available in Cesa Library]*

Aurivillius,C., 1901, Diagnosen neuer Lepidopteren aus Afrika. Ent. Tidskr. 22 (2): 113-128, 31 figs. Geographic coverage area (in codes): **ZR TZ ZW Har** *[available in Cesa Library]*

Aurivillius,C., 1902, Beiträge zur Kenntnis der Insektenfauna von Kamerun No.11. Lepidoptera Heterocera. Ent. Tidskr. 23 (4): 273-288, Taf.4-6. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Aurivillius,C., 1903, Zwei neue Afrikanische Heteroceren. Ent. Tidskr. 24 (1): 106. Geographic coverage area (in codes): **TG ZR CM** *[available in Cesa Library]*

Aurivillius,C., 1904, New species of African Striphnopterygidae, Notodontidae, and Chrysopolomida in the British Museum. Trans. ent. Soc. Lond. 1904 (4): 695-700, pl.xxxiii. Geographic coverage area (in codes): **MW ZW SL ET TZ KE** *[available in Cesa Library]*

Aurivillius,C., 1905, Lieutnant A. Schultzes Sammlung von Lepidopteren aus West-Afrika. Ark. Zool. 2 (12): 1-47, 5 Taf. Geographic coverage area (in codes): **GH CM ZM SD** *[available in Cesa Library]*

Aurivillius,C., 1906, Verzeichnis von Lepidopteren gesammlet bei Mukimbungu am unteren Kongo von Herrn E.Laman (zweite u. dritte Sendung). Ark. zool. 3 (1): 1-16, pl.1, 6 textfigs. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Aurivillius,C., 1907, Diagnosen neuer Lepidopteren aus Africa. Ark. zool. 3 (19): 1-7, 5 figs. Geographic coverage area (in codes): **SL TZ Usa ZR CM** *[available in Cesa Library]*

Aurivillius,C., 1908-1925, Die afrikanischen Tagfalter, [in] Seitz,A. Die Gross-Schmetterlinge der Erde 13: [iii]+ [x]+ 614 pp., 80 Pls. Lehmann/Kernen, Stuttgart. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS MG ML MR MU MW MZ NA NE RE SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Aurivillius,C., 1910, Lepidoptera, [in] Sjöstedt,B.Y., Wissenschaftliche Ergebnisse der schwedischen zoologischen Expedition nach dem Kilimandjaro, dem Meru und den umgebenden Massaisteppen Deutsch-Ostafrikas 1905-1906: 1-56 pp., 2 Taf., Stockholm. Geographic coverage area (in codes): **TZ Kmj Mru** *[available in Cesa Library]*

Aurivillius,C., 1911, New genera and species of Striphnopterygidae, and Lasiocampidae in the British Museum. Trans. ent. Soc. Lond. 1911 (1): 161-167. Geographic coverage area (in codes): **ZA Ec Tva Lpo Fs GH UG MZ** *[available in Cesa Library]*

Aurivillius,C., 1911, Chrysopolomidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 1. 4pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **ZR ZA TZ KE CM GA** *[available in Cesa Library]*

Aurivillius,C., 1921, Sammlungen der schwedischen Elgon-Expedition im Jahre 1920. Ark. zool. 14 (5): 1-27, figs. Geographic coverage area (in codes): **KE UG** *[available in Cesa Library]*

Austaut,J.L., 1879, Description d'un Lépidoptère nouveau d'Algerie. Naturaliste 1: 138. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Austaut,J.L., 1880, Lépidoptères nouveaux d'Algerie. Naturaliste 2: 284. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Austaut,J.L., 1885, Lépidoptères nouveaux d'Algerie. Naturaliste 7: 141-142. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Austaut,J.L., 1905, Notice sur quelques Lepidopteres nouveaux. Ent. Z., Stuttgart 18: 143. Geographic coverage area (in codes): **DZ TR**

Bacallado Aranega,J.J., 1976, Biologia de Cyclirius webbianus (Brulle) especie endemica de las Islas Canarias. Vieraea 6: 139-150. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Back,H.E., 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung Pleurota (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken. Geographic coverage area (in codes): **MA DZ TR CY LB IQ IR Cc GG AM AZ AF Kab** *[available in Cesa Library]*

Back,H.E., 1978, Pyronia bathseba (Fabricius,1793) en Tunisie. Alexanor 10: 343-344. Geographic coverage area (in codes): **TN**

Back,H.E., 1978, Vorkommen und Verbreitung der Rhopaloceren in der zentralen Sahara. Nota lepid. 1(2): 53-63. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Back,H.E., 1981, Beitrag zur Faunistik und Zoogegraphie der Lepidopteren in der östlichen Sahara. Nota lepid. 4 (4): 111-124, map. Geographic coverage area (in codes): **EG SD LY** *[available in Cesa Library]*

Back,W. & E.J.Reissinger, 1989, Euchloe tagis reisseri subsp. n. eine gut charakterisierte Unterart aus dem Rif-Gebirge (Lepidoptera, Pieridae). Nota lepid. 12: 86-102, Abb. Geographic coverage area (in codes): **MA Rf**

Back,W. & U.Eitschberger, 1976, Die Unterarten von Euchloe charlonia Donzel,1842. Atalanta 7 (3): 142-160, pls. Geographic coverage area (in codes): **TR MA DZ TN LY MK GR JO IQ IR TM UZ PK AF Cn** *[available in Cesa Library]*

Back,W., 1977, Zur Artenverschiedenheit von Anthocharis belia belia (Linné,1767) und A. euphenoides euphenoides (Staudinger,1869) (Lep., Pieridae). Atalanta 8 (1): 30-39, 11 Abb. Geographic coverage area (in codes): **DZ MA TN FR** *[available in Cesa Library]*

Back,W., 1979, Zur Biologie der europäischen und nordwestafrikanischen Populationen von Euchloe ausonia Hübner,1804. Atalanta 10: 225-243, figs. Geographic coverage area (in codes): **DE IT FR MA DZ** *[available in Cesa Library]*

Back,W., 1984, Beschreibung der Präimaginalstadien von Euchloe tagis pechi Staudinger,1885 (Lep., Pieridae). Atalanta 15 (1/2): 152-164, Taf. Geographic coverage area (in codes): **DZ PT ES FR** *[available in Cesa Library]*

Back,W., 1984, Die Präimaginalstadien von Euchloe falloui Allard,1867 (Lep., Pieridae). Atalanta 15 (1/2): 165-166, Taf. Geographic coverage area (in codes): **IL DZ** *[available in Cesa Library]*

Back,W., 2001, Zur Biologie von Euchloe belemia hesperidum Rothschild,1913 (Lepidoptera, Pieridae). Atalanta 32 (1/2): 103-106, pl.v,vıa. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Baker,G.T., 1885, Descriptions of some new species of Lepidoptera from Algeria. Entomologist's mon. Mag. 21: 241-245, 268-270. Geographic coverage area (in codes): **DZ Gue Lbs** *[available in Cesa Library]*

Baker,G.T., 1886, Notes on some Lepidoptera from Algeria. Entomologist's mon. Mag. 22: 250-254. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Baker,G.T., 1888, Descriptions of some new species of Lepidoptera from Algeria. Trans. ent. Soc. London 1888: 117-121. Geographic coverage area (in codes): **DZ Sbd TR 16** *[available in Cesa Library]*

Baker,G.T., 1888, Descriptions of some new species of Micro-Lepidoptera from Algeria. Entomologist's mon. Mag. 24: 254-257. Geographic coverage area (in codes): **DZ Lbs Cst** *[available in Cesa Library]*

Bakowski,M., Bartsch,D. & A.Kallies, 2008, A review of the Similipepsini of the Afrotropical Region (Lepidoptera, Sesiidae, Tinthiinae). Ann. zool. 58 (4): 785-797, figs. Geographic coverage area (in codes): **NG CM ZR ZW ZM SL GO MG** *[available in Cesa Library]*

Baldizzone,G. & H.W. van der Wolf, 2003, A review of the genus Ischnophanes Meyrick,1891, with descriptions of two new species (Lepidoptera, Coleophoridae). Shilap Revta. lepid. 31 (123): 205-215, figs. Geographic coverage area (in codes): **DZ TN ES IR TM TJ Cn** *[available in Cesa Library]*

Baldizzone,G. & J.-F.Landry, 2012, Kasyniana shardana Baldizzone, sp.n. (Lepidoptera, Oecophoridae). Shilap Revta lepid. 40 (158): 197-205, figs. Geographic coverage area (in codes): **FR MA ES SS HV IT Si Sa AL TR** *[available in Cesa Library]*

Baldizzone,G., 1979, Les espèces de Coleophoridae décrites par Pierre Chretien. Alexanor 11 (3): 111-130, 115 figs. Geographic coverage area (in codes): **Co TN Gf FR AT HU DE IT ES Mu MK DZ IR Kz LY IL Pa MA YU Cn** *[available in Cesa Library]*

Baldizzone,G., 1982, Contributions a la connaissance des Coleophoridae xxv. Les taxa décrits par H.Rebel (2e partie). Linneana Belgica (8) 10: 425-438, 48 figs. Geographic coverage area (in codes): **IR FR MK B-H TR HV HU SW AT SD CZ SS** *[available in Cesa Library]*

Baldizzone,G., 1982, Contributions a la connaissance des Coleophoridae, xxx. Nouvelles espèces du genre Coleophora Hübner en France, Espagne, Maroc et Isles Canaries (Coleophoridae). Nota lepid. 5 (2/3): 57-76, 57 figs. Geographic coverage area (in codes): **ES Cn MA FR** *[available in Cesa Library]*

Baldizzone,G., 1984, Contributions a la connaissance des Coleophoridae, xxxvii. Ischnophanes canariella n.sp. Nota lepid. 7 (2): 101-106, 13 figs. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Baldizzone,G., 1987, Sur quelques espèces de Coleophoridae de Libye (Lepidoptera). Alexanor 15 (1): Suppl.: [3]-[16], 29 figs. Geographic coverage area (in codes): **LY DZ Bsk TN** *[available in Cesa Library]*

Baldizzone,G., 1988, Contributions a la connaissance des Coleophoridae XLIX. Nouvelles especes du genre Coleophora Hübner d'Algerie et Tunisie (Lepidoptera). Stapfia 16: 27-47, figs. Geographic coverage area (in codes): **DZ Bsk TN** *[available in Cesa Library]*

Baldizzone,G., 2001, Contribuzioni alla conoscenza del Coleophoridae XCV. Nuove specie di Coleophoridae della collezione Klimesch (Lepidoptera, Coleophoridae). Revta lepid. 29 (114): 131-144, figs. Geographic coverage area (in codes): **TR 06 26 73 GR MA** *[available in Cesa Library]*

Baldizzone,G., Wolf,H.van der & J.-F.Landry, 2006, Coleophoridae, Coleophorinae (Lepidoptera). World Catalogue of Insects 8: 1-215. Apollo Books. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM US CA RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ**

Balinsky,B.I., 1991, New and inadequately described genera and species of Phycitinae (Pyralidae, Lepidoptera) from Southern Africa. S. Afr. J. Zool. 26 (3): 93-114, 87 figs. (7 col.). Geographic coverage area (in codes): **ZA Ec Tva Gau Mpu** *[available in Cesa Library]*

Balinsky,B.I., 1991, On genitalia of some southern African Phycitinae (Lepdioptera, Phycitinae). S. Afr. J. Zool. 26 (1): 11-35, 67 figs. (3 col.). Geographic coverage area (in codes): **ZA Nta Kzu Tva Gau** *[available in Cesa Library]*

Balinsky,B.I., 1994, A Study of African Phycitinae in the Transvaal Museum. 208 pp. 542 figs. Vanderbjilpark. Geographic coverage area (in codes): **ZA KE EG ZW NA** *[available in Cesa Library]*

Balint,Z. & K.Johnson, 1997, Reformation of the Polyommatus section with a taxonomic and biogeographic overview (Lepidoptera, Lycaenidae, Polyommatini). Neue ent. Nachr. 40: 1-68, Pls., figs. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Balint,Z., 1999, Annotated list of the type specimens of Polyommatus sensu Eliot of the Natural History Museum London (Lepidoptera, Lycaenidae). Neue ent. Nachr. 46: 1-89, 4 Pls. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR Cc GG AM AZ** *[available in Cesa Library]*

Ballacado Aranega,J.J., 1976, Biologia de Cyclirius webbianus (Brulle) especie endemica de las Islas Canarias. Vieraea 6: 139-150. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Bang-Haas,A., 1907, Neue oder wenig bekannte palaearctische Macrolepidopteren. Dt. ent. Z., Iris 20: 69-88, Taf. Geographic coverage area (in codes): **UA RU TN TR DZ LB** *[available in Cesa Library]*

Bang-Haas,A., 1910, Neue oder wenig bekannte palaearctische Macrolepidopteren. Dt. ent. Z., Iris 24: 27-51, 2 Taf. Geographic coverage area (in codes): **Ui Ju IL JO TR IT DZ KG Db TM RU Ur Uk DsA TN KK GR UZ TJ** *[available in Cesa Library]*

Bang-Haas,A., 1912, Neue oder wenig bekannte palaearktische Makrolepidopteren V. Dt. ent. Z., Iris 26: 139-162, Taf.vi. Geographic coverage area (in codes): **DZ Btna Cc RU Sr Sj EG TR o5 Ui Ju Ga KG Uk TJ KK Ax** *[available in Cesa Library]*

Bang-Haas,A., 1912, Neue oder wenig bekannte palaearktische Makrolepidopteren IV. Dt. ent. Z., Iris 26: 103-110. Geographic coverage area (in codes): **DZ RU Sj KG Ssn AZ Kir Cc CN Mc KK Ui Ju IR** *[available in Cesa Library]*

Bang-Haas,O., 1926, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 1. Bis zum Jahre 1920. Novit. macrolepid. 1: xx+ 238pp. Geographic coverage area (in codes): **ES PT IT AT FR DE BE DK SE NO FI RU RO CH YU MK BG GB GR TR SY IR KK KG CN TM PK AF UZ TJ UA BY PL CZ SK SL HU TN EG LB IL IQ DZ MA JP**

Bang-Haas,O., 1927, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 2. Vom Jahre 1921 bis 1926. Novit. macrolepid. 2: xxii+ 301pp. Geographic coverage area (in codes): **ES PT IT AT FR DE BE DK SE NO FI RU RO CH YU MK BG GB GR TR SY IR KK KG CN TM PK AF UZ TJ UA BY PL CZ SK SL HU TN EG LB IL IQ DZ MA JP**

Bang-Haas,O., 1928, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 3. Neubeschreibungen des Jahres 1927. Novit. macrolepid. 3: xvi+ 104pp. Geographic coverage area (in codes): **ES PT IT AT FR DE BE DK SE NO FI RU RO CH YU MK BG GB GR TR SY IR KK KG CN TM PK AF UZ TJ UA BY PL CZ SK SL HU TN EG LB IL IQ DZ MA JP**

Bang-Haas,O., 1929, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 4. Neubeschreibungen des Jahres 1928. Novit. macrolepid. 4: xvi+ 80pp. Geographic coverage area (in codes): **ES PT IT AT FR DE BE DK SE NO FI RU RO CH YU MK BG GB GR TR SY IR KK KG CN TM PK AF UZ TJ UA BY PL CZ SK SL HU TN EG LB IL IQ DZ MA JP**

Bang-Haas,O., 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Faunenverzeichnisse der Jahre 1758 bis 1930. Novit. macrolepid. 5: xvi+ 1-152. Geographic coverage area (in codes): **ES PT IT AT FR DE BE DK SE NO FI RU RO CH YU MK BG GB GR TR SY IR KK KG CN TM PK AF UZ TJ UA BY PL CZ SK SL HU TN EG LB IL IQ DZ MA JP**

Bang-Haas,O., 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Neubeschreibungen des Jahres 1929. Novit. macrolepid. 5: 153-207. Geographic coverage area (in codes): **ES PT IT AT FR DE BE DK SE NO FI RU RO CH YU MK BG GB GR TR SY IR KK KG CN TM PK AF UZ TJ UA BY PL CZ SK SL HU TN EG LB IL IQ DZ MA JP**

Baraniak,E., 2007, Taxonomic revision of the genus Plutella Schrank,1802 (Lepidoptera, Plutellidae) from the Palaearctic Region with notes on its phylogeny. Polski pismo Ent. 76 (Suppl.): 1-122, figs. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc Kb** *[available in Cesa Library]*

Baron,T., Akite,P., Barnett,M., Collins,S.C., Dobson,J., Fric,Z.F., Henning,G., Kühne,L., Mey,W., Ochse,M., Przybylowicz,L., Safian,S., Schutte,R., Selb,H. & P.Ward, 2017, The second Afrotropical Lepidoptera Workshop in Uganda - A contribution to the Lepidoptera fauna of Kibale National Park and Mpanga Forest Reserve. Ent. Z., Schwanf. 127 (2): 77-105, figs. Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Baron,T.R. & T.Karisch, 2016, A new species of Cyana Walker,1854 from Uganda (Lepidoptera, Erebidae, Arctiinae). Metamorphosis 27: 31-33, figs. Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Bartel,M., 1899-1902, Nachtfalter. [In] Rühl,F., Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte. Vol.2. (Lief.17-23). 336 pp. Leipzig. Geographic coverage area (in codes): **Cc FR IT DE BE NL ES PT DZ MA TN YU AT PL HU SE NO FE CZ SL HV MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA Ui Ku AF PK TJ Ch IN PH ID** *[available in Cesa Library]*

Bartel,M., 1903, Neue aethiopische Arctiidae der Sammlung des Kgl. Museums für Naturkunde in Berlin. Dt. ent. Z., Iris 16: 170-220. Geographic coverage area (in codes): **TZ UG MW AO NA CM TG** *[available in Cesa Library]*

Bartel,M., 1905, Neue Aetiopische Rhopalocera des Kgl. Museums für Naturkunde in Berlin. Novit. zool. 12: 129-152. Geographic coverage area (in codes): **TG CM MW CF ZA Nta Kzu KE GA** *[available in Cesa Library]*

Bartel,M., 1912, Aegeriidae (Sesiidae). [In] Seitz,A., Die Gross-Schmetterlinge der Erde 2: 375-416, pls. Stuttgart. Geographic coverage area (in codes): **Cc FR IT DE BE NL ES PT DZ MA TN YU AT PL HU SE NO FE CZ SL HV MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA Ui AF PK TJ Ch IN** *[available in Cesa Library]*

Bartol,B., Bartol,V. & S.Michieli, 1964, Beitrag zur Kenntnis der Macrolepidopterenfauna der adriatischen Insel Krk (Veglia). NachrBl. bayer. Ent. 13: 33-36, 44-48, 55-59. Geographic coverage area (in codes): **SL**

Bartsch,D. & J.Berg, 2012, New species and review of the Afrotropical clearwing moth genus Camaegeria Strand,1914 (Sesiidae, Synanthedonini). Zootaxa 3181: 28-46, figs. Geographic coverage area (in codes): **UG TZ KE** *[available in Cesa Library]*

Bartsch,D., 2008, A review of the Paranthrenini of the Afrotropical Region (Lepidoptera, Sesiidae). Ent. Z. 118 (6): 265-280. Geographic coverage area (in codes): **ZA**

Bartsch,D., 2009, Melittosesia, a new genus of clearwing moths with a review of the Sesiini Boisduval,1828 in Madagascar (Lepidoptera, Sesiidae). Ent. Z. 119 (1): 9-16. Geographic coverage area (in codes): **MG**

Bartsch,D., 2012, Revision of types of several species of Bembecia Hübner,1819 from northern Africa and southwestern Europe (Sesiidae) Nota lepid. 35 (2): 125-133, figs. Geographic coverage area (in codes): **MA DZ TN ES FR IT Sa Si Co** *[available in Cesa Library]*

Bartsch,D., 2013, Revisionary checklist of the Southern African Sesiini (Lepidoptera, Sesiidae) with description of new species. Zootaxa 3741 (1): 1-54, figs. Geographic coverage area (in codes): **ZA NA ZW LS SZ** *[available in Cesa Library]*

Bartsch,D., 2015, New taxa of southern African Sesiini (Lepidoptera, Sesiidae). Zootaxa 3956 (3): 428-436, figs. Geographic coverage area (in codes): **ZA SZ**

Bartsch,D., 2017, Hyleina kaphetea, a new genus and species of clearwing moths from troical Africa (Lepidoptera, Sesiidae, Sesiini). Zootaxa 4286 (3): 425-430, figs. Geographic coverage area (in codes): **ZR MW TZ ZM**

Bassi,G. & J.Razowski, 2018, Tortricidae (Lepidoptera) from Gabon. Acta zool. cracoviensia 61: 1-30, figs. Geographic coverage area (in codes): **GA** *[available in Cesa Library]*

Bassi,G. & P.Trematerra, 2014, The Crambinae from Ethiopia and Mozambique collected by the University of Molise expeditions in 2008 and 2009 (Lepidoptera, Pyraloidea, Crambidae, Crambinae). Entomologia 2: 35-45, figs. Geographic coverage area (in codes): **ET MZ** *[available in Cesa Library]*

Bassi,G., 1999, Knysna jansei n.gen, n.sp. della Republica del Sud Africa (Lepidoptera, Pyraloidea, Crambidae, Crambinae). Riv. piem. st. Nat. 20: 209-214, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Bassi,G., 2012, New Afrotropical species of the genus Crambus Fabricius,1798 (Lepidoptera, Pyralidae, Crambinae). Revue Suisse Zool. 119 (3): 269-286, figs. Geographic coverage area (in codes): **ZA Tva Mpu Gau Fs Nta Kzu SZ ZW TZ ET** *[available in Cesa Library]*

Bassi,G., 2013, Revisione delle specie afrotropicali del genere Ancylolomia Hübner,[1825] I. i gruppi indica e chrysargyria (Lepidoptera, Pyralidae, Crambinae). Shilap Revta lepid. 41 (164): 517-529, figs. Geographic coverage area (in codes): **KE TZ GH** *[available in Cesa Library]*

Bassi,G., 2013, Notes on some Old World Prionapterygini Landry,1995 (Lepidoptera, Pyraloidea, Crambidae, Crambina e), with descriptions of new species. Revue Suisse Zool. 120 (1): 131-160, figs. Geographic coverage area (in codes): **IR SH BW SD CF MZ NA ZW ZA Tva Pre MW ZR SO** *[available in Cesa Library]*

Bast,B.de, 1985, La notion d'espece dans le genre Lysandra Hemming,1933 (Lepidoptera, Lycaenidae) (Prem. Partie) Linneana Belgica 10(3): 98-110. Geographic coverage area (in codes): **ES FR IT MA** *[available in Cesa Library]*

Bastelberger,M., 1907, Neue afrikanische Geometriden aus meiner Sammlung. Int. ent. Z. 1: 167-168. Geographic coverage area (in codes): **CF UG KE TZ ZM ZW MZ ZA Mal ZA16 Mpu Tva Lpo Kru Prt Dbn Gau Pre Nta Kzu**

Bastelberger,M., 1908, Neue exotische Acidaliden aus meiner Sammlung. Int. ent. Z. 2(5): 33-34; 2(6): 37-38. Geographic coverage area (in codes): **ID MG MX PG** *[available in Cesa Library]*

Bastelberger,M., 1908, Weitere neue Geometriden aus meiner Sammlung. Int. ent. Z. 2: 98-99. Geographic coverage area (in codes): **TZ DE BO** *[available in Cesa Library]*

Bastelberger,M., 1909, Ein neues Genus und neun neue afrikanische Geometriden aus meiner Sammlung. Int. ent. Z. 3: 100-101. Geographic coverage area (in codes): **MW TZ ZR** *[available in Cesa Library]*

Bastelberger,M., 1909, Beschreibung eines neuen genus und fünf neuer Spannerarten aus Angola in meiner Sammlung. Ent. Z., Stuttgart 45: 281-285. Geographic coverage area (in codes): **AO**

Baz,A., 1988, On the distribution of Tarucus theophrastus (Fabricius,1793) in Marocco. Nota lepid. 11(2): 177-181. Geographic coverage area (in codes): **MA**

Beck,H., 1989, Verantwortungsvolles Taxieren, Appell an den "Internationalen Trust for Zoological Nomenclature". Beschreibung einer neuen Unterart von Cucullia blattariae (Esper,1790): Cucullia blattariae eugeniae subsp.n. Synonymien im Genus Cucullia (Lep.,Noctuidae). Atalanta 19: 189-217, figs. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Beck,H., 1991, Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae). Atalanta 22 (2/4): 175-232. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Beck,H., 1993, III. Corrigenda and Addenda zu Beck (1991): "Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae)". Beschreibung der Raupe von Perplexhadena syriaca (Osthelder,1933) comb.nov. Atalanta 23 (3/4): 605-611, pls. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Beck,H., 1999-2000, Die Larven der europäischen Noctuidae. 4 Bde. Herbipoliana vol.5. Marktleuthen. Geographic coverage area (in codes): **MA PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR Cc 06 06R 07 08 09 18 20 33 35 36 50 58 70** *[available in Cesa Library]*

Beck,H., Kobes,L. & M.Ahola, 1993, Die generische Aufgliederung von Noctua Linnaeus,1758 (Lepidoptera, Noctuidae, Noctuinae). Atalanta 24 (1/2): 207-264, 16 Pls. Geographic coverage area (in codes): **Cc FR CH AT DE**

YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD *[available in Cesa Library]*

Behounek,G. & R.Beck, 2012, Beschreibung einer neuen Art aus der Gattung Compsotata Prout,1907 von Aethiopien, Bale Gebirge: Compsotata corneliae sp.n. (Lepidoptera, Noctuidae, Xyleninae, Phlogophorini). Mitt. münch. ent. Ges. 102: 95-98, figs. Geographic coverage area (in codes): **ET**

Behounek,G. & W.Speidel, 2015, Beschreibung einer neuen Art aus der Gattung Acontiola Staudinger,1900 vom Zambia: Acontiola ruperti sp.n. (Lepidoptera, Noctuidae, Eustrotiinae). Mitt. münch. ent. Ges. 105: 83-87, figs. Geographic coverage area (in codes): **ZM**

Behounek,G., 1992, Die holarktischen Arten der Gattung Lacanobia Billberg,1820 (Lepidoptera, Noctuidae, Hadeninae). Esperiana 3: 33-65, Abb. Geographic coverage area (in codes): **Cc EU AF AE AM AZ BH CY DJ EG ER ET GG IL IN IQ IR JO KG KK KW LB OM PK QA RU SA SD SK SO SY TJ TM TR UZ YE** *[available in Cesa Library]*

Beljaev,E.A., 2006, A morphological approach to the Ennominae phylogeny (Lepidoptera, Geometridae). Spixiana 29 (3): 215-216, fig. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Beljaev,E.A., 2008, A new concept of the generic composition of the Geometrid moth tribe Ennomini (Lepidoptera, Geometr,dae) based on functional morphology of the male genitalia. Ent. Obozr. 87(1): 152-165, figs. [Ent. Rev. 88 (1): 50-60, figs.] Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Bellier,C., 1858, Agrotis celsicola. Annls Soc. ent. Fr. 3 (6): ccliii. Geographic coverage area (in codes): **DZ Lbs Sbd FR Sa? IT GR TR Cc RU Da Kus IR Zj Elb Th Dam Kdj Mz Plr Km Krd Kd Lo** *[available in Cesa Library]*

Bellier,C., 1859, Observations sur les Lépidoptères des Basses-Alpes Environs de Larche. Annls Soc. ent. Fr. 3 (7): 177-193, pl. Geographic coverage area (in codes): **DZ Lbs Sbd FR Sa? IT GR TR Cc RU Da Kus IR Zj Elb Th Dam Kdj Mz Plr Km Krd Kd Lo**

Belter,G., 1934, Neues aus der Melitaea didyma Esp.- Gruppe, mit Berücksichtigung des Materials des Deutschen Entomologischen Instituts. Arb. morph. taxon. Ent. Berl. 1: 105-115, figs. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR SY IR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG ES PT DZ MA TN AD** *[available in Cesa Library]*

Bengtsson,B.A., 1996, Scythridids found by H.Hacker in Pakistan 1988 and India 1992. Esperiana 4: 467-481, Abb. Geographic coverage area (in codes): **PK IN IR SD AF IL Pa TR** *[available in Cesa Library]*

Bengtsson,B.A., 1997, Scythrididae, [in] Huemer,P. Karsholt,O. & L.Lyneborg, Microlepidoptera of Europe 2: 1-301, Pls. [Incomprehensible thing is that numerous species from North Africa and the Middle East are described in an European book!]. Geographic coverage area (in codes): **Cc MA DZ Dhm Bsk MA Ouk TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 65 GG AZ AM RU SY LB IL IQ IR B-A** *[available in Cesa Library]*

Bengtsson,B.A., 2002, Scythridids of the Arabian Peninsula I. Oman (Lepidoptera, Scythrididae). Phegea 30 (3): 105-118, 25 figs. Geographic coverage area (in codes): **OM IR SD SA PK IL Pa BW IN GA** *[available in Cesa Library]*

Bengtsson,B.A., 2005, Notes on Palaearctic scythridids, with descriptions of nine new species (Lepidoptera, Scythrididae). Ent. fenn. 16 (4): 207-220, figs. Geographic coverage area (in codes): **TR Cc 06 13 33 42 76 IR TN Ch NP** *[available in Cesa Library]*

Bennett,N.H., 1954, The two new species of Lycaenidae from South East Africa. Entomologist 87: 170-173. Geographic coverage area (in codes): **ZA**

Bennett,N.H., 1966, A new subspecies of Micropentila (Lep., Lycaenidae) from Middle Congo. Entomologist 99: 186. Geographic coverage area (in codes): **ZR**

Bennett,N.H., 1969, A new Falcuna species from western Nigeria (Lepidoptera, Lycaenidae). Entomologist 102: 143-144. Geographic coverage area (in codes): **NG**

Benyamini,D., 1984, The butterflies of the Sinai Peninsula (Lepidoptera, Rhopalocera). Nota lepid. 7 (4): 309-321, figs. Geographic coverage area (in codes): **EG Sn** *[available in Cesa Library]*

Benyamini,D., 1988, The zoogeography of the butterflies (Lepidoptera, Rhopalocera) of Israel and nearby areas. Monogr. biol. 62: 309-324, 6 figs. Geographic coverage area (in codes): **IL JO EG Sn LB TR ET IR SA**

Benyamini,D., 1990, A field guide to the butterflies of Israel including butterflies of Mt. Hermon and Sinai. 234 pp. Keter Publishing House Ltd. Geographic coverage area (in codes): **IL EG Sn LB SY JO He**

Benyamini,D., 1999, The biology and conservation of Iolana alfierii Wiltshire,1948 the Burning Bush Blue (Lepidoptera, Lycaenidae). Linneana Belg. 17 (4): 119-134, 7 figs., 3 pls. Geographic coverage area (in codes): **Sn EG IL JO** *[available in Cesa Library]*

Berger,L.A., 1950, Catalogue raisonnés de la faune entomologique du Congo Belge Lépidoptères - Rhopalocères 1. Fam.Papilionidae. Annls Mus. R. Congo Belge (C) Zool. 8: 1-102. Geographic coverage area (in codes): **ZR**

Berger,L.A., 1977, Hesperiidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 94-95. Geographic coverage area (in codes): **ET DJ KE** *[available in Cesa Library]*

Berger,L.A., 1978, Abantis meneliki n.sp. (Lepidoptera, Hesperiidae). Lambillionea 78: 67-69, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Berger,L.A., 1981, Les Papillons du Zaire. 543 pp. 213 Pls. Ed. Weissenbruch, Bruxelles. Geographic coverage area (in codes): **ZR**

Berger,L.A., 1984, Hesperiidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 59, Pl.12. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Bergmann,A., 1952, Die Großschmetterlinge Mitteldeutschlands Bd.2 Tagfalter. Urania Verlag. Leipzig, Jena. Geographic coverage area (in codes): **DE AT CH CZ SL HU PL DK BE NL** *[available in Cesa Library]*

Berio,E., 1935, Nuove Arctiidae d'Africa del Museo di Genova. Annali Mus. civ. Stor. nat. Giacomo Doria 59: 26-27. Geographic coverage area (in codes): **UG CM** *[available in Cesa Library]*

Berio,E., 1936, Contributo alla conoscenza della variazione di Agrotis puta (Hb.,1802) Ochs.,1816 Annali Mus. civ. Stor. nat. Giacomo Doria 59: 69-117, 4 Tav. Geographic coverage area (in codes): **TR SY CY IL LB JO IT DZ LY ES TN BG SA** *[available in Cesa Library]*

Berio,E., 1936, Descrizione di una nuova Limantride dell'Etiopia (Lepidoptera). Annali Mus. civ. Stor. nat. Giacomo Doria 59: 42. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Berio,E., 1936, Specie nuove di Lepidotteri della Somalia Italiana (Arctiidae, Erastriinae). Boll. Soc. ent. ital. 58 (1/2): 27-28, 2 figs. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Berio,E., 1937, Eteroceri Africani Apparentemente Nuovi. Annali Mus. civ. Stor. nat. Giacomo Doria 59: 370-393. Geographic coverage area (in codes): **SO ER ET ZR UG** *[available in Cesa Library]*

Berio,E., 1937, Spedizione zoologica del Marchese Saverio Patrizi nel basso Guiba e nell'Oltreguiba Giugno-Agosto 1934 Nuove Specie di Eteroceri Amatidae Arctiidae Noctuidae. Annali Mus. civ. Stor. nat. Giacomo Doria 58: 56-65, 7 figs. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Berio,E., 1937, Spedizione zoologica del Marchese Saverio Patrizi nel basso Guiba e nell'Oltreguiba Giugno-Agosto 1934 Nuove Specie di Eteroceri Noctuidae Lymantriidae Limacodidae Geometridae. Annali Mus. civ. Stor. nat. Giacomo Doria 58: 174-181, figs. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Berio,E., 1938, Spedizione Zoologica del Marchese saverio patrizi nel Basso Guiba e nell'Oltreguiba Giugno-Agosto 1934. Annali Mus. civ. Stor. nat. Giacomo Doria 58: 189-203. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Berio,E., 1938, Una nuova specie di Chaerocina di Eritrea (Lepid., Sphingidae). Boll. Soc. ent. ital. 70 (5): 85-86, fig. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1939, Contributi alla conoscenza dei Lepidotteri eteroceri dell'Eritrea II. Eteroceri raccolti dal Cap. Antonio Richini e Famiglia nella zona di Adua. Boll. Soc. ent. ital. 71 (8): 164-165. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1939, Contributi alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea I.Lista delle specie con descrizioni delle nuove entita raccolte negli anni 1934 al 1937 dal Sig.Francesco Vaccaro. Memorie Soc. ent. ital. 17: 47-62, 2 Tav. Geographic coverage area (in codes): **ER ET** *[available in Cesa Library]*

Berio,E., 1939, Contributi alla conoscenza del Lepidotteri Eteroceri dell'Eritrea I. Lista delle specie con descrizioni delle nuove entita raccolte negli anni 1934 dal. Sig. Francesco Vaccaro. Memorie Soc. ent. ital. 17: 47-61, 2 Tav. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1939, Lepidoptera. Missione Biol. Paese dei Borana 3: 9-15, 4 figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Berio,E., 1940, Lepidotteri raccolti dal Col. Mommeret ad Asmara del Luglio-Ottobre 1934 con descrizione di una nuova Asticta (Noctuidae). Boll. Soc. ent. ital. 72 (3): 42-44. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Berio,E., 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea V. Diagnosi di nuove Noctuidae raccolte da F.Vaccaro nel 1934-37. Boll. Soc. ent. ital. 72 (8): 122-126. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea III. Eteroceri Raccolti dal Cap. Richini ad Adi-Abuna (Adua) in Marzo-Aprile 1939-xvii. Boll. Soc. ent. ital. 72: 21-24, 6 figs. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1940, Diagnosi di Eteroceri Africani. Memorie Soc. ent. ital. 19: 125-128. Geographic coverage area (in codes): **UG ZR ET SO** *[available in Cesa Library]*

Berio,E., 1940, Contributi per una Monografia del genere Ozarba Hb. (Lep., Noctuidae) I. Diagnosi di alcune nuove specie del globo. Memorie Soc. ent. ital. 19: 173-189, 33 figs. Geographic coverage area (in codes): **IN ZA ZR ER TZ KE SO MG SI CM SA NA ET** *[available in Cesa Library]*

Berio,E., 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea IV. Eteroceri Raccolti dal Cap.Richini ad Adi-Abuna (Adua) nel Giugno-Luglio 1939-xvii. Memorie Soc. ent. ital. 19: 190-192. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1941, Contributi allo Studio dei Lepidotteri Eteroceri dell'Eritrea VII. Euchromiidae, Arctiidae, Agaristidae, Lymantriidae, Lasiocampidae, Noctuidae raccolte dal Sig. G. Vaccaro nel 1938. Annali Mus. civ. Stor. nat. Giacomo Doria 61: 176-190. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1941, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea VI. Eteroceri raccolti dal Cap. Richini ad Adi-Abuna (Adua) nel Marzo 1940. Boll. Soc. ent. ital. 72 (10): 161-165, figs. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1941, Elenco di Lepidotteri Eteroceri raccolti da Querci-Romei in Somalia con diagnosi di nuove specie. Memorie Soc. ent. ital. 20: 118-124, 4 figs. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Berio,E., 1943, Descrizione dell'Armatura genitale di alcune Hypotacha e diagnosi di una nuova specie (Lep., Noctuidae). Annali Mus. civ. Stor. nat. Giacomo Doria 62: 25-29, 2 figs. Geographic coverage area (in codes): **SO ET** *[available in Cesa Library]*

Berio,E., 1944, Missione Biologia Sagan-Omo Diretta dal Prof. E.Zavattari Lepidoptera Agaristidae e Noctuidae. Memorie Soc. ent. ital. 23: 74-79. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Berio,E., 1945, Reperti di nuove Noctuidae dell'Africa orientale. Memorie Soc. ent. ital. 24: 81-83. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Berio,E., 1947, Contributo alla conoscenza del genere Ozarba Hb. (Lep., Noctuidae) II. Note critiche sulla sinonimia e distribuzione geografica di alcune specie. Boll. Soc. ent. ital. 77(3/4): 27-30. Geographic coverage area (in codes): **SK ZA MM JP AU** *[available in Cesa Library]*

Berio,E., 1947, Diagnosi di alcune Erastriinae Africane (Lep., Noctuidae). Memorie Soc. ent. ital. 26: 12-15, 4 figs. Geographic coverage area (in codes): **SO ET ER ZR** *[available in Cesa Library]*

Berio,E., 1950, Terzo Contributo alla conoscenza del gen. Ozarba Wlk. (Lep., Noctuidae) sulla sistematica di alcune specie ascritte a questo genere. Annali Mus. civ. Stor. nat. Giacomo Doria 64: 131-157, 98 figs. Geographic coverage area (in codes): **ER ET TZ SO SE ZA CA ZR KE TW CN TR GR IL** *[available in Cesa Library]*

Berio,E., 1950, Diagnosi di nuove specie di Nottue (Lepidoptera, Noctuidae=Agrotidae). Boll. Soc. ent. ital. 80 (9/10): 89-92. Geographic coverage area (in codes): **IN ZA SO ER** *[available in Cesa Library]*

Berio,E., 1953, Contributo alla conoscenza di Noctuidae poco note, diagnosi di nuove specie e note critiche. Doriana 1(34): 1-6, 13 figs. Geographic coverage area (in codes): **ET SO** *[available in Cesa Library]*

Berio,E., 1954, Trigonodes hyppasia Cram. e T.exportata Guén. (Lepidoptera, Noctuidae). Annali Mus. civ. Stor. nat. Giacomo Doria 66: 295-300, 8 figs. Geographic coverage area (in codes): **ER ET TZ SO SE ZA CA ZR KE VN AU CN IN** *[available in Cesa Library]*

Berio,E., 1954, Diagnosi di nuove Catocalinae Africane (Lep., Noctuidae). Boll. Soc. ent. ital. 84(3/4): 55-58, figs. Geographic coverage area (in codes): **TZ SO ET ER** *[available in Cesa Library]*

Berio,E., 1954, Osservazioni su Polydesma umbricola Bdv. e sul genere Polydesma Bdv. (Lep., Noctuidae). Doriana 1(50): 1-8, 13 figs. Geographic coverage area (in codes): **SO ET ER KE ZR ZW ZA MG SN TZ RE MU IN MM VN NH NC PH AU** *[available in Cesa Library]*

Berio,E., 1955, Sulla distribuzione geografica della Noctua algira L. e sulle specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 85(9/10): 140-148, 24 figs. Geographic coverage area (in codes): **Cc DZ TN ES FR IT GR TR IQ IR LB SY GG ZR IN MA EG JO YE PK LK SC MG MU SO ET ER DJ KE UG TZ FP SL ZA ZW** *[available in Cesa Library]*

Berio,E., 1955, Appunti sul genere Pericyma H.-S. e affini (Lep., Noctuidae). Memorie Soc. ent. ital. 33: 147-154, 17 figs. Geographic coverage area (in codes): **RU IQ IN PK SD ER MG** *[available in Cesa Library]*

Berio,E., 1955, Georyx muscosa Gey. e le specie affini (Lep., Noctuidae). Revue zool. bot. Afr. 51 (3/4): 212-222, 10 figs. Geographic coverage area (in codes): **ZR ER ZA KE ET MG TZ CA** *[available in Cesa Library]*

Berio,E., 1956, Grammodes geometrica F. e le specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 86(3/4): 34-43, 12 figs. Geographic coverage area (in codes): **IN MM CN TH VN TW SG ID MY NP PH AU MG SN ZR UG TZ KE LK ZA SO ES FR IT DE GR IL SY IQ DZ EG SL LR PG CM ET ZW MU RE** *[available in Cesa Library]*

Berio,E., 1960, Diagnosi di una nuova specie di Heteropalpia (Lep., Noctuidae, Catocalinae). Boll. Soc. ent. ital. 90(5/6): 102-103, 8 figs. Geographic coverage area (in codes): **ER** *[available in Cesa Library]*

Berio,E., 1962, Descrizione di nouve Noctuidae Africane (Euxoinae). Annali Mus. civ. Stor. nat. Giacomo Doria 73: 196-208, 12 figs. Geographic coverage area (in codes): **ET ZR TZ SO UG** *[available in Cesa Library]*

Berio,E., 1962, Diagnosi di alcune specie di Noctuidae Africane. Boll. Soc. ent. ital. 91 (7/8): 122-126, figs. Geographic coverage area (in codes): **ER ZR** *[available in Cesa Library]*

Berio,E., 1963, Descrizione di alcune Jaspidiinae Africane del British Museum (Lepidoptera, Noctuidae). Boll. Soc. ent. ital. 42(5/6): 72-74. Geographic coverage area (in codes): **KE UG** *[available in Cesa Library]*

Berio,E., 1964, Considerazioni su alcuni taxa appartenenti alla sottofamiglia delle Westermanniinae (Lep., Noctuidae). Boll. Soc. ent. ital. 94(9/10): 152-159, 18 figs. Geographic coverage area (in codes): **ZR ER** *[available in Cesa Library]*

Berio,E., 1965, Le Catocaline Africane a tibie spinose del Museo di Tervuren. Annali Mus. civ. Stor. nat. Giacomo Doria 75: 181-332, 18 Taf. Geographic coverage area (in codes): **ZR KE UG ET SO SD ER** *[available in Cesa Library]*

Berio,E., 1967, Revisione di alcune Hyblaea del gruppo di puera Cr. (Lep., Noctuidae). Doriana 4(182): 1-10, 10 figs. Geographic coverage area (in codes): **ER ZR CM MG TZ KE** *[available in Cesa Library]*

Berio,E., 1969, Nuovo genere e specie di Noctuidae d'Africa (Lepidoptera). Boll. Soc. ent. ital. 99-101: 45-48, 2 figs. Geographic coverage area (in codes): **SA PG SD** *[available in Cesa Library]*

Berio,E., 1984, Noctuidae (Quadrifinae, en majorité) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A, Zool.) 128: 42-48, Pl.3 8 figs. Geographic coverage area (in codes): **ET DJ KE** *[available in Cesa Library]*

Bernardi,G., 1953, Note sur la taxonomie des genres Belenois Hb. et Anaphaeis Hb. (Lepidoptera, Pieridae). Revue fr. Ent. 20 (1): 47-53, 14 figs. Geographic coverage area (in codes): **AET TR**

Bernardi,G., 1977, Danaidae, Nymphalidae (sauf Charaxinae, Euphaedra et Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 104-108. Geographic coverage area (in codes): **ET DJ** *[available in Cesa Library]*

Bernardi,G., 1977, Pieridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 96-101. Geographic coverage area (in codes): **ET DJ** *[available in Cesa Library]*

Bernardi,G., 1980, Contribution a la biogeographique des montagnes africaines 2. Le genre Issoria Hübner (Lepidoptera, Nymphalidae). Compte r. Séanc. Soc. Biogéogr. 55 (487) (1978): 189-199, figs. Geographic coverage area (in codes): **KE ET ..**

Bernardi,G., 1984, Pieridae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 60-61, fig.9. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Bethune-Baker,G.T., 1908, Descriptions of new Rhopalocera from the Upper Congo. Ann. Mag. nat. Hist. 8 (2): 469-482. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Bethune-Baker,G.T., 1908, descriptions of new African Heterocera. Ann. Mag. nat. Hist. (8) 2: 255-264. Geographic coverage area (in codes): **ZW UG Rz NG ZA Nta Kzu** *[available in Cesa Library]*

Bethune-Baker,G.T., 1910, A revision of the African species of the Lycaenesthes group of Lycaenidae. Trans. ent. Soc. London 1910: 1-84, figs. Geographic coverage area (in codes): **ZA Tva Nta Kzu Fs GA Ogo CM SL CG BF AO UG Rz KE Mb Nai Kky TZ Kmj Elg Dss ZM MW Zom ET NE SO GH ZR NA CM Bje NG ZW MZ MG** *[available in Cesa Library]*

Bethune-Baker,G.T., 1911, Descriptions of new species of Lepidoptera from Tropical Africa. Ann. Mag. nat. Hist. (8) 8: 506-544. Geographic coverage area (in codes): **AO KE UG PG** *[available in Cesa Library]*

Bethune-Baker,G.T., 1911, Descriptions of new African Heterocera. Ann. Mag. nat. Hist. (8) 7: 530-576. Geographic coverage area (in codes): **AO CM CF CG ZR Kvu GA SL UG KE NG** *[available in Cesa Library]*

Bethune-Baker,G.T., 1914, On the correlation of pattern and structure in Rhopalocera with special reference to the Ruralidae. Entomologist's Rec. J. Var. 26: 177-184, 7 Pls. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc** *[available in Cesa Library]*

Bethune-Baker,G.T., 1914, Synonymic notes on the Ruralidae. Entomologist's Rec. J. Var. 26: 133-136, 159-164. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc** *[available in Cesa Library]*

Bethune-Baker,G.T., 1915, Descriptions of new species of Lepidoptera from Africa and the East. Ann. Mag. nat. Hist. (8) 16: 186-203. Geographic coverage area (in codes): **SD CM Bit PG ZW NG Lgo GH** *[available in Cesa Library]*

Bethune-Baker,G.T., 1916, The synonymy of Zygaena, Adscita (Procris), and Amata (Syntomis). Entomologist's Rec. J. Var. 28: 25-28. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc** *[available in Cesa Library]*

Bethune-Baker,G.T., 1916, Descriptions of new species of Lepidoptera. Ann. Mag. Nat. Hist. (8) 17: 378-385. Geographic coverage area (in codes): **IR PK AF TR CM UG SD FJ PG MG** *[available in Cesa Library]*

Bethune-Baker,G.T., 1918, A Revision of the genus Tarucus. Trans. ent. Soc. London (1917) 65 (2/4): 269-296, pls.xiv-xx. Geographic coverage area (in codes): **TR YE SA JO IQ SY IR Cc Ch TM AF PK Cp Krc Clc EG DZ TN IL Pa IN Hp Up MM TH CMa SI Djl NP Ass Meg MY Bor PH ID ZA** *[available in Cesa Library]*

Bethune-Baker,G.T., 1923, A monograph of the genus Catochrysops Boisduval (Auctorum). Trans. ent. Soc. London 1922 (3/4): 275-366, pls. xii-xxxii. Geographic coverage area (in codes): **SZ ZA Nta Kzu Tva MG ZW ZR MW Mje MZ TZ Usa KE Mb Nai UG SL SD ET SO AO IN MM LK Nk ID Sum Ja Bor Clb PH Luz CN AU PG NZ MY** *[available in Cesa Library]*

Bethune-Baker,G.T., 1926, Description of a new form of Acraea from the Cameroons. Entomologist's Rec. J. Var. 38: 115-116. Geographic coverage area (in codes): **CM Bit** *[available in Cesa Library]*

Bettag,E., 1997, Bembecia joesti sp.n., ein neuer Glasflügler aus Marokko (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo N.F. 18 (1): 23-27, 2 Abb. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Beuret,H., 1955, Zizeeria karsandra Moore in Europa und die systematische Stellung der Zizeerinae (Lepidoptera, Lycaenidae). Mitt. ent. Ges. Basel 5 (9): 123-130, figs. Geographic coverage area (in codes): **ET SO SA IR PK AF UZ TM PK Ch IN SI MM MY SG TH VN ID PH** *[available in Cesa Library]*

Beutenmüller,W., 1899, New African Sesiidae. J. New York Ent. Soc. 7: 170-172. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*

Bidzilya,O. & O.Karsholt, 2015, Revision of the genus Istrianis Meyrick,1918 (Lepidoptera, Gelechiidae) with special regard to the Palaearctic Region. Zootaxa 4059 (3): 401-445, figs. Geographic coverage area (in codes): **GR Rd Cr HV TJ KK IL Pa IQ IR PK YE MN TM UA KG DZ Bsk CY TN IT BG ES TR 07 25 33 38 42 76 ZA** *[available in Cesa Library]*

Bidzilya,O., 2005, A review of the genus Athrips (Lepidoptera, Gelechiidae) in the Palaearctic Region. Dt. ent. Z. 52 (1): 3-72, figs. Geographic coverage area (in codes): **Cc GB BE DK SE NO FI DE PL FR IT AT HU CZ SL YU MK GR AL ES PT DZ MA TN Sa Co Si CH BG TR IT GG RU RO AM AZ IR TM IQ SY LB EG LY TM Rd CY BY EE LT NL UA KK KG AF TJ CN UZ** *[available in Cesa Library]*

Bidzilya,O., 2005, A review of the genus Metanarsia Staudinger,1871 (Gelechiidae). Nota lepid. 27 (4): 273-297, figs. Geographic coverage area (in codes): **UA RU Cc AM KG TR TM UZ IR IQ TJ MN AF PK DZ** *[available in Cesa Library]*

Bidzilya,O., 2015, Armatophallus gen.n., a new genus of gelechiid moths (Lepidoptera, Gelechiidae) from the Afrotropical and Oriental Regions. Zootaxa 3981 (3): 413-429, figs. Geographic coverage area (in codes): **RW YE ET IN ZA NA ZW GM CM TZ UG KE** *[available in Cesa Library]*

Bidzilya,O., Mey,W. & D.Agassiz, 2016, Review of the genus Aphanostola Meyrick,1931 (Lepidoptera, Gelechiidae, Anomologinae) with description of 19 new species from the Afrotropicl Region. Dt. ent. Z. 63 (1): 45-74, figs. Geographic coverage area (in codes): **ZA NA BW ZW TZ KE ET** *[available in Cesa Library]*

Bigot,L. & J.Picard, 2002, Les Stenoptilia de la section grisescens en France. Stenoptilia mariaeluisae nov.sp. et Stenoptilia inopinata nov.sp. (Lepidoptera, Pterophoridae). Alexanor 21 (5): 301-311, figs. Geographic coverage area (in codes): **FR ES TN DZ Cr** *[available in Cesa Library]*

Bigot,L., 1969, Les Lépidoptères Pterophoridae du Musee Royal de l'Afrique Centrale, a Tervuren. Revue Zool. Bot. Afr. 79: 165-206, figs. Geographic coverage area (in codes): **ZR**

Bigot,L., 1977, Pterophoridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 30. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Bigot,L., 1984, Pterophoridae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 9-10. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Bigot,L., Nel,J. & J.Picard, 2009, Classification actualisée du genre Stenoptilia Hübner,1825 (Lepidoptera, Pterophoridae). Bull. Soc. ent. Fr. 114 (3): 327-336, figs. Geographic coverage area (in codes): **MA DZ TN Cn ZA SZ MW TZ LS ET MG YE SA IL PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR TR IR MT Co Si Sa Cr CH AT IT Cc GG AZ AM SY LB TM TJ KK KG CN MN AF PK IN TW AU** *[available in Cesa Library]*

Binagot,J.F. & D.Lartique, 1998, Une nouvelle entité subspécifique de Zerynthia rumina (Linné,1758) dans le Sud-ouest marocain (Lepidoptera, Papilionidae). Linneana Belgica 16(8): 323-334, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Bivar de Sous,A. & L.F.Mendes, 2007, On the genus Eagris Guenée,1863 in Angola (Lepidoptera, Hesperiidae). Shilap Revta lepid. 35 (139): 311-316, figs. Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Blachier,C., 1905, Lépidopteres du Maroc. Remarques sur diverses especes et descriptions de variétés nouvelles. Annls Soc. ent. Fr. 77 (2): 209-222, Pl.4. Geographic coverage area (in codes): **MA**

Blachier,C., 1905, Descriptions de Lépidoptères nouveaux du Maroc. Bull. Soc. ent. Fr. 1905: 212-215. Geographic coverage area (in codes): **MA Rbt DZ** *[available in Cesa Library]*

Blachier,C., 1912, Especes ou formes nouvelles de Lépidoptères africains appartenant aux genres Acraea et Mylothris. Bull. Soc. lépid. Genève 2: 173-177, Pl.15. Geographic coverage area (in codes): **ET**

Blachier,C., 1912, Notes complémentaires sur quelques Papillons d'Algérie et du Maroc, récemment décrits. Bull. Soc. lépid. Genève 2: 251-253. Geographic coverage area (in codes): **DZ MA**

Blackstein,H. & T.Karisch, 2011, Zur Wicklerfauna Tunesiens (Tortricidae). Nota lepid. 33 (2): 219-229, figs. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Bleszynski,S. & R.J.Collins, 1962, A short catalogue of the world species of the family Crambidae (Lepidoptera). Acta zool. cracov. 7 (12): 197-389. Geographic coverage area (in codes): **Cc MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA PK Ch IN SI MM MY SG TH VN ID PH AU NH NC SW FJ ET SO SD EG DJ SA KE TW** *[available in Cesa Library]*

Bleszynski,S., 1958, Studies on the Crambidae (Lepidoptera), Part xviii. Revision of the genus Chrysocrambus Blesz. Acta zool. cracov. 2 (34): 845-870, Pls. Geographic coverage area (in codes): **DZ Cst Clo PT ES FR IT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR RU Ur MD TR Cc Arr 46 CY JO IR Kh LB Bsa** *[available in Cesa Library]*

Bleszynski,S., 1961, Studies on the Crambinae (Lepidoptera). part xxvi. Preliminary study on the genus Euchromius Gn. Acta ent. Mus. natn. Pragae 34: 451-468, 26 figs. Geographic coverage area (in codes): **ZA SA TR AF ET IQ IR RU** *[available in Cesa Library]*

Bleszynski,S., 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XV. Lepidoptera Crambidae. Annln naturh. Mus. Wien 66: 471. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Bleszynski,S., 1965, Crambinae, [In] Amsel,H.G., Reisser,H. & F.Gregor: Microlepidoptera Palaearctica 1: xlvii + 533pp. 133 pls., Wien Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR 01 06 07 12 13 21 30 31 44 46 65 73 76 80 CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Bleszynski,S., 1970, A revision of the world species of Chilo Zincken (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 25: 101-195, 5 pls. Geographic coverage area (in codes): **Cc PT ES FR MA DZ TN LY EG IT CH AT DE DK BE NL GB PL HU CZ SK SE FI NO BY MK HV SS YU UA B-H RO BG GR AL RU GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN LK SA SD ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM JP** *[available in Cesa Library]*

Bleszynski,S., 1970, New genera and species of tropical Crambinae (Studies on the Crambinae, Lepidoptera, Pyralidae, part 48). Tijdschr. Ent. 113 (1): 1-26, 48 figs. Geographic coverage area (in codes): **ZA Nta Tva Lpo ID MG AU TH IN LK SD KA** *[available in Cesa Library]*

Bleszynski,S., 1970, A revision of the genus Culladia Moore (Studies on the Crambidae, Lepidoptera, Pyralidae, part 50). Tijdschr. Ent. 113 (1): 44-59, 28 figs. Geographic coverage area (in codes): **KE TZ ET LK SD KA ET TZ CF ZR ZA Nta MG CN IN Ja VN PH AU FJ** *[available in Cesa Library]*

Bodenheimer,F.S., 1936, The Zoogeography of the Sinai Peninsula. Comptes Rendus xii.congres Int. Zool., Lisbonne 1935: 1138-1164. Geographic coverage area (in codes): **EG Sn** *[available in Cesa Library]*

Bodenheimer,F.S., 1951, Citrus Entomology in the Middle East with special references to Egypt Iran Irak Palestina Syria and Turkey. xii + 663 pp., 154 figs. W.Junk, The Hague. Geographic coverage area (in codes): **JO IL Pa SY EG TR IQ IR** *[available in Cesa Library]*

Boillat,H., 1989, Coenonympha (superspecies dorus) austauti Oberthür Etüde taxinomique et biogéographique (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 15 (7): 393-417, figs. Geographic coverage area (in codes): **DZ MA TN** *[available in Cesa Library]*

Boireau,P., 2015, Tumerepedes flava Bethune-Baker,1913 (Lepidoptera, Lycaenidae, Miletinae) - an addition to the Ivory Coast butterfly fauna. Metamorphosis 26: 24-25, figs. Geographic coverage area (in codes): **CI** *[available in Cesa Library]*

Boisduval,J.B.A., 1832-[1834], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.1, 252 pp., 47 pls. Paris. Geographic coverage area (in codes): **Cc LU MA DZ Agi ES FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA**

Boisduval,J.B.A., 1834-[1841], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.2, 208 pp., 37 pls. Paris. Geographic coverage area (in codes): **Cc LU MA DZ Agi ES FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA**

Boisduval,J.B.A., 1836, Histoire naturelle des Insectes. Spécies général des Lépidopteres vol.1, [4]+ xii + 690 + 6pp., 24 pls. Paris. Geographic coverage area (in codes): **Cc LU ES FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA PK Ch IN SI MM MY SG TH VN ID PH AU NH NC SW FJ ET SO SD EG DJ SA KE TW** *[available in Cesa Library]*

Boisduval,J.B.A., 1847, Catalogue des Lépidoptères recueillis par M.Delegorgue pendant les années 1838-1844 à Port Natal, au pays de Amazoulous et dans la contrée de Massilicatzi. [in] Delegorgue,A., Voyage dans l'Afrique australe 2: 585-602. Paris. Geographic coverage area (in codes): **ET ZA ZR AO RW UG KE**

Bollow,C., 1930, Familie Pieridae. [In] Seitz,A., Die Gross-Schmett. Erde, Suppl. 1: 96-125. Stuttgart. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG CN JP AF PK IN Ch** *[available in Cesa Library]*

Bollow,C., 1930-1931, Familie Lycaenidae. [In] Seitz,A., Die Gross-Schmett. Erde (Suppl.) 1: 249-296. Stuttgart. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG CN JP AF PK IN Ch** *[available in Cesa Library]*

Bollow,C., 1932, Familie Saturniidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 129-135. Stuttgart. Geographic coverage area (in codes): **Cc SL CR SE RO BG AL GR B-H MK TR IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG** *[available in Cesa Library]*

Borkhausen,M.B., 1788, Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung,Tome 1. 288pp. Frankfurt. Geographic coverage area (in codes): **Cc RO BG GR B-H MK TR CY SY LB IL EG IQ IR GG AM AZ RU TM UZ TJ AF PK KK KG** *[available in Cesa Library]*

Borth,R., Ivınskis,P., Saldaitis,A. & R.Yakovlev, 2011, Cossidae of the Socotra Archipelago (Yemen). Zookeys 122: 45-69, figs. Geographic coverage area (in codes): **Sk YE** *[available in Cesa Library]*

Bourgogne,J., 1951, Ordre des Lépidopteres, [in] Grassé,P.P., Traité de Zoologie. 10(1): 174-448, figs. 192-437, pls. Masson et C. Paris. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC**

Bourgogne,J., 1977, Psychidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 19. Geographic coverage area (in codes): **DJ** *[available in Cesa Library]*

Bourgogne,J., 1980, Un Acanthopsyche nouveau d'Ethiopie (description, observation éthologiques) (Lepidoptera, Psychidae). Revue fr. Ent. (N.S.). 2(4): 162-168, figs. Geographic coverage area (in codes): **ET**

Bourgogne,J., 1984, Psychidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 7. Geographic coverage area (in codes): **ET DJ** *[available in Cesa Library]*

Boursin,C., 1936, Contributions a l'étude des Agrotidae Trifinae XV. Nouvelles Athetis (Caradrina auct.) paléarctiques. Bull. Soc. ent. Fr. 1936 (6): 87-94. Geographic coverage area (in codes): **RU Sr TR 01 05 14 21 31 42 44 46 65 IQ Rwz Ry DZ AM Cc Nv AZ TM Kp UZ Smk KK Ik CN Ui Kl Yu LB Bsa KG** *[available in Cesa Library]*

Boursin,C., 1940, Contributions a l'etude des Agrotidae-Trifinae XXIV. Une nouvelle Stilbia du Maroc. Revue fr. Ent. 7 (1): 83-85, pl.2. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Boursin,C., 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. Mitt. münch. ent. Ges. 30: 474-543, Taf.viii-xii. Geographic coverage area (in codes): **Cc TR LB GG RU Da Ui IR HU IQ AM TM MA LY KK CY DZ Btna Hrh Sbd Si HV GR Gn Ti TN JO IL UZ Fe AZ Nv** *[available in Cesa Library]*

Boursin,C., 1940, Nouveaux Agrotidae Paléarctiques (Contributions a l'Etude des "Agrotidae-Trifinae". XXVII) Mém. Mus. Hist. nat. Paris. 12 (4): 303-330, Pl.9-10, 26 figs. Geographic coverage area (in codes): **CN Ti Tat She Pkn Gn MA Bt VN Ann** *[available in Cesa Library]*

Boursin,C., 1954, Zwei neue Cryphia Hb. (Bryophila)-Arten aus Französisch- Nordafrika. Z. wien. ent. Ges. 39: 123-126, 7 Abb. Geographic coverage area (in codes): **DZ MA TR** *[available in Cesa Library]*

Boursin,C., 1959, Über zwei für Europa neue Hadena-Arten (=Dianthoecia B.) Hadena clara Stgr. (1901), bona sp.! und Hadena urumovi Dren. (1931), bona sp.! Z. wien. ent. Ges. 44: 113-131, pls.5-11. Geographic coverage area (in codes): **Cc TR 05 42 46 IL Pa Hf IR Kh RU Da IT FR ES MA BG GR MK** *[available in Cesa Library]*

Boursin,C., 1962, Lithophane semibrunnea Haw. Eine vorderasiatisch-mediterrane Art mit Beschreibung einer neuen Subspecies. Z. wien. ent. Ges. 47: 92-94, Taf.11. Geographic coverage area (in codes): **TR 44 IQ BG DZ** *[available in Cesa Library]*

Boursin,C., 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XII. Lepidoptera: Noctuidae-Trifinae. Annln naturh. Mus. Wien 66: 459-461. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Boursin,C., 1964, Eine neue Anamecia Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf.3. Geographic coverage area (in codes): **MN UZ TM Rpt MA DZ TN LY EG IL Pa Jer SA TR IQ Bsr IR Fa Hz Lo Ss PK Krc Sd** *[available in Cesa Library]*

Boursin,C., 1966, Eine neue Conisania Hps. aus Sining nebst Synonymie-Notizen. Z. wien. ent. Ges. 51: 154-159, Tab.13-17, 17 figs. Geographic coverage area (in codes): **CN Yu ID Ja RO LB DZ MA IR Ab Elb Clu TR 06 13 13G 44 67 RU At TJ Pm TM Kp** *[available in Cesa Library]*

Boursin,C., 1969, Bryopsis n. subgen. für Cryphia muralis Forst. (1771). Z. wien. ent. Ges. 54: 46. Geographic coverage area (in codes): **MA DZ Dzc Clo Tun TN Dhm Btna Abe Sbd Abe PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT SK HU RO YU AL BG GR Cr SE RU MD UA BY TR IL Pa GG Smt Bjo AM AZ Kir Cc** *[available in Cesa Library]*

Bouyer,T., 1993, Maltagorea n.gen. un nouveau genre de Saturniidae malgache (Lepidoptera, Saturniidae, Saturniinae, Pseudapheliini). Lambillionea 93 (1): 97-102. Geographic coverage area (in codes): **MG**

Bozacı,V., 2010, "K" lar haftası. Cesa News 55: 20-87, 133 figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Bozano,G.C. & E.Giacomazo, 1988, The Moroccan Anti-Atlas: a four day survey of the Rhopalocera in April 1987 (Lepidoptera). Nota lepid. 11: 83-84. Geographic coverage area (in codes): **MA**

Bozano,G.C. & F.Fantoni, 1997, New records of Zerynthia rumina (Linnaeus,1758) in the Moroccan Anti-Atlas (Lepidoptera, Papilionidae). Linneana Belgica 16 (1): 3-4, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Bradley,J.D., 1952, Two new species of Meharia (Lep., Cossidae). Entomologist 85: 241-244. Geographic coverage area (in codes): **TZ SA YE OM**

Bradley,J.D., 1965, Microlepidoptera. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952. Volume II (12): 81-148, pls., London. Geographic coverage area (in codes): **UG ET KE ZR** *[available in Cesa Library]*

Bradley,J.D., 1965, A new species belonging to the genus Anonaepestis Ragonot (Lepidoptera, Phycitinae) attacking Black Pepper (Piper nigrum) in West Africa. Bull. ent. Res. 56 (2): 299-302, pl.viii. Geographic coverage area (in codes): **CG CM TH IN Ben** *[available in Cesa Library]*

Braine,S., 2002, Another lindae? And checklist of butterflies from the Hobatere Concession Area, Namibia. Metamorphosis 13 (4): 116-121. Geographic coverage area (in codes): **NA** *[available in Cesa Library]*

Braine,S.F. & G.A.Henning, 1984, The life history and habits of Acraea hypoleuca Trimen from South West Africa (Namibia). Metamorphosis 1 (10): 6. Geographic coverage area (in codes): **ZA NA**

Brattström,O., Aduse-Poku,K., Collins,S.C. & P.M.Brakefield, 2015, Revision of the Bicyclus ignobilis species-group (Lepidoptera, Nymphalidae, Satyrinae) with descriptions of two new species. Zootaxa 4018 (1): 57-79, figs. Geographic coverage area (in codes): **GH UG CM ZR NG CG GA** *[available in Cesa Library]*

Brevignon,C., 1985, Les Lépidoptères printaniers du Maroc (deuxième note) Alexanor 13 (8) (1984): 339-347, 12 figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Bridges,C.A., 1988, Catalogue of Hesperioidea (Lepidoptera). 463 pp., Urbana Illinois (Sebstverlag). Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67**

Bridges,C.A., 1988, Catalogue of the family-group genus-group and species-group names (Lepidoptera, Rhopalocera) of the World. 357 pp. Urbana Illinois (Sebstverlag). Geographic coverage area (in codes): **Cc B-H AL MK BG GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67**

Bridges,C.A., 1988, Catalogue of Papilionidae & Pieridae (Lepidoptera, Rhopalocera). 721 pp. Urbana Illinois (Sebstverlag). Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva**

Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67

Bridges,C.A., 1988, Catalogue of Lycaenidae & Riodinidae (Lepidoptera, Rhopalocera). 816 pp. Urbana Illinois (Sebstverlag). Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67**

Bridges,C.A., 1988, Bibliography (Lepidoptera, Rhopalocera). 587 pp. Urbana Illinois (Sebstverlag). Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67**

Bridges,C.A., 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A.Bridges, Urbana, Illinois. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67**

Brock,J.P., 1971, A contribution towards an understanding of the morphology and phylogeny of the ditrysian Lepidoptera. J. nat. Hist. 5: 29-102. Geographic coverage area (in codes): **GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT** *[available in Cesa Library]*

Brock,J.P., [1968], The systematic position of the Choreutinae (Lepidoptera, Glyphipterygidae). Entomologist's mon. Mag. 103: 245-246. Geographic coverage area (in codes): **Cc PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR**

Bros,E.de & W.Schmidt-Koehl, 1979, Beitrag der Lepidopteren-Fauna des Rif-Atlas in Nord-Marokko. Mitt. ent. Ges. Basel 29(1): 1-26. Geographic coverage area (in codes): **MA Rf**

Brown,J.W., 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Brusseaux,G., 1995, Ceutholopha isidis Zeller,1867, sur l'Ile de Beauté (Lepidoptera, Pyralidae, Phycitinae). Alexanor 18 (7) (1994): 389-390, 1 fig. Geographic coverage area (in codes): **FR Co ZA MA MT TN EG** *[available in Cesa Library]*

Bryk,F., 1912, Syntomidae. [in] Wagner,H., Lepidopterorum Catalogus Pars 7. 179pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Bryk,F., 1914, Neue Parnassiiden. Mitt. münch. ent. Ges. 5: 26-34, figs. 1-2, pl.1. Geographic coverage area (in codes): **CN Mc T-S TJ Pm RU Sb DZ IL Pa Js Na KK KG** *[available in Cesa Library]*

Bryk,F., 1934, Lymantriidae, [in] E.Strand, Lepidopterorum Catalogus. Pars 62: 1-441 pp. W.Junk, Berlin. Geographic coverage area (in codes): **Cc AF AL AM AO AU AZ MK BG GR TR GG IQ IR TM UZ KK KG Ch PK IN BW CM CN CR CY DJ ET ER SD SO KE UG EG LB IL SY SA OM YE SK ID MM MY TH VN TW PH NC NH FJ SB WS** *[available in Cesa Library]*

Bryk,F., 1936, Zygaenidae II. [in] Bryk,F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W.Junk 's-Gravenhage. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Bryk,F., 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk,F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Buchner,P., 2017, Depressaria junnilaineni, a new species from the veneficella species-group (Depressariinae, Lepidoptera) from the West Palaearctic, with additional information on the rare species D. pentheri and D. erzurumella. Cent. ent. Stud., Misc. Pap. 166: 1-19, figs. Geographic coverage area (in codes): **GR MA ES SY Dms TR 01 03** *[available in Cesa Library]*

Buchner,P., 2018, Agonopterix xeranthemella, a new species of Depressariidae (Lepidoptera) from Europe and Turkey. Misc. Pap. 177: 1-9, figs. Geographic coverage area (in codes): **ES IT FR AT Cn GR MK TR 01 29 32** *[available in Cesa Library]*

Buchner,P., Corley,M. & J.Junnilainen, 2017, Three new species and one new subspecies of Depressariinae (Lepidoptera) from Europe. Zookeys 684: 119-154, figs. Geographic coverage area (in codes): **Cn MA PT ES An Grn AT GR HV BG IR TN IT Sa FI SS RU TR SE CH** *[available in Cesa Library]*

Buckle,A.S., 1908, Notes on a collection of Lepidoptera from Aden and from the Transvaal. Entomologist 41: 7-10. Geographic coverage area (in codes): **YE Ad ZA Tva Gau Pre** *[available in Cesa Library]*

Buckwell,P., 1954, Quelques chenilles et papillons nouveaux de la région d'Ifrane. Bull. Soc. sci. Nat. Maroc. 34: 351-356. Geographic coverage area (in codes): **MA**

Bucsek,K., 2016, List and systematic classification of species of the genus Eugoa Walker,1858 (Lepidoptera, Erebidae, Arctiinae, Lithosiini). Entomofauna 37 (22): 365-387. Geographic coverage area (in codes): **GA IN LK NP JP MM MY SG TH LA KH VN ID Sum Ja Bor PH TW PG SB CN MG RU KP KR** *[available in Cesa Library]*

Bugnion,C., 1837, Description de quatre nouvelles especes de Lépidopteres de la Syrie et de l'Egypte. Annls Soc. ent. Fr. 6: 439-444, pl.16. Geographic coverage area (in codes): **TR SY LB EG** *[available in Cesa Library]*

Busck,A., 1914, New genera and species of Microlepidoptera from Panama. Proc. U.S. nat. Mus. 47 (2043): 1-67. Geographic coverage area (in codes): **PA MX US Cf DZ TR IR** *[available in Cesa Library]*

Butler,A.G., 1865, Description of six species of diurnal Lepidoptera in the British Museum Collection. Proc. zool. Soc. London 1865: 430-434, Pl 25. Geographic coverage area (in codes): **SY LB TR ID Bor SD PH** *[available in Cesa Library]*

Butler,A.G., 1865, Monograph of species of Charaxes, a genus of diurnal Lepidoptera. Proc. zool. Soc. London 1865: 622-639, 2 pls. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Butler,A.G., 1868, Catalogue of Diurnal Lepidoptera of the family Satyridae in the Collection of the British Museum. 211 pp. 5 Pls. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB** *[available in Cesa Library]*

Butler,A.G., 1869, Descriptions of species of Lepidoptera, confounded with others described by Linnaeus and Fabricius. Entomologist's mon. Mag. 5: 270-273. Geographic coverage area (in codes): **ES FR DZ MA IT PT** *[available in Cesa Library]*

Butler,A.G., 1869-1874, Lepidoptera exotica, descriptions and illustrations of exotic Lepidoptera. 190 pp., Pls. London. Geographic coverage area (in codes): **ZR BR PE MY Bor Swk ID Aru PH Luz Mdo FJ CR PA AU QAu ZA MG NG AO GH CU MX EC VE BO CO CN IN Khs SI Djl NP JP** *[available in Cesa Library]*

Butler,A.G., 1870, Catalogue of diurnal lepidoptera described by Fabricius in the collection of the British Museum. 303 pp. 2 pls. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC**

Butler,A.G., 1871, Descriptions of some new species of exotic Lepidoptera. Proc. zool. Soc. Lond. 1871: 79-83. Geographic coverage area (in codes): **ZA AR VE** *[available in Cesa Library]*

Butler,A.G., 1872, On a small collection of butterflies from Angola. Proc. zool. Soc. Lond. 1871: 721-726. Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Butler,A.G., 1874, Notes on the Aegeriidae with descriptions of new genera and species. Ann. Mag. nat. Hist. (4) 14: 407-411. Geographic coverage area (in codes): **IN BR ZA Nta Kzu** *[available in Cesa Library]*

Butler,A.G., 1874, Notes on a collection of butterflies recently brought from Cape Coast, West Africa with description of a new species from Natal. Entomologist's mon. Mag. 11: 57-58. Geographic coverage area (in codes): **ZA Nta Kzu** *[available in Cesa Library]*

Butler,A.G., 1874, Descriptions of new African Lepidoptera. Cist. ent. 1: 209-217. Geographic coverage area (in codes): **GA AO ZR** *[available in Cesa Library]*

Butler,A.G., 1875, On a collection of Southern Africa with descriptions of new genera and species. Ann. Mag. nat. Hist. (4) 16: 394-420. Geographic coverage area (in codes): **ZA Wca Nta Kzu** *[available in Cesa Library]*

Butler,A.G., 1875, A list of the Lepidoptera referable to the genus Hypsa of Walker's list, with descriptions of new genera and species. Trans. ent. Soc. Lond. 1875 (4): 315-329. Geographic coverage area (in codes): **ID Ja Clb Crm Tim Aru IN MM SG PG CN BD LK TW SL ZA Nta Kzu MY AU Bor Swk** *[available in Cesa Library]*

Butler,A.G., 1875, Descriptions of thirty-three new or little known species of Sphingidae in the collection of the British Museum. Proc. zool. Soc. London 1875: 3-16, pls.1-2. Geographic coverage area (in codes): **IN SI BD Syl CN HK LK ID Ja ZR SL HT AU QAu Syd NSw PG CO EC BR ZA Kzu Nta MM Mm TH** *[available in Cesa Library]*

Butler,A.G., 1875, Revision of the genus Spilosoma and allied groups of the family Arctiidae. Cist. ent. 2: 21-44. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Butler,A.G., 1876, Notes on the Lepidoptera of the family Zygaenidae with descriptions of new genera and species. J. linn. Soc. Lond., Zool. 12: 342-406, pls.xxvii-xxviii Geographic coverage area (in codes): **IN MM TH ID MY AU LK ZA CO BR** *[available in Cesa Library]*

Butler,A.G., 1876, Revision of the lepidopterous genus Teracolus with descriptions of the new species. Proc. zool. Soc. Lond. 1876: 126-165, pls.vi,vii. Geographic coverage area (in codes): **IQ TR IR AF PK IN NP BT SI CN MM**

TH MY SA YE JO IL Pa SY EG SD KE TZ NG CM ZR CG CF MZ ZA Tva Lpo Nta Kzu NA AO BW ZW MG ER ET SO *[available in Cesa Library]*

Butler,A.G., 1876, On a collection of Lepidoptera recently received from Abyssinia [Sudan, Atbara]. Ann. Mag. nat. Hist. 4 (18): 480-490. Geographic coverage area (in codes): **SD SDo8** *[available in Cesa Library]*

Butler,A.G., 1877, Descriptions of new species of Heterocerous Lepidoptera in the collection of the British Museum. Proc. zool. Soc. London 1877: 168-170. Geographic coverage area (in codes): **MG MY Bor Swk** *[available in Cesa Library]*

Butler,A.G., 1877, Descriptions of several African and Australian Lepidoptera in the collection of the British Museum. Ann. Mag. nat. Hist. (4) 19: 458-462. Geographic coverage area (in codes): **TZ ZA Nta Kzu ZM AU QAu** *[available in Cesa Library]*

Butler,A.G., 1885, An account of two collections of Lepidoptera recently received from Somali-land. Proc. zool. Soc. Lond. 1885: 756-776, Pl.47. Geographic coverage area (in codes): **SO YE ET ZA KE DJ** *[available in Cesa Library]*

Butler,A.G., 1888, On the Lepidoptera received from Dr. Emin Pasha. Proc. zool. Soc. Lond. 1888: 56-85. Geographic coverage area (in codes): **ZR UG SD TZ** *[available in Cesa Library]*

Butler,A.G., 1891, Revision of the noctuid moths in the Natural History Museum hitherto referred to Eriopus and Callopistria. Ann. Mag. nat. Hist. (6) 8: 70-78, plate ix. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Butler,A.G., 1891, List of Lepidoptera in a collection made by Emin Pasha in Central Africa. Ann. Mag. nat. Hist. (6) 7: 40-51. Geographic coverage area (in codes): **CF TZ** *[available in Cesa Library]*

Butler,A.G., 1892, Description of a new genus and species of African moths. Ann. Mag. nat. Hist. (6) 10: 295-297. Geographic coverage area (in codes): **GA GH** *[available in Cesa Library]*

Butler,A.G., 1893, On two collections of Lepidoptera sent by H.H.Johnston, Esq.,C.B., from British Central Africa. Proc. zool. Soc. Lond. 1893: 643-684, Pl.60 Geographic coverage area (in codes): **ZR MW** *[available in Cesa Library]*

Butler,A.G., 1895, On collections of Lepidoptera from British Central Africa and Lake Tanganyika. Proc. zool. Soc. London 1895: 250-270, pls.xv,xvi. Geographic coverage area (in codes): **MW Zom** *[available in Cesa Library]*

Butler,A.G., 1895, On a small collection of butterflies made by Consul Alfred Sharpe at Zomba, British Central Africa. Proc. zool. Soc. London 1895: 720-721. Geographic coverage area (in codes): **MW Zom** *[available in Cesa Library]*

Butler,A.G., 1896, On the butterflies obtained in Arabia and Somaliland by Capt. Chas. G. Nurse and Col. J.W. Yerbury in 1894 and 1895. Proc. zool. Soc. Lond. 1896: 242-256, Pl.10. Geographic coverage area (in codes): **SO YE** *[available in Cesa Library]*

Butler,A.G., 1896, Descriptions of some new Lepidoptera from Nyasaland. Ann. Mag. nat. Hist. (6) 18: 159-163. Geographic coverage area (in codes): **MW** *[available in Cesa Library]*

Butler,A.G., 1897, On three consignments of butterflies collected in Natal in 1896 and 1897 by Mr. Guy A.K.Marshall. Proc. zool. Soc. Lond. 1897: 835-857, pl.L Geographic coverage area (in codes): **ZA Nta Kzu** *[available in Cesa Library]*

Butler,A.G., 1897, On a new African Pierine Butterfly of the genus Mylothris. Ann. Mag. nat. Hist. (6) 19: 627. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Butler,A.G., 1897, Revision of the species of butterflies belonging to the genus Teracolus Swain. Ann. Mag. nat. Hist. (6) 20: 385-399, 451-473, 495-507. Geographic coverage area (in codes): **DZ MA TN LY EG IL LB SA SD OM YE Sk AF BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC Myt KM SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Butler,A.G., 1897, On a collection of Lepidoptera obtained in the Arusa Galla country in 1894 by Mr.F.Gillet. Proc. zool. Soc. Lond. 1897: 692-695. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Butler,A.G., 1898, Revision of the Pierine butterflies of the genus Terias of the Old World. Ann. Mag. nat. Hist. 7 (1): 56-82. Geographic coverage area (in codes): **IR AF PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA Lpo Tva Nta Spb MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU JP DZ MA TN LY EG** *[available in Cesa Library]*

Butler,A.G., 1898, On a collection of Lepidoptera made in British East Africa by Mr. C. S. Betton. Proc. zool. Soc. Lond. 1898: 395-444, Pls.32,33. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Butler,A.G., 1898, On the lepidopterous insects collected by G.A.K.Marshall in Natal and Mashonaland in 1895 and 1897. Proc. zool. Soc. London 1898: 186-201. Geographic coverage area (in codes): **ZA Nta Kzu** *[available in Cesa Library]*

Butler,A.G., 1898, On three consignments of butterflies collected in Natal in 1896 and 1897 by Mr. Guy A. K. Marshall, F.Z.S. Proc. zool. Soc. Lond. 1897: 835-857, 1 pl. Geographic coverage area (in codes): **ZA Cap Tva Lpo Nta Kzu ZW MZ BE FR PT MA** *[available in Cesa Library]*

Butler,A.G., 1900, On a second collection of butterflies obtained by Mr Edward M de Jersey in Nyasaland. Ann. Mag. nat. Hist. 7 (5): 59-63. Geographic coverage area (in codes): **MW** *[available in Cesa Library]*

Butler,A.G., 1901, A revision of the butterflies of the genus Precis, wth notes on the seasonal phases of the species. Ann. Mag. nat. Hist. 7 (8): 196-216. Geographic coverage area (in codes): **AU BO EC BR PY SR US Cf CN Hn**

TW PG ID Ja Clb Bor Swk MY IN MM IQ Bgd TR YE Ad KE MG Nk LK ZA Tva Nta Kzu ZW UG ZM ZR NG ET MW SO MZ MU TZ PH ID Clb Amb Aru Ja Sum NBr NIr SB *[available in Cesa Library]*

Butler,A.G., 1901, On a small collection of butterflies from Kikuyu country and Mombasa made by the Rev. K. St. Aubyn Rogers. Ann. Mag. nat. Hist. 7 (8): 111-113. Geographic coverage area (in codes): **KE Kky Mb** *[available in Cesa Library]*

Butler,A.G., 1901, On a collection of butterflies made by George Migeod,Esq., in northern Nigeria between September 1899 and January 1900. Ann. Mag. nat. Hist. 7 (8): 57-60. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Butler,A.G., 1902, On a small collection of butterflies made by C.Stuart Betton in British East Africa., Ann. Mag. nat. Hist. 7 (9): 31-34. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Butler,A.G., 1904, On certain African butterflies of the subfamily Pierinae. Ann. Mag. nat. Hist. 7 (13): 426-429. Geographic coverage area (in codes): **EG ET** *[available in Cesa Library]*

Butler,G., 2001, Lepidoptera [in] Checklists for the fauna of the Western Soutpansberg. 51pp. The Soutpansberg Concervancy. Geographic coverage area (in codes): **ZA Tva Lpo Spb Lj** *[available in Cesa Library]*

Cadiou,J.M., 2000, A new Lithosphingia from Tanzania and a new Craspedortha from China (Lepidoptera, Sphingidae). Ent. Africana 5 (1): 135-152, figs. Geographic coverage area (in codes): **TZ CN**

Callaghan,C.J., 2003, A revision of the African species of the genus Abisara Felder & Felder (Lepidoptera, Riodinidae). Metamorphosis 14 (4): 118-164, figs. Geographic coverage area (in codes): **GH NG LR CM ZR CG GA Ogo AO UG TZ MW KE ZM** *[available in Cesa Library]*

Calle,J.A., 1982, Noctuidos Espanoles. 430pp., 56 Lam., 681 figs. Ministerio de Agricultura, Pesca y Alimentacion, Madrid. Geographic coverage area (in codes): **ES Abr Act Ag Alc Alm Alv An Atu Av B-I Bad Bar Bb Bgs Bg C-L C-M CRe Cas Ccs Cd Cl Cn Cor Cs Ct Cue Cz Ex For Fv Gc Gi Gna Gp Grn Hi Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Nrr Ore Ov Peu Ple Pv Rio Seg Sma Snv Sor Sul Ter Tol Trg Val Vcl Vit Zg Zm** *[available in Cesa Library]*

Calle,J.A., 1982, Dysgonia torrida (Guenee,1852) (Lep., Noctuidae) en Espana. Bol. Asoc. esp. Ent. 6 (1): 125-126, figs. Geographic coverage area (in codes): **MA DZ PT ES Mu Si IT MT YU HV AL BG GR CY TR IR IQ Agh Bgd UZ N-A NP LB IL Pa SY JO AF Srb Nu Gbh PK Cp IN ZR ZA ET** *[available in Cesa Library]*

Cannaviello,E., 1900, Contributo alla Fauna Entomologica. Della Colonia Eritrea. Boll. Soc. ent. Ital. 32: 289-308. Geographic coverage area (in codes): **ER**

Capronnier,J.B., 1889, Liste des Lépidopteres captures au Congo par Messieurs Thys. Legat. Martini et Machado en 1887. Annls Soc. ent. Belg. 33: Bull., cxviii-cxxvi. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Capronnier,J.B., 1889, Liste d'une collection de Lépidopteres recueillis au Gabon. Annls Soc. ent. Belg. 33: Bull., cxli-cxviii. Geographic coverage area (in codes): **GA** *[available in Cesa Library]*

Caradja,A.v., 1910, Beitrag zur Kenntnis über die geographische Verbreitung der Pyraliden des europaischen Faunengebietes nebst Beschreibung einiger neuer Formen. Dt. ent. Z., Iris 24: 105-147, Taf.14. Geographic coverage area (in codes): **DZ Lbs Btna Tni Bsk TN Gf TR Cc 05 42 46 76 76C AM Eri ES Mu KG Uk CN Ui Ku Ga Kl AZ Len** *[available in Cesa Library]*

Caradja,A.v., 1916, Beitrag zur Kenntnis der geographische Verbreitung der Pyraliden und Tortriciden des europäischen Faunengebietes, nebst Beschreibung neuer Formen. Dt. ent. Z., Iris 30 (1): 1-88, 151-152. Geographic coverage area (in codes): **TR Cc 01 01K 05 42 44 46 65 76 76C AM KG Uk CN Ui Ku Ln Ga Kl Kml Au AZ LB Bei KK TN Gf Gab Dhm Sfx DZ Btna Bsk Lbs Tou Tni Tis** *[available in Cesa Library]*

Caradja,A.v., 1920, Beitrag zur Kenntnis der geographischen Verbreitung der Microlepidopteren des palaearktischen Faunengebietes nebst Beschreibung neuer Formen. Dt. ent. Z., Iris 34: 75-179. Geographic coverage area (in codes): **ES GG Cc AM DZ LB RO TR 05 42 44 46 46L 65 76 76C IR TM UZ KK KG CN Ui RU** *[available in Cesa Library]*

Carcasson,R.H., 1967, Revised catalogue of the African Sphingidae (Lepidoptera) with descriptions of the East African species. 148 pp., pls. E.W.Classey Ltd. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE SL SN SO ST SZ TD TG TZ UG ZA Tva Nta ZM ZR ZW** *[available in Cesa Library]*

Carcasson,R.H., 1971, New species of African Geometrinae (Geometridae). J. Lepidopterist' Soc. 25 (3): 169-176, figs. Geographic coverage area (in codes): **TZ KE UG LR** *[available in Cesa Library]*

Carcasson,R.H., 1975, The Swallowtail Butterflies of East Africa (Lepidoptera, Papilionidae). 30pp, 11 Pls. (reprint) Classey Ltd., Faringdon, Oxon, England. Geographic coverage area (in codes): **SO UG KE ET SD** *[available in Cesa Library]*

Carpenter,G.D.H. & T.H.E.Jackson, 1950, New butterflies from East Africa and the Ituri forest. Proc. R. ent. Soc. Lond. (B) 19: 97-108, 1 pl. Geographic coverage area (in codes): **SO**

Carpenter,G.D.H., 1928, Two collections of butterflies from the S.E. corner of the Sudan. Trans. ent. Soc. London 76 (1): 25-54, 3 Pls., 2 figs. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Carpenter,G.D.H., 1935, The Rhopalocera of Abyssinia. A Faunistic Study. Trans. R. ent. Soc. Lond. 83 (3): 313-447, 6 Pls., 1 Map. Geographic coverage area (in codes): **SO UG KE ET ER SD** *[available in Cesa Library]*

Carpenter,G.D.H., 1937, Description of Charaxes jahlusa ganalensis subsp.n. from Abyssinia (Lep., Rhopalocera). Proc. R. ent. Soc. Lond. (B) 6: 64. Geographic coverage area (in codes): **ET**

Carpenter,G.D.H., 1938, Some interesting Rhopalocera from the southern Sudan. Trans. R. ent. Soc. Lond. 87 (9): 217-232, 1 pl. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Carpenter,G.D.H., 1951, Colotis fausta somalica Hale Carpenter and Jackson,1950 (Lep., Pieridae). Proc. R. ent. Soc. Lond. (B) 20: 106. Geographic coverage area (in codes): **SO**

Cator,D., 1904, On new species of Lycaenidae from Sierra Leone. Ann. Mag. nat. Hist. 7 (13). 73-76. Geographic coverage area (in codes): **SL** *[available in Cesa Library]*

Celik,T., 1994, NajjuznejÜa najdiÜca vrste Maculinea teleius Bergstr. v Sloveniji (Lepidoptera: Lycaenidae). [The southernmost localities of the species Maculinea teleius Bergstr. in Slovenia (Lepidoptera: Lycaenidae)]. Acta ent. Slovenica 2: 19-24. Geographic coverage area (in codes): **SL**

Cerf,F.le, 1912, Descriptions de Lépidoptères nouveaux d'Afrique orientale (Papilionidae, Aegeriidae). Bull. Soc. ent. Fr. 1912: 290-292. Geographic coverage area (in codes): **KE Kky TZ Kmj** *[available in Cesa Library]*

Cerf,F.le, 1913, Description d'une espece d'Aegeriidae malgache (Lep., Heterocera). Bull. Soc. ent. Fr. 1913: 167-168, fig.1. Geographic coverage area (in codes): **MG** *[available in Cesa Library]*

Cerf,F.le, 1913, Description d'une espece nouvelle d'Aegeriidae du Congo français (Lep. Heterocera) [Gabon]. Bull. Soc. ent. Fr. 1913: 212-213, fig.1. Geographic coverage area (in codes): **GA** *[available in Cesa Library]*

Cerf,F.le, 1914, Description de deux especes nouvelles d'Aegeriidae (Lep.). Bull. Soc. ent. Fr. 1914: 61-63, 3 figs. Geographic coverage area (in codes): **RO CF Cpl** *[available in Cesa Library]*

Cerf,F.le, 1917, Contributions a l'étude des Aegeriidae. Description et Iconographie d'especies et variétés nouvelles. [in] Oberthür,C., Etudes lépid. comp. 14: 137-388, pls. 475-481. Geographic coverage area (in codes): **MX EC BR PE CO VE US KH IN SI CN Ass Khs MZ CM ET TZ Usa UG ZR MM BD ID Sum Ja Clb Ann VN AU TG ZA Kzu Nta Tva Lpo Spb SL** *[available in Cesa Library]*

Cerf,F.le, 1920, Contributions a l'étude des Aegeriidae II. Révision des Aegeriidae de Barbarie. [in] Oberthür,C., Etudes lépid. comp. 17: 181-57, 581-583. Geographic coverage area (in codes): **DZ MA TN** *[available in Cesa Library]*

Cerf,F.le, 1922, Les Lépidopteres du Maroc. [in] Oberthür,C., Etudes lépid. comp. 19 (1): 13-403. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Cerf,F.le, 1923, Lépidoptères nouveaux recueillis au Maroc par M.H.Ungemach. Bull. Soc. ent. Fr. 1923: 197-200. Geographic coverage area (in codes): **MA**

Cerf,F.le, 1925, Aegeriidae nouveaux du Maroc (Lep.). Bull. Soc. ent. Fr. (13): 210-212. Geographic coverage area (in codes): **MA**

Cerf,F.le, 1928, Lépidoptères africains nouveaux I. Maroc. Ency. ent., Lepid. 3: 117-120. Geographic coverage area (in codes): **MA**

Cerf,F.le, 1932, Lépidoptères nouveaux du Maroc. Bull. Soc. ent. Fr. 37: 163-166. Geographic coverage area (in codes): **MA**

Cerf,F.le, 1934, Lépidoptères nouveaux du Maroc. Bull. Soc. ent. Fr. 39 (1): 11-13. Geographic coverage area (in codes): **MA**

Cerf,F.le, 1957, Nouveaux genres et especes d'Aegeriidae de Madagascar (Lepi). Bull. Soc. ent. Fr. 62 (3/4): 97-100. Geographic coverage area (in codes): **MG**

Chainey,J.E., 2005, The species of Papilionidae and Pieridae (Lepidoptera) described by Cramer and Stoll and their putative type material in the Natural History Museum in London. Zool. J. Linn. Soc. 145: 283-337, 43 figs. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Chapman,T.A., 1910, On Zizeeria Chapman, Zizera Moore. A Group of Lycaenid Butterflies. Trans. ent. Soc. Lond. 1910 (4): 479-497, pl.51-60, 4 text figs. Geographic coverage area (in codes): **ES FR IT YU GR TR EG SY IL LB IQ IR PK AF IN MM TH MY VN CN PH ID LK ZA ET SO SD KE TZ MG ZW ZA** *[available in Cesa Library]*

Chapman,T.A., 1912, The food-plant of Callophrys avis. Trans. ent. Soc. London 1912 (2): 409-411. Geographic coverage area (in codes): **ES Cz Mlg Ter FR PT F66 F83 Fo6 MA DZ TN** *[available in Cesa Library]*

Chapman,T.A., 1912, An unrecognised European Lycaena identified as Agriades thersites (Boisd.MSS), Canterer. Trans. ent. Soc. London 1912 (2): 662-677, figs. Geographic coverage area (in codes): **Cc AZ Sms Kos AL AT Ba BE B-H BY CH CZ DE ES Mu FR GR HU HV IR Ak Ab Elb Th IT KG KK LB MA MK MN PL PT Rd RO RU SK Sm So Sr SS SY TM TR UA YU TrA TeA T-S DsA Tar Sau Sj GG Tbl** *[available in Cesa Library]*

Chapman,T.A., 1913, On the shedding of the cornuti in Pyrausta aurata, Sc. Entomologist's Rec. J. Var. 25: 106-108, 4 pls. Geographic coverage area (in codes): **Cn MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr LB Bsa IL Pa CY TR IR Fa Yz Elb Kdj Th Ana Ke Ab Sro Enz Gh Kh Tgo Gls IQ Dia Rwz Shq DK NO SE FI EE LV LT RU MD UA BY AF Srb Pli Arh Hr Kot Fz Khi Kab Dwe Cc GG AZ** *[available in Cesa Library]*

Chapman,T.A., 1914, A contribution to the life history of Agriades thersites, Canterer. Trans. ent. Soc. London 1914: 285-308, pls. Geographic coverage area (in codes): **Cc AZ Sms Kos AL AT Ba BE B-H BY CH CZ DE ES Mu FR GR HU HV IR Ak Ab Elb Th IT KG KK LB MA MK MN PL PT Rd RO RU SK Sm So Sr SS SY TM TR UA YU TrA TeA T-S DsA Tar Sau Sj GG Tbl** *[available in Cesa Library]*

Charet,G. & M. Charet, 1999, Contribution a l'etude des Rhopalocères du Maroc (Lepidoptera, Papilionoidea). Alexanor 20 (7) (1998): 435-446, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Chnéour,A., 1954, Macrolépidoptères de Tunisie I,II. Rhopalocera, Grypocera. Bull. Soc. Sci. Nat., Tunis 7: 207-239, 5 Pls. Geographic coverage area (in codes): **TN**

Choi,S.-W., 2000, A cladistic analysis of the Therini: A new synonym of the Cidariini (Lepidoptera, Geometridae, Larentiinae). Amer. Mus. Novit. 3295: 1-25, 61 figs., 3 tab. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW AF MX ZA CM FJ JP US** *[available in Cesa Library]*

Choi,S.-W., 2001, Phylogeny of Eulithis Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. Amer. Mus. Novit. 3318: 1-37, 24 figs., 2 Tab. Geographic coverage area (in codes): **Cc VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ TH MX ZA CM AF** *[available in Cesa Library]*

Christ,H., 1889, Zur Lepidopteren-Fauna der Canarischen Inseln. Mitt. schweiz. ent. Ges. 8(3): 97-101. Geographic coverage area (in codes): **Cn ES**

Chrétien,P., 1896, Description de Microlépidoptères nouveaux. Bull. Soc. ent. Fr. 1896: 190-193. Geographic coverage area (in codes): **DZ Bsk IT FR** *[available in Cesa Library]*

Chrétien,P., 1907, Description de deux espèces nouvelles de Depressaria d'Algérie (Lep.). Bull. Soc. ent. Fr. 1907: 276-279. Geographic coverage area (in codes): **DZ Bsk** *[available in Cesa Library]*

Chrétien,P., 1907, Description de nouvelles espèces de Lépidoptères d'Algérie. Bull. Soc. ent. Fr. 1907: 305-308. Geographic coverage area (in codes): **DZ Bsk** *[available in Cesa Library]*

Chrétien,P., 1908, Description de nouvelles Géléchides d'Algérie (Lep.). Bull. Soc. ent. Fr. 1908: 140-144, figs. Geographic coverage area (in codes): **DZ Bsk** *[available in Cesa Library]*

Chrétien,P., 1908, Description de deux Géléchides nouvelles d'Algérie [Lép.]. Bull. Soc. ent. Fr. 1908: 91-93. Geographic coverage area (in codes): **DZ Bsk** *[available in Cesa Library]*

Chrétien,P., 1911, Contribution à la connaissance des Lépidoptères du nord de l'Afrique. Annls Soc. ent. Fr. 79 (1910): 497-531. Geographic coverage area (in codes): **DZ Bsk TN Gf MA** *[available in Cesa Library]*

Chrétien,P., 1915, Contribution à la connaissance des Lépidoptères du nord de l'Afrique. Annls Soc. ent. Fr. 84: 289-374. Geographic coverage area (in codes): **DZ Bsk MA TN Gf** *[available in Cesa Library]*

Chrétien,P., 1917, Contribution à la connaissance des Lépidoptères du nord de l'Afrique. Notes biologiques et critiques. Annls Soc. ent. Fr. 85: 369-502. Geographic coverage area (in codes): **DZ Bsk TN Gf MA** *[available in Cesa Library]*

Claassens,A.J.M. & A.Heath, 1997, Notes on the myrmecophilous early stages of two species of Thestor Hübner (Lepidoptera, Lycaenidae) from South Africa. Metamorphosis 8 (2): 56-61, 4 figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Claassens,A.J.M., 1996, Description of a later instar larva of Thestor yildizae. Metamorphosis 7 (3): 139-140. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Clarke,C.A. & T.B.Larsen, 1986, Speciation problem in the Papilio machaon group of butterflies (Lepidoptera, Papilionidae). Syst. Ent. 11: 175-181, 3 figs. 2 Tab. Geographic coverage area (in codes): **YE EG OM IR IQ TR BG GR MK FR ES DZ SA** *[available in Cesa Library]*

Clarke,J.F.G., 1941, Revision of the North American moths of the family Oecophoridae, with descriptions of new genera and species. Proc. U.S. Nat. Mus. 90 (3107): 33-286, 48 Pls. Geographic coverage area (in codes): **US CA PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc** *[available in Cesa Library]*

Clarke,J.F.G., 1958, Catalogue of the type specimens of Microlepidoptera in the British Museum (Natural History) described by Edward Meyrick. Vol. III. Tortricidae, Olethreutidae, Noctuidae. 600 pp., 298 Pls. London. Geographic coverage area (in codes): **TR CY IN LK ID MY MM PG FJ MG PH CO PE VE TW Ch BR CR CA ET ZA IL FP AU UG JP** *[available in Cesa Library]*

Clench,H.K., 1943, A new Axiocerses from West Africa. J. New York Ent. Soc. 51: 219-220. Geographic coverage area (in codes): **LR**

Clench,H.K., 1959, Notes on African Cossidae. Veröff. Zool. Staatsamml. München 6: 3-27. Geographic coverage area (in codes): **CM NA BW LR MW** *[available in Cesa Library]*

Clench,H.K., 1963, Notes on Axiocerses (Lepidoptera, Lycaenidae). J. New York Ent. Soc. 71 (3): 181-188, figs. Geographic coverage area (in codes): **UG KE Mb CM GN ET ER MW AO ZW ZA Tva Nta Kzu LR SL**

Clerck,C., 1759-[1764], Icones Insectorum Rariorum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Closs,A., 1911, Neue Sphingiden-Formen in meiner Sammlung. Int. ent. Z. 5(7): 50-51. Geographic coverage area (in codes): **TZ UG IN CU CA** *[available in Cesa Library]*

Collenette,C.L., 1931, New African Lymantriidae in the British Museum Collection. Trans. ent. Soc. London 79 (2): 341-363, pls. 12, 13. Geographic coverage area (in codes): **CM SD ZR UG KE KM MG ZW NG** *[available in Cesa Library]*

Collenette,C.L., 1932, New African and Indo-Australian Lymantriidae. Novit. zool. 37 (2): 159-180, pl.1. Geographic coverage area (in codes): **AO KE ZA Nta Kzu Dbn MG ID Ja Clb Ij Mlc MY Bor KBa PG NBr SB PH Luz Mno Pal** *[available in Cesa Library]*

Collenette,C.L., 1933, New Lymantriidae (Lepidoptera, Heterocera) in the British Museum Collection. Ann. Mag. nat. Hist. (10) 11: 33-48, pl.I. Geographic coverage area (in codes): **SA MW UG ID Sum Clb ZW ZA Nta Kzu ZR KE SL RW PH Mno Luz** *[available in Cesa Library]*

Collenette,C.L., 1936, Dr. Karl Jordan's expedition to south-west Africa and Angola: New Lymantriidae from Angola. Novit. zool. 40 (1): 147-169, pl.xii. Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Collenette,C.L., 1937, New African Lymantriidae (Lepidoptera, Heterocera). Ann. Mag. nat. Hist. (10) 20: 604-617, Pl.13. Geographic coverage area (in codes): **KE UG ZW PG** *[available in Cesa Library]*

Collenette,C.L., 1939, Lymantriidae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1934-5. Volume III (4): 99-105, figs., London. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Collenette,C.L., 1953, Notes on African Lymantriidae, with descriptions of some new species. Ann. Mag. nat. Hist. (12) 6: 561-578, pl.xiii. Geographic coverage area (in codes): **PG ZA Tva Nta Wca AO ZW UG ZR KE MG** *[available in Cesa Library]*

Collenette,C.L., 1955, A key to the African genera of Lymantriidae (Lepidoptera). Ecol. Ent. 107: 187-198, figs. Geographic coverage area (in codes): **TZ ZR KE ZA Nta Kzu SC ET NG AO CM GA GH GM CI SL ML MW Mje MZ MG UG Rz NA** *[available in Cesa Library]*

Collenette,C.L., 1955, Further new and little-known African Lymantriidae. Ann. Mag. nat. Hist. (12) 7: 641-651, Pl.xvi. Geographic coverage area (in codes): **ZR KE Nai ET ETo8 UG ZA Tva Nta Kzu CM TG LR** *[available in Cesa Library]*

Collenette,C.L., 1958, Heterocera, Lymantriidae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952. Volume I (5): 69-75, figs., London. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Collenette,C.L., 1960, New African Lymantriidae (Lepidoptera, Heterocera). Ann. Mag. nat. Hist. (13) 3: 91-101, 1 pl. Geographic coverage area (in codes): **KE NG UG GO** *[available in Cesa Library]*

Collenette,C.L., 1960, Some new Lymantriidae from the Congo. Lambillionea 60: 95-106, 1 pl. Geographic coverage area (in codes): **ZR**

Collins,S. & T.B.Larsen, 2008, Eighteen new species, five new subspecies, and interesting data on other African butterflies - Fourth ABRI Research paper. Metamorphosis 19 (2): 42-113, figs. Geographic coverage area (in codes): **SN GA Ogo GN GH KE Kkm GO Bio ZM NG TZ CF ZR CM SD** *[available in Cesa Library]*

Collins,S.C. & T.B.Larsen, 1994, The Abantis bismarcki-group of skipper butterflies with the description of Abantis bamptoni sp. nov. (Lepidoptera, Hesperiidae). Entomologist's Rec. J. Var. 106: 1-5, figs. Geographic coverage area (in codes): **TZ ZR Shb ZM Swz ZW Har Vum MZ** *[available in Cesa Library]*

Collins,S.C. & T.B.Larsen, 1995, Pseudaletis malangi - a remarkable new butterfly from the Republic of Guinea (Lepidoptera, Lycaenidae). Lambillionea 95: 429-431, 2 figs. Geographic coverage area (in codes): **GN** *[available in Cesa Library]*

Collins,S.C. & T.B.Larsen, 2000, Eight new species and five new subspecies of African butterflies (Rhopalocera). Metamorphosis 11 (2): 57-75, figs. Geographic coverage area (in codes): **CM CG ZR Kvu UG KE CI NG** *[available in Cesa Library]*

Collins,S.C. & T.B.Larsen, 2013, A new species in the Afrotropical skipper genus Artitropa from Sao Tome and Principe (Lepidoptera, Hesperiidae, Hesperiinae). Metamorphosis 24: 20-24, figs. Geographic coverage area (in codes): **ST**

Common,I.F.B., 1958, A revision of the pink bollworms of Cotton (Pectinophora Busck (Lepidoptera, Gelechiidae)) and related genera in Australia. Aust. J. Zool. 6 (3): 268-306, 1 pl. Geographic coverage area (in codes): **AU DZ PT ES FR Sa Si IT GB BE NL LU DE Bw CH AT PL CZ SK HU RO YU BG GR TR Cc Da Der IL DK NO SE FI EE LV LT RU Ur Sb Mo MD UA BY IR Gls KG Uk** *[available in Cesa Library]*

Congdon,C., Collins,S. & J.Bayliss, 2010, Butterflies of south east Africa's mountains (Mozambique and Malawi). Metamorphosis 21 (2): 46-107. Geographic coverage area (in codes): **MZ MW** *[available in Cesa Library]*

Congdon,T.C.E., Bampton,I. & S.C.Collins, 2009, Notes on the life histories and taxonomy of Afrotropical Graphium species (Lepidoptera, Papilionoidea, Papilionidae). Metamorphosis 20 (2): 44-63. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Cook,M.A. & M.J.Scoble, 1992, Tympanal organs of geometrid moths: a review of their morphology, function, and systematic importance. Syst. Ent. 17: 219-232, figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Corley,M. & S.Ferreira, 2019, A taxonomic revision of the Western Palaearctic genus Cacochroa Heinemann,1870 (Lepidoptera, Depressariidae, Cryptolechiinae) with descrition of a new genus and a new species. Zootaxa 4683 (2): 197-214, figs. Geographic coverage area (in codes): **PT ES FR IT HV MK GR TR 06 11 16 38 42 50 IL Pa MA DZ TN** *[available in Cesa Library]*

Corley,M.F.V., 2001, Pseudosophronia, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Cornes,M.A., 1969, A checklist of the Nigerian Lycaenoidea. Occ. Publ. ent. Soc. Nigeria 3: 1-23. Geographic coverage area (in codes): **NG**

Cornes,M.A., 1971, A checklist of the Nigerian Hesperiidae. Occ. Publ. ent. Soc. Nigeria 7: 1-10. Geographic coverage area (in codes): **NG**

Cottrell,C.B., 1965, A study of the methymna-group of the genus Lepidochrysops Hedicke (Lepidoptera, Lycaenidae). Mem. Ent. Soc. S. Afr. 9: 1-110, 3 pls. Geographic coverage area (in codes): **ZM**

Cottrell,C.B., 1981, The Aslauga purpurascens complex of entomophagous butterflies (Lycaenidae). Syst. Ent. 6: 5-45, figs. Geographic coverage area (in codes): **ZA Nta Kzu KE Kkm ZM MW TZ**

Coutsis,J.G., 2008, Pseudophilotes bavius casimiri, the most differentiated subspecies of the P. bavius species-group. Pseudophilotes fatma, a distinct species (Lepidoptera, Lycaenidae, Scolitantiditi). Phegea 36 (4): 121-125, 24 figs. Geographic coverage area (in codes): **GR TR DZ** *[available in Cesa Library]*

Crompton,S.E., 1895, A few remarks on the Lepidoptera of Tenerife. Entomologist's Rec. J. Var. 7: 9-11. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Crowley,P., 1890, On some new species of African diurnal Lepidoptera. Trans. ent. Soc. London 1890 (3): 551-556, pls. xvii,xviii. Geographic coverage area (in codes): **GA CM SL MG** *[available in Cesa Library]*

Culot,J., 1917-[1918], Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iii). 268 pp., 1-37 pls. Genève. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Culot,J., 1919-1920, Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iv). 167 pp., 38-69 pls. Genève. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Curle,A.I., 1995, An investigation into the Pseudonympha varii species complex (Nymphalidae, Satyrinae) in South Africa. Metamorphosis 6 (4): 183-190, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

D'Abrera,B., 1980, Butterflies on the Afrotropical Region. 593 pp., Pls. Lansdowne Ed., Melbourne. Geographic coverage area (in codes): **BG GR MK TR CY SY LB IL EG SA YE OM AE QA KW IQ IR** *[available in Cesa Library]*

D'Abrera,B., [1987], Sphingidae Mundi: Hawk Moths of the World. x+226pp., Faringdon. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67**

D'Entrèves,P.P. & A.Vives Moreno, 1990, Contribucion al conocimiento de la Familia Scythrididae Rebel,1901, de Espana (Insecta, Lepidoptera). Shilap Revta lepid. 18 (71): 253-263, 9 figs. Geographic coverage area (in codes): **ES DZ TN LY TR 05** *[available in Cesa Library]*

Dall'asta,U., 1977, Lymantriidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 39-42. Geographic coverage area (in codes): **ET KE DJ** *[available in Cesa Library]*

Dalla Torre,K.W.v., 1914, Thyrididae. [in] Wagner,H., Lepidopterorum Catalogus Pars 20. 55pp. Dr. W. Junk Berlin. Geographic coverage area (in codes): **Cc Si Co Sa YU MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ui Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US CA MX CR PE BR AR PT ES FR DE AT IT CH DZ MA TN LY EG** *[available in Cesa Library]*

Dalla Torre,K.W.v., 1923, Cossidae. [in] Strand,E., Lepidopterorum Catalogus Pars 29. 63pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc YU MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ui Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US CA MX CR PE BR AR PT ES FR DE AT IT CH DZ MA TN LY EG** *[available in Cesa Library]*

Dang,P.T., 1993, Vesicas of selected tortricid and small lepidopterous species, with descriptions of new techniques of vesica eversion (Lepidoptera, Tortricidae, Oecophorida, Gelechiidae, and Nepticulidae). Can. Ent. 125 (5): 785-799, figs. Geographic coverage area (in codes): **Cc PT ES FR MA DZ TN LY EG IT CH AT DE DK BE NL GB PL HU CZ SK SE FI NO BY MK HV SS YU UA B-H RO BG GR AL RU GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN LK SA SD ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM JP** *[available in Cesa Library]*

Daniel,F., 1956, Die Formen von Trichiura crataegi L. (Lep., Lasiocampidae). NachrBl. bayer. Ent. 5: 67-71, 78-80, 87-94. Geographic coverage area (in codes): **TR FR ES MA** *[available in Cesa Library]*

Daniel,F., 1961, Monographie der palaearktischen Cossidae V. Die Genera Parahypopta g.n., Sinicossus Clench und Catopta Stgr. Mitt. münch. ent. Ges. 51: 160-212, 10 Abb., Taf. xvi, xvii. Geographic coverage area (in codes): **Cc RU GG AZ AM TR MK GR LB HU KK TM UZ CN TJ Ch IN IR DZ** *[available in Cesa Library]*

Daniel,F., 1962, Monographie der palaearktischen Cossidae VI. Genus Dyspessa Hbn. Erster Teil. Mitt. münch. ent. Ges. 52: 1-38, Taf.I,II. Geographic coverage area (in codes): **Cc IQ JO EG IR PK BH TM DZ GG AM AZ TR GR MK KG** *[available in Cesa Library]*

Daniel,F., 1964, Monographie der palaearktischen Cossidae VII. Genus Dyspessa Hbn. Zweiter Teil. Genus Paropta Stgr. Mitt. münch. ent. Ges. 54: 181-236, 4 Abb., Taf. iii-vi. Geographic coverage area (in codes): **Cc B-H MK GR BG TR GG AZ AM DZ MA CY IR LB EG AF CN SD** *[available in Cesa Library]*

Daniel,F., 1965, Monographie der palaearktischen Cossidae VIII. Nachträge und Register zur Subfamilie Cossinae. Mitt. münch. ent. Ges. 55: 77-114, Taf.II,III. Geographic coverage area (in codes): **TR IQ GR RU AF IR EG IL SA AF BH TM SI CN** *[available in Cesa Library]*

Darge,P., 1975, Lépidopteres Attacidae et Sphingidae de la République Unie du Cameroun, du Rwanda, de l'Ethiopie (avec descriptions de deux especes et six sous-especes nouvelles). Annls Fac. Sci. Univ. féd. Cameroun (19): 76-96. Geographic coverage area (in codes): **CA RW ET**

Davenport,D., 1941, The butterflies of satyrid genus Coenonympha. Bull. Mus. comp. Zool. Harv. 87 (4): 214-349, 10 Tab. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ CA US** *[available in Cesa Library]*

Davis,D.R., 1975, A review of Ochsenheimeriidae and the introduction of the Cereal Stem Moth Ochsenheimeria vcculella into the United States (Lepidoptera, Tineoidea). Smithsonian Contr. Zool. 192: 1-20, 31 figs. 2 maps. Geographic coverage area (in codes): **TR DZ TN PT ES FR GB SE DK DE CH AT IT YU SS B-H HV YU AL GR BG MK CZ SK PL RU HU BE NL AT UA Cc AZ AM GG IR TM KG EE LT LV BY MD RO SY LB US** *[available in Cesa Library]*

Davis,D.R., 1989, Generic revision of the Opostegidae, with a synoptic catalog of the World's species (Lepidoptera, Nepticuloidea). Smithsonian Contr. Zool. 478: 1-97, figs. Geographic coverage area (in codes): **Hw US MX CO PE VE BR AR FR ES DE PL RO IT ES DZ TM AF Kab IN CN Ti LK MY JP RU Us AU ZA ZW** *[available in Cesa Library]*

Davis,D.R., 1998, A world classification of the Harmacloninae, a new subfamily of Tineidae (Lepidoptera, Tineoidea). Smithsonian Contr. Zool. 597: iv+1-81 pp., Pls. Geographic coverage area (in codes): **PA BZ BO BR VE PY AR ZA Nta Kzu Tra Ec Stj Umk TZ AO CM Bia GH GN CI MG MZ L-M Del ZA IN LK PG AU TH Chy Cbi CMa Dst Nna Kao Loe Ntt MY Sgo Pah Bor BN Sbh Swk PH Luz Mno Pal TW ID Ja Klt Clb Sum** *[available in Cesa Library]*

Debauche,H.R., 1937, Entomological Expedition to Abyssinia, 1926-1927: Lepidoptera Geometridae. Ann. Mag. nat. Hist. (10) 20: 320-344, Pls.7,8. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Demaison,L., 1888, [no title]. Bull. Soc. ent. Fr. (6)8: 65-67. Geographic coverage area (in codes): **SD ET EG SN**

Demus,H.R., 1973, Lepidoptera Rhopalocera. Region de Bamako. Bull. Ass. Nat. Mali 4: 64-70. Geographic coverage area (in codes): **ML Bmk**

Denis,M. & I.Schiffermüller, 1775, Ankündung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend. 322 pp. 2 Pls. Wien. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR Cc IR DK EE LV LT RU UA BY MA DZ TN NO SE FI** *[available in Cesa Library]*

Denso,P., 1913, Celerio zygophylli O.I. Dt. ent. Z., Iris 27: 145-146, Taf.V. Geographic coverage area (in codes): **TR IR IL SY EG** *[available in Cesa Library]*

Derra,G., 2011, Beschreibung neuer Arten der Familien Gelechiidae, Holcopogonidae und Oecophoridae (Lepidoptera). Esperiana 16: 207-212, figs. Geographic coverage area (in codes): **TR 30 IT Si NA**

Desmarest,E., 1857, Papillons, Nocturnes. [In] Chenu, J.C., Encyclopédie d'Histoire naturelle. iv+312pp., 40 pls. Paris. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU**

Devarenne,M., 1981, Contribution a l'Etude des Rhopalocères d'Algérie (Lepidoptera). Alexanor 12 (4): 167-176. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Dewitz,H., 1879, Afrikanische Tagschmetterlinge. Nova Acta Acad. Caesar. Leop. 41(2): 173-212, 2Pls. Geographic coverage area (in codes): **ET AO KE SO UG SD**

Diakonoff,A., 1959, Revision of Cryptaspasma Walsingham,1900 (Lepidoptera, Tortricidae). Zool. Verh. 43: 1-60, 14 figs., 13 Pls. Geographic coverage area (in codes): **IN LK MM TH MY SG VN CN ID PH PG ZA MG TW UG KE TZ** *[available in Cesa Library]*

Diakonoff,A., 1962, Preliminary survey of the Palaearctic species of the subgenus Bactra Stephens (Bactra, Tortricidae, Lepidoptera). Zool. Verh. 59: 1-48, 37 figs., 13 Pls. Geographic coverage area (in codes): **Cc ES FR DE AT IT YU HU BG GR TR RU RO MK AL CY DZ GG AM AZ IR AF TM UZ KK KG TJ JP IN MM** *[available in Cesa Library]*

Diakonoff,A., 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XVI. Lepidoptera Tortricidae, Olethreutinae. Annln naturh. Mus. Wien 66: 473-476, 3 Abb., 1 Taf. Geographic coverage area (in codes): **SD SD91** *[available in Cesa Library]*

Diakonoff,A., 1963, African species of the genus Bactra Stephens (Lepidoptera, Tortricidae). Tijdschr. Ent. 106 (7): 285-357, 73 figs. Geographic coverage area (in codes): **ZA KE UG SD** *[available in Cesa Library]*

Diakonoff,A., 1964, Further records and descriptions of the species of Bactra Stephens (Tortricidae, Lepidoptera). Zool. Verh. 70: 1-81, 59 figs. Geographic coverage area (in codes): **BR PE PG LK IN ES DZ PK MG IR TR AF RU YU US MA JP NZ AO ID MY TZ ZA AU HW IL PH TW MP PF FJ SB TH SD CN UG** *[available in Cesa Library]*

Diakonoff,A., 1979, Descriptions of new taxa of the so-called Glyphipterigidae auctorum (Lepidoptera). Zool. Meded. 54 (21): 291-312, figs. Geographic coverage area (in codes): **JP TW IN Ch RU At Us CN TN IR Fa Shr** *[available in Cesa Library]*

Diakonoff,A., 1981-1992, Tortricidae from Madagascar Part 2. Olethreutinae 1,2. Annls Soc. ent. Fr. (N.S.) 17 (1) (1981): 7-32; 19 (1983): 291-310; 24 (2) (1988): 161-180; 24 (3) (1988): 307-330; 28 (1) (1992): 37-71. figs. Geographic coverage area (in codes): **MG**

Diakonoff,A., 1986, Glyphipterigidae auctorum sensu lato, [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol. 7. Text & Taf. G.Braun Druckerei, Karlsruhe. Geographic coverage area (in codes): **Cc PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR** *[available in Cesa Library]*

Dierl,W., 1969, Die Typus-Arten von vier asiatischen Gattungen der Familie Psychidae (Lep.). Opusc. zool. 107: 1-10, 10 Abb., 5 figs. Geographic coverage area (in codes): **TH MY TW IN ZA VN ID Sum** *[available in Cesa Library]*

Dierl,W., 1970, Compsoctenidae: Ein neues Taxon von Familienstatus (Lepidoptera). Veröff. zool. St. Samml. München 14: 1-41, figs. Geographic coverage area (in codes): **ZA TZ Nta Tva** *[available in Cesa Library]*

Dierl,W., 1970, Flugzeit und Augengröße als systematisches Merkmal der Psychidae (Lepidoptera). Mitt. münch. ent. Ges. 60: 168-173. Geographic coverage area (in codes): **DE YU TR Cc AM GG TJ UZ IR AO AF** *[available in Cesa Library]*

Dierl,W., 1973, Zur Nomenklatur der Gattung Canephora Heydenreich,1851 (Lep., Psychidae). NachrBl. bayer. Ent. 22: 7-8. Geographic coverage area (in codes): **MA PT ES B-I FR Si GR Rd TR EG IL Pa LB Cc AZ Kir IR Elb** *[available in Cesa Library]*

Dietrich,K., 1862, Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Dietze, 1904, Beiträge zur Kenntnis der Eupithecien. Dt. ent. Z., Iris 16 (1903): 331-387, pls. Geographic coverage area (in codes): **TR 42 46 47 HV TN DZ TD FR IR RU Sr TM Kp KK Ax Ik CN Ti Ui Kl Au Ts Kno JP UZ Smk** *[available in Cesa Library]*

Dietze,C., 1872-1878, Beiträge zur Kenntnis der Arten der Gattung Eupithecia Curt. Stettin ent. Ztg. 33: 184-204; 35: 209-221, 270-277; 36: 69-76, 236-256; 38: 98-100 Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Dietze,C., 1910-1913, Biologie der Eupithecien (Tafeln & Text). 1.Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2.Teil (Text): 172 pp. Pls.83-86, 1913. Berlin. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Dietze,K., 1906, Beiträge zur Kenntnis der Eupithecien. Dt. ent. Z., Iris 19: 55-67, 121-126, Taf.I-IV. Geographic coverage area (in codes): **TR 76 76C Ui Ku Um Ln Kl RU Am TN Gf AZ Cc Lag TM Kp Nv Ord IR** *[available in Cesa Library]*

Diskus,A. & R.Puplesis, 2003, Catalogue of the World Nepticuloidea & Tischerioidea, [in] Puplesis & Diskus, the Nepticuloidea & Tischerioidea (Lepidoptera) - a global review, with strategic regional revision, 318-436pp. Lututе, Kaunas. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Distant,W.L., 1897, On a collection of Heterocera made in the Transvaal. Ann. Mag. nat. Hist. (6) 20: 15-17, 197-211. Geographic coverage area (in codes): **ZA Lpo Tva Gau Pre Spb Nta Kzu Dbn** *[available in Cesa Library]*

Distant,W.L., 1897, On a collection of Heterocera made in the Transvaal. Ann. Mag. nat. Hist. (6) 19: 390-394, 579-580. Geographic coverage area (in codes): **ZA Tva Lpo Gau Pre Mpu Brb Ly Spb** *[available in Cesa Library]*

Distant,W.L., 1898, The butterflies of the Transvaal. Ann. Mag. nat. Hist. (7) 1: 47-56. Geographic coverage area (in codes): **ZA Gau Pre Tva Lpo Spb Mpu Brb Ly** *[available in Cesa Library]*

Distant,W.L., 1898, On a collection of Heterocera made in Transvaal. Ann. Mag. nat. Hist. (7) 1: 218-231. Geographic coverage area (in codes): **ZA Gau Pre Jh Lpo Tva Spb Mpu Brb Wb** *[available in Cesa Library]*

Distant,W.L., 1898, Heterocera from the Transvaal. Ann. Mag. nat. Hist. (7) 1: 116-118. Geographic coverage area (in codes): **ZA Lpo Tva** *[available in Cesa Library]*

Distant,W.L., 1899, Some apparently undescribed insects from the Transvaal. Ann. Mag. nat. Hist. (7) 3: 461-465. Geographic coverage area (in codes): **ZA Gau Pre Ly Mpu** *[available in Cesa Library]*

Distant,W.L., 1899, Some apparently undescribed species of the Heterocera from the Transvaal. Ann. Mag. nat. Hist. (7) 4: 359-362. Geographic coverage area (in codes): **ZA Gau Pre Jh Ly Mpu** *[available in Cesa Library]*

Distant,W.L., 1899, On some South African Insects. Ann. Mag. nat. Hist. (7) 3: 178-180. Geographic coverage area (in codes): **ZA Mpu Ly Tva** *[available in Cesa Library]*

Distant,W.L., 1901, Descriptions of four new species of Noctuidae from the Transvaal. Entomologist 34: 284-285. Geographic coverage area (in codes): **ZA Tva Gau Pre Ly** *[available in Cesa Library]*

Distant,W.L., 1902, Descriptions of new species of Heterocera from the Transvaal. Entomologist 34: 284-285. Geographic coverage area (in codes): **ZA Tva Gau Lpo Jh Pre Ly** *[available in Cesa Library]*

Distant,W.L., 1903-1906, Insecta Transvaaliensia 1: 49-96, 167, pls. Geographic coverage area (in codes): **ZA Tva Lpo Pre Spb Jh Mpu Gau Nta Kzu** *[available in Cesa Library]*

Dixey,F.A., 1915, New species and subspecies of Pierinae. Trans. ent. Soc. Lond. 1915 (1): 2-15, pls. i,ii. Geographic coverage area (in codes): **KE UG VE** *[available in Cesa Library]*

Donzel,M., 1842, Description de deux Lépidoptères nouveaux recueillis en barbarie par le capitaino Charlon. Annls Soc. ent. Fr. 11 (2): 197-199, pl.8. Geographic coverage area (in codes): **DZ Cst** *[available in Cesa Library]*

Dorp, K.van, 2004, Molecular systematics of Lycaena F.,1807 (Lepidoptera, Lycaenidae) - some preliminary results. Proc. neth. ent. Soc. 15: 65-70, 2 figs. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Doubleday,E., 1847, Description of new British Lepidoptera. Zoologist 5: 1914-1915. Geographic coverage area (in codes): **DZ TN Dhm PT ES FR GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo DK SE FI EE LV LT RU MD UA Cm BY IR Mz Gls TM Kp** *[available in Cesa Library]*

Douglas,J.W., 1849-1850, On the British species of the genus Gelechia of Zeller. Trans. ent. Soc. London (1) 5: 173-179, 195-201; (2) 1: 60-68, 101-108, 241-251. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Doux,C.le, 1928, Acraeen-Studien III. (Lep., Rhop.) Dt. ent. Z. 1928 (2): 97-115, 2 Taf. Geographic coverage area (in codes): **ET UG TZ KE** *[available in Cesa Library]*

Draudt,M., 1909, Zwei neue Heteroceren aus Aegypten. Int. ent. Z. 3: 206-207. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Draudt,M., 1912, Zwei neue Acidalien aus Aegypten. Int. ent. Z. 5(52): 374. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Draudt,M., 1933-1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Syntomidae, Arctiidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 278-281. Stuttgart. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Druce,H. & H.H.Druce, 1905, Descriptions of some new species of diurnal Lepidoptera, collected by Mr. Harold Cookson, in northern Rhodesia, in 1903 and 1904. Trans. ent. Soc. Lond. 1905: 251-262, pl.xiii. Geographic coverage area (in codes): **ZW** *[available in Cesa Library]*

Druce,H., 1875, A list of the collection of diurnal Lepidoptera made by J.J.Monteiro in Angola with descriptions of some new species. Proc. zool. Soc. Lond. 1875: 406-417. Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Druce,H., 1884, Description of new species of Heterocera. Entomologist's mon. Mag. 20: 155-157. Geographic coverage area (in codes): **ID Clb KE CM TZ** *[available in Cesa Library]*

Druce,H., 1894, Descriptions of some new species of Agaristidae. Ann. Mag. nat. Hist. (6) 14: 21-24. Geographic coverage area (in codes): **PG MG ID Clb Tim CM PH Mno MY Bor MM** *[available in Cesa Library]*

Druce,H., 1898, Description of some new species of Heterocera. Ann. Mag. nat. Hist. (7) 1: 146-149, 207-215. Geographic coverage area (in codes): **MZ MY Bor TZ Dss SB PG BO PA Wd MM Tns BR EC KE GA ZA NC Fg CO** *[available in Cesa Library]*

Druce,H., 1899, Descriptions of some new species of Heterocera from Tropical America, Africa, and the Eastern Islands. Ann. Mag. nat. Hist. (7) 3: 228-236. Geographic coverage area (in codes): **CU EC GY ID Bru Sum PG Fg PU PE TZ CR BR MX ZA CO BO** *[available in Cesa Library]*

Druce,H., 1899, Descriptions of some new species of Heterocera. Ann. Mag. nat. Hist. (7) 3: 200-205. Geographic coverage area (in codes): **ID Sum CN Hn MY Prk Bor AU QAu MZ ZA BR** *[available in Cesa Library]*

Druce,H., 1903, Description of a new species of African Hesperiinae. Ann. Mag. nat. Hist. 7 (12): 636-637. Geographic coverage area (in codes): **KE ET** *[available in Cesa Library]*

Druce,H., 1911, Descriptions of some new species of Heterocera, chiefly from Tropical South America. Ann. Mag. nat. Hist. (8) 8: 138-150. Geographic coverage area (in codes): **CM CO BR PE CR ZR IN MY** *[available in Cesa Library]*

Druce,H.H., 1910, Descriptions of new Lycaenidae and Hesperiidae from Tropical West Africa. Proc. zool. Soc. Lond. 1910: 356-378, pls. xxxiii-xxxv & text-fig.36. Geographic coverage area (in codes): **CM Bit ZR UG** *[available in Cesa Library]*

Drumont,A., Delahaye,N, Sudre,J. & Bouyer,Th., 2005, Une nouvelle especes du complexe de Pseudoclanis postica (Walker,1856), originaire de Tanzanie (Lepidoptera, Sphingidae). Ent. Africana 10 (2): 43-46. Geographic coverage area (in codes): **TZ**

Drury,D., 1773-1782], Illustrations of Natural History. 3 vols. London. Geographic coverage area (in codes): **Cc GB HU PT ES FR DE PL NO SE FI DK AT IT B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Dubatolov,V.V. & P.G.Haynes, 2008, Reviewing the African tiger-moth genera I. New genera from the late Prof. V.S.Murzin's collection (Lepidoptera, Arctiidae). Atalanta 39 (1/4): 356-366, figs. Geographic coverage area (in codes): **SA SD EG ET ER DJ SO KE UG TZ SL GN GA GH ZM ZW ZA MZ MW BW RW UG ZR CG CM NG CI SN SL** *[available in Cesa Library]*

Dubatolov,V.V. & V.V.Zolotuhin, 2011, Does Eilema Hübner,[1819] (Lepidoptera, Arctiidae, Lithosiinae) present one or several genera? Eur. Ent. J. 10 (3): 367-380, pl.vii. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ PK IN TH CN** *[available in Cesa Library]*

Dubatolov,V.V., 2006, Tiger Moths (Lepidoptera, Arctiidae) of the Afrotropics. http://fen.nsu.ru/~vvdubat/Arctiidae/ArctiinaeAfrotropics.html Geographic coverage area (in codes): **ZA ZM ZW ET KE TZ UG MW MZ NG SL SN ML BF CG CF SO SD SA YE GM GA LR CI GH TG BJ CM AO NA RW MG RE MU GO Bio ST LS OM** *[available in Cesa Library]*

Dubatolov,V.V., 2006, New genera and species of Arctiinae from the Afrotropical fauna (Lepidoptera, Arctiidae). Neue ent. Ver. Apollo (N.F.) 27 (3): 139-152, figs. Geographic coverage area (in codes): **GN CI KE ZA Nta Kzu RW** *[available in Cesa Library]*

Dubatolov,V.V., 2008, Analysis of Insect distribution in the northern Hemisphere by the example of the subfamily Arctiinae (Lepidoptera, Arctiidae) I. Genus level. Contemporary Problems of Ecology 1 (2): 183-193, figs. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Dubatolov,V.V., 2010, Tiger-moths of Eurasia (Lepidoptera, Arctiidae). Neue ent. Nachr. 65: 1-106. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW IN MM TH MY ID VN LA KH PH** *[available in Cesa Library]*

Dubatolov,V.V., 2011, Arctiinae from African expeditions of V.Kovtunovich & P.Ustjuzhanin in 2009-2011, with description of new taxa and taxonomic notes (Lepidoptera, Arctiidae). Atalanta 42 (1/4): 125-135, figs. Geographic coverage area (in codes): **ZW ZA MW** *[available in Cesa Library]*

Dufay,C., 1958, Descriptions de nouvelles Abrostola africaines (Lep., Noctuidae). Contribution a l'étude des Noctuidae "Quadrifinae", V. Bull. Inst. fr. Afr. Noire, ser.A, 20(1): 199-216, 3 Pls. Geographic coverage area (in codes): **ET KE UG TZ** *[available in Cesa Library]*

Dufay,C., 1970, Insectes Lépidoptères, Noctuidae Plusiinae, [in] Faune de Madagascar 31: 1-198, 116 figs., 2 Pls. Geographic coverage area (in codes): **MG ET** *[available in Cesa Library]*

Dufay,C., 1977, Noctuidae (Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 42-51, Pls. Geographic coverage area (in codes): **ET DJ** *[available in Cesa Library]*

Dufay,C., 1984, Noctuidae (Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 49. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Dufrane,A., 1954, Sur quelques Lycaenidae d'Afrique. Bull. Annls. Soc. R. ent. Belg. 90: 282-286. Geographic coverage area (in codes): **ET ZW**

Dujardin,F., 1972, Description de Callophrys avis barraguei subspecies nova et observations biologiques sur la sous-espèce nominative. Entomops 25: 2-18. Geographic coverage area (in codes): **MA**

Dujardin,F., 1977, Description de deux nouvelles sous-especes de Polyommatus atlanticus Elwes avec des regroupements dans le statut génériques de soun espece (avec 14 figures). Entomops 43: 93-100. Geographic coverage area (in codes): **MA**

Dumont,C., 1920, Contribution a l'étude des Lépidoptères du Sahara algérien. Description d'une espece nouvelle de Trifinae (Lep., Noctuidae). Bull. Soc. ent. Fr. 1920: 102-104, 1 fig. Geographic coverage area (in codes): **DZ Gle** *[available in Cesa Library]*

Dumont,C., 1920, Contribution a l'étude des Lépidoptères du Sahara algérien. Description de deux especes nouvelles de Quadrifinae (Lep., Noctuidae). Bull. Soc. ent. Fr. 1920: 275-279. Geographic coverage area (in codes): **DZ Bsk Gle Hdd** *[available in Cesa Library]*

Dumont,C., 1920, Contribution a l'étude des Lépidoptères du Sahara algérien. Notes sur le genre Anumeta Walk. (Lep., Noctuidae) et description d'une espece nouvelle. Bull. Soc. ent. Fr. 1920: 321-324. Geographic coverage area (in codes): **DZ Gle Bsk** *[available in Cesa Library]*

Dumont,C., 1922, Diagnoses de Lépidoptères nouveaux du Nord de l'Afrique. Bull. Soc. ent. Fr. 1922: 215-220. Geographic coverage area (in codes): **DZ Gle TN** *[available in Cesa Library]*

Dumont,D., 2004, Révision du genre Iolana Bethune-Baker,1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: kermani n.sp. Linneana Belg. 19 (8): Geographic coverage area (in codes): **Cc TJ PK Ch DZ MA ES FR IT CH AT Sa Si YU HV B-H RO HU TR Rd UA Cm AF EG JO IL Pa IR IQ GG AM AZ TM MK GR BG** *[available in Cesa Library]*

Duquef,M., 1964, Quelques Rhopaloceres de l'Oasis d'Ouargla (Sahara Algerien). Alexanor 3: 338. Geographic coverage area (in codes): **DZ Ogl**

Durante,A. & L.Potenza, 2014, Novitates from Gabon (Erebidae, Arctiinae, Syntomini, Thyretina). Lambillionea 114 (3): 260-263, figs. Geographic coverage area (in codes): **GA** *[available in Cesa Library]*

Durante,A., 2008, Asuroides, a new genus of lithosiine moths (Lepidoptera, Arctiidae, Lithosiinae). Zootaxa 1713: 53-68, figs. Geographic coverage area (in codes): **ZA Nta Kzu Gau Jh KE GH NG CM CI CG ZR UG AO SN GN MW Zom** *[available in Cesa Library]*

Durante,A., 2009, Revision of the Afrotropical species of Asura Walker,1854 (Lepidoptera, Arctiidae, Lithosiinae), with the description of a new genus. Zootaxa 2280: 27-52, figs. Geographic coverage area (in codes): **GH ZR UG Rz NG ET TZ AO CI GN SL KE ZA Nta Kzu Dbn TD GA RW** *[available in Cesa Library]*

Durante,A., 2012, The genus Afrasura Durante,2009 in Gabon, with description of five new species and a new species group (Erebidae, Arctiinae, Lithosiini). Zootaxa 3478: 383-398, figs. Geographic coverage area (in codes): **GA** *[available in Cesa Library]*

Durante,A., 2012, New genera and problematic species in African Lithosiinae (Lepidoptera, Arctiidae, Lymantriidae). Eur. J. Tax. 22: 1-16, figs. Geographic coverage area (in codes): **AO ZR TD ZA CM GH RW UG KE TZ PH Luz MY Bor** *[available in Cesa Library]*

Durante,A., Apinda-Legnouo,E.A. & C. Romano, 2013, Second contribution to the knowledge of the Lithosiini of Gabon: the genus Nanna Birket-Smith (Lepidoptera, Erebidae, Arctiinae). Eur. J. Tax. 65: 1-15, figs. Geographic coverage area (in codes): **GA** *[available in Cesa Library]*

Durante,M.A. & S.Panzera, 1999, I Lepidotteri del delta del Niger primo contributo. Conferma di Tesma fractifascia (Hampson,1918) e descrizione della femmina (Lepidoptera, Arctiidae, Lithosiinae). Lambillionea 99 (3): 439-448, Tav. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Durante,M.A. & S.Panzera, 2001 I Lepidotteri del delta del Niger (Secondo contributo) (Lepidoptera, Arctiidae, Lithosiinae). Lambillionea 101 (2): 203-215, 7 Tav. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Durante,M.A. & S.Panzera, 2002, I Lepidotteri del delta del Niger (Quarto contributo) (Arctiidae, Lithosiinae). Lambillionea 102 (2): 135-139, 2 Tav. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Durante,M.A. & S.Panzera, 2002, I Lepidotteri del delta del Niger (Quinto contributo) (Arctiidae, Lithosiinae). Lambillionea 102 (3): 282-286, 2 Tav. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Durante,M.A. & S.Panzera, 2002, Pusiola unipunctana maior n.ssp. della Repubblica di Guinea (Lepidoptera, Arctiidae, Lithosiinae). Lambillionea 102 (1): 88-90, Tav. Geographic coverage area (in codes): **GN** *[available in Cesa Library]*

Durrant,J.H., 1914, Descriptions of two new Tineina (Lep.) from the Lagos district. Trans. ent. Soc. London 1913 (4): 513-514. Geographic coverage area (in codes): **NG Lgo** *[available in Cesa Library]*

Durrant,J.H., 1916, Tineina, [in] Poulton,E.B., On a collection of moths made in Somaliland by Mr. W.Feather. Proc. zool. Soc. Lond. 1916: 179-181. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Dyar,H.G., 1894, A classification of lepidopterous larvae. Ann. N.Y. Acad. Sci. 8: 194-232, 5 figs. Geographic coverage area (in codes): **Cc GB HU PT ES FR DE PL NO SE FI DK AT IT B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU**

Dyar,H.G., 1899, The phylogeny of the lasiocampids. Entomologist's Rec. J. Var. 11: 141-142, Pl.ii. Geographic coverage area (in codes): **Cc GB HU PT ES FR DE PL NO SE FI DK AT IT B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Edge,D.A. & E.L.Pringle, 1996, Notes on the Natural History of the Brenton Blue, Orachrysops niobe (Trimen) (Lepidoptera, Lycaenidae). Metamorphosis 7 (3): 109-120, 2 Pls. 4 figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Eecke,v.R., 1925, Cochlidionidae (Limacodidae), [in] Strand,E., Lepidopterorum Catalogus 32: 1-79. W.Junk, Berlin. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW MX** *[available in Cesa Library]*

Efetov,K.A. & G.M.Tarmann, 1995, An annotated check-list of the Palaearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. Entomologist's Gaz. 46: 63-103, 23 figs. Geographic coverage area (in codes): **Cc GB HU PT ES FR DE PL NO SE FI DK AT IT B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Efetov,K.A. & G.M.Tarmann, 1999, Forester Moths. 192 pp., Apollo Books. [see review: Koçak,A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7-8]. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ MA DZ TN** *[available in Cesa Library]*

Efetov,K.A., 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 153-162, figs. Geographic coverage area (in codes): **Cc GB HU PT ES FR DE PL NO SE FI DK AT IT B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Ehrlich,P.R., 1958, The comparative morphology, philogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). Univ. Kans. Sci. Bull. 39 (8): 305-370. Geographic coverage area (in codes): **Cc GB HU PT ES FR DE PL NO SE FI DK AT IT B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU**

Eisner,C., 1966, Parnassiidae-Typen in der Sammlung J.C.Eisner. Zool. Verh., Leiden 81: 1-190, 84 Pls. Geographic coverage area (in codes): **Cc GB HU PT ES FR DE PL NO SE FI DK AT IT B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Eitschberger,U. & M.Wiemers, 1990, Dreizehnte Ergänzung zu "Systematische Untersuchungen am Pieris napi-bryoniae-Komplex (s.l.)". Das Ei von Pieris cheiranthi (Hübner,1806) (Lepidoptera, Pieridae). Atalanta 21(3/4): 265-268, 4 Abb. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Eitschberger,U., 1990, Zwölfte Ergänzung zu "Systematische Untersuchungen am Pieris napi-bryoniae-Komplex (s.l.)". Die Puppe von Pieris brassicoides brassicoides Guérin,1849 (Lepidoptera, Pieridae). Atalanta 21(3/4): 261-264, Taf. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Eitschberger,U., 1993, Zur Artverschiedenheit der europäischen Iphiclides-Arten (Lepidoptera, Papilionidae). Atalanta 24(1/2): 9-13, 12 Abb. Geographic coverage area (in codes): **AT DZ** *[available in Cesa Library]*

Eitschberger,U., 1993, Die Struktur der Eihüllen einiger Papilio-Arten im Vergleich unter dem REM/SEM (Lepidoptera, Papilionidae). Atalanta 24(1/2): 15-32, 46 Abb. Geographic coverage area (in codes): **SA DZ Als Co Sa GR Sms CA MA TN JP Hkk YE** *[available in Cesa Library]*

Eitschberger,U., 1993, Phlogophora lamii Schadewald, 1992- Zur Verbreitung dieser Art (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 593-597, pls. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Eitschberger,U., 1993, Autographa messmeri Schadewald,1992 und Autographa voelkeri Schadewald,1992- Anmerkungen zur Verbreitung beider Arten (Lepidoptera, Noctuidae). Atalanta (1992) 23(3/4): 581-857, pls. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Eitschberger,U., 2003, Revision und Neugliederung der Schwärmer-Gattung Leucophlebia Westwood,1847 (Lepidoptera, Sphingidae). Neue ent. Nachr. 56: 1-400, pls. Geographic coverage area (in codes): **TH IN PK Ass NP Hp CMa CI LI CM AO TZ EY ER ZR** *[available in Cesa Library]*

Elekçioğlu,N.Z. & N.Uygun, 2006, The Parasitoid complex of the Citrus Leafminer, Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. Turk. J. Zool. 30: 155-160. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da BY Cc UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ TH MM IN** *[available in Cesa Library]*

Eliot,J.N., 1973, The higher classification of the Lycaenidae (Lepidopera): A tentative arrangement. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (6): 373-505, figs., 6 Pls. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Eltringham,H., 1911, Preliminary description of some new or little-known forms of the genus Acraea. Novit. zool. 18: 149-153. Geographic coverage area (in codes): **ET ZR**

Eltringham,H., 1911, On the forms and geographical distribution of Acraea lycoa, Godt., and Acraea johnstoni, Godm. Trans. ent. Soc. Lond. 1911 (1): 1-15, 2 pls. Geographic coverage area (in codes): **UG ET KE TZ NG SL** *[available in Cesa Library]*

Eltringham,H., 1912, A monograph of the African species of the genus Acraea Fab., with a supplement on those of the Oriental Region. Trans. ent. Soc. London 1912: 1-374, 16 Pls. Geographic coverage area (in codes): **ET SD KE SO DJ SA YE UG TZ AO ZA LS SZ ZM ER BW NA MZ ZW ZM ZR CG CF GF ML CI GH GN SN SL LR CM NG** *[available in Cesa Library]*

Eltringham,H., 1917, On a collection of butterflies taken in East Africa by Mr. W.A.Lamborn. Trans. ent. Soc. Lond. 1917: 322-337. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Elwes,H.J. & J.Edwards, 1893, A Revision of the Genus Ypthima, with especial reference to the characters afforded by the male genitalia. Trans. ent. Soc. London 1893: 1-54, Pl.3. Geographic coverage area (in codes): **IN ID PH SK LK PK LB SY TR Ch CN YE SO ET SD KE TZ AU JP KP KR AO GA CM RU MG ZA** *[available in Cesa Library]*

Elwes,H.J., 1889, A revision of the genus Argynnis. Trans. ent. soc. London 1889 (4): 535-575, [3 figs]. Geographic coverage area (in codes): **Cc IN CN PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA TR AM KE GG AZ RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT KK UZ TJ AF IR PK KG Ui Ti Ch JP US CA** *[available in Cesa Library]*

Elwes,H.J., 1890, On some moths allied to Himantopterus with description of a new species. Trans. ent. Soc. London 1890 (2): 329-338, pl. x. Geographic coverage area (in codes): **IN Ass MM TZ ID Ja ZA SL** *[available in Cesa Library]*

Elwes,H.J., 1906, Lycaena atlantica Elwes, [in] Meade-Waldo,E.G.D., On a collection of butterflies made in Marocco in 1900-01-02. Trans. ent. Soc. London 53(4): 369-381, 2 Pls. Geographic coverage area (in codes): **MA**

Emmel,T.C. & T.B.Larsen, 1997, Butterfly diversity in Ghana, West Africa. Tropical Lepid. 8 (Suppl.3): 1-13. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Englert,W.D., 1974, Revision der Gattung Metzneria Zeller (Lepid., Gelechiidae) mit Beiträgen zur Biologie der Arten. Z. angew. Ent. 75 (4): 381-421, 27 Abb. Geographic coverage area (in codes): **Cc ET Cn ES PT FR BE NL DE IT AT YU B-H HV MK BG FI GR TR SY LB IL Pa AM GG AZ RU UA RO HU CZ SS SL PL GB SE NO DK US CA IR Cr DZ MA TN SA AF TM ZA Tv Sa Co Si 05 06 16 23 46** *[available in Cesa Library]*

Epstein,M.E., 1996, Revision and phylogeny of the Limacodid-group families, with evolutionary studies on slug caterpillars (Lepidoptera, Zygaenoidea). Smithsonian contr. zool. 582: 1-102, 409 figs, 7 tbl. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Erlacher,S-I., 1998, Die phylogenetischen Beziehungen innerhalb des Taxon Dyscia Hübner,[1825] (Lepidoptera, Geometridae). Diplomarbeit. 105 Seite 5 Tafeln, Jena. http://www.naturkunde-chemnitz.de/dateien/Diplarb_Dyscia_Erlacher.pdf [access on 10 September 2013]. Geographic coverage area (in codes): **MA DZ LY TR 42 44 50 AM Eri Cc IR Ak Ab SA TM Kp FR DE IT ES GR Cr CY ...** *[available in Cesa Library]*

Evans,W.H., 1937, A Catalogue of the African Hesperiidae indicating the classification and nomenclature adopted in the British Museum. xii+212 pp., 30 pls. London. Geographic coverage area (in codes): **AO BF BI BJ**

BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW TR *[available in Cesa Library]*

Evans,W.H., 1947, Revisional Notes on African Hesperiidae. Ann. Mag. nat. Hist. (11) 13: 641-648. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW**

Evans,W.H., 1949, A Catalogue of the Hesperiidae from Europe, Asia and Australia in the British Museum (Natural History). London. Geographic coverage area (in codes): **MA DZ TN Cc B-H MK RO RU GR BG TR CY SY LB IL IQ IR GG AZ AM IR AF PK IN ID SL MM TH VN MY AU PH FJ NH NC SB NG** *[available in Cesa Library]*

Evans,W.H., 1955, A revision of the genus Tarucus (Lep., Lycaenidae) of Europe, North Africa and Asia. Entomologist 88: 179-187. Geographic coverage area (in codes): **MA DZ TN Cc GR GG AM AZ TR IR TM PK AF IN** *[available in Cesa Library]*

Ezzine,O., Hammami,S., Dhahri,S. M.L.B.Jamaa, 2016, Contribution to the bio-ecology of Acrobasis consociella (Hübner,1813) (Pyralidae, Phycitinae) in Tunisia. Turk. J. Forestry 17: 44-47, figs. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Ezzine,O., Hammami,S., Hausmann,A., Nouira,S. & M.L.B.Jamaa, 2015, First report of Anacampsis scintillella on Halimium halimifolium in Sejnane (Bizerte, Tunisia). Tunis. J. Pl. Prot. 10: 63-68, figs. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Fabre,J.-P., 1997, Geographical distribution of the tortricid moth Epinotia cedricida (Lepidoptera, Tortricidae) within the natural and artificial ranges of the cedar trees Cedrus atlantica and C.libani. Eur. J. Ent. 94: 485-494, figs. Geographic coverage area (in codes): **FR DZ TR 01 03 05 07 26 31 33 46 48 LB** *[available in Cesa Library]*

Fabricius,J.C., 1775, Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus. 832 pp. Flensburgi et Lipsiae. Geographic coverage area (in codes): **65 Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Fabricius,J.C., [1776], Genera Insectorum. Chilonii. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Faroult,V., 1917, Notes on captures of Algerian and Tunisian Lepidoptera. Novit. zool. 24: 318-322. Geographic coverage area (in codes): **DZ TN** *[available in Cesa Library]*

Farren,W., 1893, On the variation of Papilio machaon. Entomologist's Rec. J. Var. 4: 100-108. Geographic coverage area (in codes): **Cc GB ES PT MA DZ TN CH IT AT PK Ch CN UZ TR CY FR SS HV AL GR MK B-H BE NL LU DK DE PL CZ SK BY RU Sm So Sr Ba Ao Vl At Sh Krl Kmt Ya Ir UA MD NO SE FI EE LT LV IR IQ SA BH QA KW OM AF MN IN Si MT Sa Co Cr Rd SY LB AM GG TM US Kr KG Uk CN Ui Ti SI KP KR** *[available in Cesa Library]*

Fawcett,J.M., 1915, Notes on a collection of Heterocera made by Mr. W.Feather in British East Africa, 1911-1912. Proc. zool. Soc. Lond. 1915: 91-113, 2 Pls. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Fawcett,J.M., 1916, Notes on a collection of Heterocera made by Mr. W.Feather in British East Africa, 1911-1913. Proc. zool. Soc. Lond. 1916: 707-737, Pl.1 Geographic coverage area (in codes): **KE GH** *[available in Cesa Library]*

Fawcett,J.M., 1918, Notes on a collection of Heterocera made by Mr. W.Feather in British East Africa, 1911-1913. Proc. zool. Soc. Lond. 1917: 233-250, 1 Pl. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Fazekas,I., 1993, Eine Revision der westpaläarktischen Unterarten von Crambus perlellus Scopoli,1763 (Lepidoptera, Crambinae). Annln naturh. Mus. Wien 94/95B: 595-502,figs. Geographic coverage area (in codes): **Cc MA PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR JP KP KR GG AM AZ** *[available in Cesa Library]*

Fazekas,I., 1995, Beiträge zur Pterophoriden-Fauna des Balkans und des Karpatenbeckens (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 16(1): 99-113, figs. Geographic coverage area (in codes): **RO AL BG HU IT FR ES DZ MK** *[available in Cesa Library]*

Fazekas,I., 1997, Revision des Nychiodes obscuraria Villers 1789 - Artenkomplexes, mit ergänzenden Angaben zu Nychiodes dalmatina F.Wagner 1909 (Lepidoptera, Geometridae). Ent. rom. 2: 13-44, figs. Geographic coverage area (in codes): **MA DZ Si PT ES IT FR HU CH HV RO BG TR 05 16 17 21 22 33 39 45 65 80** *[available in Cesa Library]*

Fazekas,I., 2003, Federmotten aus der Mongolei, Russland, der Türkei, der Balkanhalbinsel und Afrika mit Beschreibung neuer Arten (Microlepidoptera, Pterophoridae). Folia comloensis 12: 5-24, figs. Geographic coverage area (in codes): **RO AO RU MN HV TR 01 04 06 25 38 58 63** *[available in Cesa Library]*

Felder,C. & R.Felder, 1865-[1867], Reise der Österreichischen Fregatte Novara um die Erde. vi+549 pp., 137 Pls. Wien. Geographic coverage area (in codes): **Cc RU GG AZ AM IR TR SY LB GR BG TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG ID MM MY PH AU NG TW SB NH NC SW FJ KH VN LA BR BO PE EC CO MX ZA CR** *[available in Cesa Library]*

Felder,C., Felder,R. & A.F.Rogenhofer, 1864-[1875], Reise der Österreichischen Fregatte Novara um die Erde. (2) (Atlas) 20 pp.+ 140 Pls. Wien. Geographic coverage area (in codes): **Cc RU GG AZ AM IR TR SY LB GR BG TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG ID MM MY TH PH AU NG TW SB NH NC SW FJ KH VN LA BR BO PE EC CO MX ZA CR** *[available in Cesa Library]*

Fernald,C.H., 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE**

FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF ZA CM SW JP US

Fernandez Vidal,E.H., 1981, Aportacion al conocimiento sobre la distribucion de Euchloe belemia hesperidum Rothschild (Lep., Pieridae) en la Isla de Gran Canaria. Shilap 9(36): 253-259. Geographic coverage area (in codes): **Cn**

Fernandez Vidal,E.H., 1986, Notas sobre Rhopaloceras de Tejeda, Gran Canaria (Islas Canarias). Shilap 14(54): 33-42. Geographic coverage area (in codes): **Cn**

Fernandez,J.M., 1970, Los Lepidopteros diurnos de las Islas Canarias. Aula de cultura, Santa Cruz de Tenerife. Geographic coverage area (in codes): **ES Cn**

Fernandez-Rubio,F., 1991, Guia de Mariposas Diurnas de la Peninsula Ibérica, Baleares, Canarias, Azores y Madeira. 824pp. 2 vols. pls., maps. Geographic coverage area (in codes): **ES Abr Act Ag Alc Alm Alv An Atu Av B-I Bad Bar Bb Bgs Bg C-L C-M CRe Cas Ccs Cd Cl Cn Cor Cs Ct Cue Cz Ex For Fv Gc Gi Gna Gp Grn Hi Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Nrr Ore Ov Peu Ple Pv Rio Seg Sma Snv Sor Sul Ter Tol Trg Val Vcl Vit Zg Zm**

Fibiger,M. & D.Agassiz, 2001, Araeopteron ecphaea, a small noctuid moth in the West Palaearctic (Noctuidae, Acontiinae). Nota lepid. 24 (1/2): 29-36, 6 figs. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Cc Da BY UA RO YU MK HV AT HU IT AL BG GB TR 01** *[available in Cesa Library]*

Fibiger,M. & H.Hacker, 2002, The Eublemma Hübner,[1821] species of Yemen with description of ten new species (Lepidoptera, Noctuidae, Eublemminae) (Part 1). Esperiana 9: 481-510, Pls.24,25. Geographic coverage area (in codes): **YE SA ZA IR Fa** *[available in Cesa Library]*

Fibiger,M. & H.Hacker, 2007, Noctuidae Europaeae vol.9: Amphipyrinae, Condicinae, Eriopinae, Xyleninae (part). 410pp. Pls. Soro. Geographic coverage area (in codes): **MA DZ TN Cn ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR Cc SY GG AZ AM KG CN IR AF PK IN Ch Ui Sz Ts JP Hkk CA US NP** *[available in Cesa Library]*

Fibiger,M. & J.D.Lafontaine, 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. Esperiana 11: 7-92. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Fibiger,M., 1990, Noctuidae Europaeae vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro. Geographic coverage area (in codes): **Cc MA DZ TN LY EG Cn Az PT ES Co Sa Si FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR DK EE LV LT RU UA BY LB IR IQ TR GG AZ AM 06 42 58 65** *[available in Cesa Library]*

Fibiger,M., 1992, Autophila libanotica osthelderi Boursin,1940 and Characoma nilotica (Rogenhofer,1882) new to Europe (Lepidoptera, Noctuidae, Catocalinae, Ophiderinae). Nota lepid. 14 (4): 297-301, figs. Geographic coverage area (in codes): **GR Cr TR 38 46 58 IR Elb Kdv EG** *[available in Cesa Library]*

Fibiger,M., 1993, Noctuidae Europaeae vol.2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro. Geographic coverage area (in codes): **Cc MA DZ TN LY EG Cn Az PT ES Co Sa Si FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY LB IR IQ TR GG AZ AM 06 65** *[available in Cesa Library]*

Fibiger,M., 2011, Revision of the Micronoctuidae (Lepidoptera, Noctuoidea) Part 4. Taxonomy of the subfamilies Tentaxinae and Micronoctuinae. Zootaxa 2842: 1-188, figs. Geographic coverage area (in codes): **YE IL Pa Sms Rd Cr CY OM IN IR Fa Kd Lo Oru JO SA TR NG TZ MY Bor KBa BN TH LA KH VN RU Us KP KR JP TW CN Fkn Hn Yu PH Luz Ley Pal PK AF Ch PG SB NH NP ID Sum Bli Ja Clb LK** *[available in Cesa Library]*

Fiedler,K., 1991, European and North African Lycaenidae (Lepidoptera) and their associations with Ants. J. Res. lepid. 28 (4): 239-257. Geographic coverage area (in codes): **ES FR DE DK NL BE LU CH AT IT MA DZ TN YU SS B-H HV MK HU CZ SK PL RU NO SE FI RO BG GR GB** *[available in Cesa Library]*

Fiedler,K., 1991, Systematic, evolutionary, and ecological implications of myrmecophily within the Lycaenidae (Insecta, Lepidoptera, Papilionoidea). Bonner zool. Monogr. 31: 1-210. Geographic coverage area (in codes): **ES FR DE DK NL BE LU CH AT IT MA DZ TN YU SS B-H HV MK HU CZ SK PL RU NO SE FI RO BG GR GB**

Fischer,H. & S.Lewandowski, 2004, Neue taxonomische Erkenntnisse der zyprischen Geometridae (Lepidoptera, Geometridae, Ennominae). Atalanta 35 (1/2): 127-132, figs. Geographic coverage area (in codes): **CY TR 07 LY Cy GR** *[available in Cesa Library]*

Fischer,H., 2006, A new tribe, genus and species of clearwing moths from the Afrotropical Regions (Lepidoptera, Sesiidae, Sesiinae). Atalanta 37 (1/2): 219-224, figs. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Fischer,H., 2007, Eine neue Gattung mit einer neuen Art Rubukona svetlanae gen. et spec. nov. in der Tribus Paranthrenini Niculescu,1964 aus der afrotropischen Region (Lepidoptera, Sesiidae, Paranthreinini). Atalanta 38 (3/4): 361-364, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Fischer,H., Saidaitis,A. & P.Ivinskis, 2007, Eine neue Art der Gattung Eremobastis Perez-Lopez & Morente-Benitez,1996 von der Kanareninsel Los Lobos (Lepidoptera, Noctuidae). Atalanta 38 (3/4): 377-380, figs. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Fison,L.M., 1931-1932, Notes on Algerian butterflies with special reference to some localities in Kabylia. Entomologist's Rec. J. Var. 43 (11): 166-167; 44 (1): 7-8, 58-60. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Fison,L.M., 1932, The spring of 1931 in Kabylia. Entomologist's Rec. J. Var. 44: 74-77, 90-93. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Fison,L.M., 1933, Further notes from Kabylia. Entomologist's Rec. J. Var. 45 (3): 45-46. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Fletcher,D.S. 1958, Geometridae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952. Volume I (6): 77-176, figs., London. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Fletcher,D.S. & I.W.B.Nye, 1982, Bombycoidea, Castnioidea, Cossoidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., The Generic Names of Moths of the World vol.4. xiv+192 pp., 1 frontispiece, London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Fletcher,D.S. & I.W.B.Nye, 1984, Pyraloidea. [In] Nye, I.W.B., The Generic Names of Moths of the World. vol.5. xv+185pp., London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Fletcher,D.S., 1956, Spodoptera mauritia (Boisduval) and S.triturata (Walker), two distinct species. Bull. ent. Res. 47: 215-217, Pl. Geographic coverage area (in codes): **MU MG TZ SD ER ET SO IN MM TH CN LK MY AU SB NH FJ SW FP HW DJ KE UG ZR ZA** *[available in Cesa Library]*

Fletcher,D.S., 1956, New species of African Geometridae, Part I & II. Proc. R. ent. Soc. Lond. (B) 25 (1/2): 29-34, (3/4): 35-42, Pls. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Fletcher,D.S., 1958, Arctiidae, Nolinae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952. Volume I (4): 55-67, figs., London. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Fletcher,D.S., 1959, Three new species of Heterocera from Northern Ethiopia. Entomologist 92: 45-48, 9 figs. Geographic coverage area (in codes): **ET**

Fletcher,D.S., 1961, Noctuidae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952. Volume I (7): 177-323, 325 figs., London. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Fletcher,D.S., 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XIV. Lepidoptera Geometridae. Annln naturh. Mus. Wien 66: 469-470. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Fletcher,D.S., 1967, A Revision of the Ethiopian Species and a Check List of the World Species of Cleora (Lepidoptera, Geometridae). Bull. Br. Mus. (Nat. Hist.) Ent. Suppl. 8: 3-119, 14 textfigs, 14 Pls., 9 Maps. Geographic coverage area (in codes): **TR AC AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA Nta Tva Lpo Spb ZM ZR ZW** *[available in Cesa Library]*

Fletcher,D.S., 1968, Cossidae, Metarbelidae, Psychidae, Limacodidae, Drepanidae, Uraniidae, Lasiocampidae, Eupterotidae, Bombycidae, Saturniidae, Sphingidae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952. Volume I (8): 325-369, 87 figs., London. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Fletcher,D.S., 1974, A Revision of the Old World Genus Zamarada (Lepidoptera, Geometridae). Bull. Br. Mus. (Nat. Hist.) Ent. Suppl. 22: 1-498, 452 figs., 123 Pls., 5 Maps. Geographic coverage area (in codes): **IR AF PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA Lpo Tva Nta Spb MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU JP DZ MA TN LY EG** *[available in Cesa Library]*

Fletcher,D.S., 1979, Geometridae. [In] Nye,I.W.B. The Generic Names of Moths of the World. vol. 3, xx+243 pp. 2 frontispieces, London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Fletcher,T.B., 1929, A list of the generic names used for Microlepidoptera. Mem. Dep. Agric. India ent. Ser. 11: ix + 244pp. Calcutta. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF ZA CM SW JP US** *[available in Cesa Library]*

Forbes,T.M., 1955, The subdivision of the Eupterotidae (Lepidoptera). Tijdschr. Ent. 98: 85-132, figs. Geographic coverage area (in codes): **NA AO ZA SL CI GH NG NE CM ZR CG SD ZW ZM BW MW UG KE ET SO TZ MZ MG IN LK BD PK BT MM TH MY VN TW CN Yu NP PH AU FJ ID PG SB** *[available in Cesa Library]*

Ford,E.B., 1924, The geographical races of Heodes phlaeas L. Trans. ent. Soc. London 1923: 692-743, pl.liv. Geographic coverage area (in codes): **TR DZ CN Ti Ui IN JP T-S NO RU** *[available in Cesa Library]*

Ford,E.B., 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. Proc. R. ent. Soc. Lond. (A) 19: 92-106. Geographic coverage area (in codes): **Cc ES FR GB AT IT DE NL DK PL RU RO YU BG TR GR CH HU CZ SL GG AM AZ KK KG UZ TJ TM IR CN PK AF IN TH PH AU UA US ET SA JO IL LB SY IQ NO FI SE AL MK** *[available in Cesa Library]*

Forster,W., 1938, Das System der palaearktischen Polyommatini (Lep., Lycaen.). Mitt. münch. ent. Ges. 28: 97-118, 395. Geographic coverage area (in codes): **MA DZ TN ES FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG TM UZ TJ AF PK CN Ui IN Ch KK KG RU** *[available in Cesa Library]*

Forster,W., 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XI. Lepidoptera Rhopalocera. Annln naturh. Mus. Wien 66: 457-458. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Fountaine,M., 1906, Algerian butterflies in the spring and summer of 1904. Entomologist 39: 84-89, 107-109. Geographic coverage area (in codes): **DZ Tlm Sbd Ktr Bsk** *[available in Cesa Library]*

Fountaine,M.E., 1911, Descriptions of some hitherto unknown or little known larvae and pupae of South African Rhopalocera with notes on their life-histories. Trans. ent. Soc. Lond. 1911: 48-61, pl.ix. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Fracker,S.B., 1915, The Classification of lepidopterous larvae. Illinois biol. Monogr. 2: 1-169, 112 figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68**

Freierabend,D., 1989, Erstfund von Hypolimnas misippus (Linnaeus,1764) auf La Gomera (Kanarische Inseln). Atalanta 19: 51-52. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Freina,J.J.de & T.J.Witt, 1983, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Stoermeriana gen. nov., eine neue Gattung der Familie Lasiocampidae (Lepidoptera, Lasiocampidae IV). Mitt. münch. ent. Ges. 73: 15-22, figs. Geographic coverage area (in codes): **ES MA SA IL Pa JO OM** *[available in Cesa Library]*

Freina,J.J.de & T.J.Witt, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas (Lepidoptera, Noctuoidea: Nolidae I). Nota lepid. 7 (2): 132-142, 3 Abb. Geographic coverage area (in codes): **ES MA DZ FR IT Co HU JP** *[available in Cesa Library]*

Freina,J.J.de & T.J.Witt, 1986, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München. Geographic coverage area (in codes): **Cc PT ES AD LU BE DE DK PL IT AT DZ MA TN LY EG IL LB TR SY IQ IR AZ AM GG RU RO YU HU CZ SK SL HV CH MK GR BG GB NO FI SE CY JO AL UA BY MD** *[available in Cesa Library]*

Freina,J.J.de & T.J.Witt, 1988, Stoermeriana omana sp.n., eine bisher unbekannte Lasiocampidae-Art aus Südarabien (Lepidoptera, Lasiocampidae). Mitt. münch. ent. Ges. 78: 187-190, figs. Geographic coverage area (in codes): **OM ET** *[available in Cesa Library]*

Freina,J.J.de & T.J.Witt, 1990, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München. Geographic coverage area (in codes): **Cc PT ES AD LU BE DE DK PL IT AT DZ MA TN LY EG IL LB TR SY IQ IR AZ AM GG RU RO YU HU CZ SK SL HV CH MK GR BG GB NO FI SE CY JO AL UA BY MD** *[available in Cesa Library]*

Freina,J.J.de & T.J.Witt, 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München. Geographic coverage area (in codes): **Cc PT ES AD LU BE DE DK PL IT AT DZ MA TN LY EG IL LB TR SY IQ IR AZ AM GG RU RO YU HU CZ SK SL HV CH MK GR BG GB NO FI SE CY JO AL UA BY MD** *[available in Cesa Library]*

Freina,J.J.de & T.J.Witt, 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München. Geographic coverage area (in codes): **Cc PT ES AD LU BE DE DK PL IT AT DZ MA TN LY EG IL LB TR SY IQ IR AZ AM GG RU RO YU HU CZ SK SL HV CH MK GR BG GB NO FI SE CY JO AL UA BY MD** *[available in Cesa Library]*

Freina,J.J.de, 1975, Ein Beitrag zur Schmetterlingsfauna von Spanien und Marokko unter Berücksichtigung der Wanderfalter. Atalanta 6(1): 35-49. Geographic coverage area (in codes): **MA ES** *[available in Cesa Library]*

Freina,J.J.de, 1989, Beitrag zur Bombyces- und Sphinges-Fauna Algeriens und Tunesiens. Ergebnisse einer Frühjahrsexkursion mit supplementärer Auflistung der Rhopaloceren- und Noctuiden-Nachweise (Insecta, Lepidoptera). Entomofauna 10 (6): 73-94, 10 Abb. Geographic coverage area (in codes): **DZ Dja Bsk Dje Cst Ktr Btna TN** *[available in Cesa Library]*

Freina,J.J.de, 2003, Zur Kenntnis der Biologie, Morphologie und Taxonomie von Heterogynis andalusica Daniel,1966 sowie ergänzenden Bemerkungen zum Status von Heterogynis thomas Zilli,1987 stat.nov. (Lepidoptera, Zygaenoidea, Heterogynidae). Atalanta 34 (1/2): 179-192, pls.xv-xix. Geographic coverage area (in codes): **ES IT MA** *[available in Cesa Library]*

Freina,J.J.de, 2003, Heterogynis jellaba spec.nov. und Heterogynis rifensis spec.nov., zwei neue nordafrikanische Heterogynis Arten aus Marokko mit ergänzenden Bemerkungen zum Verbreitungsbild und Artenspektrum der Gattung Heterogynis Rambur,1837 (Heterogynidae). Atalanta 34 (1/2): 193-208, Pl.xvi-xix. Geographic coverage area (in codes): **MA IT ES FR DZ** *[available in Cesa Library]*

Freina,J.J.de, 2008, Beschreibung von Cabomina gen.n., Cabomina monicae sp.n. und Cabomina dracomontana sp.n. aus Südafrika (Lepidoptera, Sesiidae, Sesiinae, Osminiini). Nachr. ent. Ver. Apollo (n.f.). 29 (3): 163-169, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Freina,J.J.de, 2008, Bemerkungen zu südafrikanischen Syntominae mit Beschreibung der Gattung Hampsonata gen.nov. und H.natalithala spec. nov. (Lepidoptera, Arctiidae, Syntominae, Syntomini). Mitt. münch. ent. Ges. 98: 13-20, figs. Geographic coverage area (in codes): **ZA Kzu Nta TZ**

Freina,J.J.de, 2011, Vier neue Sesiiden und eine unbestimmte Homogyna-Art aus dem südlichen Afrika (Lepidoptera, Sesiidae, Osminiini, Sesiini). Nachr. ent. Ver. Apollo (n.f.). 31 (4): 211-218, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Freina,J.J.de, 2011, Noctusphecia puchneri gen. et sp.n., eine neue Gattung und nachtaktive Glasflüglerart aus Tansania (Lepidoptera, Sesiidae, Sesiinae, Osminiini). Nachr. ent. Ver. Apollo (n.f.). 32 (1/2): 48-50, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Freina,J.J.de, 2011, Neue Arten der Gattung Thyranthrene Hampson,1919 aus Südafrika (Lepidoptera, Sesiidae, Paranthrenini). Nachr. ent. Ver. Apollo (n.f.) 32 (1/2): 51-56, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Fric,Z. & V.Hula, 2013, Zizula hylax (Fabricius,1775) new butterfly species for Sokotra (Lepidoptera, Lycaenidae). Shilap Revta lepid. 41 (164): 571-575. Geographic coverage area (in codes): **Sk** *[available in Cesa Library]*

Friese,G., 1959, Dysauxes punctata (F.) und famula (FRR.) und ihre Rassenkreise (Lep., Syntomidae). Dt. ent. Z. (N.F.) 6(1/3): 251-259, 2 Abb. Geographic coverage area (in codes): **Cc GG CN RU HU IT CH TR DZ ES TM IR GR IL SY LB AZ RO MK** *[available in Cesa Library]*

Fruhstorfer,H., 1894, Ein neuer Tagfalter aus Deutsch-Neu-Guinea. Berl. ent. Z. 39: 248, Taf.XVII. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Fruhstorfer,H., 1918, Revision der Gattung Castalius auf Grund der Morphologie der Generationsorgane. Tijdschr. Ent. 61: 17-44, Taf.4,5. Geographic coverage area (in codes): **PG IN LK SI MM Ass PH Pal ID Sum Ja Clb MY ET SL** *[available in Cesa Library]*

Fröhlich,F., 1828, Enumeratio Tortricum Würtembergiae. Dissert. Inaug. 102pp. Tübingae. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG**

Fuessly,J.C., 1781-1786, Archiv der Insektengeschichte. Heft 1-8, 50 Tafeln. Zürich u. Winterthur. Geographic coverage area (in codes): **MA DZ TN ES FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG TM UZ TJ AF PK CN Ui IN Ch KK KG RU** *[available in Cesa Library]*

Gabriel,A.G., 1937, Lepidoptera Butterflies, [in] Buxton, Insects of the Lake Rudolf Rift Valley Expedition,1934. Ann. Mag. nat. Hist. (10) 20: 584-586. Geographic coverage area (in codes): **KE ET SD SO UG** *[available in Cesa Library]*

Gabriel,A.G., 1939, Rhopalocera. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1934-5. Volume III (3): 51-95, pls. v-viii, London. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Gabriel,A.G., 1949, Notes on the Rhopalocera of Abyssinia. Proc. R. ent. Soc. Lond. (B) 18 (11/12): 207-216, 1 Pl. Geographic coverage area (in codes): **ET ER** *[available in Cesa Library]*

Gaede,M., 1923, Alte und neue Arctiinae des Berliner Zoologischen Museums. Ent. Rdsch. 40: 14-15, 19-20, 27-29. Geographic coverage area (in codes): **ET**

Gaede,M., 1926, Familie Arctiidae, Subfamilien Hypsinae, Micrarctiinae, Spilosominae etc. In Seitz,A., Gross-Schmett. Erde 14: 88-122. Tafeln, Stuttgart. Geographic coverage area (in codes): **DZ MA TN LY EG IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC Myt KM SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW**

Gaede,M., 1930, Familie Satyridae. Gattungen: Melanargia Meigen- Triphysa Z. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 153-179. Stuttgart. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG CN JP AF PK IN Ch** *[available in Cesa Library]*

Gaede,M., 1930, Familie Nymphalidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 196-227. Stuttgart. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG CN JP AF PK IN Ch** *[available in Cesa Library]*

Gaede,M., 1930, Familie Lycaenidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 239-249. Stuttgart. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG CN JP AF PK IN Ch** *[available in Cesa Library]*

Gaede,M., 1931, Drepanidae. [in] Strand,E., Lepidopterorum Catalogus Pars 49. 60pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Gaede,M., 1932, Aganaidae. [in] Strand,E., Lepidopterorum Catalogus Pars 52. 39pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **PH ZR SB PG MG IN LK SL ZA MM TH SI ID AU MY SG CN NH TW FJ TZ GN CM UG BW KE** *[available in Cesa Library]*

Gaede,M., 1932, Familie Lasiocampidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart. Geographic coverage area (in codes): **Cc SS HV YU RO BG AL GR B-H MK TR CY SY LB IL EG IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Gaede,M., 1937, Gelechiidae [in] Bryk,F., Lepidopterorum Catalogus. Pars 79, 630pp. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Gaede,M., 1938-1939, Oecophoridae [in] Bryk,F., Lepidopterorum Catalogus. Pars 92, 209-476pp. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE**

UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I *[available in Cesa Library]*

Gaedike,R. & R.Mally, 2014, On the taxonomic status of Ochromolopis ictella (Hübner,1813) and O.zagulajevi Budashkin & Sachkov,1991 (Lepidoptera, Epermeniidae). Nota lepid. 37 (1): 49-62, figs. Geographic coverage area (in codes): **MR ES FR Co ME MK AT CH CZ SK DK PL FI DE IT AL BG GR UA Cm GG AZ AM Eri Cc IR Elb Kdj Ss KG MN RU At TR 04 25 33 44 50 55 77** *[available in Cesa Library]*

Gaedike,R., 1974, Revision der paläarktischen Douglasiidae (Lepidoptera). Acta faun. ent. Mus. Nat. Pragae 15 (176): 79-102, 69 figs. Geographic coverage area (in codes): **TN ES FR DE AT IT YU B-H MK BG GR TR RU RO IR IL Pa AF** *[available in Cesa Library]*

Gaedike,R., 1976, Die Epermeniidae der äthiopischen Region (Lepidoptera). Beitr. Ent. 26 (2): 451-454, 11 figs. Geographic coverage area (in codes): **ZR UG Rz ZA Gau Pre ZW** *[available in Cesa Library]*

Gaedike,R., 1986, Die Typen der orientalischen, australischen und äthiopischen Acrolepiidae (Lepidoptera) Beitr. Ent. 36: 63-68. Geographic coverage area (in codes): **ZA Gau Tva Nta Kzu UG LK TH CMa CN IN Ass AU HW** *[available in Cesa Library]*

Gaedike,R., 1989, Was ist Tinea opimella Denis & Schiffermüller,1775 ? (Lepidoptera). Nota lepid. 12 (3): 172-174. Geographic coverage area (in codes): **MA ES FR Co IT DE CH AT PL CZ SK HU YU HV MK AL FI RU** *[available in Cesa Library]*

Gaedike,R., 2004, New genera and species of Epermeniid moths from the Afrotropical Region (Lepidoptera, Epermeniidae). Ann. Transv. Mus. 41: 41-59, figs. Geographic coverage area (in codes): **ZA Ec Wca Gau Pre Wv Tva Mpu Brb ZW TZ MG MW UG ZR** *[available in Cesa Library]*

Gaedike,R., 2007, New and poorly known Lepidoptera from the West Palaearctic (Tineidae, Acrolepiidae, Douglasiidae, Epermeniidae). Nota lepid. 29 (3/4): 159-176, figs. Geographic coverage area (in codes): **TR 29 33 36 48 51 GR CY AF ES Cn B-I MA** *[available in Cesa Library]*

Gaedike,R., 2010, New and poorly known Palaearctic Microlepidoptera (Tineidae, Acrolepiidae, Douglasiidae, Epermeniidae). Nota lepid. 33 (1): 9-24, figs. Geographic coverage area (in codes): **LB ES Cn FR Co Sa Cr GR TR 32 35 42 CY RU RO AD HU PT IR** *[available in Cesa Library]*

Gaedike,R., 2011, New and poorly known Tineidae from the Western Palaearctic (Lepidoptera). Beitr. Ent. 61 (2): 357-370, figs. Geographic coverage area (in codes): **GR Rd TR 01 29 46 48 FR Co RO BG TN TJ IR Fa HV Cn PT ES** *[available in Cesa Library]*

Gaedike,R., 2013, New or poorly known Epermeniidae of the Afrotropis (Lepidoptera, Epermenioidea). Beitr. Ent. 63 (1): 149-168, 105 figs.; correction: Gaedike,R., 2017, ibidem 67 (2): 353-354, pls. Geographic coverage area (in codes): **ZA KE TZ NA ZR** *[available in Cesa Library]*

Gaedike,R., 2015, Tineidae I, [in] Nuss,M. et al. (ed.), Microlepidoptera of Europe. xxviii+308 pp. Brill, Leiden & Boston. Geographic coverage area (in codes): **Cc MA DZ Dhm Bsk MA Ouk TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR GG AZ AM RU** *[available in Cesa Library]*

Ganev,J., 1987, On Crambidae in the collection of the Copenhagen Museum (Lepidoptera, Pyraloidea). Entomofauna 8 (4): 41-52, figs. Geographic coverage area (in codes): **LY GR ES YU RU SA IN Up Ui Vv Ch TR 05 BG Cn** *[available in Cesa Library]*

Gardiner,A., 2003, New species of Lepidochrysops Hedicke (Lepidoptera, Lycaenidae) from north-western Zambia. Metamorphosis 14 (1): 15-32, figs. Geographic coverage area (in codes): **ZM** *[available in Cesa Library]*

Gardiner,A., 2004, New species of Lepidochrysops Hedicke (Lepidoptera, Lycaenidae) from north-western Zambia. Metamorphosis 15 (4): 156-164, figs. Geographic coverage area (in codes): **ZM** *[available in Cesa Library]*

Gardiner,A.J., 2010, Additional butterfly records for Zambia and changes in the taxonomic status of a few species. Metamorphosis 21 (4): 142-155. Geographic coverage area (in codes): **ZM** *[available in Cesa Library]*

Gardiner,A.J., 2013, Description of a new species of Erikssonia Trimen,1891 (Lepidoptera, Lycaenidae) from the Democratic Republic of Congo. Metamorphosis 23: 22-25, figs. Geographic coverage area (in codes): **ZR AO ZA** *[available in Cesa Library]*

Geertsema,H., 1998, Studies on African zygaenoid moths (Lepidoptera, Zygaenoidea): The genus Psycharium Herrich-Schäffer, with descriptions of four new species (Somabrachyidae). S. Afr. J. Zool. 33 (4): 210-225, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Geertsema,H., 2000, Studies on African zygaenoid moths (Lepidoptera, Zygaenoidea): descriptions of final instar larvae of Psycharium pellucens, P.montanum and Psycharium sp.A, with notes on the larva of P.barnardi and Somabrachys (Somabrachyidae). African Zool. 35 (1): 99-113, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Geertsema,H., 2001, Studies on African zygaenoid moths (Lepidoptera, Zygaenoidea): adult morphology of Psycharium montanum (Somabrachyidae). African Zool. 36 (2): 153-161, 28 figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Gehlen,B., 1932, Familie Sphingidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 137-166. Stuttgart. Geographic coverage area (in codes): **Cc SS HV YU RO BG AL GR B-H MK TR CY SY LB IL EG IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Gehlen,B., 1934, Neue afrikanische und asiatische Sphingiden. Ent. Z., Frankf. a. M. 48 (8): 59-62, 4 figs. Geographic coverage area (in codes): **AET TR**

Genre,C., 1984, Rhopaloceres de la République de Djibouti [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 70-80. Geographic coverage area (in codes): **DJ** *[available in Cesa Library]*

Gershenson,Z.S. & S.A.Ulenberg, 1998, The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas. Kon. Ned. Akad. Weten. Verh. Afd. Naturk. 1998: 1-202. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ**

Gerstaecker,A., 1871, Beitrag zur Insektenfauna von Zanzibar. Archiv f. Naturg. 1871(1): 345-363. Geographic coverage area (in codes): **TZ ET**

Gess,F.W., 1967, Poliana natalensis (Butl.) and P. oheffernani sp.n., two hitherto confused hawkmoths (Lepidoptera, Sphingidae) from South Africa. Novos Taxa Ent. 54: 1-10, figs. Geographic coverage area (in codes): **ZA Wca Cto Nta Kzu** *[available in Cesa Library]*

Gibeaux,C., 1983, Dichrorampha letarfensis sp.nov. (Lep., Tortricidae). Alexanor 13: 74-75. Geographic coverage area (in codes): **DZ MA TN** *[available in Cesa Library]*

Gibeaux,C., 1985, Scythris elegantella (Lucas,1955), comb.nov.,= Scythris limbelloides Jäckh,1977, syn.nov. (Lep., Scythrididae). Alexanor 14 (1): 22-23, 6 figs. Geographic coverage area (in codes): **ES MA** *[available in Cesa Library]*

Gibeaux,C., 1987, Etude des Pterophoridae paléarctiques (6.note) Stenoptilia arida (Zeller,1847), stat.rev., bona species et sa synonymie; Stenoptilia scabiodactyla (Gregson,1869), stat.rev., bona sp. en France (Lepidoptera, Pterophoridae). Alexanor 15 (1) Suppl.: [38]-[44], figs. Geographic coverage area (in codes): **Cn MA DZ TN ES FR Co Sa Si IT HV GR Cr BG TR IR Ak Gh Elb Mz Gor Cc AM JO CY IL Pa Js TM Kp AF Kab YE Sna** *[available in Cesa Library]*

Gielis,C., 1986, Agdistis arenbergeri sp.n. from South Africa. Ent. Ber., Deel. 46: 48-51, figs. Geographic coverage area (in codes): **ZA**

Gielis,C., 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Gielis,C., 1996, Pterophoridae, [in] Huemer,P., Karsholt,O. & L.Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup. Geographic coverage area (in codes): **AL DZ AT BE BG Cn Md CZ DK EG FI FR GB DE HU GR IE IC IL IT LY MA NL NO PT RO CY RU SE SK ES CH TR TN YU MK B-H HV SS UA BY IR Kd 13 25 29 33 38 42 50 58 65** *[available in Cesa Library]*

Gielis,C., 2003, Pterophoroidea and Alucitoidea (Lepidoptera). World Catalogue of Insects 4, 198pp. Apollo Books, Stenstrup. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Gilbert,P., 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW** *[available in Cesa Library]*

Gilligan,T.M. & D.J.Wright, 2013, Revised world catalogue of Eucopina, Eucosma, Pelochrista, and Phaneta (Lepidoptera, Tortricidae, Eucosmini). Zootaxa 3746 (2): 301-337. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC 06 35 42 76C** *[available in Cesa Library]*

Goater,B., 2003, Evergestis pechi (Bethune-Baker,1885) in southern Spain. A new species for Spain and Europe (Lepidoptera, Pyralidae, Evergestinae). Shilap Revta. lepid. 31 (123): 225-228, fig. Geographic coverage area (in codes): **ES JO DZ** *[available in Cesa Library]*

Godart,J.B., 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp.329-828 [1824]. Paris. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I**

Godman,F.D., 1885, A list of the Lepidoptera collected by H.H.Johnston during his recent expedition to Klima-njaro. Proc. zool. Soc. Lond. 1885: 537-541. Geographic coverage area (in codes): **TZ Kmj** *[available in Cesa Library]*

Goeze,J.A.E., 1781, Entomologische Beytraege zu des Ritter Linné zwölften Ausgabe des Natursystems 3: 1-439. Geographic coverage area (in codes): **Cc PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR IR GB GG AM AZ CY SY LB IL SA SD SO ER ET DJ YE IQ IR TM TJ KK KG UZ IN PK AF ID TW PH FJ SB NC NH AU MM MY SG TH** *[available in Cesa Library]*

Goftishu,M., Seid,A. & N.Dechassa, 2014, Occurence and population dynamics of Tomato Leaf Miner [Tuta absoluta (Meyrick, Lepidoptera, Gelechiidae] in eastern Ethiopia. East Afr. J. Sci. 8 (1): 59-64. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Goldbach,G., 1993, Schmetterlingsarten aus dem Gebiet von Moatize/Moçambique (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 14(1): 71-80, 5 Abb. Geographic coverage area (in codes): **MZ** *[available in Cesa Library]*

Gomboc,S., 1993, Mellicta britomartis Assmann 1847 (Nymphalidae) najdena tudi v Prekmurju. [Eine neue Lokalität von Mellicta britomartis Assmann 1847 (Nymphalidae) im Prekmurje/Murgebiet]. Acta ent. Slovenica 1: 37-40. Geographic coverage area (in codes): **SL**

Gomboc,S., 1993, Apamea sicula syriaca (Osthelder, 1993) (Lep., Noctuidae), nova vrsta za slovensko favno metuljev, najdena v Prekmurju. [Apamea sicula syriaca (Osthelder, 1993) (Lep., Noctuidae) neu für Slowenien, im Prekmurje/Murgebiet]. Acta ent. Slovenica 1: 41-42. Geographic coverage area (in codes): **SL**

Gomboc,S., 1996, Vier weitere Neufunde für die Grossschmetterlingsfauna Sloweniens. Acta ent. Slovenica 4(2): 101-105. Geographic coverage area (in codes): **SL**

Gooch,W.D., 1880-1881, Notes on the Lepidoptera of Natal. Entomologist 13: 226-231, 273-276; 14: 1-7, 35-40. Geographic coverage area (in codes): **ZA Nta Kzu**

Goodger,D.T. & A.Watson, 1995, The Afrotropical Tiger-Moths. An illustrated catalogue, with generic diagnoses and species distribution, of the Afrotropical Arctiinae (Lepidoptera, Arctiidae). 65pp. 198 figs. Apollo Books, Stenstrup. Geographic coverage area (in codes): **ER ET SD SO KE UG TZ ZA ZR YE** *[available in Cesa Library]*

Gorbunov,O.G., 2015, Contributions to the study of the Ethiopian Lepidoptera I. The genus Melittia Hübner,1819 ["1816"] (Lepidoptera, Sesiidae) with description of a new species. Zootaxa 4033 (4): 543-554, figs. Geographic coverage area (in codes): **ET Kfa Oro Sw MW ZA MZ TZ SO** *[available in Cesa Library]*

Gozmany,L., 1978, Lecithoceridae, [in] Amsel,H.G., Gregor,F. & H.Reisser, Microlepidoptera Palaearctica vol.5 (text & plates), xxviii + 1-306 pp. Verlag Georg Fromme & Co. Wien. Geographic coverage area (in codes): **MA DZ TN LY EG SD PT ES IT Sa Co Si AT FR YU GR BG MK RO CZ HU YU B-H AL DE Bw TR 05 06 07 16 33 34 35 38 39 42 46 51 77 Cc AM AZ GG UA CY SY IL Pa IQ IR Fa AF PK TJ UZ TM KG NP CN Yu Sz Fkn SI IN RU MM ZA PH TW** *[available in Cesa Library]*

Gozmany,L.A. & L.Vari, 1973, The Tineidae of the Ethiopian Region. Transvaal Mus. Mem. 18: 1-238, figs. Pretoria. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA Cap Ec Fs Tva Nta Gau Pre ZM ZR ZW** *[available in Cesa Library]*

Gozmany,L.A., 1955, Notes on some Hungarian Gelechioidea and Coleophoridae. Ann. hist.-nat. Mus. natn. hung. 47: 307-320, figs. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Gozmany,L.A., 1960, New and rare Tineids from the Palaearctic Region and one from Ethiopia (Lepidoptera). Acta zool. hung. 6 (1/2): 103-115, 6 figs. Geographic coverage area (in codes): **ES HV HU TN IL MA ET GR** *[available in Cesa Library]*

Gozmany,L.A., 1960, The results of the zoological collecting trip to Egypt in 1957, of the Natural History Museum, Budapest. 8. Egyptian Microlepidoptera II. Ann. hist.-nat. Mus. natn. hung. 52: 411-421, figs. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Gozmany,L.A., 1961, The description of some new symmocid taxa (Lepidoptera, Gelechiidae). Acta zool. hung. 7: 97-110, figs. Geographic coverage area (in codes): **TR 33 42 65 ES GR Cr MR** *[available in Cesa Library]*

Gozmany,L.A., 1963, The family Symmocidae and the description of new taxa mainly from Near East (Lepidoptera). Acta zool. hung. 9: 67-134, 71 figs. Geographic coverage area (in codes): **TR 65 IR Fa SY Dms DZ Bsk EG CY LB Bei ES IQ Bgd SA Sa AF** *[available in Cesa Library]*

Gozmany,L.A., 1965, Some collections of Tineid Moths from Africa (Microlepidoptera). Acta zool. hung. 11: 253-294, figs. Geographic coverage area (in codes): **ET SD**

Gozmany,L.A., 1965, On the genus Apiletria Lederer,1855 (Lepidoptera, Symmocidae). Acta zool. Acad. Sci. Hung. 11 (1/2): 101-120, 16 figs. Geographic coverage area (in codes): **DZ TN LY EG IL Pa JO IQ LB SY TR IR AF PK SA CY** *[available in Cesa Library]*

Gozmany,L.A., 1965, Tineid moths collected by Dr. J. Szunyoghy in Tanganyika in 1960 (Lepidoptera). Ann. hist.-nat. Mus. natn. hung. 57: 413-421, 10 figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Gozmany,L.A., 1967, Perissomastix varii spec. nov. (Lepidoptera, Tineidae). Novos Taxa Ent. 53: 1-3, 2 figs. Geographic coverage area (in codes): **ZA Ec Ste** *[available in Cesa Library]*

Gozmany,L.A., 1967, New Symmocid moths (Lepidoptera) in the collection of the British Museum (Nat. Hist.). Ann. Hist. Nat. Mus. natn. Hung. 59: 353-357, 6 figs. Geographic coverage area (in codes): **DZ Bsk IR MR** *[available in Cesa Library]*

Gozmany,L.A., 1977, Tineidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 19. Geographic coverage area (in codes): **ET KE** *[available in Cesa Library]*

Gozmany,L.A., 1978, Pyralid, Pyraustid, and Gallerid species (Lepidoptera) from Tunisia. Folia ent. hung. 31 (2): 171-173. Geographic coverage area (in codes): **TN Sfx Elk** *[available in Cesa Library]*

Gozmany,L.A., 1978, Noctuid moths from Tunisia (Lepidoptera, Noctuidae). Faun. Abh. st. Mus. Tierk. Dresden 7 (4): 25-28. Geographic coverage area (in codes): **TN Sfx Elk** *[available in Cesa Library]*

Gozmany,L.A., 1978, Symmocid, Holcopogonid, Pterolonchid, Ethmiid and Plutellid species from Tunisia (Lepidoptera). Faun. Abh. st. Mus. Tierk. Dresden 7 (7): 61-63. Geographic coverage area (in codes): **TN Sfx Elk** *[available in Cesa Library]*

Gozmany,L.A., 2000, Two new Holcopogonid species from Africa (Insecta, Lepidoptera, Holcopogonidae). Spixiana 23 (3): 279-281, 2 figs. Geographic coverage area (in codes): **TZ NA ZA** *[available in Cesa Library]*

Gozmany,L.A., 2000, Holcopogonidae, [in] Gaedike,R. Microlepidoptera Palaearctica vol.10 176 pp. Pls. Goecke & Evers, Keltern. Geographic coverage area (in codes): **DZ MA LY TN ES SE Sa HV TR IL Pa Cr SA EG BH MN SD Rd IR Ss** *[available in Cesa Library]*

Gozmany,L.A., 2002, Some Lecithocerid species from Morocco and Middle East (Lepidoptera, Lecithoceridae). Shilap Revta lepid. 30 (117): 33-38, figs. Geographic coverage area (in codes): **MA YE IN Hp PK NP Nl Ben Ch Ass Rj** *[available in Cesa Library]*

Graves,P.P., 1910, Virachola (Hypolycaena) livia, Klug - A syrian insect. Entomologist's Rec. J. Var. 22: 225-226. Geographic coverage area (in codes): **LB Bei EG** *[available in Cesa Library]*

Graves,P.P., 1910, "Lampides" galba, Led., A plea for accuracy. Entomologist's Rec. J. Var. 22: 287-289. Geographic coverage area (in codes): **EG SY Dms IL Pa** *[available in Cesa Library]*

Graves,P.P., 1915, Egyptian butterflies. Entomologist's Rec. J. Var. 27: 128-129. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Graves,P.P., 1915, Certain Egyptian Urbicolids. Entomologist's Rec. J. Var. 27: 268-270. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Graves,P.P., 1918, Collecting in various places (1914-1917). Entomologist's Rec. J. Var. 30: 62-65. Geographic coverage area (in codes): **TR GR EG** *[available in Cesa Library]*

Graves,P.P., 1919, Collecting in various places in 1916-1918. Entomologist's Rec. J. Var. 31: 5-8, 61-66, 156-158. Geographic coverage area (in codes): **TR IL EG LB** *[available in Cesa Library]*

Graves,P.P., 1924, Euchloe (Anthocharis) ausonia, Hb. (=belia auct.) and its second brood. Entomologist's Rec. J. Var. 36: 90-91. Geographic coverage area (in codes): **IL Pa EG** *[available in Cesa Library]*

Grieshuber,J. & G.Lamas, 2007, A synonymic list of the genus Colias Fabricius,1807 (Lepidoptera, Pieridae). Mitt. münch. ent. Ges. 97: 131-171. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN JO ET YE ZA IN CA RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP MN KP KR SS SL SK DZ MA TN 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81** *[available in Cesa Library]*

Grose-Smith,H., 1889, Descriptions of twenty-four new species of butterflies captured by Mr. Last in the neighbourhood of Mombasa, East Coast of Africa, in the collection of Mr. H.Grose-Smith. Ann. Mag. nat. Hist. 6 (3): 121-137. Geographic coverage area (in codes): **KE Mb MW ZW** *[available in Cesa Library]*

Grose-Smith,H., 1890, Descriptions of two new species of Acraea from Mombasa. Ann. Mag. nat. Hist. 6 (5): 167-168. Geographic coverage area (in codes): **KE Mb** *[available in Cesa Library]*

Grose-Smith,H., 1890, Description of a new Papilio from the West Coast of Africa. Ann. Mag. nat. Hist. 6 (5): 224. Geographic coverage area (in codes): **GA** *[available in Cesa Library]*

Grünberg,K., 1907, Neue afrikanische Heteroceren nebst einigen synonymischen Bemerkungen. Berl. ent. Z. 52: 63-75, 6 figs. Geographic coverage area (in codes): **CF CM TZ MW** *[available in Cesa Library]*

Grünberg,K., 1911, Rhopalocera. [in] Schubotz,H., Wissenschaftliche Ergebnisse der Deutschen Zentral-Afrika-Expedition 1907-1908 unter Führung Adolf Friederichs 3: 505-560, 4 Taf. Geographic coverage area (in codes): **UG Rz RW KE** *[available in Cesa Library]*

Grünberg,K., 1911, Zur Kenntnis der Lepidopteren-Fauna von Deutsch Südwest-Afrika. Zweiter Beitrag. Stettin ent. Ztg. 72: 377-382. Geographic coverage area (in codes): **BW NA ZA** *[available in Cesa Library]*

Guenée,A., 1845, Essai sur une nouvelle classification des Microlépidoptères et catalogue des espèces européenes connues jusqu'a jour. Annls Soc. ent. Fr. (2) 3: 105-192, 207-344 Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG** *[available in Cesa Library]*

Guenée,A., 1846, Europaeorum Microlepidopterorum Index Methodicus. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG** *[available in Cesa Library]*

Guenée,A., 1852, Noctuélites II. [In] Boisduval,J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 6. xcvi + 407 pp. Paris. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU NG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Guenée,A., 1852, Noctuélites III. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 7. 442 pp. Paris. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU NG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Guenée,A., 1852, Noctuélites I. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 5. xcvi + 407 pp. Paris. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG Ch CH PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU NG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Guenée,A., 1854, Deltoides et Pyralites. [In] Boisduval,J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidopteres 8. 448 + 6 pp., 10 Pls. Paris. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU NG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Guillaumin,A., 1977, Nymphaidae (genre Euphaedra) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 112-114. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Guillaumin,M., 1984, Euphaedra neumanni Rothschild et E.perochrata Ungemach en Ethiopie, [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 67-69. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Guillermet,C., 2009, Contribution a l'étude des Hétéroceres de la Reunion: trois nouveaux Tineidae et un nouveau Noctuidae (Lepidoptera). l'Entomologiste 65 (3): 117-123. Geographic coverage area (in codes): **RE**

Gurkovich,A.V. & V.V.Zolotuhin, 2009, A revision of the African Odontocheilopteryx Wallengren,1860 (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 63: 77-101, pls. Geographic coverage area (in codes): **ML LR GH TG CI CM NG CF ZR CG AO NA ZA MZ MG UG ZM RW TZ SO KE ET YE** *[available in Cesa Library]*

Gustafsson,B., 1985, New species of Stigmella from Gambia (Lepidoptera, Nepticulidae). Tijdschr. Ent. 127 (8): 165-177, figs. Geographic coverage area (in codes): **GM**

Habisch,O., 1905, [Beschreibung einer neuen Noctuidae aus Haifa]. Verh. zool.- bot. Ges. Wien 55: 20-21. Geographic coverage area (in codes): **MR MA DZ SD EG IL Hf Pa LB TR 13** *[available in Cesa Library]*

Hacker,H. & Z.Varga, 1990, Die Gattung Chersotis Boisduval,1840 1.Die fimbriola (Esper,[1803]) / laeta (Rebel,1904) -Gruppe (Lepidoptera, Noctuidae). Spixiana 13 (3): 277-327, figs. Geographic coverage area (in codes): **TR AT HU SK FR ES MA YU MK BG GR Si AM Cc IQ IR T Cm SY LB RU B-H Cr** *[available in Cesa Library]*

Hacker,H., 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbipoliana 2: 1-590, Taf. Geographic coverage area (in codes): **Cc BG AL GR MK TR 06 30 65 IQ IR AF LB JO GG AM AZ SA IL JO RU UA SY EG CY** *[available in Cesa Library]*

Hacker,H., 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf. Geographic coverage area (in codes): **BG GR Cc TR CY Rd Cr SY LB IL IQ IR AF PK IN RU GG AM AZ SA OM KW BH YE EG JO 01 05 06 07 08 12 13 14 16 24 25 30 31 32 33 34 35 36 38 42 44 46 50 51 58 60 61 62 63 65 65D 69 70 73 76** *[available in Cesa Library]*

Hacker,H., 1998, Revision der Gattungen Hadula Stgr.,1889 (=Discestra Hmps.,1905;Aglossestra Hmps.,1905;Cardiestra Brsn.,1963), Anartomorpha Alph.,1892, Trichanarta Hmps.,1895, Anarta Ochs.,1816 und Cardepia Hmps.,1905 mit Beschreibung einer neuen Gattung Hadumorpha g.n. Esperiana 6: 577-843, Taf., figs. Geographic coverage area (in codes): **Cc ES PT FR IT DZ MA TN EG JO IL LB SY TR GR BG YU AL GG AM RU IR AF PK TM KK KG TJ TM UZ CN Ui IN MN AZ IQ SA** *[available in Cesa Library]*

Hacker,H., 2004, Revision of the genus Caradrina Ochsenheimer,1816, with notes on oher genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ 06 13 30 65** *[available in Cesa Library]*

Hacker,H., Legrain,A. & M.Fibiger, 2008, Revision of the genus Acontia Ochenheimer,1816 and the tribus Acontiini Guenée,1841 (Old World) (Lepidoptera, Noctuidae, Acontiinae). Esperiana 14: 7-533, figs. Geographic coverage area (in codes): **Cc Cn ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY JO IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW DZ MA TN LY EG IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG ER ET CI CM DJ EH FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Hacker,H.H., Schreier,H.-P. & B.Goater, 2012, Revision of the tribe Nolini of Africa and the Western Palaearctic Region (Lepidoptera, Noctuoidea, Noctuidae, Nolinae). Esperiana 17: 1-614, figs. [diagnostic characters of the most of African new species are not concrete] Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc Kb LY EG IL LB IR AF PK IR AZ AM GG TM Ch TJ UZ KK KG CN Ui SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE MG ML MR MU MW MZ NA NE RE SC Myt KM SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Hagen,H.T., 1862, Bibliotheca Entomologica 2 Vols. Leipzig. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Hall,D., 1986, Butterflies in Marocco. Entomologist's Rec. J. Var. 98: 62-69. Geographic coverage area (in codes): **MA**

Hammami,S., Ezzine,O., Dhahri,S. & M.L.B.Jamaa, 2016, Natural enemies of Orgyia trigotephras (Boisduval,1829) (Lepidoptera, Erebidae, Lymantriinae) in Tunisia. Turk. J. Forestry 17: 58-61. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Hampson,G.F., 1896, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. Trans. ent. Soc. London 1896 (4): 451-550, figs. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU NG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Hampson,G.F., 1897, On the classification of the Chrysauginae, a subfamily of moths of the family Pyralidae. Proc. zool. Soc. Lond. 1897: 633-692, figs. Geographic coverage area (in codes): **BR IN MM SG ID MY PG MX GT CO SR US HN CR EC VE PE AR DZ JM CL AU** *[available in Cesa Library]*

Hampson,G.F., 1897, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1897: 603-633, figs. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Hampson,G.F., 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scoparianae. Trans. ent. Soc. London 1897 (2): 127-240, figs. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Hampson,G.F., 1898, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. i. Syntomidae. xxi+559 pp., Pls. i-xvii. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. Proc. zool. Soc. London 1898: 590-761, Pls. 49,50. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB AF NC o6 SW FJ ZA CM NH JP US** *[available in Cesa Library]*

Hampson,G.F., 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. Proc. zool. Soc. London 1899: 172-291. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB AF NC o6 SW FJ ZA CM NH JP US** *[available in Cesa Library]*

Hampson,G.F., 1900, New Palaearctic Pyralidae. Trans. ent. Soc. Lond. 1900: 369-401, Pl. Geographic coverage area (in codes): **TR LB IR KK KG Ui DZ Bsk** *[available in Cesa Library]*

Hampson,G.F., 1900, The moths of South Africa Pt.1. Ann. S. Afr. Mus. 2: 33-66. Geographic coverage area (in codes): **ZA Tva Lpo Gau Mpu Wca Ec Nta Kzu** *[available in Cesa Library]*

Hampson,G.F., 1900, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiadae (Nolinae, Lithosianae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1901 New species of Syntomidae and Arctiadae. Ann. Mag. nat. Hist. 7 (8): 165-186. Geographic coverage area (in codes): **IN Bba Sk ZA Nta Kzu KE Kky Nai MW NG LK JP SG MY Bor PG ID AU PH UG ZW Har BR PE PA VE CO GF Cay MX CN SL** *[available in Cesa Library]*

Hampson,G.F., 1901, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iii. Arctiadae & Agaristidae. xix+ 690 pp., Pls. xxxvi-liv. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1901, A classification of a new family of the Lepidoptera. Trans. ent. Soc. London 1901 (2): 187-192, figs. Geographic coverage area (in codes): **Cc KE ZA DZ FR ES IT AT CH DE PL HU CZ YU RO GR BG TR RU AM GG AZ MW** *[available in Cesa Library]*

Hampson,G.F., 1902, The moths of South Africa Pt.2. Ann. S. Afr. Mus. 2: 255-446. Geographic coverage area (in codes): **ZA Tva Lpo Gau Mpu Wca Ec Nta Kzu** *[available in Cesa Library]*

Hampson,G.F., 1903, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1903, Descriptions of new Syntomidae and Arctiadae. Ann. Mag. nat. Hist. 7 (11): 337-351. Geographic coverage area (in codes): **ID Sum SG ZW Har KE CN Yu AU QAu NSw MM BO BR AR FJ NG ZA Ec Nta Kzu Dbn PG IN Ass** *[available in Cesa Library]*

Hampson,G.F., 1903, A remarkable new lepidopterous insect from Zululand [Sematuridae]. Trans. ent. Soc. Lond. 1903 (1): 137-139, fig. Geographic coverage area (in codes): **ZA Nta Kzu** *[available in Cesa Library]*

Hampson,G.F., 1905, On three remarkable new genera of Microlepidoptera. Trans. ent. Soc. Lond. 1905: 245-249. Geographic coverage area (in codes): **BR LK UG** *[available in Cesa Library]*

Hampson,G.F., 1905, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1905, Descriptions of new genera and species of Syntomidae, Arctiadae, Agaristidae and Noctuidae. Ann. Mag. nat. Hist. (7) 15: 425-453. Geographic coverage area (in codes): **SB DZ ID Ja AR NZ** *[available in Cesa Library]*

Hampson,G.F., 1905, The moths of South Africa Pt.3. Ann. S. Afr. Mus. 3: 389-438. Geographic coverage area (in codes): **ZA Tva Lpo Gau Mpu Wca Ec Nta Kzu** *[available in Cesa Library]*

Hampson,G.F., 1906, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls.xcv-cvii. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1908, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1909, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1909, Zoological results of the 1905-6 Ruwenzori Expedition Reports 11. Lepidptera Heterocera. Trans. Zool. Soc. London 19 (2): 103-140, pl.iv. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Hampson,G.F., 1910, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1910, Zoological collections from northern Rhodesia and adjacent territories: Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1910: 388-483, pls. xxxvi-xli. Geographic coverage area (in codes): **ZW MW MZ ZR** *[available in Cesa Library]*

Hampson,G.F., 1910, Descriptions of new African moths. Ann. Mag. nat. Hist. 8 (5): 430-464, 465-496; 8 (6): 116-141, 145-160. Geographic coverage area (in codes): **SL KE ZA Tva ZW NG ET AO NA BW GH UG** *[available in Cesa Library]*

Hampson,G.F., 1911, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Erastrianae). Pls. cxlviii-clxxiii. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1911, Descriptions of new genera and species of Syntomidae, Arctiadae, Agaristidae, and Noctuidae. Ann. Mag. nat. Hist. (8) 8: 393-445. Geographic coverage area (in codes): **PG MY AR VE SI PG ID TW CO BO KE TH TZ CN ZA PE NZ CA UG LK AU ZW SB** *[available in Cesa Library]*

Hampson,G.F., 1912, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliaenae to Acontianae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1912-1913, Descriptions of new species of Pyralidae of the subfamily Pyraustinae. Ann. Mag. Nat. Hist. (8) 9: 149-174, 242-269, 321-336, 433-444, 625-633; (8) 10: 1-20, 557-573; (8) 11: 322-342, 509-530; (8) 12: 1-38, 299-319. Geographic coverage area (in codes): **ES DZ Bsk EG IR Ss GH PE KE ZA Tva Gau Pre Nta Kzu AU IQ Bgd MX CO JP PA GT NG UG AR BR SL EC Bor MY JM US Cf CR** *[available in Cesa Library]*

Hampson,G.F., 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-ccxxi. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. ccxxii-ccxxxix. Printed by the order of the Thrustees British Museum (Natural History), London. Geographic coverage area (in codes): **Cc AT DE GB ES FR TR GG IR TM RU KK KG CN Ui JP LB IL DZ TN MA IT MK YU BG GR CY Cr PK Ch IN JO HU PL US CA MN Ti TJ UZ DK CH** *[available in Cesa Library]*

Hampson,G.F., 1916, Descriptions of New Pyralidae of the Subfamilies Epipaschianae, Chrysauginae, Endotrichinae, and Pyralinae. Ann. Mag. nat. Hist. (8) 18: 126-160, 349-373. Geographic coverage area (in codes): **CO PE LK PG TW BR SI PH CN CU SG AU JM CR VE AR BO IN CA MY KE UG YE ZR ZA TR IR AF PK** *[available in Cesa Library]*

Hampson,G.F., 1916, Description of new species [in] Poulton,E.B., On a collection of moths made in Somaliland by Mr. W.Feather. Proc. zool. Soc. Lond. 91: 91-182, 2 Pls. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Hampson,G.F., 1917, A Classification of the Pyralidae, subfamily Gallerianae. Novit. zool. 24: 17-58. Geographic coverage area (in codes): **SB ID Aru Amb Clb Ja LK BT IN Ass AU TW PH CO PE AR MG SL NG GH MZ JP SG FJ ZA SY EG PK DZ IR SA TR BG SD RU KK US CN Ui Ku GR DE ET PG CR CY IL TN MY Bor** *[available in Cesa Library]*

Hampson,G.F., 1918, Descriptions of new Pyralidae of the subfamily Pyraustinae. Ann. Mag. nat. Hist. (9) 1: 125-136, 252-262, 265-280; (9)2: 181-196, 393-407. Geographic coverage area (in codes): **PE JM ZR CA ID Clb Kei VE PG MZ CO GM CN Ui KE ZA Fs EC MX AU SB NG IN TW LK UG ET SI SL CM TW LK UG** *[available in Cesa Library]*

Hampson,G.F., 1918, Descriptions of new genera and species of Amatidae, Lithosidae, and Noctuidae. Novit. zool. 25: 93-217. Geographic coverage area (in codes): **ES CY Cn GH PY SI MM SG GM EC SA CM IN LK TW BT PA SB JM CR NG NZ ET ZA Nta Tva TN KE ZW SD ID Ja MW SL PE UG VE FJ CI MZ PG US Arz Cf MX CN Ti BR CO MY Bor PH Luz Sam IR Ke YE AR Cc AZ Kir** *[available in Cesa Library]*

Hampson,G.F., 1919, Descriptions of new Pyralidae of the subfamilies Crambinae and Siginae. Ann. Mag. nat. Hist. (9) 3: 275-292, 437-457, 533-547; (9)4: 53-68, 137-154, 305-326. Geographic coverage area (in codes): **AU IN KE ZA Tva Nta Fs Lpo Kzu Spb CN CO NG SG NG ID SL PK MX PE BR TW SD UG ZR LK MZ PH Luz Neg TZ Ch GM MM ET IL TH US** *[available in Cesa Library]*

Hampson,G.F., 1919, A classification of the Aegeriadae of the Oriental and Ethiopian Regions. Novit. zool. 26: 46-119. Geographic coverage area (in codes): **TR TM UZ KK KG CN Ch LK DJ SO MM MY PH TW SB NH NC SW FJ CM AF JP PT ES FR HV B-H BG GR IR IT EG DZ MA TN LY SA YE SO SD ET ER KE UG TZ MW ZW MZ MG ZA Tva Lpo Spb Nta Kzu AO ZM ZR SL CI CF NA BW IN TH VN NP CN TW AU ID PK Bl** *[available in Cesa Library]*

Hampson,G.F., 1930, New genera and species of Phycitinae (Lepidoptera, Pyralidae). Ann. Mag. nat. Hist. (10) 5: 50-80. Geographic coverage area (in codes): **KE UG LK SL US PG ZA CX JM SI RU NG SK MX BS SR PH Luz MY ID JP AU DZ TM TZ Ch** *[available in Cesa Library]*

Hancock,D.L., 1990, Taxonomic notes on the genus Euryphura Staudinger (Lepidoptera, Nymphalidae). Arnoldia 9 (34): 463-467. Geographic coverage area (in codes): **MZ CM CF CG ZR TG UG KE TZ NG SL**

Hancock,D.L., 2002, Further notes on the genus Euryphura Staudinger (Lepidoptera, Nymphalidae). Metamorphosis 13 (1): 28-34. Geographic coverage area (in codes): **MZ CM CF CG ZR TG UG KE TZ NG SL** *[available in Cesa Library]*

Hancock,D.L., 2006, Notes on the afrotropical species of Graphium Scopoli (Lepidoptera, Papilionidae). Metamorphosis 17 (1): 6-19, 1 fig. Geographic coverage area (in codes): **BW CM MW KE GH NG ZA TZ TG ZW MG MZ AO CG ZR CI UG ZM CF** *[available in Cesa Library]*

Handlirsch,A., 1924, Ordnung Lepidoptera (Schmetterlinge), [in] Schröder, Handb. Ent. 3: 852-941, figs.747-840. Geographic coverage area (in codes): **Cc MK BG GG GR TR IR IQ TM KK KG Ch AF PK LB IL CY SY EG SD ER ET DJ SO ID MY PH AU FJ NC NH SB** *[available in Cesa Library]*

Hannemann,H.J., 1953, Natürliche Gruppierung der europaischen Arten der Gattung Depressaria s.l.(Lep., Oecoph.). Mitt. zool. Mus. Berlin 29 (2): 269-373, Abb. Geographic coverage area (in codes): **DZ DE AT IT CH PL CZ SK SL YU FR DK ES PT HU RO RU BY MK AL BG GR TR** *[available in Cesa Library]*

Hannemann,H.J., 1986, Depressarien des Zoologisk Museum Kobenhavn (Lep., Oecophoridae). Dt. ent. Z. (N.F.) 33 (3/5): 235-240, figs. Geographic coverage area (in codes): **TH LY GR** *[available in Cesa Library]*

Hannemann,H.J., 1990, Neue Depressarien (Lep., Oecophoridae). Dt. ent. Z. (N.F.) 37 (1/3): 137-144, figs. Geographic coverage area (in codes): **IT Si DZ Orn FR** *[available in Cesa Library]*

Hardwick,D.F., 1950, Preparation of slide mounts of Lepidopterous genitalia. Can. Ent. 82 (11): 231-235. Geographic coverage area (in codes): **Cc PT ES FR MA DZ TN LY EG IT CH AT DE DK BE NL GB PL HU CZ SK SE FI NO BY MK HV SS YU UA B-H RO BG GR AL RU GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN LK SA SD ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM JP** *[available in Cesa Library]*

Haugum,J. & A.M.Low, 1981, The Ornithoptera Updated (Lepidoptera, Papilionidae). Tokurana 2: 1-29, 6 Pls. Geographic coverage area (in codes): **SB NG ID AU** *[available in Cesa Library]*

Hausmann,A. & A.Seguna, 2005, Lithostege fissurata Mabille,1888 from Malta, new for the fauna of Europe (Geometridae, Larentiinae). Nota lepid. 28 (1): 11-15, figs. Geographic coverage area (in codes): **MT TN DZ LY IL Pa SA IR Ss IQ** *[available in Cesa Library]*

Hausmann,A. & J.Viidalepp, 2012, The Geometrid Moths of Europe. 3. volume, Apollo Books, Stenstrup. Geographic coverage area (in codes): **MA DZ TN Cc LU ES FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY EG Sn LB IL IQ IR GG AM AZ TM UZ KK KG UA** *[available in Cesa Library]*

Hausmann,A. & S.Dötterl, 2004, Nectar plants and larval plants of the genus Glossotrophia (Geometridae, Sterrhinae) studies on pollen grains attached to museum specimens. Nota lepid. 26 (3/4): 127-136. Geographic coverage area (in codes): **FR IT MK Si TR Cr ES AF TM Co Sa MA Cn LY DZ SA OM YE** *[available in Cesa Library]*

Hausmann,A., 1990, Enconista rubrior sp.n. aus West-Marokko mit weiteren Anmerkungen zur Gattung Enconista Lederer (Lepidoptera, Geometridae, Ennominae). NachrBl. bayer Ent. 39 (4): 104-110. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Hausmann,A., 1993, Revision of the Palaearctic species of the genus Victoria Warren,1897 (Lepidoptera, Geometridae). Spixiana 16 (1): 53-60, 14 figs. Geographic coverage area (in codes): **IL SA OM SO SN KE SD UG** *[available in Cesa Library]*

Hausmann,A., 1994, Morphology and taxonomy of the species belonging to the genus Myinodes Meyrick,1892 (Lepidoptera, Geometridae). Nota lepid. 17 (1/2): 31-43, 17 figs. Geographic coverage area (in codes): **IT ES JO SY TR 31 46 47 IQ LB IL TN DZ Si** *[available in Cesa Library]*

Hausmann,A., 1994, Revision der altweltlichen Arten der Gattung Microloxia Warren,1893 (Lepidoptera, Geometridae, Geometrinae): Atalanta 25 (3/4): 571-608, figs. Geographic coverage area (in codes): **ES PT FR IT HV MK GR BG Cr TR CY IL Pa AM Cc IR AF PK RU Ur CN Ui UZ TM KG UA DZ TN LY ZA Nta Tva SA JO EG Sn OM IQ KW YE IN LK Cn MA GH** *[available in Cesa Library]*

Hausmann,A., 1994, "Idaea circuitaria (Hübner,[1819]" - ein Komplex von mehreren verschiedenen Arten aus dem Mittelmeerraum (Lepidoptera, Geometridae, Sterrhinae). Z. ArbGem. öst. Ent. 46 (1/2): 45-55, Abb. Geographic coverage area (in codes): **PT ES FR DZ TN LY Co Sa Si IT SS HV GR MK TR 07 50 CY IL Pa Hf** *[available in Cesa Library]*

Hausmann,A., 1996, The morphology of the geometrid moths of the Levant and the neighbouring countries. Nota lepid. 19 (1/2): 3-90, 148 figs. Geographic coverage area (in codes): **MA DZ TN TR SY LB IL CY JO ET SD SA ZA GR MK BG IR ES EG OM YE KE** *[available in Cesa Library]*

Hausmann,A., 1996, Systematic list of the geometrid moths of the Levant and neighbouring countries. Part I. Orthostixinae and Geometrinae. Nota lepid. 19 (1/2): 91-106. Geographic coverage area (in codes): **TR SY LB IL CY JO EG IQ IR SD** *[available in Cesa Library]*

Hausmann,A., 1996, Eine neue Art der Gattung Hemidromodes Prout,1916 aus Tansania (Insecta, Lepidoptera, Geometridae, Geometrinae). Spixiana Suppl. 22: 11-14, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Hausmann,A., 1997, Eine neue Art der Gattung Nebula Bruand,1846 von der Sinai-Halbinsel (Geometridae, Larentiinae). Spixiana 20 (3): 285-290, figs. Geographic coverage area (in codes): **EG Sn** *[available in Cesa Library]*

Hausmann,A., 1997, Beitrag zur Systematik der Gattung Mixocera Warren,1901 (Geometridae, Geometrinae). Spixiana 20 (3): 291-302, figs. Geographic coverage area (in codes): **AU IN LK ZR KE MZ TZ ZW NG MG ZA Nta Kzu** *[available in Cesa Library]*

Hausmann,A., 2001, The Geometrid Moths of Europe Vol. 1 282 pp., 8 Pls. Apollo Books. Geographic coverage area (in codes): **PT ES AD FR GB IE IC DK NO FI SE PL HU CZ SS SL YU HV B-H MK BG GR Cr Rd CY RO MD UA MY RU TR Cc Da NL BE DE CH AT IT Co Sa Si MT MA DZ TN** *[available in Cesa Library]*

Hausmann,A., 2003, New Sterrhinae from Europe, North Africa and the Caucasus (Lepidoptera, Geometridae). Ent. Z. 113 (11): 319-328, figs. Geographic coverage area (in codes): **DZ TN MA Ifr ES Snv An**

Hausmann,A., 2003, Die afrotropischen Arten der Gattung Hypochrosis Guenée,[1858] mit Beschreibung einer neuen Gattung (Cherbulois gen.nov.) und 17 neuer Arten (Lepidoptera, Geometridae, Ennominae). Spixiana 26 (2): 97-128, figs. Geographic coverage area (in codes): **CM TZ ZR RW UG ZW ET** *[available in Cesa Library]*

Hausmann,A., 2004, The Geometrid Moths of Europe Vol. 2 Sterrhinae. 600 pp., figs. Pls. Apollo Books. Geographic coverage area (in codes): **MA DZ TN PT ES AD FR GB IE IC DK NO FI SE PL HU CZ SS SL YU HV B-H MK BG GR Cr Rd CY RO MD UA MY RU TR 01 22 25 39 59 63 Cc Da NL BE DE CH AT IT Co Sa Si MT** *[available in Cesa Library]*

Hausmann,A., 2006, Revision of the Idaea inquinata (Scopoli,1763) species-group s.str. from the Middle East (Lepidoptera, Geometridae, Sterrhinae). Mitt. münch. ent. Ges. 95: 37-47, figs. Geographic coverage area (in codes): **TR 31 SY LB IL Pa EG LY** *[available in Cesa Library]*

Hausmann,A., 2006, The geometrid moths of Yemen- with 50 new records for the country and description of 20 new taxa (Lepidoptera, Geometridae). Esperiana 12: 9-62, figs. Geographic coverage area (in codes): **YE Sk** *[available in Cesa Library]*

Hausmann,A., 2006, De Geometriden der Gattung Hypochrosis Guenée,1858 aus den Expeditionen Philippe Darges nach Tansania (Lepidoptera, Geometridae, Ennominae). Mitt. münch. ent. Ges. 96: 17-20. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Hausmann,A., 2009, Hypochrosis hannelorae sp.n. from Tanzania (Lepidoptera, Geometrdae, Ennominae). Mitt. münch. ent. Ges. 99: 91-93, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Hausmann,A., 2013, Integrative revision of the African geometrid genus Dargeia Herbulot,1977 (Lepidoptera, Geometridae, Geometrinae). Mitt. münch. ent. Ges. 103: 99-104, figs. Geographic coverage area (in codes): **CM**

Hausmann,A., Leipnitz,M. & R.Bläsius, 2008, Idaea omari Hausmann & Bläsius, sp.n. from Marocco (Lepidoptera, Geometridae, Sterrhinae). Shilap Revta lepid. 36 (143): 411-416, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Hausmann,A., Parisi,F. & A.Sciarretta,A., 2014, The geometrid moths of Ethiopia I. Tribes Pseudoterpnini and Comibaenini (Lepidoptera, Geometridae, Geometrinae). Zootaxa 3768 (4): 460-468, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Hausmann,A., Sciarretta,A. & F.Parisi, 2016, The Geometridae of Ethiopia II. Tribus Hemistolini, genus Prasinocyma (Lepidoptera, Geometridae, Geometrinae). Zootaxa 4065 (1): 1-63, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Haworth,A.H., 1803-1828, Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiunter...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Hayes,A.H., 1963, A new species of Chaerocina (Lepidoptera, Sphingidae, Choerocampinae) from Abyssinia. Entomologist 96: 97-99, 9 figs. Geographic coverage area (in codes): **ET**

Hayes,A.H., 1980, A revision of the Pantropical genus Tathorhynchus Hampson (Lep., Noctuidae, Ophiderinae). Proc. Br. ent. nat. Hist. Soc. 1980: 25-30, 5 Pls. Geographic coverage area (in codes): **S-EU TR LB IL IR IN AU NF NZ US SC AO ET ER KE MW MZ ZW RW ZA SD TZ UG ZR MG CM** *[available in Cesa Library]*

Hayward,K.J., 1925-1926, Notes on Egyptian Lepidoptera observed at Reservoirs Aswan between October 1919 and April 1922. Entomologist's Rec. J. Var. 37 (1925): 1-16; 38 (1926): 17. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Hayward,K.J., 1926, A List of Egyptian Microlepidoptera collected in the Aswan district. Entomologist's Rec. J. Var. 38: (24)-(26). Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Hayward,K.J., 1926, A note on the Noctuidae of the Aswan district of Egypt, III. Entomologist's Rec. J. Var. 38: (18)-(22). Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Heath,A. & E.L.Pringle, 2004, A review of the southern African genus Thestor Hübner (Lepidoptera, Lycaenidae, Miletinae). Metamorphosis 15 (3): 91-151, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Heath,A. & E.L.Pringle, 2007, Biological observations and a taxonomic review based on morphological characters in the myrmecophilous genus Chrysoritis Butler (Lepidoptera, Lycaenidae, Aphnaeini). Metamorphosis 18 (1): 2-44, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Heath,A., 1994, A note on the homonymy of a Zambian butterfly (Lepidoptera, Lycaenidae - Iolaus). Metamorphosis 5 (1): 31. Geographic coverage area (in codes): **ZM** *[available in Cesa Library]*

Heath,A., 1997, A review of African genera of the tribe Aphnaeini (Lepidoptera, Lycaenidae). Metamorphosis (Suppl.2): 1-60, figs. Geographic coverage area (in codes): **ZA ET SO ZR UG KE TZ NA BW ZM ZW** *[available in Cesa Library]*

Heath,A., 2001, New synonymies and taxonomic notes on the genus Chrysoritis Butler (Lepidoptera, Lycaenidae). Metamorphosis 12 (3): 85-98. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Heath,A., Newport,M.A. & D.L.Hancock, 2002, The butterflies of Zambia. xvii + 137 pp. 2287 figs. Abri Publisher. Geographic coverage area (in codes): **ZM**

Heath,J., 1986, The micropterigid fauna of North Africa. Entomologist's Gaz. 37: 17-32, 126, figs. Geographic coverage area (in codes): **DZ Lbs Anna Agi Phv**

Heath,J., 1987, A Check List of the genus Micropterix Hübner,[1825] (Lepidoptera, Micropterigidae). Entomologist's Gaz. 38: 205-207. Geographic coverage area (in codes): **Cc MK GR BG TR CY GG AM RU LB IL DZ** *[available in Cesa Library]*

Hecq,J. 1976, Essai classification du genre Euphaedra Hbn. (Lepid., Nymph. Afric.). Lambillionea 76: 38-48, 53-63. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW** *[available in Cesa Library]*

Hemming,A.F., 1928, Baoris zelleri Led. an unrecognized European Hesperid. Proc. ent. Soc. London 3: 61-64, figs. Geographic coverage area (in codes): **DZ MA ES EG Pl CY LB Cr GR IL** *[available in Cesa Library]*

Hemming,A.F., 1929, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Hemming,A.F., 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU NG PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Hemming,A.F., 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Henning,G.A. & E.L.Pringle, 1994, Pennington's Butterflies of southern Africa (2dn Edn). Geographic coverage area (in codes): **ZA Tva Nta Lpo Kzu Spb Fs Gau Wca Ec ZW MZ AO BW NA** *[available in Cesa Library]*

Henning,G.A. & J.B.Ball, 2013, A new species of Lepidochrysops Hedicke,1923 (Lepidoptera, Lycaenidae) from the Northern Cape, South Africa. Metamorphosis 23: 1-7, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Henning,G.A. & M.C.Williams, 2010, Taxonomic notes on the afrotropical taxa of the tribe Acraeini Boisduval,1833 (Lepidoptera, Nymphalidae, Heliconiinae). Metamorphosis 21 (1): 2-38, figs. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Henning,G.A. & S.F.Henning, 1993, Description of a new species of Anthene Doubleday (Lepidoptera, Lycaenidae) from the Transvaal, South Africa. Metamorphosis 4 (4): 156-158, figs. Geographic coverage area (in codes): **ZA Tva Lpo** *[available in Cesa Library]*

Henning,G.A. & S.F.Henning, 1996, Notes on the Dingana dingana species group (Lepidoptera, Nymphalidae, Satyrinae), with description of a new species. Metamorphosis 7 (1): 20-23, fig. Geographic coverage area (in codes): **ZA Mpu Kzu Nta** *[available in Cesa Library]*

Henning,G.A. & S.F.Henning, 1996, A review of the Hyalites (Auracraea) anacreon species complex in southern Africa with descriptions of two new species and two new subspecies. Metamorphosis 7 (2): 71-80,

figs. Geographic coverage area (in codes): **ZA Tva Lpo Spb Mpu Nta Kzu Kkf Hae ZW MW ZM** *[available in Cesa Library]*

Henning,G.A. & S.F.Henning, 1997, Revisional notes on the African Satyrinae (Lepidoptera, Nymphalidae) with a description of a new genus. Metamorphosis 8 (3): 135-140, 11 figs. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE SL SN SO ST SZ TD TG TZ UG ZA Tva Nta ZM ZR ZW** *[available in Cesa Library]*

Henning,G.A. & S.F.Henning, 2004, A review of the liptenid Teriomima Kirby genus group (Lepidoptera, Lycaenidae, Poritiinae) with descriptions of a new genus, a new subgenus, ten new species and four new subspecies. Metamorphosis 15 (1): 3-61, pls., figs. Geographic coverage area (in codes): **ZA TZ KE MZ MW Mje ZM ZW** *[available in Cesa Library]*

Henning,G.A., 1993, Revisional notes on the genus Aloeides Hübner (Lepidoptera, Lycaenidae). Metamorphosis 4 (4): 144-155, fig. Geographic coverage area (in codes): **ZA BW NA ZW** *[available in Cesa Library]*

Henning,S.F. & G.A.Henning, 1989, South African Red Data Book - Butterflies. South African National Scientific Programmes Report no.158. 175pp. 106 figs., maps. Geographic coverage area (in codes): **ZA Lpo Tva Nta Kzu Fs Gau Wca Ec** *[available in Cesa Library]*

Henning,S.F. & G.A.Henning, 1993, Descriptions of two new taxa of Lycaenidae (Lepidoptera) from the Orange Free State, South Africa, with notes on the genera Durbania Trimen and Thestor Hübner. Metamorphosis 4 (4): 159-164, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Henning,S.F. & G.A.Henning, 1996, Notes on the Aloeides simplex species group (Lepidoptera, Lycaenidae) with description of a new species. Metamorphosis 7 (1): 8-11. Geographic coverage area (in codes): **ZW** *[available in Cesa Library]*

Henning,S.F. & G.A.Henning, 1996, A Review of the genus Axiocerses Hübner (Lepidoptera, Lycaenidae), with descriptions of nine new species and three new subspecies. Metamorphosis, Occ. Suppl. 1: 1-48, 52 figs., 4 Pls. Geographic coverage area (in codes): **ZA YE SD ET SN TG NG ML TZ GN CI UG KE NA ZM MW ZR ZW** *[available in Cesa Library]*

Hensle,J., 2001, Kleiner Beitrag zur Kenntnis der Biologie von Pieris cheiranthi benchoavensis Pinker,1968 (Lepidoptera, Pieridae). Atalanta 32 (1/2): 97-98. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Heppner,J.B. & W.D.Duckworth, 1981, Classification of the superfamily Sesioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144, figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Heppner,J.B. & Y.-S.Bae, 2018, Prophaecasia species in Malawi (Lepidoptera, Tortricidae, Olethreutinae, Olethreutini). Zootaxa 4388 (1): 133-136, figs. Geographic coverage area (in codes): **MW**

Heppner,J.B., 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Heppner,J.B., 1979, Brachodidae, a new family name for Atychidae (Lep., Sesioidea). Ent. Ber., Amst. 39 (8): 127-128. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Heppner,J.B., 1982, Millieriinae, a new subfamily of Choreutidae, with new taxa from Chile and United States (Lepidoptera, Sesioidea). Smiths. Contr. Zool. 370: 1-27, 63 figs. Geographic coverage area (in codes): **US Fl CL DZ MA PT ES FR Co IT DE AT PL CZ SK HU RO YU HV MK AL TR 05 16 42 LB Bei IL Js Pa SY Dms UA Cm RU Sr** *[available in Cesa Library]*

Heppner,J.B., 1982, Dates of selected Lepidoptera literature for the western hemisphere fauna. J. Lepid. Soc. 36 (2): 87-111. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Heppner,J.B., 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89 (4): 220-294. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Herbulot,C., 1977, Geometridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 30-36, Pls. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Herbulot,C., 1979, Un nouvel Hyposidra africain (Lepidoptera, Geometridae). Bull. mens. Soc. linn. Lyon 48(6): 370-371, 3 figs. Geographic coverage area (in codes): **CM CF** *[available in Cesa Library]*

Herbulot,C., 1981, Description d'un nouveau Larentiinae du Cameroun (Lepidoptera, Geometridae). Bull. mens. Soc. linn. Lyon 50(4): Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Herbulot,C., 1981, Un nouveau Dyscia du Maroc (Lep., Geometridae, Ennominae). Alexanor 12 (2): 95-96, 2 figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Herbulot,C., 1981, Quatre nouveaux Larentiinae du Maroc (Lepidoptera, Geometridae). Alexanor 12 (4): 182-184, 2 figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Herbulot,C., 1983, Missions de M. P.-C. Rougeot en Ethiopie et en République de Djibouti (Lepidoptera, Geometridae). Bull. mens. Soc. linn. Lyon 52(1): 10-21, 23 figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Herbulot,C., 1984, Replacement of a generic name. Bull. mens. Soc. linn. Lyon 53 (4): 159. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Herbulot,C., 1984, Geometridae Description d'Especes nouvelles ou peu connues [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 11-12, Pl.1. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Herbulot,C., 1999, Cinq nouveaux Cleora (Lepidoptera, Geometridae). Bull. Soc. ent. Mulhouse 1999: 37-41, 9 figs. Geographic coverage area (in codes): **PH Mno Sk TH CMa ID Hm** *[available in Cesa Library]*

Hering,E., 1891, Nachwort. Stettin ent. Ztg. 52(4/6): 116-128. Geographic coverage area (in codes): **Cc B-H MK GR BG RU RO TR GG AM AZ CY JO Ch SY LB IL EG ET DJ SO SD YE SA IR IQ AF PK IN ID MY MM AU NH NC FJ SB JP TW CN KK KG TJ** *[available in Cesa Library]*

Hering,E.M., 1955, Synopsis der afrikanischen Gattungen der Cochlidiidae (Lepidoptera). Trans. R. Ent. Soc. London 107: 209-225. Geographic coverage area (in codes): **AET** *[available in Cesa Library]*

Hering,M., 1929, Alte und neue Lasiocampiden von Afrika im Zoologischen Museum Berlin. Mitt. zool. Mus. Berlin 14: 487-499, pls.1,2. Geographic coverage area (in codes): **ET**

Hering,M., 1932, Parnassius delphius mephisto als bona ssp. Entgegen zu den vorstehenden Ausführungen. Parnassiana 2: 10-11. Geographic coverage area (in codes): **Cn Ui Au**

Hering,M., 1933, Familie Megalopygidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 2: 197-199. Stuttgart. Geographic coverage area (in codes): **EG**

Hering,M., 1937, Revision der Chrysopolomidae (Lepidoptera). Ann. Transv. Mus. 17: 233-257, 28 figs. 1 Taf. Geographic coverage area (in codes): **ZA Nta Tva ZW KE CM ZR NG GH TZ TG AO** *[available in Cesa Library]*

Hering,M., 1957, Zur Blattminenkunde von Südafrika. Ann. Transv. Mus. 23: 81-86. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Heron,F.A., 1909, Zoological results of the 1905-6 Ruwenzori Expedition Reports 12. Lepidptera Rhopalocera Trans. Zool. Soc. London 19 (2): 141-178, pl.v. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Herrich-Schäffer,G.A.W., 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg. Geographic coverage area (in codes): **65 PT ES CH IT GB DE DK SE NO FI DK PL HU AT B-H AL MK BG GR GG Cc Arr AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE** *[available in Cesa Library]*

Herzog,J., 1910-1911, Mein Schmetterlingfang in Aegypten und Syrien. Jb. ent. Ver. Wien 21: 85-91; 22:1. Geographic coverage area (in codes): **EG LB SY IL Pl JO ??**

Hesselbarth,G., 1983, Beitrag zur Biologie von Ypthima asterope Klug (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 4 (1): 7-14, 5 figs. Geographic coverage area (in codes): **GR Ae Rd CY TR SY LB IL JO EG SA Hj Mu As Ad Hd Dh YE UE OM KW IQ IR AF PK IN** *[available in Cesa Library]*

Hewitson,W.C., 1852-1877, Illustrations of new species of Exotic Butterflies, selected chiefly from the collections W.Wilson Saunders and William C.Hewitson. 5 vols. John van Voorst, London [see for date of publications: Heppner,J.B.,1982, J. Lepid. Soc. 36: 98-99]. Geographic coverage area (in codes): **PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS TW TH Ch JP MX CU PA GT HU CR CO BO PE BR CL AR GY VE** *[available in Cesa Library]*

Hewitson,W.C., 1862-1878, Illustrations of diurnal Lepidoptera Lycaenidae 2 vols (text & plates). London Geographic coverage area (in codes): **PK CN ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS TW TH Ch JP MX CU PA GT HU CR CO BO PE BR CL AR GY VE**

Hewitson,W.C., 1872, Description of a new species of Papilio from Lagos. Entomologist's mon. Mag. 9: 146-147. Geographic coverage area (in codes): **NG KE TZ**

Hewitson,W.C., 1874, Descriptions of new Lycaenidae from West Africa. Entomologist's mon. Mag. 11: 36. Geographic coverage area (in codes): **GA NG Caa** *[available in Cesa Library]*

Hewitson,W.C., 1874, Descriptions of new species of butterflies. Entomologist's mon. Mag. 11: 56. Geographic coverage area (in codes): **CM GA PA** *[available in Cesa Library]*

Hewitson,W.C., 1876, Description of twenty new species of Hesperidae. Ann. Mag. nat. Hist. (4) 18: 347-355. Geographic coverage area (in codes): **TZ Zz BR PA EC PG ID Aru My Sum** *[available in Cesa Library]*

Hewitson,W.C., 1876, Description of twenty-five new species of Hesperidae from his own collection. Ann. Mag. nat. Hist. (4) 18: 449-457. Geographic coverage area (in codes): **AO IN Djl SI GO Bio SG MY ID Sum BR GA NG Caa Bor VE** *[available in Cesa Library]*

Hewitson,W.C., 1877, Description of twenty-five new species of Hesperidae. Ann. Mag. nat. Hist. (4) 19: 76-85. Geographic coverage area (in codes): **AO VE PA BR CR ZA Nta Kzu AU QAu MY Bor Swk SI Djl IN** *[available in Cesa Library]*

Hewitson,W.C., 1877, Description of twenty-three new species of Hesperidae from his own collection. Ann. Mag. nat. Hist. (4) 20: 319-328. Geographic coverage area (in codes): **ID Sum IN SI Djl NG Caa GA GO Bio EC BO PA BR MX TZ ZA** *[available in Cesa Library]*

Heyden,v.d.T., 1991, Anmerkungen zu den Danaiden der Kanarische Inseln/Spanien (Lepidoptera). Ent. Z., Frankf. a. M. 101: 199-204. Geographic coverage area (in codes): **Cn**

Heyden,v.d.T., 1992, Neue Funde von Hipparchia wyssii (Christ,1889) auf Gran Canaria, Kanarische Inseln (Lepidoptera, Satyridae). Ent. Z., Frankf. a. M. 101: 131-132. Geographic coverage area (in codes): **Cn**

Heylaerts,F.J.M., 1890, Trois Psychides inédites de l'Afrique orientale meridionale. Annls Soc. ent. Belg. 34: Bull., clxxx-clxxxiii. Geographic coverage area (in codes): **MZ**

Heylaerts,F.J.M., 1891, Deux espèces nouvelles et un genre nouveau de Lépidoptères Africains. Annls Soc. ent. Belg. 35: Bull., ccclxxiv- ccclxxvi. Geographic coverage area (in codes): **MZ Del** *[available in Cesa Library]*

Heyne,A., 1893]-1895, [in] Rühl,F., Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 385-857S. Leipzig. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Higgins,L.G. & N.D.Riley, 1970, A Field Guide to the Butterflies of Britain and Europe. 380pp. 60 Pls., 371 maps. Collins St James's Place, London. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI** *[available in Cesa Library]*

Higgins,L.G., 1924, On the Ethiopian species of the genus Hesperia (Lep., Rhop.), with descriptions of two new species. Trans. ent. Soc. London 1924 (1-2): 64-120, Pls. vii-x. Geographic coverage area (in codes): **ZA ET TZ UG KE YE OM SD SA** *[available in Cesa Library]*

Higgins,L.G., 1941, An illustrated catalogue of the Palaearctic Melitaea (Lep., Rhopalocera). Trans. R. ent. Soc. Lond. 91 (7): 175-354, 16 Pls, 214 figs., 7 maps. Geographic coverage area (in codes): **Cc PT ES FR GB IE IC NO SE FI DK PL DE SK CZ HU IT AT CH Co Sa Si LB IL GR BG RO MD BE NL LU SS YU B-H HV MK AL TR GG AM AZ UA BY RU CN KK KG TJ UZ AF PK Ui Ti Mc KP KR JP DZ MA TN SY JO LB IQ IR TM MN Ld** *[available in Cesa Library]*

Higgins,L.G., 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). Trans. R. ent. Soc. Lond. 101 (12): 435-489, 7 maps, 44 figs. Geographic coverage area (in codes): **Cc PT ES FR GB IE IC NO SE FI DK PL DE SK CZ HU IT AT CH Co Sa Si LB IL GR BG RO MD BE NL LU SS YU B-H HV MK AL TR GG AM AZ UA BY RU CN KK KG TJ UZ AF PK Ui Ti Mc KP KR JP DZ MA TN SY JO LB IQ IR TM MN Ld** *[available in Cesa Library]*

Higgins,L.G., 1955, A descriptive catalogue of the genus Mellicta Billberg (Lepidoptera, Nymphalidae) and its species, with supplementary notes on the genera Melitaea and Euphydryas. Trans. R. ent. Soc. Lond. 106 (1): 1-131, 2 Pls., 4 maps, 88 figs. Geographic coverage area (in codes): **Cc PT ES FR GB IE IC NO SE FI DK PL DE SK CZ HU IT AT CH Co Sa Si LB IL GR BG RO MD BE NL LU SS YU B-H HV MK AL TR GG AM AZ UA BY RU CN KK KG TJ UZ AF PK Ui Ti Mc KP KR JP DZ MA TN SY JO LB IQ IR TM MN Ld** *[available in Cesa Library]*

Higgins,L.G., 1965, Five new butterflies. Entomologist 98: 10-12. Geographic coverage area (in codes): **TR LB MK MA** *[available in Cesa Library]*

Higgins,L.G., 1965, Boisduval, Europaeorum Lepidopterorum index methodicus. Entomologist 98: 241-242. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I**

Higgins,L.G., 1967, Hipparchia (Pseudotergumia) wyssii Christ, with description of two new subspecies. Entomologist 100: 169-171. Geographic coverage area (in codes): **Cn**

Higgins,L.G., 1974, A new subspecies of Spialia phlomidis (Herrich-Schäffer) (Lepidoptera, Rhopalocera). J. Ent. (B) 43 (1): 83-87, 14 figs. Geographic coverage area (in codes): **TR 05 LB Bsa Ksr YE Ad EG IR Fa** *[available in Cesa Library]*

Hill,B.G., 1966, Insects of cultivated and wild plants, Harar Province Ethiopia, 1960-1964. Bull. ent. Res. 56: 659-670. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Hofmann,A. & W.G.Tremewan, 1996, A systematic catalogue of the Zygaeninae (Lepidoptera, Zygaenidae). 251pp. Colchester. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Hofmann,A. & W.G.Tremewan, 2010, A revised check-list of the genus Zygaena Fabricius,1775 (Lepidoptera, Zygaenidae, Zygaeninae), based on the biospecies concept. Entomologist's Gaz. 61: 119-131. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Hofmann,A., Günther,R. & W.G.Tremewan, 1987, Vorarbeit zur Zygaena -Fauna Tunesiens (1.Beitrag) (Lepidoptera, Zygaenidae). Ent. Z., Frankf. a. M. 97: 45-48. Geographic coverage area (in codes): **TN**

Hofmann,A., Günther,R. & W.G.Tremewan, 1994, Preliminary notes on the Zygaena Fabricius,1777, fauna of Tunisia (Lepidoptera, Zygaenidae): part 2. Entomologist's Gaz. 45: 39-51, 7 figs. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Holland,W.J., 1890, Descriptions of new West African Lycaenidae. Psyche 5: 423-431. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1891, Descriptions of new West African Lycaenidae II. Psyche 6: 50-53. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1892, Descriptions of some new species of African Lepidoptera. Ann. Mag. nat. Hist. 6 (10): 284-294. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1892, Descriptions of some new species of African Lepidoptera. Entomologist 25 (Suppl.): 89-95. Geographic coverage area (in codes): **ZR KE TZ Kmj** *[available in Cesa Library]*
Holland,W.J., 1892, New species of Neptis from Africa. Ent. News 2: 248-250, pl.ix. Geographic coverage area (in codes): **Ogo GA** *[available in Cesa Library]*
Holland,W.J., 1893, New exotic Lepidoptera. Ent. News 4: 337-344, pl.xv. Geographic coverage area (in codes): **JP CM GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1893, Three new African Bombycids. Ent. News 4: 136-138, pl.viii. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1893, Descriptions of new species and genera of West African Lepidoptera. Psyche 6: 373-376, 393-400, 411-418, 431-434, 451-454, 469-476, 487-490, 513-520, 531-538, 549-552, 565-568, pls. Geographic coverage area (in codes): **Ogo GA CM NG SL GN** *[available in Cesa Library]*
Holland,W.J., 1893, Four new genera and species of West African Sesiidae. J. New York Ent. Soc. 1: 181-184, figs. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1893, Some new and little-known African butterflies. Ent. News 4: 22-28, pl.i. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1893, New genera and species of West African Limacodidae -I. Ent. News 4: 102-108, pl.vii. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1893, New African Nyctemeridae and Liparidae. Ent. News 4: 59-64, pl.iii. Geographic coverage area (in codes): **GA Ogo NG** *[available in Cesa Library]*
Holland,W.J., 1893, New species of West African Drepanulidae. Ent. News 4: 171-181, pl.ix. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1894, African Hesperiidae. Ent. News 5: 26-31, pl.i. Geographic coverage area (in codes): **GH GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1894, New and undescribed genera and species of West African Noctuidae. Psyche 7: 8-10, 27-36, 47-50, 67-70, 83-90, 110-128, 141-144, 5 pls. Geographic coverage area (in codes): **GA Ogo** *[available in Cesa Library]*
Holland,W.J., 1894, Some new and little known African Hesperiidae. Ent. News 5: 89-95, pl.iii. Geographic coverage area (in codes): **GA Ogo LR** *[available in Cesa Library]*
Holland,W.J., 1895, List of the Lepidoptera collected in Somaliland, East Africa, by Mr. William Astor Chanler and Lieut. von Hoehnel. Proc. U.S. nat. Mus. 18: 259-264. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*
Holland,W.J., 1895, List of the Lepidoptera collected in Eastern Africa by Dr. W.L.Abbott, with descriptions of some apparently new species. Proc. U.S. nat. Mus. 18: 229-258, 2 Pls. Geographic coverage area (in codes): **KE UG** *[available in Cesa Library]*
Holland,W.J., 1895, Two new African Lycaenids. Ent. News 6: 166-168. Geographic coverage area (in codes): **LR CM** *[available in Cesa Library]*
Holland,W.J., 1896, A new African Saturniid. Ent. News 7: 133-135, pl.vi. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*
Holland,W.J., 1896, List of the Lepidoptera collected in East Africa, 1894 by Mr. William Astor Chanler and Lieutenant Ludwig von Höhnel. Proc. U.S. nat. Mus. 18: 741-767. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*
Holland,W.J., 1896, A preliminary revision and synonymic catalogue of the Hesperiidae of Africa and the adjacent islands, with descriptions of some apparently new species. Proc. zool. Soc. Lond. 1896: 2-107, 5 pls. Geographic coverage area (in codes): **AC AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW**
Holland,W.J., 1897, Two new species of the genus Xanthospilopteryx Wallengren. Ann. Mag. nat. Hist. (6) 20: 291-294, 2 figs. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*
Holland,W.J., 1898, Descriptions of new West African Heterocera. Ent. News 9: 11-13. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*
Holland,W.J., 1920, Lepidoptera of Congo, being a systematic list of the butterflies and moths collected by the American Museum of Natural History Congo Expedition, together with descriptions of some hitherto undescribed species. Bull. Amer. Mus. Nat. Hist. 43: 109-369, figs. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*
Holloway,J.D. S.E.Miller, 2003, The composition generic placement and host-plant repaltionships of the joviana-group in the Parallelia generic complex (Lepidoptera, Noctuidae, Catocalinae). Invertebrate Syst. 17: 111-118, figs. Geographic coverage area (in codes): **ZA ID Ja IN TH CMa Int Knc LA VN NP LK CN TW JP PH Sum Bor Tim Flo Sbw Clb Mlc MY Bor Clb PG NBr AU FJ SB NC TO TR IR IQ SY AF PK** *[available in Cesa Library]*
Honrath,E.G., 1891, Neue Rhopalocera X. Berl. ent. Z. 36 (2): 429-440, Taf.xv. Geographic coverage area (in codes): **SS ID Ld PG CM** *[available in Cesa Library]*

Hopffer,C., 1857, [Diagnosen der von Peters aus Mossambique mitgebrachten Lepidoptera]. Mber. K. preuss. Akad. Wiss. 1857: 421-423. Geographic coverage area (in codes): **TZ MW MZ ZA Tva Spb Mdk Nta Kzu ZW AO ZM ET UG ZR SD** *[available in Cesa Library]*

Hopffer,C., 1865, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 26: 382-398. Geographic coverage area (in codes): **RU IR TR TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG ID MM MY PH AU PG TW SB NH NC SW FJ**

Hopffer,C., 1869, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 30: 427-453. Geographic coverage area (in codes): **RU IR TR TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG ID MM MY PH AU PG TW SB NH NC SW FJ**

Howarth,T.G., 1966, Revisional notes on the genus Antanartia (Lepidoptera, Nymphalidae). Bull. Br. Mus. (Nat. Hist.) Ent. 18: 21-43, 21 textfigs., 5 Pls. Geographic coverage area (in codes): **ET KE TZ UG RW ZR ZA CA** *[available in Cesa Library]*

Howell,A.D. & S.J.Howell, 1986, In search fo the giant Grayling Berberia abdelkader abdelkader Pierret (Lepidoptera, Satyridae) in Marocco. Bull. amat. ent. Soc. 45: 137-142. Geographic coverage area (in codes): **MA**

Hreblay,M., 1994, New taxa of the tribe Orthosiini, IV (Lepidoptera, Noctuidae). Acta zool. hung. 40 (3): 241-252, figs. Geographic coverage area (in codes): **MA TR 01 02 04 06 11 13 15 23 30 46 63 73 73A HU ES AZ Cc TM KG CN Yu** *[available in Cesa Library]*

Hreblay,M., 1996, Revision der Mythimna consanguis-, languida-, madensis-, natalensis-Artengruppe (Morphopoliana sugben.n.). (Lepidoptera, Noctuidae). Esperiana 4: 133-158, 83 figs., 2 Pls. Geographic coverage area (in codes): **IN NP TH VN ID CN RU TW AU PH TZ KE GH ZA ET SO SA BF TD OM AE EG LB IQ PK IL ZR LK SK MG UG** *[available in Cesa Library]*

Hreblay,M., 1996, Neue paläarktische Taxa aus der Gattung Perigrapha Lederer,1857 (Lepidoptera, Noctuidae). Esperiana 4: 65-94, 90 Abb., Taf. Geographic coverage area (in codes): **TR 30 73 JP TZ PK Gg IN Hp AF Pag NP AL HU SI TM IR AT MN IT** *[available in Cesa Library]*

Huemer,P. & G.C.Luquet, 1995, Beitrag zur Kenntnis der Gattung Pleurota in Frankreich (Lepidoptera, Oecophoridae). Alexanor 19 (1): 55-63, figs. Geographic coverage area (in codes): **AT CH IT FR TR ES PT MA** *[available in Cesa Library]*

Huemer,P. & J.C.Koster, 2006, Cosmopterix athesiae sp.n., a widespread new species from Europe and Afrca (Lepidoptera, Cosmopterigidae, Cosmopteriginae). Veröff. Tiroler Landesmus. Ferdinandeum 86: 75-82, figs. Geographic coverage area (in codes): **ES IT GR TZ CM** *[available in Cesa Library]*

Huemer,P. & O.Karsholt, 1999, Gelechiidae I (Gelechiinae: Teleiodini, Gelechiini), [in] Huemer,P. Karsholt,O. & L. Lyneborg, Microlepidoptera of Europe vol.3., 356pp., Pls., Stenstrup. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Huemer,P. & O.Karsholt, 2010, Gelechiidae II (Gelechiinae: Gnorimoschemini), [in] Huemer,P. Karsholt,O. & M.Nuss, Microlepidoptera of Europe vol.6., 587pp., Pls., Stenstrup. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Huemer,P., 1988, A taxonomic revision of Caryocolum (Lepidoptera, Gelechiidae). Bull. Br. Mus. nat. Hist. (Ent.) 57 (3): 439-571, figs. Geographic coverage area (in codes): **MA DZ TN Cn ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR Cc SY GG AZ AM KG CN IR AF PK IN Ch Ui Sz Ts JP Hkk CA US NP** *[available in Cesa Library]*

Huemer,P., 1990, Phtheochroa rugosana auct. - ein Artenkomplex (Lepidoptera, Tortricidae). Nota lepid. 12 (4): 269-289, 46 Abb. Geographic coverage area (in codes): **MA DZ TR ES DE AM Cc** *[available in Cesa Library]*

Huemer,P., Karsholt,O. & W.Sauter, 1996, The genus Epiparasia Rebel,1914 in Spain (Lepidoptera, Gelechiidae). Shilap 24(96): 341-345, 9 figs. Geographic coverage area (in codes): **ES TN RU TR KG DZ CN MA** *[available in Cesa Library]*

Hundsdörfer, A.K., 2005, First record of Hyles dahlii (Geyer,1827) (Lepidoptera, Sphingidae) from the African Mainland. Bonner zool. Beitr. 53 (1/2) (2004): 109-110, 2 figs. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Hundsdörfer, A.K., Kitching,I. & M.Wink, 2005, A molecular phylogeny of the Hawkmoth genus Hyles (Lepidoptera, Sphingidae, Macroglossinae). Mol. Phylog. Evol. 35: 442-458, figs. Geographic coverage area (in codes): **Cc RO BG AL GR Cr Rd YU SV HV B-H MK TR CY SY LB IL EG SA SK YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN**

Hübner,J., 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16pp., 100 Pls., Augsburg. Geographic coverage area (in codes): **65 Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Hübner,J., 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg. Geographic coverage area (in codes): **65 Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Häuser,C.L., 1993, Critical comments on the phylogenetic relationships within the family Papilionidae (Lepidoptera). Nota lepid. 16 (1): 34-43. Geographic coverage area (in codes): **IN LK MM TH ID SG MY VN TW CN PH NG PG AU LA KH PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT PK AF TR KK TJ UZ KG Ch Ld** *[available in Cesa Library]*

Igarashi,S., 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY**

SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68

Ivinskis,P. & A.Saldaitis, 2008, New data on Tiger Moths of the genus Siccia (Lepidoptera, Arctiidae) with description of two new species. Acta zool. Lithuanica 18 (4): 256-260, figs. Geographic coverage area (in codes): **SA OM YE Sk KE NG** *[available in Cesa Library]*

Janse,A.J.T., 1917, Check-List of the South African Lepidoptera Heterocera. 219 + xii pp., Pretoria. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Janse,A.J.T., 1925, A revision of the South African Metarbelinae. South Afr. J. nat. Hist. 5: 61-100, 5 pls. Geographic coverage area (in codes): **ZA**

Janse,A.J.T., 1931, A Contribution towards the study of the genera of the Epipaschiinae (Family Pyralidae). Trans. ent. Soc. London 79 (3): 439-492, Pls. Geographic coverage area (in codes): **ZA PG GT PE HN BS GF ID IN AU TW MY SI JP NG** *[available in Cesa Library]*

Janse,A.J.T., 1932, The moths of South Africa vol.1 Sematuridae and Geometridae. xi+376pp., 15 Pls. Pretoria. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Janse,A.J.T., 1935, The moths of South Africa vol.2 Geometridae. 448pp., Pretoria. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Janse,A.J.T., 1949-1954, The moths of South Africa vol.5 Gelechiadae. iv+464pp., 202 Pls. Pretoria. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Janse,A.J.T., 1958-1963, The moths of South Africa vol.6 Gelechiadae. 284pp., 138 Pls. Pretoria. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Janse,A.J.T., 1964, The Moths of South Africa. Limacodidae. 136 pp. 44 pls. Johannesburg, Cape & Transvaal Printers. Geographic coverage area (in codes): **ZA**

Joannis,J.de & R.Verity, 1913, Materiali per lo studio della fauna Eritrea racolti nel 1901-03 dal Dott.A. Andreini tenente medico principalmente nelle regioni circostanti ad Adi-Ugri ed ad Adi-Caiè. Lepidopteres Rhopalocera. Boll. Soc. ent. Ital. 44: 115-122. Geographic coverage area (in codes): **ER**

Joannis,J.de, 1897, Note sur une nouvelle espèce de Microlépidoptère d'Algérie Tineola infuscatella. Bull. Soc. ent. Fr. 1897: 109-111. Geographic coverage area (in codes): **DZ**

Joannis,J.de, 1903, Description d'un Hépialide nouveau d'Algérie (Lep.). Bull. Soc. ent. Fr. 1903: 222-223. Geographic coverage area (in codes): **DZ Phv** *[available in Cesa Library]*

Joannis,J.de, 1921, Note sur Stagmatophora serratella Tr. (Lep., Tineidae). Bull. Soc. ent. Fr. 1921: 265-267. Geographic coverage area (in codes): **MA Rbt DZ Agi Phv PT ES FR Co Si IT CH CZ SK AT HU HV SL YU MK DE PL RU BG GR TR UA Cc AM AZ MT YU LB Bsa SY Hal IL Pa RU Sr KG Uk** *[available in Cesa Library]*

Joannou,J.G. & A.V.Gurkovich, 2009, A review of the genus Bombycomorpha C.Felder & R.Felder,1874 with decriptions of a new species and a new subspecies (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 63: 103-117, figs. Geographic coverage area (in codes): **NA ZA Lpo Tva Spb LS SZ ZW TZ KE** *[available in Cesa Library]*

Joannou,J.G., Staude,H.S. & S.E.Woodhall, 1995, An annotated list of Lepidoptera collected at Mariepskop, South Africa. Metamorphosis 6 (2): 57-66. Geographic coverage area (in codes): **ZA ZA14 Tva** *[available in Cesa Library]*

Joicey,J.J. & G.Talbot, 1916, A new sphingid and little-known butterflies from Africa. Ann. Mag. Nat. Hist. (8) 17: 477-478, Pl.xii. Geographic coverage area (in codes): **SD MU CM CI** *[available in Cesa Library]*

Joicey,J.J. & G.Talbot, 1918, New butterflies from Africa and the East. Proc. zool. Soc. Lond. 1917: 271-272. Geographic coverage area (in codes): **KE TZ SB** *[available in Cesa Library]*

Joicey,J.J. & G.Talbot, 1925, Notes on some Lepidoptera, with descriptions of new forms. Ann. Mag. nat. Hist. (9) 16: 633-653. Geographic coverage area (in codes): **ID CN CO VE GY PE KE UG ZR SD ET NG CM PG IN** *[available in Cesa Library]*

Joicey,J.J. & G.Talbot, 1926, A new Nymphalid from the Congo. Entomologist 59: 248. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Jong,R.de, 1972, Systematics and geographic history of the genus Pyrgus in the Palaearctic Region (Lepidoptera, Hesperiidae). Tijdschr. Ent. 115 (1): 1-121, 60 textfigs., 6 Pls. Geographic coverage area (in codes): **Cc PT ES FR DE NL BE LU PL CZ SK AT CH IT MA DZ TN MT GR BG GB NO SE FI RU EE UA BY KK KG CN TR 13 IR TM UZ IN JP KP KR LB IL IQ GG AM AZ** *[available in Cesa Library]*

Jong,R.de, 1974, Notes on the genus Carcharodus (Lepidoptera, Hesperiidae). Zool. Meded. 48: 1-9, figs. Geographic coverage area (in codes): **HV SS GR RO HU YU MK TR DZ Orn AF Kab ES NL PT IR** *[available in Cesa Library]*

Jong,R.de, 1974, Systematic and evolution of the Palaearctic Spialia species (Lepidoptera, Hesperiidae). Tijdschr. Ent. 117 (6): 225-271, 37 figs. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN** *[available in Cesa Library]*

Jong,R.de, 1976, Two new species of Hesperiidae from Western Kenya (Lepidoptera, Hesperiidae). Zool. Meded. 49(24): 299-306, 1 Pl. 7 figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Jong,R.de, 1976, Affinities between the West palaearctic and Ethiopian butterfly faunas. Tijdschr. Ent. 119: 165-215, maps. Geographic coverage area (in codes): **ZA KE UG SD SA ET ER SO MZ YE EG TR SY LB GR IT ES MA DZ TN FR MT CY IR** *[available in Cesa Library]*

Jong,R.de, 1978, Carcharodus tripolinus Verity, stat.nov., une nouvelle espèce pour la faune d'Europe. Remarques au sujet de la notion d'espèce (Lepidoptera, Hesperiidae). Linneana Belg. 7 (4): 117-122. Geographic coverage area (in codes): **LY TN MA DZ PT ES** *[available in Cesa Library]*

Jong,R.de, 1978, Monograph of the genus Spialia Swinhoe (Lepidoptera, Hesperiidae). Tijdschr. Ent. 121 (3): 23-146, 119 figs. 7 Pls. Geographic coverage area (in codes): **SN CI LR GM TG NG CM GH ZR AO NA BW ZW ZM MZ LS ZA Nta Kzu Tva Fs Mpu KE UG TZ SD SA ET ER SO MZ YE TR SY LB IR AF PK IN NP MM TM TJ UZ KK KG RU CN** *[available in Cesa Library]*

Jong,R.de, 1981, Character displacement in butterflies - fiction? Nota lepid. 4(4): 155-158, map. Geographic coverage area (in codes): **ES PT IT FR Si Co Sa MA DZ TN YU** *[available in Cesa Library]*

Jong,R.de, 1984, Notes on the genus Thymelicus Hübner (Lepidoptera, Hesperiidae). Nota lepid. 7 (2): 148-163, 31 figs. Geographic coverage area (in codes): **HV AL UA BY LB DZ MA TN ES FR PT IT AT BE LU CH DE SS YU B-H MK BG GR GB RO RU DK PL HU CZ SK TR 06 65 IR TM TJ AF KK UZ** *[available in Cesa Library]*

Jordan,K., 1907, New African Zygaenidae. Entomologist 40: 121-127. Geographic coverage area (in codes): **ZA Ec Grh Nta Kzu TZ KE MW ZW Har UG ZR AO SL** *[available in Cesa Library]*

Jordan,K., 1909, Familie: Zygaenidae, Widderchen. [in] Seitz,A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 65 GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR** *[available in Cesa Library]*

Jordan,K., 1915, Some new or little-known Heterocera. Novit. zool. 22: 274-280, 2 figs. Geographic coverage area (in codes): **TZ ID Ij PG Goo Ent ZR KE CI** *[available in Cesa Library]*

Jordan,K., 1915, On the two Algerian species of Cerocala, a genus of Noctuidae. Novit. zool. 22: 267-270, 10 figs. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Jordan,K., 1916, Fam. Sphingidae, [in] Poulton,E.B., On a collection of moths made in Somaliland by Mr. W.Feather. Proc. zool. Soc. Lond. 91: 140-141. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Jordan,K., 1916, On the species of Somabrachys in the Tring Museum. Novit. zool. 23: 350-358, Pls. vii, viii. Geographic coverage area (in codes): **MA DZ TN EG ES Si** *[available in Cesa Library]*

Jordan,K., 1921, Two new African Sphingidae. Novit. zool. 28: 277-279, figs. Geographic coverage area (in codes): **SD MG** *[available in Cesa Library]*

Jordan,K., 1924, On the west African Lymantriid genus Nyctemera [=Otroeda (Lep. Het.)]. Novit zool. 31 (2): 217-226, 18 figs. Geographic coverage area (in codes): **SL MW CM Bje ZR NG Lgo GA GH AO** *[available in Cesa Library]*

Jordan,K., 1925, On some subspecies of African Charaxes. Novit. zool. 32: 288-289. Geographic coverage area (in codes): **UG Etb Kmp ZR Kvu AO ET TZ Pb** *[available in Cesa Library]*

Jordan,K., 1933, Some Aethiopian Arctiidae (Lepid.). Novit.zool. 39: 80-85, 11 text-figs. Geographic coverage area (in codes): **SL SA YE ZA AO UG ZR TZ ER SO NE GH NG SD ET MW MZ ZW** *[available in Cesa Library]*

Jordan,K., 1935, On some Aethiopian Arctiidae. Novit. zool. 39: 80-85, 30 figs. Geographic coverage area (in codes): **ET SL SA ZA ZR AO UG ER SO YE NG GH TZ MZ ZW** *[available in Cesa Library]*

Jordan,K., 1936, Two new African Syntomidae. Novit. zool. 39: 292-293, 2 text-figs. Geographic coverage area (in codes): **UG ZW** *[available in Cesa Library]*

Jordan,K., 1937, On some Old-World Lepidoptera. Novit. zool. 40: 323-325, pl.xiv. Geographic coverage area (in codes): **CM MG IR Fa PG** *[available in Cesa Library]*

Jordan,K., 1938, On some new or unfigured Lepidoptera from the Oriental and Ethiopian Regions. Novit. zool. 41: 130-133, pls. iii, iv. Geographic coverage area (in codes): **CM TZ KE SD MG AO ZA Tva PG** *[available in Cesa Library]*

Jordan,K., 1939, On the constancy and variability of the differences between the Old World species of Utetheisa (Lepid., Arctiidae). Novit. zool. 41: 251-291, 30 figs. Geographic coverage area (in codes): **IR AF PK IN TR IQ MG MU KM RE SC TZ SL ET SA SO GH NG ZA Tva AO LK MM CN PG ID Sum Ja Lb** *[available in Cesa Library]*

Kaila,L., 2005, A review of Dibrachia Sinev & Sruoga,1992, a subgenus of Elachista (Elachistidae, Elachistinae). Nota lepid. 28 (2): 139-155, figs. Geographic coverage area (in codes): **ES DE GR HU RU Ur Or TN DZ TR 06 06R 38 50 TM Kp** *[available in Cesa Library]*

Kaila,L., 2015, The Elachista dispunctella (Duponchel) complex (Lepidoptera, Elachistidae) revisited, with exceptional level of synonymy. Zootaxa 3980 (3): 301-358, figs. Geographic coverage area (in codes): **MA TN LY DK PT ES RO SE IT AT GB GR TR 06 42 50 KG HU KK PL RU DE FR HV SK UA** *[available in Cesa Library]*

Kaila,L., Baran,T. & M.Mutanen, 2015, A revision of the Elachista dispilella complex (Lepidoptera, Gelechioidea, Elachistidae). Zootaxa 3963 (4): 517-560, figs. Geographic coverage area (in codes): **ES MA AT YU BG HV CZ DE HU PL RU TR LB SY SK SE KK KG UZ TM IR** *[available in Cesa Library]*

Kalchberg,A.F., [1897], Ueber die Lepidopteren-Fauna von Haifa in Syrien. Dt. ent. Z., Iris 10: 161-190. Geographic coverage area (in codes): **IL Hf Pa LB SY TR EG** *[available in Cesa Library]*

Kallies,A. & K.Spatenka, 2002, Four species of Brachodidae new to the fauna of Europe (Sesioidea). Nota lepid. 25 (2/3): 155-160, pl. Geographic coverage area (in codes): **TR GR MK BG ES PT MA DZ Lbs TN** *[available in Cesa Library]*

Kallies,A., 1999, Revision of the south-western Palaearctic species of Synansphecia (Sesiidae). Nota lepid. 22 (2): 82-114, figs. Geographic coverage area (in codes): **MA DZ TN ES TR 34 48** *[available in Cesa Library]*

Kallies,A., 2016, Brachodidae of Sub-Saharan Africa (Lepidoptera, Cossoidea), with implications for the origin of the family. Zootaxa 4083 (1): 1-39, figs. Geographic coverage area (in codes): **UG Rz NG CM ZA Mpu Ec Gau Tva Lpo Nta Kzu SZ MG AO NA ZW Har KE MW Mje TZ Zz MZ GO SL ZR Sk YE SA AE** *[available in Cesa Library]*

Kames,P., 1978, Aricia artaxerxes Fabr. ssp. issekutzi Balogh im Porac-Tal bei Rudnany (Slovenske Rudohorie). Zbor. slov. narod. Muz. 23: 161-167. Geographic coverage area (in codes): **SL**

Karisch,T. U.Dall'Asta, 2010, New species and subspecies of Cyana Walker,1854 (Lepidoptera, Arctiidae, Lithosiinae) from the collection of the Royal Museum for Central Africa. J. Afrotrop. Zool. 6: 117-127, figs. Geographic coverage area (in codes): **ZR**

Karisch,T., 2003, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VII. Die Cochylini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Nachtrag) mit Beschreibung von zwei neuen Arten. Naturw. Beitr. Mus. Dessau 15: 121-129, Taf.8. Geographic coverage area (in codes): **MA BG RO IR PK TR 30 42 65 65F 69 73 DE AT HV** *[available in Cesa Library]*

Karisch,T., 2003, Eine neue Geodena-Art aus Aethiopien (Lepidoptera, Geometridae, Ennominae). Nachr. ent. Ver., Apollo (N.F.) 24 (1/2): 77-78, 2 Abb. Geographic coverage area (in codes): **ET Shw** *[available in Cesa Library]*

Karisch,T., 2003, Beitrag zur Kenntnis der Gattung Cyana Walker,1854 in Afrika (Lepidoptera, Arctiidae). Atalanta 34 (1-2): 167-178, figs. Geographic coverage area (in codes): **ZA ZR TZ KE MZ UG CM NG** *[available in Cesa Library]*

Karisch,T., 2003, Zwei neue afrikanische Cyana-Arten (Lepidoptera, Arctiidae). Lambillionea 103 (1): 119-122, figs. Geographic coverage area (in codes): **ZR GO CM** *[available in Cesa Library]*

Karisch,T., 2003, Eine neue Cyana-Art vom Nyiracongo (Lepidoptera, Arctiidae). Lambillionea 103: 416-417, figs. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Karisch,T., 2005, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau X. Die Cnephasiini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Teil 1). Naturw. Beitr. Mus. Dessau 17: 91-94. Geographic coverage area (in codes): **MA DZ DE IT AT TR 33 42 CH IR** *[available in Cesa Library]*

Karisch,T., 2005, Übersicht über die Gattung Dracontogena Diakonoff,1970 (Lepidoptera, Tortricidae, Olethreutinae, Grapholitini). Linzer biol. Beitr. 37 (1): 457-476, figs. Geographic coverage area (in codes): **GO Bio MG ZM ST ZR Kvu KE** *[available in Cesa Library]*

Karisch,T., 2005, Eine neue Cyana-Art aus Ostafrika (Lepidoptera, Arctiidae, Lithosiinae). Atalanta 36 (3/4): 573-574, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Karisch,T., 2010, Contribution to the knowledge of Cyana nemasisha Roesler,1990 (Lepidoptera, Arctiidae, Lithosiinae). Metamorphosis 21 (4): 156-159, figs. Geographic coverage area (in codes): **TZ UG KE Nai ZM ZW MZ ZA Mpu Tva** *[available in Cesa Library]*

Karisch,T., 2013, Taxonomic revision of the African Cyana species (Lepidoptera, Arctiidae, Lithosiinae). Esperiana 18: 39-197, pls. Geographic coverage area (in codes): **SL GN GH NG CM...** *[available in Cesa Library]*

Karisch,T., 2017, Zur Kenntnis der Gattung Hypomecis Hübner,1821 in Ostafrika (Lepidoptera, Geometridae, Ennominae). Entomofauna 38 (3): 29-44, figs. Geographic coverage area (in codes): **KE TZ Usa Kmj MW** *[available in Cesa Library]*

Karsch,F., 1891, Verzeichniss der von Herrn Dr. Paul Preuss auf der Barombi-Station in Kamerun gesammelten Sphingiden. Ent. Nachr. 17 (19): 291-298, Taf.1 figs. 4,5. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Karsch,F., 1891, Neue Sphingiden aus Afrika. Ent. Nachr. 17 (1): 11-16, Taf.I. Geographic coverage area (in codes): **AO TG CM** *[available in Cesa Library]*

Karsch,F., 1892, Vorläufige Beschreibung einer neuen Saturnide aus dem Kamerungebirge. Ent. Nachr. 18 (23): 353-354. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Karsch,F., 1892, Caprona adelica, eine neue Hesperiide von der deutschen Forschungsstation Bismarckburg im Togolande (Westafrika). Ent. Nachr. 18 (16): 241-244. Geographic coverage area (in codes): **TG** *[available in Cesa Library]*

Karsch,F., 1892, Abantis bismarcki, eine neue Hesperiide von Bismarckburg im Togolande (Deutschwestafrika). Ent. Nachr. 18 (15): 228-230. Geographic coverage area (in codes): **TG** *[available in Cesa Library]*

Karsch,F., 1894, Zwei neue ostafrikanische Arctiiden. Ent. Nachr. 20 (24): 376-379. Geographic coverage area (in codes): **TZ Usa** *[available in Cesa Library]*

Karsch,F., 1894, Pseudathyma neptidina, eine neue Nymphalide aus dem Hinterlande von Kamerun. Ent. Nachr. 20 (19): 289-290. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Karsch,F., 1894, Eine neue ostafrikanische Lepidopteren-Gattung und -Art aus der Familie der Satyriden. Ent. Nachr. 20 (12): 190-192. Geographic coverage area (in codes): **TZ Usa** *[available in Cesa Library]*

Karsch,F., 1894, Einige neue afrikanische Tagfalter aus den Familien der Nymphaliden, Acraeiden, Danaididen und Satyriden. Ent. Nachr., Berlin 20 (14/15): 209-240, 1 fig. Geographic coverage area (in codes): **GA CG NG CM B-F GH LI GN CI UG TZ KE ZR AO ZM BI SD** *[available in Cesa Library]*

Karsch,F., 1895, Aethiopische Heteroceren I, II. Ent. Nachr. 21 (22): 337-379, Taf. i,ii. Geographic coverage area (in codes): **CM TG GN AO** *[available in Cesa Library]*

Karsch,F., 1895, Aethiopische Rhopaloceren, II. Ent. Nachr. 21 (19/20): 290-322. Geographic coverage area (in codes): **TG CM TZ Usa** *[available in Cesa Library]*

Karsch,F., 1895, Papilio neumanni, eine neue, von Oskar Neumann in Ost-Afrika erbeutete Art der echerioides-Gruppe. Ent. Nachr. 21 (15): 225-227. Geographic coverage area (in codes): **ZA KE UG CM** *[available in Cesa Library]*

Karsch,F., 1895, Aethiopische Rhopaloceren, I. Ent. Nachr. 21 (18): 275-286. Geographic coverage area (in codes): **TG TZ Dss CM UG GN** *[available in Cesa Library]*

Karsch,F., 1896, Aethiopische Hesperiiden. Ent. Nachr. 22 (24): 372-378. Geographic coverage area (in codes): **TZ Usa Dss MW Zom AO** *[available in Cesa Library]*

Karsch,F., 1896, Die äthiopischen Limakodiden des Berliner Museums. Ent. Nachr. 22 (17/18): 261-285. Geographic coverage area (in codes): **CM TZ Usa TG ZA MZ** *[available in Cesa Library]*

Karsch,F., 1896, Aethiopische Noctuiden des Berliner Museums. Ent. Nachr. 22 (15): 228-240. Geographic coverage area (in codes): **TG TZ Dss CM** *[available in Cesa Library]*

Karsch,F., 1896, Die Hollandiiden oder die äthiopischen Arbeliden W.J.Holland's. Ent. Nachr. 22 (9): 135-141. Geographic coverage area (in codes): **GA Ogo TG GN CM ZA** *[available in Cesa Library]*

Karsch,F., 1897, Neue Eingänge deutsch-ostafrikanischer Insecten im Museum für Naturkunde zu Berlin. I. Von Herrn Dr. Johannes Buchwald in Usambara gesammelte Lepidopteren. Ent. Nachr. 23 (24): 366-372. Geographic coverage area (in codes): **TZ Usa** *[available in Cesa Library]*

Karsch,F., 1898, Neue harmoncopode Lepidopteren des Berliner Museums aus Afrika. Ent. Nachr. 24 330-336. Geographic coverage area (in codes): **TG CM TZ** *[available in Cesa Library]*

Karsch,F., 1899, Neue aethiopische Limakodiden des Berliner Museums. Ent. Nachr. 25 (9): 129-144. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Karsch,F., 1900, Drei neue Lepidopteren aus Ostafrika gesammelt von Herrn Stabsarzt Dr. Fülleborn. Ent. Nachr. 26 (23): 353-359. Geographic coverage area (in codes): **MW TZ** *[available in Cesa Library]*

Karsch,F., 1900, Pirga weisei, eine neue Lepidoptere (Lymantriide) aus Ostafrika. Ent. Nachr. 26 (22): 351-352. Geographic coverage area (in codes): **TZ Usa** *[available in Cesa Library]*

Karsch,F., 1900, Westafrikanische Pyralididen I, II. Beschreibungen und Bemerkungen. Ent. Nachr. 26 (16): 244-252; (24): 372-378. Geographic coverage area (in codes): **TG CM** *[available in Cesa Library]*

Karsch,F., 1900, Zwei neue westafrikanische Psychiden. Ent. Nachr. 26 (1): 1-3. Geographic coverage area (in codes): **TG** *[available in Cesa Library]*

Karsholt,O. & J.Sumpich, 2015, A review of the genus Nothris Hübner,1825, with description of new species (Lepidoptera, Gelechiidae). Zootaxa 4059 (3): 471-498, figs. Geographic coverage area (in codes): **FR GR Cr GB IT ES Cn HV MK TR 04 05 06 07 08 14 19 24 25 29 32 33 35 36 38 42 46 50 58 58G 65 LB IL Pa SS TN MA AT HU CZ** *[available in Cesa Library]*

Karsholt,O. & K.Sattler, 1998, A new brachypterous Ephysteris Meyrick from the island of Madeira (Lepidoptera, Gelechiidae). Entomologist's Gaz. 49 (1): 35-47, figs. Geographic coverage area (in codes): **DZ MA Md ES LY Cy** *[available in Cesa Library]*

Karsholt,O. & T.Rutten, 2005, The genus Bryotropha Heinemann in the Western Palaearctic (Lepidoptera, Gelechiidae). Tijdschr. Ent. 148: 77-207, 422 figs. Geographic coverage area (in codes): **GB BE DK SE NO FI DE PL FR IT AT HU CZ SL YU MK GR AL ES PT DZ MA TN Sa Co Si CH BG TR Cc 06 07 15 16 20 33 38 42 71 76 IT GG RU RO AM AZ IR TM IQ SY LB EG LY TM Rd CY BY EE LT NL UA** *[available in Cesa Library]*

Karsholt,O., Mutanen,M. Lee,S. & L.Kaila, 2013, A molecular analysis of the Gelechiidae (Lepidoptera, Gelechioidea) with an interpretative grouping of its taxa. Syst. Ent. 38: 334-348, figs. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Kasy,F., 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XIII. Lepidoptera: Noctuidae-Quadrifinae, Lasiocampidae, Sphingidae, Arctiidae. Annln naturh. Mus. Wien 66: 463-467, 1 Abb. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Kasy,F., 1968, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XXXV. Lepidoptera: Walshiidae. Annln naturh. Mus. Wien 72: 497-525, 26 Textabb. Geographic coverage area (in codes): **SA SD YE EG MK IN PK KE ZA** *[available in Cesa Library]*

Kasy,F., 1969, Vorläufige Revision der Gattung Ascalenia Wocke (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 73: 339-375, figs. Geographic coverage area (in codes): **TR 23 29 61 Cc AM SD EG AF Kab IL Pa IQ Bgd IR Elb Th TM Kp DZ Bsk PK Bl Qu Kh IN Bba** *[available in Cesa Library]*

Kasy,F., 1970, Beitrag zur Kenntnis der Gattung Bifascia Amsel, Bifascioides Kasy, und Gisilia Kasy (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 74: 187-194, 6 Abb. Geographic coverage area (in codes): **DZ AF PK Bl Qu TN Gf IN SA** *[available in Cesa Library]*

Kasy,F., 1973, Beitrag zur Kenntnis der Familie Stathmopodidae Meyrick,1913 (Lepidoptera, Gelechioidea). Tijdschr. Ent. 116 (3): 227-299, figs. Geographic coverage area (in codes): **MA DZ PK Abb Qu Krc YE Ad SY Ltk IR Th AF Pag Kab Ch TM IN Ass CN EG LY Cy SD IL Pa NZ AU ZA GM LK Bor JP** *[available in Cesa Library]*

Kasy,F., 1979, Beitrag zur Kenntnis der Gattung Tortilia Chrétien (Lepidoptera, Oecophoridae). Annln naturh. Mus. Wien 82: 533-539,figs. Geographic coverage area (in codes): **DZ TN ES MA YE IL Pa MA TN IR Elb SY GR TR** *[available in Cesa Library]*

Kauffmann,G., 1955, Reverdinus floccifer habiba n. ssp. (Lepidopt., Hesperiidae). Mitt. Schweiz. ent. Ges. 28 (3): 288-290. Geographic coverage area (in codes): **MA**

Kaye,W.J., 1918, Descriptions from the Joicey Collection ofnew species of Syntomidae, Nymphalidae, and Hesperidae, and two genera of Syntomidae. Ann. Mag. nat. Hist. (9) 2: 225-232. Geographic coverage area (in codes): **BR ZR TD CO PE** *[available in Cesa Library]*

Kaye,W.J., 1919, New species and genera of Nymphalidae, Syntomidae, and Sphingidae in the Joicey Collection. Ann. Mag. nat. Hist. (9) 4: 84-94. Geographic coverage area (in codes): **BR PE CO CM MY ID** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2004, Pyralidae Araştırmaları Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 88/89: 14-15. Geographic coverage area (in codes): **ZA Tva Lpo AU TR 01** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2005, Nomenclatural notes on the Papilionidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 10-11. Geographic coverage area (in codes): **VN Ton PH Boh Mdo CN Hn TZ KE JP** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2005, Butterflies and their living places at Medike, Soutpansberg Mts. (Transvaal, South Africa) [in] Kemal,M. & A.Ö.Koçak (Ed.), Short Video Films on Insect Diversity in the World. Audovisual clips of 22 habitats & 56 butterflies films, 3 maps & ref. Duration: 8'45". Format: *.m2p. Scientific Series Archive no:SS0001. Cesa & Soutpansberg Concervancy. (c) Cesa,2005. Geographic coverage area (in codes): **ZA Tva Spb Mdk** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2005, Butterflies of Medike (Soutpansberg Mountains, South Africa) with some notes on spring butterflies (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 1-9, 1 Tab. Geographic coverage area (in codes): **ZA Spb Mdk** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2005, Nomenclatural notes on various taxa of the moths (Lepidoptera). Cent. ent. Stud., Misc. Pap. 91/92: 11-14. Geographic coverage area (in codes): **AF IR TH CMa CN Yu VN MM KK KG RU BR BO CL ZA** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2005, Nomenclatural notes on the South African Lepidoptera (Gelechiidae, Lymantriidae). Cent. ent. Stud., Misc. Pap. 91/92: 15. Geographic coverage area (in codes): **ZA Tva Lpo** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2006, List of Elachistidae species in South Africa (Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 3-5. Geographic coverage area (in codes): **ZA Gau Tva US** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2007, South African Noctuidae species in the fauna of Turkey (Lepidoptera). http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view Geographic coverage area (in codes): **ZA TR 65** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2007, Synonymous checklist of the South African Lepidoptera. http://www.metafro.be/Members/Cesa/Cesapublafri2.pdf/base_view Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2008, Biodiversity of Soutpansberg Mountains South Africa I. Butterflies - Behaviours of some Acraea species. Icon. Insect. (A), http://www.archive.org/details/BiodiversityOfSoutpansbergMountainTheSouthAfricaI.Butterflies Geographic coverage area (in codes): **ZA Tva Spb Mdk** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2012, List of the species and subspecies illustrated in the Cesa publications on the Old World Lepidoptera. Cesa News 73: 3-44. Geographic coverage area (in codes): **TR TH PH ZA** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2016, Preliminary annotated bibliography of the Lepidoptera of Africa Continent based upon the info-system of the Cesa. Cesa Publ. Afr. Lepid. 26: 1-302. Geographic coverage area (in codes): **DZ AO BJ BW BI BF CM Cn CV CF CG DJ EG GO ER ET GA GH GM GN CI KE LS LR LY MG MW ML MA RW ST SN SL Sk SO ZA SD SZ TZ TD TN UG ZR ZM ZW** *[available in Cesa Library]*

Kemal,M. & A.Ö.Koçak, 2019, On the nomenclature of two Lymantriidae species in Africa (Lepidoptera). Misc. Pap. 181: 15-16. Geographic coverage area (in codes): **MG UG NG ZW** *[available in Cesa Library]*

Kemal,M., 2004, On the butterflies of the Soutpansberg Mountains (South Africa) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 88/89: 1-13. Geographic coverage area (in codes): **ZA Tva Lpo Spb Mdk Lj** *[available in Cesa Library]*

Kemal,M., 2008, Acraea natalica [in] Butterflies of South Africa. Icon. Insect. (A), http://www.archive.org/details/AcraeaNatalicaInButterfliesOfSouthAfrica Geographic coverage area (in codes): **ZA Tva Spb Mdk** *[available in Cesa Library]*

Kemal,M., 2008, Information about the scientific activities of the Cesa in Africa. A short note on the studies of the Lepidoptera on the Soutpansberg Mountains (Limpopo, South Africa). Cesa News 6: 1-12, 60 figs. Geographic coverage area (in codes): **ZA Spb Tva Lpo Mdk** *[available in Cesa Library]*

Kemal,M., Kızıldağ,S. & A.Ö.Koçak, 2019, The Pistachio Fruit Hull Borer Moth, a new species and pest for the Lepidoptera fauna of North Pakistan. Misc. Pap. 183: 1-4, 6 figs. 1 map. Geographic coverage area (in codes): **DZ GR PK Gg Cls IR TR 01 30 46 47 56 73 IQ IR Fa Es Ke Yz AZ Len AM** *[available in Cesa Library]*

Kemal,M., Yıldız,I., Kızıldağ,S., Uçak,H. & A.Ö.Koçak, 2018, Taxonomical and molecular evaluation of Apochima Agassiz in East Turkey, with a description of a new genus (Lepidoptera, Geometridae, Ennominae). Misc. Pap. 169: 1-13, 27 figs. 1 map. Geographic coverage area (in codes): **TR 01 07 10 12 13 17 21 26 30 31 34 44 45 46 47 48 56 65 72 IT Si IR TM Kp Cc AM MK GR UA AET** *[available in Cesa Library]*

Kennel,J. & F.Eggers, 1933, Die Abdominalen Tympanalorgane der Lepidopteren. Zool. Jb. (Anat.) 57: 1-104, figs. Geographic coverage area (in codes): **B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN**

SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP

Kennel,J., 1900, Neue Palaearktische Tortriciden, nebst Bemerkungen über einige bereits beschriebene Arten. Dt. ent. Z., Iris 13: 124-159, Taf.v. Geographic coverage area (in codes): **Cc DZ MA TN LY EG IL JO LB SY SA YE PT ES IT CH AT DE PL FR GB HU CZ SK SS YU HV B-H MK GR RO BG TR DK SE NO FI EE LV LT RU MN JP KP KR CN Ui Ku UZ TJ KK KA TM IR AF PK AZ AM GG Bjo** *[available in Cesa Library]*

Kennel,J., 1901, Neue Wickler des palaeaktischen Gebietes. Dt. ent. Z., Iris 13: 205-305. Geographic coverage area (in codes): **Cc DZ MA TN LY EG IL JO LB SY SA YE PT ES IT CH AT DE PL FR GB HU CZ SK SS YU HV B-H MK GR RO BG TR DK SE NO FI EE LV LT RU MN JP KP KR CN UZ TJ KK KA TM IR AF PK AZ AM GG** *[available in Cesa Library]*

Kennel,J., 1908-1921, Die Palaearktische Tortriciden. Zoologica 21 (54) (1908): 1-100; Taf.1-6; (1910): 101-232, Taf.7-12; (1913): 233-397, Taf.13-16; (1916): 398-546, Taf. 17-20; (1921): 545-742, Taf.21-24. Geographic coverage area (in codes): **DZ MA TN LY EG IL JO LB SY SA YE PT ES MT Sa Co Si IT CH AT DE PL FR GB HU CZ SK SS YU HV B-H MK GR RO BG TR DK SE NO FI EE LV LT RU MN JP KP KR CN UZ TJ KK KA TM IR AF PK AZ AM GG Cc 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 2 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81** *[available in Cesa Library]*

Kennel,J., 1912, Über Tympanalorgane im Abdomen der Spanner und Zünsler. Zool. Anz. 39: 163-170. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Kennel,J., 1919, Mittelasiatische und andere neue Tortriciden. Mitt. münch. ent. Ges. 8: 50-95, Taf. Geographic coverage area (in codes): **Cc DZ MA TN LY EG IL JO LB SY SA YE PT ES IT CH AT DE PL FR GB HU CZ SK SS YU HV B-H MK GR RO BG TR DK SE NO FI EE LV LT RU MN JP KP KR CN UZ TJ KK KA TM IR AF PK AZ AM GG** *[available in Cesa Library]*

Kfir,R., 1992, Seasonal abundance of the stem borer Chilo partellus (Lepidoptera, Pyralidae) and its parasites on summer grain crops. J. ecol. Ent. 85 (2): 518-529, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Kheil,N.M., 1890, Über geschlechtlichen Dimorphismus des abessynischen Pap. Antinorii Oberthür. Dt. ent. Z., Iris 3: 333-336, 2 Abb. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Kielland,J., 1982, Revision of the genus Ypthima in the Ethiopian Region excluding Madagascar (Lepidoptera, Satyridae). Tijdschr. Ent. 125 (5): 99-154, Pls.8. Geographic coverage area (in codes): **AC AO BF BI BJ BW BZ CF CG CI CM DJ EG ER ET FP GA GH GM GN GO GW KE LR LS MA ML MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW** *[available in Cesa Library]*

Kielland,J., 1990, Butterflies of Tanzania. 363 pp., Pls., 179 text-figs., Hill House Melbourne / London. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Kielland,J., 1994, A Revision of the genus Henotesia (excluding Madagascar and other Indian Ocean Islands) (Lepidoptera, Satyridae). Lambillionea 94: 235-274, figs. Geographic coverage area (in codes): **GA CG NG CM B-F GH LI GN CI UG TZ KE ZR AO ZM BI SD**

Kirby,W.F., 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Kirby,W.F., 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Kirby,W.F., 1889, Descriptions of new species of African Nymphalidae. Ann. Mag. nat. Hist. 6 (3): 246-249. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Kirby,W.F., 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Kirby,W.F.G., 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I**

Kiriakoff,S.G., 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch**

PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I

Kiriakoff,S.G., 1952, Thyretidae nouveaux du Congo Belge (Lepidoptera Notodontoidea). Rev. Zool. Bot. Afr. 46: 396-406. Geographic coverage area (in codes): **ZR**

Kiriakoff,S.G., 1953, Arctiidae nouveau du Musee Royal du Congo Belge. Lambillionea 53 (7/8): 50-54, 53 (9/10): 65-69, 53 (11/12): 93-96. Geographic coverage area (in codes): **ZR**

Kiriakoff,S.G., 1953, Les Thyretidae du Musee Royal du Congo Belge (Lepidoptera, Notodontoidea). Ann. Mus. R. Congo Belge Tevuren (Serie Sci. Zool.) vol.26, 91pp. Tevuren. Geographic coverage area (in codes): **ZR**

Kiriakoff,S.G., 1954, Heteroceres nouveaux ou peu connus du Katanga. Rev. Zool. Bot. Afr. 50: 169-188, 293-325. Geographic coverage area (in codes): **ZR**

Kiriakoff,S.G., 1955, Die Thyretidae (Lepidoptera, Notodontoidea) aus der Zoologischen Staatssammlung München. Mitt. münch. ent. Ges. 44/45: 250-266, Taf.iv, 8 Abb. Geographic coverage area (in codes): **ET CM CG ZR ZA Nta Kzu Fs KE TZ SL Gau Jh Tva Lpo ZW Har SZ** *[available in Cesa Library]*

Kiriakoff,S.G., 1957, Notes sur les Thyretidae (Lepidoptera, Notodontoidea). Bull. Ann. Soc. R. ent. Belg. 93: 121-160. Geographic coverage area (in codes): **ZR**

Kiriakoff,S.G., 1957, New Thyretidae (Lepidoptera, Notodontoidea). Tijdschr. Ent. 100 (1): 95-114, Pls. figs. Geographic coverage area (in codes): **ZA Tva Nta Kzu MW ZW AO TZ KE ZR RW UG SD ET CM CI NG CI GH NE TD** *[available in Cesa Library]*

Kiriakoff,S.G., 1958, Arctiidae (except Nolinae), Thyretidae and Notodontidae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952, I (2/3): 1-53, pls., London. Geographic coverage area (in codes): **UG**

Kiriakoff,S.G., 1959, Notes sur les Notodontoidea (Lepidoptera) du Congo Belge. Lambillionea 59: 24-34. Geographic coverage area (in codes): **ZR**

Kiriakoff,S.G., 1962, New and less known African Notodontidae (Lepidoptera). Tijdschr. Ent. 105: 239-260, 37 figs. Geographic coverage area (in codes): **ZW Har UG MG AO ZA Nta Kzu MZ TZ** *[available in Cesa Library]*

Kiriakoff,S.G., 1970, Danielita nom.nov. Lepidoptera, Notodontoidea. NachrBl. bayer. Ent. 19(6): 124. Geographic coverage area (in codes): **CN RU MG**

Kiriakoff,S.G., 1981, New and known Notodontidae from East and South Africa (Lepidoptera, Notodontoidea). Entomofauna 2 (2): 11-31, figs. Geographic coverage area (in codes): **ZA ZW TZ UG MW Mje BW RW ZM** *[available in Cesa Library]*

Kitching,I,J. & J-M.Cadiou, 2000, Hawkmoths of the World. An annotated and illustrated revisionary checklist (Lepidoptera, Sphingidae). x+226pp., 8 Pls. Natural History Museum, London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Kitching,I.J. & J.E.Rawlins, 1999, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR 65 SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH** *[available in Cesa Library]*

Kitching,I.J. & R.Zahiri, 2007, Taxonomic notes and new records of the genus Sphingonaepiopsis Wallengren,1858 (Lepidoptera, Sphingidae) in Iran. Zootaxa 1610: 41-52, 10 pls. Geographic coverage area (in codes): **HV MK GR BG RO UA Cm RU Cc TR IR LB IL Pa AM AZ GG TM IQ KG KK AF SA YE KE TZ UG AO BW ZA ZW MW NG GM GN BF CI GA CF ZM** *[available in Cesa Library]*

Kitching,I.J., 1984, An historical review of the higher classification of Noctuidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 49 (3): 153-234. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR CH DE DK NO SE FI IT DZ MA TN EG HU RO PL EE LT LV HV SL GB TH LA KH VN MX CO VE BR PE C** *[available in Cesa Library]*

Klein,H.J., 1988, Entomologische Beobachtungen in der Umgebung von Wad Medani, Gezira, Sudan 1984-1986 (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo (N.F.) 9(3): 187-198, 3 Abb. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Klemstein,J., 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I**

Klima,A., 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Klima,A., 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.89. 1-224pp. W.Junk, Berlin & The Hague Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN**

LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US *[available in Cesa Library]*

Klima,A., 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk,F. (ed.), Lepidopterorum Catalogus Pars.94. 225-384pp. W.Junk, Berlin & The Hague Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Klimesch,J., 1975, Über neue mediterrane und kanarische Nepticuliden (Lepidoptera, Nepticulidae). Mitt. münch. ent. Ges. 65: 1-28, 41 Abb. Geographic coverage area (in codes): **Cn TR MK** *[available in Cesa Library]*

Klir,J., 2016, Contribution to knowledge of the life cycle of Epiorna abessynica (Koch,1865) (Lep., Zygaenidae). Entomologist's Rec. J. Var. 128 (2): Geographic coverage area (in codes): **ET**

Kloppers,J. & G. Van Son, 1978, Butterflies of the Krüger National Park. 109pp. 353 col. figs. 1 map. National Parks Board of South Africa. Sigma Press. Pretoria. Geographic coverage area (in codes): **ZA Tva Lpo Mpu** *[available in Cesa Library]*

Klots,A.B., 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I**

Klots,A.B., 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I**

Klots,A.B., 1970, Lepidoptera. [İn] Tuxen,S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2). Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Klug,F., 1829-1845, Insecta [in] Ehrenberg,C.G., Symbole Physicae, seu icones et descriptiones corporum naturalium novarum aut minus cognitorum [183] pp., 50 Pls. Berolini. Geographic coverage area (in codes): **EG SD SO DJ ET KE UG TZ ZR ZA ZM SA YE IL SY TR IQ IR OM JO ..**

Kneucker,A., 1909, Zoologische Ergebnisse zweier in den Jahren 1902 und 1904 durch die Sinaihalbinsel unternommener botanischer Studienreisen nebst zoologischen Beobachtungen aus Aegypten, Palästina und Syrien I.Teil. 90S., 5 Taf., Karlsruhe. Geographic coverage area (in codes): **EG Sn Pl IL LB JO TN SD** *[available in Cesa Library]*

Knölke,S., 2007, A revision of te European representatives of the Microlepidopteran genus Dioryctria Zeller,1846 (Insecta, Lepidoptera, Pyralidae, Phycitinae). Dissertation. Ludwig-Maximillians-Univ., München. edoc.ub.uni-muenchen.de/8425/1/Knoelke_Sonja.pdf Geographic coverage area (in codes): **MA DZ ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR Cc GG AZ AM KG CN AF PK** *[available in Cesa Library]*

Koch,G., 1865, Die Indo-Australische Lepidopteren-Fauna in ihrem Zusammenhang mit der europäischen nebst den drei Hauptfaunen der Erde. xii+119 pp., 1 Pl. Leipzig. Geographic coverage area (in codes): **ET ..**

Kodandaramaiah,U. & N.Wahlberg, 2009, Phylogeny and biogeography of Coenonympha butterflies (Nymphalidae, Satyrinae)- patterns of colonization in the Holarctic. Syst. Ent. 34: 315-323. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ CA US** *[available in Cesa Library]*

Kononenko,V.S. & A.Y.Matov, 2009, A review of Palaearctic Metachrostis Hübner,[1820] with description of three new species (Lepidoptera, Noctuidae, Eublemminae). Zootaxa 2026: 1-17, figs. Geographic coverage area (in codes): **RU KG KK TR YE CN LY DZ FR HV ES LB IR MN IN ET PH LK AU** *[available in Cesa Library]*

Kopij,G., 2006, Lepidoptera fauna of Lesotho. Acta zool. cracov. 49B (1-2): 137-180. Geographic coverage area (in codes): **LS ZA** *[available in Cesa Library]*

Kopij,G., 2014, Lepidoptera fauna of Namibia I. Seasonal distribution of moths of the Koakoland (Mopane) Savanna in Ogongo, northern Namibia. Fragm. Faun. 57 (2): 117-129. Geographic coverage area (in codes): **NA** *[available in Cesa Library]*

Korb,M., 1910-1924, Über die von mir beobachteten palaearktischen Lepidopteren (Vorkommen, Lebensweise etc.). Mitt. münch. ent. Ges. 1 (1910): 2-5; (2): 15-16; (3-4): 17-19; (9-10): 66-70; 2 (1911): 17-22, 55-59, 88-91; 3 (1912): 17-20; 4 (1913): 5-8, 49-54; 6 (1915): 35-42; 7 (1916): 25-30, 91-99; 9 (1919): 57-64; 11 (1921): 4-14; 14 (1924): 18-24. Geographic coverage area (in codes): **TR AM Cc Eri RU Us Sb DE AT ES DZ GG Akh BG 05 42 KK** *[available in Cesa Library]*

Koster,J.C. & S.Y.Sinev, 2003, Microlepidoptera of Europe volume 5. Momphidae, Batrachedridae, Stathmopodidae, Agonoxenidae, Cosmopterigidae, Chrysopeleiidae. Apollo Books, Stenstrup. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR GG AZ AM RU SY LB IL IQ** *[available in Cesa Library]*

Kostrowicki,A.S., 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). Acta zool. cracov. 6: 367-472, pls. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR 06 65 CY SY LB TM UZ KK KG CN Ui Ch MN KP KR PK IN SA EG AF JP PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC MT Co Si Sa Cr CH AT** *[available in Cesa Library]*

Kostrowicki,A.S., 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. Panstowe Wyd. Nauk., Warschaw. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR 06 65 CY SY LB TM UZ KK KG CN Ui Ch MN KP KR PK IN SA EG AF JP PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC MT Co Si Sa Cr CH AT** *[available in Cesa Library]*

Kovtunovich,V., Ustjuzhanin,P. & R.Murphy, 2014, Plume moths of Malawi (Lepidoptera, Pterophoridae). Zootaxa 3847 (4): 452-494, figs. Geographic coverage area (in codes): **MW** *[available in Cesa Library]*

Kovtunovitch,V.N. & P.Y.Ustjuzhanin, 2009, New species and records of plume moths of the genus Agdistis Hübner,1825 (Lepidoptera, Pterophoridae, Agdistinae) from southern Africa. Amurian zool. J. 1 (1): 37-44, figs. Geographic coverage area (in codes): **ZA AO NA ZR SZ ZW LS MW MZ ZM** *[available in Cesa Library]*

Kovtunovitch,V.N. & P.Y.Ustjuzhanin, 2009, New species and records of plume moths of the genus Agdistis Hübner,1825 (Lepidoptera, Pterophoridae, Agdistinae) from southern Africa.2. Amurian zool. J. 1 (3): 216-218, figs. Geographic coverage area (in codes): **ZA NA** *[available in Cesa Library]*

Kozhantshikov,I.V., 1956, Lepidoptera Psychidae (Chekhlonosy-meshechnitsy), [in] Stackelberg,A.A. [ed.] Faune of the USSR vol.iii, no.2, Zool. Inst. Acad. Sci. USSR, Moskva-Leningrad, [Israel Program for Scientific Translations, Jerusalem, 1969]. Geographic coverage area (in codes): **MA DZ TN RU TJ TM KK KG AZ Cc AM GG CN UZ TR UA BY RO** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2006, Notes on the nomenclature of some species group taxa in the genus Euproctis (s.l.) (Lepidoptera, Lymantriidae) [in Turkish]. Cent. ent. Stud., Misc. Pap. 102-103: 13-14. Geographic coverage area (in codes): **MY Prk ID Sum Ja CX ZA PG** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Replacement names for some Microlepidoptera (Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 5-7. Geographic coverage area (in codes): **ZA TW RU KP KR ID PG** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa I- Democratic Republic of Congo (Zaire) stand 18.7.2007 [totally 2683 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri3.pdf/base_view Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 2- Rwanda stand 18.7.2007 [totally 359 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri4.pdf/base_view Geographic coverage area (in codes): **RW** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 3- Nigeria stand 18.7.2007 [totally 1341 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri5.pdf/base_view Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 4- Cameroon stand 18.7.2007 [totally 1791 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri6.pdf/base_view Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 5- Tanzania stand 19.7.2007 [totally 1945 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri7.pdf/base_view Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 6- Uganda stand 19.7.2007 [totally 1891 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri8.pdf/base_view Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 7- Zimbabwe stand 19.7.2007 [totally 1386 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri9.pdf/base_view Geographic coverage area (in codes): **ZW** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 8- Malawi stand 19.7.2007 [totally 900 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri10.pdf/base_view Geographic coverage area (in codes): **MW** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 9- Algeria stand 19.7.2007 [totally 1482 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri11.pdf/base_view Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 10- Ethiopia stand 19.7.2007 [totally 940 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri12.pdf/base_view Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 11- Kenia and Somalia stand 19.7.2007 [totally 2032 and 326 sp. & ssp.

listed]. http://www.metafro.be/Members/Cesa/Cesapublafri13.pdf/base_view Geographic coverage area (in codes): **KE SO** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 12- Sudan stand 19.7.2007 [totally 764 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri14.pdf/base_view Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 13- Angola stand 19.7.2007 [totally 919 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri15.pdf/base_view Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Preliminary checklist of Loxostege Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ Cc 65** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Annotated List of the Lycaena Fabr. (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 135: 1-8. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Chapter 4: Bibliography of the Lepidoptera (BL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1117-1267. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Chapter 7: Illustrated list of the Lepidoptera recorded in the Transvaal (South Africa), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1645-1684, figs. Geographic coverage area (in codes): **ZA Tva Lpo Spb Mdk** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2007, Replacement names for some Microlepidoptera (Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 6-7. Geographic coverage area (in codes): **ZA RU Us KR TW** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2008, Geometridae of South Africa with revised species list of Transvaal (Limpopo, Mpumalanga, Gauteng), a temporary results of the Cesa Project Lepidoptera of South Africa (LZA), 27 pp. (pdf) <http://www.members.tripod.com/entcesa/zageom.pdf> [referenced by Zoologisches Staatssammlung München in FORUM HERBULOT, Identification Tools/Inventories, Afrotropical Region: South Africa/Transvaal: <http://www.herbulot.de/Herbulot_Reg/links.htm> Geographic coverage area (in codes): **ZA Tva** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2008, Josefrazowskia nom. nov. in Afrotropical Tortricidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 138: 9. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2008, Diversity of the Lepidoptera in the World (DLW), A project supported by the Cesa. Cesa News 2: 1-9. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2009, Third report on the temporary results of the Lepidopteran list of Africa Continent based upon the Databank of the Cesa. stand 1.3.2009. Cesa Publ. on African Lepid. 25: 1-2810, figs., maps. Geographic coverage area (in codes): **DZ AO BJ BW BI BF CM Cn CV CF CG DJ EG GO ER ET GA GH GM GN CI KE LS LR LY MG MW ML MA RW ST SN SL Sk SO ZA SD SZ TZ TD TN UG ZR ZM ZW** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2010, Evaluation of the lepidopterological bibliography based upon the info-system of the Cesa. Cent. ent. Stud., Priamus (Suppl.) 21: 1-1185, 39 figs. 3 graphs. Geographic coverage area (in codes): **TR IR IQ AF PK IN TH PH RU Cc ET ZA** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2012, Number of the species of the Lepidoptera fauna of the selected countries with sample lists of some classical licalities in the Old World. Cesa News 83: 8-55. Geographic coverage area (in codes): **ZA Dbn Wnn TZ Caa PG Aro KE Nai LB Bei AZ Cc Kir Ord Nv 76C TR 76 Zom Pdy IR Fa Ui CN Ku Shn MM Tns IN Khs Mre PK Rgo AM Eri 06 06R 31** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2015, Annotated lists of the Lepidoptera of Algeria, based upon the info-system of the Cesa. Priamus (Suppl.) 34: 1-794, 436 maps. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2015, List of the genus group nams of Noctuidae of Algeria (Lepidoptera). Cesa News 115: 1-20. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Koçak,A.Ö. & M.Kemal, 2015, Annotated list of the lepidopterological taxa in the info-system of the Cesa Part I. Cent. ent. Stud., Memoirs 7: 1-4792. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Koçak,A.Ö. & S.Seven, 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Koçak,A.Ö. & S.Seven, 1997, Etiyopya ile komşu ülkelerinin Hesperiidae türleri ve dağılımları hakkında (Lepidoptera) Cent. ent. Stud., Misc. Pap. 48: 3-7. Geographic coverage area (in codes): **ET ER DJ SD SO SA YE** *[available in Cesa Library]*

Koçak,A.Ö. & S.Seven, 1997, Etiyopya ile komşu ülkelerinin Argynnidae türleri ve bazı taksonomik notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 46: 1-4. Geographic coverage area (in codes): **ET ER SO SD DJ KE UG** *[available in Cesa Library]*

Koçak,A.Ö., 1980, Some notes on the nomenclature of Lepidoptera. Communs Fac. Sci. Univ. Ankara, (Ser C3, Zool.) 24: 7-25. Geographic coverage area (in codes): **Cc FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG AM GG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD** *[available in Cesa Library]*

Koçak,A.Ö., 1980, On the nomenclature of some genus- and species-group names of Lepidoptera. Nota lepid. 2 (4): 139-146. Geographic coverage area (in codes): **Cc PH TZ IR KK KG RU UZ TR MK GG AZ AM GR BG MK SO ET SD SA KE UG MN** *[available in Cesa Library]*

Koçak,A.Ö., 1981, On the nomenclature of some genera of the family Psychidae (Lepidoptera). Cent. ent. Stud., Priamus 1 (1): 7-10; 1(3): 122-123. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Koçak,A.Ö., 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. Cent. ent. Stud., Priamus 1 (2): 93-96. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ 06 65** *[available in Cesa Library]*

Koçak,A.Ö., 1981, Nomenclatural note on the genus Petersenia Gozmany,1960 (Tineidae). Cent. ent. Stud., Priamus 1 (2): 45. Geographic coverage area (in codes): **DZ MA TN Gf LY IL Pa JO SY Dms IQ TR 23 SA YE Ad OM As JO SD Ksl ET EG EG39** *[available in Cesa Library]*

Koçak,A.Ö., 1981, On the nomenclature of some genera of Lepidoptera. Cent. ent. Stud., Priamus 1(1): 18-23; 1(3): 97-109, 112-122. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID BD MM TH VN KH LA MY PH AU PG TW SB NH NC SW FJ** *[available in Cesa Library]*

Koçak,A.Ö., 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). Cent. ent. Stud., Priamus 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37. Geographic coverage area (in codes): **Cc GB ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR 06 65 65D GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM CN Ui** *[available in Cesa Library]*

Koçak,A.Ö., 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller,1775 in "Ankündung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". Cent. ent. Stud., Priamus 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86. Geographic coverage area (in codes): **Cc GB ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR 06 65 GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM** *[available in Cesa Library]*

Koçak,A.Ö., 1983, On the nomenclature of the genus Hipparchia Fabricius,1807 (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 2 (4): 166-169. Geographic coverage area (in codes): **Cc GB ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR 06 65 GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM** *[available in Cesa Library]*

Koçak,A.Ö., 1983-1986, More notes on the homonymy of the specific names of Lepidoptera. Cent. ent. Stud., Priamus 2 (1983) (4): 164-166; 3 (1983) (2): 41-42; 4 (1986) (1/2): 55-60. Geographic coverage area (in codes): **Cc TR US Cf RU RO GG ET BG PH AU UG KE CO** *[available in Cesa Library]*

Koçak,A.Ö., 1986, On the paper "Lepidoptera names of Denis & Schiffermüller - A case for stability" by K.Sattler & W.G. Tremewan in 1984. Cent. ent. Stud., Priamus 4 (1): 3-12. Geographic coverage area (in codes): **Cc GB ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM** *[available in Cesa Library]*

Koçak,A.Ö., 1986, On the nomenclature of the species Mirificarma interuptella (Hübner,1793). Cent. ent. Stud., Priamus 4 (1/2): 65-66. Geographic coverage area (in codes): **ES FR CH AT DE CZ PL MA DZ TN BE NL** *[available in Cesa Library]*

Koçak,A.Ö., 1989, Provision of a valid name for the type-species of the genus Sideridis Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2. Geographic coverage area (in codes): **Cc GB ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM** *[available in Cesa Library]*

Koçak,A.Ö., 1989, On the authorship of the family name Lemoniidae with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149. Geographic coverage area (in codes): **Cc ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM** *[available in Cesa Library]*

Koçak,A.Ö., 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL**

CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ *[available in Cesa Library]*

Koçak,A.Ö., 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Koçak,A.Ö., 1991, Introductions and Remarks, [in] Seven,S. & S.Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara. Geographic coverage area (in codes): **Cc GB ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM** *[available in Cesa Library]*

Koçak,A.Ö., 1995, Lepidoptera palaeo-tropica araştırma programı hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5. Geographic coverage area (in codes): **Cc GB ES PT FR IT CH AT HU PL DE DK SE NO FI B-H HV YU MK BG GR TR GG AZ AM RO RU AL LB IL IR IQ AF PK SA EG JO OM** *[available in Cesa Library]*

Koçak,A.Ö., 1996, [On the butterflies of Northern Addis Ababa (Ethiopia)]. Ethiop. Wildl. Nat. Hist. Soc., Newsl. 8: 6-7. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Koçak,A.Ö., 1996, 1996 Şubat ayında Etiyopya'ya yapılan lepidopterolojik ekspedisyonun sonuçları 1.Giriş. Cent. ent. Stud., Misc. Pap. 27/28: 1-7. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Koçak,A.Ö., 1996, "Carcasson's African Butterflies" adlı yayına tamamlayıcı notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 27/28: 10-16. Geographic coverage area (in codes): **ET SO KE TZ UG** *[available in Cesa Library]*

Koçak,A.Ö., 1996, Güney Batı Asya Polyommatinae taksonlarının listesi ve bazı nomenklatür notları (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 30/33: 1-32. Geographic coverage area (in codes): **Cc AF AE AM AZ BH CY DJ EG ER ET GG IL IN IQ IR JO KG KK KW LB OM PK QA SA SD SK SO SY TJ TM TR UZ YE CN Ui** *[available in Cesa Library]*

Koçak,A.Ö., 1997, 1996 Eylül ve Ekim aylarında Etiyopya'ya yapılan Entomolojik ekspedisyonun sonuçları I. Giriş. Cent. ent. Stud., Misc. Pap. 35/36: 1-4, 2 harita. Geographic coverage area (in codes): **ET ER** *[available in Cesa Library]*

Koçak,A.Ö., 1997, Pieris brassicae (Linnaeus,1758) türünün Eritre'de bulunuşu hakkında (Lepidoptera, Pieridae). Centr. ent. Stud., Misc. Pap. 35/36: 4-6, 1 harita. Geographic coverage area (in codes): **ER ET** *[available in Cesa Library]*

Koçak,A.Ö., 2006, Proposal of a replacement name in the Tortricidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 6-7. Geographic coverage area (in codes): **MG** *[available in Cesa Library]*

Koçak,A.Ö., 2007, Project of the Cesa: Lepidoptera of Africa (LAF) (beginning: 2003). http://www.metafro.be/Members/Cesa/project.2007-07-18.3820575445/base_view Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Koçak,A.Ö., 2007, Project of the Cesa: Catalogue of South African Lepidoptera (LZA) (beginning: 2003). http://www.metafro.be/Members/Cesa/project.2007-07-16.3668615978/base_view Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Koçak,A.Ö., 2013, Nomenclatural notes in the family Lasiocampidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 160: 1-5. Geographic coverage area (in codes): **MG NG GH ZM CG CI SL ZR KE CM AO CF LR GM** *[available in Cesa Library]*

Kravchenko,V.D., Matov,A., Speidel,W., Rybalov,L., Seyoum,E., Beredin,S., Negeri,M., Witt,T., Mooser,J. & G.C.Müller, 2010, Contribution to the Lepidoptera fauna of Ethiopia: Catocaline taxa (Lepidoptera, Noctuidae). Lepid. Novae 3 (1): 41-52, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Kravchenko,V.D., Ronkay,L. Speidel,W., Witt,T. et al., 2007, Contribution to the Noctuidae fauna of Ethiopia (Lepidoptera, Noctuidae). Atalanta 38 (3/4): 385-393, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Kroon,D.M., 1999, Lepidoptera of South Africa. Host-plants & other associations. A Catalogue. ix+160pp. 3 maps. Lepidopterist's Soc. of Africa, Sasolburg. Geographic coverage area (in codes): **ZA Tva Lpo Gau Nta Kzu Ec Wca Nca Fs** *[available in Cesa Library]*

Krüger,M., 1997, Revision of Afrotropical Ennominae of the Drepanogynis Group II. The genus Hebdomophruda Warren, Part 1 (Lepidoptera, Geometridae). Ann. Transv. Mus. 36 (21): 257-295, 9 figs. Geographic coverage area (in codes): **ZA Ec Nca Wca Fs Gau Tva Lpo Nta Kzu NA BW AO ZW MZ MW LS SZ** *[available in Cesa Library]*

Krüger,M., 1997, Afrogortyna, a new genus of stem-boring Noctuidae from southern Africa (Lepidoptera, Noctuidae, Amphipyrinae). Ann. Transv. Mus. 36 (22): 297-307. Geographic coverage area (in codes): **ZA**

Krüger,M., 1998, Revision of the genus Hypotephrina Janse,1932 (Lepidoptera, Geometridae, Ennominae). Ann. Transv. Mus. 36 (26): 351-372, 32 figs. Geographic coverage area (in codes): **ZA Wca Nca Fs Ec Nta Kzu Tva Lpo SZ ZW** *[available in Cesa Library]*

Krüger,M., 1998, Revision of Afrotropical Ennominae of the Drepanogynis Group II. The genus Hebdomophruda Warren, Part 2 (Lepidoptera, Geometridae). Ann. Transv. Mus. 36 (25): 333-349, 23 figs. Geographic coverage area (in codes): **ZA Ec Nca Wca Fs Gau Tva Lpo Nta Kzu NA BW AO ZW MZ MW LS SZ** *[available in Cesa Library]*

Krüger,M., 1999, Revision of Afrotropical Ennominae of the Drepanogynis Group III. The genera Argyrophora Guenée, Pseudomaenas Prout and Microligia Warren (Lepidoptera, Geometridae, Ennominae). Ann. Transv. Mus. 36 (32): 427-496, 109 figs. Geographic coverage area (in codes): **ZA Ec Nca Wca Fs Gau Tva Lpo Nta Kzu NA BW AO ZW MZ MW LS SZ** *[available in Cesa Library]*

Krüger,M., 2001, A revision of the tribe Macariini (Lepidoptera: Geometridae: Ennominae) of Africa, Madagascar and Arabia. Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 1-502, 1040 figs., 14 Tab. & App. Geographic coverage area (in codes): **ZA Tva Nta Kzu Lpo Spb Fs MZ MG ZW BW MW TZ KE UG ET SD EG ZR ZM AO NA GH SO SL CI TG CF CM NG SZ LS SA YE TR** *[available in Cesa Library]*

Krüger,M., 2002, Revision of Afrotropical Ennominae of the Drepanogynis Group IV. The genus Drepanogynis Guenee (Lepidoptera, Geometridae). Transvaal Museum Monograph 13: 1-224, 441 figs., 54 maps. Geographic coverage area (in codes): **ZA Ec Nca Wca Fs Gau Tva Lpo Nta Kzu NA BW AO ZW MZ MW LS SZ** *[available in Cesa Library]*

Krüger,M., 2002, Additional revisionary notes on Afrotropical Macariini (Geometridae, Ennominae, Macariini). Metamorphosis 13 (3): 78-86, figs. Geographic coverage area (in codes): **SZ GH BW SA CF TZ MZ UG MW NA** *[available in Cesa Library]*

Krüger,M., 2002, Additional revisionary notes on Afrotropical Ennominae of the Drepanogynis group (Lepidoptera, Geometridae, Ennominae, Ennomini). Metamorphosis 13 (2): 71-78, figs. Geographic coverage area (in codes): **LS MW ZA** *[available in Cesa Library]*

Krüger,M., 2003, Revision of the genera Aethiopodes Warren,1902 and Odontopera Stephens,1831 in southern Africa (Lepidoptera, Geometridae, Ennominae). Annls Transv. Mus. 40: 1-27, figs. Geographic coverage area (in codes): **ZA ZW UG** *[available in Cesa Library]*

Krüger,M., 2008, Conchylia cymopolia sp. nov. from the Richtersveld, Northern Cape Province, South Africa (Lepidoptera, Geometridae, Larentiinae). Metamorphosis 19 (1): 27-32, 4 figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Krüger,M., 2017, Henicovalva gen.n., a new genus of predominantly Afrotropical Ennominae with unusually complex genitalia (Lepidoptera, Gepmetridae). African Ent. 25 (1): 42-61, figs. Geographic coverage area (in codes): **ZA KE TZ YE RW ET** *[available in Cesa Library]*

Kudrna,O. & E.Balletto, 1984, An Annotated Catalogue of the Skippers (Lepidoptera: Hesperiidae) named by Roger Verity. J. Res. Lepid. 23(1): 35-49. Geographic coverage area (in codes): **Cc ES FR DE CH AT IT DZ SS HV YU MK BG GR TR CN JO AM MR IN GR LY RU** *[available in Cesa Library]*

Kudrna,O., 1972, On some Moroccan butterflies. Entomologist's Rec. J. Var. 84: 267-268. Geographic coverage area (in codes): **MA**

Kudrna,O., 1973, On the status of Pieris cheiranthi Hübner. Entomologist's Gaz. 24: 299-304. Geographic coverage area (in codes): **Cn**

Kudrna,O., 1974, Artogeia Verity, 1947, gen.rev. for Papilio napi Linnaeus (Lepidoptera, Pieridae). Entomologist's Gaz. 25: 9-12, 7 figs. Geographic coverage area (in codes): **MA DZ TN Cc RO BG GR B-H MK TR CY SY LB IL EG IQ IR GG AM AZ RU TM UZ TJ AF PK KK KG** *[available in Cesa Library]*

Kudrna,O., 1975, On a hitherto undescribed European species of the genus Hipparchia Fabricius (Lep., Satyridae). Entomologist's Gaz. 26: 197-207, 15 figs. Geographic coverage area (in codes): **Cc YU MK PK GR TR AZ UA CY IQ TM IR DZ** *[available in Cesa Library]*

Kudrna,O., 1977, On the nomenclature of some taxa of the genus Artogeia Verity (Lep., Pieridae). Z. ArbGem. Öst. Ent. 29(1/2): 63-64. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Kudrna,O., 1977, A revision of the genus Hipparchia Fabricius. Classey. Geographic coverage area (in codes): **MA DZ TN LY Cc Cn EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Kudrna,O., 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. J. Res. Lepid. 21: 1-106. Geographic coverage area (in codes): **Cc ES FR DE CH AT IT BG SE Co Si Sa MA DZ MK BG GR TR CY GG AM AZ AL YU IQ IR LB EG IL JO AF TM PK UZ TJ KK KG Ch RU CN Uİ Pm JP** *[available in Cesa Library]*

Kudrna,O., 1985, Concise bibliography of European butterflies. [in] Kudrna,O., Butterflies of Europe 1: 1-448. Geographic coverage area (in codes): **MA DZ TN CY Cr Rd Co Sa Si B-I PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR IR GB MT PK AF Ch CN T-S** *[available in Cesa Library]*

Kudrna,O., 1985, European butterflies (Lepidoptera, Papilionoidea) named by Hans Fruhstorfer. Nachr. ent. Ver. Apollo, Suppl. 5: 1-60. Geographic coverage area (in codes): **ES FR IT MA DZ GB DE SS HV B-H MK RO RU CZ SK GR BG CH AT YU** *[available in Cesa Library]*

Kumata,T. & H.Kuroko, 1988, Japanese species of the Acrocerceps-group (Lepidoptera, Gracillariidae), Part I. Insecta matsumurana (Ser. Ent.) (n.s.) 38: 1-111, figs. Geographic coverage area (in codes): **Cn Az DZ MA TN PT ES GB FR Co Sa Si IT CH HV GR Cr TR IL Pa IR Gls TM AU NZ IN NP JP Ri** *[available in Cesa Library]*

Kurshakov,P.A. & V.V.Zolotuhin, 2013, A review of the genus Ectropa Wallengren,1863 with descriptions of a new genus and six new species (Lepidoptera, Chrysopolomidae). Shilap Revta lepid. 41 (164): 431-447, figs. Geographic coverage area (in codes): **TZ KE ZA** *[available in Cesa Library]*

Kurshakov,P.A. & V.V.Zolotuhin, 2013, A review of the genus Strigivenifera Hering,1937 (Lepidoptera, Chrysopolomidae) with a description of ten new species. Zool. Zh. 92 (7): 808-824, figs. Geographic coverage area (in codes): **NG CM CF CI ZR RW KE BI UG TG BF GA SL AO GH LR** *[available in Cesa Library]*

Kurshakov,P.A. & V.V.Zolotuhin, 2016, A new genus and a new species of archaic Chrysopolomidae (Lepidoptera) from Angola. Entomofauna 37 (2): 33-39, figs. Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Kuznetsov,V.I. & S.V.Baryshnikova, 2001, Review of the Palaearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily Ornixolinae Kuznetsov & Baryshnikova, subfam.n. Ent. Obozr. 80 (1): 96-120, figs. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ TH MM IN** *[available in Cesa Library]*

Kyrki,J., 1990, Tentative reclassification of holarctic Yponomeutoidea (Lepidoptera). Nota lepid. 13 (1): 28-42. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Kühne,L. & W.Speidel, 2004, The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF ZA CM SW JP US** *[available in Cesa Library]*

Kühne,L., 2000, Die Tagfalter der Afrika-Expeditionen des Museums für Naturkunde Berlin (Lepidoptera, Papilionoidea & Hesperioidea). Entomofauna 21 (17): 213-228. Geographic coverage area (in codes): **NA ZM ZW ZA MW ET** *[available in Cesa Library]*

Kühne,L., 2007, A new snouted tiger species from Eastern Africa (Lepidoptera, Aganaidae). Esperiana Memoir 3: 351-352. Geographic coverage area (in codes): **TZ**

Kühne,L., 2014, Revision der Gattung Nanna Birket-Smith,1965 (Lepidoptera, Arctiidae, Lithosiinae). Beitr. Ent. 64 (1): 111-133, figs. Geographic coverage area (in codes): **MZ CM ZR RW KE TZ NG AO** *[available in Cesa Library]*

Kühne,L., Collins,S.C. & W.Kinuthia, 2004, Check-list of the butterflies of the Kakamega Forest Nature Reserve in western Kenya (Lepidoptera, Hesperioidea, Papilionoidea). Nachr. ent. Ver. Apollo (N.F.) 25 (4): 161-174. Geographic coverage area (in codes): **KE Kkm** *[available in Cesa Library]*

Lagnel,M., 1966, Note sur l'armature génitale male et femelle du sous-genre Pieris Schrank (Lep., Pieridae). Bull. Soc. ent. Fr. 71: 91-94, 12 figs. Geographic coverage area (in codes): **ET MA ES Cn NP KG** *[available in Cesa Library]*

Lajonquiére,Y.de, 1973, Genres Dendrolimus Germar, Hoenimnema, n.gen., Cyclophragma Turner. 10.Contribution a l'etude des Lasiocampides. Annls Soc. ent. Fr. (N.S.) 9(3): 509-592, 69 figs., 3 Pls. Geographic coverage area (in codes): **PH IN CN TR JP HV MA GR TW MM SI BD** *[available in Cesa Library]*

Lajonquiére,Y.de, 1977, Essai sur les genres Beralade Walker, Sena Walker, Chilena Walker, Ergolea Dumont. 20.Contribution a l'etude des Lasiocampidae (Lepidoptera). Annls Soc. ent. Fr. (N.S.) 13 (2): 243-295, 60 figs., 5 Pls. Geographic coverage area (in codes): **SO ER ET SD IR IQ AF ZA EG NG KE SA AO CM SN TN MA DZ TM MR** *[available in Cesa Library]*

Lamas,G., 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). Entomofauna 26 (6): 57-100. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR CH DE DK NO SE FI IT DZ MA TN EG HU RO PL EE LT LV HV SL GB TH LA KH VN MX CO VE BR PE C** *[available in Cesa Library]*

Lamas,G., 2007, Four new names for Afrotropical Lycaenidae. Metamorphosis 18 (4): 128-130. Geographic coverage area (in codes): **SD KE** *[available in Cesa Library]*

Landry,J.-F. & P.D.N.Hebert, 2013, Plutella australiana (Lepidoptera, Plutellidae), an overlooked diamondback moth revealed by DNA barcodes. Zookeys 327: 43-63, figs. Geographic coverage area (in codes): **Cn AU AT TR** *[available in Cesa Library]*

Landry,J.-F., Nazari,V., Dewaard,J.R., Mutanen,M., Lopez-Vaamonde,C., Huemer,P. & P.D.N.Hebert, 2013, Shared but overlooked: 30 species of Holarctic Microlepidoptera revealed by DNA barcodes and morphology. Zootaxa 3749 (1): 1-93, figs. Geographic coverage area (in codes): **MA DZ TN Cn ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR Cc SY GG AZ AM KG CN IR AF PK IN Ch JP Hkk CA US** *[available in Cesa Library]*

Landry,J.F., Nazari,V., Bidzilya,O., Huemer,P. & O.Karsholt, 2017, Review of the genus Agonochaetia Povolny (Lepidoptera, Gelechiidae), and description of a new genus and species from the Canary Islands. Zootaxa 4300 (1): 451-485, figs. Geographic coverage area (in codes): **Cn ES CO IT US Col Cf CA AT SS CH RU Tv BG** *[available in Cesa Library]*

Lane,M.A., 1973, A new genus and species of Ethiopian Thyatiridae (Lepidoptera). J. Nat. Hist. 7: 267-272, figs. Geographic coverage area (in codes): **ZA Ec Tva Lpo ZW** *[available in Cesa Library]*

Laporte,B. & P.-C.Rougeot, 1981, Description d'une nouvelle espece de Batuana (Lep., Noctuidae, Trifinae) d'Ethiopie. Bull. mens. Soc. linn. Lyon 50(4): 126-127, 2 figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Laporte,B., 1974, Diagnoses de nouveaux genres et de plusieurs especes inédites de Noctuidae Trifinae (Lépidopteres) d'Ethiopie. Bull. mens. Soc. linn. Lyon 43(6): 216-224 (7): 246-251, 45 figs. Geographic coverage area (in codes): **ET**

Laporte,B., 1974, Noctuidae du Territoire français des Afars et des Issas (Lepidoptera). Bull. Soc. ent. Fr. 79: 91-94. Geographic coverage area (in codes): **ET DJ**

Laporte,B., 1975, Diagnoses de 17 nouvelles especes de Noctuidae d'Ethiopie et du Kenya (Lépidopteres). Bull. mens. Soc. linn. Lyon 44(8): 277-287, 32 figs. Geographic coverage area (in codes): **ET**

Laporte,B., 1976, Diagnoses de nouveaux genres et de plusieurs especes inédites de Noctuidae Trifinae (Lépidopteres) d'Ethiopie (3e note). Bull. mens. Soc. linn. Lyon 45(3): 131-136, 9 figs. Geographic coverage area (in codes): **ET**

Laporte,B., 1977, Noctuidae (sauf les Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 51-67, Pls. Geographic coverage area (in codes): **ET KE DJ** *[available in Cesa Library]*

Laporte,B., 1984, Noctuidae (Sauf les Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 14-41, 38 figs., Pls. Geographic coverage area (in codes): **ET DJ KE ZR** *[available in Cesa Library]*

Larsen,K., 1988, The Cochylidae-fauna of Libya (Lepidoptera, Tortricidae, Tortricinae). Stapfia 16 (1987): 175-184, figs. Geographic coverage area (in codes): **LY** *[available in Cesa Library]*

Larsen,K., 2010, The distribution of Cydia pyrivora (Lepidoptera, Tortricidae). Phegea 38 (1): 1-4, figs. Geographic coverage area (in codes): **LT MK YU RU GR TR FR MD UZ DZ** *[available in Cesa Library]*

Larsen,T.B. & A.R.Pittaway, 1982, Notes on the ecology, biology and taxonomy of Apharitis acamas (Klug) (Lepidoptera, Lycaenidae). Entomologist's Gaz. 33: 163-168, 2 figs. Geographic coverage area (in codes): **EG JO LB SY TR IR AF PK IN OM IL** *[available in Cesa Library]*

Larsen,T.B. & J.Boorman, 1995, A new African butterfly commemorating Bob St.Leger, Pseudathyma legeri (Lepidoptera, Nymphalidae). Lambillionea 95: 611-613, figs. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Larsen,T.B. & J.E.Rawlins, 2014, A new species of Skipper in the Afrotropical genus Procampta Holland (Lepidoptera, Hesperiidae, Pyrginae, Tagiadini). Ann. Carn. Mus. 82 (4): 331-335, figs. Geographic coverage area (in codes): **ZR**

Larsen,T.B. & M.J.W.Cock, 2011, A new species of Eretis (Lepidoptera, Hesperiidae) from Kenya, Uganda and Rwanda. Trop. Lep. Res. 21 (1): 12-16, figs. Geographic coverage area (in codes): **KE UG RW** *[available in Cesa Library]*

Larsen,T.B. & S.C.Collins, 2011, The African Skipper genus Caenides Holland and the description of a new species (Lepidoptera, Hesperiidae, Hesperiinae). Trop. Lepid. Res. 21 (2): 62-65, figs. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Larsen,T.B. & S.C.Collins, 2013, Kobelana: a new genus for two South African skippers currently placed in Calleagris Aurivillius (as C.kobela Aurivillius,1925 and C.krooni Vari,1974) (Lepidoptera, Hesperiidae, Pyrginae, Tagiadini) [a long title more than enough A.Ö.K.] Metamorphosis 23: 8-15, figs. Geographic coverage area (in codes): **ZR ZM NG LR ZA Nta Kzu Mpu Tva** *[available in Cesa Library]*

Larsen,T.B. & S.C.Collins, 2015, Hollandus, a new genus for the African skipper Pardeleodes xanthopeplus, with the description of new subspecies (Lepidoptera, Hesperiidae). Metamorphosis 26: 4-11, figs. Geographic coverage area (in codes): **CF CM KE Kkm GH CI SL ZR Kvu LR** *[available in Cesa Library]*

Larsen,T.B. & T.C.E.Congdon, 2011, Triskelionia, a new African genus of the Celaenorrhinini (Lepidoptera, Hesperiidae) and the promotion of T. compacta to species-status. Zootaxa 2931: 53-58, figs. Geographic coverage area (in codes): **GN TZ ZR MZ**

Larsen,T.B. & T.C.E.Congdon, 2012, The genus Ampittia in Africa with the description of a new species (Hesperiinae, Aeromachini) and three new species in the genera Andronymus and Chondrolepis (Hesperiinae,incertae sedis) (Lepidoptera, Hesperiidae) [a long title more than enough A.Ö.K] Zootaxa 3322: 49-62, figs. Geographic coverage area (in codes): **ZR TZ**

Larsen,T.B., 1976, The importance of migration to the butterfly faunas of Lebanon, East Jordan and Egypt (Lepidoptera, Rhopalocera). Notul. ent. 56: 73-83. Geographic coverage area (in codes): **EG JO LB**

Larsen,T.B., 1981, A migration of Libythea labdaca Westwood in Nigeria. Atalanta 12: 94-96. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Larsen,T.B., 1982, Gegenes pumilio Hoffmannsegg,1804; a review with cytological evidence that two species are involved (Hesperiidae). Nota lepid. 5 (2/3): 103-110, 1 fig. Geographic coverage area (in codes): **DZ TN ES FR IT AL YU GR Cr CY TR SY LB JO IQ IR OM PK AF YE ET SO KE TZ** *[available in Cesa Library]*

Larsen,T.B., 1984, The zoogeographical composition and distribution of the Arabian butterflies (Lep., Rhopalocera). J. Biogeogr. 11 (2): 119-158. Geographic coverage area (in codes): **SA ET**

Larsen,T.B., 1984, The butterflies of the Gemsbok National Park in Botswana (Lepidoptera, Rhopalocera). Botswana Notes and Records 24: 181-215, pls. Geographic coverage area (in codes): **BW** *[available in Cesa Library]*

Larsen,T.B., 1990, The Butterflies of Egypt. 112 pp. 8 Pls. Svendborg. Geographic coverage area (in codes): **EG**

Larsen,T.B., 1996, The Butterflies of Kenya and their natural history. 500 pp. 64 pls. Oxford University Press. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Larsen,T.B., 1997, A revision of the Hypolycaena lebona group of African Lycaenidae (Lepidoptera), with description of two new species and a new subspecies. Metamorphosis 8(4): 172-182. Geographic coverage area (in codes): **UG KE NG CM LB CI ZR TZ SL GH** *[available in Cesa Library]*

Larsen,T.B., 2005, Butterflies of West Africa. 2 vols. Svendborg, Denmark. Geographic coverage area (in codes): **SN GM BF LR SL GN ML GH CI TG BJ NG NE MR**

Larsen,T.B., 2008, Forest butterflies in West Africa have resisted extinction...so far (Lepidoptera, Papilionoidea, Hesperioidea). Biodivers. conserv. 2008: 15 pp. Geographic coverage area (in codes): **SL LR CI GH NG** *[available in Cesa Library]*

Larsen,T.B., 2009, Azanisis Kemal,2004 - a junior synonym of Azanus Moore,1881 (Lepidoptera, Lycaenidae). Metamorphosis 20 (1): 40-41 [not a reasonable approach, containing unusual and arrogant criticism, A.Ö.K]. Geographic coverage area (in codes): **GN ET ZR AO** *[available in Cesa Library]*

Larsen,T.B., 2012, Taxonomy of the Afrotropical genus Melphina Evans and the description of two new genera: Melphinyet and Noctulana (Lepidoptera, Hesperiidae, Hesperiinae, incertae sedis) [a long title more than enough A.Ö.K.] Trop. Lepid. Res. 22 (1): 16-23, figs. Geographic coverage area (in codes): **NG CI GA Ogo ZR GH CM SL UG** *[available in Cesa Library]*

Larsen,T.B., 2013, Two new species in the African Skipper genera Borbo (Hesperiinae, Baorini) and Platylesches (Hesperiinae, incertae sedis) [a long title more than enough A.Ö.K] Trop. Lepid. Res. 23 (2): 92-98, figs. Geographic coverage area (in codes): **ZM GA SN SL GN BF CI** *[available in Cesa Library]*

Larsen,T.B., Aduse-Poku,K. & S.Safian, 2009, The butterflies of Boebeng-Fiema Monkey Sanctuary - biodiversity and extinction in a forest fragment in Ghana. African Ent. 17 (2): 131-146. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Larsen,T.B., Aduse-Poku,K., Boersma,H., Safian,S. & J.Baker, 2007, Bobiri butterfly sanctuary in Ghana - Discovering its butterflies with a checklist of the 930 butterflies in Ghana. Metamorphosis 18 (3): 88-125, figs. Geographic coverage area (in codes): **GH Bob** *[available in Cesa Library]*

Larsen,T.B., Pyrcz,T.W., Safian,S. & H.Warren-Gash, 2009, Two biogeographically significant new species of Euriphene Boisduval,1847 from West Africa and Nigeria: E.epe Pyrcz & Larsen and E.taigola Safian & Warren-Gash (Lepidoptera, Nymphalidae, Adoliadini) Metamorphosis 20 (3): 89-99, figs. Geographic coverage area (in codes): **NG CM ZR SL** *[available in Cesa Library]*

Larsen,T.B., Riley,J. & M.A.Cornes, 1980, The butterfly fauna of a secondary bush locality in Nigeria. J. Res. Lepid. 18 (1): 4-23, figs. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Lasan,M., 1997, Nekaj novih vrst v favni metuljev (Lepidoptera) Slovenije. [Some Lepidoptera species new to the fauna of Slovenia]. Acta ent. Slovenica 5(1): 51-58. Geographic coverage area (in codes): **SL**

Lastuvka,Z., Malicky,H., Hüttinger,E., Rausch,H. & F.Ressl, 1990, Sesien-Funde aus Europa und dem Mediterrangebiet (Lepidoptera, Sesiidae). Z. ArbGem. öst. Ent. 41(3/4): 105-110. Geographic coverage area (in codes): **AT YU IT Cr TN CH GR TR 07 10 15 17 32 33 45 46** *[available in Cesa Library]*

Laszlo,G.M., Lödl,M., Gaal-Haszler,S., Galsworthy,A., Ronkay,G., Ronkay,L. & Z.Varga, 2018, The Vartian Collection Part IV. Geometridae. Fibigeriana 4: 166 pp. 87 pls. Heterocera Press. Geographic coverage area (in codes): **AM Cc TR IR AF PK ES MA AT** *[available in Cesa Library]*

Laszlo,G.M., Ronkay,G., Ronkay,L. & T.Witt, 2007, The Thyatiridae of Eurasia including the Sundaland and New Guinea (Lepidoptera). Esperiana 13: 1-683, figs. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW MM TH LA KH MY ID Sum Ja Clb Bor PH PG** *[available in Cesa Library]*

Lathy,P.I., 1901, An account of a collection of Rhopalocera made at Zomba in British Central Africa. Trans. ent. Soc. London 1901 (1): 19-36, pl.iii. Geographic coverage area (in codes): **MW Zom** *[available in Cesa Library]*

Lathy,P.I., 1903, An account of a collection of Rhopalocera made on the Anambara Creek in Nigeria, West Africa. Trans. ent. Soc. Lond. 1903: 183-206, pl.viii. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Lathy,P.I., 1906, A contribution towards the knowledge of African Rhopalocera. Trans. ent. Soc. Lond. 1906: 2-10, 2 pls. Geographic coverage area (in codes): **AO ZW ZR UG KE MW Mje TZ Kmj** *[available in Cesa Library]*

Lattin,G.de, 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. Decheniana 105/106: 115-164. Geographic coverage area (in codes): **Cc PT ES FR DE BE LT ET EE FI SE NO RU RO YU CZ HU PL DK SL SS B-H HV MK GR GB BG IT AT CH AD BY UA KK KG TM IR TR GG AZ AM CY SY IQ IL MD AL**

Lattin,G.de, 1967, Grundriss der Zoogeographie. [In] Borriss,H. & Gersch,M., Hochschullehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena. Geographic coverage area (in codes): **Cc MA DZ TN LY EG LB IL JO SA IR IQ AM AZ GG PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY NO SE FI KK KG TM UZ TJ AF PK IN CN KP KR JP US CA PH MM TH VN ID AU SO SD ET ER KE TZ Sk Ca Sa Cn Az Si MT Cr Rd CY SY KW** *[available in Cesa Library]*

Lawrence,J.M., Brown,M., Lawrence,P.D. & C.J.Ballantyne, 1998, Butterflies of the Pietermaritzburg National Botanic Gardens South Africa: A conservation perspective. Metamorphosis 9 (4): 149-155. Geographic coverage area (in codes): **ZA Nta Kzu Ptb** *[available in Cesa Library]*

Lay,J. & K.Rose, 1979, Eine neue subspecies von Coenonympha vaucheri Blachier aus Südmarokko (Lepidoptera, Satyridae). Ent. Z., Frankf. a. M. 89: 142-144. Geographic coverage area (in codes): **MA**

Leach,W.E., 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR 06 65 CY SY LB TM UZ KK KG CN Ui Ch MN KP KR PK IN SA EG AF JP PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC MT Co Si Sa Cr CH AT**

Leach,W.E., [1815], Entomology [In] Brewster,D., Edinburgh Encyclopaedie 9.vol., pt.1. 57-172 pp., Edinburgh. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR 06 65 CY SY LB TM UZ KK KG CN Ui Ch MN KP KR PK IN SA EG AF JP PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC MT Co Si Sa Cr CH AT**

Lecompte,C., 1976, First observations on the biology and damage caused by the leek tineid Acrolepiopsis (Acrolepia) assectella Zeller (Microlepidoptera, Plutellidae) on the coast of Algeria. Bull. Soc. Hist. nat. Afr. Nord 67 (3/4): 49-56. Geographic coverage area (in codes): **DZ**

Lederer,J., 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.- bot. Ver. Wien 3: 165-269, pls. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Lederer,J., 1857, Die Noctuinen Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasiens, Syriens und Labradors. 16+252pp., 4 Pls. Wien. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Lederer,J., 1859, Classification der europäischen Tortriciden. Wien. ent. Monatschr. 3: 118-126, 141-155, 241-255, 273-288, 328-346, 366-389, 2 Pls. Geographic coverage area (in codes): **DZ MA TN LY EG IL JO LB SY SA YE PT ES MT Sa Co Si IT CH AT DE PL FR GB HU CZ SK SS YU HV B-H MK GR RO BG TR DK SE NO FI EE LV LT RU MN JP KP KR CN UZ TJ KK KA TM IR AF PK AZ AM GG Cc 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 2 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81** *[available in Cesa Library]*

Lederer,J., 1863, Beitrag zur Kenntniss der Pyralidinen. Wien. ent. Monatschr. 7 (8): 243-280, 7 (10): 331-378, 7 (11): 380-426, 7 (12): 427-502, Taf. 2-18. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR 65 IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA IN ID MM MY PH FJ NC PG SB AU NH WS TW TH CN Ch RU** *[available in Cesa Library]*

Lee,S. & R.L.Brown, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). Zootaxa 1818: 1-55, figs. Geographic coverage area (in codes): **B-H AL MK BG GR Cc GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM LK IN ID MM MY US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP** *[available in Cesa Library]*

Leestmans,R., 1975, Etude biographique et ecologique des Lépidopteres des isles Canaries (Lepidoptera, Insecta). Vieraea 4(1/2): 9-116. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Legrain,A., Yela,J.L. & M.Fibiger, 1988, Evisa schawerdai Reisser,1930 espece nouvelle pour la faune de la Peninsule Ibérique (Noctuidae, Cuculliinae). Nota lepid. 11 (4): 265-273, figs. Geographic coverage area (in codes): **ES Co TR 07 13 33 42 46 IQ LB MK Sa FR MA** *[available in Cesa Library]*

Lehmann,I. & E.Kioko, 2000, Preliminary survey on butterflies and moths and their habitats in two Kaya Forests of the Kenya Coast. Metamorphosis Occ. Suppl. 4: 1-51, figs. Geographic coverage area (in codes): **KE Kki Kmu SHl** *[available in Cesa Library]*

Lehmann,I. & H.S.Rajaei, 2013, Description of a new genus and three new species of Metarbelidae (Lepidoptera, Cossoidea) from East and Central Africa, with notes on biogeography. Bonn. zool. Bull. 62 (1): 100-110, figs. Geographic coverage area (in codes): **ZR UG** *[available in Cesa Library]*

Lehmann,I., 1997, Metarbela haberlandorum sp.nov., a new moth from Kenya (Lepidoptera, Metarbelidae). Nachr. ent. Ver. Apollo (N.F.) 18 (1): 45-53, 3 figs. Geographic coverage area (in codes): **KE Kwl Kmu** *[available in Cesa Library]*

Lehmann,I., 2008, Ten new species of Metarbelidae (Lepidoptera, Cossoidea) from the coastal forests and the eastern arc mountains of Kenya and Tanzania, including one species from two upland forests. J. East Afr. nat. Hist. 97 (1): 43-82, figs. Geographic coverage area (in codes): **KE Kwl TZ** *[available in Cesa Library]*

Lehmann,I., 2008, Six new species of Metarbelidae (Lepidoptera, Cossoidea) from the coastal forests and the eastern arc mountains of Tanzania, including one new species from Marenji Forest in Southeast coastal Kenya. J. East Afr. nat. Hist. 97 (1): 187-206, figs. Geographic coverage area (in codes): **TZ KE** *[available in Cesa Library]*

Lehmann,I., 2014, Description of two new genera and two new species of Metarbelidae (Lepidoptera, Cossoidea) from the Northeastern Congolian Lowland Forests Ecoregion (Central Africa). Zootaxa 3895 (4): 570-580, figs. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Lemaire,C., 1962, Description d'un Attacidae d'Abyssinie: Imbrasia ellisoni n.sp. (Lep.). Bull. IFAN 24 A2. Geographic coverage area (in codes): **ET**

Leneveu,J., Chichvarkhin,A. & N.Wahlberg, 2009, Varying rates of diversification in the genus Melitaea (Lepidoptera, Nymphalidae) during the past 20 million years. Biol. J. Linn. Soc. 97: 346-361, 3 figs. Geographic coverage area (in codes): **IR Fa Ar Ha FR MA SE TR 75 GR ES LB RU UZ KG Ssn MN IN Ld KK TJ Pm CN Ui US Tx Col EC BR PE PA MX Cf** *[available in Cesa Library]*

Leraut,P. & G.C.Luquet, 1982, Statut de quelques genres et especes d'Odontiinae paléarctiques et description de quatre nouveaux taxa (Lep., Crambidae). Linneana belg. 8 (12): 527-555, 28 figs. Geographic coverage area (in codes): **FR ES HU IT RU RO GR HV MA** *[available in Cesa Library]*

Leraut,P. & G.C.Luquet, 1996, Archips xylosteana sabrinae ssp.nov. en France méridionale (Lepidoptera, Tortricidae). Alexanor 19 (4): 249-251. Geographic coverage area (in codes): **FR PT Co ES DZ** *[available in Cesa Library]*

Leraut,P., 1984, Contribution a l'etude des Scopariinae 4. Revision des types decrits de la region palearctique occidentale, description de dix nouveaux taxa et ebauche d'une liste des especes de cette region (Lep., Crambidae). Alexanor 13 (4): 157-192, 37 figs. Geographic coverage area (in codes): **DZ MA TN FR TR YU MK IR LB IQ RU** *[available in Cesa Library]*

Leraut,P., 2005, Etude de quelques genres et especes de Pyrales (Lepidoptera, Pyraloidea). Revue fr. Ent. (n.s.) 27 (1): 21-44, figs. Geographic coverage area (in codes): **ES FR MA DZ TN YU TR IR IL Pa RU KK UZ TM** *[available in Cesa Library]*

Leraut,P., 2006, Contribution a l'étude du genre Hypsopygia Hübner (Lepidoptera, Pyralidae). Revue fr. Ent. (n.s.) 28 (1): 5-30, figs. Geographic coverage area (in codes): **MA DZ TN Cn ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR Cc SY GG AZ AM KG CN IR AF PK IN Ch JP US** *[available in Cesa Library]*

Leraut,P., 2012, Moths of Europe. Volume 3 Zygaenids, Pyralids 1. 599pp. 201 text-figs., 112 pls. N.A.P. ed., Verrières-le-Buisson. Geographic coverage area (in codes): **MA Afr Azr Ifr DZ Bsk TN Gf Cc Da AM LY EG Cn LU ES PT FR IT Si Sa Co DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO TR 01 05 31 31M 38 47 CY SY Sn LB Bei IL Pa JO IQ IR Fa Elb GG AZ TM UZ KK KG UA RU Sj Am Ur KP KR CN Ui Kl Ti AF PK CA** *[available in Cesa Library]*

Leraut,P., 2013, Especes et genres nouveaux de Pyralinae (Lepidoptera, Pyraloidea, Pyralidae). Bull. Soc. ent. Fr. 118 (1): 41-72, figs. Geographic coverage area (in codes): **CG CF ZR CG ET CI MG GH GN** *[available in Cesa Library]*

Leraut,P., 2014, Moths of Europe. Volume 4 Pyralids 2. 441pp. 190 text-figs., 69 pls. N.A.P. ed., Verrières-le-Buisson. Geographic coverage area (in codes): **MA DZ TN Cc LY EG Cn LU ES PT FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY Sn LB IL IQ IR GG AM AZ TM UZ KK KG UA** *[available in Cesa Library]*

Leraut,P., 2019, Contribution a l'étude des Pyralinae d'Afrique et de Madagascar, avec description d'un genre nouveau et de 22 espèces nouvelles (Lep., Pyraloidea, Pyralidae). Rev. fr. Ent. Gén. 1 (3): 211-233, figs. Geographic coverage area (in codes): **KE Nai MG ET TD Tb** *[available in Cesa Library]*

Lesar,T., 1998, Coenonympha tullia O. F. Müller,1764, na slovenskem KoroÜkem (Lepidoptera: Satyridae). Acta ent. Slovenica 6(1): 16. Geographic coverage area (in codes): **SL**

Lesar,T., 1998, Lomographa dilectaria HÜbner,1799, v severovzhodni Sloveniji (Lepidoptera: Geometridae). Acta ent. Slovenica 6(1): 46. Geographic coverage area (in codes): **SL**

Lesse,H.de, 1951, Divisions génériques et subgénériques des anciens genres Satyrus et Eumenis (sensu lato). Revue fr. lépid. 13 (3/4): 39-43. Geographic coverage area (in codes): **Cc B-H MK BG GR TR UA RO RU GG AM AZ IR TM UZ KK KG TJ CN AF PK Ch IN IQ JO SA OM YE EG CY IL LB SY** *[available in Cesa Library]*

Lesse,H.de, 1952, Révision des Neohipparchia (Lepidoptera, Satyridae) d'Afrique du Nord. Bull. Soc. sci. Nat. Maroc 32: 91-105. Geographic coverage area (in codes): **MA DZ TN**

Lesse,H.de, 1970, Les nombres de chromosomes dans le groupe de Lysandra argester et leur incidence sur sa taxonomie (Lep., Lycaenidae). Bull. Soc. ent. Fr. 75: 64-68, 2 figs. Geographic coverage area (in codes): **FR TR 06 DZ ES IT CH** *[available in Cesa Library]*

Lewandowski,S. & H.Fischer, 2005, Revision der Artengruppen von Lasiocampa trifolii und L. serrula der Gattung Lasiocampa von Paula Schrank,1802 (Lepidoptera, Lasiocampidae). Nachr. ent. Ver. Apollo (N.F.) 26 (4): 183-196, figs. Geographic coverage area (in codes): **MA DZ TN LY ES CY EG SA GR Sms Rd TR 31 35 LB Bei JO Amm IL Pa IR TM Kp AF UZ** *[available in Cesa Library]*

Lewandowski,S. & K.Lewandowski-Krenz, 2016, Pempelia ehrenbergi sp.n., eine neue Pyralidenart der Gattung Pempelia Hübner,1825 aus Aegypten (Lepidoptera, Pyralidae, Phycitinae). Nachr. ent. Ver. Apollo N.F. 37 (2/3): 65-67, figs. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Lewandowski,S. & K.Tober, 2008, Catocala olgaorlovae duschara subspec. nov. aus Jordanien (Lepidoptera, Noctuidae). Atalanta 39 (1/4): 377-378, figs. Geographic coverage area (in codes): **JO IL Pa EG Sn** *[available in Cesa Library]*

Lewandowski,S. & K.Tober, 2011, Idaea sordida horus subspec.nov., eine neue Unterart der Gattung Idaea Treitschke,1825 aus Aegypten (Lepidoptera, Geometridae). Atalanta 42 (1/4): 249-250, figs. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Lewvanich,A., 1981, A revision of the Old World species of Scirpophaga (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 42: 185-298, 188 figs. Geographic coverage area (in codes): **EG IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN LK SA SD ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW** *[available in Cesa Library]*

Li,H. & K.Sattler, 2012, A taxonomic revision of the genus Mesophleps Hübner,1825 (Lepidoptera, Gelechiidae). Zootaxa 3373: 1-82, figs. Geographic coverage area (in codes): **PT ES FR GB IE DK DE PL RU UA AT IT HV SS B-H MK GR BG TR 06 16 CY AZ AM GG Cc IR AF PK IN LK CN KP KR JP MM TH MY ID PH TW MA DZ TN LY EG IL NE GH CI NG CM ZR UG KE ZM MZ MG NA ZA Tva NP PG SB AU US Cf Fl MX CU GS EC VE BR** *[available in Cesa Library]*

Li,H., Zhen,H. & W.Mey, 2013, Notes on Dichomeris Hübner,1818 fom Southern Africa and Kenya, with description of seven new species (Lepidoptera, Gelechiidae, Dichomerinae). Zootaxa 3608 (7): 561-574, figs. Geographic coverage area (in codes): **ZA KE** *[available in Cesa Library]*

Libert,M. & P.Annoyer, 2015, Un nouveau Chloroselas de Centrafrique (Lepidoptera, Lycaenidae, Aphnaeinae). Bull. Soc. ent. Fr. 120 (1): 31-36, figs. Geographic coverage area (in codes): **CF** *[available in Cesa Library]*

Libert,M. & S.C.Collins, 1997, A new species of Cymothoe Hübner from Cameroon (Lepidoptera, Nymphalidae). Metamorphosis 8(4): 183-190, 2 Pls., 3 figs. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Libert,M. & S.C.Collins, 2011, Note on Mimacraea gelinia (Oberthür,1893), with the description of a new subspecies (Lepidoptera, Lycaenidae). Metamorphosis 22 (1): 18-21, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Libert,M. & S.C.Collins, 2013, Description of two new species of African Lycaenidae in the collection of the African Butterfly Research Institute. Metamorphosis 24: 3-6, figs. Geographic coverage area (in codes): **UG KE** *[available in Cesa Library]*

Libert,M. & S.C.Collins, 2015, Revision of the Cerautola crippsi species group, with the description of three new taxa from Cameroon and the Democratic Republic of the Congo (Lepidoptera, Lycaenidae, Poritiinae). Metamorphosis 26: 44-49, figs. Geographic coverage area (in codes): **CM ZR** *[available in Cesa Library]*

Libert,M., 1993, Description de nouveaux lycenides orophiles du Cameroun (Lepidoptera, Rhopalocera). Bull. Soc. ent. Fr. 97 (4): 321-332. Geographic coverage area (in codes): **CM**

Libert,M., 1996, Contribution a l'etude des Lycaenidae africains: revision du genre Lachnocnema Trimen (Lepidoptera, Lycaenidae). Lambillionea 96 (1): 185-202; (2): 367-386; (3): 479-500. Geographic coverage area (in codes): **ZR AO SN GA GN SL LR CI GH TG NG CM CF SD ET UG KE MW MZ ZA ZW**

Libert,M., 1996, New Bicyclus from Cameroon (Lepidoptera, Satyridae). Bull. Soc. ent. Fr. 101 (2): 201-208, fig. Geographic coverage area (in codes): **CM**

Libert,M., 2000, Le genre Ornipholidotos Bethune-Baker au Cameroun. Descriptions du genre Torbenia n.gen. et de onze nouvelles espèces (Lepidoptera, Lycaenidae). Bull. Soc. ent. Fr. 105 (5): 433-466, figs. Geographic coverage area (in codes): **CM**

Libert,M., 2003, Note sur le genre Cupidopsis Karsch (Lepidoptera, Lycaenidae). Lambillionea 103 (1): 149-154, pls. Geographic coverage area (in codes): **SN CM GA ZR CG AO CV BF GH TG SD ET UG MZ MR**

Libert,M., 2006, Note sur le genre Henotesia Butler (Lepidoptera, Satyridae). Lambillionea 106 (1): 1-14, figs. Geographic coverage area (in codes): **GA CG NG CM B-F GH LI GN CI UG TZ KE ZR AO ZM BI SD** *[available in Cesa Library]*

Libert,M., 2011, Note sur Axiocerces [sic!] argenteomaculata Pagestecher,1902 (Lepidoptera, Lycaenidae). Bull. Soc. ent. Fr. 116 (3): 277-278, figs. Geographic coverage area (in codes): **ET SO KE** *[available in Cesa Library]*

Libert,M., 2014, Nouveaux taxons du genre Euptera Staudinger,1891 (Lepidoptera, Nymphalidae). Bull. Soc. ent. Fr. 119 (1): 79-90, figs. Geographic coverage area (in codes): **CM ZR** *[available in Cesa Library]*

Libert,M., Baliteau,L. & S.Baliteau, 2011, Deux nouveaux Lycaenidae du Cap-Vert (Lepidoptera). Bull. Soc. ent. Fr. 116 (1): 63-67, figs. Geographic coverage area (in codes): **CV** *[available in Cesa Library]*

Lindemans,J., 1910, Een nieuwe west-afrikaansche Nymphalide. Tijdschr. Ent. 53: 278-279, pl.13. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Linnaeus,C., 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae. Geographic coverage area (in codes): **65 Cc PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR IR GB GG AM AZ CY SY LB IL SA SD SO ER ET DJ YE IQ IR TM TJ KK KG UZ IN PK AF ID TW PH FJ SB NC NH AU MM MY SG TH** *[available in Cesa Library]*

Linnaeus,C., 1764, Museum S.R.M. Ludovicae Ulricae Reginae etc. in quo animalia rariora, exotica, inprimis insecta et conchilia describuntur et determinantur, prodromi instar editum. 720pp., Holmiae. Geographic coverage area (in codes): **Cc PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR IR GB GG AM AZ CY SY LB IL SA SD SO ER ET DJ YE IQ IR TM TJ KK KG UZ IN PK AF ID TW PH FJ SB NC NH AU MM MY SG TH**

Linnaeus,C., 1767, Systema Naturae per regna tria naturae secumdum classes, ordinus, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae. Geographic coverage area (in codes): **65 Cc MA DZ PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR IR GB GG AM AZ CY SY LB IL SA SD SO ER ET DJ YE IQ IR TM TJ KK KG UZ IN PK AF ID TW PH FJ SB NC NH AU MM MY SG TH** *[available in Cesa Library]*

Linnaeus,C., [1760], Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae. Geographic coverage area (in codes): **65 Cc PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR IR GB GG AM AZ CY SY LB IL SA SD SO ER ET DJ YE IQ IR TM TJ KK KG UZ IN PK AF ID TW PH FJ SB NC NH AU MM MY SG** *[available in Cesa Library]*

Liseki,S.D. & R.I.Vane-Wright, 2011, Butterflies (Lepidoptera, Papilionoidea) of Mount Kilimanjaro: Introduction and family Papilionidae. J. Nat. Hist. 45: 2375-2396. Geographic coverage area (in codes): **TZ Kmj** *[available in Cesa Library]*

Liseki,S.D. & R.I.Vane-Wright, 2013, Butterflies (Lepidoptera, Papilionoidea) of Mount Kilimanjaro: Family Pieridae, subfamily Coliadinae J. Nat. Hist. 47: 1309-1323. Geographic coverage area (in codes): **TZ Kmj** *[available in Cesa Library]*

Liseki,S.D. & R.I.Vane-Wright, 2014, Butterflies (Lepidoptera, Papilionoidea) of Mount Kilimanjaro: Family Pieridae, subfamily Pierinae. J. Nat. Hist. 48: 1543-1583. Geographic coverage area (in codes): **TZ Kmj** *[available in Cesa Library]*

Liseki,S.D. & R.I.Vane-Wright, 2015, Butterflies (Lepidoptera, Papilionoidea) of Mount Kilimanjaro: Nymphalidae subfamilies Libytheinae, Danainae, Satyrinae and Charaxinae. J. Nat. Hist. 49: 1-40. Geographic coverage area (in codes): **TZ Kmj** *[available in Cesa Library]*

Longstaff,G.B., 1916, Butterflies of southern Kordofan, collected by Captain R.S.Wilson, Lancashire Regiment. Trans. ent. Soc. London 1916 (2): 269-288, map. Geographic coverage area (in codes): **SD Kdf** *[available in Cesa Library]*

Lovtrup,S., 1975, On the Phylogenetic Classification. Acta zool. cracov. 20 (14): 499-524, 2 text-figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Lucas,D., 1907, Lépidoptères nouveaux de Tunisie. Bull. Soc. ent. Fr. 1907: 180-181. Geographic coverage area (in codes): **TN DZ** *[available in Cesa Library]*

Lucas,D., 1910, Lépidoptères nouveaux ou peu connus de France, d'Algérie et de Tunisie. Annls Soc. ent. Fr. 79: 473-495, pl.18 Geographic coverage area (in codes): **FR DZ Elt TN** *[available in Cesa Library]*

Lucas,H., 1849, Histoire naturelle des animaux articulés 3: Insectes: Sixième ordre Les Lépidoptères, [in] Exploration scientifique de l'Algérie, pendent les années 1840,1841,1842: 345-413. Paris. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Lucas,H., 1852, Description de nouvelles espèces de Lépidoptères appartenant aux collections entomologiques de Musée de Paris. Revue Mag. Zool. Pure & App. 4: 324-345, 422-432. Geographic coverage area (in codes): **ET**

Lucas,H., 1866, Quelques remarques sur une variété du Chrysophanus phlaeas, Lépidoptere Acalinoptere de la tribu des Eryciniens et de la famille des Lycénides. Annls Soc. ent. Fr. (4)5: 499-500. Geographic coverage area (in codes): **ET**

Lukhtanov,V.A., 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. Ent. Obozr. 70(3): 619-636, 3 figs. Geographic coverage area (in codes): **Cc DE FR IT CH AT RO BG AL GR Cr Rd YU SV HV B-H MK TR CY SY LB IL EG SA SK YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Lödl,M. & B.Mayerl, 1998, Revision der Gattung Zekelita Walker,1863 (=Rhynchodontodes Warren,1913) (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 1: 115-230, figs. Geographic coverage area (in codes): **TR 05 06 33 35 41 42 47 71 LB HV AL MK GR ZA LS Tva Nta EG IR AF ZM ZW UG ZR MW Zom Mje Cn TZ KE SO NE SD SA SL SN GH GM NG MG OM IN MM TW JP PK AU QAu CY IQ KG UZ JO AM Cc SY CN Ui Ku TJ** *[available in Cesa Library]*

Lödl,M. & E.Arenberger, 1994, Bemerkungen zum Artbegriff anhand einiger Pterophoriden-Arten (Lepidoptera). Z. ArbGem. Öst. Ent. 46 (3/4): 103-110. Geographic coverage area (in codes): **MA ES AT TR AF** *[available in Cesa Library]*

Lödl,M. & S.Gaal, 1996, Description of Hypena variofuscocolorata n.sp., a new Hypeninae species from East Africa with some notes on the subgenus Jussalpena Lödl,1994 (Lepidoptera: Noctuidae). Lambillionea 1996: 88-94. Geographic coverage area (in codes): **UG KE**

Lödl,M. & S.Gaal, 1996, Hypena vanschuytbroecki sp.n., eine neue Hypeninen-Art aus Zaire aus der Verwandtschaft von Hypena prionodes Fletcher,1961 (Lepidoptera: Noctuidae). Z. ArbGem. Öst. Ent. 48 (1-2): 9-12. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Lödl,M., 1993, Die Flügelzeichnung der Gattungsgruppe Hypena Schrank,1802 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 103 (4): 453-459. Geographic coverage area (in codes): **US MA DZ TN LY PT ES Mu FR Co Sa Si IT MT LU DE AL BG GR Cr TR CY DK SE RU MD UA BY HV Cn DZ TN EG LB Bei Bsa IL Pa JO YE Sk GN SD KE TZ MW ZA Ec Nta Kzu Dbn MG IN MX VE**

Lödl,M., 1993, Notes on the synonymy of the genera Hypena Schrank,1802, Dichromia Guenée,1854 and Harita Moore,1882 (Lepidoptera, Noctuidae). Z. ArbGem. Öst. Ent. 45 (1/2): 11-14. Geographic coverage area (in codes): **US MA DZ TN LY PT ES Mu FR Co Sa Si IT MT LU DE AL BG GR Cr TR CY DK SE RU MD UA BY HV Cn DZ TN EG LB Bei Bsa IL Pa JO YE Sk GN SD KE TZ MW ZA Ec Nta Kzu Dbn MG IN MX VE** *[available in Cesa Library]*

Lödl,M., 1993, Hypena martinae n.sp., eine neue Hypeninen-Art aus dem äquatorialen Afrika (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 103 (24): 453-459. Geographic coverage area (in codes): **GO**

Lödl,M., 1993, Hypena paliscia (Bethune-Baker,1911) [Rhynchina] comb.nov. a misinterpreted African deltoid moth (Lepidoptera: Noctuidae). Annln naturh. Mus. Wien 94/95: 547-549. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Lödl,M., 1994, Hypena erikae n.sp., eine neue Hypeninen-Art aus Madagaskar (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (9): 161-167. Geographic coverage area (in codes): **MG**

Lödl,M., 1994, Hypena extremipalpis sp.n., eine neue Hypeninen-Art aus Zaire (Lepidoptera: Noctuidae). Ent. NachrBl. 1 (1) (N.F.): 10-16. Geographic coverage area (in codes): **ZR**

Lödl,M., 1994, Hypena veronikae n.sp., eine neue, madagassische Hypeninen-Art aus der Verwandtschaft von Hypena bonaberi Strand,1915. Ent. Z., Frankf. a. M. 104 (11): 204-211. Geographic coverage area (in codes): **MG**

Lödl,M., 1994, Hypena sabinis n.sp. aus Madagaskar, eine neue Hypenine aus der Verwandtschaft von Hypena prionodes Fletcher,1961 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (14): 277-282. Geographic coverage area (in codes): **MG**

Lödl,M., 1994, Hypena monikae n.sp. aus Fernando Poo, eine neue Hypenine aus der Verwandtschaft von Hypena leucosticta BETHUNE-BEKER, 1909 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (22): 429-448. Geographic coverage area (in codes): **GO Bio**

Lödl,M., 1994, Revision der Gattung Hypena Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 96B: 373-590, 400 Abb. Geographic coverage area (in codes): **ET ER SD EG KE SK SO YE SA IQ TR LB** *[available in Cesa Library]*

Lödl,M., 1994, Hypena evamariae n.sp., eine neue ostafrikanische Hypeninen-Art aus der Verwandtschaft von Hypena polycyma Hampson 1902 (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 104(6): 105-112, 8 Abb. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Lödl,M., 1994, Remarks on the classification of the genera Hypena Schrank,1802, Dichromia Guenée,1854, und Harita Moore,1882 (Lepidoptera, Noctuidae). Nota lepid. 16(3/4): 241-250, figs. Geographic coverage area (in codes): **Cc MK TR BG GR GG AZ AM GG IR RU RO UZ TM KK KG Ch IQ JO IL LB SO SD ET ER DJ IN** *[available in Cesa Library]*

Lödl,M., 1995, Revision der Gattung Hypena Schrank,1802 s.l., der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 97B: 255-393, 533 Abb. Geographic coverage area (in codes): **ET ER SD EG KE SK SO YE SA IQ TR LB** *[available in Cesa Library]*

Lödl,M., 1995, Hypena padelekorum n.sp., eine neue äthiopische Hypeninen-Art aus der Verwandtschaft von Hypena polycyma Hampson 1902 (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 105: 308-314, 12 Abb. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Lödl,M., 1995, Hypena mariachristinae n.sp., eine neue ostafrikanische Hypeninen-Art aus der Verwandtschaft von Hypena evamariae Lödl,1994 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 105 (1/2): 17-24. Geographic coverage area (in codes): **TZ**

Lödl,M., 1995, Hypena eleonorae n.sp. aus Kenya, eine weitere neue Hypeninen-Art aus der Verwandtschaft von Hypena bonaberi Strand 1915 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 105 (8): 141-146. Geographic coverage area (in codes): **KE**

Lödl,M., 1995, A new Hypena deltoid moth from Zaire (Lepidoptera: Noctuidae: Hypeninae). Tropical Lepid. 6 (1): 53-54. Geographic coverage area (in codes): **ZR**

Lödl,M., 1995, Hypena ovalimacula n.sp., eine neue westafrikanische Hypeninen-Art aus der Verwandtschaft von Hypena phricocyma Fletcher,1961 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 105 (12): 245-249. Geographic coverage area (in codes): **ST**

Lödl,M., 1995, Revision der afrikanischen Gattung Phanaspa Walker,[1866] 1865 (Lepidoptera: Noctuidae: Hypeninae). Z. ArbGem. Öst. Ent. 47 (3/4): 97-111. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Lödl,M., 1995, Beschreibung des Weibchens von Dichromia (Camhypena) thomensis (A.E.Prout, 1927) aus Sao Thome (Lepidoptea: Noctuidae: Hypeninae). Mitt. schweiz. ent. Ges. 68: 79-82. Geographic coverage area (in codes): **ST**

Lödl,M., 1995, Hypena josefinae aus der Verwandtschaft von Hypena rudolfi LÖdl, 1994 (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 105 (20): 416-420. Geographic coverage area (in codes): **MW**

Lödl,M., 1995, Hypena cherylae n.sp., a new deltoid moth from South Africa (Lepidoptera: Noctuidae: Hypeninae). Tropical Lepid. 6 (2): 144-145. Geographic coverage area (in codes): **ZA**

Lödl,M., 1995, Hypena (Jussalypena) abyssinalis Guenee,1854 in West-Afrika (Lepidoptera, Noctuidae, Hypeninae). Atalanta 26 (1/2): 297-298. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Lödl,M., 1996, Wiederbeschreibung von [Hypena] fuscomaculalis Saalmüller 1880 nebst Bemerkungen zur systematischen Stellung dieses Taxons (Lepidoptera: Noctuidae: Herminiinae). Senckenbergiana biol. 75 (1/2): 193-202. Geographic coverage area (in codes): **ZA MG**

Lödl,M., 1996, Hypena lisae n.sp., eine neue aequatorialafrikanische Hypeninae aus der Untergattung Trichypena Joannis, 1915 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 106 (11): 461-468. Geographic coverage area (in codes): **ZR UG**

Lödl,M., 1996, Zur Kenntnis von Ctenypena tenuis A.E.Prout, 1927 und Erstbeschreibung des Wiebchens (Lepidoptera: Noctuidae: Herminiinae). Annln naturh. Mus. Wien 98B: 501-506, figs. Geographic coverage area (in codes): **ST** *[available in Cesa Library]*

Lödl,M., 1996, Hypena binae sp.n., eine neue Hypeninae aus Ostafrika aus der Verwandtschaft von Hypena polycyma Hampson,1902 (Lepidoptera, Noctuidae). Beitr. Ent. 46 (1): 95-102, 10 figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Lödl,M., 1996, Hypena (Trichypena) leopardina sp.n., eine neu Hypeninae von der Insel nebst Bemerkungen zu den nächst verwandten Arten Hypena fusculalis- Gruppe (Lepidoptera, Noctuidae). Beitr. Ent. 46 (1): 103-108, 8 figs. Geographic coverage area (in codes): **GO Bio** *[available in Cesa Library]*

Lödl,M., 1996, A note on the Vartian collection at the Museum of Natural History in Vienna - a milestone on Lepidoptera of the Near and Middle East (Insecta). J. Nat. Hist. 30 (9): 1421-1422. Geographic coverage area (in codes): **TR LB JO SY IQ IR AF PK AM Cc MA** *[available in Cesa Library]*

Lödl,M., 1997, Bemerkungen zur Gattung Xoria Nye, 1975 und Erstbeschreibung des Weibchen von X. filifera (Walker, 1869) [Orixa] (Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 99B: 343-350, figs. Geographic coverage area (in codes): **ZR AO** *[available in Cesa Library]*

Lödl,M., 1997, Wiederbeschreibung von Ableptina delospila A.E.Prout, 1927 und Transfer in die Unterfamilie Herminiinae (Lepidoptera, Noctuidae). Annln naturh. Mus. Wien 99B: 337-342, figs. Geographic coverage area (in codes): **ST** *[available in Cesa Library]*

Lödl,M., 1998, Zekelita shamssiae sp.n., eine neue Hypeninae aus Ghana (Insecta, Lepidoptera, Noctuidae). Annln. naturh. Mus. Wien 100B: 297-300, figs. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Lödl,M., 1999, Zekelita stefanieae sp.n., a new Hypeninae from Tanzania (Lepidoptera, Noctuidae). Quadrifina 2: 205-208, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Lödl,M., 1999, Zekelita gaedei sp.n., a new Hypeninae from Kenya (Lepidoptera, Noctuidae). Quadrifina 2: 241-244, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Lödl,M., 2000, Description of the hitherto unknown female of Zekelita stefanieae Lödl,1999 (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 3: 13-16, figs. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Lödl,M., 2001, Catada cornesi sp.n., a new species from western Africa (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 4: 101-106, figs. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Lödl,M., 2001, The genus Ceraptila Guenée,1854 from South Africa (Lepidoptera, Noctuidae, Herminiinae). Quadrifina 4: 95-100, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Lödl,M., 2001, Ricla saudeki sp.n., a new Hypeninae from western Africa (Lepidoptera, Noctuidae). Quadrifina 4: 107-115, Geographic coverage area (in codes): **NG GO Bio** *[available in Cesa Library]*

Lödl,M., Kerbaci,R. & S.Gaal, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta, Lepidoptera). Ent. NachrBl. 3 (2/3) (N.F.): 1-5, 3 Abb. Geographic coverage area (in codes): **TR LB JO SY IQ IR AF PK AM Cc MA** *[available in Cesa Library]*

Mabille,M.P., 1876, Sur la classification des Hespériens avec la description de plusieurs especes nouvelles. Annls Soc. ent. Fr. (5)6: 251-274. Geographic coverage area (in codes): **CO BR PE PG IN ID PH TZ SG GA CN TR ET ER SD SO KE IQ IR ..**

Mabille,M.P., 1880, Note sur une collection de Lépidopteres recueillis a Madagascar. Annls Soc. ent. Belg. 23: Bull., civ-cix. Geographic coverage area (in codes): **MG**

Mabille,M.P., 1881, Note sur plusieur envois de Lépidopteres provenant de Madagascar. Annls Soc. ent. Belg. 25: Bull., lv-lxiii. Geographic coverage area (in codes): **MG**

Mabille,M.P., 1883, Description d'Hésperies. Annls Soc. ent. Belg. 27: Bull., li-lxxviii. Geographic coverage area (in codes): **BR CO PH VE JP PE PG AU US IN NG ID MY LK VN**

Mabille,M.P., 1888, Description de quelques Lépidoptères nouveaux de Tunisie et d'Algérie. Annls Soc. ent. Fr. (6) 8 (Bull.): xlii-xliii, lviii-lix. li-lii. Geographic coverage area (in codes): **TN Gab DZ** *[available in Cesa Library]*

Mabille,M.P., 1891, Description d'Hespérides nouvelles. Annls Soc. ent. Belg. 35: Bull., lix-lxxxviii, cvi-cxxi, clxviii-clxxxvii. Geographic coverage area (in codes): **BR SL ZA KE CM NG MZ GA ID PH AU MG** *[available in Cesa Library]*

Mabille,M.P., 1893, Description de Lépidopteres nouveaux. Annls Soc. ent. Belg. 37: 50-65. Geographic coverage area (in codes): **ZA TZ ET CM SL GA MG ZR ID Ja** *[available in Cesa Library]*

Mabille,M.P., 1909, Hesperiidae, [in] Seitz,A., Die Gross-Schmetterlinge der Erde, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart. Geographic coverage area (in codes): **Cc ES FR PT DE BE NL DK SE FI NO PL CZ SL HU RO RU AT IT DZ MA TN EG SY IL LB TR GG AZ AM IQ IR AF PK CH Ch CY GR BG YU MK UA BY CN JP KP KR IN KK KG UZ TM Ui** *[available in Cesa Library]*

Mabille,P., 1888, Descriptions d'especes nouvelles de Lépidopteres de Tunisie et d'Algérie. Bull. Soc. ent. Fr. 1888: 42-43, 51-52, 58-59. Geographic coverage area (in codes): **MT TN DZ LY IL Pa SA IR Ss IQ**

Mabille,P., 1890, Voyage de M.Ch. Alluaud dans le territoire d'Assinie (Afrique occidentale) en Juillet et aout 1886. Lépidoptères avec des notes sur quelques autres espèces d'Afrique. Annls Soc. ent. Fr. (2) 10: 17-51, pl.s ii, iii. Geographic coverage area (in codes): **SL GA ZR CI UG** *[available in Cesa Library]*

Mabille,P., 1904, Lepidoptera. [in] Wytsman,P., Genera Insectorum Fasc. 17. Hesperiidae. Bruxelles. Geographic coverage area (in codes): **KK TJ UZ KG Ch Ld IN LK MM TH ID SG MY VN TW CN PH NG AU LA KH PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT PK AF TR** *[available in Cesa Library]*

Mabille,P., 1906, Notes sur plusieurs Lépidoptères de la faune paléarctique. Annls Soc. ent. Fr. 75: 31-36, pl.3. Geographic coverage area (in codes): **ES An DZ Bsk** *[available in Cesa Library]*

Mabille,P., 1907, Description d'un Lépidoptère nouveau de Tunisie. Bull. Soc. ent. Fr. 1907: 308. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Maes,K., 1984, Some remarks on the genus Euproctis Hübner,[1819] 1816 (Lepidoptera, Lymantriidae). Nota lepid. 7: 55-58, figs. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ TH MM IN** *[available in Cesa Library]*

Maes,K., 1985, A comparative study of the abdominal tympanal organs in Pyralidae (Lepidoptera) I. Description, terminology, preparation technique. Nota lepid. 8 (4): 341-350, figs. Geographic coverage area (in codes): **B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP** *[available in Cesa Library]*

Maes,K., 2006, Thivolleo, a new genus with two new species from Africa (Lepidoptera, Pyraloidea, Crambidae, Pyraustinae). Revue Suiss. Zool. 113 (4): Geographic coverage area (in codes): **ZR**

Maes,K.V.N., 1996, The Meyrick types of Scopariinae, Nymphulinae, Schoenobiinae, Pyraustinae in the Royal Museum of Central Africa, Tervuren, Belgium (Lepidoptera, Pyraloidea, Crambidae). J. Nat. Hist. 30: 1405-1411. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Maes,K.V.N., 1998, On the morphology of the gnathos in the Pyraloidea (Lepidoptera). Ent. scand. 28: 381-390, figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM US CA RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Maes,K.V.N., 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). Nota lepid. 24 (4) (2001): 51-58, 2 Pls. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR 05 47 Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ TH MM IN** *[available in Cesa Library]*

Maes,K.V.N., 2014, New taxa of the subfamily Pyraustinae from the Afrotropical region (Pyraloidea, Crambidae, Pyraustinae). Lambillionea 114 (2): 105-112, figs. Geographic coverage area (in codes): **AO**

Maicher,V., Safian,S., Ishmeal,K.N., Murkwe,M., Kimbeng,T.J., Janecek,S. & R.Tropek, 2016, Two genera and nineteen species of fruit-feeding erebid moths (Lepidoptera, Erebidae) recorded in Cameroon for the first time. Ent. News 126 (1): 64-70. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Manley,W.B.L. & H.G.Allcard, 1970, A field guide to the butterflies and burnets of Spain. E.W.Classey Ltd. Hampton. Geographic coverage area (in codes): **ES Abr Act Ag Alc Alm Alv An Atu Av B-I Bad Bar Bb Bgs Bg C-L C-M CRe Cas Ccs Cd Cl Cn Cor Cs Ct Cue Cz Ex For Fv Gc Gi Gna Gp Grn Hi Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Nrr Ore Ov Peu Ple Pv Rio Seg Sma Snv Sor Sul Ter Tol Trg Val Vcl Vit Zg Zm**

Marion,H., 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 129-130. Geographic coverage area (in codes): **Cc DZ MA TN LY EG IL JO LB SY SA YE PT ES MT Sa Co Si IT CH AT DE PL FR GB HU CZ SK SS YU HV B-H MK GR RO BG TR DK SE NO FI EE LV LT RU MN JP KP KR CN UZ TJ KK KA TM IR AF PK AZ AM GG 65 06** *[available in Cesa Library]*

Marion,H., 1957, Classification et nomenclature des Pyraustidae d'Europe. Entomologiste 13: 75-87. Geographic coverage area (in codes): **Cc DZ MA TN LY EG IL JO LB SY SA YE PT ES MT Sa Co Si IT CH AT DE PL FR GB HU CZ SK SS YU HV B-H MK GR RO BG TR DK SE NO FI EE LV LT RU MN JP KP KR CN UZ TJ KK KA TM IR AF PK AZ AM GG 65 06** *[available in Cesa Library]*

Marion,H., 1977, Staudingeria morbosella Stgr.,1879 (=Euzophera lafauryella Rag.,1880) Synonyme nouvelle (Phycitidae). Alexanor 10 (2): 65-68, 5 figs. Geographic coverage area (in codes): **DZ FR RU Ur TR AF Kbb CN Ui Au KG Ind** *[available in Cesa Library]*

Marshall,G.A.K., 1897, On the synonymy of the butterflies of the genus Teracolus. Proc. zool. Soc. Lond. 1897: 3-36. Geographic coverage area (in codes): **TZ ZR KE ZA Nta Kzu SC ET NG AO CM GA GH GM CI SL ML MW Mje MZ MG UG Rz NA** *[available in Cesa Library]*

Marshall,G.A.K., 1898, Seasonal dimorphism in butterflies of the genus Precis Doubl. Ann. Mag. nat. Hist. 7 (2): 30-40. Geographic coverage area (in codes): **TZ ZR KE ZA Nta Kzu SC ET NG AO CM GA GH GM CI SL ML MW Mje MZ MG UG Rz NA** *[available in Cesa Library]*

Martin,E.L., 1954, African species of the genus Pardomima Warren (Pyralidae, Pyraustinae). Bull. Brit. Mus. nat. Hist. Ent. 3 (14): 505-521, 1 pl., 43 figs. Geographic coverage area (in codes): **CM ZR ET KE TZ MW ZW BW MZ ZM ZA Tva Spb** *[available in Cesa Library]*

Matthews,M., 1987, The African species of Heliocheilus Grote (Lepidoptera, Noctuidae). Syst. Ent. 12: 459-473, figs. Geographic coverage area (in codes): **ZA Tva Gau Pre Wri Lpo Tra Ec ZW Har KE Nai MG TZ Tnga Usa Ani MW SN GH ML NG NE SO SD ET** *[available in Cesa Library]*

Mayer,J., 1851, Pont[ia] Mannii n.sp. Stettin ent. Ztg. 12: 151. Geographic coverage area (in codes): **AL AT BG B-H CH CZ ES Mlg Grn Alm Mu Mdr Hue Gna Bar Ter FR GR HU HV IT Kr MA MK RU Co Sa Si SK SS TR Cc UA YU Mt Ko Sjv Mst IR** *[available in Cesa Library]*

Mayerl,B. & M.Lödl, 1997, Checkliste aller Arten der Gattungen Zekelita Walker,1863 und Rhynchina Guenée,1854 der paläarktischen und indo-australischen Region (Insecta, Lepidoptera, Noctuidae). Annln. naturh. Mus. Wien 99B: 377-386. Geographic coverage area (in codes): **IN PG JP TW ID PH MY TH NG MG** *[available in Cesa Library]*

Mayerl,B. & M.Lödl, 1999, Revision der Gattung Rhynchina Guenée,1854 (Lepidoptera, Noctuidae, Hypeninae). Quadrifina 2: 1-124, figs. Geographic coverage area (in codes): **ZA SD EG IL Pa SY CY TR Cc IQ AM AZ GG RU IR AF PK IN** *[available in Cesa Library]*

Meade-Waldo,E.G.B., 1905, On a collection of butterflies made in Marocco, in 1900-01-02. Trans. ent. Soc. Lond. 1905 (4): 369-393, pls. xviii, xix. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Meado-Waldo,E.G.D., 1906, On a collection of butterflies made in Marocco in 1900-01-02. Trans. ent. Soc. London 53 (4): 369-381, 2 Pls. Geographic coverage area (in codes): **MA**

Mendes,L.F. & A.Bivar-de-Sousa, 2012, Notes on the species of Hypolycaena (Lepidoptera, Lycaenidae, Theclinae) known to occur in Angola. Bol. Soc. Ent. Arag. (S.E.A.) 50: 193-197. Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Mentzer,E.v., Moberg,A. & M.Fibiger, 1991, Noctua janthina ([Denis & Schiffermüller]) sensu auctorum a complex of three species (Lepidoptera, Noctuidae). Nota lepid. 14 (1): 25-40; (3): 288, figs. Geographic coverage area (in codes): **DZ YU GR BG TR 03 27 33 42** *[available in Cesa Library]*

Mey,W. & L.Kühne, 2014, Results of a short collecting trip to the Central Lowveld in the Limpopo Province, South Africa, with description of Deltote johnjoannoui sp.nov. (Lepidoptera, Noctuidae). Ent. Z., Schwanfeld 124 (4): 239-245, 16 figs. Geographic coverage area (in codes): **ZA Tva Lpo** *[available in Cesa Library]*

Mey,W. & W.Speidel, 2008, Global diversity of butterflies (Lepidoptera) in freshwater. Hydrobiologia 595: 521-528, figs. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ IN MM TH VN PH ID MY AU** *[available in Cesa Library]*

Mey,W., 1994, Taxonomische Bearbeitung der westpaläarktischen Arten der Gattung Leucoptera Hübner,[1825], s.l. (Lepidoptera, Lyonetidae). Dt. ent. Z. (N.F.) 41: 173-234, 125 Abb. Geographic coverage area (in codes): **PT ES MA DE BE NL GB FR AT IT HU PL DK SE RO BG GR TR** *[available in Cesa Library]*

Mey,W., 2005, Metarbela naumanni sp.nov. from southern Africa (Lepidoptera, Cossidae, Metarbelinae). Ent. Z. 115: 110-112. Geographic coverage area (in codes): **ZA**

Mey,W., 2006, Revision of the genus Phyllobrostis Staudinger,1859 (Lepidoptera, Lyonetiidae). Dt. ent. Z. 53 (1): 114-147, figs. Geographic coverage area (in codes): **ZA Tva Lpo Gau IR AF DZ FR** *[available in Cesa Library]*

Mey,W., 2010, Umkulunkula gen. nov. - a new genus of Pyralinae (Insecta, Lepidoptera, Pyraloidea) from southern Africa. Ent. roman. 15: 5-10, figs. Geographic coverage area (in codes): **ZA Spb Tva Lpo ZW NA BW** *[available in Cesa Library]*

Mey,W., 2015, Revision of the genus Arctiocossus Felder,1874 and allied genera (Lepidoptera, Cossidae, Cossinae). Annls Ditsong Nat. Mus. Nat. Hist. 5: 28-55, figs. Geographic coverage area (in codes): **AO NA ZA** *[available in Cesa Library]*

Mey,W., 2018, Vansoniella chirindensis gen.n., sp.n. - an unusual taxon with translucent wings from Zimbabwe (Lepidoptera, Limacodidae). Dt. ent. Z. 65 (1): 75-80, figs. Geographic coverage area (in codes): **ZW** *[available in Cesa Library]*

Meyer,M., 1993, Die Lepidoptera der makaronesischen Region III. Die Tagfalter des nördlichen Makaronesiens (MAdeira, Azoren) aus biogeographischer Sicht (Papilionoidea). Atalanta 24(1/2): 121-162, Taf.vi-xiii. Geographic coverage area (in codes): **Az Md PT Cn** *[available in Cesa Library]*

Meyrick,E., 1887, Description of some exotic Micro-Lepidoptera. Trans. ent. Soc. Lond. 1887 (3): 269-280. Geographic coverage area (in codes): **LK NZ MU RE MY YE ZA** *[available in Cesa Library]*

Meyrick,E., 1890, On the classification of the Pyralidina of the European fauna. Trans. ent. Soc. London 1890 (3): 429-492, Pl.xv Geographic coverage area (in codes): **Cc PT ES FR MA DZ TN LY EG CH AT DE DK BE NL GB PL HU CZ SK SE FI NO BY MK HV SS IT Si Sa Co MT YU UA B-H RO BG GR AL RU GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN JP** *[available in Cesa Library]*

Meyrick,E., 1891, A fortnight in Algeria, with descriptions of new Lepidoptera. Entomologist's mon. Mag. 27: 9-13, 55-62. Geographic coverage area (in codes): **DZ Bsk Cst Phv Béj Ski** *[available in Cesa Library]*

Meyrick,E., 1892, On the classification of the Geometrina of the European fauna. Trans. ent. Soc. London 1892: 53-140, Tab.iii. Geographic coverage area (in codes): **Cc ES PT FR AT IT CH DE PL GB HU RO YU B-H SL CR SE MK RO RU GR BG TR CY SY LB IL IQ IR GG AZ AM** *[available in Cesa Library]*

Meyrick,E., 1892, Classification by structure of imago. Entomologist's Rec. J. Var. 3: 104-106. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Meyrick,E., 1902, Three new Lepidoptera from Aden. Entomologist's mon. Mag. 38: 175-176. Geographic coverage area (in codes): **Sk YE Ad** *[available in Cesa Library]*

Meyrick,E., 1908, Descriptions of African Micro-Lepidoptera. Proc. zool. Soc. London. 1908: 716-756. Geographic coverage area (in codes): **ZA Tva Gau Pre Lpo Pie Spb Ec ZW TZ Nta Kzu Ec Grh LK MU Wnn Dbn NG AO Dss RE SL KE Mb** *[available in Cesa Library]*

Meyrick,E., 1908, Notes and descriptions of Pterophoridae and Orneodidae. Trans. ent. Soc. London 1907 (4): 471-511. Geographic coverage area (in codes): **ID Ja Kei IN Ass Khs LK MM TR 31 LB Bei US Col Fl Tx BO BR JM AR JP Bor PG ZA Tva Gau Pre Nta Kzu Dbn AU Cai QAu** *[available in Cesa Library]*

Meyrick,E., 1909, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 5: 349-379. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Meyrick,E., 1910, Descriptions of Transvaal Microlepidoptera 1. Ann. Transv. Mus. 2: 1-28, 8pls. Geographic coverage area (in codes): **ZA Tva Lpo Gau Mpu** *[available in Cesa Library]*

Meyrick,E., 1910, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 5: 411-417. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Meyrick,E., 1912, Descriptions of Transvaal Microlepidoptera. Ann. Trans. Mus. 3: 63-83. Geographic coverage area (in codes): **ZA Tva Gau** *[available in Cesa Library]*

Meyrick,E., 1912, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 10: 53-74. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Meyrick,E., 1912, Adelidae, Micropterygidae, Gracilariadae. [in] Wagner,H., Lepidopterorum Catalogus Pars 6. 68pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN ID MM MY AU TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Meyrick,E., 1912-1916, Exotic Microlepidoptera, vol.1. 640pp. Geographic coverage area (in codes): **ZA Nta Lpo Tva Gau IN Ass LK PK Bl Qu PH Luz Mdo Mno MM MG TR 31 KR KP CN Hn NZ US LB Bei CA JP Tx SB CI TZ MW MZ NG** *[available in Cesa Library]*

Meyrick,E., 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner,H., Lepidopterorum Catalogus Pars 13. 53pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Meyrick,E., 1913, Descriptions of South African Micro-Lepidoptera IV. Ann. Transv. Mus. 3: 267-336. Geographic coverage area (in codes): **ZA Mpu Gau Brb Pre Hae Tst Wv Dbn Mdd Nta Kzu** *[available in Cesa Library]*

Meyrick,E., 1914, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 10: 243-257. Geographic coverage area (in codes): **ZA Tva Mpu Brb Wca Cto Nta Kzu Dbn Gau Jh ZW Bul** *[available in Cesa Library]*

Meyrick,E., 1916-1923, Exotic Microlepidoptera, vol.2. 640pp. Geographic coverage area (in codes): **RU IR TR SY LB GR BG TM UZ KK KG CN Ch PK LK IN Up Kma Bhi SA SD EG ET ER DJ SO KE UG ID MM MY PH AU NG TW SB NH NC SW FJ ZA CN TH VN** *[available in Cesa Library]*

Meyrick,E., 1917, Descriptions of South African Micro-Lepidoptera. Ann. S. Afr. Mus. 17: 1-21. Geographic coverage area (in codes): **ZA Wca Cto Nta Kzu Dbn Ly Jh Gau Tva Lpo ZW Bul** *[available in Cesa Library]*

Meyrick,E., 1920, Descriptions of South African Micro-Lepidoptera. Ann. S. Afr. Mus. 17: 273-315. Geographic coverage area (in codes): **ZA Tva Lpo Spb Ltr Wca Cto Nta Kzu Dbn Ec Kny Esw** *[available in Cesa Library]*

Meyrick,E., 1923-1930, Exotic Microlepidoptera, vol.3. 640 pp. Geographic coverage area (in codes): **DZ IN MM TH US IL CA FJ PE BR CY PH LK EG MY UG ZA Nta Tva Lpo Spb MX ID Ja NG Ch CN CI AU PG KA TR Cc 46 76** *[available in Cesa Library]*

Meyrick,E., 1925, Descriptions of twenty-four new Egyptian Microlepidoptera. Bull. Soc. ent. Egypte 1925: 206-219. Geographic coverage area (in codes): **EG**

Meyrick,E., 1925, Lepidoptera Heterocera Fam. Gelechiadae, [in] Wytsman,P., Genera Insectorum 184: 1-290, 5 pls. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Meyrick,E., 1926, New South African Microlepidoptera. Ann. S. Afr. Mus. 23: 325-351. Geographic coverage area (in codes): **ZA Wca Cto Nta Kzu Mpu Tva Dbn NA** *[available in Cesa Library]*

Meyrick,E., 1927, A new genus and a new species of Tineidae from Italian Somaliland. Boll. Soc. ent. ital. 59: 161. Geographic coverage area (in codes): **SO**

Meyrick,E., 1930, Microlepidoptera of Maritius. Trans. ent. Soc. London 78 (2): 309-323. Geographic coverage area (in codes): **MU**

Meyrick,E., 1930-1936, Exotic Microlepidoptera, vol.4. 642pp. Geographic coverage area (in codes): **SB PG Sum Ja ID Clb UG MG IN CN MY FJ MM CM BO AU RU BR CO BO SL MX US Tx LK Ti TR 06 CR KE IL TW JP BG CA ZW KA Ch** *[available in Cesa Library]*

Meyrick,E., 1932, Entomological Expedition to Abyssinia, 1926-7. Trans. R. ent. Soc. Lond. 80 (1): 107-120. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Meyrick,E., 1936-1937, Exotic Microlepidoptera, vol.5. 160pp. Geographic coverage area (in codes): **Cc LB IQ TW ID CG CN IN JP NC SL MA MY TZ ZA Nta Tva Lpo FR UG RU Ui Ku KA FJ AM Ja Ch AU** *[available in Cesa Library]*

Meyrick,E., 1939, New Microlepidoptera, with notes on others. Trans. R. ent. Soc. Lond. 89 (4): 47-62. Geographic coverage area (in codes): **ID Ja UG ZR AR MM NA TW IN FJ Ass Slo MY Klu ZA** *[available in Cesa Library]*

Michener,C.D., 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. Bull. Am. Mus. Nat. Hist. 98: 335-502, 5 Pls. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC**

Migdoll,I., 1987, Veldgids tot die Skoenlappers van Suider-Afrika. 256pp. Struik House, Kaapstad. Geographic coverage area (in codes): **ZA Wca Cto Ec Nta Kzu Dbn Gau Mpu Tva Lpo Spb** *[available in Cesa Library]*

Miller,J.S., 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). Bull. Am. Mus. Nat. Hist. 186 (4): 365-512. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68**

Miller,L.D. & S.C.Collins, 1997, A review of the genus Gamia Holland,1896 Lepidoptera, Hesperiidae, Hesperiinae), with the description of a new species. Metamorphosis 8(4): 147-159, 2 Pls., 18 figs. Geographic coverage area (in codes): **KE GN SL GH NG CM GA ZR UG TZ** *[available in Cesa Library]*

Miller,S.E., Martins,D.J., Rosati,M. & P.D.N.Hebert, 2014, DNA barcodes of moths (Lepidoptera) from Lake Turkana, Kenya. Proc. Ent. Soc. Wash. 116 (1): 133-136. Geographic coverage area (in codes): **KE Trk** *[available in Cesa Library]*

Minet,J. & A.Surlykke, 2003, Auditory and sound producing organs. [in] Kristensen,N.P. (Ed.). Lepidoptera, moths and butterflies, vol.2: Morphology, physiology and development: 289-323. Walter de Gruyter, Berlin & New York. Geographic coverage area (in codes): **B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP** *[available in Cesa Library]*

Minet,J., 1986, Ebauche d'une classification moderne de l'ordre des Lépidopteres. Alexanor 14: 291-313. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW MX** *[available in Cesa Library]*

Minet,J., 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). Alexanor 16 (4) (1989): 239-255, figs. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW MX** *[available in Cesa Library]*

Minet,J., 1991, Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). Ent. scand. 22: 69-95. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW MX** *[available in Cesa Library]*

Mironov,V.G., 2001, New and scarce European Eupithecia species (Geometridae). Nota lepid. 24 (1/2): 21-28, figs. Geographic coverage area (in codes): **FR GR UA Cm RU LB MA** *[available in Cesa Library]*

Mironov,V.G., 2003, The Geometrid Moths of Europe Vol. 4 Larentiinae II. 462 pp., figs. Pls. Apollo Books. Geographic coverage area (in codes): **PT ES AD FR GB IE IC DK NO FI SE PL HU CZ SS SL YU HV B-H MK BG GR Cr Rd CY RO MD UA MY RU TR NL BE DE CH AT IT Co Sa Si MT MA DZ TN** *[available in Cesa Library]*

Mokhles,A., 1984, Calendrier des périodes de vol des Rhopalocères du Maroc. Nota lepid. 7 (3): 257-263. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Monfort,A., 1987, Distribution et statut des Papilionidae du Rwanda. Lambillionea 87: 145-153. Geographic coverage area (in codes): **RW**

Moore,F., 1888, [in] Hewitson & Moore, Descriptions of Indian Lepidoptera Heterocera from the collection of the late Mr. W.S.Atkinson (3). pp. 199-299, pls. Calcutta [date of publication of part III is "Sept. 5,1887". See foot-note on page 199]. Geographic coverage area (in codes): **PK IN ZR MG** *[available in Cesa Library]*

Mosher,E., 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Mottet,P., 1985, Nouvelle localité de M.deserticola dans le Haut Atlas. Bull. Cercle lépid. belges 14: 13-17, 64-65. Geographic coverage area (in codes): **MA**

Moucha,J., 1967, Geographische Verbreitung und Variabilität von Pandoriana pandora (Denis & Schiffermüller],1775). Acta ent. Mus. natn. Pragae 37: 239-249. Geographic coverage area (in codes): **AF AL AM At AT AZ BG B-H BY CH CN Cn Co Cr CZ DZ DE EE ES Fe FR GG GR HU HV IQ IR IT LB Kr MA MK PL PT RO RU Sa Si SK Sr SS TJ Pm TM TN TR T-S UA Ui UZ Vl YU Z-G LAT Wn SY Aq Uk KG Nym Buc Ktm Sau Tar DsA Ket Bog Tu TeA KuA TrA Tm Ax KK Um PK Gg Ci Adr** *[available in Cesa Library]*

Munroe,E., 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68**

Munroe,E., 1973, A supposedly cosmopolitan insect: The celery webworm and allies, Genus Nomophila Hübner (Lepidoptera, Pyralidae, Pyraustinae). Can. Ent. 105 (2): 177-216, figs. Geographic coverage area (in codes): **AR PY AU QAu CX TA GB FR Co ES PT Cn Md MA DZ TN LY EG SD ET CG TZ SN GM KE MW AO ZW ZA LS NA KM MG MU IT MT YU HV MK SS B-H AL RO GR BG TR HU CY Rd 01 06 17 31M 34 44 IR SY LB IL JO SA IQ YE BH UZ AF PK Ch IN NP SI MM LK CN Mc Ui TW KP KR JP Hw CO CA US CL BO UY BR PE EC ZR ZA ZW** *[available in Cesa Library]*

Munroe,E., Diakonoff,A. & E.L.Martin, 1958, Catalogue of Snellen's types of Pyralidae, with selections of Lectotypes. Tijdschr. Ent. 101 (2): 65-88. Geographic coverage area (in codes): **AO PE ID SL SI PG CO** *[available in Cesa Library]*

Mutuura,A. & E.Munroe, 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus Ostrinia (Lepidoptera, Pyralidae). Mem. ent. Soc. Can. 71: 1-112, 661 figs. Geographic coverage area (in

codes): **Cc CA US MX CR GT JM CU NG CG ZA MG ET AO ZR RU TR BG GG AZ AM GR MK RO MN CN JP KP PK Ch IN ID AU SI LK TW SG MY MM PH PG SB CY IR KK KG UA** *[available in Cesa Library]*

Nakamura,I., 1975, Descriptions of two new species of butterflies (Lepidoptera, Lycaenidae) from the South Sinai. J. Ent.(B) 44 (3): 283-295, 29 figs. Geographic coverage area (in codes): **EG Sn** *[available in Cesa Library]*

Nakamura,I., 1977, On the identity of some of the Lycaenidae species (Lep.) described by Francis Walker (1870) from the Egypt and the Sinai. Entomologist's Gaz. 28: 9-14. Geographic coverage area (in codes): **EG Sn ER SD ET JO SA IL** *[available in Cesa Library]*

Nakamura,I., 1979, On the supposed distribution of Euchloe falloui (Allard) (Pieridae) in Somaliland: a critical review. Nota lepid. 2 (1/2): 45-48. Geographic coverage area (in codes): **SO ET** *[available in Cesa Library]*

Naumann,C.M. & W.G.Tremewan, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung Zygaena Fabricius,1775 (Insecta, Lepidoptera, Zygaenidae). Spixiana 7 (2): 161-193, 24 figs. Geographic coverage area (in codes): **Cc MA DZ TN PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF SA TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Naumann,C.M., Tarmann,G.M. & W.G.Tremewan, 1999, The western Palaearctic Zygaenidae. 304pp., 12 pls. Apollo Books. [see review: Koçak,A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7]. Geographic coverage area (in codes): **MA DZ TN PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 01 05 06 07 13 25 30 33 42 50 51 58 65 73 75 76 IR Cc AM AZ GG AF** *[available in Cesa Library]*

Navickaite,A., Diskus,A., Stonis,J.R. & V.Dobrynina, 2011, Taxonomic catalogue of the world Nepticuloidea and Tischerioidea (Lepidoptera) described by members of the biosystematics research group (Lithuania) up to 2009. Acta zool. Lithuanica 21 (2): 113-132, figs. Geographic coverage area (in codes): **MX PA BZ EC VE GY BR PE AR CL PT ES FR PL GG AZ AM Cc TR IR TN MN NP JP IN OM TH KE CM ZR NA MG ZA TM UZ KG TJ RU TW Bor MY ID PH** *[available in Cesa Library]*

Neave,S.A., 1904, On a large collection of Rhopalocera from the shores of the Victoria Zyanza. Novit. zool. 11: 323-363, 1 pl. Geographic coverage area (in codes): **ET KE RW UG TZ**

Neave,S.A., 1910, Zoological collections from northern Rhodesia and adjacent territories: Lepidoptera Rhopalocera. Proc. zool. Soc. Lond. 1910: 2-85, pls. i-iii, 2 text-figs., 1 map. Geographic coverage area (in codes): **ZW MW MZ ZR** *[available in Cesa Library]*

Nekrutenko,Y.P., 2000, A catalogue of the type specimens of Palaearctic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universität zu Berlin. Nota lepid. 23 (3/4): 192-352. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ CN Ui Ku Sb Us JP KP KR GG AM AZ TH MM IN** *[available in Cesa Library]*

Newman,E., 1832, Monographia Aegeriarum Angliae. Ent. Mag. 1: 66-84. Geographic coverage area (in codes): **LY IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC KM SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW Cc EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI RU RO BG GB GR TR IR EE LT LV BY UA MT CH AT IT GG AZ AM SY IQ B-A** *[available in Cesa Library]*

Newport,M., 1993, The other end of Africa. Metamorphosis 4 (4): 165-172. Geographic coverage area (in codes): **GM** *[available in Cesa Library]*

Nicholl,M.de la B., 1902, Algerian butterflies in February, March and April 1902. Entomologist's mon. Mag. 38: 274-280. Geographic coverage area (in codes): **DZ Agi Bsk Dja** *[available in Cesa Library]*

Nielsen,E.S. & M.J.Scoble, 1986, Afrotheora, a new genus of primitive Hepialidae from Africa (Lepidoptera, Hepialoidea). Ent. scand. 17: 29-54, figs. Geographic coverage area (in codes): **ZA AO TZ** *[available in Cesa Library]*

Nielsen,E.S., Robinson,G.S. & D.L.Wagner, 2000, Ghost-moths of the world: a global inventory and bibliography of the Exoporia (Mnesarchaeoidea and Hepialoidea) (Lepidoptera). J. nat. Hist. 34: 823-878. Geographic coverage area (in codes): **PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR NZ AU BR ZA AO IN TW TH CO US RU Sb CA TZ KE UG CN Hun Yu Sz NP VN LK JP MM ZW ZR CL AR CR MX BO VE EC GT PA PE PY ID Sum Ja Bor MY Nia LA PH PG Amb VN NC FJ** *[available in Cesa Library]*

Niepelt,W., 1931, Neue Formen exotischer Lepidopteren. Int. ent. Z. 24: 485-486, 1 Taf. Geographic coverage area (in codes): **SB MG PE** *[available in Cesa Library]*

Nieukerken,E.J.v. & R.Johansson, 2003, The Quercus feeding Stigmella species of West Palaearctic: New species, key and distribution (Lepidoptera, Nepticulidae). Tijdschr. Ent. 146: 307-370, 3 Tab., 179 figs. Geographic coverage area (in codes): **AT B-H RU BG MK NL PL SL HV GR Rd DK FI DE HU TR 01 04 06 07 29 32 33 34 35 42 51 73 IL Pa AF TN Dhm FR ES Mu PT DZ Btna Dja GB IT Si** *[available in Cesa Library]*

Nieukerken,E.J.v., 1986, Systematics and philogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysia). Zool. Verh. 236: 1-93, figs. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW MX** *[available in Cesa Library]*

Nieukerken,E.J.v., 2007, Acalyptris Meyrick: revision of the platani and staticis groups in Europe and the Mediterranean (Lepidoptera, Nepticulidae). Zootaxa 1436: 1-48, figs. Geographic coverage area (in codes): **Cn DZ TN TR GR HV MK CY Rd IL Pa 07** *[available in Cesa Library]*

Nieukerken,E.J.v., 2007, Review of the subgenus Trifurcula (Levarchama), with two new species (Lepidoptera, Nepticulidae). Acta zool. hung. 53 (Suppl.1) 101-140, figs. Geographic coverage area (in codes): **ES FR MA DZ GR BG TR 06 34 51** *[available in Cesa Library]*

Nieukerken,E.J.v., Lastuvka,A. & Z.Lastuvka, 2010, Western palaearctic Ectoedemia (Zimmermannia) Hering and Ectoedemia Busck s.str. (Lepidoptera, Nepticulidae): five new species and new data on distribution, hostplants and recognition. Zookeys 32 (Special issue): 1-82, figs. Geographic coverage area (in codes): **TN DZ ES PT FR CH DE IT UA Cm RU TR 06 07 31 33 73 TM** *[available in Cesa Library]*

Nieukerken,E.J.van, Doorenweerd,C., Hoare,R.J.B. & D.R.Davis, 2016, Revised classification and catalogue of global Nepticulidae and Opostegidae (Lepidoptera, Nepticuloidea). Zookeys 628: 65-246, figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG** *[available in Cesa Library]*

Nupponen,K., 2013, Noteworthy records of Scythrididae from the palaearctic region, with descriptions of two new species from Spain (Lepidoptera, Scythrididae). Shilap Revta lepid. 41 (164): 495-510, figs. Geographic coverage area (in codes): **ES TR TN RU At CN MN** *[available in Cesa Library]*

Nupponen,K., Nupponen,T., Saarela,E. & L.Sippola, 2003, New records on Microlepidoptera from the western Mediterranean region (Lepidoptera, Nepticulidae, Scythrididae, Tortricidae). Shilap Revta. lepid. 31 (123): 229-233, figs. Geographic coverage area (in codes): **ES TN** *[available in Cesa Library]*

Nuss,M., 2003, Afriscoparia - a new genus of Scopariine from southern Africa (Insecta, Lepidoptera, Pyraloidea, Crambidae). Ent. Abh. 61 (1): 109-115, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Nuss,M., Sobczyk,T. & R.Bläsius, 2006, The taxonomy and life history of Epimetasia monotona (Amsel,1953) (comb.n.) from Northwest Africa (Pyraloidea, Crambidae, Odontiinae, Odontiini). Nota lepid. 29 (1/2): 37-47, figs. Geographic coverage area (in codes): **MA DZ TN TR 47 IQ IR AF UZ** *[available in Cesa Library]*

Nuss,M., et al., 2003-2016, Global information System on Pyraloidea. www.pyraloidea.org. [last access 26 Dec.,2015] Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR CH DE DK NO SE FI IT DZ MA TN EG HU RO PL EE LT LV HV SL GB TH LA KH VN MX CO VE BR PE**

Nye,I.W.B. & D.S.Fletcher, 1986, Microlepidoptera, [in] Nye,I.W.B., The generic names of Moths of the World. vol.6. London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Nye,I.W.B., 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Nässig,W.A. & R.G.Oberprieler, 1994, Notes on the systematic position of Sinobirma malaisei (Bryk,1944) and the genera Tagoropis, Maltagorea, and Pseudantheraea (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15 (3): 369-382, figs. Geographic coverage area (in codes): **MM MG ZA** *[available in Cesa Library]*

Nässig,W.A. & R.G.Oberprieler, 2008, An annotated catalogue of the genera of Eupterotidae (Insecta, Lepidoptera, Bombycoidea) Senckenbergiana biol. 88 (1): 53-80, 2 pls. 1 fig. Geographic coverage area (in codes): **NA AO ZA SL CI GH NG NE CM ZR CG SD ZW ZM BW MW UG KE ET SO TZ MZ MG IN LK BD PK BT MM TH MY VN TW CN Yu NP PH AU FJ ID PG SB** *[available in Cesa Library]*

Nässig,W.A., 1994, Vorschlag für ein neues Konzept der Gattung Saturnia Schrank,1802 (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15(3): 253-266. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR TR SY LB GR BG TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG ID MM TH MY PH AU NP TW SB NH NC SW FJ PG** *[available in Cesa Library]*

Oberprieler,R.G. & N.J.Duke, 1994, The life history and immature stages of Spiramiopsis comma Hampson,1901 (Lepidoptera, Bombycoidea), with comments on its taxonomic position and on preimaginal characters of the Bombycoidea. Nachr. ent. Ver. Apollo (N.F.) 15(3): 199-244, 16 figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Oberprieler,R.G., 1993, Biological notes on the Eggar Moth Schausinna regia (Grünger) (Lepidoptera, Lasiocampidae). Metamorphosis 4 (2): 73-78, figs. Geographic coverage area (in codes): **NA** *[available in Cesa Library]*

Oberprieler,R.G., 1995, The Emperor Moths of Namibia. ix+91 pp. Ecoguild Publishers, Hartbeespoort, South Africa. Geographic coverage area (in codes): **NA**

Oberthür,C., 1876, Etude sur la fauna des Lépidoptères de l'Algérie. Etud. Ent. 1: 1-74, 4 Pls. Geographic coverage area (in codes): **DZ Clo Bsk Lbs Orn Bsk TN** *[available in Cesa Library]*

Oberthür,C., 1876, Lépidoptères du Sebdou (Algérie). Annls Soc. ent. Fr. 1883: xlvii-xlix. Geographic coverage area (in codes): **DZ Sbd** *[available in Cesa Library]*

Oberthür,C., 1878, Etude sur la Faune des Lépidoptères de la cote orientale D'Afrique. Etud. Ent. 3: 1-36, Pls. Geographic coverage area (in codes): **MG TZ ET** *[available in Cesa Library]*

Oberthür,C., 1878, Catalogue raisonné des Papilionidae de la collection de Ch.Oberthür. Etud. Ent. 4: 1-117, Pls. Geographic coverage area (in codes): **Cc IN ID PH PG ET TR CN RU KK KG UZ TJ JP NP US AM GG MY MM ZA ZR TZ** *[available in Cesa Library]*

Oberthür,C., 1880, Spedizione Italiana nell'Africa Equatoriale. Annali Mus. civ. Stor. nat. Giacomo Doria 15: 129-186, 1 Pl., 1 map. Geographic coverage area (in codes): **ET**

Oberthür,C., 1881, Lépidoptères d'Algérie. Etud. Ent. 6 (3): 41-96, Pls. 2,3,11. Geographic coverage area (in codes): **DZ Sbd Orn Tlm Agi Cst** *[available in Cesa Library]*

Oberthür,C., 1883, Spedizione Italiana nell'Africa Equatoriale. Annali Mus. civ. Stor. nat. Giacomo Doria 18: 709-740, 1 Pl. Geographic coverage area (in codes): **ET**

Oberthür,C., 1884, Lépidoptères d'Algérie. Etud. Ent. 9: 33-40, Pl.3. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Oberthür,C., 1887, Descriptions d'espèces ou de variétes nouvelles de Lépidoptères d'Algerie. Annls Soc. ent. Fr. (6) 7 (Bull.): xlviii-xlix, lvii-lix, lxvii-lxviii, lxxvi, lxxxiii-lxxiv, xcix-c. Geographic coverage area (in codes): **DZ Sbd BSa Bsk Lbs Eba Sfr** *[available in Cesa Library]*

Oberthür,C., 1888, Lépidoptères d'Europe et d'Algérie. Etud. Ent. 12: 21-46, pls. Geographic coverage area (in codes): **DZ Orn Bsk Lbs Sfr Agi** *[available in Cesa Library]*

Oberthür,C., 1890, Lépidoptères d'Algérie. Etud. Ent. 13 (2): 17-33. Geographic coverage area (in codes): **DZ Dja Lbs Agi Sbd Clo** *[available in Cesa Library]*

Oberthür,C., 1893, Lépidoptères d'Afrique. Etud. Ent. 17: 17-33, Pls. Geographic coverage area (in codes): **KE TZ UG ZR MG GA** *[available in Cesa Library]*

Oberthür,C., 1894, Lépidoptères d'Europe, d'Algérie, d'Asie et d'Océanie. Etud. Ent. 19: 1-41, Pls. Geographic coverage area (in codes): **PG CN Ti ID Sz DZ TR FR ES MY TH MM** *[available in Cesa Library]*

Oberthür,C., 1909, Notes pour servir a établir la Faune Française et Algérienne des Lépidoptères. Etud. lepid. comp. 3: 101-400, Pls. xi-xxvi. Geographic coverage area (in codes): **FR DZ TR 31 31M** *[available in Cesa Library]*

Oberthür,C., 1910, Notes pour servir a etablir la faune française et algérienne des Lépidoptères. Etud. lépid. comp. 4: 232, Pl.50. Geographic coverage area (in codes): **FR DZ** *[available in Cesa Library]*

Oberthür,C., 1910, Description d'une nouvelle espèce de Lépidoptère Hétérocère de la province de Cosnatntine (Algérie). Bull. Soc. ent. Fr. 1910 (19): 353-354. Geographic coverage area (in codes): **DZ Cst** *[available in Cesa Library]*

Oberthür,C., 1914-1916, Faune des Lépidoptères de la Barbarie. Etud. lépid. comp. 10: 42-45; ibid. 12: 179-367. Geographic coverage area (in codes): **MA DZ TN** *[available in Cesa Library]*

Oberthür,C., 1918, Faune des Lépidoptères de Barbarie Noctuidae. Etud. lépid. comp. 16: 1-251, Pls. Geographic coverage area (in codes): **MA DZ TN TR** *[available in Cesa Library]*

Oberthür,C., 1922, Les Lépidoptères du Maroc. Etud. lépid. comp. 19 (1): 1-403, pls. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Obraztsov,N.S., 1958, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. Tijdschr. Ent. 101 (3/4): 229-261, 1-24 Abb. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1959, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 2.Theil. Tijdschr. Ent. 102 (2): 175-216, 25-63 Abb., 4 Taf. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1960, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 3.Theil. Tijdschr. Ent. 103 (1/2): 111-143, 64-106 Abb., 3 Taf. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1961, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 4.Theil. Tijdschr. Ent. 104 (5): 51-70, 107-126 Abb. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1961, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda 1. Theil. Tijdschr. Ent. 104 (10): 232-240. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1964, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 5.Theil. Tijdschr. Ent. 107 (1): 1-48, 127-177 Abb., 8 Taf. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1965, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda, 2.Teil. Tijdschr. Ent. 108 (1): 1-40, 1-6 Abb., 4 Taf. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1965, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae 6.Teil. Tijdschr. Ent. 108 (12): 365-387, 178-191 Abb., 7 Taf. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1966, Die palaearktischen Amata-Arten (Lepidoptera, Ctenuchidae). Veröff. zool. Stsamml. München 10: 1-383, Taf. Geographic coverage area (in codes): **Cc DZ MA EG PT FR ES Si IT B-H HV GR Cr CY AF CN TR GG AZ AM IR IQ IL Pa JO LB LY TN SY TM IN KH LA TH Nan CMa MM Tns Ja ID PK CN TW JP RU** *[available in Cesa Library]*

Obraztsov,N.S., 1967, Die Gattungen der palaearktischen Tortricidae. III. Addenda und corrigenda 2.Teil. Notes on the Palaearctic Laspeyresiini. Tijdschr. Ent. 110 (2): 13-36, figs. 2 Pls. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1967, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. 7. Teil. Tribus Eucosmini (Hein. 1923) - Fortsetzung. Tijdschr. Ent. 110 (4): 65-88, 1-24 Abb., 3-10 Taf. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Obraztsov,N.S., 1968, Die Gattungen der palaearktischen Tortricidae. II. Die Unterfamilie Olethreutinae. 8.Teil und Schluss. Tijdschr. Ent. 111 (2): 1-48, 1-5 Abb, 1-11 Taf. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Olivares,J., Jutzeler,D. & R.Leestmans, 1999, Arethusana boabdil (Rambur,1840) de la prov. de Grenade, Andalousie: une bonne espece ! (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belg. 17 (4): 135-154, pls., figs. Geographic coverage area (in codes): **Cc MA ES FR IT HU RO YU MK GR TR BG MD UA RU GG AZ AM IR KG KK** *[available in Cesa Library]*

Olivier,A. & J.G.Coutsis, 1997, A revision of the superspecies Hipparchia azorina and of the Hipparchia aristaeus group (Nymphalidae, Satyrinae). Nota lepid. 20 (3/4): 150-292. Geographic coverage area (in codes): **FR IT DZ GR TR** *[available in Cesa Library]*

Olivier,A. & Y.P.Nekrutenko, 2000, The butterflies described by Johann Christoph Friedrich Klug (1775-1856) in his Symbolae Physicae, Insecta (Lep., Pieridae,Lycaenidae, Nymphalidae): An annotated review, with catalogue of the existing types. Dt. ent. Z. 47: 95-104. Geographic coverage area (in codes): **TR GR SY LB IQ IR EG IL JO SO SD OM SA YE** *[available in Cesa Library]*

Oorschot,H.v. & J.G.Coutsis, 2014, The genus Melitaea Fabricius,1807. Taxonomy and systematics with species reference to the male genitalia (Lepidoptera, Nymphalidae). 360pp., 24 Pls. Tshikolovets Publ. [Plate explanations were placed far from the related figures. This causes discomfort]. Geographic coverage area (in codes): **Cc PT ES FR GB IE IC NO SE FI DK PL DE SK CZ HU IT AT CH Co Sa Si LB IL GR BG RO MD BE NL LU SS YU B-H HV MK AL TR GG AM AZ UA BY RU CN KK KG TJ UZ AF PK Ui Ti Mc KP KR JP DZ MA TN SY JO LB IQ IR TM MN Ld** *[available in Cesa Library]*

Ounap,E., Viidalepp,J. & U.Saarma, 2008, Systematic position of Lythriini revised: transferred from Larentiinae to Sterrhinae (Lepidoptera, Geometridae). Zool. Scripta 37 (4): 405-413, 1 fig. 4 Table. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Overlaet,F.G., 1955, Danaidae, Satyridae, Nymphalidae, Acraeidae. Exploration du Parc National de l'Upemba 27: 1-106. Geographic coverage area (in codes): **ZR**

Owen,D.F. & D.A.S.Smith, 1992, A new subspecies of Hipparchia wyssii Christ (Lepidoptera, Nymphalidae, Satyrinae) from Gran Canaria, Canary Islands. Entomologist's Gaz. 42: 253-256, figs. Geographic coverage area (in codes): **Cn**

Pagenstecher,A., 1902, Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla und Somaliländer in 1900 und 1901. Tagfalter. Jb. nassau. Ver. Naturk. 55: 113-204, Taf.II. Geographic coverage area (in codes): **ET KE SO** *[available in Cesa Library]*

Pagenstecher,A., 1902, Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla and Somaliländer in 1900 und 1901. Jb.Nassau. Ver. Naturk. 55: 113-204, Taf.II. Geographic coverage area (in codes): **ET SO** *[available in Cesa Library]*

Pagenstecher,A., 1903, Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla und Somaliländer in 1900 und 1901. Sphingiden und Bombyciden. Jb. nassau. Ver. Naturk. 56: 3-28, Taf.I. Geographic coverage area (in codes): **KE ET SO** *[available in Cesa Library]*

Pagenstecher,A., 1911, Libytheidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 3. 12pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR GR BG TM UZ KK KG CN PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SW ZA CM AF JP US** *[available in Cesa Library]*

Parenti,U., 1988, About some African and Asiatic species of the family Elachistidae (Lepidoptera) described by E.Meyrick. Stapfia 16: 185-198, figs. Geographic coverage area (in codes): **ZA Tva Gau IN** *[available in Cesa Library]*

Park,K.-T., Mey,W., Koo,J., de Prins,J. & S.Cho, 2019, Revision of the genus Ptilothyris Walsingham,1897 (Lepidoptera, Gelechioidea, Lecithoceridae), with descriptions of eight new species from

Africa. Zootaxa 4567 (2): 201-235, figs. Geographic coverage area (in codes): **NG GH CM ZR CG TZ UG ZM** *[available in Cesa Library]*

Passerin d'Entreves,P. & A.Roggero, 2003, Description of two new species of Apostibes Walsingham,1907 with some synonymic and phylogenetic accounts of the genus (Lepidoptera, Scythrididae). Ital. J. Zool. 70 (4): 347-352, figs. Geographic coverage area (in codes): **MA AF DZ SA PK Ch IN** *[available in Cesa Library]*

Passerin d'Entreves,P. & A.Roggero, 2008, New species and new records of eastern Palaearctic scythridids from the Irano-turanian Region (Lepidoptera, Gelechioidea, Scythrididae). Ent. fenn. 19: 159-167, figs. Geographic coverage area (in codes): **DZ IR Elb Mz Fa Ss TJ AF Hr Pm Hk SD YE PK TR 05 42 42B** *[available in Cesa Library]*

Passerin d'Entrèves,P. & A.Roggero, 2004, Four new species, a new synonymy and some new records of Scythris Hübner,[1825] (Gelechioidea, Scythrididae). Nota lepid. 26 (3/4): 153-164, figs. Geographic coverage area (in codes): **IT TN AF Hr Pli IR SA As YE US Tx ZR** *[available in Cesa Library]*

Passerin d'Entrèves,P. & A.Roggero, 2007, Fascicle 44 Scythrididae [in] Heppner,J.B., Lepidopterorum Catalogus (New Series), 85pp. Scientific Publishers, Gainesville &e. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH AF** *[available in Cesa Library]*

Passerin d'Entrèves,P., 1976, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici II. - I tipi di Scythris del Muséum National Histoire Naturelle di Parigi. Boll. Mus. Zool. Univ. Torino 3: 27-70, figs. Geographic coverage area (in codes): **FR DZ TN Gf ES TR 31** *[available in Cesa Library]*

Passerin d'Entrèves,P., 1980, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici V. - I tipi di Scythris del Naturhistorisches Museum di Vienna. Boll. Mus. Zool. Univ. Torino 5: 41-60, figs. Geographic coverage area (in codes): **FR MK TR 05 31 38 46 48 UA HU IT Co AT DZ** *[available in Cesa Library]*

Passerin d'Entrèves,P., 1990, Una nueva especie del genero Episcythris Amsel,1939: Episcythris zuninoi n.sp. (Lepidoptera, Scythrididae). Shilap Revta lepid. 18 (71): 223-226, 2 figs. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Passerin d'Entrèves,P., 1995, Révision des Scythrididae paléarctiques. VI. Les types de Scythrididae du Natural History Museum de Londres, du Musel de Hist. Nat. de Bucharest et du Zool. Mus. Humboldt- Univ. Berlin (I) (Lepidoptera, Gelechioidea). Nota lepid. 1995: 139-159, figs. Geographic coverage area (in codes): **MA DZ Bsk FR ES GB LB Bei IL Pa Hf TR 33 42 46 76 76C** *[available in Cesa Library]*

Passoa,S., Balogh,G. & M.A.Solis, 2008, Sitochroa palealis: A palearctic Pyraustine moth (Lepidoptera, Pyraloidea, Crambidae) newly introduced to North America. Proc. ent. Soc. Wash. 110 (2): 504-515, figs. Geographic coverage area (in codes): **MA DZ Sfr Cst PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY IR Mz Gh Tgo Cc AM GG Lag AZ Nv Ord Da Der Hkd CN Ui Ku US Iln Idp Mch Wc** *[available in Cesa Library]*

Peks,H., 1990, Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426. Geographic coverage area (in codes): **IR Fa Ss Kh FR MK AF Md Cn SY CN Sz TR 25 IQ** *[available in Cesa Library]*

Pelletier,J., 1978, Révision des especes du genre Marcipa Walker (Lepidoptera, Noctuinae, Ophiderinae). Mém. Mus. nat. Hist. Nat. (N.S.) (Ser.A., Zool.) 110: 1-143, 158 figs., 6 Pls. Geographic coverage area (in codes): **ET ZR GA ...**

Petersen,G., 1959, Ergebnisse der Untersuchung indeterminierter paläarktischer Tineiden aus dem Zoologischen Museum Berlin und der Sammlung H.G.Amsel/Karlsruhe (Lep.). Dt. ent. Z. (N.F.) 6 (1/3): 152-159, 3 Abb. Geographic coverage area (in codes): **IT MA LB Bei DZ DE TR 76 76C IL UZ KG TM** *[available in Cesa Library]*

Petersen,G., 1963, Revision der paläarktischen Arten der Gattung Catabola Durr. (Lepidoptera, Tineidae). Beitr. Ent. 13 (1/2): 168-173, 2 Taf. Geographic coverage area (in codes): **DZ PK GR AL AF SA SY LB IL IR EG IQ LY** *[available in Cesa Library]*

Petersen,G., 1965, Revision der Gattungen Rhodobates Ragonot und Pachyarthra Amsel (Lepidoptera, Tineidae). Beitr. Ent. 15 (1/2): 87-100, 23 figs. Geographic coverage area (in codes): **Cc TR SY LB IL EG IQ IR AM AF** *[available in Cesa Library]*

Petersen,G., 1986, Revision der Gattung Gephyristis Meyrick (Lepidoptera, Tineidae, Hieroxestinae). Beitr. Ent. 36: 53-62, figs. Geographic coverage area (in codes): **IL Pa Cy LY MW ZW ZA Gau Pre Tva SC** *[available in Cesa Library]*

Petersen,G., 1991, Zur Taxonomie und Verbreitung der Hapsiferinae (Lepidoptera, Tineidae). Dt. ent. Z. (n.f.) 38 (1/3): 27-33, figs. Geographic coverage area (in codes): **MA TN MK BG GR Cr TR CY LB Bei IL Pa Hf JO IQ Kbl Hjo SA YE IR Elb Th Fa UZ TJ PK Krc AF Srb BH Cc GG Lag AM AZ Kir Nv Ord SY Dms EG**

Picard,J., 1950, Hespérides du Maroc. Bull. Soc. Sci. nat. Maroc 28: 110-135. Geographic coverage area (in codes): **MA**

Pierre,J. & D.Bernaud, 2012, Révision des Acraea (Acraea) du groupe "epaea" (Lepidoptera, Nymphalidae). Bull. Soc. ent. Fr. 117 (1): 7-36, figs. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW** *[available in Cesa Library]*

Pierre,J., 1977, Nymphalidae (Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 109-110. Geographic coverage area (in codes): **ET DJ KE** *[available in Cesa Library]*

Pierre,J., 1984, Nymphalidae (Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 62-63. Geographic coverage area (in codes): **ET DJ KE** *[available in Cesa Library]*

Pierre,J., Joly,C. & D.Bernaud, 2003, Les Acraea du Ghana (Lepidoptera, Nymphalidae). Lambillionea 103 (2): 297-318. Geographic coverage area (in codes): **GH**

Pierret,M., 1837, Description de trois nouvelles espèces de lépidoptères. Annls Soc. ent. Fr. 6: 19-23, pl.1. Geographic coverage area (in codes): **DZ Orn** *[available in Cesa Library]*

Pierret,M., 1837, Description de deux nouvelles espèces du genre Satyre (Latr.). Annls Soc. ent. Fr. 6: 303-307, pl.12. Geographic coverage area (in codes): **DZ Orn** *[available in Cesa Library]*

Pinhey,E.C.G., 1956, The Emperor Moths of Eastern Africa. J. East Afr. Nat. Hist. Soc. 23 (1): 1-62, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Pinhey,E.C.G., 1962, Hawk moths of Central & Southern Africa. ix+139 pp. 17 pls. Longmans, Cape Town. Geographic coverage area (in codes): **ZA NA AO MZ ZW BW LS SZ ZM TZ ZR KE UG CG GA**

Pinker,R., 1968, Der Lebensraum von Pieris cheiranthi Hbn. und die Einwanderung und Ausbreitung der Catopsilia florella F. auf den Kanaren. ArbGem. öst. Ent. 20: 22-25. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Pinker,R., 1980, Neue Lepidopteren aus Klein-Asien und dem Mittelmeerraum. Z.ArbGem. öst. Ent. 31 (3/4): 65-74, figs. Geographic coverage area (in codes): **TR 06 06R 58 58G TN** *[available in Cesa Library]*

Pitkin,B. & P.Jenkins (compilers), 2008, Butterflies and moths of the world. Generic names and their type species. - http://www.nhm.ac.uk/jdsml/research-curation/projects/butmoth/index.dsml [last accessed: 22.xi.2008]. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW FJ**

Pitkin,L., 1988, The Holarctic genus Teleiopsis: host-plants, biogeography and cladistics (Lepidoptera, Gelechiidae). Ent. scand. 19 (2): 143-191, figs. Geographic coverage area (in codes): **MK TR EG**

Pitkin,L.M., 1984, Gelechiid moths of the genus Mirificarma. Bull. Br. Mus. (Nat. Hist.) 48: 1-70, figs. Geographic coverage area (in codes): **MA DZ TN LY EG JO DK GB FR DE CZ YU CH IT PL AL HU UA RO TR LB SY RU Cc IL Pa GR Co CY Cr Si ES PT MT** *[available in Cesa Library]*

Pitkin,L.M., Han,H. & S.James, 2007, Moths of the tribe Pseudoterpnini (Geometridae, Geometrinae): a review of the genera. Zool. J. Linn. Soc. 150: 343-412, figs. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Pittaway,A.R., 1983, An Annotated Checklist of the Western Palaearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs. Geographic coverage area (in codes): **Cc EU AC TR CY GR MK BG AZ GG AM RU IR IQ SY LE EG SD AF PK IN TJ KG KK TM UZ CN** *[available in Cesa Library]*

Pittaway,A.R., 1993, The Hawkmoths of the Western Palaearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London. Geographic coverage area (in codes): **Cc RO BG AL GR Cr Rd YU SV HV B-H MK TR CY SY LB IL EG SA SK YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN**

Pittaway,A.R., Larsen,T.B., Clarke,C.A., Smith,C.R.,et al., 1994, Papilio saharae Oberthür,1879 specifically distinct from P.machaon Linnaeus,1758 (Lepidoptera, Papilionidae). Entomologist's Gaz. 45: 223-249, 24 figs. Geographic coverage area (in codes): **YE SA OM EG LY TN DZ MA**

Plantrou,J. & P.-C.Rougeot, 1984, Description de nouvelles formes + de Charaxes galawadiwosi Plantrou & Rougeot, [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 65-67, Pl. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Platt,E.E., 1921, List of food-plants of some South African lepidopterous larvae. South Afr. J. Nat. Hist. 3: 65-138. Geographic coverage area (in codes): **ZA**

Plötz,C., 1879, Hesperiina Herr.-Sch. Stettin ent. Ztg. 40: 175-180. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR TR SY LB GR BG TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG ID MM MY PH AU PG TW** *[available in Cesa Library]*

Plötz,C., 1879-1880, Verzeichniss der vom Professor Dr. R.Buchholz in West-Africa gesammelten Schmetterlinge. Stettin ent. Ztg. 40: 235-279, 353-364; 41: 76-88, 298-307, 477-478. Geographic coverage area (in codes): **GO CM** *[available in Cesa Library]*

Plötz,C., 1880, Verzeichniss der vom Professor Dr. R.Buchholz in West-Africa - auf dem Camerons-Gebirge und auf der Insel Fernando Po, von August 1872 bis November 1875 - gesammelten Schmetterlinge. Stettin ent. Ztg. 41: 189-206. Geographic coverage area (in codes): **GH CM GO Bio** *[available in Cesa Library]*

Plötz,C., 1882-1883, Die Hesperiinen-Gattung Hesperia Aut. und ihre Arten. Stettin ent. Ztg. 43: 314-344, 436-456: 44: 26-64, 195-233. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR TR SY LB GR BG TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG ID MM MY PH AU PG TW** *[available in Cesa Library]*

Plötz,C., 1884, Die Hesperiinen-Gattung Telesto Bsd. und ihre Arten. Stettin ent. Ztg. 44: 376-384. Geographic coverage area (in codes): **AU PG MG IN SL TR** *[available in Cesa Library]*

Plötz,C., 1884, Die Gattung Cyclopides Hübn. und ihre Arten. Stettin ent. Ztg. 44: 389. Geographic coverage area (in codes): **Cc ZA SL AO MG MX CN AU MK BG GR TR AM RO RU** *[available in Cesa Library]*

Plötz,C., 1884, Die Hesperiinen-Gattung Ismene Sw. und ihre Arten. Stettin ent. Ztg. 44: 51-66. Geographic coverage area (in codes): **IN ID PH MY ZA MM MG TZ SN GN** *[available in Cesa Library]*

Plötz,C., 1884, Die Hesperiinen-Gattung Thymelicus Hüb. und ihre Arten. Stettin ent. Ztg. 44: 284-290. Geographic coverage area (in codes): **Cc US MX PH AO ID MK B-H RO RU GG AZ AM IR TR SY LB GR BG TM UZ KK KG** *[available in Cesa Library]*

Plötz,C., 1884, Die Hesperiinen-Gattung Apaustus Hüb. und ihre Arten. Stettin ent. Ztg. 44: 151-166. Geographic coverage area (in codes): **PH GN BR AU AO MX** *[available in Cesa Library]*

Plötz,C., 1884, Die Hesperiinen-Gattung Plastingia Butl. und ihre Arten. Stettin ent. Ztg. 44: 145-150. Geographic coverage area (in codes): **GN MY PH SG ID GN** *[available in Cesa Library]*

Plötz,C., 1884, Die Hesperiinen-Gattung Isoteinon Feld. und ihre Arten. Stettin ent. Ztg. 44: 385-386. Geographic coverage area (in codes): **PH SL IN** *[available in Cesa Library]*

Plötz,C., 1884, Die Hesperiinen-Gattung Carterocephalus Led. und ihre Arten. Stettin ent. Ztg. 44: 386-388. Geographic coverage area (in codes): **Cc CL SD MK B-H RO RU GG AM TR BG** *[available in Cesa Library]*

Plötz,C., 1884, Die Gattung Abantis Hopf. Stettin ent. Ztg. 44: 388-389. Geographic coverage area (in codes): **MZ ET KE** *[available in Cesa Library]*

Plötz,C., 1886, Nachtrag und Berichtigungen zu den Hesperiinen. Stettin ent. Ztg. 47: 83-117. Geographic coverage area (in codes): **SL IN SG ID MY CO AU PN MG PG PE BR US PH SR RU ZA TM** *[available in Cesa Library]*

Pogue,M.G. & P.W.Schaeffer, 2007, A review of selected species of Lymantria Hübner,[1819] (Lepidoptera, Noctuidae, Lymantriinae) from subtropical and temperate regions of Asia, including the descriptions of three new species, some potentially invasive to North America. 232 pp. FHTET. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW CA US Cf Col On BCo IN MM TH MY ID AU PH** *[available in Cesa Library]*

Poltavsky,A.N. et al., 2018, The Pyraloidea (Lepidoptera) fauna of the woody savannah belt in Mali, West Africa. Zootaxa 4457 (1): 39-69, figs. Geographic coverage area (in codes): **ML** *[available in Cesa Library]*

Poole,R.W., 1989, Noctuidae (Parts 1-3) [in] Heppner,J.B., Lepidopterorum Catalogus (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH TH LA KH VN AU NG PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Popescu-Gorj,A. & A.Constantinescu, 1973, New Subspecies of Euclasta (Lep., Pyraustinae) from Madagascar and China. Trav. Mus. Hist. nat. "Gr.Antipa" 14: 173-183, 7 figs. Geographic coverage area (in codes): **MG Ch** *[available in Cesa Library]*

Popescu-Gorj,A. & A.Constantinescu, 1977, Revision of the Genus Euclasta Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. Trav. Mus. Hist. nat. "Gr.Antipa" 18: 157-245, 97 figs. Geographic coverage area (in codes): **AC GR BG RO TR LB SY CY IQ IR AF PK Ch IN ID PH AU CN MM TH VN KH LA IL SK YE KE ET ZA ZR ZW MZ TZ LY DZ TN MR SN GA GH GO GW** *[available in Cesa Library]*

Popescu-Gorj,A. & I.Capuse, 1969, Revision de Paranthrene tabaniformis Rott. (Lepidoptera, Aegeriidae) et des especes Europeennes apparentees. Bull. mens. Soc. linn. Lyon 38 (9): 315-328, 11 figs. Geographic coverage area (in codes): **RO FR ES MA** *[available in Cesa Library]*

Poulton,E.B., 1899, Hypolimnas misippus Linn., taken in the Atlantic Ocean. Entomologist's Rec. J. Var. 11: 80-81. Geographic coverage area (in codes): **YE TZ** *[available in Cesa Library]*

Poulton,E.B., 1916, On a collection of moths made in Somaliland by Mr. W.Feather. Proc. zool. Soc. Lond. 91: 91-182, 2 Pls. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Povolny,D. & J.D.Bradley, 1965, Two new species of Scrobipalpa Janse (Lep., Gelechiidae) from Algeria. Ann. Mag. nat. Hist. (13) 7: 553-557, figs. Geographic coverage area (in codes): **DZ**

Povolny,D. & Z.Sustek, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus Gnorimoschemini (Lepidoptera). Stapfia 16: 209-247. Geographic coverage area (in codes): **Cc SS HV YU RO BG GR B-H MK TR CY SY LB IL EG SA YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Povolny,D., 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. Pr. brn. Zakl. csl. Akad. Ved. 28: 315-345, 4 figs. Geographic coverage area (in codes): **Cc SS HV YU RO BG GR B-H MK TR CY SY LB IL EG SA YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN**

Povolny,D., 1964, Gnorimoschemini trib. nov. - eine neue Tribus der Familie Gelechiidae nebst Bemerkungen zu ihrer Taxonomie (Lepidoptera). Acta ent. bohemoslov. 61: 330-359, 3 pls. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Povolny,D., 1966, Die taxonomisch geklärten palaearktischen Gnorimoschema-Arten (Lep. Gel.) nebst Beschreibung einer neuen Art. Arkiv Zool. (2) 18 (15): 393-404, 11 Taf. Geographic coverage area (in codes): **AF ES HV SS YU KG Uk UZ DZ IQ Bgd FR IR** *[available in Cesa Library]*

Povolny,D., 1967, Ein kritischer Beitrag zur taxonomischen Klärung einiger palaearktischer Arten der Gattung Scrobipalpa (Lepidoptera, Gelechiidae). Acta Sci. nat. Brno (n.s.) 1: 209-250, figs. Geographic coverage area (in codes): **IL Pa AF Ca Kab ES Ss SA IR Es Elb Th Se PK Krc SY Dms TR 42 46 DZ AT** *[available in Cesa Library]*

Povolny,D., 1967, Die Stammgeschichtlichen Beziehungen der Tribus Gnorimoschemini im Weltrahmen (Lepidoptera, Gelechiidae). Acta ent. Mus. Nat. Pragae 37: 161-232, figs. Geographic coverage area (in codes): **Cc**

Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW *[available in Cesa Library]*

Povolny,D., 1982, Zur artspezifischen Identität mancher westpaläarktischer Gnorimoschemini (Gelechiidae). Nota lepid. 5 (2/3): 121-132, 8 Abb. Geographic coverage area (in codes): **DK TM DE Cy LY** *[available in Cesa Library]*

Povolny,D., 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Univ. Agric. (Brno) 38: 191-204. Geographic coverage area (in codes): **Cc BG GR MK TR CY SY LB IL EG SA YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN**

Povolny,D., 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.) 25: 1-61. Geographic coverage area (in codes): **Cc BG GR MK TR CY SY LB IL EG SA YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN**

Povolny,D., 2002, Iconographia tribus Gnorimoschemini (Lepidoptera, Gelechiidae) Regionis Palaearcticae. 110 pp., Tafel 87. Bratislava [No reference list but very important for further scientific researches,A.Ö.K.] Geographic coverage area (in codes): **FR CH AT DE YU IT BE NL GR BG TR LB MK AL RO RU KG PL CZ HU SL HV BG NO SE ES PT DZ MA TN AD UA GG AZ AM Cc RU IR TM TJ UZ KK KG CN Ui MN AF PK NA ZA AU IN SA** *[available in Cesa Library]*

Pringle,E.L., 1995, A new subspecies of Charaxes xiphares (Cramer) (Lepidoptera, Nymphalidae) from the western Cape Province, South Africa. Metamorphosis 6 (4): 176-179. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Prins,J.de & A.Y.Kawahara, 2012, Systematics, revisionary taxonomy, and biodiversity of Afrotropical Lithocolletinae (Lepidoptera, Gracillariidae). Zootaxa 3594: 1-283, figs. Geographic coverage area (in codes): **DZ MA TN LY EG IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC Myt KM SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Prins,J.de & W.de Prins, 2007, Two new Phyllonorycter species (Lepidoptera, Gracillariidae) from West Africa. Acta zool. hung. 53 (Suppl.1): 47-60, figs. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Prins,J.de & W.de Prins, 2018, Afromoths, online database of Afrotropical moth species (Lepidoptera). www.afromoths.net [last access on 16 Nov., 2018]. Geographic coverage area (in codes): **ZA NA AO ZW MZ MG ZM TZ KE BI UG RW MW ET ER SD SN SL CI GH NG NE ML BF CM GO CG ZR CF**

Prins,J.de, Davis,D.R., Coninck,E.de, Sohn,J.-C. & P.Triberti, 2013, Systematics, phylogeny and biology of a new genus of Lithocolletinae (Lepidoptera, Gracillariidae) associated with Cistaceae. Zootaxa 3741 (2): 201-227, figs. Geographic coverage area (in codes): **Cn ES FR Sa Si IT DE CH AT CZ SK HU YU GR TR 16 CY MK HV** *[available in Cesa Library]*

Prins,W.O.de, Kok,N.J.J. & F.Turelinckx, 1984, A fortnight's visit to Morocco in April 1983. Nota lepid. 7 (1): 71-83, 5 figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Prins,W.de & J. de Prins, 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Prins,W.de, 1984, A new Tischeria species from Morocco (Lepidoptera, Tischeriidae). Nota lepid. 7 (2): 171-177, 10 figs. Geographic coverage area (in codes): **MA IL Pa** *[available in Cesa Library]*

Prout,A.E., 1921, Notes on some Noctuidae in the Joicey collection with descriptions of new species. Ann. Mag. nat. Hist. (9) 8: 1-33, 7 pls. Geographic coverage area (in codes): **PH VN Ton IN Meg Ass Khs ID Amb Kai SL MY Bor Swk PG MM SD CI CM PE TZ ZW Ij BR** *[available in Cesa Library]*

Prout,L.B., 1912-1916, Die Spannerartigen Nachtfalter [in] Seitz,A., Die Gross-Schmetterlinge der Erde Bd.4: 1-479, 25 Taf. Alfred Kernen Verlag. Stuttgart. Geographic coverage area (in codes): **Cn MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK** *[available in Cesa Library]*

Prout,L.B., 1913, Contributions to a knowledge of the subfamilies Oenochrominae and Hemitheinae of Geometridae. Novit. zool. 20: 388-443. Geographic coverage area (in codes): **AU PH ID IN PG KE MZ CG PK NG BW CO PA UG ZA SD SB** *[available in Cesa Library]*

Prout,L.B., 1913, New South African Geometridae. Ann. Transv. Mus. 3 (4): 194-225, Pl. xii. Geographic coverage area (in codes): **ZA Gau Tva Lpo Spb Mpu Kzu Nta Dbn Hae Stj Pre Wv Tra Wb Brb Tst** *[available in Cesa Library]*

Prout,L.B., 1915, New genera and species of African Geometridae. Novit. zool. 22: 311-385. Geographic coverage area (in codes): **MW Mje KE Nai Mb GH TZ ZW ZR CM UG Rz ZA Nta Kzu Dbn AO CI GA SC NG MG ER** *[available in Cesa Library]*

Prout,L.B., 1916, Fam. Geometridae, [in] Poulton,E.B., On a collection of moths made in Somaliland by Mr. W.Feather. Proc. zool. Soc. Lond. 91: 141-163, Pl. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Prout,L.B., 1917, New African Geometridae. Novit. zool. 24: 428-436. Geographic coverage area (in codes): **ET MG KE TZ Zz Pb SL CM NG UG ZR ZA Tva Nta Kzu Dbn MW Mje** *[available in Cesa Library]*

Prout,L.B., 1918, New Lepidoptera in the Joicey Collection. Ann. Mag. nat. Hist. (9) 2: 412-418. Geographic coverage area (in codes): **ID CO PE IN PG TZ UG** *[available in Cesa Library]*

Prout,L.B., 1918, New Lepidoptera in the Joicey Collection. Ann. Mag. nat. Hist. (9) 1: 18-32. Geographic coverage area (in codes): **CN ZR PA CO PE BR MY MM ID TT CA UG IN** *[available in Cesa Library]*

Prout,L.B., 1918, New Heterocera in the Joicey Collection. Ann. Mag. nat. Hist. (9) 1: 312-318. Geographic coverage area (in codes): **CN MG CO ZW IN ID Kai PH** *[available in Cesa Library]*

Prout,L.B., 1918, New Lepidoptera in the Joicey Collection. Ann. Mag. nat. Hist. (9) 2: 412-418. Geographic coverage area (in codes): **UG TZ CO CN IN ID Aru** *[available in Cesa Library]*

Prout,L.B., 1919, New and insufficiently-known moths in the Joicey Collection. Ann. Mag. nat. Hist. (9) 3: 165-190. Geographic coverage area (in codes): **PH Mno CG CO ID MY PE NG GM CM NC MG CR FJ NH CN IN** *[available in Cesa Library]*

Prout,L.B., 1920, New moths in the Joicey collection. Ann. Mag. nat. Hist. (9) 5: 286-293. Geographic coverage area (in codes): **ID Lb Clb Ij Kei GH TW CG BO PE** *[available in Cesa Library]*

Prout,L.B., 1922, New and little-known Geometridae. Novit. zool. 29: 327-363. Geographic coverage area (in codes): **PG MG CM Bje ZW MW ZA Nta Kzu Fs TZ ZW Har UG KE CN Hn TW US Arz Tx MA DZ SB CR BO PE BR CO MM LK IN Ass Khs** *[available in Cesa Library]*

Prout,L.B., 1923, New Geometridae in the Tring Museum. Novit. zool. 30 (2): 191-215. Geographic coverage area (in codes): **MG UG Kmp ET KE Nai IN Ass SI Khs PE MY ID Ja CN Ti AR PE MX PA PG Ij Gth SB** *[available in Cesa Library]*

Prout,L.B., 1928, A new Geometrid from Ruwenzori. Entomologist 61: 274. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Prout,L.B., 1929, New Palaearctic Geometridae. Novit. zool. 35: 142-149. Geographic coverage area (in codes): **MA DZ Hrh Dzc Dhm Sbd Orn Afl Blid Hmk TN CY CN JP** *[available in Cesa Library]*

Prout,L.B., 1929-1938, Die Spannerartigen Nachtfalter [in] Seitz,A., Die Gross-Schmetterlinge der Erde Bd.16. Alfred Kernen Verlag. Stuttgart. Geographic coverage area (in codes): **KE UG SO SD DJ ER ET SK SA YE EG ZA Lpo Tva Nta Fs Lpo MZ MG ZW BW MW TZ AO NA NG CM SL CI GH CF ZR** *[available in Cesa Library]*

Prout,L.B., 1932, Voyage de Ch. Alluaud et R.Jeannel en Afrique orientale (1911-1912), Insectes Lép., Geometridae. Mém. Soc. zool. Fr. 29: 375-512. Geographic coverage area (in codes): **KE UG**

Prout,L.B., 1934-1935, Geometridae, Subfamilia Sterrhinae I,II,III, [in] Strand,E., Lepidopterorum Catalogus. Pars 61, 63, 68: 1-486, W.Junk, Berlin. Geographic coverage area (in codes): **Cc PT ES FR MA DZ TN LY EG IT CH AT DE DK BE NL GB PL HU CZ SK SE FI NO BY MK HV SS YU UA B-H RO BG GR AL RU GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN LK SA SD ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM JP** *[available in Cesa Library]*

Prout,L.B., 1934-1939, Die Spannerartigen Nachtfalter [in] Seitz,A., Die Gross-Schmetterlinge der Erde Bd.4 (suppl.): 1-253, Taf. Alfred Kernen Verlag. Stuttgart. Geographic coverage area (in codes): **Cn MA DZ TN ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK** *[available in Cesa Library]*

Prout,L.B., 1954, New species of African Geometridae. Entomologist 87: 182-189. Geographic coverage area (in codes): **TZ CI ZR GA KE Mb CN ZO RW UG ZA Tva Lpo Spb Ltr Tra Ec** *[available in Cesa Library]*

Prozorov,A., 2011, Typhonoya gen.nov. and Weberolegra gen.nov. two new genera for African Gastropacha Ochsenheimer,1810 (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 67: 97-106. Geographic coverage area (in codes): **LR CI GA ZR CM TZ KE ZM** *[available in Cesa Library]*

Prozorov,A.M. & V.V.Zolotuhin, 2012, Seven new monotypic genera of African Lasiocampidae (Lepidoptera). Zool. Zh. 91 (8) [2012]: 950-960, figs. [Ent. rev. 93: 214-224, figs.] Geographic coverage area (in codes): **ZR SL GH NG CM ZM NG KE CF MW CI GO GA ZA** *[available in Cesa Library]*

Prozorov,A.M. & V.V.Zolotuhin, 2013, Notes on synonymy of African Lasiocampidae (Lepidoptera). Zool. Zh. 92 (2): 1-12, figs. [Ent. rev. 93 (4): 496-507] Geographic coverage area (in codes): **SO ZW ZM ZA ZR SN CM GA NG GO** *[available in Cesa Library]*

Prozorov,A.M. & V.V.Zolotuhin, 2016, A review of the genus Odontopacha Aurivillius,1909 (Lepidoptera, Lasiocampidae). Entomofauna 37 (4): 49-83, figs. Geographic coverage area (in codes): **KE TZ MW ZA MZ GM GN CI BF GH TG NG CM CF GA ZR ET UG SO ZM NA LR** *[available in Cesa Library]*

Prozorov,A.M. & Zolotuhin,V.V., 2012, A new genus of African Lasiocampidae (Lepidoptera). Zool. Zh. 91 (4): 435-445, figs. [Ent. rev. 92 (5): 548-558, figs.] Geographic coverage area (in codes): **CM GH GA ZR**

Prozorov,A.M., 2017, A review of the genus Eucraera Tams,1930 (Lepidoptera, Lasiocampidae). Entomofauna 37 (1): 1-31, figs. Geographic coverage area (in codes): **KE BF CI SD ZW TG GH CM NG AO ZR ET SO ZA MZ** *[available in Cesa Library]*

Prunner,L.de, 1798, Lepidoptera Pedemontana. lii + 124 pp. Mathaeus Guaita, Augusta Taurinorum [Torino]. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc Kb** *[available in Cesa Library]*

Przybylowicz,L. & L.Kühne, 2008, Subfamily Syntominae (Noctuoidea, Arctiidae), [in] L.Kühne (ed.), Butterflies and moth diversity of the Kakamega forest (Kenya): 145-156, figs. Geographic coverage area (in codes): **KE Kkm** *[available in Cesa Library]*

Przybylowicz,L. & M.Bakowski, 2011, Anapisa monotonia Kiriakoff,1963 - a junior synonym of Anapisa holobrunnea (Talbot,1932), with new records of Arctiinae (Lepidopter, Erebidae) from Ghana. Zootaxa 3031: 54-60. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Przybylowicz,L., 2009, Thyretini of Africa. An illustrated catalogue of the Thyretini (Lepidoptera, Arctiidae, Syntominae) of the Afrotropical Region. Apollo Books, Denmark. Geographic coverage area (in codes): **ZA ZW ZM ZR MZ UG KE SD AO GH GM CM NG LR SL TZ MW NA**

Pugaev,S.N. & V.V.Zolotuhin, 2006, Geometrid moths of the genus Dyscia Hübner,[1825] (Lepidoptera, Geometridae) from the Lower and Middle Volga. Eversmannia 6: 3-12, figs. Geographic coverage area (in codes): **TN LY TR 44 Cc AZ AM Eri GG RU Ao Da IR Es Ss Elb Th Ke Se Kh IQ Rba TM Kp KG Kmk Tk Dj UZ Smk KK AF Kab PK Bl Qu CN T-S Kno** *[available in Cesa Library]*

Puplesis,R. & A.Diskus, 2005, Checklist of African Tischeriidae (Insecta, Lepidoptera) with a redescription of the formerly neglected Tischeria urticicolella from Equatorial Africa. Zool. Sci. 22 (9): 1051-1055, figs. Geographic coverage area (in codes): **ZA Tva ZR NA ZW PT ES TN TR MA TM Cc RU KP KR JP Cn** *[available in Cesa Library]*

Pyrcz,T.W., Lorenc,J. & D.P.Knoop, 2011, New species of Euphaedra Hübner of the ceres group from south-western Nigeria - with new evidence from female genital morphology (Lepidoptera, Nymphalidae, Limenitidinae). Genus 22 (4): 621-638, figs. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Pyrcz,T.W., Warren-Gash,H., Lorenc-Brudecka,J., Knoop,D., Oremans,P. & S.Safian, 2013, Taxonomy and distribution pattern of the African rain forest butterfly genus Euphaedra Hbn. s.str. with the description of three new subspecies of Euphaedra cyparissa (Cr.) and one of E.sarcoptera (Btl.) (Lep., Nymphalidae)... [too long title, A.Ö.K.] Zookeys 298: 1-37, figs. Geographic coverage area (in codes): **SL GN CI LR GA NG CM CF ZR** *[available in Cesa Library]*

Pühringer,F. & A.Kallies, 2004, Provisional checklist of the Sesiidae of the world (Lepidoptera, Ditrysia). Mitt. Ent. ArbGem. Salzkammergut 4: 1-85 [Among valid specific names, numerous contradictions with updated results of the Global Lepidoptera Names Index by Natural History Museum, London]. See for updated list: http://www.sesiidae.net/Checklst.htm Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Pühringer,F. & S.Safian, 2011, Two new species of Sesiini from Ghana, with description of a new genus (Lepidoptera, Sesiidae, Sesiini). Nachr. ent. Ver. Apollo (N.F.) 31 (4): 231-235, figs. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Püngeler,R., 1907, Euprepia libyssa n.sp. Societas Ent. 22 (4): 25-26. Geographic coverage area (in codes): **DZ Sbd Ges Mage** *[available in Cesa Library]*

Rafinesque,C.S., 1815, Analyse de la nature ou tableau de l'univers et des corps organisés. 224 pp., Palerme. Geographic coverage area (in codes): **LY IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC KM SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW Cc EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI RU RO BG GB GR TR IR EE LT LV BY UA MT CH AT IT GG AZ AM SY IQ B-A** *[available in Cesa Library]*

Ragonot,E.L. & G.F.Hampson, 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff,N.M., Mém. lépid. 8: xiv + 602 pp. 31 Taf. St. Petersburg. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF ZA CM SW JP US** *[available in Cesa Library]*

Ragonot,E.L., 1887, Diagnoses d'espèces nouvelles de Phycitidae d'Europe et des pays limitrophes. Annls Soc. ent Fr. 7 (6): 225-260. Geographic coverage area (in codes): **TN Gab DZ MA PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 05 44 46 76 AZ Ord GG AM IR TM KG SSn LB CN Ui Ku UZ Fe** *[available in Cesa Library]*

Ragonot,E.L., 1888, Nouveaux genres et espèces de Phycitidae et des Galleriidae. 52 pp. Paris. Geographic coverage area (in codes): **DZ Sbd PT ES HV B-H HU UA RU RO BG GB GR MT Co Si Sa Cr CH AT IT TR IL Pa IR AF TM UZ IN MG ID Clb Sum ZA Tva Nta Kzu LB Bei MX CN Ui Ku GM SN GT PR Cc AM PG AU NSw Syd US CA AR CL GH Ja Bor Swk SY ET TZ Zz CO BR CM RU Am FJ JP** *[available in Cesa Library]*

Ragonot,E.L., 1892, Descriptions de trois especes inédites de Microlépidoptéres (Tineites) prises par M. lecapitaine Dattin a Gabes (Tunisie). Bull. Soc. ent. Fr. 1892: lxxxii-lxxxxiii. Geographic coverage area (in codes): **TN** *[available in Cesa Library]*

Ragonot,E.L., 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff,N.M., Mém. lépid. 7: lvi + 658 pp. 26 Taf. St. Petersburg. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF ZA CM SW JP US** *[available in Cesa Library]*

Ragonot,E.L., 1894, Notes synonymiques sur les Microlépidoptères et descriptions d'espéces peu connues ou inédites. Annls Soc. ent. Fr. 63: 161-226, 1 Pl. Geographic coverage area (in codes): **DZ Anna ES TR 01 05 47 SY YU UZ Smk Fe RU Am IT Si** *[available in Cesa Library]*

Raineri,V., 1989, Idaea predotaria (Hartig,1951) stat.n., comb.n., the valid senior synonym of I.griseanova Rezbamyai-Reser,1987 (Lepidoptera, Geometridae). Nota lepid. 12 (3): 187-191, figs. Geographic coverage area (in codes): **MA PT ES FR IT Si HV YU B-H AL GR BG TR** *[available in Cesa Library]*

Rakosy,L., 1998, Genus Nychiodes Lederer,1853 in den Sammlungen des Biologiezentrums in Linz (Lepidoptera, Geometridae). Ent. rom. 2 (1997): 45-52, figs. Geographic coverage area (in codes): **MA FR ES IT TR 25 LB GR YU** *[available in Cesa Library]*

Rambur,J.P., 1832, Catalogue des Lépidoptères de l'ile de Corse, avec la description et la figure des espèces inédites. Annls Soc. ent. Fr. 1: 245-295; 2: 5-59, pls. Geographic coverage area (in codes): **MA DZ Orn Hrh Hmk Dzc Ges Sfr TN LY PT ES Mu FR Co Sa Si IT YU BG GR Rd TR CY IR Fa Mia Kaz Sse Ke By Kz Yas Lo IQ Ssa LB Bei IL Pa Hf SY JO** *[available in Cesa Library]*

Rambur,J.P., 1834, Description de plusieurs espèces inédites de Lépidoptères nocturnes du centre et du midi de la France. Annls Soc. ent. Fr. 3: 379-395, pl. Geographic coverage area (in codes): **MA DZ PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU YU AL BG GR Cr TR Cc GG Smt Bjo IR Fa Kh TM Kp RU Nt Sb LB IL Pa Hf CY** *[available in Cesa Library]*

Razowski,J. & J.W.Brown, 2012, Descriptions of new Tortricidae (Lepidoptera) reared from native fruit in Kenya. Zootaxa 3222: 1-27, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Razowski,J. & J.Wojtusiak, 2012, Tortricidae (Lepidoptera) from Nigeria. Acta zool. cracov. 55 (2): 59-130, figs. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Razowski,J. & M.Krüger, 2007, An illustrated catalogue of the type specimens of Tortricidae in the Transvaal Museum, Pretoria (Lepidoptera, Tortricidae). Shilap Revta lepid. 35 (138): 103-179, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Razowski,J. & P.Trematerra, 2010, Tortricidae (Lepidoptera from Ethiopia. J. ent. Acarol. Res. (II) 42 (2): 47-79, figs. Geographic coverage area (in codes): **ET ZA MZ UG AF** *[available in Cesa Library]*

Razowski,J. & P.Trematerra, 2012, Tortricidae (Lepidoptera) from Ethiopia, 2. J. Ent. Acarol. Res. 44: 37-41, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Razowski,J., 1958, New and little known Palaearctic species of Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 2: 561-584, 10 pls. Geographic coverage area (in codes): **ES TR 05 16 46 47 RU Us UZ Smk MN DZ Orn Cst GR** *[available in Cesa Library]*

Razowski,J., 1959, Neue und wenig bekannte palaearktische Wickler-Arten (Lepidoptera, Tortricidae). Z. Wien. ent. Ges. 44: 81-87, pls. Geographic coverage area (in codes): **DZ MA ES MK TR 06 CY CN Ui Ku GR Cr** *[available in Cesa Library]*

Razowski,J., 1960, Studies on the Cochylidae (Lepidoptera) Part II. The genera of the Palaearctic Cochylidae. Polski Pismo ent. 30: 281-356, figs. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG AF PK CN JP MN** *[available in Cesa Library]*

Razowski,J., 1960, Remarks on the types of some African Tortricidae (Lepidoptera). Polski Pismo ent. 30: 169-172, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Razowski,J., 1961, Studies on Cochylidae (Lepidoptera) Part VI. Remarks on types of some Cochylidae. Polski Pismo ent. 31: 301-319, figs. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG AF PK CN JP MN** *[available in Cesa Library]*

Razowski,J., 1962, Studies on Cochylidae (Lepidoptera) Part VII. Revision of the group "Lozopera Steph." of the genus Aethes Billb. Acta zool. cracov. 7 (13): 391-421, figs. Geographic coverage area (in codes): **MA DZ LY Cy FR YU HV TR 42 42B 46 LB Bsa IT Si ES DE HU RU Sr MK CN GB SY Hal** *[available in Cesa Library]*

Razowski,J., 1965, The Palaearctic Cnephasiini (Lepidoptera, Tortricidae). Acta zool. cracov. 10 (3): 199-343, pls. 12-26. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Razowski,J., 1966, World fauna of the Tortricini (Lepidoptera, Tortricidae). Panstwowe Wydawnictwo Naukowe, Krakowie. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Razowski,J., 1968, Revision of the generic group Agapeta Hübner (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 73-102, figs. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG AF PK CN JP MN** *[available in Cesa Library]*

Razowski,J., 1968, Revision of the generic group Eupoecilia Stephens (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 103-130, figs. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG AF PK CN JP MN TH** *[available in Cesa Library]*

Razowski,J., 1968, Revision of the generic group Cochylis Treitschke (Lepidoptera, Cochylidae). Acta zool. cracov. 13: 131-148, figs. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG AF PK CN JP MN** *[available in Cesa Library]*

Razowski,J., 1968, Revision of the generic group Cochylidia Obraztsov (Lepidoptera, Cochylidae). Polski Pismo ent. 38: 3-8, figs. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL**

CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG AF PK CN JP MN *[available in Cesa Library]*

Razowski,J., 1970, Cochylidae, [in] Amsel,H.E. et al., Microlepidoptera Palaearctica 3: xiv + 529 pp., 161 Taf., Wien. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR 01 06 07 12 13 21 30 31 44 46 65 73 76 80 CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Razowski,J., 1970, A short catalogue of the Palaearctic Cochylidae (Lepidoptera). Acta zool. cracov. 15: 341-400. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT Cn ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GR CY Cr Rd TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ MN** *[available in Cesa Library]*

Razowski,J., 1974, Phylogeny and classification of Lepidoptera. Acta zool. cracov. 19(1): 1-18, 1 fig. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI IQ IR SY AF PK KK KG UZ TJ TM CN** *[available in Cesa Library]*

Razowski,J., 1977, Monograph of the genus Archips Hübner (Lepidoptera, Tortricidae). Acta zool. cracov. 22 (5): 55-206, 223 text-figs. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ CA US IN PK NP MM ID Ja PH VN TH** *[available in Cesa Library]*

Razowski,J., 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF ZA CM SW JP US** *[available in Cesa Library]*

Razowski,J., 1981, Nigerian Tortricini (Lepidoptera, Tortricidae). Acta zool. cracov. 25: 319-340, figs. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Razowski,J., 1982, The Cochylidii Fauna of the Palaearctic Region in relation to that of the remaining regions (Tortricidae). Nota lepid. 5 (4): 171-176. Geographic coverage area (in codes): **MA DZ TN ES GB DE TR Cc KG AF MN CN JP RU** *[available in Cesa Library]*

Razowski,J., 1983, Descriptions of new Cnephasia Curtis (Tortricidae). Nota lepid. 6 (4): 235-238, 10 figs. Geographic coverage area (in codes): **Sa IT GR Cr ES Cn** *[available in Cesa Library]*

Razowski,J., 1983, New species of Aethes Billberg (Tortricidae). Nota lepid. 6 (4): 239-243, 10 figs. Geographic coverage area (in codes): **AF TN BG IR** *[available in Cesa Library]*

Razowski,J., 1984, Tortricini, [in] Amsel,H.E. et al., Microlepidoptera Palaearctica 6: xvi + 376 pp., 101 Taf., Wien. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR 01 06 07 12 13 21 30 31 44 46 65 73 76 80 CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Razowski,J., 1987, The genera of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae. Acta zool. cracov. 30 (11): 141-355. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Razowski,J., 1989, Miscellaneous notes on Tortricidae. Nota lepid. 11 (4): 285-289, 6 figs. Geographic coverage area (in codes): **KG MA ES TR RU Us CN JP** *[available in Cesa Library]*

Razowski,J., 1989, The genera of Tortricidae Part II. Palaearctic Olethreutinae. Acta zool. cracov. 32 (7): 107-328. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Razowski,J., 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. Acta zool. cracov. 34 (1): 99-162. Geographic coverage area (in codes): **MA DZ TN Cc B-H AL MK BG GR GG AM AZ TR IL Pa JO EG LB CY SY IR IQ AF PK TM KG KK UZ CN Ui SA JO YE Ch RU RO MD BY UA HV IT AT CH DE BE NL DK ES AD PT Cn Co Sa Si MT GB NO FI SE PL CZ JP** *[available in Cesa Library]*

Razowski,J., 1991, Notes on cochyline genus Phtheochroa Stephens (Lepidoptera, Tortricidae) with descriptions of new American species. Acta zool. cracov. 34 (1): 163-187, figs. Geographic coverage area (in codes): **Cc KG UZ TJ GB LB IL Cr TN DZ AM FR RU TR IR BG SY GT AT PE** *[available in Cesa Library]*

Razowski,J., 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic Sparganothini Euliini Ramapesiini and Archipini. Acta zool. cracov. 35 (3): 665-703. Geographic coverage area (in codes): **MA DZ TN Cc B-H AL MK BG GR GG AM AZ TR IL Pa JO EG LB CY SY IR IQ AF PK TM KG KK UZ CN Ui SA JO YE Ch RU RO MD BY UA HV IT AT CH DE BE NL DK ES AD PT Cn Co Sa Si MT GB NO FI SE PL CZ JP** *[available in Cesa Library]*

Razowski,J., 1993, Cochylini (Lepidoptera, Tortricidae) of the Ethiopian Region. Acta zool. cracov. 36 (1): 137-159, 40 figs. Geographic coverage area (in codes): **ZA Tva Mpu Eca Lpo Gau Pre KE CI RW ZR TZ** *[available in Cesa Library]*

Razowski,J., 1993, Revision of the Apotoforma Busck,1934 (Lepidoptera, Tortricidae), with descriptions of four other Tortricini species. Acta zool. cracov. 36 (1): 183-197, 19 figs. Geographic coverage area (in codes): **VE PA MX HT GT BR JM ZA Nta NG MG Wca KE SC LK BO UG** *[available in Cesa Library]*

Razowski,J., 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part III. Afrotropical Chlidanotinae and Tortricinae: Phricanthini, Cochylini and Tortricini. Acta zool. cracov. 38 (2): 183-193. Geographic coverage area (in codes): **ZA Tva Nta Lpo Wca Eca Fs NA AO MZ MG ZW ZM BW TZ MW BI KE UG ER ET SO SD GH GA SN SL NG NE CM CI LI ZR CG CF ST** *[available in Cesa Library]*

Razowski,J., 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic Olethreutinae: Microcorsini, Bactrini, Endotheniini and Olethreutini. Acta zool. cracov. 38 (2): 285-324. Geographic coverage area (in codes): **MA DZ TN Cc B-H AL MK BG GR GG AM AZ TR IL Pa JO EG LB CY SY IR IQ AF PK TM KG KK UZ CN Ui SA JO YE Ch RU RO MD BY UA HV IT AT CH DE BE NL DK ES AD PT Cn Co Sa Si MT GB NO FI SE PL CZ JP** *[available in Cesa Library]*

Razowski,J., 1999, Catalogue of the species of Tortricidae Part V. Palaearctic Eucosmina and Enarmoniina (Insecta, Lepidoptera). Shilap Revta lepid. 27 (108): 437-506. Geographic coverage area (in codes): **MA DZ TN Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Razowski,J., 2002, Notes on Eana Billberg,1820 and Cnephasia Curtis,1826 (Lepidoptera, Tortricidae). Polski pismo Ent. 71 (3): 225-230, figs. Geographic coverage area (in codes): **TR 44 46 CN Ui Ku ES DZ Cst MA IT IR GR JO IL Pa** *[available in Cesa Library]*

Razowski,J., 2004, Notes on Brachioxena Diakonoff,1968 with list of its species (Lepidoptera, Tortricidae). Shilap Revta. lepid. 32 (127): 179-181, 1 fig. Geographic coverage area (in codes): **ZA PK ZR UG** *[available in Cesa Library]*

Razowski,J., 2005, Review of the genera of Afrotropical Tortricidae (Lepidoptera). Acta zool. cracov. 47 (3/4): 167-210 [31.12.2004]. Geographic coverage area (in codes): **DZ MA TN LY EG IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC Myt KM SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Razowski,J., 2006, Tortricideae [sic!] (Lepidoptera) from South Africa. 2: Three new genera of Tortricinae. Polskie pismo Ent. 75 (3): 417-425, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Razowski,J., 2006, Tortricideae [sic!] (Lepidoptera) from South Africa. 3. Hectaphelia gen.n., Aphelia Hübner and Clepsis Guenée. Polskie pismo Ent. 75: 427-438, figs. Geographic coverage area (in codes): **ZA Kzu Nta Gau Pre Tva SZ** *[available in Cesa Library]*

Razowski,J., 2008, Tortricidae (Lepidoptera) from South Africa. 6. Choristoneura Hübner and Procrica Diakonoff. Polskie pismo Ent. 77: 245-254, figs. Geographic coverage area (in codes): **ZA Nta Kzu Ec MZ GM** *[available in Cesa Library]*

Razowski,J., 2008, Tortricidae from South Africa, 4. Neopotamia - group of Olethreutini (Lepidoptera, Tortricidae). Shilap Revta lepid. 36 (141): 57-68, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Razowski,J., 2009, Tortricidae of the Palaearctic Region volume 2 Cochylini. 195 pp. 57 pls. Krakow-Bratislawa. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui KP KR JP MN TW** *[available in Cesa Library]*

Razowski,J., 2012, Tortricidae from the Tervuren Museum, 2. Olethreutini (Insecta, Lepidoptera). Genus 23 (1): 163-182, figs. Geographic coverage area (in codes): **ZA ZR TZ KE UG CM** *[available in Cesa Library]*

Razowski,J., 2014, Systematic and distributional data on Leafrollers from the Graziano Bassi Expedition to Tropical Africa (Lepidoptera, Tortricidae). Shilap Revta lepid. 42 (168): 517-529, figs. Geographic coverage area (in codes): **CM KE Nai TZ** *[available in Cesa Library]*

Razowski,J., 2014, Tortricidae from the Tervuren Museum, 5: Archipini (Lepidoptera, Tortricidae). Shilap Revta lepid. 42 (167): 449-479, figs. Geographic coverage area (in codes): **CI ZR BI NG UG KE** *[available in Cesa Library]*

Razowski,J., 2015, Diagnoses and remarks on the genera of Tortricidae (Lepidoptera), Part 3. Archipini. Acta zool. cracov. 58 (2): 195-252. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Razowski,J., Aarvik,L. & J. de Prins, 2010, An annotated catalogue of the types of Tortricidae (Lepidoptera) in the collection of the Royal Museum for Central Afica (Tervuren, Belgium) with descriptions of new genera and new species. Zootaxa 2469: 1-77, figs. Geographic coverage area (in codes): **ZR UG KE** *[available in Cesa Library]*

Rebel,H. & A.Rogenhofer, 1894, Zur Lepidopterenfauna der Canaren. Annln. naturh. Mus. Wien 9(1): 43-44. Geographic coverage area (in codes): **Cn**

Rebel,H. & H.Zerny, 1916, Wissenschaftliche Ergebnisse der mit Unterstützung der kaiserlichen Akademie der Wissenschaften in Wien aus der Erbschaft Treitl von F.Werner unternommenen zoologischen Expedition nach dem Anglo-Aegyptischen Sudan (Kordofan) 1914 I.Lepidoptera. Denkschr. Akad. Wiss. Wien 93: 423-446, Taf. Geographic coverage area (in codes): **SD EG** *[available in Cesa Library]*

Rebel,H.(┼), 1948, Neue Heteroceren aus Aegypten [together with an introduction by H.Reisser]. Z. Wien. ent. Ges. 32 (1947): 49-60. Geographic coverage area (in codes): **EG JE** *[available in Cesa Library]*

Rebel,H., 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Rebel,H., 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Rebel,H., 1895, Eine Heteroceren-Ausbeute aus der Sahara I. Verh. zool.-bot. Ges. Wien 45: 347-352. Geographic coverage area (in codes): **DZ Cst Bsk Gha Hes** *[available in Cesa Library]*

Rebel,H., 1898, Über eine Rhopaloceren-Ausbeute aus Deutsch-Neu-Guinea. Termés füzetek 21: 368-379, Tab.xvi-xix. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Rebel,H., 1899, Beitrag zur Lepidopterenfauna Unter-Aegyptens. Dt. ent. Z., Iris 26: 65-92, 11 figs. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Rebel,H., 1899, Diagnosen neuer Lepidopteren aus Südarabien und von der Insel Sokotra. Sber. Akad. Wiss. Wien 1899(27): 359-361. Geographic coverage area (in codes): **SA SK YE OM ET UG KE**

Rebel,H., 1901, Neue palaearctische Tineen. Dt. ent. Z., Iris 13(2): 161-188. Geographic coverage area (in codes): **DZ ES TR 21 46 MN RU CN Ku UZ IL** *[available in Cesa Library]*

Rebel,H., 1901, Eine neue Noctuide von der Sinai-Halbinsel Dt. ent. Z., Iris 13: 68-70, Taf.2 Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Rebel,H., 1901, II.Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. 368 S. Berlin. Geographic coverage area (in codes): **Cc DZ MA TN LY EG LB IL JO SA IQ IR AF PK IN NP SI CN Ti Ui MN KP KR JP KK TJ UZ TM PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG** *[available in Cesa Library]*

Rebel,H., 1902, Neue Pyraliden, Pterophoriden und Tineen des palaearktischen Faunengebietes. Dt. ent. Z., Iris 15 (1): 100-126, Taf. iv [Plate published on May 1st 1903]. Geographic coverage area (in codes): **TR JO IL LB Ui TM DZ Bsk MA UZ** *[available in Cesa Library]*

Rebel,H., 1903, Neue Pyraliden aus Algerien und Westasien. Dt. ent. Z., Iris 16: 1-8, figs. Geographic coverage area (in codes): **Cc DZ Lbs TR TM IL JO IR AM Eri GR** *[available in Cesa Library]*

Rebel,H., 1903, Eine Heteroceren-Ausbeute aus der Sahara II. Verh. zool.-bot. Ges. Wien 53: 404-415, Abb. Geographic coverage area (in codes): **DZ Cst Bsk Gha Hes** *[available in Cesa Library]*

Rebel,H., 1906, [Beschreibungen lepidopterischen Arten von Kreta, Aegypten und Teneriffe]. Verh. zool.- bot. Ver. Wien 56: 232-238, Abb. Geographic coverage area (in codes): **EG Cr GR Cn** *[available in Cesa Library]*

Rebel,H., 1907, Lepidopteren aus Südarabien und von der Insel Sokotra. Denkschr. Akad. Wiss. Wien 71(2): 31-130, 1 Taf., 39 Abb. Geographic coverage area (in codes): **SA Sk YE** *[available in Cesa Library]*

Rebel,H., 1910, Neue palaearktische Pyraliden, Tortriciden und Tineen. Dt. ent. Z., Iris 24: 1-14, Taf.1. Geographic coverage area (in codes): **DZ TR 46 47 ES KK KG Uk RU Us** *[available in Cesa Library]*

Rebel,H., 1910, Fr. Berge's Schmetterlingsbuch nach dem gegenwärtigen Stande der Lepidopterologie (9th Edn.). 509 pp. Stuttgart. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc Kb** *[available in Cesa Library]*

Rebel,H., 1911, Beitrag zur Lepidopterenfauna von Syrien. Verh. zool.- bot. Ges. Wien 61: (142)-(156), figs. Geographic coverage area (in codes): **IL EG LB JO** *[available in Cesa Library]*

Rebel,H., 1914, Über eine Mikrolepidopterenausbeute aus dem westlichen Thian-Shan-Gebiet. Dt. ent. Z., Iris 28: 271-278. Geographic coverage area (in codes): **ES TN RU TR KG DZ CN MA T-S** *[available in Cesa Library]*

Rebel,H., 1914, Wissenschaftliche Ergebnisse der Expedition R. Grauer nach Zentralafrika Dezember 1909-Februar 1911. Lepidopteren. Annln naturh. Mus. Wien 28: 219-294, 8 Taf. Geographic coverage area (in codes): **ZR TZ** *[available in Cesa Library]*

Rebel,H., 1917, Die Beschreibung von 7 neuen paläarktischen Arten der Gattung Depressaria Hw. aus der Familie der Gelechiiden. Verh. zool.- bot. Ges. Wien 67: (18)-(27). Geographic coverage area (in codes): **CH TN RU Or At Sr IR Shh** *[available in Cesa Library]*

Rebel,H., 1935, Revision der Dissocteninae und Beschreibung einer neue Gattung und Art der Fumeinae. Dt. ent. Z., Iris 48: 145-161, figs. Geographic coverage area (in codes): **MA DZ**

Reh,L., 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 65 GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR** *[available in Cesa Library]*

Reiss,H. & W.G.Tremewan, 1960, On the synonymy of some Zygaena species, with descriptions of a new species and subspecies from Morocco, Lep., Zygaenidae. Bull. Br. Mus. nat. Hist. (Ent.) 9 (10): 459-468, pl.22. Geographic coverage area (in codes): **MA DZ AF SY TR 31 31M 42 IR PK Ci** *[available in Cesa Library]*

Reiss,H. & W.G.Tremewan, 1967, A Systematic Catalogue of the genus Zygaena Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag. Geographic coverage area (in codes): **MA DZ TN LY PT ES FR DE LU BE NL GB IE IT AT CH PL DK SE FI NO CZ SK SS YU HU BY UA HV GG EE LT LV MD Co Si Sa B-H MK AL GR BG RO RU TR CY SY LB IL IQ IR AM AZ Cc TM UZ KK KG AF PK Ch IN CN Ui** *[available in Cesa Library]*

Reisser,H., 1930, Eine neue europäische Noctuide. Z. öst. Ent.Ver. 15 (1): 1-6, Taf.1. Geographic coverage area (in codes): **MA ES FR Co Sa MK GR LB Bei TR 07 13 33 42 46 IQ Brs IR Fa** *[available in Cesa Library]*

Reissinger,E., [1990], Checkliste Pieridae Duponchel,1835 (Lepidoptera) der Westpalaearktis (Europa, Nordwestafrika, Kaukasus, Kleinasien). Atalanta 20 (1989): 149-185. Geographic coverage area (in codes): **Cc MA DZ TN LY EG IL PT ES FR DE NL BE LU PL CZ SK AT CH IT MA DZ TN MT GR BG GB NO SE FI RU EE UA BY KK KG CN TR IR TM UZ IN JP KP KR LB IQ GG AM AZ** *[available in Cesa Library]*

Richardson,I., 2010, Waterfalls of northern province, Zambia. Metamorphosis 21 (4): 173-182. Geographic coverage area (in codes): **ZM** *[available in Cesa Library]*

Richter,W., 1963, Bericht über eine Sammelreise in Aethiopien 1959/60 (Ergebnisse der Entomologischen Reise Willi Richter, Stuttgart, in Aethiopien 1959/60- Nr.5). Stuttg. Beitr. Naturk. 111: 1-12, 8 Abb. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Riedl,T., 1969, Matériaux pour la connaissance des Momphidae paléarctiques (Lep.). Partie ix. Revue des Momphidae européens, ya compris quelques especies d'Afrique du Nord et du Proche-Orient. Polskie pismo Ent. 39 (4): 635-919, 414 figs. Geographic coverage area (in codes): **DZ TN MA EG LB IL Pa SY IQ IR TR** *[available in Cesa Library]*

Riedl,T., 1978, Sur la repartition de certains Momphidae s.l. dans la region Mediterraneenne (Lepidoptera). Mitt. ent. Ges. Basel 28: 72-75. Geographic coverage area (in codes): **IT FR TR LY** *[available in Cesa Library]*

Riley,J., 1971, A checklist of the Nigerian Sphingidae. Occ. Publ. ent. Soc. Nigeria 5: 1-9. Geographic coverage area (in codes): **NG**

Riley,J., 1971, A checklist of the Nigerian Lymantriidae. Occ. Publ. ent. Soc. Nigeria 6: 1-10. Geographic coverage area (in codes): **NG**

Riley,N.D., 1920, A note on some African Rhopalocera. Entomologist 53: 73-75. Geographic coverage area (in codes): **SO KE ET** *[available in Cesa Library]*

Riley,N.D., 1925, The species usually referred to the genus Cigaritis Boisd. Novit. zool. 32: 70-95, figs. Geographic coverage area (in codes): **TR LB IL IR IQ EG SD ER ET SO TH PH ID IN PK AF** *[available in Cesa Library]*

Riley,N.D., 1928, Two new local races of Euchloe. Entomologist 61: 136-137. Geographic coverage area (in codes): **ET CN**

Riley,N.D., 1932, New African and Arabian Butterflies. Ann. Mag. nat. Hist. (10) 10: 137-152, Pls. 8,9. Geographic coverage area (in codes): **SD TZ SO YE ZA ZR KE** *[available in Cesa Library]*

Riley,N.D., 1934, Report on the Insecta collected by Colonel R. Meinertz-Hagen in the Ahaggar Mountains. IV. Lepidoptera. Ann. Mag. nat. Hist. (10) 13: 175-181. Geographic coverage area (in codes): **DZ Ah**

Riley,N.D., 1938, Descriptions of new or little known South African Rhopalocera (Lepidoptera). Trans. R. ent. Soc. London 87 (10): 233-245, 2 pls. Geographic coverage area (in codes): **ZA Wc Cto** *[available in Cesa Library]*

Riotte,J.C.E., 1994, Eine neue Art des Hippotion velox- Species-Komplexes (Lepidoptera, Sphingidae). Ent. Z., Frankf. a. M. 104 (15): 293-299, 8 Abb. Geographic coverage area (in codes): **PG MG** *[available in Cesa Library]*

Robbe,H., 1892, Lépidoptères du Congo. Description de deux nouvelles espèces et de deux nouvelles variétés. Annls Soc. ent. Belg. 36: 132-134. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Robinson,G.S. & K.R.Tuck, 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). Syst. Ent. 22: 363-396, figs. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC SW MX** *[available in Cesa Library]*

Robinson,G.S., 1977, Sesiidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 20. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Robinson,G.S., 1979, Clothes moths of the Tinea pellionella complex: a revision of the world's species (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 38 (3): 57-128, figs. Geographic coverage area (in codes): **AR CL BO PE BR VE CO PA GT MX US AU QAu PG ID MY PH NA ZA ZW MG MA DZ TN KE TZ ZR ES FR DE AT HU CH PT IT HV AL BG GR TR CY IL Pa IR Cc RU UA JO LY EG AZ AM GG TM TJ KK KG CN Ui MN KP KR JP IN AF PK MM TH** *[available in Cesa Library]*

Robinson,G.S., 1982, The Palaearctic Tineidae (Lepidoptera) described by Daniel Lucas. Entomologist's Gaz. 33: 175-180. Geographic coverage area (in codes): **TR TM TN MA AT EG FR** *[available in Cesa Library]*

Robinson,G.S., 1985, The white Tineidae of North Africa and the Middle East: A revision of the Episcardia lardatella-complex (Lepidoptera). Entomologist's Gaz. 36: 269-281, figs. Geographic coverage area (in codes): **MA TN DZ Orn Lbs Cst EG IL Pa LB SY TR IQ JO SA**

Robinson,G.S., 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 52 (2): 37-181, figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J** *[available in Cesa Library]*

Robinson,G.S., Ackery,P.R., Kitching,I.J., Beccaloni,G.W. & L.M.Hernandez, 2005, Hosts - a database of hostplants of the World's Lepidoptera (http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsml> Natural History Museum, London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Roesler,R.-U. & P.V.Küppers, 1979, Die Phycitinae (Lepidoptera: Pyralidae) von Sumatra; Taxonomie Teil A. Beitr. naturk. Forsch. SüdwDtl. Beih. 3: 1-249, 7 Abb. 36 Taf. Geographic coverage area (in codes): **ID Sum PH TW MY PG AU FJ WS NH MM IN PK YE SD** *[available in Cesa Library]*

Roesler,R.-U. & P.V.Küppers, 1981, Die Phycitinae (Lepidoptera: Pyralidae) von Sumatra; Taxonomie Teil B, Ökologie und Geobiologie. Beitr. naturk. Forsch. SüdwDtl. Beih. 4: 1-282, 4 Abb. 42 Taf. Geographic coverage area (in codes): **ID Sum PH TW MY PG AU FJ WS NH MM IN PK YE SD** *[available in Cesa Library]*

Roesler,R.-U., 1973, Trifine Acrobasiina (1. Teilband der Phycitinae). [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol.4. Textband, xvi + 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR 01 06 07 12 13 21 30 31 44 46 65 73 76 80 CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Roesler,R.-U., 1980, Neue Resultate zur Taxonomie von Euzophera Zeller Phycitinen-Studien XVII (Lepidoptera, Pyralidae) NachrBl. bayer. Ent. 29 (5): 81-89, 5 Abb. Geographic coverage area (in codes): **GB ES PT FR IT Sa Si Co DZ MA TN YU GR BG TR Cc UA Cm RU DE PL HU AT CZ SK RO ET SA As ZA** *[available in Cesa Library]*

Roesler,R.-U., 1988, Untersuchungen zur Taxonomie paläarktischer Phycitinae (Lepidoptera, Pyraloidea). Beitr. Ent. 38: 65-73, figs. Geographic coverage area (in codes): **AF Pag IR CN Ku Ui Az AM Cc LK SA Cy LY TR 31 IQ Lag GG TM UZ** *[available in Cesa Library]*

Roesler,R.-U., 1988, Die Gattung Myelois Hübner [1825] 1816 (Lepidoptera, Pyraloidea, Phycitinae) in der Paläarktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 98 (13): 177-192, 10 Abb. Geographic coverage area (in codes): **MA DZ TN LY Cy TR SY Dms IL Pa Hf Js LB IQ Shq Hjo Mos IR Fa Sse Shr Th Elb Kdj AF PK CN Ui** *[available in Cesa Library]*

Roesler,R.-U., 1989, Die Artengruppe um die als Christophia beschriebene Epiparthia dattinella (Ragonot 1887) (Lepidoptera: Pyraloidea, Phycitinae) mit Beschreibung dreier neuer Taxa. Ent. Z., Frankf. a. M. 99(1/2): 1-15, 13 Abb. Geographic coverage area (in codes): **IR AF JO IL PK EG TM** *[available in Cesa Library]*

Roesler,R.-U., 1990, Drei neue Taxa für die quadrifinen Acrobasiina sowie die neue Check-Liste für Arsissa Ragonot,1893 (Lepidoptera, Pyraloidea, Phycitinae). Ent. Z., Frankf. a. M. 100 (3): 33-52, figs. Geographic coverage area (in codes): **SD EG IR Kd Elb Th AF** *[available in Cesa Library]*

Roesler,R.-U., 1993, Quadrifine Acrobasiina Erster Teil (2. Teilband der Phycitinae). [in] Amsel,H.G., Microlepidoptera Palaearctica vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR 01 06 07 12 13 21 30 31 44 46 65 73 76 80 CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Rogenhofer,A.F., 1881, Sarrothripa nilotica m. Eine neue Nycteolide aus Egypten. Verh. zool.- bot. Ges. Wien 31: 26-27. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Roland,R. & Boullet,V. (ed.), 2005, Mayotte biodiversité et évaluation patrimoniale. 324pp. http://etic.univ-reunion.fr/get/images/Mayotte/mayotte_inventaire 20znieff.pdf [access 12 2 2013]. Geographic coverage area (in codes): **Myt KM** *[available in Cesa Library]*

Romei,E., 1927, Contribuzione alla conoscenza alcuni Lepidotteri della Tripolitania. Boll. Lab. Zool. gen. agr. R. Scuola Agric. Portici 20: 270-281. Geographic coverage area (in codes): **LY**

Rose,K., 1976, Lepidopterologische Beobachtungen auf La Palma (Kanarische Inseln). Atalanta 7(1): 31-33, 3 Abb. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Rosen,K.von, 1929, Familie Papilio[nidae]. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 7-20. Stuttgart. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG CN JP AF PK IN Ch** *[available in Cesa Library]*

Rota,J. & S.E.Miller, 2013, A new genus of metalmark moths (Lepidoptera, Choreutidae) with Afrotropical and Australasian distribution. Zookeys 355: 29-47, figs. Geographic coverage area (in codes): **KE PG SB** *[available in Cesa Library]*

Rothschild,N.C., 1901, Lepidoptera from Egypt and the Soudan. Novit. zool. 8: 426-434. Geographic coverage area (in codes): **EG SD** *[available in Cesa Library]*

Rothschild,W. 1932, On some new Eupterotidae. Novit. zool. 32: 250-252. Geographic coverage area (in codes): **SL GH NG ID Ij PG** *[available in Cesa Library]*

Rothschild,W. & K.Jordan, 1896-1897, Notes on Heterocera with descriptions of new genera and species. Novit. zool. 3: 21-62, 185-208; ibid. 4: 314-365, pl.iv. Geographic coverage area (in codes): **PG NE BO NG MY Bor IN ID Clb Ja PH Luz MG GH** *[available in Cesa Library]*

Rothschild,W. & K.Jordan, 1901, On some Lepidoptera. Novit. zool. 8 (4): 401-407, pls.ix,x. Geographic coverage area (in codes): **SB KE BO** *[available in Cesa Library]*

Rothschild,W. & K.Jordan, 1903, A revision of the lepidopterous family Sphingidae. Novit. zool. 9, suppl.: cxxv + 972 pp., 67 pls. Geographic coverage area (in codes): **MA DZ TN Cn LY EG Cc PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM IL Pa LB SY JO TM UZ TJ KK KG CN Ui AF PK IN Ch MY ID TH LK MM MY ID PG SB PH JP AU SD SO ET ER DJ KE TZ MZ MW ZM ZW ZR ZA NA AO GA GM CM NG NE TD ML LR BI BJ UG SN SL GH CI VE PA CU BO PE EC BR AR CL** *[available in Cesa Library]*

Rothschild,W. & K.Jordan, 1903, Some new African Papilios. Novit. zool. 10: 488-490. Geographic coverage area (in codes): **KE Kky SL UG MW** *[available in Cesa Library]*

Rothschild,W. & K.Jordan, 1903-1905, Lepidoptera collected by Oscar Neumann in north-east Africa. Novit. zool. 10: 491-542; 12: 175-191. Geographic coverage area (in codes): **SO ET YE** *[available in Cesa Library]*

Rothschild,W. & K.Jordan, 1916, Corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 115-123, 3 figs. Geographic coverage area (in codes): **MA DZ TN Cn LY EG Cc PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM IL Pa LB SY JO TM UZ TJ KK KG CN Ui AF PK IN Ch MY ID TH LK MM MY ID PG SB PH JP AU SD SO ET ER DJ KE TZ MZ MW ZM ZW ZR ZA NA AO GA GM CM NG NE TD ML LR BI BJ UG SN SL GH CI VE PA CU BO PE EC BR AR CL** *[available in Cesa Library]*

Rothschild,W. & K.Jordan, 1916, Further corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 247-263, 14 figs. Geographic coverage area (in codes): **MA DZ TN Cn LY EG Cc PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM IL Pa LB SY JO TM UZ TJ KK KG CN Ui AF PK IN Ch MY ID TH LK MM MY ID PG SB PH JP AU SD SO ET ER DJ KE TZ MZ MW ZM ZW ZR ZA NA AO GA GM CM NG NE TD ML LR BI BJ UG SN SL GH CI VE PA CU BO PE EC BR AR CL** *[available in Cesa Library]*

Rothschild,W., 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I** *[available in Cesa Library]*

Rothschild,W., 1895, Notes on Saturniidae; with a preliminary revision of the family down to the genus Automeris and descriptions of some new species. Novit. zool. 2: 35-51. Geographic coverage area (in codes): **PG ID Ja ET Bor MY KE PA PE MW** *[available in Cesa Library]*

Rothschild,W., 1897, Some new species of Heterocera. Novit. zool. 4: 307-313, pl.vii. Geographic coverage area (in codes): **BO PG AU QAu UG ID BR** *[available in Cesa Library]*

Rothschild,W., 1897, Descriptions of some new species and subspecies of Lepidoptera. Novit. zool. 4: 179-184. Geographic coverage area (in codes): **PG ID UG MW Zom ID Clb** *[available in Cesa Library]*

Rothschild,W., 1898, On some new or rare Lepidoptera of the Old World regions. Novit. zool. 5 (1): 96-102. Geographic coverage area (in codes): **PG NIr ID Ij AU MW TZ** *[available in Cesa Library]*

Rothschild,W., 1902, Some new N.E. African Lepidoptera discovered by Oscar Neumann. Novit. zool. 9: 595-598. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rothschild,W., 1904, A new African Melanitis. Novit. zool. 11: 451. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Rothschild,W., 1909, Mauretanisches. Ent. Z., Stuttg. 23 (32): 142. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Rothschild,W., 1910, Catalogue of the Arctianae in the Tring Museum, with notes and descriptions of new species. Novit. zool. 17 (1): 1-85; 17 (2): 113-171. Geographic coverage area (in codes): **Cc MX NI CR VE GF BR PE BO EC CO US DE FR ES RO HU IT GB RU MA AT CN JP CZ TR KK IL AM DZ KG AF AU ID PH MZ TZ PY IN SI MM LO Ch ET MG TM PK ZA NG SL UG KE ER** *[available in Cesa Library]*

Rothschild,W., 1910, Descriptions of new species of Arctianae in the Tring Museum. Novit. zool. 17 (1): 172-188. Geographic coverage area (in codes): **BR BO PE US Tx Arz NMx AR ES Py CO KE Nai SL VE EC ZA Nta Kzu Wnn AO CM LO NC SB TZ ID Sum MG NG PG NBr Clb Tim AU SI CR** *[available in Cesa Library]*

Rothschild,W., 1911, A new Madagascar Arctiid. Ann. Mag. nat. Hist. (8) 8: 235. Geographic coverage area (in codes): **MG** *[available in Cesa Library]*

Rothschild,W., 1911, Some new Algerian Lepidoptera. Ann. Mag. nat. Hist. (8) 8: 231-233. Geographic coverage area (in codes): **DZ BSa Ktr BSa** *[available in Cesa Library]*

Rothschild,W., 1912, New Lithosianae. Novit. zool. 19: 212-246. Geographic coverage area (in codes): **TM PG AU ID Lb Ja Sum Nia Amb Sbw PH Luz MY MM SB LO PE CO IN Ass Khs BR SR PA VE AR AO KE Bor KBa** *[available in Cesa Library]*

Rothschild,W., 1913, VII. Lepidoptera, [in] Hartert,E., Expedition to the Central Western Sahara. Novit. zool. 20: 109-143, 469. Geographic coverage area (in codes): **DZ Onç** *[available in Cesa Library]*

Rothschild,W., 1914-1915, A preliminary account of te lepidopterous fauna of Guelt-es-Stel, Central Algeria. Novit. zool. 21: 299-357; ibid. 22: 186-191. Geographic coverage area (in codes): **DZ Ges** *[available in Cesa Library]*

Rothschild,W., 1915, Lepidoptera of the M'Zab country, south Algeria, collected by Dr Ernst Hartert and Carl Hilgert in 1914. Novit. zool. 22: 228-243 [for localities, see also ibid. 22: 61-64] Geographic coverage area (in codes): **DZ Onç Gha Hdr Tou Eal M'z** *[available in Cesa Library]*

Rothschild,W., 1915, On the Lepidoptera collected in 1913-1914 by Herr Geyr von Schweppenburg on a journey to the Hoggar Mountains. Ann. Mag. nat. Hist. (8) 16: 247-258, 392-402. Geographic coverage area (in codes): **DZ Ah** *[available in Cesa Library]*

Rothschild,W., 1916, Some new Arctiadae. Novit. zool. 23 (2): 264-271. Geographic coverage area (in codes): **CR CO VE BR PE CG NG** *[available in Cesa Library]*

Rothschild,W., 1916, Some new Lepidoptera from Siam and Africa. Ann. Mag. Nat. Hist. (8) 17: 474-476. Geographic coverage area (in codes): **TH MY MM MW Mje KM** *[available in Cesa Library]*

Rothschild,W., 1917, Some new moths of the families Arctiidae and Eupterotidae. Novit. zool. 24: 475-492. Geographic coverage area (in codes): **PE VE GF CR BR NI TZ CN SI ID AO ZR UG SL ET ZA CA NG** *[available in Cesa Library]*

Rothschild,W., 1917-1920, Supplemental notes to Mr. Charles Oberthür's Faune des Lépidopteres de la Barbarie, with lists of the specimens contained in the Tring Museum. Parts 1-3. Novit. zool. 24: 61-120, 325-373, 393-409; 27: 1-127, Pls. Geographic coverage area (in codes): **MA DZ TN** *[available in Cesa Library]*

Rothschild,W., 1918, Some apparently new forms of African Nymphalidae. Novit. zool. 25: 338-345. Geographic coverage area (in codes): **GA UG ZR CM Bje CI MW Mje ZW AO** *[available in Cesa Library]*

Rothschild,W., 1920, Supplemental notes to Mr. Charles Oberthür's Faune des Lépidopteres de la Barbarie, with lists of the specimens in the Tring Museum (Noctuidae). Novit. zool. 27: 1-127, pls. 14-17. Geographic coverage area (in codes): **MA DZ TN** *[available in Cesa Library]*

Rothschild,W., 1921, On the Lepidoptera collected by Captain A.Buchanan in northern Nigeria and the southern Sahara in 1919-1920. Novit. zool. 28: 142-170, 215-229. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Rothschild,W., 1925, On the Lepidoptera collected in Marocco. Bull. Soc. Sci. nat. Maroc 5: 126-152. Geographic coverage area (in codes): **MA Azr Rbt DZ Btna Khh Cst Agi** *[available in Cesa Library]*

Rothschild,W., 1925, Critical list of the collection of Algerian Lepidoptera of the late Captain N.J.E.Holl. Novit. Zool. 32: 195-229. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Rothschild,W., 1925, Description of a new species of Eligma (Subfamily Sarrothripinae). Ann. Mag. nat. Hist. (9) 16: 269. Geographic coverage area (in codes): **SD ET** *[available in Cesa Library]*

Rothschild,W., 1925, List of Lepidoptera collected by Dr. E.Hartert and Herr Carl Hilgert in Cyrenaica in March, April, and May 1922. Ann. Mag. nat. Hist. (9) 16: 200-208. Geographic coverage area (in codes): **LY** *[available in Cesa Library]*

Rothschild,W., 1935, Some new Arctiinae. Novit. zool. 39: 239-250. Geographic coverage area (in codes): **BR VE HN CO CR PE PA US Tx MX ID Ja UG KE GH** *[available in Cesa Library]*

Rougeot,P.-C., 1973, Sur deux nouvelles especes d'Attacides d'Afrique orientale (Lepidoptera, Attacidae). Bull. Soc. ent. Fr. 78: 334-336, 1 fig. Geographic coverage area (in codes): **TZ ET**

Rougeot,P.-C., 1975, Description de la femelle de Charaxes brutus somalicus Rothschild (Lep., Nymphalidae). Bull. Soc. ent. Fr. 80: 32. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1975, Diagnoses de 3 nouvelles especes de Lepidopteres Heteroceres d'Afrique orientale. Lambillionea 75(9/10): 68-71, 3 figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Cossidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 17-19, Pl.2. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Nymphalidae (Charaxinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 110-112, Pl.19. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Cochlididae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 20, Pl.15. Geographic coverage area (in codes): **KE ET** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Papilionidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 95-96. Geographic coverage area (in codes): **ET DJ KE** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Eupterotidae, Brahmaeidae, Attacidae, Lasiocampidae, Sphingidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 83-94, Pls. Geographic coverage area (in codes): **ET KE DJ** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Description des especes et sous-especes nouvelles [Pyralidae] [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 25-29, Pls. Geographic coverage area (in codes): **ET DJ** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Ctenuchidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 81-82, Pl.2. Geographic coverage area (in codes): **ET DJ KE** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Uraniidae (Epipleminae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 36. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Thyrididae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 30. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Rougeot,P.-C., 1977, Chrysopolomidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 21, Pl.2. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1979, Note sur les Micragone du groupe de M.nenia (Westwood) (Lepidoptera, Attacidae). Bull. mens. Soc. linn. Lyon 48(6): Geographic coverage area (in codes): **ZR GA SN** *[available in Cesa Library]*

Rougeot,P.-C., 1979, Diagnoses de trois Attacidae (Lepidoptera) Africains inédits. Bull. mens. Soc. linn. Lyon 48(5): 306-309, 6 figs. Geographic coverage area (in codes): **KE ZR TZ CF AO** *[available in Cesa Library]*

Rougeot,P.-C., 1980, On the Distribution of Pieris brassicoides Guérin (Lepidoptera, Pieridae) in Ethiopia. Sinet 3(2): 153-154. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1983, Description d'un nouveau Batuana (Lepidoptera, Noctuidae, Trifinae) d'Ethiopie. Bull. mens. Soc. linn. Lyon 52(5): 167-168, 2 figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1983, Lepidopteres du Haut-Simyen (Ethiopie du Nord). Bull. mens. Soc. linn. Lyon 52(7): 219-232, 18 figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Thyrididae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 10. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Cochlididae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 7. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Satyridae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 69-70. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Pyralidae descriptions des especes nouvelles [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 8-9, pl.3. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Ctenuchidae, Zygaenidae, Eupterotidae, Saturniidae, Lasiocampidae, Bombycidae, Drepanidae, Sphingidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 52-58, Pl. Geographic coverage area (in codes): **ET DJ** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Papilionidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 60. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Nymphalidae (Charaxinae), 1) Liste des Especes [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 63-65. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., 1984, Epiplemidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 12. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Rougeot,P.-C., Bourgogne,J. & B.Laporte, 1991, Les Lépidopteres Hétéroceres d'Afrique Orientale. Annls Soc. ent. Fr. (N.S.) 27(4): 407-463, 171 figs. Geographic coverage area (in codes): **ET KE DJ TZ** *[available in Cesa Library]*

Rowland-Brown,H.R., 1917, Some remarks on the distribution and development of species and subspecies of the Satyrine genus Melanargia Meigen in Italy, France, Spain and Algeria. Entomologist 50: 123-127, 157-160. Geographic coverage area (in codes): **IT FR ES DZ TR Cc** *[available in Cesa Library]*

Rungs,C., 1958, Lépidoptères du Tassili d!Ajjer. Inst. Rech. Sahar. Alger 1958: 167-176. Geographic coverage area (in codes): **DZ Ajj**

Rungs,C., 1972, Lépidoptères nouveaux du Maroc et de la Mauretanie. Bull. Mus. natn. Hist. nat. Paris Serie 3, Zoologie 46: 669-698. Geographic coverage area (in codes): **MA MR**

Rungs,C., 1981, Catalogue raisonné des Lépidoptères du Maroc. Trav. Inst. Sci. (Ser. Zool.), Rabat. 40: 1-588. Geographic coverage area (in codes): **MA**

Rydon,A.H.B., 1971, The systematics of the Charaxidae (Lepidoptera, Nymphaloidea). Entomologist's Rec. J. Var. 83: 219-233, 283-287, 310-316, 336-341, 384-388, 3 Pls. Geographic coverage area (in codes): **SN ZA ZR TZ KE UG ET ER SD SO DJ SA YE IL LB TR GR TH IN ID MM PH TW MY SG**

Rydon,A.H.B., 1982, Appendix. Taxonomic notes on some members of the Charaxes viola group, with descriptions of three new species from Yemen Arab Republic and Ethiopia (Lepidoptera, Nymphalidae, Charaxinae), [in], Larsen,T.B., The butterflies of the Yemen Arab Republic. Biol. Skr. Dan. Vid. Selsk. 23 (3): 63-76, 5 Pls. Geographic coverage area (in codes): **YE ET** *[available in Cesa Library]*

Rydon,A.H.B., 1989, A new species of Charaxes from Southern Sudan. Lambillionea 89: 62-67. Geographic coverage area (in codes): **SD**

Rühl,F., 1892-[1893], Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 1-384S. Leipzig. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Röber,J., 1907, 2. Familie Pieridae Weisslinge, [in] Seitz,A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf. Geographic coverage area (in codes): **Cc DZ MA TN PT ES FR GB IE IC NO SE FI DK PL DE SK CZ HU IT AT CH Co Sa Si Cr CY TR 06 30 65 GR BG RO MD BE NL LU SS YU B-H HV MK AL TR GG AM AZ UA BY RU IL JO LB SY IQ IR AF PK Ch CN Ti Ui KP KR JP** *[available in Cesa Library]*

Röber,J., 1936, Über einige afrikanische Charaxes-Arten und andere exotische Falter. Ent. Rdsch. 53: 575-580, 7 Abb. Geographic coverage area (in codes): **ID CA PG ZR UG** *[available in Cesa Library]*

Saalmüller,M., 1885, Crambus kobelti n.sp. Stettin ent. Ztg. 46 (7/9): 335-336. Geographic coverage area (in codes): **DZ Lbs** *[available in Cesa Library]*

Sabariego de la Plaza,E. & J.Aragonez de Ines, 1978, Los Papilionidae de Espana. Cuaderno 6: 1-42, 7 pl. Geographic coverage area (in codes): **ES Abr Act Ag Alc Alm Alv An Atu Av B-I Bad Bar Bb Bgs Bg C-L C-M CRe Cas Ccs Cd Cl Cn Cor Cs Ct Cue Cz Ex For Fv Gc Gi Gna Gp Grn Hi Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Nrr Ore Ov Peu Ple Pv Rio Seg Sma Snv Sor Sul Ter Tol Trg Val Vcl Vit Zg Zm**

Safian,S. & F.Pühringer, 2016, New records of Similipepsis ekisi Wang,1984 (Lepidoptera, Sesiidae) from Liberia, West Africa, and notes on its mud-puddling behaviour. Metamorphosis 27: 1-2, 2 figs. Geographic coverage area (in codes): **LR CM** *[available in Cesa Library]*

Safian,S. & R.Tropek, 2016, Two new butterfly species (Lepidoptera, Rhopalocera) from Mount Cameroon, Gulf of Guinea Highlands, Cameroon. Zootaxa 4150 (2): 123-132, figs. Geographic coverage area (in codes): **CM**

Safian,S. & T.B.Larsen, 2009, On the ecology and behavior of Cerautola crowleyi (Sharpe,1890), Cerautola ceraunia (Hewitson,1873) and Cerautola miranda (Staudinger,1889) with descriptions of early stages (Lepidoptera, Lycaenidae, Epitolini) [a long title more than enough A.Ö.K] Trop. Lepid. Res. 19 (2): 22-28, figs. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Safian,S., 2014, Neurellipes rhoko sp.n. from the Cross River Loop, eastern Nigeria (Lepidoptera, Lycaenidae, Polyommatinae). Zootzxa 3860 (2): 195-200, figs. Geographic coverage area (in codes): **NG**

Safian,S., 2015, Two new Epitolini from Liberia in the genera Stempfferia Jackson,1962 and Cephetola Libert,1999 (Lepidoptera, Lycaenidae, Poritiinae). Metamorphosis 26: 12-19, figs. Geographic coverage area (in codes): **LR** *[available in Cesa Library]*

Safian,S., 2015, Aslauga larseni (Lycaenidae, Miletinae, Liphyrini), a unique new species from the Nimba Mountains, Liberia. Metamorphosis 26: 27-30, figs. Geographic coverage area (in codes): **LR** *[available in Cesa Library]*

Safian,S., 2017, Three new species in the genus Iolaus Hübner,1819 (Lepidoptera, Lycaenidae, Theclinae) from West Africa. Metamorphosis 28: 2-10, figs. Geographic coverage area (in codes): **LR GH CM CF KE CG UG** *[available in Cesa Library]*

Safian,S., Collins,S.C. & M.Libert, 2015, Two new species in the genus Geritola Libert,1999 (Lepidoptera, Lycaenidae, Epitolini). Zootaxa 3931 (2): 286-292, figs. Geographic coverage area (in codes): **UG LR CM**

Safian,S., Larsen,T.B., Collins,S.C., Csontos,G. & K.Aduse-Poku, 2012, Results of the butterfly and moth inventory in Ghana I. (Lepidoptera, Lycaenidae). Folia ent. hung. 73: 53-75. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Safian,S., Libert,M. & S.C.Collins, 2013, Two new Aphnaeus (Lepidoptera, Lycaenidae, Theclinae) species from Liberia. Zootaxa 3718 (2): 193-199, figs. Geographic coverage area (in codes): **LR**

Saigusa,T. Nakanishi,H.S., Shima,H. & O.Yata, 1977, Phylogeny and biogeography of the subgenus Graphium Scopoli (Lepidoptera, Papilionidae, Graphium). Acta Rhopalocerologica 1: 2-32. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS MG ML MR MU MW MZ NA NE RE SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW IN ID PG AU JP PH MM TH MY VN CN TW**

Saldaitis,A. & R.V.Yakovlev, 2008, Cossidae (Lepidoptera) of the Canary Islands. Atalanta 39 (1/4): 396-398, figs. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Samraoui,B., 1998, Status and seasonal patterns of adult Rhopalocera (Lepidoptera) in north-eastern Algeria. Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 285-298. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Sattler,K. & W.G.Tremewan, 1984, The Lepidoptera names of Denis & Schiffermüller- a case for stability. Nota lepid. 7 (3): 282-285. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI IQ IR SY AF PK KK KG UZ TJ TM CN** *[available in Cesa Library]*

Sattler,K., 1967, Ethmiidae, [in] Amsel,H.G., Gregor,F. H.Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR 01 06 07 12 13 21 30 31 44 46 65 73 76 80 CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Sattler,K., 1967, Die Gattungen Ornativalva Gozmany und Horridovalva gen.n. Beitr. naturk. Forsch. SüdwDtl. 26 (3): 33-90, 19 Pls. Geographic coverage area (in codes): **MA DZ TN LY EG ES FR IT YU TR IR TM AF PK** *[available in Cesa Library]*

Sattler,K., 1968, Die systematische Stellung einiger Gelechiidae (Lep.). Dt. ent. Z. (N.F.) 15: 111-131, figs. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ UA KK KG MN JP KP KR CN** *[available in Cesa Library]*

Sattler,K., 1968, Die Gattung Orophia Hübner (Lepidoptera, Oecophoridae). Beitr. Ent. 18: 221-228, figs. Geographic coverage area (in codes): **ZA DZ ES FR Co Si IT DE CH AT CZ SK HU RO YU TR RU MD UA BY** *[available in Cesa Library]*

Sattler,K., 1972, Anmerkungen zu Razowski, 1970, Cochylidae, Microlepidoptera Palaearctica, Band 3. Dt. ent. Z. N.F. 19 (4/5): 287-299. Geographic coverage area (in codes): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI IQ IR SY AF PK KK KG UZ TJ TM CN** *[available in Cesa Library]*

Sattler,K., 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282. Geographic coverage area (in codes): **DZ B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Cc Tva Lpo Spb Nta MN KP KR SS SL SK MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Sattler,K., 1976, A taxonomic revision of the genus Ornativalva Gozmany,1955 (Lepidoptera, Gelechiidae). Bull. Br. Mus. nat. Hist. (Ent.) 34 (2): 87-152, figs. Geographic coverage area (in codes): **MA DZ TN LY EG ES FR IT YU TR IR TM AF PK** *[available in Cesa Library]*

Sattler,K., 1978, The identity of the genus Athrips Billberg,1820 (Lep., Gelechiidae). Dt. ent. Z. (N.F.) 25 (1/3): 57-61. Geographic coverage area (in codes): **ZA DZ KK KG CN ES FR Co IT GB DE CH AT PL CZ SK HU RO YU GR TR IL RU MD UA BY SY Dms IR Kh Gls TM TJ** *[available in Cesa Library]*

Sattler,K., 1979, A taxonomic revision of the genus Deltophora Janse,1950 (Lepidoptera, Gelechiidae). Bull. Br. Mus. nat. Hist. (Ent.) 38 (6): 263-322, figs. Geographic coverage area (in codes): **US RU MX BR PY AU LK IN KE UG MZ ZW ZA IR Cc AM AZ GG TR GR Cr IL Pa LB SY** *[available in Cesa Library]*

Sattler,K., 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with Pistacia, Rhus and Cotinus (Anacardiaceae). Entomologist's Gaz. 33: 13-32, 3 figs. Geographic coverage area (in codes): **Cc IR SY TR AM KK TM UZ TJ IQ HV MK GR LB AL IL YE DZ JO CY** *[available in Cesa Library]*

Sattler,K., 1999, The systematic position of the genus Bagdadia (Gelechiidae). Nota lepid. 22 (4): 234-240, figs. Geographic coverage area (in codes): **IQ CN RU Us KP KR JP TW VN IN LK ID Ja ZA** *[available in Cesa Library]*

Sauter,W. & P. Hättenschwiler, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil: Liste der palaearktischen Arten. Nota lepid. 14 (1): 69-89. Geographic coverage area (in codes): **MA DZ TN Cc RO BG AL GR Cr Rd YU SV HV B-H MK TR CY SY LB IL EG SA SK YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN Ui** *[available in Cesa Library]*

Sauter,W. & P. Hättenschwiler, 1999, Zum System der palaearktischen Psychiden (Lep., Psychidae). 2.Teil.: Bestimmungsschlüssel für die Gattungen. Nota lepid. 22 (4): 262-295, figs. Geographic coverage area (in codes): **MA DZ TN Cc RO BG AL GR Cr Rd YU SV HV B-H MK TR CY SY LB IL EG SA SK YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN Ui** *[available in Cesa Library]*

Sauter,W., 1987, Zum System der westpalaearktischen Gracillariidae. Mitt. schweiz. ent. Ges. 60: 307-314. Geographic coverage area (in codes): **Cc BG GR MK TR CY SY LB IL EG IQ IR GG AM AZ TM UZ TJ AF PK Ch KK KG CN**

Sauter,W., 1990, Zur Systematik der Gnophos-Gruppe (Lepidoptera, Geometridae). Nota lepid. 12 (4): 328-343, 6 Abb. Geographic coverage area (in codes): **Cc BG GR MK TR CY SY LB IL EG IQ IR GG AM AZ TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Schaffer,J.C., 1974, A synonymic catalogue of the genera of Anerastiinae (auctorum) and Peoriinae of the world (Lepidoptera, Pyralidae). Proc. ent. Soc. Wash. 76: 467-475. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR CH DE DK NO SE FI IT DZ MA TN EG HU RO PL EE LT LV HV SL GB TH LA KH VN MX CO VE BR PE** *[available in Cesa Library]*

Schaffer,J.C., 1997, A preliminary revision and cladistic analysis of the Ethiopian species of Ematheudes (Lepidoptera, Pyralidae, Phycitinae, Peoriini). Ent. Scand. 28 (4): 403-444, figs. Geographic coverage area (in codes): **UG ZW SC ZA Fs Gau Pre Nta Kzu Tva Lpo Mpu TG CM ZM AO ET KE ZR** *[available in Cesa Library]*

Schawerda,K., 1934, Neue Heteroceren aus Algerien. Int. ent. Z. 28: 285-287. Geographic coverage area (in codes): **DZ**

Schintlmeister,A. & T.J.Witt, 2015, The Notodontidae of South Africa including Swaziland and Lesotho Lepidoptera, Notodontidae). Proc. Mus. Witt 2: 1-288, pls. Münich. Geographic coverage area (in codes): **ZA SZ LS** *[available in Cesa Library]*

Schintlmeister,A., 1982, Verzeichnis der Notodontidae Europas und einiger angrenzender Gebiete. Nota lepid. 5 (4): 194-206. Geographic coverage area (in codes): **PT ES FR CH AT IT DE BE NL GB NO SE FI RU EE LT LV MD RO SS YU HV B-H MK AL GR TN DZ MA GR BG TR UA BY HU CZ SK PL DK IE LU** *[available in Cesa Library]*

Schintlmeister,A., 1998, Notes on some asiatic Furcula Lamarck,1816 (Lepidoptera, Notodontidae). Entomofauna 19 (2): 77-108, 4 Pls., textfigs., 4 maps. Geographic coverage area (in codes): **TR IR CN Ti MN Si RU RO HU UA BG HV Sr Da Cc Nv AZ AM GG At Sj Uk Aa T-S Ui Co Sa MA TN DZ TJ PK TM UZ Kp IQ** *[available in Cesa Library]*

Schintlmeister,A., 2004, The Taxonomy of the genus Lymantria Hübner,[1819] (Lepidoptera, Lymantriidae). Quadrifina 7: 1-248, figs. Geographic coverage area (in codes): **Cc RU MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG UA TM UZ TJ PK AF CN IN Ch NP BT MG MM TH MY ID PH TW JP LK LA KH VN PG AU** *[available in Cesa Library]*

Schintlmeister,A., 2008, Palaearctic Macrolepidoptera Vol. 1 Notodontidae. 480pp. 40 Pls. Apollo Books. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Schintlmeister,A., 2013, World Catalogue of Insects vol.11. Notodontidae & Oenosandridae (Lepidoptera). 608pp. Brill. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Schmidt-Koehl,W., 1978, Tagfalterbeobachtungen in Marokko (Mittlerer Atlas, Hohen Atlas) und in Südspanien (Sierra Nevada) im Juli und August 1977 (Insecta, Lepidoptera). Mitt. ent. Ges. Basel (N.F.) 28: 25-50, figs. Geographic coverage area (in codes): **MA ES Grn An**

Schneider,D., Legal,L., Dierl,W. & M.Wink, 1999, Androconial hairbushes of the Syntomis (Amata) phegea (L.) group (Lepidoptera, Ctenuchidae): A synapomorphic character supported by sequence data of

the mitochondrial 16S rRNA Gene. Z. Naturforsch 54C: 1119-1139. Geographic coverage area (in codes): **US MX MA DZ ID Sum Bor MY TH CN IN Ch PK PH YE MN MM RU JP TW Ja Ti Yu Sz NP IT ES FR UA YU GR BG TR SY LB Cc AF** *[available in Cesa Library]*

Scholz,A. & E.Jäckh, 1994, Taxonomie und Verbreitung der westpaläarktischen Alucita-Arten (Lepidoptera, Alucitidae). Alexanor 18 (4): [3]-[63], 65 figs. Geographic coverage area (in codes): **MA DZ Bsk TN LY Cc BG GR MK TR SY LB IL IR AM** *[available in Cesa Library]*

Schoorl,J.W., 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295,138 figs., 1 pl., 33 tab. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ MA DZ TN Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Schoorl,J.W., 2001, On the distinction between Eremocossus and Dyspessa, with notes on the former (Lepidoptera, Cossidae). Nachr. ent. Ver. Apollo (N.F.) 22 (2): 88. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ MA DZ TN** *[available in Cesa Library]*

Schouten,R.T.A., 1988, Revision of the species of the genus Euchromius Guenée,1845 (Lepidoptera, Pyralidae, Crambinae) occuring in the Afrotropical Region. Zool. Verh. 244: 1-64, 91 figs. Geographic coverage area (in codes): **ZA ZM BW ZR KE UG SO ET TZ MZ MG SA IQ IL EG** *[available in Cesa Library]*

Schouten,R.T.A., 1992, Revision of the genera Euchromius Guenée and Miyakea Marumo (Lepidoptera, Crambidae, Crambinae). Tijdschr. Ent. 135: 191-274, 198 figs. Geographic coverage area (in codes): **Cc Cn DZ Sbd Bsk Lbs MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR 01 06 07 21 31 44 46 59 68 CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Schröder,S., 2012, A new species of Micropentila Aurivillius,1895 (Lepidoptera, Lycaenidae, Lipteninae) from the Democratic Republic of Congo (Zaire). Nachr. ent. Ver. Apollo (N.F.) 33 (2/3): 69-70, figs. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Schurian,K.G. & A.Hornemann, 1992, Eine neue Bläulingsart für die Kanarischen Inseln: Azanus ubaldus Cramer,1782 (Lep., Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 13: 187-190. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Schurian,K.G. & P.Hofmann, 1982, Die Thersamonia-Gruppe (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo, Suppl. 2: 1-59, 8 Abb. 2 Taf. Geographic coverage area (in codes): **MA DZ TN IT YU MK GR BG FR ES TR IL Pa SY IQ IR Cc AM AZ GG TM UZ KG TJ AF PK** *[available in Cesa Library]*

Schurian,K.G., 1975, Bemerkungen über Pieris cheiranthi (Lep., Pieridae). Ent. Z., Frankf. a. M. 85(22): 252-254. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Schurian,K.G., 1975, Bemerkungen über Pieris cheiranthi. Ent. Z., Frankf. a. M. 85: 252-256. Geographic coverage area (in codes): **Cn**

Schurian,K.G., 1976, Taxonomie und Biologie der Vanessa indica vulcania (Godart,1819) (Lep., Nymphalidae). Atalanta 7(2): 85-87, 4 Abb. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Schurian,K.G., 1995, Die Biologie von Polyommatus (Aricia) cramera (Eschscholtx,1821) von den Kanarischen Inseln (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo N.F. 16 (1): 63-74, figs. Geographic coverage area (in codes): **ES Cn** *[available in Cesa Library]*

Schuurmans,J., 1976, De dagvlinders van Marokko. Phegea 4 (3): 33-55. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Schüssler,H., 1933, Saturniidae: 1.Subfam. Attacinae. [in] Strand,E., Lepidopterorum Catalogus Pars 55. 81pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Scoble,M.J. & M.Krüger, 2002, A review of the genera of Macariini with a revised classification of the tribe. Zool. J. Linn. Soc. Lond. 134 (3): 257-315, figs. Geographic coverage area (in codes): **BO AR PE BR ZA Tva Nta Kzu Lpo Spb Fs MZ MG ZW BW MW TZ KE UG ET SD EG ZR ZM AO NA GH SO SL CI TG CF CM NG SZ LS SA YE IR TR Cc AM AZ GG IQ PK AF TM** *[available in Cesa Library]*

Scoble,M.J., Pitkin,L.M., Parsons,M., Honey,M.R. & B.R.Pitkin, 1999, Geometrid Moths of the World. 1400 pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Scudder,S.H., 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293. Geographic coverage area (in codes): **US IN LK MM TH ID SG MY VN TW CN PH NG AU LA KH PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IQ IR MT Co Si Sa Cr CH AT IT PK AF TR KK TJ UZ KG Ch Ld LB JO IL SY CY**

Seeldrayers,E., 1896, Lépidopteres nouveaux du Congo. Annls Soc. ent. Belg. 40: 499-503. Geographic coverage area (in codes): **ZR**

Seitz,A., 1909, Familie: Syntomidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 65 GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR** *[available in Cesa Library]*

Seitz,A., 1910, Familie: Arctiidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 65 GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR** *[available in Cesa Library]*

Seriziat, 1879, Catalogue des Lépidoptères des environs de Collo (Algérie). Bellac. Geographic coverage area (in codes): **DZ Clo**

Seven,S. & S.Bulguer, 1991, A Bibliographical List of the homonymous generic names in Zoology based on S. A. Neave's Nomenclator Zoologicus (Vols.I-VII). Memoirs of the Centre for Entomological Studies 1:x+ 114pp. Ankara. Geographic coverage area (in codes): **TR ET KE UG ZA** *[available in Cesa Library]*

Seven,S., 1997, Afrika'dan bir Lycaenidae türünün nomenklatürü hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 48: 1-2, 1 harita. Geographic coverage area (in codes): **ZW ZM MW MZ** *[available in Cesa Library]*

Seven,S., 1997, Papilio machaon Linnaeus,1758 türüyle ilgili bazı nomenklatür sorunları hakkında (Lepidoptera, Papilionidae). Cent. ent. Stud., Misc. Pap. 37: 1-3. Geographic coverage area (in codes): **TR 06 46 30 65 CY SY SA OM JO IL LB IR SD SO ER ET DJ KE UG ZA** *[available in Cesa Library]*

Seven,S., 1997, Etiyopya ile Komşu Ülkelerinin Lycaenidae Türleri ve Bazı Taksonomik Notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 43: 3-8. Geographic coverage area (in codes): **ET ER SO SD DJ KE UG** *[available in Cesa Library]*

Seven,S., 1997, Metisella Hemming cinsinin Afrika'daki bir türünün nomenklatürü hakkında (Lepidoptera, Hesperiidae). Cent. ent. Stud., Misc. Pap. 48: 2-3. Geographic coverage area (in codes): **ZW MZ MW TZ KE UG ZR RW BI CM** *[available in Cesa Library]*

Seyer,H., 1990, Papilio machaon saharae Obth.,1879 (=Papilio machaon rathjensi Warnecke,1932, syn.n.) auch für SW Marocco und Südjemen nachgewiesen. Paiperlek 12: 21-22. Geographic coverage area (in codes): **MA SA YE**

Seymour,P.R., 1972, A revision of the genus Masalia (Lepidoptera, Heliothidinae). Bull. Br. Mus. nat. Hist. (Ent.) 27: 1-100, 10 pls. 11 maps. Geographic coverage area (in codes): **ZA ZW TZ KE ET SA YE** *[available in Cesa Library]*

Shaffer,J.C., 1998, A preliminary revision and cladistic analysis of the Ethiopian species of Ematheudes (Lepidoptera, Pyralidae, Phycitinae, Peoriini). Insect Syst. Evol. 28 (4) [1997]: 403-444, figs. Geographic coverage area (in codes): **ET KE ZW ZA NA ZR KE**

Shaffer,M., 1977, Pyralidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 22-24. Geographic coverage area (in codes): **ET KE DJ** *[available in Cesa Library]*

Shaffer,M., 1984, Pyralidae, Déterminations [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 8. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Sharp,I.C., 2011, Confirmation of the presence of Coeliades lorenzo in the Mpumalanga Lowveld. Metamorphosis 22 (1): 22-24, figs. Geographic coverage area (in codes): **ZA Mpu Tva** *[available in Cesa Library]*

Sharpe,E.M., 1890, Further descriptions of butterflies and moths collected by Mr. F.J.Jackson in eastern Africa. Ann. Mag. nat. Hist. 6 (5): 440-443, figs. Geographic coverage area (in codes): **KE Mb TZ** *[available in Cesa Library]*

Sharpe,E.M., 1891, Descriptions of some new species of Lepidoptera collected by Mr. Herbert Ward at Bangala, on the Congo. Ann. Mag. nat. Hist. 6 (7): 130-135. Geographic coverage area (in codes): **GA Ogo ZR** *[available in Cesa Library]*

Sharpe,E.M., 1896, Descriptions of three new species of Lepidoptera from East Africa. Ann. Mag. nat. Hist. 6 (17): 125-127. Geographic coverage area (in codes): **KE UG** *[available in Cesa Library]*

Sharpe,E.M., 1896, Descriptions of two new species of Lepidoptera collected by W.J.Ansorge in East Africa. Ann. Mag. nat. Hist. 6 (17): 158-159. Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Sharpe,E.M., 1896, A list of Lepidoptera collected in Somali-land by Mrs. E.Lort Phillips. Proc. zool. Soc. Lond. 1896: 523-529. Geographic coverage area (in codes): **SO** *[available in Cesa Library]*

Sharpe,E.M., 1896, List of the Lepidoptera obtained by Dr. A. Dodaldson Smith during his recent expedition to Lake Rudolf. Proc. zool. Soc. Lond. 1896: 530-537. Geographic coverage area (in codes): **SO KE** *[available in Cesa Library]*

Sharpe,E.M., 1897, Descriptions of some new species of Acraeidae collected by Mr. F.J.Jackson at Ntebi, Uganda. Ann. Mag. nat. Hist. (6) 19: 581-582. Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Sharpe,E.M., 1899, Descriptions of two new moths collected by Dr. Christy on the upper Niger. Ann. Mag. nat. Hist. 7 (3): 371-373. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Sharpe,E.M., 1901, A list of Lepidoptera collected by Mr. Ewart S. Grogan in Central Africa. Ann. Mag. nat. Hist. 7 (8): 278-286. Geographic coverage area (in codes): **MW Krng** *[available in Cesa Library]*

Sharpe,E.M., 1902, A list of Lepidoptera collected by Dr. Cuthbert Christy in Nigeria. Entomologist 35: 65-68, 101-107. Geographic coverage area (in codes): **NG** *[available in Cesa Library]*

Sharpe,E.M., 1904, Descriptions of new Lepidoptera from Equatorial Africa. Entomologist 37: 181-183. Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Shirozu,T. & H.Yamamoto, 1956, A generic revision and philogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT I**

Sibatani,A., 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs. Geographic coverage area (in codes): **Cc RO BG AL GR Cr Rd YU SV HV B-H MK TR CY SY LB IL EG SA SK YE OM AE QA BH KW IQ IR GG AM AZ RU TM UZ TJ AF PK Ch KK KG CN** *[available in Cesa Library]*

Sihvonen,P., 2005, Phylogeny and classification of the Scopulini moths (Lepidoptera, Geometridae, Sterrhinae). Zool. J. Linn. Soc. 143: 473-530, 135 figs. Geographic coverage area (in codes): **Cc PT ES FR MA DZ TN LY EG IT CH AT DE DK BE NL GB PL HU CZ SK SE FI NO BY MK HV SS YU UA B-H RO BG GR AL RU GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN LK SA SD ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM JP** *[available in Cesa Library]*

Sihvonen,P., Staude,H.S. & M.Mutanen, 2015, Systematic position of the enigmatic African cycad moths: an integrative approach to a nearly century old problem (Lepidoptera, Geometridae, Diptychini). Syst. Ent. 40: 606-627, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Sinev,S.Y., 2002, World Catalogue of cosmopterigid moths (Lepidoptera, Cosmopterigidae). Proc. zool. Inst., St. Petersburg 293: 1-182. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Skou,P. & P.Sihvonen, 2015, Subfamily Ennominae I, [in] Hausmann,A. (ed.), The geometrid moths of Europe 5: 1-657. Brill & Leiden. Geographic coverage area (in codes): **MA DZ TN Cc LU ES FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY EG Sn LB IL IQ IR GG AM AZ TM UZ KK KG UA** *[available in Cesa Library]*

Slamka,F., 1995, Die Zünslerfalter (Pyraloidea) Mitteleuropas. 112 pp. Pls. Prunella, Poprad-Tatry (Slowakia). Geographic coverage area (in codes): **SL CZ DE AT PL HU**

Slamka,F., 2013, Pyraloidea of Europe (Lepidoptera), vol. 3. Pyraustinae & Spilomelinae. 357 S., 133 Taf. Bratislava. Geographic coverage area (in codes): **MA DZ TN PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY MA DZ TN NO SE FI GG Cc Kb CY AM AF** *[available in Cesa Library]*

Slamka,F., 2019, Pyraloidea of Europe (Lepidoptera), vol. 4. Phycitinae - Part 1. 432 pp., Pls. Bratislava. Geographic coverage area (in codes): **MA DZ TN LY EG SD Cn PT ES FR IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY NO SE FI GG Cc Kb CY Cm Ui KK KG TM AM AZ IR IQ AF PK** *[available in Cesa Library]*

Smith,C.R. & R.I.Vane-Wright, 2001, A review of the afrotropical species of the genus Graphium (Lepidoptera, Rhopalocera, Papilionidae). Bull. nat. Hist. Mus. Lond. (Ent.) 70 (2): 503-719, figs. Geographic coverage area (in codes): **SD BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS MG ML MR MU MW MZ NA NE RE SL SN SO ST SZ TD TG TZ UG ZA Tva Lpo Spb Nta ZM ZR ZW** *[available in Cesa Library]*

Smith,C.R., Liseki,S. & R.I.Vane-Wright, 2008, On the status of Papilio sjoestedti Aurivillius,1908, the "Kilimanjaro swallowtail" (Lepidoptera, Papilionidae). J. nat. Hist. 42 (19-20): 1349-1359. Geographic coverage area (in codes): **TZ**

Snellen,P.C.T., 1872, Bijdrage tot de vlinder-fauna van Neder-Guinea, zuidwestelijk gedeelte van Afrika. Tijdschr. Ent. 15: 1-112, pls. Geographic coverage area (in codes): **ZR AO SN GA GN SL LR CI GH TG NG CM CF SD ET UG KE MW MZ ZA ZW** *[available in Cesa Library]*

Snellen,P.C.T., 1875, Vier nieuwe soorten van het genus Nola Leach. Tijdschr. Ent. 18: 1-9, Pl.6 figs.1-4. Geographic coverage area (in codes): **ID EG** *[available in Cesa Library]*

Sobczyk,T. & M.Nuss, 2013, Revision der paläarktischen Arten der Gattung Placodoma Chrétien,1915 (Lepidoptera, Psychidae, Placodominae). Entomofauna 34 (35): 557-608, figs. Geographic coverage area (in codes): **TR 27 AM Cc ES MA TN IL Pa JO SY Dms OM YE** *[available in Cesa Library]*

Sohn,J.-C., 2015, A taxonomic review of the genus Phrealcia Chrétien,1900 with description of a new species from Korea (Lepidoptera, Ypsolophidae). Shilap Revta lepid. 43 (171): 425-437, figs. Geographic coverage area (in codes): **KR TR AT IT FR MG JP CN Ui Mc RU Us** *[available in Cesa Library]*

Solis,M.A., 1992, Checklist of the old world Epipaschiinae and related new world genera Macalla and Epipaschia (Pyralidae). J. Lep. Soc. 46 (4): 280-297. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO IR IQ TR SY CN Ch PK IN LK ZR MG ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Solis,M.A., 2003, Pyraloidea specimens labelled as Rebel types from Egypt at the National Museum of Natural History, Smithsonian Institution, Washington,D.C. Nota lepid. 26 (1/2): 59-63, figs. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Solis,M.A., 2007, Phylogenetic studies and modern classification of the Pyraloidea (Lepidoptera). Revta Colomb. Ent. 33 (1): 1-9, figs. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI**

SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ *[available in Cesa Library]*

Solovyev,A.V. & A.Saldaitis, 2010, A new species of the genus Parasa Moore (Lepidoptera, Limacodidae) from Yemen. J. Insect Sci. 10 (190): 1-7, figs. Geographic coverage area (in codes): **YE GM GH TG UG NG ZR SD** *[available in Cesa Library]*

Someren,V.G.L.van & T.H.E.Jackson, 1952, The Charaxes etheocles-ethalion complex: A tentative reclassification of the group (Lepidoptera, Nymphalidae). Trans. R. ent. Soc. Lond. 103 (8): 257-284. Geographic coverage area (in codes): **KE UG** *[available in Cesa Library]*

Son,G.van, 1939, A new species of the genus Leptoneura Wallengren (Lepidoptera, Rhopalocera) from the Zoutpansberg district. Ann. Transv. Mus. 20: 47-51, pl.1. Geographic coverage area (in codes): **ZA Lpo Tva Spb** *[available in Cesa Library]*

Son,G.van, 1939, Notes on the menestheus group of Papilio L. and the South African races of Papilio ophidicephalus Oberthür and a new variety. Ann. Transv. Mus. 20: 53-64, pls. 2-4. Geographic coverage area (in codes): **ZA Lpo Tva Spb Ent Wo Mpu Esw Kzu Nta Wca Ec ZR ZW** *[available in Cesa Library]*

Son,G.van, 1940, A new subspecies of Leptoneura dingana Trim. (Lepidoptera, Rhopalocera) from the Northern Transvaal. J. ent. Soc. sth. Afr. 3. 57-61. Geographic coverage area (in codes): **ZA Tva Lpo Pie Wlk Ly**

Son,G.van, 1949, The butterflies of Southern Africa. Part 1. Papilionidae and Pieridae (Transvaal Museum Memoirs nr.3): vi + 237pp. 41 Pls. Pretoria. Geographic coverage area (in codes): **ZA Tva Lpo Spb Nta Kzu Ec Wca Nca Gau Mpu ZW BW MZ NA LS SZ** *[available in Cesa Library]*

Sourakov,A., Plotkin,D., Kawahara,A.Y., Xiao,L., Hallwachs,W. & D.Janzen, 2015, On the taxononmy of the erythrina moths Agathodes and Terastia (Crambidae, Spilomelinae): Two different patterns of haplotype divergence and a new species of Terastia. Trop. Lepid. Res. 25 (2): 80-97, figs. Geographic coverage area (in codes): **US Fl Arz CR PE UG MW TH ID Sum PH VN PG IN Ass EC CU** *[available in Cesa Library]*

Spatenka,K. & Z.Lastuvka, 1988, Typen der Glasflügler aus der Staudinger- und Püngeler-Sammlung im Zoologischen Museum Berlin. Dt. ent. Z. N.F. 35 (4-5): 331-339. Geographic coverage area (in codes): **ES DZ Bsk RU KG AZ Cc Len IL Pa TM UZ Smk CN Ui MN TR 01 05 16 21 31 47 LB Bei** *[available in Cesa Library]*

Spatenka,K., 1992, Contribution a la stabilisation de la taxinomie des Sésiides paléarctiques (Lepidoptera, Sesiidae). Alexanor 17 (8): 479-503. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR MT CH AT IT TR GG AZ AM RU SY LB** *[available in Cesa Library]*

Spatenka,K., 1997, Neue Glasflügler-Arten und Unterarten aus Europa und der Türkei (Sesiidae, Lepidoptera). Bonn. zool. Beitr. 47 (1/2): 43-57, figs. Geographic coverage area (in codes): **ES MA FR GR TR 01 04 25 33 36 44 46 50 51 62** *[available in Cesa Library]*

Spatenka,K., Gorbunov,O.G., Lastuvka,Z., Tosevki,I. & Y.Arita, 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 17 (1): 1-20. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ** *[available in Cesa Library]*

Spatenka,K., Gorbunov,O.G., Lastuvka,Z., Tosevski,I. & Y.Arita, 1999, Sesiidae - Clearwings, [in] de Jong, et al. (ed.). Handbook of Palaearctic Macrolepidoptera, vol.1, xvi+569 pp. 504 figs. & maps. Gem Publishing, England. Geographic coverage area (in codes): **Cc PT ES FR GB IE IC NO SE FI DK PL DE SK CZ HU IT AT CH Co Sa Si LB IL GR BG RO MD BE NL LU SS YU B-H HV MK AL TR 01 05 08 16 25 30 31 36 42 46 47 50 61 65 GG AM AZ UA BY RU CN KK KG TJ UZ AF PK Ui Ti Mc KP KR JP DZ MA TN SY JO LB IQ IR TM MN Ld** *[available in Cesa Library]*

Speidel,W. & C.M.Naumann, 2005, The systematic position of the genus Cetola Walker,1855 (Lepidoptera, Noctuidae). Ent. Z., Stutt. 115 (1): 25-28, figs. Geographic coverage area (in codes): **TZ CM MG AO ZA TH ET IN LK** *[available in Cesa Library]*

Speidel,W. & L.Aarvik, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ TH MM IN** *[available in Cesa Library]*

Speidel,W. & M.Hassler, 1990, Die Schmetterlingsfauna der südlichen algerischen Sahara und ihrer Hochgebirge Hoggar und Tassili n'Ajjer (Lepidoptera). Nachr. ent. Ver. Apollo N.F. Suppl. 8 (1989): 1-156. Pls. Geographic coverage area (in codes): **DZ Ah Ajj** *[available in Cesa Library]*

Speidel,W., 1982, Zwei neue Arten der Gattung Parapoynx Hübner,1825 (Lepidoptera, Pyraloidea, Acentropinae). Neue ent. Nachr. 2: 12-17, figs. Geographic coverage area (in codes): **ES MA** *[available in Cesa Library]*

Speidel,W., 1989, Die Synonymie von Pyrausta aerealis (Hübner) (Lepidoptera, Crambidae). Nachr. ent. Ver. Apollo (N.F.) 10 (2): 175-177. Geographic coverage area (in codes): **Cc MR TR ES FR IT YU GR AM IR Ui TM DZ AF** *[available in Cesa Library]*

Speidel,W., Fänger,H. & C.M.Naumann, 1996, The phylogeny of the Noctuidae (Lepidoptera). Syst. Ent. 21: 219-251, figs. Geographic coverage area (in codes): **B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM**

MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ JP *[available in Cesa Library]*

Speidel,W., Hassler,M. & K.Kuchler, 1991, Die Schmetterlingsfauna der südlichen algerischen Sahara I. Nachtrag. Nachr. ent. Ver. Apollo 12 (2): 121-135. Geographic coverage area (in codes): **DZ**

Speidel,W., Nieukerken, E.J.v., Honey,M.R. & S.J.C.Koster, 2007, The exotic pyralid moth Diplopseustis perieresalis (Walker) expanding in the West Palaearctic Region (Crambidae, Spilomelinae). Nota lepid. 29 (3/4): 185-192, 6 figs. Geographic coverage area (in codes): **GB Cn ES PT NL JP CN TW IN Ass Khs MY Bor Swk AU FJ NZ** *[available in Cesa Library]*

Spiller,A.J., 1880, Notes on the Rhopalocera of Natal. Entomologist 13: 1-5, 55-58, 80-83. Geographic coverage area (in codes): **ZA Nta Kzu**

Spiller,A.J., 1882, Notes on the Rhopalocera of Natal. Entomologist 15: 5-10. Geographic coverage area (in codes): **ZA Nta Kzu**

Sruoga,V. & J. de Prins, 2009, The Elachistinae (Lepidoptera, Elachistidae) of Kenya with descriptions of eight new species. Zootaxa 2172: 1-31, figs. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Sruoga,V. & J. de Prins, 2011, New species of Elachistinae (Lepidoptera, Elachistidae) from Cameronn and the Democratic Republic of the Congo. Zootaxa 3008: 1-32, figs. Geographic coverage area (in codes): **CM ZR** *[available in Cesa Library]*

Stainton,H.T., 1856, Descriptions of three species of Indian Microlepidoptera. Trans. ent. Soc. Lond. (n.s.) (2) 3 (8): 301-304. Geographic coverage area (in codes): **Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri** *[available in Cesa Library]*

Stainton,H.T., 1860, Description of South African Tineina collected by R.Trimen in 1858-9. Trans. ent. Soc. London 5(2): 220-223. Geographic coverage area (in codes): **ZA Wca Ec** *[available in Cesa Library]*

Stamm,K., 1963, Beitrag zur Lepidopterenfauna der Kanaren. Ent. Z., Frankf. a. M. 73: 45-52. Geographic coverage area (in codes): **Cn**

Standfuss,M., 1890, Zwei neue syrische Lepidopteren. Dt. ent. Z., Iris 2 (1889): 266-268. Geographic coverage area (in codes): **IL Jf Pa DZ Tou Gea Eal Onç Kdr MA MR LY Cy ES Alb TN Gf** *[available in Cesa Library]*

Stanta,R., 1995, Dryobotodes tenebrosa Esper,1789 -nova vrsta za slovensko favno metuljev, najdena na goriÜkem krasu (Lepidoptera: Noctuidae). [Dryobotodes tenebrosa Esper,1789 - a new species to the Slovenian moth fauna, found in the karst near Gorica (Lep.,Noctuidae)]. Acta ent. Slovenica 3 (2): 105-108. Geographic coverage area (in codes): **SL**

Stanta,R., 1996, Dryobota labecula Esper, 1788 - nova vrsta v slovenski favni metuljev (Lepidoptera: Noctuidae). [Dryobota labecula Esper, 1788 - new species to the Slovenian moth fauna (Lepidoptera: Noctuidae)]. Acta ent. Slovenica 4 (1): 37-39. Geographic coverage area (in codes): **SL**

Staude,H. & R.Murphy, 2011, The geometrid funa (Lepidoptera, Geometridae) of Mount Mulanje, Malawi and the importance of Mount Mulanje as an area of conservation priority. Metamorphosis 22 (2): 32-48. Geographic coverage area (in codes): **MW Mje** *[available in Cesa Library]*

Staude,H., Bayliss,J. & P.Sihvonen, 2011, The Mulanje Tiger Moth Callioratis grandis Prout,1922, new status, a critically endangered species from Malawi (Lepidoptera, Geometridae, Diptychinae). Metamorphosis 22 (2): 49-64, pls. Geographic coverage area (in codes): **MW Mje** *[available in Cesa Library]*

Staude,H.S. & P.Sihvonen, 2014, Revision of the African geometrid genus Zerenopsis C. & R.Felder - moths with peculiar life histories and mating behaviours (Geometridae, Ennominae, Diptychini). Metamorphosis 25: 11-55, figs. Geographic coverage area (in codes): **ZA MZ SZ** *[available in Cesa Library]*

Staude,H.S., 2001, A revision of the genus Callioratis Felder (Lepidoptera, Geometridae, Diptychinae). Metamorphosis 12 (4): 125-156, figs. Geographic coverage area (in codes): **ZA Nta Kzu SD KE MZ** *[available in Cesa Library]*

Stauder,H., 1913-1914, Lepidopterologiche Ergebnisse zweier Sammelreisen in den algerichen Atlas und die nördliche Sahara. Z. wiss. InsektBiol. 9: 175-183, 227-236, 289-294, 337-341, 353-360, 2 Tafeln; 10: 81-85, 125-129, 167-175. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Staudinger,O. & E.Schatz, 1884-1888, Exotische Schmetterlinge (21 parts). Exotische Tagfalter 1 (Text): vi + 333 pp. 2 (Plates): 100 pls. Geographic coverage area (in codes): **CN ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS TW TH Ch JP MX CU PA GT HU CR CO BO PE BR CL AR GY VE** *[available in Cesa Library]*

Staudinger,O. & H.Rebel, 1901, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxxii+411S. Berlin. Geographic coverage area (in codes): **Cc DZ MA TN LY EG LB IL JO SA IQ IR AF PK IN NP SI CN Ti Ui T-S MN KP KR JP KK TJ UZ TM PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG** *[available in Cesa Library]*

Staudinger,O., 1859, Diagnosen nebst kurzen Beschreibungen neuer andalusischer Lepidopteren. Stettin ent. Ztg. 20 (7/9): 211-259. Geographic coverage area (in codes): **MA DZ ES An TR** *[available in Cesa Library]*

Staudinger,O., 1861, Macrolepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi+84S. Dresden. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG** *[available in Cesa Library]*

Staudinger,O., 1871, Macrolepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. xxxviii+200S. Dresden. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG** *[available in Cesa Library]*

Staudinger,O., 1887, Einige neue Arten und Varietäten der Gattungen Sesia und Zygaena. Berl. ent. Z. 31 (1): 29-42. Geographic coverage area (in codes): **SY LB TR 01 44 DZ Sbd ES MA** *[available in Cesa Library]*

Staudinger,O., 1889, Einige neue Cymothoe-Arten. Stettin ent. Ztg. 50: 412-422. Geographic coverage area (in codes): **CM SL ZR** *[available in Cesa Library]*

Staudinger,O., 1892, Neue Arten und Varietäten von paläarktischen Geometriden aus meiner Sammlung. Dt. ent. Z., Iris 5 (1): 141-260. Geographic coverage area (in codes): **MA DZ Orn TN ES UZ Fe Man Nmg KG KK Ik UA TR 01 05 16 23 24 25 27 38 46 47 76 LB Bei DZ IR TJ Cc GG CN Ui Ku T-S RU TM MK Da** *[available in Cesa Library]*

Staudinger,O., 1892, Neue Arten und Varietäten von Lepidopteren des paläarktischen Faunengebietes. Dt. ent. Z., Iris 4: 224-339, Taf. Geographic coverage area (in codes): **MA DZ TN ES UZ Fe Man Nmg KG KK Ik UA TR 01 24 44 47 IL Pa LB Bei DZ IR TJ Cc GG CN Ui Ga Ku T-S RU TM MK Da** *[available in Cesa Library]*

Staudinger,O., 1892, Zwei neue Charaxes-Arten. Dt. ent. Z., Iris 5 (1): 260-264. Geographic coverage area (in codes): **ST** *[available in Cesa Library]*

Staudinger,O., 1892, Lepidopteren aus Tunis. Dt. ent. Z., Iris 5 (1): 277-300, Taf.III. Geographic coverage area (in codes): **DZ TN** *[available in Cesa Library]*

Staudinger,O., 1893, Beschreibung neuer palaearktischer Pyraliden. Dt. ent. Z., Iris 6: 71-82; ibid. 5: Taf.III. Geographic coverage area (in codes): **T-S UZ Smk KG TR DZ RU Am KK CN Ui Ku 47** *[available in Cesa Library]*

Staudinger,O., 1895, Neue Lepidopteren-Arten und Varietäten dem paläarktischen Faunengebiet. Dt. ent. Z., Iris 7 (1894): 241-296, Taf. [publication date 5 Jan.,1895] Geographic coverage area (in codes): **KG RU TR EG TJ KK AT IT ES IL MA DZ Agi LB 01 27 37 47** *[available in Cesa Library]*

Staudinger,O., 1896, Neue exotische Schmetterlinge. Dt. ent. Z., Iris 8: 366-379, 2 Pls. Geographic coverage area (in codes): **ER KE TZ NG CA ZR SL CI MW** *[available in Cesa Library]*

Staudinger,O., 1897, Drei neue paläarktische Lepidopteren. Dt. ent. Z., Iris 10: 152-156, Taf.V. Geographic coverage area (in codes): **JO IL CN Ui DZ** *[available in Cesa Library]*

Staudinger,O., 1898, Vier neue Heteroceren aus Algerien und Tunesien. Dt. ent. Z., Iris 10: 265-270. Taf.IV. Geographic coverage area (in codes): **DZ Cel Agi TN Sfx** *[available in Cesa Library]*

Staudinger,O., 1900, Neue Lepidopteren des palaearktischen Faunengebiets. Dt. ent. Z., Iris 12 (2): 352-403, Taf. [incorrect citation by Hausmann (1994: 78) as "paläarktischen Faunengebietes"] Geographic coverage area (in codes): **DZ GG Bjo TR 05 21 31 46 47 63 65 AZ Cc Nv Ord IL Pa IR TM UZ RU At MN CN Ui T-S KG Kl KK Ax** *[available in Cesa Library]*

Staudinger,O., 1901, I.Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger,O. & H.Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxx+[2]+411S. Berlin. Geographic coverage area (in codes): **Cc DZ MA TN LY EG LB IL JO SA IQ IR AF PK IN NP SI CN Ti Ui MN KP KR JP KK TJ UZ TM PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG** *[available in Cesa Library]*

Stempffer,H., 1936, Contribution a l'etude des Lycenides de l'Afrique Orientale. Revue fr. Ent. 3: 134-142. Geographic coverage area (in codes): **KE Trk UG**

Stempffer,H., 1948, Contribution a l'étude des Lycaenidae de la faune éthiopienne. Revue fr. Ent. 15: 185-196. Geographic coverage area (in codes): **SO ET**

Stempffer,H., 1967, The genera of the African Lycaenidae (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 10: 1-322, figs. Geographic coverage area (in codes): **EG IL JO SA OM UA YE SD SO ER ET DJ KE UG ZR ZA ZW MW TZ MZ TD NE NG CA SN GA GH DZ TN MA** *[available in Cesa Library]*

Stempffer,H., 1977, Lycaenidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 102-103. Geographic coverage area (in codes): **ET DJ KE** *[available in Cesa Library]*

Sterneck,J., 1940, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VII, I.Teil: Der Gattung Sterrha und deren nächste Verwandte. Z. Wien. Ent.-Ver. 25: 6-17, 25-36, 56-59, 77-79, 98-107, 126-128, 136-142, 152-159, 161-176, pl.1-10. Geographic coverage area (in codes): **MA DZ TN ES FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG TM UZ TJ AF PK CN Ui IN Ch KK KG RU** *[available in Cesa Library]*

Sterneck,J., 1940-1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VIII, II.Teil: Der Gattung Scopula und deren nahe Verwandte. Z. Wien. Ent.-Ver. 25 (1940): 200-208, 214-218, pl.23-28; ibid. 26 (1941): 17-31, 41-55, 88-96, 105-116. Geographic coverage area (in codes): **MA DZ TN ES FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG TM UZ TJ AF PK CN Ui IN Ch KK KG RU** *[available in Cesa Library]*

Sterneck,J., 1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) IX, III-VI.Teil. Z. Wien. Ent.-Ver. 26: 150-159, 176-183, 191-198, 211-216, 217-222, 222-230, 248-262, pls.12-25. Geographic coverage area (in codes): **MA DZ TN ES FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG TM UZ TJ AF PK CN Ui IN Ch KK KG RU** *[available in Cesa Library]*

Stertz,O., 1915, Mitteilungen über palaearktische Heteroceren. Dt. ent. Z., Iris 29: 123-132, Taf.iii. Geographic coverage area (in codes): **DZ IL Pa** *[available in Cesa Library]*

Stoll,C., 1780-[1782], [in] Cramer,P., Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht. Geographic coverage area (in codes): **TR CY SY IR IQ AF PK SA YE OM SD ET ER SO KE UG TZ ZR ZA PH ID PG NC FJ ..** *[available in Cesa Library]*

Stoll,C., 1787-[1790] Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America [supplement] viii+ [184] pp., 4 Pls. Amsterdam. Geographic coverage area (in codes): **TR CY SY IR IQ AF PK SA YE OM SD ET ER SO KE UG TZ ZR ZA PH ID PG NC FJ ..** *[available in Cesa Library]*

Storace,L., 1947, Papilio dardanus antinorii Oberth. forma vaccaroi nova. Annali Mus. civ. Stro. nat. Giocomo Doria 63: 116-119, 1 Pl. Geographic coverage area (in codes): **ET**

Storace,L., 1950, La sottospecie Abissina di Euchrysops mauensis Bethune-Baker (Lepidoptera, Lycaenidae). Doriana 1 (7): 2pp. Geographic coverage area (in codes): **ET**

Storace,L., 1952, Osseroazioni su Papilio aethiops R. & J. e Papilio nireus pseudonireus Felder, con descrizioni di nuove forme. Annali Mus. civ. Stro. nat. Giocomo Doria 66: 33-52. Geographic coverage area (in codes): **ET**

Storace,L., 1953, Su alcune Lycaenidae Abissine del Museo di Genova (Lepidoptera). Doriana 1 (35): 4pp. Geographic coverage area (in codes): **ET**

Storace,L., 1962, L'Eserge antinorii Oberthür di Papilio dardanus Brown. Boll. Soc. ent. ital. 92: 68-73. Geographic coverage area (in codes): **ET**

Storace,L., 1962, Ropaloceri dell'Africa orientale IX. Le popolazioni nord-orientalidi Papilio dardanus antinorii Oberthür. Doriana 3(120): 4pp. Geographic coverage area (in codes): **ET**

Storace,L., 1963, Note sul Papilio dardanus antinorii Oberthür, con descrizione di 8 Homotypi e d'una aberrazione Feminille inedita. Boll. Soc. ent. ital. 93: 21-30. Geographic coverage area (in codes): **ET**

Strand,E., 1909, Lepidoptera aus Deutsch Ost-Afrika, gesammelt von Herrn Dr.C.Uhlig. Int. ent. Z. 3. 128-129. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Strand,E., 1909, Zwei neue afrikanische Hesperiiden. Int. ent. Z. 3: 176-177. Geographic coverage area (in codes): **MZ** *[available in Cesa Library]*

Strand,E., 1909, Zum Vorkommen der Gattung Thaumetopoea Hb. in Afrika: Thaumetopoea apologetica Strand n.sp. Int. ent. Z. 3: 196-197. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Strand,E., 1909, Über einige Schmetterlinge aus Kibwezi in Britische Ost-Afrika, nebst Bemerkungen über afrikanische Berelade-Arten. Arch. Naturg. 75 (1): 367-374. Geographic coverage area (in codes): **KE TZ ZA Tva Nta Kzu** *[available in Cesa Library]*

Strand,E., 1909, Schmetterlinge aus dem Sambesi-Gebiet, gesammelt und dem Berliner Museum geschenkt von Herrn Franz Seiner. Arch. Naturg. 75 (1): 375-386. Geographic coverage area (in codes): **TZ Lvt MW ZM ZW** *[available in Cesa Library]*

Strand,E., 1910, Familie: Lymantriidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart. Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 65 GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR** *[available in Cesa Library]*

Strand,E., 1911, Familie: Thaumetopoeidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart. Geographic coverage area (in codes): **Cc PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT TR 65 GG AZ AM RU SY LB IL EG DZ MA TN LY SA OM AE IQ YE IR AF PK IN NP TW JP CN MN KP KR** *[available in Cesa Library]*

Strand,E., 1911, Neue Grosschmetterlinge aus Abyssinien, gesammelt von Herrn A.Kostlan. Ent. Rdsch. 28 (18): 137-141. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Strand,E., 1911, Zwei neue afrikanische Heterocera der Gattungen Phasicnecus und Thaumetopoea. Int. ent. Z. 5 (3): 17. Geographic coverage area (in codes): **CM ET** *[available in Cesa Library]*

Strand,E., 1911, Eine neue afrikanische Psychide. Int. ent. Z. 5 (3): 17-18. Geographic coverage area (in codes): **TZ AO** *[available in Cesa Library]*

Strand,E., 1911, Danaididae, Satyridae und Lycaenidae aus Usambara, gesammeltvon Herrn Prof. Dr. J. Vosseler. Arch. Naturg. 77 (1): 190-198. Geographic coverage area (in codes): **TZ Usa Ani** *[available in Cesa Library]*

Strand,E., 1911, Beschreibungen afrikanischer Lepidoptera aus der Sammlung des Stettiner Museums. Stettin ent. Ztg. 72: 369-377. Geographic coverage area (in codes): **CM UG GH MG** *[available in Cesa Library]*

Strand,E., 1912, Zoologische Ergebnisse der Expedition des Herrn G.Tessmann nach Süd-Kamerun und Spanisch-Guinea. Lepidoptera III. Arch. Naturg. 78 (A1): 92-111. Geographic coverage area (in codes): **CM GO** *[available in Cesa Library]*

Strand,E., 1912, Über Lepidoptera aus Mkatta und Morogoro in Deutsch Ost-Afrika [Tanzania], nebst Beiträgen zur Kenntnis afrikanischer Taragama-Arten. Arch. Naturg. 78 (A1): 67-92. Geographic coverage area (in codes): **TZ Mgr Mktt GO TG KE** *[available in Cesa Library]*

Strand,E., 1912, Noctuidae: Agaristinae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 5. 82pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **CN IN LK ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM** *[available in Cesa Library]*

Strand,E., 1912, Zur Kenntnis äthiopischer Lithosiinae. Archiv. Naturg. 78A (7): 171-195. Geographic coverage area (in codes): **TG UG** *[available in Cesa Library]*

Strand,E., 1912, Neue afrikanische Pyralididen der Gattung Glyphodes Gn. Arch. Naturg. 78 (A2): 65-75. Geographic coverage area (in codes): **CM TZ TG KE** *[available in Cesa Library]*

Strand,E., 1913, Zoologische Ergebnisse der Expedition des Herrn G.Tessmann nach Süd-Kamerun und Spanisch-Guinea. Lepidoptera IV. Die Familien Psychidae, Metarbelidae, Cossidae, Limacodidae,

Hesperiidae, Zygaenidae, Thyrididae, Orneodidae, Pterophoridae, Aegeriidae... Archiv. Naturg. 78A (12): 30-84, 2 pls. Geographic coverage area (in codes): **CM GO** *[available in Cesa Library]*

Strand,E., 1913, Zoologische Ergebnisse der Expedition des Herrn G.Tessmann nach Süd-Kamerun und Spanisch-Guinea. Lepidoptera VI. Danaididae und Satyridae. Arch. Naturg. 79 (A7): 138-151. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Strand,E., 1913, Über einige Lasiocampiden aus Deutsch Ost-Afrika. Arch. Naturg. 79 (A1): 47-56. Geographic coverage area (in codes): **TZ Dss** *[available in Cesa Library]*

Strand,E., 1913, Eine neue afrikanische Lasiocampiden-Gattung und -Art. Arch. Naturg. 79 (A1): 67-69. Geographic coverage area (in codes): **TZ Dss** *[available in Cesa Library]*

Strand,E., 1914, Neue Lepidoptera aus Kamerun gesammelt von Herrn Leutnant v. Rothkirsch und Panthen. Arch. Naturg. 80 (A1): 41-49. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Strand,E., 1914, Lepidoptera aus Ober-Aegypten und dem aegyptischen Sudan. Arch. Naturg. 80 (A10): 95-112. Geographic coverage area (in codes): **EG SD**

Strand,E., 1915, Lepidoptera aus Bonaberi in Kamerun, gesammelt von Herrn E.Hintz. Ent. Mitt. 4 (4/6): 153-167, (7/9): 173-194, figs. Geographic coverage area (in codes): **CM Bnb** *[available in Cesa Library]*

Strand,E., 1918, Ueber einige Heterocera der Familien Arctiidae, Lymantriidae, Geometridae, Saturniidae, Lasiocampidae, Pyralididae und Aegeriidae aus Belgisch Kongo. Ent. Rdsch. 35: 41-42, 45-46. Geographic coverage area (in codes): **ZR** *[available in Cesa Library]*

Strand,E., 1919, Arctiidae: Subfam. Arctiinae, [in] Wagner,F., Lepidopterorum Catalogus Pars 22. 1-416 s. W.Junk, Berlin. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Strand,E., 1920, Beiträge zur Kenntnis der Verbreitung und Formen exotischer Heterocera, insbesondere Pyralididen, auf Grund von Material im Deutschen Entomologischen Museum. Arch. Naturg. 85 (A2): 114-166. Geographic coverage area (in codes): **IN Adm LK TT CR BO PE JM US KE CM Bit NG EG IT PG ID Sum SB** *[available in Cesa Library]*

Strand,E., 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner,F., Lepidopterorum Catalogus Pars 26. 501-899 s. W.Junk, Berlin. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ** *[available in Cesa Library]*

Stübner,A., 2007, Taxonomische Revision der Coleophora frischella-Artengruppe (Coleophoridae). Nota lepid. 30: 121-172, figs. Geographic coverage area (in codes): **CA MA DZ TN DK DE FR PL RU BG UZ KK AF Ch CN Ui AU ES CZ IT AT SK HV YU MK AL EG GR Rd HU RO SS UA IQ TR 05 06 07 09 16 33 35 36 48 50 JO IL SY AM Cc** *[available in Cesa Library]*

Suffert,E., 1900, Eine neue Aberration des Danaus dorippus Klug. aus Deutsch-Ostafrica. Berl. ent. Z. 45 (1900): 115-116. Geographic coverage area (in codes): **TZ SA** *[available in Cesa Library]*

Swainson,W., 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR 06 65 CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr C** *[available in Cesa Library]*

Swanepoel,D.A., 1949, A new species of Cupido (Lycaenidae) from Zoutspansberg. J. ent. Soc. sth. Afr. 12: 123-125, figs. Geographic coverage area (in codes): **ZA Spb Tva Lpo**

Swinhoe,C., 1903, A revision of the Old World Lymantriidae in the National Collection. Trans. ent. Soc. London 1903: 375-498. Geographic coverage area (in codes): **TR IR AF PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA Lpo Tva Nta Spb MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU JP DZ MA TN LY EG** *[available in Cesa Library]*

Swinhoe,C., 1903, New species of eastern and African Lepidoptera. Ann. Mag. nat. Hist. 7 (11): 499-511. Geographic coverage area (in codes): **VN Ton ID Ja MM MY Bor Swk TH IN Ass Khs ZA Tva Lpo MG SB** *[available in Cesa Library]*

Swinhoe,C., 1904, New species of Eastern, Australian and African Heterocera in the National Collection. Trans. ent. Soc. Lond. 1904 (1): 139-158. Geographic coverage area (in codes): **UG ID Clb MY Bor Swk SG AU NG GA Ogo SL ZR GH MZ TZ Dss** *[available in Cesa Library]*

Swinhoe,C., 1904, On the Geometridae of Tropical Africa in the National Collection. Trans. ent. Soc. Lond. 1904: 497-590. Geographic coverage area (in codes): **NG UG SL MG ET ZR MW Zom GH TZ Dss KE** *[available in Cesa Library]*

Swinhoe,C., 1908, On the species of Hesperidae from the Indo-Malayan and African Regions, described by Herr Plötz, with descriptions of some new species. Trans. ent. Soc. London 1908 (1): 1-36, 3 Pls. Geographic coverage area (in codes): **PH ID PG MM IN AO GA UG SL CN CM MG** *[available in Cesa Library]*

Swinhoe,C., 1919, On the geographical distribution of the genus Cosmophila, a Noctuid of the family Gonopteridae. Ann. Mag. nat. Hist. (9) 3: 309-314, 2 Pls. Geographic coverage area (in codes): **PK AU ID IN VE CO MG** *[available in Cesa Library]*

Swinhoe,C., 1922-1923, A revision of the genera of the family Liparidae. Ann. Mag. nat. Hist. (9) 10: 449-484; (9) 11: 47-97, 289-304, 400-442. Geographic coverage area (in codes): **MA DZ TN AU QAu PG Ij ID Clb IN SI Ass Meg Khs Djl Ja Sum LK T-S KK KG RU Am KP KR JP Ik UZ TM Fe MM Hp Up ZA MG UG CI TZ NG Bor SG CN PH Luz BD MY ET ZR NP SB TR AM Cc SE MR Ch IL Pa YE PK Krc AF VN KH SL BT KE Nai UG Mre** *[available in Cesa Library]*

Tabell,J., Mutanen,M. & P.Sihvonen, Three morpholog ically and genetically confirmed new Pleurota species from Morocco (Lepidoptera, Gelechioidea, Oecophoridae, Pleurotinae). Zootaxa 4624 (3): 442-450, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Talbi,Y., Gachi,M. & Abdiouene,A., 2015, Note sur la présence au nord-est-Algérien (El-Tarf, Souk-Ahras et Guelma) d'Orthosia miniosa (Denis & Schiffermüller,1775) (Lepidoptera, Noctuidae) sur chene zéen: 8 pp. [access on 6 8 2017] https://www.researchgate.net/publication/281289829 Geographic coverage area (in codes): **DZ Elt Ahr Gue** *[available in Cesa Library]*

Talbot,G., 1932, Lepidoptera from British Somaliland collected by C.L.Collenette. Bull. Hill Mus., Witley 4: 182-188. Geographic coverage area (in codes): **SO**

Talbot,G., 1935, New Species and Forms of African Lycaenidae (Lep., Rhopalocera). Entomologist's mon. Mag. 71: 69-78, 115-127, 147-153, 3 Pls. Geographic coverage area (in codes): **KE ET UG ZR ZB SD SI** *[available in Cesa Library]*

Talbot,G., 1935, New African Lycaenidae (Lep., Rhop.). Entomologist's mon. Mag. 71: 202-209, Pls.4,5. Geographic coverage area (in codes): **ZW MW ZR NG UG KE** *[available in Cesa Library]*

Talbot,G., 1939, Revisional notes on the genus Colotis Hübn. (Lepid., Pieridae) with a systematic list. Trans. R. ent. Soc. Lond. 88: 173-233. Geographic coverage area (in codes): **AC AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW IL JO LB SY TR IQ IR SA QA KW YE OM AE BH AF PK IN** *[available in Cesa Library]*

Talbot,G., 1940, Revisional notes on the genus Amauris Hübner (Lepidoptera). Trans. R. ent. Soc. Lond. 90 (10): 319-336. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW**

Talbot,G., 1943, Revisional notes on Anaphaeis Hübn. and Belenois Hübn., with descriptions of some new forms (Lep., Rhop., Pieridae). Ann. Mag. nat. Hist. (11) 10: 305-336. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW SA YE IR IQ TR AF PK IN MM TH KH VN PH CN NP BH BD Ch** *[available in Cesa Library]*

Talbot,G., 1943, On some types of Pieridae described by Boisduval. Ann. Mag. nat. Hist. (11) 10: 136-139. Geographic coverage area (in codes): **Ch NC IN JP ID SN MG** *[available in Cesa Library]*

Talbot,G., 1944, A preliminary revision of the genus Mylothris Hübn. (1819) (Lep., Rhop. Pieridae) Trans. R. ent. Soc. Lond. 94 (2): 155-185, Tab.1, Pl.1 Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ DZ EG EH ER ET FP GA GH GM GN GO GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ UG ZA ZM ZR ZW** *[available in Cesa Library]*

Tams,W.H.T. & J.Bowden, 1953, A revision of the African species of Sesamia Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR AD CZ SK SS HV B-H HU RU RO BG GR IR MT Co Si Sa Cr IT**

Tams,W.H.T., 1925, African Lasiocampidae: Notes and new species. Ann. Mag. nat. Hist. (9) 16: 552-561. Geographic coverage area (in codes): **KE ZW ZR TD** *[available in Cesa Library]*

Tams,W.H.T., 1928, New Species of Lepidoptera Heterocera in the Collections of the British Museum (Natural History). Ann. Mag. nat. Hist. (10) 1: 624-633. Geographic coverage area (in codes): **MY IN SD** *[available in Cesa Library]*

Tams,W.H.T., 1929, A new species of the African genus Mallocampa (Lasiocampidae). Ann. Mag. nat. Hist. (10) 3: 211-212, figs. Geographic coverage area (in codes): **TZ MW** *[available in Cesa Library]*

Tams,W.H.T., 1929, New African Lasiocampidae. Ann. Mag. nat. Hist. (10) 3: 145-162. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Tams,W.H.T., 1931, African Lasiocampidae: a correction, and the description of a new species of Pachypasa. Ann. Mag. nat. Hist. (10) 8: 36-37, Pl.I. Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Tams,W.H.T., 1936, Dr. Karl Jordan's expedition to south-west Africa and Angola: Lasiocampidae. Novit. zool. 40 (1): 95-114, 9 pls. Geographic coverage area (in codes): **AO NA ZA Tva Gau Pre ZR CI** *[available in Cesa Library]*

Tams,W.H.T., 1938, Three new moths (Agrotidae, Pyralidae) of economic importance. Bull. ent. Res. 29 (1): 9-10, 1 Pl. Geographic coverage area (in codes): **SO IN SC** *[available in Cesa Library]*

Tarmann,G., 1985, Adscita (Gregorita) benderi n.sp., eine neue Zygaenide aus Marokko (Lepidoptera). Z. ArbGem. öst. Ent. 37 (1/2): 17-25, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Tarmann,G.M. & W.G.Tremewan, 1995, A revision of the North African Jordanita Verity,1946, and Adscita Retzius,1783: their taxonomy, biology and ecology (Lepidoptera, Zygaenidae, Procridinae). Entomologist's Gaz. 46: 3-56, figs. Geographic coverage area (in codes): **MA DZ TN LY Cy EG TR** *[available in Cesa Library]*

Tarrier,M. & R.Leestmans, 1993, La répartition, l'habitat, la biocénose et l'écologie d'Euchloe falloui Allard (1867) Une nouvelle station au sud du Maroc (Lepidoptera, Pieridae). Linneana Belgica 14 (2): 63-72, 2 figs. Geographic coverage area (in codes): **MA DZ TN EG IL JO SA** *[available in Cesa Library]*

Tarrier,M. & R.Leestmans, 1994, Euchloe falloui Allard (1867) au Maroc (Lepidoptera, Pieridae) (seconde note). Linneana Belgica 14 (5): 257-268, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Tarrier,M., 1993, Nouvelles observations de Chazara prieuri Pierret (1837) au Maroc (Lepidoptera, Nymphalidae, Satyridae). Linneana Belg. 14 (4): 217-226, figs. Geographic coverage area (in codes): **ES MA DZ** *[available in Cesa Library]*

Tarrier,M., 1996, Nouveaux taxa des Atlas marocains (Lepidoptera, Rhopalocera). Alexanor 19(4): 195-213, figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Tarrier,M., 1998, Cacyreus marshalli Butler,1898, espèce nouvelle pour la France, le Portugal et le Maroc (Lepidoptera, Lycaenidae). Alexanor 20 (3): 143-144. Geographic coverage area (in codes): **FR PT MA** *[available in Cesa Library]*

Tarrier,M., 2000, Cartographie des Rhopalocères Papilionoidea du Maroc. Linneana Belg. 17 (6): 255-264; 17 (7): 301-304, figs., maps. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Tarrier,M.,Arahou,M. & R.Leestmans, 1994, Découverte de Zerynthia rumina (Linné,1758) dans l'Anti-Atlas subsaharien marocain et contribution a une meilleure connaissance de l'espece en Afrique du Nord (Lepidoptera, Papilionidae) Linneana Belgica 14 (8): 427-438, 2 Pls., figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Tarrier,M.R., 1998, Une nouvelle localisation de Plebejus (Maurus) vogelii (Oberthür,1920) dans le Haut Atlas (Maroc) (Lepidoptera, Lycaenidae). Linneana Belgica 16 (8): 338-339, 2 figs. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Tarrier,M.R., 2000, Danaus plexippus L. au Maroc (Lepidoptera, Nymphalidae Danainae). Alexanor 21 (1): 61-62. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Ten Hagen,W. & M.A.Miller, 2010, Molekulargenetische Untersuchungen der paläarktischen Arten des Genus Callophrys Billberg,1820 mit Hilfe von MtDNA-COI-Barcodes und taxonomische Überlegungen (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 30 (4): 177-197, figs. Geographic coverage area (in codes): **MA FR TR CN Yu ES RU KK IR Kh Zj AM GG Cc UZ SY** *[available in Cesa Library]*

Tennent,J., 1996, The butterflies of Marocco, Algeria and Tunisia. xxxvi+217pp. Pls. Swindon Press Ltd., England. Geographic coverage area (in codes): **MA DZ TN** *[available in Cesa Library]*

Tennent,W.J. & P.J.C.Russell, 2015, Butterflies of the Cape Verde Islands (Insecta, Lepidoptera). Zool. Caboverd. 5 (2): 64-104. Geographic coverage area (in codes): **CV** *[available in Cesa Library]*

Tennent,W.J., 1988, Some observations on the Brown and Blue forms of female Lysandra punctifera Oberthür and Agrodiaetus amanda abdelaziz Blachier (Lepidoptera, Lycaenidae). Entomologist's Gaz. 39: 13-14. Geographic coverage area (in codes): **MA**

Tennent,W.J., 1993, Notes on some Moroccan butterflies in late summer 1991. Entomologist's Gaz. 44(1): 21-29. Geographic coverage area (in codes): **MA**

Tennent,W.J., 1993, An illustrated note on the genus Lasiommata Westwood,1841 (Lepidoptera, Satyridae) in North Africa. Entomologist's Gaz. 44(4): 265-270. Geographic coverage area (in codes): **MA DZ TN**

Tennent,W.J., 1993, Selected notes on some Algerian and Moroccan butterflies in 1992 including Coenonympha austauti Oberthür,1881, new to Morocco. Entomologist's Gaz. 44: 257-262. Geographic coverage area (in codes): **MA**

Tennent,W.J., 1994, Previously unrecorded hostplants of three endemic North African Lycaenid butterflies (Lepidoptera, Lycaenidae). Linneana Belgica 14(8): 421-426, 4 figs. Geographic coverage area (in codes): **MA TN** *[available in Cesa Library]*

Tennent,W.J., 1994, The Berberia abdelkader (Pierret,1837) enigma: a review of named forms; comments; a solution offered (Satyridae). Nota lepid. 16(3/4): 295-320. Geographic coverage area (in codes): **MA DZ**

Tennent,W.J., 1994, Butterflies in the Hoggar mountains, Southern Algeria in April 1993 (Lepidoptera, Rhopalocera). Entomologist's Rec. J. Var. 106: 21-24. Geographic coverage area (in codes): **DZ Ah Tmn Gha** *[available in Cesa Library]*

Tennent,W.J., 1995, A new subspecies of Plebejus martini Allard,1867 (Lepidoptera, Lycaenidae) from the Rif Mountains of Morocco. Entomologist's Gaz. 46(2): 121-124. Geographic coverage area (in codes): **MA Rf**

Tennent,W.J., 1995, Field observations of the "hilltopping" phenomenon in north-west Africa and an introduction to "ravining" (Lepidoptera, Rhopalocera). Entomologist's Rec. J. Var. 106: 57-68. Geographic coverage area (in codes): **MA DZ**

Tennent,W.J., 1995, Danaus chrysippus Linnaeus,1758: a review of records and present status in the Maghreb countries of Morocco, Algeria and Tunisia (Danainae). Nota lepid. 17 (3/4): 201-216. Geographic coverage area (in codes): **MA DZ TN**

Tennent,W.J., 1995, Further notes on Berberia de Lesse species in North Africa and confirmation that B.abdelkader Pierret,1837 and B.lambessanus Staudinger,1901 are significantly distinct (Satyridae). Nota lepid. 17 (3/4): 217-219. Geographic coverage area (in codes): **MA DZ**

Tennent,W.J., 1996, The Tunisian Rhopalocera (Lepidoptera) of Alexandre Chnéour (1884-1977). Entomologist's Gaz. 47(3): 157-168. Geographic coverage area (in codes): **TN**

Thiaucourt,P., 1977, Notodontidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 36-39, Pl.18. Geographic coverage area (in codes): **ET KE** *[available in Cesa Library]*

Thiaucourt,P., 1984, Notodontidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 12-13, Pl.8. Geographic coverage area (in codes): **DJ** *[available in Cesa Library]*

Thieme,O., 1904, Eine neue Alaena aus Deutsch Ost-Afrika. Berl. ent. Z. 49: 164, Taf.I, fig.2. Geographic coverage area (in codes): **TZ** *[available in Cesa Library]*

Thierry-Mieg,P., 1910, Descriptions de Lépidopteres nouveaux. Naturaliste 32: 34-119. Geographic coverage area (in codes): **ET MY**

Thierry-Mieg,P., 1911, Descriptions de Lépidoptères nouveaux. Annls Soc. ent. Belg. 54 (1910): 465-469. Geographic coverage area (in codes): **US TZ DZ IN BR TR 31**

Thomas,C.D. & H.C.Mallory, 1985, Oviposition records and larval foodplants of butterflies in the Atlas Mountains of Morocco. J. Res. lepid. 24(1): 76-79. Geographic coverage area (in codes): **MA**

Thomas,W. & D.Goodger, 1993, Aloa Walker,1855 and Amsacta Walker,1855 two distinct genera of Arctiidae (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 297-305, 6 figs. Geographic coverage area (in codes): **IL YE SA PK IN ID MY PH MM AU PG ZR ET KE UG SD ER DJ SO MG Ch ZA** *[available in Cesa Library]*

Thurau,F., 1903, Neue Lepidopteren aus Ost- und Central Afrika in Königl. zoologischen Museum zu Berlin. Berl. ent. Z. 48: 301-314. Geographic coverage area (in codes): **UG TZ ZR GN CM** *[available in Cesa Library]*

Thurau,F., 1904, Busseola sorghicida, eine neue Ost-Afrikanische Noctuide. Berl. ent. Z. 49: 55-58. Geographic coverage area (in codes): **TZ KE UG ET** *[available in Cesa Library]*

Timm,A.E. & J.W.Brown, 2014, A new genus of Grapholitini from Africa related to Thaumatotibia (Lepidoptera, Tortricidae). Zookeys 438: 113-128, figs. Geographic coverage area (in codes): **ZR ET NG SC KE** *[available in Cesa Library]*

Tite,G.E., 1959, New species of, and notes on, the genus Lepidochrysops (Lepidoptera, Lycaenidae). Entomologist 92: 158-163, figs. Geographic coverage area (in codes): **SD AO NG**

Tite,G.E., 1961, A new species of the genus Cacyreus (Lepidoptera, Lycaenidae). Entomologist 94: 112-113, 5 figs. Geographic coverage area (in codes): **ET**

Toll,S., 1952, Etude sur les génitalia de quelques Coleophoridae X. Nouvelles espèces de Coleophora d'Afrique du Nord, Asie-Mineure, Syrie, Palestine, Liban et Iran. Bull. Soc. ent. Mulhouse 1952: 17-24, 27-30, 35-39, 43-47, 53-56, 61-65, pls. Geographic coverage area (in codes): **DZ TN TR SY IL Pa LB IR** *[available in Cesa Library]*

Tolman,T. & R.Lewington, 1997, Butterflies of Britain and Europe. 320pp., 104 pls., 429 maps. Harper Collins Publ. London. Geographic coverage area (in codes): **Cc PT ES FR DE NL BE LU PL CZ SK AT CH IT MA DZ TN MT GR BG GB NO SE FI RU EE UA BY KK KG CN TR IR TM UZ IN JP KP KR LB IL IQ GG AM AZ**

Toulgoet,H.de, 1977, Arctiidae et Nolidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 68-81, Pls. Geographic coverage area (in codes): **ET KE DJ** *[available in Cesa Library]*

Toulgoet,H.de, 1978, Description de nouvelles Arctiides africaines et révision partielle du genre Galtara F.Walker (Lep., Arctiidae, Arctiidae, Nyctemerinae). Bull. Soc. ent. Fr. 83: 213-224, 16 figs. Geographic coverage area (in codes): **ET CA RW KE UG ZR** *[available in Cesa Library]*

Toulgoet,H.de, 1978, Description de Nouvelles Arctiides Africaines (Lepidopteres, Arctiidae) (3e note). Nouv. Rev. Ent. 8: 219-230, 11 figs. Geographic coverage area (in codes): **RW ZR GA CM** *[available in Cesa Library]*

Toulgoet,H.de, 1978, Arctiidae Africains - Note de Nomenclature. Nouv. Rev. Ent. 8: 377. Geographic coverage area (in codes): **RW ZR GA** *[available in Cesa Library]*

Toulgoet,H.de, 1979, Remarques sur la variation de la structure Génitale chez Galtara elongata (Swinhoe) (Lep., Arctiidae, Nyctemerinae). Alexanor 9(4): 171-175, 5 figs. Geographic coverage area (in codes): **ET KE RW** *[available in Cesa Library]*

Toulgoet,H.de, 1980, Un curieux cas de Convergence (Lepidopteres, Arctiidae, Arctiinae). Alexanor 11(8): 351-353, 6 figs. Geographic coverage area (in codes): **ET ID Ja** *[available in Cesa Library]*

Toulgoet,H.de, 1984, Arctiidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 50-51. Geographic coverage area (in codes): **ET DJ** *[available in Cesa Library]*

Traugott-Olsen,E., 1992, The Elachista dispunctella (Duponchel,1843) complex with descriptions of new taxa (Lepidoptera, Elachistidae). Shilap Revta lepid. 20 (79): 197-316, figs. Geographic coverage area (in codes): **ES AT DZ TN PT FR TR 41 06 IT YU GR DE LY MA** *[available in Cesa Library]*

Tremewan,W.G., 1961, A Catalogue of the types and other specimens in the British Museum (Natural History) of the genus Zygaena Fabricius, Lepidoptera: Zygaenidae. Bull. Brit. Mus. (Nat. Hist.) Ent. 10 (7): 239-314, Pls. 50-64. Geographic coverage area (in codes): **MA DZ TN ES PT FR CH IT DE AT HU PL GB LU BE NL DK SE NO FI RU BG GR YU SS HV B-H MK AL UA Sa Si Ca MT TR GG AM AZ RU Da Cc LB SY IR 01 31 33 65** *[available in Cesa Library]*

Tremewan,W.G., 1973, A catalogue of the genus-group names of the Zygaenidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 28 (3): 111-151. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui Sz Yu Ts KP KR JP MN TW** *[available in Cesa Library]*

Tremewan,W.G., 1988, A bibliography of the Zygaeninae (Lepidoptera, Zygaenidae). 188pp. Colchester. Geographic coverage area (in codes): **Cc Cn DZ MA TN LY EG ES PT FR Si Sa Co MT IT CH AT DE GB BE NL DK PL HU CZ BY UA SE NO FI EE LT MK YU B-H BG GR Rd Cr RO RU TR CY SY LB JO IL IQ IR AF PK IN GG AM AZ TM UZ KK KG UA CN Ui** *[available in Cesa Library]*

Triberti,P., 1985, A revision of the genus Aspilapteryx Spuler (Lepidoptera, Gracillariidae). Z. ArbGem. öst. Ent. 37 (1/2): 1-16, 8 Pls. Geographic coverage area (in codes): **DZ TR 06 58 LB IR Elb Th** *[available in Cesa Library]*

Trimen,R., 1862, On some new species of South African butterflies. Trans. ent. Soc. London (3) 1: 279-291, 1 pl. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW SA YE OM**

Trimen,R., 1862, On some new species of South African butterflies, collected in British Kaffraria by W.S:M. D'Urban Esq., during 1860-1861. Trans. ent. Soc. London (3) 1: 398-406. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW SA YE OM**

Trimen,R., 1862, Rhopalocera Africae Australis. 1: xii+190pp. 1pl. Cape Town. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Trimen,R., 1865, Rhopalocera Africae Australis. 2: 225-340 pp. 1pl. Cape Town. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Trimen,R., 1870, Notes on butterflies collected by J.H.Bowker, Esq., in Basuto-Land, south Africa; with descriptions of some new species. Trans. ent. Soc. London 1870: 341-390, 1 pl. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW SA YE OM** *[available in Cesa Library]*

Trimen,R., 1879, On some hitherto undescribed butterflies inhabiting Southern Africa. Trans. ent. Soc. London 1879 (4): 323-346. Geographic coverage area (in codes): **ZA Ec Wca Nta Kzu Tva Dbn Ptw Lpo Ly Pot Gau Pre Kny Tra Kwi NA ZW ZA** *[available in Cesa Library]*

Trimen,R., 1881, On some new species of Rhopalocera from Southern Africa. Trans. ent. Soc. London 1881 (3): 433-445. Geographic coverage area (in codes): **ZA Ec Elo Grh Nta Kzu Ptw Tva Gau Pre Ly** *[available in Cesa Library]*

Trimen,R., 1881, On some new species of Rhopalocera from South Africa. Trans. ent. Soc. London 1881: 433-445. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW SA YE OM**

Trimen,R., 1883, Descriptions of twelve new species of South African Lepidoptera Rhopalocera. Trans. ent. Soc. Lond. 1883: 347-363. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW SA YE OM**

Trimen,R., 1887-1889, South African Butterflies. 3 vols. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Trimen,R., 1891, On some recent additions to the list of South African butterflies. Trans. ent. Soc. Lond. 1891 (1): 169-178. Geographic coverage area (in codes): **ZA Nta Kzu Esw Mv MG Dbn** *[available in Cesa Library]*

Trimen,R., 1898, On some new or little-known species of African butterflies. Trans. ent. Soc. Lond. 1898: 1-16, 1 pl. Geographic coverage area (in codes): **AO BF BI BJ BW BZ CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW SA YE OM** *[available in Cesa Library]*

Trimen,R., 1904, On some new or imperfectly-known forms of South African butterflies. Trans. ent. Soc. Lond. 1904: 231-247, pls. xix, xx. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Trimen,R., 1906, On some new or hitherto unfigured forms of South African butterflies. Trans. ent. Soc. Lond. 1906: 59-86, pls. iv-vi. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Trimen,R., 1912, On some hitherto imperfectly-known South African Lepidoptera. Trans. ent. Soc. Lond. 1912 (2): 384-393, pl. xvii. Geographic coverage area (in codes): **ZA Nta Kzu Tva** *[available in Cesa Library]*

Tropek,R., Lestina,D., Jansta,P., Brattström,O., Espeland,M. & S.Safian, 2015, First records of Hypolycaena anara Larsen,1986 from Cameroon (Lepidoptera, Lycaenidae). Shilap Revta lepid. 43 (170): 235-239, fig. Geographic coverage area (in codes): **CM NG** *[available in Cesa Library]*

Trusch,R. & S.Erlacher, 2001, Zur Morphologie, Verbreitung, Bionomie und Identifikation der Dyscia-Arten. Bonner zool. Monogr. 49: 1-116, 12 Pls. Geographic coverage area (in codes): **MA DZ TN ES FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG TM UZ TJ AF PK CN Ui IN Ch KK KG RU** *[available in Cesa Library]*

Trusch,R. & S.Erlacher, [2003], Taxonomic changes in the geometrid moths taxon Dyscia Hübner,[1825] (Lepidoptera, Geometridae, Ennominae). Eur. J. Ent. 99 (4): 529-541. Geographic coverage area (in codes): **MA DZ TN ES FR IT YU RO UA Cc MK BG GR TR CY LB IL JO SY IQ IR AZ AM GG TM UZ TJ AF PK CN Ui IN Ch KK KG RU** *[available in Cesa Library]*

Tränkner,A. & M.Nuss, 2010, Anania ochrofascialis (Christoph) comb.n. and A.murcialis (Ragonot) comb.n. - two vicarious species from the western Palaearctic region (Pyraloidea, Crambidae, Pyraustinae). Nota lepid. 33 (1): 59-65, figs. Geographic coverage area (in codes): **MA ES UA Cm Cc AZ Kir Nv Ord EG KG** *[available in Cesa Library]*

Tshikolovets,V.V., 2011, Butterflies of Europe and the Mediterranean area. 544pp. Pardubice, Czeck Republik. Geographic coverage area (in codes): **ET PT FR GB NL BE DE DK SE NO FI EE LT BY RU UA MD RO PL CZ SK HU AT IT YU SS HV B-H AL GR BG Cr Rd TR CY Cc**

Tumuhaise,V., Khamis,F.M., Agona,A., Sseruwu,G. & S.A.Mohamed, 2016, First record of Tuta absoluta (Lepidoptera, Gelechiidae) in Uganda. Int. J. Trop. Ins. Sci. 36 (3): 135-139, figs. Geographic coverage area (in codes): **UG** *[available in Cesa Library]*

Turati,E., 1919, Nuove forme di Lepidotteri. Correzioni e note critiche. IV. Naturalista sicil. (2) 23: 203-368, 4 pls. Geographic coverage area (in codes): **IT LY TR** *[available in Cesa Library]*

Turati,E., 1921, Lepidotteri di Cirenaica. Atti Soc. ital. Sci. nat. 60: 211-229. Geographic coverage area (in codes): **LY Cy** *[available in Cesa Library]*

Turner,J.R.G., 1963, Geographical variation and evolution in the males of the butterfly Papilio dardanus Brown (Lepidoptera, Papilionidae). Trans. R. ent. Soc. Lond. 115 (9): 239-259, 9 figs. Geographic coverage area (in codes): **KE UG ET** *[available in Cesa Library]*

Tutt,J.W., 1892, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Tutt,J.W., 1892, [Reply to "Classification by structure of imago by E.Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Tutt,J.W., 1894, The life-history of a lepidopterous Insect, comparising some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68** *[available in Cesa Library]*

Ustjuzhanin,P. & V.Kovtunovitch, 2010, On the fauna of the plume moths (Lepidoptera, Pterophoridae) of KwaZulu Natal province (South-African Republic). Eur. Ent. J. 9 (4): 689-719, figs. Geographic coverage area (in codes): **ZA Kzu Nta** *[available in Cesa Library]*

Ustjuzhanin,P. & V.Kovtunovitch, 2011, A revision of the genus Microschismus Fltcher,1909 (Lepidoptera, Alucitidae). African Invertebr. 52 (2): 557-570, figs. Geographic coverage area (in codes): **ZA Fs Tva Lpo Gau Kzu Nta ZW** *[available in Cesa Library]*

Ustjuzhanin,P. & V.Kovtunovitch, 2015, On the fauna of the plume moths of Ghana (Lepidoptera, Pterophoridae). Shilap Revta lepid. 43 (172): 577-582, figs. Geographic coverage area (in codes): **GH** *[available in Cesa Library]*

Ustjuzhanin,P., Kovtunovich,V. & A.Ustjuzhanina, 2016, New species of "giant" plume moths of the genus Platyptilia (Lepidoptera, Pterophoridae) from Uganda. Eur. J. Tax. 172: 1-6, figs. Geographic coverage area (in codes): **UG Rz** *[available in Cesa Library]*

Ustjuzhanin,P.Y., 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palaearctic Region. Nota lepid. 24 (3): 11-32. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Ui Sb Us JP KP KR GG AM AZ TH MM IN**

Ustjuzhanin,P.Y., Kovtunovich,V.N., Gorbunov,O.G. & A.Kemal, 2011, On the fauna of the Plume Moths (Lepidoptera, Pterophoridae) of Ethiopia. Amur. zool. J. 3 (4): 354-357, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Uygun,N., et al., 1995, A serious citrus pest: Citrus leafminer, Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae). Turk. J. Ent. 19: 247-252. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ CN Ui Sb Us JP KP KR GG AM AZ TH MM IN**

Uygun,N., et al., 1997, Studies on biological control of Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101. Geographic coverage area (in codes): **MA DZ TN LY EG PT ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU Sb Us At Ur Da Cc BY UA RO YU MK HV AT HU IT AL BG GB TR Sa Si Co SY CY LB IL Pa JO SA YE OM SD IQ IR AF PK Ch TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ TH MM IN**

Vallantin,H., 1894, Lépidoptère nouveau d'Algerie. Epinephele Ida, var. Cecilia. Naturaliste, Paris 16 (2) 8 (185): 260. Geographic coverage area (in codes): **MA TN DZ FR ES PT Co Sa Si IT YU AL GR TR To1**

Vande Weghe,G., 2010, Les Papillons du Gabon. 424 pp., 132 pls. Wildlife Conservation Society, Lbreville. Gabon. Geographic coverage area (in codes): **GA**

Vane-Wright,R.I. & P.R.Ackery, 1984, The Biology of Butterflies. 429 pp. 34 figs. Princeton University Press, New Jersey. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68**

Varga,Z. & L.Ronkay, 1996, New and revised taxa of the genera Chersotis Boisduval,1840 and Dichagyris Lederer,1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). Esperiana 4: 103-132, 83 figs., 2 Pls. Geographic coverage area (in codes): **Cc RU TR AM TM IR KK KG CN TZ AF SY LB** *[available in Cesa Library]*

Varga,Z., 1975, Zoogeographische Gliederung der palaearktischen Orealfauna. Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa: pp. 263-284, 6 Abb. Junk & The Hague. Geographic coverage area (in codes): **Cc PT ES FR DE BE LT ET EE FI SE NO RU RO YU CZ HU PL DK SL SS B-H HV MK GR GB BG IT AT CH AD BY UA KK KG TM IR TR GG AZ AM CY SY IQ IL MD AL** *[available in Cesa Library]*

Varga,Z., 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einleitung der europäischen Tagschmetterlinge (Lepidoptera, Diurna). Acta univ. debrecen (Ser.2) Biologica 14: 223-285, 33 Abb. Geographic coverage area (in codes): **Cc PT ES FR DE BE LT ET EE FI SE NO RU RO YU CZ HU PL DK SL SS B-H HV MK GR GB BG IT AT CH AD BY UA KK KG TM IR TR GG AZ AM CY SY IQ IL MD AL** *[available in Cesa Library]*

Varga,Z., 2011, Revision of the genus Rhyacia Hübner,[1821] 1816 (Lepidoptera, Noctuidae) Part I: The Rhyacia junonia species group with re-description of the subgenus Standfussrhyacia Hacker & Varga,1990 (stat.nov.), with description of new subgenera and new species. Esperiana 16: 255-270, figs. Geographic coverage area (in codes): **Cc LU MA DZ ES FR IT DE BE PL CZ HU CH PT GB NL MK B-H BG GR RO RU TR CY SY LB IL IQ IR GG AM AZ TM UZ KK KG CN UA** *[available in Cesa Library]*

Vari,L., 1961, South African Lepidoptera Vol.1. Lithocolletidae. xx+238pp., 112pls. Transvaal Museum, Pretoria. Geographic coverage area (in codes): **NA MZ ZW ZA Tva Lpo Gau Nta Kzu Ec Wca Spb Sbs Ltr Pie Dbn Pre Stj Elo Pel Kwi Grh Cto Kru** *[available in Cesa Library]*

Vari,L., Kroon,D.M & M.Krüger, 2002, Classification and checklist of the species of Lepidoptera recorded in Southern Africa. 384pp. Simple Solution Ltd. Australia. Geographic coverage area (in codes): **ZA Tva Lpo Spb Ec Wca Nta Kzu Fs Ec Nca NA ZW BW MZ LS SZ** *[available in Cesa Library]*

Varin,G., 1961, Fabriciana auresiana Fruhstorfer et sa sous-espèce marocaine buckwelli Varin (Lepidopteres, Nymphalidae). C.R. Soc. Sci. nat. phys. Maroc. 6: 125-126. Geographic coverage area (in codes): **MA**

Verhulst,J., 1994, Contribution a la connaissance des Lépidopteres de l'ile de Gran Canaria dans l'archipel canarien (Lepidoptera, Rhopalocera, Hesperiidae, Sphingidae). Linneana Belgica 14(6): 303-314, Pls. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Verity,R., 1905-1911, Rhopalocera palaearctica. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze. Geographic coverage area (in codes): **Cc MK BG GR TR CY GG AM AZ AL YU IQ IR LB EG IL JO AF TM PK UZ TJ KK KG Ch RU** *[available in Cesa Library]*

Verity,R., 1914, Dates of Publication of "Rhopalocera Palaearctica". Novit. zool. 21: 426. Geographic coverage area (in codes): **Cc MK BG GR TR CY GG AM AZ AL YU IQ IR LB EG IL JO AF TM PK UZ TJ KK KG Ch RU** *[available in Cesa Library]*

Verity,R., 1937-1938, Variation of some butterflies in Anterior Asia and in Morocco. Entomologist's Rec. J. Var. 49 (11) (suppl.): (1)-(4); (12) (suppl.): (5)-(8); 50 (5) (suppl.): (9)-(12); (6) (suppl.): (13)-(15). Geographic coverage area (in codes): **MA TR** *[available in Cesa Library]*

Vieira,V., 2008, Lepidoptera fauna from the Sal Island, Cape Verde (Insecta, Lepidoptera). Shilap Revta lepid. 36 (142): 243-252. Geographic coverage area (in codes): **CV** *[available in Cesa Library]*

Viette,P. & D.S.Fletcher, 1968, The types of Lepidoptera Heterocera described by P.Mabille. Bull. Br. Mus. (Nat. Hist.) Ent. 21 (8): 391-425. Geographic coverage area (in codes): **MG TN KM SL ZA Tva DZ Co AO FR** *[available in Cesa Library]*

Viette,P., 1970, Note sur Digama sagittata Gaede (Lep., Aganaidae). Bull. Soc. ent. Fr. 75: 43-45. Geographic coverage area (in codes): **MG KM Myt**

Viette,P., 1977, Hepialidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 16. Geographic coverage area (in codes): **KE** *[available in Cesa Library]*

Viidalepp,J., 2011, A morphological review of tribes in Larentiinae (Lepidoptera, Geometridae). Zootaxa 3136: 1-44, figs. Geographic coverage area (in codes): **Cc CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF FJ** *[available in Cesa Library]*

Villers,C.de, 1789, Caroli Linnaei entomologia faunae Suecicae descriptionibus aucta. Tomus secundus. 16 + 656 pp., Lugduni. Geographic coverage area (in codes): **PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR IR GB GG AM AZ CY SY LB IL SA SD SO ER ET DJ YE IQ IR TM TJ KK KG UZ** *[available in Cesa Library]*

Vives Moreno,A., 1988, Catalogo Mundial Sistematico y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196. Geographic coverage area (in codes): **Cc US MX PE VE GB DK ES FR IT B-H MK GR BG TR CY GG AM AZ IQ IR AF PK Ch IN RU RO KK KG TM UZ TJ LK IL SY LB JO SA SD UG CN JP ID AU NZ MG MA DZ TU EG** *[available in Cesa Library]*

Vives Moreno,A., 1994, Catalogo sistematico y sinonimico de los lepidopteros de la peninsula Ibérica y Baleares (Insecta, Lepidoptera) (segunda Parte) 775pp. Ministerio de Agricultura, Pesca y Alimentacion. Madrid. Geographic coverage area (in codes): **ES Abr Act Ag Alc Alm Alv An Atu Av B-I Bad Bar Bb Bgs Bg C-L C-M CRe Cas Ccs Cd Cl Cn Cor Cs Ct Cue Cz Ex For Fv Gc Gi Gna Gp Grn Hi Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Nrr Ore Ov Peu Ple Pv Rio Seg Sma Snv Sor Sul Ter Tol Trg Val Vcl Vit Zg Zm**

Vives Moreno,A., 1999, Contribucion al conocimiento de la familia Pterolonchidae Meyrick,1920. Los tipos de Edward Meyrick conservados en el Transvaal Museum de Pretoria y en el British Museum (Natural History) de Londres (Lepidoptera, Pterolonchidae, Holcopogonidae). Shilap Revta lepid. 27 (108): 539-547, figs. Geographic coverage area (in codes): **ZA Tva Wca Ec Nta Kzu Gau Mpu Lpo** *[available in Cesa Library]*

Volynkin,A.V. & G.M.Laszlo, 2019, Cyana smithi, a new species from Liberia (Lepidoptera, Erebidae, Arctiinae, Lithosiini). Ecol. Montenegr. 20: 215-221, figs. Geographic coverage area (in codes): **LR** *[available in Cesa Library]*

Volynkin,A.V., 2019, Two new 'Asura-like' Cyana Walker,1854 from Africa (Lepidoptera, erebidae, Arctiinae). Zootaxa 4576 (2): 395-400, figs. Geographic coverage area (in codes): **KE UG RW ZM** *[available in Cesa Library]*

Wagener,S., 1952, Beitrag zur Lepidopterenfauna des Hohen Atlas in Marokko. Ent. Z., Frankf. a. M. 62: 97-102. Geographic coverage area (in codes): **MA**

Wagener,S., 1990, 10 Thesen zum Arten- und Biotopschutz der Schmetterlinge. Atalanta 20 (1989): 131-133. Geographic coverage area (in codes): **Cc MA DZ TN LY EG IL PT ES FR DE NL BE LU PL CZ SK AT CH IT MA DZ TN MT GR BG GB NO SE FI RU EE UA BY KK KG CN TR IR TM UZ IN JP KP KR LB IQ GG AM AZ** *[available in Cesa Library]*

Wagner,H. & R.Pfitzner, 1911, Hepialidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr.W.Junk Berlin. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR CH DE DK NO SE FI IT DZ MA TN EG HU RO PL EE LT LV HV SL GB TH LA KH VN MX CO VE BR PE C** *[available in Cesa Library]*

Wagner,H., 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US PT ES FR CH DE DK NO SE FI IT DZ MA TN EG HU RO PL EE LT LV HV SL GB TH LA KH VN MX CO VE BR PE C** *[available in Cesa Library]*

Wahlberg,N., 2000, The ecology and evolution of Melitaeine butterflies. PhD Thesis. Univ. Helsinki, Finland. [access 20 9 2014]. Geographic coverage area (in codes): **Cc PT ES FR GB IE IC NO SE FI DK PL DE SK CZ HU IT AT CH Co Sa Si LB IL GR BG RO MD BE NL LU SS YU B-H HV MK AL TR GG AM AZ UA BY RU CN KK KG TJ UZ AF PK Ui Ti Mc KP KR JP DZ MA TN SY JO LB IQ IR TM MN Ld** *[available in Cesa Library]*

Wakeham-Dawson,A., 1997, Discriminant analysis of androconia in the genus Pseudochazara de Lesse,1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 48: 37-46. Geographic coverage area (in codes): **GR TR PK MA AF IR LB**

Walker,F., 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 1: 1-278. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 2: 279-582. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 3: 583-775. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 4: 776-976. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 5/6: 977-1508. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 7: 1509-1808. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 8: 1-271. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 9: 1-257. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 11: 493-764. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 12: 765-982. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 13: 983-1236. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 14: 1237-1520. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 15: 1521-1888. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 17: 255-508. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 18: 509-798. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 19: 799-1036. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 20: 1-276. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 21: 277-498. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 22: 499-755. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 23: 757-1020. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 24: 1021-1280. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 25: 1281-1478. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU**

GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC *[available in Cesa Library]*

Walker,F., 1863, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 27: 1-286. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 28: 287-561. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Tineites 29: iv+563-835. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1864, List of the specimens of lepidopterous insects in the collection of the British Museum Tineites 30: iv+837-1096. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 31: 1-322. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 32: 323-706. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 33: 707-1120. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1866, List of the specimens of lepidopterous insects in the collection of the British Museum 35: 1535-2040. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., 1870, A list of the Lepidoptera collected by J.K.Lord, Esq., in Egypt, along the African shore of the Red Sea, and in Arabia; with description of the species new to science. Entomologist 5: 123-134. Geographic coverage area (in codes): **EG SD SO ER ET**

Walker,F., [1857], List of the specimens of lepidopterous insects in the collection of the British Museum 10: 258-491. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., [1859], List of the specimens of lepidopterous insects in the collection of the British Museum. Deltoides 16: 1-253. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., [1863], List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 26: 1479-1796. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F., [1866], List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 34: 1121-1534. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Walker,F.A., 1885, Oriental Entomology. Entomologist 18: 6-9, 39-41, 91-94. Geographic coverage area (in codes): **TR 35 Rd GR LB Bei Bei EG** *[available in Cesa Library]*

Wallengren,H.D.J., 1856, Kafferlandets Macrolepidopter-Fauna. Akad. Afh. Lund. 1856: 1-78. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Wallengren,H.D.J., 1857, Lepidoptera Rhopalocera in terra caffrorum Annis 1838-1845 collecta af J.A.Wahlberg. K. svenska VetenskAkad. Handl. 2(4): 1-55. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Wallengren,H.D.J., 1858, Nya fjäril-slägten. Öfvers. VetenskAkad. Förh. Stockholm 15: 75-84, 135-142, 209-215. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Wallengren,H.D.J., 1860, Lepidopteralogische Mittheilungen. Wien. ent. Monatschr. 4 (2): 33-46. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Wallengren,H.D.J., 1863, Lepidopterologische Mittheilungen III. Wien. ent. Monatschr. 7 (5): 137-151. Geographic coverage area (in codes): **DZ MA TN LY EG IL LB SA SD OM YE Sk BF BH BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC Myt KM SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW TR** *[available in Cesa Library]*

Wallengren,H.D.J., 1865, Heterocer-Fjaerilar samlade i Kafferlandet af J.A.Wahlberg. K. svenska VetenskAkad. Handl. 5(4): 1-157. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Wallengren,H.D.J., 1872, Bidrag till Södra Afrikas Fjaerilfauna. Öfvers. K. VetenskAkad. Förh. 29 (3): 41-61. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Wallengren,H.D.J., 1875, Insecta Transvaaliensia. Öfvers. K. VetenskAkad. Förh. 32 (1): 83-137. Geographic coverage area (in codes): **ZA Tva** *[available in Cesa Library]*

Wallengren,H.D.J., 1875, Insecta Transvaaliensia- Bidragtill Transvaalska Republikens; Södra Afrika insektfauna. fversigt af Kongl. Vetensk. Akad. Förh. 32: 83-137. Geographic coverage area (in codes): **ZA Tva Lpo**

Walsingham,L., 1904-1911, Algerian Microlepidoptera. Entomologist's mon. Mag. 40 (1904): 214-223, 265-273; 41 (1905): 37-41, 124-128; 43 (1907): 6-10, 55-58, 125-129, 147-154, 187-195; 47 (1911): 12-15, 187-191. Geographic coverage area (in codes): **DZ Hes Ktr Btna Bsk** *[available in Cesa Library]*

Walsingham,L., 1907, Descriptions of new species of Stagmatophora, H.-S. (Lepidoptera, Tineina). Entomologist's mon. Mag. 43: 177-181. Geographic coverage area (in codes): **DZ RU Sr TR 05 16 58 76 76C SY Hal LB Bei** *[available in Cesa Library]*

Walsingham,M.A. & G.F.Hampson, 1896, On moths collected at Aden and in Somaliland. Proc. zool. Soc. Lond. 1896: 257-283, Pl.10. Geographic coverage area (in codes): **YE Ad SO** *[available in Cesa Library]*

Walsingham,M.A., 1881, On the Tortricidae, Tineidae, and Pterophoridae of South Africa. Trans. ent. Soc. London 1881: 219-288, pl.x-xiii. Geographic coverage area (in codes): **ZA Nta Kzu Dbn** *[available in Cesa Library]*

Walsingham,M.A., 1889, Monograph of the genera connecting Tinaegeria, Wlk., with Eretmocera, Z. Trans. ent. Soc. London 1889 (1): 1-40, 6 pls. Geographic coverage area (in codes): **CO PY IN SI Djl Clc JP AU Bor Pj SG LK ID FJ ZA Tva Kzu Nta TZ Zz GM SL ES TR TM UZ Smk** *[available in Cesa Library]*

Walsingham,M.A., 1891, African Micro-Lepidoptera. Trans. ent. Soc. London 1891: 63-132, Pls.3-7. Geographic coverage area (in codes): **ZA Tva Nta GM CI TZ Zz** *[available in Cesa Library]*

Walsingham,M.A., 1900, Descriptions of the new Microlepidoptera from Sokotra and "Abd el Kuri". Bull. Lpool. Mus. 3: 1-7. Geographic coverage area (in codes): **Sk**

Walsingham,M.A., 1900, Asiatic Tortricidae. Ann. Mag. nat. Hist. 7 (5): 368-386, 451-490; 7 (6): 121-137, 234-243, 333-341, 401-409, 429-448. Geographic coverage area (in codes): **Cc CN Yu JP RU Us Sb Am SY TR 01 05 09 16 33 58 70 IL Pa US Cf KR KP IR Gor Ch IN SI ID Sum Ja Bor Clb DZ LB LK GG AZ** *[available in Cesa Library]*

Walsingham,M.A., 1907, Spanish and Moorish Microlepidoptera. Entomologist's mon. Mag. 43: 212-218. Geographic coverage area (in codes): **MA ES PT FR Co TR** *[available in Cesa Library]*

Ward,C., 1871, Descriptions of new species of African diurnal Lepidoptera. Entomologist's mon. Mag. 8: 34-36, 58-60, 81-82, 118-122. Geographic coverage area (in codes): **CM**

Ward,C., 1873, Descriptions of new species of African Lepidoptera. Entomologist's mon. Mag. 10: 59-60, 151-152. Geographic coverage area (in codes): **SO ET KE UG ZM MZ TZ ZW MW ZA Kzu Nta**

Warnecke,G., 1938, Bemerkungen zu einigen Arten der Nolinae (Lepidoptera, Arctiidae) II.Beitrag. Ent. Rdsch. 55: 472-476. Geographic coverage area (in codes): **EG LB UZ DZ FR DE** *[available in Cesa Library]*

Warnecke,G., 1941, Ein weiterer Beitrag zur Kenntnis der Dyscia conspersaria F.-Gruppe (Lep., Geometr.). Z. Wien. EntVer. 26: 208-211, 231-235, 241-246, pls.27,28. Geographic coverage area (in codes): **LY TR Cc AZ AM GG RU Ao Da IR Ss TM Kp KG Kmk Tk Dj UZ KK AF PK CN T-S Kno** *[available in Cesa Library]*

Warren,B.C.S., 1942, Genus Pandoriana gen. nov. A preliminary description. Entomologist 75: 245-246. Geographic coverage area (in codes): **Cc MA DZ TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU GG AZ AM TR IR LB IQ GB KK KG CN TJ PK AF**

Warren,B.C.S., 1970, On three North African species of Pieris: P.maura Vty., P.atlantica Rothsch., P.segonzaci Le Cerf. Entomologist's Rec. J. Var. 82: 221-230, pls.xi-xii. Geographic coverage area (in codes): **MA DZ TN**

Warren,W. & N.C.Rothschild, 1905, Lepidoptera from the Sudan. Novit. zool. 12: 21-33, figs. Geographic coverage area (in codes): **SD ET** *[available in Cesa Library]*

Warren,W., 1891, Descriptions of new genera and species of Pyralidae contained in the British Museum Collection. Ann. Mag. nat. Hist. (6) 7: 423-438, 494-501; (6) 8: 61-70. Geographic coverage area (in codes): **CL CO BR US Col IL Pa SY TR 63 IN Hp Drm Djl SI MY Bor PG JP AU CN ZA Nta Kzu** *[available in Cesa Library]*

Warren,W., 1894, New genera and species of Geometridae. Novit. zool. 1: 366-466. Geographic coverage area (in codes): **TR IN Khs BT SI Djl Cn AU MY Bor CN PG ZA Kny BR LK ID Ja Clb JP PR CU CR GA SL** *[available in Cesa Library]*

Warren,W., 1895, New species and genera of Geometridae in the Tring Museum. Novit. zool. 2: 82-159. Geographic coverage area (in codes): **AU ET KE ID CO MM MY PG ZA IN JP BT Bor Ch CN ZR BR JM** *[available in Cesa Library]*

Warren,W., 1897, New genera and species of Drepanulidae, Thyrididae, Epiplemidae, Uraniidae and Geometridae in the Tring Museum. Novit. zool. 4: 195-262, pl.v. Geographic coverage area (in codes): **MY Bor IN Sml Ass Khs SI ID Bli Lb Clb Ja SL ZR NG CM LR ZA Nta Kzu Wnn TZ Dss KE UG MG MW Zom CN AU QAu Fg PG SB PH Luz Mdo MU** *[available in Cesa Library]*

Warren,W., 1897, New genera and species of moths from the old-world regions in the Tring Museum. Novit. zool. 4: 378-402. Geographic coverage area (in codes): **AF CN IN Ass Khs MY Bor ID Clb Bli SB PG AU QAu NA ZR ZA TZ Dss JP Cn** *[available in Cesa Library]*

Warren,W., 1897, New genera and species of moths from the Old World regions in the Tring Museum. Novit. zool. 4: 12-130. Geographic coverage area (in codes): **LB Bei IN SI Djl Khs Ass Hp Sml MG ID Ja Clb Amb MY Bor JP CM SL MW Zom MG NG TZ Dss GH PH Pal Luz AU QAu ZR ZA Nta Kzu Wnn PG Fg** *[available in Cesa Library]*

Warren,W., 1900, New genera and species of Thyrididae and Geometridae from Africa. Novit. zool. 7: 90-98. Geographic coverage area (in codes): **NG KE SL ZA ZR** *[available in Cesa Library]*

Warren,W., 1901, Drepanulidae, Thyrididae, Epiplemidae, and Geometridae from the Aethiopian Region. Novit. zool. 8: 202-217. Geographic coverage area (in codes): **NG NA AO ZA KE TZ ST** *[available in Cesa Library]*

Warren,W., 1901, New Thyrididae, Epiplemidae, and Geometridae from the Aethiopian Region. Novit. zool. 8: 6-20. Geographic coverage area (in codes): **SL UG MW KE TZ ST ZA ZR**

Warren,W., 1902, New African Drepanulidae, Thyrididae, Epiplemidae, and Geometridae in the Tring Museum. Novit. zool. 9: 487-536. Geographic coverage area (in codes): **NE ZR KE UG ST MZ AO TZ**

Warren,W., 1903, Two new species of the Wady el Natron, Egypt. Entomologist 36: 225-226. Geographic coverage area (in codes): **EG**

Warren,W., 1909-1913, Familia Noctuidae, [in] Seitz,A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart. Geographic coverage area (in codes): **Cc MA DZ TN LY EG Cn Az PT ES Co Sa Si FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY LB IR IQ TR GG AZ AM KK KG AF PK Ch Ld IN TM UZ TJ CN Ui Ti MN KP KR JP 06 65** *[available in Cesa Library]*

Warren,W., 1911, Descriptions of some new Geometridae and Pyralididae from South Africa. Ann. S. Afr. Mus. 10 (1): 19-30. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Warren,W., 1912, Familia Cymatophoridae, [in] Seitz,A., Die Gross-Schmett. Erde 2: pp. 321-333, Taf., Stuttgart. Geographic coverage area (in codes): **Cc MA DZ TN LY EG Cn Az PT ES Co Sa Si FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK EE LV LT RU UA BY LB IR IQ TR GG AZ AM KK KG AF PK Ch Ld IN TM UZ TJ CN Ui Ti MN KP KR JP 06 65** *[available in Cesa Library]*

Warren,W., 1914, Descriptions of new species of Lepidoptera Heterocera in the South African Museum. Ann. S. Afr. Mus. 10: 467-508, 2 pls. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Watson,A., 1965, A revision of the Ethiopian Drepanidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 3: 1-177, 18 pls. 7 maps. Geographic coverage area (in codes): **LR GH GN CI TG BJ NG CM GO CG ZR AO NA BW ZW UG RW BI TZ KE MZ MG LS SZ ZA MG KM** *[available in Cesa Library]*

Watson,A., 1965, Aethiopsestis gen. nov. (Lepidoptera), first record of Thyatiridae from the Ethiopian Region. J. ent. Soc. sth. Afr. 27: 257-266, figs. Geographic coverage area (in codes): **ZA ZW**

Watson,A., Fletcher,D.S. & I.W.B.Nye, 1980, Noctuoidea (part), [in] Nye, I.W.B., The Generic Names of Moths of the World vol.2. London. Geographic coverage area (in codes): **Cc B-H AL MK BG GR GG AM AZ TR IL LB CY SY IR IQ AF PK TM KG KK UZ CN SA JO ER ET SD SO YE OM KE TZ UG ZA MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU RO HV IT AT CH DE BE NL DK ES PT GB NO FI SE PL CZ J JP Tva Lpo Spb Nta MN KP KR SS SL SK DZ MA TN LY EG 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67** *[available in Cesa Library]*

Watson,E.Y., 1893, A proposed classification of the Hesperiidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls. Geographic coverage area (in codes): **Cc GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW AF ZA CM JP US PT ES FR AD LU BE NL DE PL CZ SK SS HV B-H HU DK NO SE FI EE LT LV BY UA RU RO BG GB GR IC IR MT Co Si Sa Cr CH AT IT** *[available in Cesa Library]*

Watson,J., 1895, On the rearrangement of the Fabrician genus Colias, and the proposal of a new genus of Pierinae. Entomologist 28: 166-168. Geographic coverage area (in codes): **AL AM AT AZ BE BG B-H BY CH CY CZ DE DK DZ EG ES FI FR GG GR HG HV IQ IR IT LB LT LU LY LV MA MK MT NL NO PL PT RO RU SE SK SS SY TR TN UA YU KG** *[available in Cesa Library]*

Watson,L. & M.J.Dallwitz, 2007, British insects the genera of Lepidoptera Geometridae. http://delta-intkey.com/ [access 1 10 2010] Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT Cn ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GR CY Cr Rd TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ MN** *[available in Cesa Library]*

Watson,L. & M.J.Dallwitz, 2007, British insects the genera of Lepidoptera Noctuidae. http://delta-intkey.com/ [access 1 10 2010] Geographic coverage area (in codes): **Cc MA DZ TN LY EG PT Cn ES FR AD GB DE PL CZ SK BE NL CH DK SE NO FI RU BY UA RO YU MK HV AT HU IT AL BG GR CY Cr Rd TR Sa Si Co SY LB IL Pa IQ IR AF TM TJ Pm KK KG UZ Ui CN Sb Us JP KP KR GG AM AZ MN** *[available in Cesa Library]*

Wehrli,E., 1929, Über die Arten und Formen der Gattung Nychiodes Led. Mitt. münch. ent. Ges. 19: 29-35, 38-56, 96, 171-172, Taf.III,IV. Geographic coverage area (in codes): **TR MK TM MA IL DZ TN LB IR KK CN Ui** *[available in Cesa Library]*

Wehrli,E., 1929, Ueber die paläarktischen Arten der Gattung Ellopia Tr. (Lepidopt., Geometr.). Mitt. münch. ent. Ges. 19: 311-323, 2 Taf. Geographic coverage area (in codes): **TR 07 33 46 DZ CH FR Co RU** *[available in Cesa Library]*

Wehrli,E., 1931, Einige neue paläarktische Geometriden aus Syrien, Algerien und Sicilien (Lepid., Het.). Mitt. münch. ent. Ges. 21 (2): 41-46. [wrong page citation by Hausmann (1994: 78) as "41-51"; see Osthelder,L.,1931] Geographic coverage area (in codes): **TR DZ Out IT Si LB Zah 27 31 31M 42 46** *[available in Cesa Library]*

Wehrli,E., 1934, Über unbekannte alte und neue Sterrhinae (Acidaliinae) (Lepid. Het.). Ent. Z., Frankf. a. M. 47: 156, 159-161, 166-167, 12 figs. Geographic coverage area (in codes): **DZ IT Si LB Bei** *[available in Cesa Library]*

Wehrli,E., 1938, Neue Gattungen, Untergattungen, Arten und Rassen von Geometriden (Lep.). Ent. Rdsch. 55: 354-360. Geographic coverage area (in codes): **IR Mz Fa TR 30 IQ Su Ry Rwz CN Co FR DZ** *[available in Cesa Library]*

Wei,C.-H., Kun,A. & S.-H.Yen, 2007, A preliminary analyses [sic!] of the phylogeny of the Ethmiinae moths (Lepidoptera, Gelechioidea) with special reference to the evolutionary patterns of host use. Acta zool. hung. 53 (Suppl.1): 61-100, figs. Geographic coverage area (in codes): **Cn MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR Cr TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY KG Uk IL Js IR Elb Th Km IQ Shq LB Bsa IN SI Hp Pj Kma Ass Drm JP Hkk Ri CN Hun Kgs Yu TW** *[available in Cesa Library]*

Weisert,F., 1993, Liste der europäischen Noctuidae unter Einbeziehung der Kanarischen Inseln und der Türkei mit kritischen Anmerkungen zur Literatur (1). Z. ArbGem. Öst. Ent. 45: 57-62. Geographic coverage area (in codes): **Cn TR** *[available in Cesa Library]*

Weiss,J.-C., 1980, Le genre Pseudochazara de Lesse en Europe et en Afrique du Nord Description d'une sous-espèce nouvelle de Ps. hippolyte Esper (Lepidoptera Satyridae). Linneana Belgica 8(3): 98-108, 3 Pls. Geographic coverage area (in codes): **MA DZ TN ES RU TR AL MK GR BG Cr Rd** *[available in Cesa Library]*

Werneburg,A., 1865, Über das Lepidopteren-Genus Colias, wie es in Staudinger's Catalog aufgestellt ist. Stettin ent. Ztg. 26: 272-288. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR TR SY LB GR BG TM UZ KK KG CN Ch PK IN SA SD EG ET ER DJ SO KE UG** *[available in Cesa Library]*

West,R.J., 1937, Descriptions of new species of Limacodidae. Ann. Mag. nat. Hist. (10) 20: 77-87, Pl.II. Geographic coverage area (in codes): **CN Sz PH Luz Mno PG MM LK Tcm IN ID Sum MY ZR KE ZA Nta Kzu Tva Gau Jh ZW UG** *[available in Cesa Library]*

Westwood,J.O., 1838-1840, An Introduction to the modern classification of Insects; founded on natural habits and corresponding organization of different families. 2 vols. Logman. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Weymer,G., 1896, Einige afrikanische Heteroceren. Berl. ent. Z. 41 (2): 79-90. Geographic coverage area (in codes): **TZ KE**

Weymer,G., 1901, Beitrag zur Lepidopterenfauna von Angola. Ent. Z., Stuttgart 15 (17): 61-64, 65-67, 69-70. Geographic coverage area (in codes): **AO** *[available in Cesa Library]*

Whalley,P.E.S., 1961, A Revision of the Syngamia floridalis Zell. complex with the description of a new species. Bull. Br. Mus. (Nat. Hist.) Ent. 10 (3): 105-111, 4 figs, Pl.4. Geographic coverage area (in codes): **ZA ID PG NH SB** *[available in Cesa Library]*

Whalley,P.E.S., 1963, A Revision of the World species of the genus Endotricha Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs. Geographic coverage area (in codes): **Cc MK BG GR TR CY GG AM AZ AL YU IQ IR LB SA SD SO SK ER ET KE UG TZ ZA Tva Nta EG LB IL JO AF TM PK UZ TJ KK KG Ch RU IN LK ID MM MY TH VN TW KH PH AU PG NC WS FJ PF TO** *[available in Cesa Library]*

Whalley,P.E.S., 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9 (10): 561-618, figs. Geographic coverage area (in codes): **Cc PT ES FR MA DZ TN LY EG IT CH AT DE DK BE NL GB PL HU CZ SK SE FI NO BY MK HV SS YU UA B-H RO BG GR AL RU GG AZ AM IR IQ TR CY SY LB TM UZ KK KG CN Ch PK AF IN LK SA SD ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA Nta Kzu ZW ZR CM JP US** *[available in Cesa Library]*

Whalley,P.E.S., 1964, A new genus and species of Pyralinae from Africa (Lepidoptera, Pyralidae). Jl. E. Africa nat. Hist. Soc. 24: 47-52, 3 pls. Geographic coverage area (in codes): **UG Etb CM Bit** *[available in Cesa Library]*

Whalley,P.E.S., 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC AF ZA CM SW JP US** *[available in Cesa Library]*

Whalley,P.E.S., 1971, The Thyrididae of Africa and its islands. A taxonomic and zoogeographic study. Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 17: 1-198, 68 pls. 73 maps. Geographic coverage area (in codes): **ZA MZ MG ZW RW TZ KE ET AO NA BW RW ZR NG CM** *[available in Cesa Library]*

Whalley,P.E.S., 1973, The genus Etiella Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH AU PG TW SB NH NC SW FJ ZA CM AF JP US** *[available in Cesa Library]*

Whalley,P.E.S., 1976, Tropical Leaf Moths. A monograph of the subfamily Strigliniinae (Lepidoptera, Thyrididae). 194 pp. 68 pls., 1 fig. 2 tab., 8 maps. Brit. Mus. Nat. Hist. London. Geographic coverage area (in

codes): **ZA MZ MG ZW RW TZ KE ET AO NA BW RW ZR NG CM ID IN MM MY KH VN TH CN TW PH AU PG** *[available in Cesa Library]*

Whittle,P.A., 1985, An annotated check-list of the butterflies of Lesotho. National University of Lesotho, Roma. Geographic coverage area (in codes): **LS** *[available in Cesa Library]*

Wiemers,M., 1991, Hipparchia wyssii (Christ,1889) Komplex: Beitrag zur Morphologie, Biologie, Ökologie und Verbreitung auf den Kanarischen Inseln (Lepidoptera, Satyridae). Nota lepid. 14(3): 255-278. Geographic coverage area (in codes): **Cn**

Wiemers,M., 1992, Pieris brassicae brassicae (Linnaeus,1758) auf Lanzarote- Erstnachweis für die Kanarischen Inseln. Atalanta 23(1/2): 103-106, 4 Abb. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Wiemers,M., 2003, Chromosome differentiation and the radiation of the butterfly subgenus Agrodiaetus (Lepidoptera, Lycaenidae, Polyommatus) - a molecular phylogenetic approach. Dissertation. Bonn. Geographic coverage area (in codes): **Cc AM TR 01 07 08 24 25 29 30 32 36 38 42 44 48 50 58 65 65D 69 70 76 IR TJ RU UZ KK TM GR MA ES FR IT** *[available in Cesa Library]*

Williams,M.C., 1996, New larval foodplant records for some South African Butterflies. Metamorphosis 7(3): 131-135. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Williams,M.C., 2002, A new subspecies of Lepidochrysops neavei (Bethune-Baker,1923) (Lepidoptera, Lycaenidae) from Malawi. Metamorphosis 13 (2): 64-67, figs. Geographic coverage area (in codes): **MW Mje** *[available in Cesa Library]*

Williams,M.C., 2007, The nymphaline genera Precis Hübner,1819 and Junonia Hübner,1819 (Lepidoptera, Nymphalidae): resolution of a long-standing debate. Metamorphosis 18 (2): 56-60, figs. Geographic coverage area (in codes): **ZA** *[available in Cesa Library]*

Williams,M.C., 2015, Classification of the Afrotropical butterflies to generic level. Metamorphosis 26: 102-108. Geographic coverage area (in codes): **DZ MA MR CV LY SD BF BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW JO KE LR LS MG ML MR MU MW MZ NA NE RE SC KM SL SN SO ST SZ TD TG TZ UG ZA ZM ZR ZW EG** *[available in Cesa Library]*

Willmott,K.R., 2003, Cladistic analysis of the Neotropical butterfly genus Adelpha (Lepidoptera, Nymphalidae), wit comments on the subtribal classification of Limenitini. Syst. Ent. 28: 279-322, figs. Geographic coverage area (in codes): **Cc MX CR HN NI PA CO VE GY SR BR PE EC CL AR PY UY BO DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC** *[available in Cesa Library]*

Wiltshire,E.P., 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. Entomologist's Rec. J. Var. 53: 101-106. Geographic coverage area (in codes): **Cc RO BG GR B-H MK TR CY SY LB IL EG IQ IR GG AM AZ RU TM UZ TJ AF PK KK KG SL CR SE** *[available in Cesa Library]*

Wiltshire,E.P., 1943, Substitute food-plants. Entomologist's Rec. J. Var. 55: 79-85. Geographic coverage area (in codes): **CY SY LB EG SA IQ IR** *[available in Cesa Library]*

Wiltshire,E.P., 1947, New species and forms from Egypt and Arabia. Bull. Soc. Fouad Ier Ent. 31 (1): 3-11, 15 figs. Geographic coverage area (in codes): **EG SA** *[available in Cesa Library]*

Wiltshire,E.P., 1947, Middle East Lepidoptera VI. Two fine new species from Southern Sinai. Bull. Soc. Fouad Ier Ent. 31 (1): 1-2, 1 Pl. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Wiltshire,E.P., 1948, The Lepidoptera of the Kingdom of Egypt, Part I. Bull. Soc. Fouad Ier Ent. 32: 203-298, Pls. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Wiltshire,E.P., 1949, The Lepidoptera of the Kingdom of Egypt, Part II. Bull. Soc. Fouad Ier Ent. 33: 381-460, Pls. Geographic coverage area (in codes): **EG** *[available in Cesa Library]*

Wiltshire,E.P., 1952, Early stages of Palaearctic Lepidoptera, X. Bull. Soc. Fouad Ier Ent. 36: 175-186, Pl. Geographic coverage area (in codes): **IR Fa CY EG** *[available in Cesa Library]*

Wiltshire,E.P., 1968, Middle East Lepidoptera, xxviii. Three new species and a new race, from the Lebanon, Sudan and Karakoram. Entomologist 101: 162-167, 4 figs. Pl.II. Geographic coverage area (in codes): **Ch PK SD LB** *[available in Cesa Library]*

Wiltshire,E.P., 1970, A review of the genus Pericyma Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs. Geographic coverage area (in codes): **IR IQ EG SD AF IL SA CY ET SY UZ Ui CN LB TR IN DZ LY MA ER BH Sk SO** *[available in Cesa Library]*

Wiltshire,E.P., 1970, Some new Jaspidiinae and Catocalinae mainly from the Sudan (Noctuidae). Veröff. zool. St. Samml. München 14: 112-119, figs. Geographic coverage area (in codes): **SD SA Si AF IR** *[available in Cesa Library]*

Wiltshire,E.P., 1977, Middle East Lepidoptera, XXXVII. Notes on the Spodoptera litura (F.)- Group (Noctuidae-Trifinae). Proc. Br. ent. Nat. Hist. Soc. 1977: 92-96, 7 figs. Geographic coverage area (in codes): **SY LB IL EG SA OM BH IQ IR** *[available in Cesa Library]*

Wiltshire,E.P., 1977, Middle East Lepidoptera xxxiv: More new species of Noctuidae (Lep.) from Africa and Arabia, with further records of Lepidoptera from the Sudan. Mitt. münch. ent. Ges. 66: 127-140, figs. Geographic coverage area (in codes): **SD** *[available in Cesa Library]*

Wiltshire,E.P., 1985, Middle East Lepidoptera xliv. Eupithecia penultimaria sp.n. (Geometridae) from central Iraq. Entomologist's Gaz. 36: 263-267, Pl.9, 6 figs. Geographic coverage area (in codes): **IQ LB IR ES EG** *[available in Cesa Library]*

Wiltshire,E.P., 1985, New Geometridae from Africa, with a list of additions to the Lepidoptera fauna of the Sudan (Lepidoptera, Geometridae). Entomofauna 6 (2): 9-22, 8+10 figs. Geographic coverage area (in codes): **SD DZ Rhr** *[available in Cesa Library]*

Wiltshire,E.P., 1990, Dyscia senecai sp.n. from Libya, with notes on some other N. African Dyscia species (Geometridae, Ennominae). Nota lepid. 12 (4): 354-365, 17 figs., 1 Tab. Geographic coverage area (in codes): **LY SA DZ FR ES** *[available in Cesa Library]*

Witt,T. & W.Speidel, 2007, Eine neue Art der Gattung Polymona Walker,1855 aus Algerien (Lepidoptera, Lymantriidae). Entomofauna 28 (3): 33-42, Abb. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Witt,T., 1982, Die Verbreitung von Lasiocampa grandis (Rogenhofer,1891) in Europa (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 31 (2): 27-31, map. Geographic coverage area (in codes): **GR MK BG TR EG IL LB IQ IR** *[available in Cesa Library]*

Wocke,M., 1861, Microlepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. 85-192S. Dresden. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG** *[available in Cesa Library]*

Wocke,M., 1871, Microlepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. 201-426S. Dreden. Geographic coverage area (in codes): **Cc DZ MA TN PT ES Co Si Sa CY Rd Cr FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK BG GR RO UA BY RU TR GG AZ AM KG** *[available in Cesa Library]*

Wollaston,T.F., 1879, Notes on the Lepidoptera of St. Helena, with descriptions of new species. Ann. Mag. nat. Hist. (5) 3: 219-235, 329-343, 415-441. Geographic coverage area (in codes): **SH ZA** *[available in Cesa Library]*

Wyatt,C.W., 1952, Einige neue Tagfalterformen aus Marokko. Z. wien. ent. Ges. 37: 173-176, Taf. 21-24. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Wyatt,C.W., 1956, Lepidoptera collecting in the Atlas mountain of Morocco. Lepidopterists' News 10 (6): 214-222. Geographic coverage area (in codes): **MA**

Wyatt,C.W., 1968, Huit jours en automne au Maroc. Alexanor 5: 327-329. Geographic coverage area (in codes): **MA** *[available in Cesa Library]*

Yakovlev,R., Ivinskis,P., Rimsaite,J. & A.Saldaitis, 2013, Description of two species of Meharia Chrétien,1915 (Lepidoptera, Cossidae) from East Africa. Zootaxa 3635 (5): 587-590, figs. Geographic coverage area (in codes): **MW KE** *[available in Cesa Library]*

Yakovlev,R.V. & A.Saldaitis, 2008, Rambuasalama augustasi gen. nov. & spec. nov. of Cossidae from Madagascar (Lepidoptera, Cossidae). Atalanta 39 (1/4): 401-403, figs. Geographic coverage area (in codes): **MG** *[available in Cesa Library]*

Yakovlev,R.V. & R.J.Murphy, 2013, The Cossidae (Lepidoptera) of Malawi with descriptions of two new species. Zootaxa 3709 (4): 371-393, figs. Geographic coverage area (in codes): **MW** *[available in Cesa Library]*

Yakovlev,R.V. & S.Safian, 2016, Geraldocossus gen.nov. (Lepidoptera, Cossidae) from Mount Cameroon (West Africa). Zootaxa 4114 (5): 595-599, figs. Geographic coverage area (in codes): **CM** *[available in Cesa Library]*

Yakovlev,R.V. & T.J.Witt, 2015, Meharia ganslmeieri sp. nov. - a new Cossidae species from Zambia (Lepidoptera). Zootaxa 4032 (3): 319-321, figs. Geographic coverage area (in codes): **ZM**

Yakovlev,R.V. & T.J.Witt, 2015, Azygophleps brehmi Yakovlev et Witt, sp.n. - a new Carpenter Moth (Lepidoptera, Cossidae) from Ethiopia. Russian Ent. J. 25 (1): 71-73, figs. Geographic coverage area (in codes): **ET** *[available in Cesa Library]*

Yakovlev,R.V. & T.J.Witt, 2017, Taxonomic notes about Paropta Staudinger,1899 (Lepidoptera, Cossidae). Zool. Middle East 63: 6 pp. & figs. Geographic coverage area (in codes): **CY GR Rd TR LB SY Ltk IL Js Hf Jf Pa EG EG05 YE OM SA IR** *[available in Cesa Library]*

Yakovlev,R.V. & T.J.Witt, 2017, Four new species of Azygophleps Hampson,1892 (Lepidoptera, Cossidae, Zeuzerinae) from Africa. Zootaxa 4303 (3): 437-444, figs. Geographic coverage area (in codes): **KE ET ZA Kzu Nta AO NA MW ZR TZ** *[available in Cesa Library]*

Yakovlev,R.V., 2006, New Cossidae (Lepidoptera) from Asia, Africa, and Macaronesia. Tinea 19 (3): 188-213, figs. Geographic coverage area (in codes): **ID Flo Sum Clb PH Luz Pal TH CMa VN LK NP IN PK CN Yu Ti ZR CI** *[available in Cesa Library]*

Yakovlev,R.V., 2008, Afroarabiella gen.nov. - a new genus of Cossidae (Lepidoptera) from the African and Arabian Peninsula. Atalanta 39 (1/4): 389-395, figs. Geographic coverage area (in codes): **SA YE SD KE NE ZR GH ZA** *[available in Cesa Library]*

Yakovlev,R.V., 2008, Notes about the genus Eremocossus Hampson,1892 (Lepidoptera, Cossidae). Atalanta 39 (1/4): 404-411, figs. Geographic coverage area (in codes): **SN MR MA DZ TN LY EG SD JO IL SY IQ IR PK OM YE AE SA ES TM Cc AM** *[available in Cesa Library]*

Yakovlev,R.V., 2009, New taxa of African and Asian Cossidae (Lepidoptera). Euroas. Ent. J. 8 (3): 353-361, figs. Geographic coverage area (in codes): **TH CMa CN Yu Hn Ti IN NP AF SI MG ZR SA** *[available in Cesa Library]*

Yakovlev,R.V., 2011, Catalogue of the family Cossidae of the Old World. Neue ent. Nachr. 66: 1-129. Geographic coverage area (in codes): **Cc MK B-H RO RU GG AZ AM IR IQ TR CY SY LB GR BG TM UZ KK KG CN Ch PK IN SL SA SD EG ET ER DJ SO KE UG TZ ID MM MY PH TW ZA CM AF JP US PT ES FR CH DE DK NO SE FI IT DZ MA TN LY EG HU RO PL EE LT LV HV SL GB TH LA KH VN** *[available in Cesa Library]*

Yakovlev,R.V., 2014, Cossidae (Lepidoptera) of Zambia. Check List 10 (4): 724-728, figs. Geographic coverage area (in codes): **ZM** *[available in Cesa Library]*

Yang,L., Wang,S. & H.Li, 2014, A taxonomic revision of the genus Edosa Walker,1886 [recte 1866] from China (Lepidoptera, Tineidae, Perissomasticinae). Zootaxa 3777 (1): 1-102, figs. Geographic coverage area (in codes): **CN TW TH PH MY AU KE SA IR TR AF PK ID** *[available in Cesa Library]*

Yata,O., 1989, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part I. Phylogeny and zoogeography of the subgenus Terias Swainson and descriptions of the subgenus Eurema Hübner. Bull. Kitakyushu Mus. Nat. Hist. 9: 1-103, 24 pls. Geographic coverage area (in codes): **IR AF PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA Lpo Tva Nta Spb MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU JP DZ MA TN LY EG**

Yata,O., 1991, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part 2. Descriptions of the smila, the hapale, the ada, and the sari (part) groups. Bull. Kitakyushu Mus. Nat. Hist. 10: 1-51, 21 pls. Geographic coverage area (in codes): **IR AF PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA Lpo Tva Nta Spb MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU JP DZ MA TN LY EG**

Yata,O., 1992, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part 3. Description of the sari group (part). Bull. Kitakyushu Mus. Nat. Hist. 11: 1-77, 30 pls. Geographic coverage area (in codes): **IR AF PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA Lpo Tva Nta Spb MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU JP DZ MA TN LY EG**

Yata,O., 1994, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part 4. Description of the hecabe group (part). Bull. Kitakyushu Mus. Nat. Hist. 13: 59-105, pls.5-35. Geographic coverage area (in codes): **IR AF PK CN SA JO ER ET SD SO YE OM KE TZ UG ZA Lpo Tva Nta Spb MW ZM ZR ZW BW AO NA MZ MG GH CF CI SL LK IN ID MM MY PH FJ NC PG SB AU NH WS US CA TW TH Ch RU JP DZ MA TN LY EG**

Yela,J.L., Honey,M.R. & L.Ronkay, 1997, The identity and systematic placement of Pechipogo plumigeralis Hübner,[1825], Herminia crinalis Treitschke,1829 and H. simplicicornis Zerney,1935 (Lepidoptera, Noctuidae, Herminiinae). Ent. scand. 28: 189-197, figs. Geographic coverage area (in codes): **DZ Clo Agi Hrh Dzc Dhm TN BSa Blid Abe Sbd PT ES FR Co Sa Si IT MT GB CH AT PL RO YU AL BG GR Cr TR LB IL Pa SY IR AF RU Cc AZ Nv Ord Kc Kr Da MD UA BY** *[available in Cesa Library]*

Yen,S.-H. & J.Minet, 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs. Geographic coverage area (in codes): **Cc GG Bjo Smt TN Co TR IR SY Hal IQ MA ES An Cz Hv Svl Mlg Grn Alm Jae Cd Cl Nrr Ag Vcl Cs Mdr FR IT YU 06 13 14 29 30 42 44 50 58 65 76** *[available in Cesa Library]*

Zagulyaev,A.K., 1966, New moths of the family Tineidae and the Ochsenheimeriidae (Lepidoptera). Trans. Zool. Inst. Acad. Sci. USSR 37: 148-176, figs. Geographic coverage area (in codes): **DZ Tni Tis**

Zagulyaev,A.K., 1975, Fauna of the U.S.S.R. Nasekomye Cheshuekrylye, vol.4 no 5 Nastoyashchie Moli (Tineidae). 547pp., figs. Nauka Publishers, Leningrad. Geographic coverage area (in codes): **MA DZ TN ES FR EG LY IL Pa LB SY IQ TR RU UA KG KK TJ UZ TM IR AF PK CN Ui JP Sz** *[available in Cesa Library]*

Zaspel,J.M. & M.A.Branham, 2008, World checklist of Tribe Calpini (Lepidoptera, Noctuidae, Calpinae). Insecta Mundi 47: 1-15. Geographic coverage area (in codes): **MX CR HN NI PA DZ MA TN PT ES FR DE BE NL LU DK NO SE FI PL CZ HU SK SS YU HV B-H MK B-H RO RU GG AZ AM Cc IR IQ TR SY LB GR BG TM UZ KK KG CN Ch PK IN LK SA SD EG ET ER DJ SO KE UG TZ ID MM TH MY PH AU PG TW SB NH NC Hw FJ** *[available in Cesa Library]*

Zeller,P.C., 1846, Beschreibung der Trichosoma löwii nov. sp. nebst Bemerkungen über Carrenno's "Insecte, dont l'ordre est incertain". Stettin ent. Ztg. 7: 5-11. Geographic coverage area (in codes): **GR Rd TR LB Bei IL Pa Hf EG LY Cy IR Ak Tbz Ke AF IQ** *[available in Cesa Library]*

Zeller,P.C., 1852, Lepidoptera Microptera quae J.A.Wahlberg in Caffrorum terra collegit. K. svenska Vetensk. Akad. Handl. 1852: 1-120. Geographic coverage area (in codes): **ET ZA Nta Tva Kzu Lpo SD KE DJ SO UG TR** *[available in Cesa Library]*

Zeller,P.C., 1867, Einige von Herrn Pickard Cambridge, besonders in Aegypten und Palaestina gesammelte Mikrolepidopteren. Stettin ent. Ztg. 28: 365-387. Geographic coverage area (in codes): **EG IL Pa TR LB SY** *[available in Cesa Library]*

Zerny,H., 1914, Über paläarktische Pyraliden des k. k. naturhistorischen Hofmuseums in Wien. Annln. naturh. Mus. Wien 28: 295-348, 2 Taf. Geographic coverage area (in codes): **TR Cc RO IR ES LB Bei CN Ui Ju Ku Ln BG RU IL Pa EG Sn UZ AF KG HV GR 01 05 16 21 27 31 33 35 38 45 46 47 76** *[available in Cesa Library]*

Zerny,H., 1914, Liste der erbeuteten Lepidopteren, [in] Werner,F., Errgebnisse einer von Prof. Franz Werner im Sommer 1910 mit Unterstützung aus dem Legate Wedl ausgeführten zoologischen Forschungsreise nach Algerien. Sb. Akad. Wiss. Wien 123: 263-266. Geographic coverage area (in codes): **DZ** *[available in Cesa Library]*

Zerny,H., 1915, Zwei neue paläarktische Noctuiden. Verh. zool.- bot. Ges. Wien 65: (222)-(225), 2 figs. Geographic coverage area (in codes): **TM EG IL** *[available in Cesa Library]*

Zerny,H., 1935, Die Lepidopterenfauna des Grossen Atlas in Marokko und seiner Randgebiete. Mém. Soc. Sci. nat. Maroc. 42: 1-157. Geographic coverage area (in codes): **MA**

Zeuner,F.E., 1943, On recent and fossil Pseudonaclia Butler (Lep., Amatidae). Ann. Mag. nat. Hist. (11) 10: 140-144, 2 figs. Geographic coverage area (in codes): **TZ MZ SZ ZA ZR KE ET** *[available in Cesa Library]*

Ziegler,H., 1990, Beitrag zur Kenntnis der Biologie sowie Beschreibung der ersten Stände von Gonepteryx eversi Rehnelt,1974 (Lep., Pieridae). Atalanta 21 (1/2): 109-119, Taf. Geographic coverage area (in codes): **Cn** *[available in Cesa Library]*

Zilli,A., 1992, Remarks on the taxonomic value of male abdominal brush-organs: the case of Apamea moroccana (Zerny,1934), bona sp. (Lepidoptera, Noctuidae). Esperiana 3: 19-32, figs. Geographic coverage area (in codes): **MA Ouk DZ ES IT Sa Co Si LB Bsa TR 33 42** *[available in Cesa Library]*

Zilli,A., 1994, Remarks on European Myxinia Species (Lepidoptera, Noctuidae). Atalanta 25 (1/2): 359-364. Geographic coverage area (in codes): **MA DZ TN Si TR** *[available in Cesa Library]*

Zolotuhin,V.V. & A.M.Prozorov, 2010, A review of the genera Opisthodontia Aurivillius,1895, and Stenophatna Aurivillius,1909, with erection of 8 new genera and descriptions of 37 new species and 2 new subspecies (Lepidoptera, Lasiocampidae). Atalanta 41 (3/4): 397-460, figs. Geographic coverage area (in codes): **SN SL GM LR TG CI GH NG CM UG ZR KE TZ MZ AO BW ZM NA ZA ET** *[available in Cesa Library]*

Zolotuhin,V.V. & A.Saldaitis, 2009, A new species of Trichiura Stephens,1828 (Lepidoptera, Lasiocampidae) from Lebanon. Entomofauna 30 (4): 53-60, figs. Geographic coverage area (in codes): **MA PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR 23 44 56 62 AM GG IR Gls Kh DK NO SE FI EE LV LT RU Sb Am KG LB Lkl MN** *[available in Cesa Library]*

Zolotuhin,V.V. & A.V.Gurkovich, 2009, A review of the genus Pachypasa Walker,1855 sensu lato in Africa (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 63: 1-75, 21 pls. Geographic coverage area (in codes): **ML LR GH TG CI CM NG CF ZR CG AO NA ZA MZ MG UG ZM RW TZ SO KE ET YE** *[available in Cesa Library]*

Zolotuhin,V.V. & A.V.Gurkovich, 2009, Synonymic notes on African Lasiocampidae (Insecta, Lepidoptera). Entomofauna 30 (17): 273-288, figs. Geographic coverage area (in codes): **KE AO NA CM ZW GA NG ZR SD** *[available in Cesa Library]*

Zolotuhin,V.V., 1997, Die Verbreitung von Proserpinus proserpina (Pallas,1772) in Osteuropa und Mittelasien (Lepidoptera, Sphingidae). Atalanta 28 (1/2): 129-134. Geographic coverage area (in codes): **Cc RU TZ TJ KK KG AM GG UA** *[available in Cesa Library]*

Zolotuhin,V.V., 1998, Further synonymic notes in the Lasiocampidae with the description of a new Euthrix-species (Lepidoptera, Lasiocampidae). Entomofauna 19 (2): 53-74, 23 figs. Geographic coverage area (in codes): **RU JP LB TR IN UZ Fe AF PK KK KG Ch KH EG SD ID PH Ti TW NP Am Si** *[available in Cesa Library]*

Zolotuhin,V.V., 2010, A review of the genus Chionopsyche Aurivillius,1909 with the description of a new species (Lepidoptera, Lasiocampidae, Chionopsychinae). Atalanta 41 (3/4): 361-366, figs. Geographic coverage area (in codes): **KE TZ SO CM** *[available in Cesa Library]*

Maps



Map 1 – Cyana puella (Arctiidae)



Map 2 – Eilema (s.str.) caniolum (Arctiidae)



Map 3 – Nyctemera leuconoe (Arctiidae)



Map 4 – Phragmatobia fuliginosa (Arctiidae)



Map 5 – Utetheisa (s.str.) pulchella (Arctiidae)



Map 6 – Helcystogramma lamprostoma (Gelechiidae)



Map 7 – Pectinophora gossypiella (Gelechiidae)



Map 8 – Tuta absoluta (Gelechiidae)



Map 9 – Acanthovalva inconspicuaria (Geometridae)



Map 10 – Chiasmia brongusaria (Geometridae)



Map 11 – Chiasmia confuscata (Geometridae)



Map 12 – Chiasmia normata (Geometridae)



Map 13 – Acronicta (Viminia) rumicis (Noctuidae)



Map 14 – Aedia leucomelas (Noctuidae)



Map 15 – Erebus macrops (Noctuidae)



Map 16 – Eublemma cochylioides (Noctuidae)



Map 17 – Heteropalpia vetusta (Noctuidae)



Map 18 – Pyrausta phoenicealis (Pyralidae)



Map 19 – Bactra (s.str.) lancealana (Tortricidae)



Map 20 – Crocidosema plebejana (Tortricidae)

Memoirs **ISSN 1015-8227** (print version)
Memoirs, established in 1991, is a peer reviewed, currently online serial of the Centre for Entomological Studies Ankara (Cesa). It has been suspended between 1995-2006, available again from December 2007 on as online. It appears at irregular intervals as PDF format and includes original large articles of the research workers of the Centre, regarding on various entomological subjects, taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication language is English or Turkish.
Memoirs is regularly archived online at "Internet Archive" since 2011, in accordance with the publication rules of the ICZN. Memoirs is an open-access serial, distributed under the terms of the "*Creative Commons Attribution License*", which permits free use, and distribution in any medium, provided the original author(s) and source are credited.

Centre for Entomological Studies Ankara

(A scientific Consortium)
(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: http://www.cesa-tr.org/ - Digital Library of the Cesa: https://archive.org/details/@cesa
Scientific Serials: Priamus & Priamus Supplement (print and online versions) (ISSN 1015-8243)[5], Miscellaneous Papers (print and online versions) (ISSN 1015-8235) [6], Memoirs (print and online versions) (ISSN-8227)[7] DVD Films[8], Iconographia Insectorum[9] (online), Cesa Publications on African Lepidoptera (online)[10], Cesa News (online)[11], Cesa Books (online) [12]
Owners / Sahipleri - Editors / Yayıncılar: Prof. em. Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey).
Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey).
Chief referees of all Scientific Serials of the CESA: Prof. em. Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.
Expert referees according to the subject areas: Dr Peter Huemer (Austria): Gelechiidae, and some Microlepidoptera groups in Palaearctic (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G.Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr Suat Kıyak (Turkey): Hemiptera, Hymenoptera (Cynipidae).
Plant taxonomy, flora and vegetation: Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Van Yüzüncü Yıl University, Van, Turkey).
Molecular studies: Asst. Prof. Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).
Editorial policy: The submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em. Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All the serials of the Cesa are archived regularly by the Internet Archive
(300 Funston Ave., San Francisco, CA 94118, U.S.A.),
in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)
https://archive.org/

also recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom
https://clarivate.com/

[5] http://www.cesa-tr.org/Priamus.htm http://www.cesa-tr.org/Pri.htm
[6] http://www.cesa-tr.org/Miscell.htm
[7] http://www.cesa-tr.org/Memoirs.htm
[8] http://www.cesa-tr.org/CDF.htm
[9] http://www.cesa-tr.org/Icon.htm
[10] http://www.cesa-tr.org/CPAL.htm
[11] http://www.cesa-tr.org/Cesanews.htm
[12] http://www.cesa-tr.org/Cesabooks.htm